


Fire Weather Climatology
and
Current (2017) Conditions
for
BC: UPPER KISPION Weather Station
as of
September 06, 2017

UPPER KISPLOX (431) : Historical (1986–2016) and Current (2017) Noon Temperature



Percentiles (0 – 100%)

Extreme 90+

Above Normal 75–90


Normal 25–75

Below Normal 0–25


2017 Data

Historical Median


UPPER KISPIOX (431) : Historical (1986–2016) and Current (2017) Noon Relative Humidity




UPPER KISPLOX (431) : Historical (1986–2016) and Current (2017) Noon Wind Speed



UPPER KISPIOX (431) : Historical (1986–2016) and Current (2017) Noon Cumulative Precipitation



UPPER KISPIOX (431) : Historical (1986–2016) and Current (2017) Noon Fine Fuel Moisture Code (FFMC)



Percentiles (0 – 100%)

Extreme 90+

Above Normal 75-90


Normal 25-75

Below Normal 0-25


2017 Data

Historical Median


UPPER KISPIOX (431) : Historical (1986–2016) and Current (2017) Noon Duff Moisture Code (DMC)



UPPER KISPIOX (431) : Historical (1986–2016) and Current (2017) Noon Drought Code (DC)




UPPER KISPIOX (431) : Historical (1986–2016) and Current (2017) Noon Initial Spread Index (ISI)




Percentiles (0 – 100%) Extreme 90+ Above Normal 75–90 Normal 25–75 Below Normal 0–25 2017 Data Historical Median

UPPER KISPIOX (431) : Historical (1986–2016) and Current (2017) Noon Buildup Index (BUI)



UPPER KISPIOX (431) : Historical (1986–2016) and Current (2017) Noon Fire Weather Index (FWI)



For Questions/Comments/Suggestions Contact:

Brad Armitage

Ember Research Services Ltd.

(250) 213-2600

Brad.Armitage@EmberResearch.com