

Cariboo Region Stocking Standards (July 24, 2018) - with SSID

RESULTS SSID	BGC				Regen and Free Growing							Assessments		Additional Standards
	Classification				Species		Stocking					Regen Delay	Free Growing	
	BGC Zone	Subzone	Variant	Site Series	Preferred (p)	Acceptable (a)	Layer	Target	MIN p+a	MIN p	MITD			
					minimum height (m)	minimum height (m)		Well-spaced/ha			(m)	(yrs)	(yrs)	
1060270	ESSF	dc	2	1	Sx(.8) BI(.8)	PI(1.6)	I	1200	700	600	2.0	4	20	Balsam (BI) is limited to a maximum of 50% of preferred and acceptable well spaced trees
1060271	ESSF	dc	2	2	PI(1.2)	Sx(.6) BI (.6)	I	1000	500	400	1.6	7	20	
1060272	ESSF	dc	2	3	PI(1.2) Sx (0.6) BI(.6)		I	1000	500	400	1.6	7	20	Balsam (BI) is limited to a maximum of 50% of preferred and acceptable well spaced trees
1060273	ESSF	dc	2	5	PI(1.2) Sx(.6) BI(.6)		I	1000	500	400	1.6	7	20	Balsam (BI) is limited to a maximum of 50% of preferred and acceptable well spaced trees
1060274	ESSF	dc	2	6	Sx(.8) BI(.8)	PI(1.6)	I	1200	700	600	2.0	4	20	
1060275	ESSF	dc	2	7	Sx(.8) BI(.8)	PI(1.6)	I	1200	700	600	1.6	4	20	
1060276	ESSF	dc	2	8	Sx(.6) BI(.6)		I	1000	500	400	1.6	4	20	
1060277	ESSF	mv	1	1	Sx(.8) BI(.8)	PI(1.6)	I	1200	700	600	2.0	4	20	
1060278	ESSF	mv	1	2	PI(1.2)	BI(.6)	I	1000	500	400	1.6	7	20	
1060279	ESSF	mv	1	3	PI(1.2) Sx(.6) BI(.6)		I	1000	500	400	1.6	7	20	
1060280	ESSF	mv	1	4	Sx(.6) BI(.6)	PI(1.2)	I	1000	500	400	1.6	7	20	
1060281	ESSF	mv	1	5	Sx(.6) BI(.6)	PI(1.2)	I	1000	500	400	1.6	4	20	
1060282	ESSF	wc	3	1	Sx(.8) BI(.8)	PI(1.6)	I	1200	700	600	2.0	4	20	
1060284	ESSF	wc	3	2	PI(1.2) Sx(.6) BI(.6)		I	1000	500	400	2.0	7	20	
1060285	ESSF	wc	3	3	Sx(.6) BI(.6)		I	600	400	300	1.6	7	20	
1060286	ESSF	wk	1	1	PI(2.0)Sx(1.0) BI(1.0)		I	1200	700	600	2.0	4	20	
1060288	ESSF	wk	1	2	PI(1.4) Sx(.8) BI(.8)	Lw(2.0)	I	1000	500	400	2.0	7	20	
1060289	ESSF	wk	1	3	PI(2.0) Sx(1.0) BI(1.0)	Lw(2.0)	I	1200	700	600	2.0	4	20	
1060291	ESSF	wk	1	4	Sx(1.0) BI(1.0)	PI(2.0)	I	1200	700	600	2.0	4	20	
1060293	ESSF	wk	1	5	Sx(1.0) BI(1.0)	PI(2.0)	I	1200	700	600	2.0	4	20	
1060295	ESSF	wk	1	6	Sx(.8) BI(.8)		I	1000	500	400	1.6	4	20	
1060296	ESSF	wk	1	7	Sx(.8) BI(.8)		I	1000	500	400	1.6	4	20	
1060297	ESSF	xc		1	PI(1.6) Sx(.8) BI(.8)		I	1200	700	600	2.0	7	20	Balsam (BI) is limited to a maximum of 50% of preferred and acceptable well spaced trees

RESULTS SSID	BGC				Regen and Free Growing							Assessments		Additional Standards
	Classification				Species		Stocking					Regen Delay	Free Growing	
	BGC Zone	Subzone	Variant	Site Series	Preferred (p)	Acceptable (a)	Layer	Target	MIN p+a	MIN p	MITD			
					minimum height (m)	minimum height (m)		Well-spaced/ha			(m)	(yrs)	(yrs)	
1060298	ESSF	xc		2	PI(1.2) Pa (.6)	Sx(.6) Bl(.6) Fd (.8) Lw (1.2)	I	600	400	300	1.6	7	20	Whitebark pine (Pa) is limited to a maximum of 50% of preferred and acceptable well spaced trees
1060299	ESSF	xc		5	PI(1.2) Pa (.6)	Sx(.6) Bl(.6) Fd (.8) Lw (1.2)	I	1000	500	400	2.0	7	20	Whitebark pine (Pa) is limited to a maximum of 50% of preferred and acceptable well spaced trees
1060300	ESSF	xc		6	PI(1.6) Sx(.8) Bl(.8)	Pa(.6)	I	1200	700	600	2.0	7	20	Balsam (Bl) is limited to a maximum of 50% of preferred and acceptable well spaced trees
1060301	ESSF	xc		7	Sx(.6) Bl(.6)	PI(1.2)	I	1200	700	600	2.0	4	20	Balsam (Bl) is limited to a maximum of 50% of preferred and acceptable well spaced trees
1060302	ESSF	xc		8	Sx(.6) Bl(.6)	PI(1.2)	I	1200	700	600	1.6	4	20	Balsam (Bl) is limited to a maximum of 50% of preferred and acceptable well spaced trees
1060303	ESSF	xv	1	1	PI(1.0) Sx(.8) Bl(.8)	Pa(0.8)	I	1200	700	600	2.0	7	20	Balsam (Bl) is limited to a maximum of 50% of preferred and acceptable well spaced trees
1060304	ESSF	xv	1	2	PI(.8) Pa(.6)	Bl(.6)	I	800	500	400	1.6	7	20	
1060305	ESSF	xv	1	3	PI(.8) Pa(.6)		I	800	500	400	2.0	7	20	
1060306	ESSF	xv	1	4	PI(.8) Pa(.6)	Sx(.6) Bl(.6)	I	1000	600	500	2.0	7	20	
1060307	ESSF	xv	1	5	PI(1.0) Pa(.8)	Sx(.8) Bl(.8)	I	1200	700	600	2.0	7	20	
1060308	ESSF	xv	1	6	PI(1.0) Sx(.8)	Bl(.8)	I	1200	700	600	2.0	7	20	
1060309	ESSF	xv	1	7	PI(1.0) Sx(.8) Bl(.8)		I	1200	700	600	2.0	4	20	Balsam (Bl) is limited to a maximum of 50% of preferred and acceptable well spaced trees
1060310	ESSF	xv	1	8	PI(.8) Sx(.6) Bl(.6)		I	600	400	300	1.6	4	20	Balsam (Bl) is limited to a maximum of 50% of preferred and acceptable well spaced trees
1060311	ESSF	xv	1	9	Sx(.6) Bl(.6)	PI(.8)	I	800	500	400	1.6	4	20	
1060312	ESSF	xv	2	1	PI(1.0) Sx(.8)	Pa(.8) Bl(.8)	I	1200	700	600	2.0	7	20	
1060313	ESSF	xv	2	2	PI(.8) Pa(.6)	Bl(.6)	I	800	500	400	1.6	7	20	
1060314	ESSF	xv	2	3	PI(.8)	Pa(.6)	I	600	400	300	2.0	7	20	
1060315	ESSF	xv	2	4	PI(1.0)	Bl(.8) Pa(.8)	I	1200	700	600	2.0	7	20	
1060316	ESSF	xv	2	5	PI(1.0) Sx(.8)	Bl(.8) Pa(.8)	I	1200	700	600	2.0	7	20	

RESULTS SSID	BGC				Regen and Free Growing							Assessments		Additional Standards
	Classification				Species		Stocking					Regen Delay	Free Growing	
	BGC Zone	Subzone	Variant	Site Series	Preferred (p)	Acceptable (a)	Layer	Target	MIN p+a	MIN p	MITD			
					minimum height (m)	minimum height (m)		Well-spaced/ha			(m)	(yrs)	(yrs)	
1060317	ESSF	xv	2	6	PI(1.0) Sx(.8)	Bl(.8)	I	1200	700	600	2.0	7	20	
1060318	ESSF	xv	2	7	PI(1.0) Sx(.8)	Bl(.8)	I	1200	700	600	2.0	4	20	
1060319	ESSF	xv	2	8	Sx(.6) Bl(.6)	Pl(.8)	I	600	400	300	1.6	4	20	
1060320	ESSF	xv	2	9	Sx(.6) Bl(.6)	Pl(.8)	I	600	400	300	1.6	4	20	Balsam (Bl) is limited to a maximum of 50% of preferred and acceptable well spaced trees
1060321	ESSF	xv	2	10	Sx(.6) Bl(.6)	Pl(.8)	I	600	400	300	1.6	4	20	Balsam (Bl) is limited to a maximum of 50% of preferred and acceptable well spaced trees
1060322	ICH	dk		1	Fd(1.4) PI(2.0) Sx(1.0)	Bl(1.0) Cw(1.0) Pw(2.0) Lw(2.0)	I	1200	700	600	2.0	4	20	
1060323	ICH	dk		2	Fd(1.0) PI(1.4)	Cw(.8) Sx(.8)	I	1000	500	400	1.6	7	20	
1060324	ICH	dk		3	Fd(1.4) PI(2.0)	Cw(1.0) Sx(1.0)	I	1200	700	600	2.0	7	20	
1060325	ICH	dk		4	Fd(1.4) PI(2.0) Sx(1.0)	Cw(1.0) Bl(1.0) Pw(2.0) Lw(2.0)	I	1200	700	600	2.0	4	20	
1060326	ICH	dk		5	Fd(1.4) PI(2.0) Sx(1.0)	Cw(1.0) Bl(1.0) Pw(2.0)	I	1200	700	600	2.0	4	20	
1060327	ICH	dk		6	Fd(1.4) PI(2.0) Sx(1.0)	Cw(1.0) Bl(1.0) Pw(2.0)	I	1200	700	600	2.0	4	20	
1060328	ICH	dk		7	Fd(1.4) PI(2.0) Sx(1.0)	Bl(1.0) Pw(2.0)	I	1200	700	600	2.0	4	20	
1060329	ICH	dk		8	Fd(1.0) Sx(.8) Bl(.8)	Pl(1.4) Cw(.8) Pw(1.4)	I	1000	500	400	1.6	4	20	
1060330	ICH	dk		9	Sx(.8)	Pl(1.4) Bl(.8)	I	1000	500	400	1.6	4	20	
1060331	ICH	mk	3	1	Fd(1.4) PI(2.0) Sx(1.0)	Bl(1.0) Cw(1.0) Lw(2.0) Pw(2.0)	I	1200	700	600	2.0	4	20	
1060333	ICH	mk	3	2	Fd(1.0) PI(1.4)	Sx(.8), Lw(1.4)	I	1000	500	400	2.0	7	20	
1060334	ICH	mk	3	3	Fd(1.0) PI(1.4)	Sx(.8) Cw(.8) Lw(1.4)	I	1000	500	400	2.0	7	20	
1060335	ICH	mk	3	4	Fd(1.4) Sx(1.0)	Bl(1.0) Cw(1.0) Pl(2.0) Pw(2.0)	I	1200	700	600	2.0	4	20	
1060337	ICH	mk	3	5	Sx(1.0) PI(2.0)	Bl(1.0) Cw(1.0) Pw(2.0)	I	1200	700	600	2.0	4	20	
1060339	ICH	mk	3	6	Fd(1.4) Sx(1.0) Cw(1.0)	Bl(1.0) Pl(2.0) Pw(2.0)	I	1200	700	600	1.6	4	20	
1060341	ICH	mk	3	7	Sx(.8) Cw(.8)	Pw(1.4) Bl(.8) Pl(1.4)	I	1000	500	400	1.6	4	20	
1060342	ICH	mw	3	1	Fd(1.4) Sx(1.0) Cw(1.0) Pw(2.0)	Pl(2.0) Hw(1.0) Bl(1.0) Lw(2.0)	I	1200	700	600	2.0	4	20	

RESULTS SSID	BGC				Regen and Free Growing							Assessments		Additional Standards
	Classification				Species		Stocking					Regen Delay	Free Growing	
	BGC Zone	Subzone	Variant	Site Series	Preferred (p)	Acceptable (a)	Layer	Target	MIN p+a	MIN p	MITD			
					minimum height (m)	minimum height (m)		Well-spaced/ha			(m)	(yrs)	(yrs)	
1060343	ICH	mw	3	2	Fd(1.0) PI(1.4)	Pw(1.4) Py(1.4) Lw(1.4)	I	1000	500	400	1.6	4	20	
1060344	ICH	mw	3	3	Fd(1.0) PI(1.4)	Pw(1.4) Py(1.4) Lw(1.4)	I	1000	500	400	2.0	7	20	
1060345	ICH	mw	3	4	Fd(1.4) PI(2.0) Pw(2.0) Cw(1.0)	Lw(2.0) Sx(1.0)	I	1200	700	600	2.0	7	20	
1060346	ICH	mw	3	5	Fd(1.4) PI(2.0) Pw(2.0) Cw(1.0)	Lw(2.0) Sx(1.0)	I	1200	700	600	2.0	7	20	
1060347	ICH	mw	3	6	Cw(1.0) Hw(1.0) Sx(1.0)	Fd(1.4) Pw(2.0) Bl(1.0) Lw(2.0)	I	1200	700	600	2.0	4	20	Western Hemlock (Hw) is limited to a maximum of 50% of preferred and acceptable well spaced trees
1060348	ICH	mw	3	7	Cw(1.0) Hw(1.0) Sx(1.0)	Fd(1.4) Pw(2.0) Bl(1.0) Lw(2.0)	I	1200	700	600	2.0	4	20	Western Hemlock (Hw) is limited to a maximum of 50% of preferred and acceptable well spaced trees
1060349	ICH	mw	3	8	Cw(1.0) Hw(1.0) Sx(08)	Bl(.8)	I	1000	500	400	1.6	4	20	
1060350	ICH	wk	2	1	Sx(1.0) PI(2.0) Fd(1.4)	Bl(1.0) Cw(1.0) Hw(1.0) Pw(2.0)	I	1200	700	600	2.0	4	20	
1060352	ICH	wk	2	2	Fd(1.0) PI(1.4)	Bl(.8) Hw(.8)	I	1000	500	400	1.6	7	20	
1060353	ICH	wk	2	3	Fd(1.0) PI(1.4)	Bl(.8) Lw(1.4)	I	1000	500	400	2.0	7	20	
1060354	ICH	wk	2	4	Fd(1.4) PI(2.0)	Hw(1.0) Cw(1.0) Lw(2.0)	I	1200	700	600	2.0	4	20	
1060356	ICH	wk	2	5	PI(2.0) Sx(1.0)	Bl(1.0) Cw(1.0) Pw(2.0)	I	1200	700	600	2.0	4	20	
1060358	ICH	wk	2	6	PI(2.0) Sx(1.0)	Bl(1.0) Hw(1.0) Pw(2.0)	I	1200	700	600	2.0	4	20	
1060360	ICH	wk	2	7	Sx(1.0) Fd(1.4) Cw(1.0)	Bl(1.0) Hw(1.0) PI(1.4)	I	1200	700	600	2.0	4	20	
1060362	ICH	wk	2	8	Sx(.8) Cw(.8)	Bl(.8)	I	1000	500	400	1.6	4	20	
1060363	ICH	wk	4	1	Sx(1.0) PI(2.0) Fd(1.4)	Bl(1.0) Cw(1.0) Hw(1.0) Pw(2.0)	I	1200	700	600	2.0	4	20	
1060365	ICH	wk	4	2	Fd(1.0) PI(1.4)	Bl(.8) Hw(.8)	I	1000	500	400	2.0	7	20	
1060366	ICH	wk	4	3	Fd(1.0) PI(1.4)	Hw(1.0) Lw(1.4) Sx(1.0)	I	1000	500	400	2.0	7	20	
1060367	ICH	wk	4	4	Fd(1.4) PI(2.0) Sx(1.0)	Bl(1.0) Hw(1.0)	I	1200	700	600	2.0	4	20	
1060369	ICH	wk	4	5	Fd(1.4) PI(2.0)	Bl(1.0) Hw(1.0) Lw(2.0)	I	1200	700	600	2.0	4	20	
1060371	ICH	wk	4	6	Sx(1.0)	Bl(1.0) Pw(2.0)	I	1200	700	600	2.0	4	20	
1060373	ICH	wk	4	7	Sx(1.0) Fd(1.4) Cw(1.0)	Hw(1.0) Bl(1.0) PI(2.0) Pw(2.0)	I	1200	700	600	2.0	4	20	
1060375	ICH	wk	4	8	Sx(.8) Cw(.8)	Bl(.8) PI(1.4)	I	1000	500	400	1.6	4	20	

RESULTS SSID	BGC				Regen and Free Growing							Assessments		Additional Standards
	Classification				Species		Stocking					Regen Delay	Free Growing	
	BGC Zone	Subzone	Variant	Site Series	Preferred (p)	Acceptable (a)	Layer	Target	MIN p+a	MIN p	MITD			
					minimum height (m)	minimum height (m)		Well-spaced/ha			(m)	(yrs)	(yrs)	
1060376	IDF	dk	1	1	Fd(.8) Pl(1.0)	Sx(.6) Py(.6) Lw(1.0)	I	1000	500	400	2.0	7	20	
1060665	IDF	dk	1	1	Fd(.4)	Sx(.6) Pl(1.0) Py(.6) Lw(1.0)	4	1000	500	400	2.0	7	20	
	IDF	dk	1	1	Fd	Sx Pl Py Lw	3	800	400	300	2.0	7	20	
	IDF	dk	1	1	Fd	Sx Pl Py Lw	2	600	300	250	2.0	7	20	
	IDF	dk	1	1	Fd	Sx Pl Py Lw	1	400	200	200	0.0	7	20	
1060378	IDF	dk	1	2	Fd(.8) Py(.6)	Pl(1.0)	I	600	400	300	2.0	7	20	
1060666	IDF	dk	1	2	Fd(.4)	Pl(1.0) Py(.6)	4	600	400	400	2.0	7	20	
	IDF	dk	1	2	Fd	Pl Py	3	500	300	300	2.0	7	20	
	IDF	dk	1	2	Fd	Pl Py	2	400	200	200	2.0	7	20	
	IDF	dk	1	2	Fd	Pl Py	1	300	150	150	0.0	7	20	
1060380	IDF	dk	1	3	Fd(.8) PL(1.0)	Py(.6)	I	600	400	300	2.0	7	20	
1060667	IDF	dk	1	3	Fd(.4)	Pl(1.0) Py(.6)	4	600	400	400	2.0	7	20	
	IDF	dk	1	3	Fd	Pl Py	3	500	300	300	2.0	7	20	
	IDF	dk	1	3	Fd	Pl Py	2	400	200	200	2.0	7	20	
	IDF	dk	1	3	Fd	Pl Py	1	300	150	150	0.0	7	20	
1060382	IDF	dk	1	4	Fd(.8) Pl(1.0)	Sx(.6) Py(.6) Lw(1.0)	I	1000	500	400	2.0	7	20	
1060668	IDF	dk	1	4	Fd(.4)	Sx(.6) Pl(1.0) Py(.6) Lw(1.0)	4	1000	500	400	2.0	7	20	
	IDF	dk	1	4	Fd	Sx Pl Py Lw	3	800	400	300	2.0	7	20	
	IDF	dk	1	4	Fd	Sx Pl Py Lw	2	600	300	250	2.0	7	20	
	IDF	dk	1	4	Fd	Sx Pl Py Lw	1	400	200	200	0.0	7	20	
1060384	IDF	dk	1	5	Fd(.8) Sx(.6)	Lw(1.0) Pl(1.0) Bl(.6)	I	1000	500	400	2.0	7	20	
1060669	IDF	dk	1	5	Fd(.4) Sx(0.6)	Pl(1.0) Lw(1.0) Bl(.6)	4	1000	500	400	2.0	7	20	
	IDF	dk	1	5	Fd Sx	Pl Lw Bl	3	800	400	300	2.0	7	20	
	IDF	dk	1	5	Fd Sx	Pl Lw Bl	2	600	300	250	2.0	7	20	
	IDF	dk	1	5	Fd Sx	Pl Lw Bl	1	400	200	200	0.0	7	20	
1060386	IDF	dk	1	6	Pl(1.0) Sx(.6)	Bl(.6)	I	1000	500	400	2.0	4	20	
1060387	IDF	dk	3	1	Fd(1.0) Pl(1.4)	Sx(.8) Py(1.0) Lw(2.0)	I	1200	700	600	2.0	7	20	
1060670	IDF	dk	3	1	Fd(.4)	Sx(.8) Pl(1.0) Py(1.0)	4	1200	700	600	2.0	7	20	
	IDF	dk	3	1	Fd	Sx Pl Py	3	1000	500	400	2.0	7	20	

RESULTS SSID	BGC				Regen and Free Growing							Assessments		Additional Standards
	Classification				Species		Stocking					Regen Delay	Free Growing	
	BGC Zone	Subzone	Variant	Site Series	Preferred (p)	Acceptable (a)	Layer	Target	MIN p+a	MIN p	MITD			
					minimum height (m)	minimum height (m)		Well-spaced/ha			(m)	(yrs)	(yrs)	
	IDF	dk	3	1	Fd	Sx Pl Py	2	800	400	300	2.0	7	20	
	IDF	dk	3	1	Fd	Sx Pl Py	1	600	300	250	0.0	7	20	
1060390	IDF	dk	3	2	Fd(.8) Pl(1.0)	Py(.8)	l	800	500	400	2.0	7	20	
1060671	IDF	dk	3	2	Fd(.4)	Pl(1.0) Py(.8)	4	800	400	400	2.0	7	20	
	IDF	dk	3	2	Fd	Pl Py	3	600	300	300	2.0	7	20	
	IDF	dk	3	2	Fd	Pl Py	2	400	200	200	2.0	7	20	
	IDF	dk	3	2	Fd	Pl Py	1	300	150	150	0.0	7	20	
1060392	IDF	dk	3	3	Fd(.8) Pl(1.0)	Py(.8)	l	800	500	400	2.0	7	20	
1060672	IDF	dk	3	3	Fd(.4)	Pl(1.0) Py(.8)	4	800	400	400	2.0	7	20	
	IDF	dk	3	3	Fd	Pl Py	3	600	300	300	2.0	7	20	
	IDF	dk	3	3	Fd	Pl Py	2	400	200	200	2.0	7	20	
	IDF	dk	3	3	Fd	Pl Py	1	300	150	150	0.0	7	20	
1060394	IDF	dk	3	4	Fd(.8) Pl(1.0)	Py(1.0)	l	1000	500	400	2.0	7	20	
1060673	IDF	dk	3	4	Fd(.4)	Pl(1.0) Py(1.0)	4	1000	500	400	2.0	7	20	
	IDF	dk	3	4	Fd	Pl Py	3	800	400	300	2.0	7	20	
	IDF	dk	3	4	Fd	Pl Py	2	600	300	250	2.0	7	20	
	IDF	dk	3	4	Fd	Pl Py	1	400	200	200	0.0	7	20	
1060396	IDF	dk	3	5	Fd(1.0) Pl(1.4)	Py(.8)	l	1200	700	600	2.0	7	20	
1060674	IDF	dk	3	5	Fd(.4)	Pl(1.4) Py(.8)	4	1200	700	600	2.0	7	20	
	IDF	dk	3	5	Fd	Pl Py	3	1000	500	400	2.0	7	20	
	IDF	dk	3	5	Fd	Pl Py	2	800	400	300	2.0	7	20	
	IDF	dk	3	5	Fd	Pl Py	1	600	300	250	0.0	7	20	
1060398	IDF	dk	3	6	Fd(1.0) Pl(1.4)	Py(.8)	l	1200	700	600	2.0	7	20	
1060675	IDF	dk	3	6	Fd(.4)	Pl(1.4) Py(.8)	4	1200	700	600	2.0	7	20	
	IDF	dk	3	6	Fd	Pl Py	3	1000	500	400	2.0	7	20	
	IDF	dk	3	6	Fd	Pl Py	2	800	400	300	2.0	7	20	
	IDF	dk	3	6	Fd	Pl Py	1	600	300	250	0.0	7	20	
1060400	IDF	dk	3	7	Fd(1.0) Pl(1.4) Sx(.8)		l	1200	700	600	2.0	4	20	
1060676	IDF	dk	3	7	Fd(.4) Sx(.8)	Pl(1.4)	4	1200	700	600	2.0	7	20	
	IDF	dk	3	7	Fd Sx	Pl	3	1000	500	400	2.0	7	20	
	IDF	dk	3	7	Fd Sx	Pl	2	800	400	300	2.0	7	20	
	IDF	dk	3	7	Fd Sx	Pl	1	600	300	250	0.0	7	20	
1060402	IDF	dk	3	8	Fd(1.0) Pl(1.4) Sx(.8)		l	1200	700	600	2.0	4	20	

RESULTS SSID	BGC				Regen and Free Growing							Assessments		Additional Standards
	Classification				Species		Stocking					Regen Delay	Free Growing	
	BGC Zone	Subzone	Variant	Site Series	Preferred (p)	Acceptable (a)	Layer	Target	MIN p+a	MIN p	MITD			
					minimum height (m)	minimum height (m)		Well-spaced/ha			(m)	(yrs)	(yrs)	
1060677	IDF	dk	3	8	Fd(.4) Sx(.8)	Pl(1.4)	4	1200	700	600	2.0	7	20	
	IDF	dk	3	8	Fd Sx	Pl	3	1000	500	400	2.0	7	20	
	IDF	dk	3	8	Fd Sx	Pl	2	800	400	300	2.0	7	20	
	IDF	dk	3	8	Fd Sx	Pl	1	600	300	250	0.0	7	20	
1060404	IDF	dk	3	9	Sx(.6)	Pl(1.0)	I	1000	500	400	1.6	4	20	
1060405	IDF	dk	4	1	Fd(1.0) Pl(1.0)	Sx(.8) Py (1.0) Lw(1.0)	I	1200	700	600	2.0	7	20	
1060678	IDF	dk	4	1	Fd(.4)	Pl(1.0) Sx(.8) Py(1.0)	4	1200	700	600	2.0	7	20	
	IDF	dk	4	1	Fd	Pl Sx Py	3	1000	500	400	2.0	7	20	
	IDF	dk	4	1	Fd	Pl Sx Py	2	800	400	300	2.0	7	20	
	IDF	dk	4	1	Fd	Pl Sx Py	1	600	300	250	0.0	7	20	
1060407	IDF	dk	4	2	Fd(.8) Pl(1.0)	Py(1.0)	I	800	500	400	2.0	7	20	
1060679	IDF	dk	4	2	Fd(.4)	Pl(1.0) Py(1.0)	4	800	400	400	2.0	7	20	
	IDF	dk	4	2	Fd	Pl Py	3	600	300	300	2.0	7	20	
	IDF	dk	4	2	Fd	Pl Py	2	400	200	200	2.0	7	20	
	IDF	dk	4	2	Fd	Pl Py	1	300	150	150	0.0	7	20	
1060409	IDF	dk	4	3	Fd(.8)	Py(1.0)	I	800	500	400	2.0	7	20	
1060680	IDF	dk	4	3	Fd(.4)	Py(1.0)	4	800	400	400	2.0	7	20	
	IDF	dk	4	3	Fd	Py	3	600	300	300	2.0	7	20	
	IDF	dk	4	3	Fd	Py	2	400	200	200	2.0	7	20	
	IDF	dk	4	3	Fd	Py	1	300	150	150	0.0	7	20	
1060411	IDF	dk	4	4	Fd(.8) Pl(1.0)	Py(1.0)	I	1000	500	400	2.0	7	20	
1060681	IDF	dk	4	4	Fd(.4)	Pl(1.0) Py(1.0)	4	1000	500	400	2.0	7	20	
	IDF	dk	4	4	Fd	Pl Py	3	800	400	300	2.0	7	20	
	IDF	dk	4	4	Fd	Pl Py	2	600	300	200	2.0	7	20	
	IDF	dk	4	4	Fd	Pl Py	1	400	200	200	0.0	7	20	
1060413	IDF	dk	4	5	Fd(1.0) Pl(1.0)	Py(1.0)	I	1200	700	600	2.0	7	20	
1060682	IDF	dk	4	5	Fd(.4)	Pl(1.0) Py(1.0)	4	1200	700	600	2.0	7	20	
	IDF	dk	4	5	Fd	Pl Py	3	1000	500	400	2.0	7	20	
	IDF	dk	4	5	Fd	Pl Py	2	800	400	300	2.0	7	20	
	IDF	dk	4	5	Fd	Pl Py	1	600	300	250	0.0	7	20	
1060415	IDF	dk	4	6	Pl(1.0)	Sx(.6) Py(1.0)	I	1000	500	400	2.0	7	20	
1060416	IDF	dk	4	7	Fd(1.0) Pl(1.0)		I	1200	700	600	2.0	7	20	

RESULTS SSID	BGC				Regen and Free Growing							Assessments		Additional Standards
	Classification				Species		Stocking					Regen Delay	Free Growing	
	BGC Zone	Subzone	Variant	Site Series	Preferred (p)	Acceptable (a)	Layer	Target	MIN p+a	MIN p	MITD			
					minimum height (m)	minimum height (m)		Well-spaced/ha			(m)	(yrs)	(yrs)	
1060683	IDF	dk	4	7	Fd(.4)	Pl(1.0)	4	1200	700	600	2.0	7	20	
	IDF	dk	4	7	Fd	Pl	3	1000	500	400	2.0	7	20	
	IDF	dk	4	7	Fd	Pl	2	800	400	300	2.0	7	20	
	IDF	dk	4	7	Fd	Pl	1	600	300	250	0.0	7	20	
1060418	IDF	dk	4	8	Pl(1.4) Sx(.6)		I	1000	500	400	2.0	4	20	
1060419	IDF	dk	4	9	Pl(1.4) Fd(1.0) Sx(.8)		I	1200	700	600	2.0	4	20	
1060684	IDF	dk	4	9	Fd(.4) Sx(.8)	Pl(1.0)	4	1200	700	600	2.0	7	20	
	IDF	dk	4	9	Fd Sx	Pl	3	1000	500	400	2.0	7	20	
	IDF	dk	4	9	Fd Sx	Pl	2	800	400	300	2.0	7	20	
	IDF	dk	4	9	Fd Sx	Pl	1	600	300	250	0.0	7	20	
1060421	IDF	dk	4	10	Sx(.6)	Pl(1.0)	I	1000	500	400	1.6	4	20	
1060422	IDF	mw	2	1	Fd(1.0) Cw(.8) Pw(1.6)	Sx(.8) Pl(1.6) Lw(1.6)	I	1200	700	600	2.0	4	20	
1060423	IDF	mw	2	2	Fd(.8) Pl(1.2)	Py(1.2) Pw(1.2)	I	600	400	300	1.6	4	20	
1060424	IDF	mw	2	3	Fd(1.0)	Lw(1.6) Pw(1.6) Py(1.6) Pl(1.6)	I	1000	500	400	1.6	7	20	
1060425	IDF	mw	2	4	Fd(1.0) Sx(.8) Cw(0.8)	Pw(1.6) Lw(1.6) Hw (1.6)	I	1200	700	600	2.0	4	20	
1060426	IDF	mw	2	5	Cw (.6) Sx(.6) Hw(.6)	Bl(.6)	I	400	200	150	1.6	4	20	
1060427	IDF	xm		1a	Fd(.8)	Py(.8)	I	1200	700	600	2.0	7	20	
1060685	IDF	xm		1a	Fd(.4)	Py(.8)	4	1200	700	600	2.0	7	20	
	IDF	xm		1a	Fd	Py	3	1000	500	400	2.0	7	20	
	IDF	xm		1a	Fd	Py	2	800	400	300	2.0	7	20	
	IDF	xm		1a	Fd	Py	1	600	300	250	0.0	7	20	
1060429	IDF	xm		1b	Fd(.8) Pl(.8)	Py(.8)	I	1200	700	600	2.0	7	20	
1060686	IDF	xm		1b	Fd(.4)	Pl(.8) Py(.8)	4	1200	700	600	2.0	7	20	
	IDF	xm		1b	Fd	Pl Py	3	1000	500	400	2.0	7	20	
	IDF	xm		1b	Fd	Pl Py	2	800	400	300	2.0	7	20	
	IDF	xm		1b	Fd	Pl Py	1	600	300	250	0.0	7	20	
1060431	IDF	xm		2	Fd(.6)	Py(.8)	I	1000	500	400	2.0	7	20	
1060687	IDF	xm		2	Fd(.4)		4	1000	500	400	2.0	7	20	
	IDF	xm		2	Fd		3	800	400	300	2.0	7	20	
	IDF	xm		2	Fd		2	600	300	250	2.0	7	20	

RESULTS SSID	BGC				Regen and Free Growing							Assessments		Additional Standards
	Classification				Species		Stocking					Regen Delay	Free Growing	
	BGC Zone	Subzone	Variant	Site Series	Preferred (p)	Acceptable (a)	Layer	Target	MIN p+a	MIN p	MITD			
					minimum height (m)	minimum height (m)		Well-spaced/ha			(m)			
	IDF	xm		2	Fd		1	400	200	200	0.0	7	20	
1060433	IDF	xm		3	Fd(.6) Pl(.8)	Py(.8)	1	1000	500	400	2.0	7	20	
1060688	IDF	xm		3	Fd(.4)	Pl(.8)	4	1000	500	400	2.0	7	20	
	IDF	xm		3	Fd	Pl	3	800	400	300	2.0	7	20	
	IDF	xm		3	Fd	Pl	2	600	300	250	2.0	7	20	
	IDF	xm		3	Fd	Pl	1	400	200	200	0.0	7	20	
1060435	IDF	xm		4	Fd(.6)	Py(.8)	1	1000	500	400	2.0	7	20	
1060689	IDF	xm		4	Fd(.4)		4	1000	500	400	2.0	7	20	
	IDF	xm		4	Fd		3	800	400	300	2.0	7	20	
	IDF	xm		4	Fd		2	600	300	250	2.0	7	20	
	IDF	xm		4	Fd		1	400	200	200	0.0	7	20	
1060437	IDF	xm		5	Fd(.8)	Py(.8)	1	1200	700	600	2.0	7	20	
1060690	IDF	xm		5	Fd(.4)		4	1200	700	600	2.0	7	20	
	IDF	xm		5	Fd		3	1000	500	400	2.0	7	20	
	IDF	xm		5	Fd		2	800	400	300	2.0	7	20	
	IDF	xm		5	Fd		1	600	300	250	0.0	7	20	
1060439	IDF	xm		6	Fd(.8)	Pl(1.0) Py(1.0) Lw(1.0)	1	1200	700	600	2.0	7	20	
1060691	IDF	xm		6	Fd(.8)		4	1200	700	600	2.0	7	20	
	IDF	xm		6	Fd		3	1000	500	400	2.0	7	20	
	IDF	xm		6	Fd		2	800	400	300	2.0	7	20	
	IDF	xm		6	Fd		1	600	300	250	0.0	7	20	
1060441	IDF	xm		7	Fd(.8)	Pl(1.0)	1	1200	700	600	2.0	7	20	
1060692	IDF	xm		7	Fd(.4)		4	1200	700	600	2.0	7	20	
	IDF	xm		7	Fd		3	1000	500	400	2.0	7	20	
	IDF	xm		7	Fd		2	800	400	300	2.0	7	20	
	IDF	xm		7	Fd		1	600	300	250	0.0	7	20	
1060443	IDF	xm		8	Fd(.8) Sx(.8)	Pl(.8)	1	1200	700	600	1.6	4	20	
1060693	IDF	xm		8	Fd(.4) Sx(.8)	Pl(.8)	4	1200	700	600	1.6	7	20	
	IDF	xm		8	Fd Sx	Pl	3	1000	500	400	1.6	7	20	
	IDF	xm		8	Fd Sx	Pl	2	800	400	300	1.6	7	20	
	IDF	xm		8	Fd Sx	Pl	1	600	300	250	0.0	7	20	
1060445	IDF	xm		9	Sx(.6) Pl(.8)		1	1000	500	400	1.6	4	20	

RESULTS SSID	BGC				Regen and Free Growing							Assessments		Additional Standards
	Classification				Species		Stocking					Regen Delay	Free Growing	
	BGC Zone	Subzone	Variant	Site Series	Preferred (p)	Acceptable (a)	Layer	Target	MIN p+a	MIN p	MITD			
					minimum height (m)	minimum height (m)		Well-spaced/ha			(m)			
1060446	IDF	xw		1	Fd(.8) Py(.8)		1	1200	700	600	2.0	7	20	
1060694	IDF	xw		1	Fd(.4)	Py(0.8)	4	1200	700	600	2.0	7	20	
	IDF	xw		1	Fd	Py	3	1000	500	400	2.0	7	20	
	IDF	xw		1	Fd	Py	2	800	400	300	2.0	7	20	
	IDF	xw		1	Fd	Py	1	600	300	250	0.0	7	20	
1060447	IDF	xw		2	Fd(.6) Py(.6)		1	600	400	300	2.0	7	20	
1060695	IDF	xw		2	Fd(.4)	Py(0.8)	4	600	400	400	2.0	7	20	
	IDF	xw		2	Fd	Py	3	500	300	300	2.0	7	20	
	IDF	xw		2	Fd	Py	2	400	200	200	2.0	7	20	
	IDF	xw		2	Fd	Py	1	300	150	150	0.0	7	20	
1060448	IDF	xw		3	Fd(.6) Py(.6)		1	600	400	300	2.0	7	20	
1060696	IDF	xw		3	Fd(.4)	Py(0.8)	4	600	400	400	2.0	7	20	
	IDF	xw		3	Fd	Py	3	500	300	300	2.0	7	20	
	IDF	xw		3	Fd	Py	2	400	200	200	2.0	7	20	
	IDF	xw		3	Fd	Py	1	300	150	150	0.0	7	20	
1060449	IDF	xw		4	Fd(.6) Py(.6)		1	800	500	400	2.0	7	20	
1060697	IDF	xw		4	Fd(.4)	Py(1.0)	4	800	400	400	2.0	7	20	
	IDF	xw		4	Fd	Py	3	600	300	300	2.0	7	20	
	IDF	xw		4	Fd	Py	2	400	200	200	2.0	7	20	
	IDF	xw		4	Fd	Py	1	300	150	150	0.0	7	20	
1060450	IDF	xw		5	Fd(.8)		1	1200	700	600	2.0	7	20	
1060698	IDF	xw		5	Fd(.4)		4	1200	700	600	2.0	7	20	
	IDF	xw		5	Fd		3	1000	500	400	2.0	7	20	
	IDF	xw		5	Fd		2	800	400	300	2.0	7	20	
	IDF	xw		5	Fd		1	600	300	250	0.0	7	20	
1060451	IDF	xw		6	Fd(.6) Sx(.6)		1	1200	700	600	2.0	4	20	
1060699	IDF	xw		6	Fd(.4) Sx(0.6)		4	1200	700	600	2.0	7	20	
	IDF	xw		6	Fd Sx		3	1000	500	400	2.0	7	20	
	IDF	xw		6	Fd Sx		2	800	400	300	2.0	7	20	
	IDF	xw		6	Fd Sx		1	600	300	250	0.0	7	20	
1060452	IDF	xw		7	Fd(.6) Sx(.6)		1	1000	500	400	1.6	4	20	
1060700	IDF	xw		7	Fd(.4) Sx(0.6)		4	1000	500	400	2.0	7	20	
	IDF	xw		7	Fd Sx		3	800	400	300	2.0	7	20	

RESULTS SSID	BGC				Regen and Free Growing							Assessments		Additional Standards
	Classification				Species		Stocking					Regen Delay	Free Growing	
	BGC Zone	Subzone	Variant	Site Series	Preferred (p)	Acceptable (a)	Layer	Target	MIN p+a	MIN p	MITD			
					minimum height (m)	minimum height (m)		Well-spaced/ha			(m)	(yrs)	(yrs)	
	IDF	xw		7	Fd Sx		2	600	300	250	2.0	7	20	
	IDF	xw		7	Fd Sx		1	400	200	200	0.0	7	20	
1060453	MS	dc	2	1	PI(1.0) Sx(.8)	Fd(.8) Bl(.8)	I	1200	700	600	2.0	7	20	
1060454	MS	dc	2	2	Fd(.6) PI(.8)	Bl(.6) Pa(.6)	I	1000	500	400	1.6	7	20	
1060455	MS	dc	2	3	Fd(.6) PI(.8)	Bl(.6) Pa(.6)	I	1000	500	400	2.0	7	20	
1060456	MS	dc	2	4	PI(1.0) Sx(.8)	Bl(.8)	I	1200	700	600	2.0	7	20	
1060457	MS	dc	2	5	PI(1.0) Sx(.8)	Bl(.8)	I	1200	700	600	2.0	7	20	
1060458	MS	dc	2	6	PI(1.0) Sx(.8)	Bl(.8)	I	1200	700	600	2.0	4	20	
1060459	MS	dc	2	7	Sx(.8) Bl(.8)	PI(1.0)	I	1200	700	600	2.0	4	20	
1060460	MS	dc	2	8	Sx(.6)	Bl(.6) PI(.8)	I	1000	500	400	1.6	4	20	
1060461	MS	dv		1	PI(1.0) Sx(.8)	Bl(.8)	I	1200	700	600	2.0	7	20	
1060462	MS	dv		2	PI(.8)		I	1000	500	400	2.0	7	20	
1060463	MS	dv		3	PI(1.0)	Sx(.8) Bl(.8)	I	1200	700	600	2.0	7	20	
1060464	MS	dv		4	PI(1.0)	Sx(.8) Bl(.8)	I	1200	700	600	2.0	7	20	
1060465	MS	dv		5	PI(1.0)	Sx(.8) Bl(.8)	I	1200	700	600	2.0	7	20	
1060466	MS	dv		6	PI(1.0) Sx(.8)	Bl(.8)	I	1200	700	600	2.0	7	20	
1060467	MS	dv		7	PI(1.0) Sx(.8)	Bl(.8)	I	1200	700	600	2.0	7	20	
1060468	MS	dv		8	Sx(.6) PI(.8)	Bl(.6)	I	1000	500	400	1.6	4	20	
1060469	MS	dv		9	Sx(.6)	PI(.8) Bl(.6)	I	1000	500	400	1.6	4	20	
1060470	MS	xk		1	Fd(.8) PI(1.4) Sx(.8)	Bl(.8) Lw(1.4)	I	1200	700	600	2.0	7	20	
1060701	MS	xk		1	Fd(.8) PI(1.4) Sx(.8)	Bl(.8) Lw(1.4)	4	1200	700	600	2.0	7	20	
	MS	xk		1	Fd PI Sx	Bl Lw	3	1000	500	400	2.0	7	20	
	MS	xk		1	Fd PI Sx	Bl Lw	2	800	400	300	2.0	7	20	
	MS	xk		1	Fd PI Sx	Bl Lw	1	600	300	250	0.0	7	20	
1060471	MS	xk		2	Fd(.6) PI(1.0)	Sx(.6) Bl(.6)	I	1000	500	400	1.6	7	20	
1060702	MS	xk		2	Fd(.6) PI(1.0)	Sx(.6) Bl(.6)	4	1000	500	400	2.0	7	20	
	MS	xk		2	Fd PI	Sx Bl	3	800	400	300	2.0	7	20	
	MS	xk		2	Fd PI	Sx Bl	2	600	300	250	2.0	7	20	
	MS	xk		2	Fd PI	Sx Bl	1	400	200	200	0.0	7	20	
1060472	MS	xk		5a	Fd(.6) PI(1.0)	Py(1.0) Lw(1.0)	I	1000	500	400	2.0	7	20	

RESULTS SSID	BGC				Regen and Free Growing							Assessments		Additional Standards
	Classification				Species		Stocking					Regen Delay	Free Growing	
	BGC Zone	Subzone	Variant	Site Series	Preferred (p)	Acceptable (a)	Layer	Target	MIN p+a	MIN p	MITD			
					minimum height (m)	minimum height (m)		Well-spaced/ha			(m)			
1060703	MS	xk		5a	Fd(.6) PI(1.0)	Py(1.0) Lw(1.0)	4	1000	500	400	2.0	7	20	
	MS	xk		5a	Fd PI	Py Lw	3	800	400	300	2.0	7	20	
	MS	xk		5a	Fd PI	Py Lw	2	600	300	250	2.0	7	20	
	MS	xk		5a	Fd PI	Py Lw	1	400	200	200	0.0	7	20	
1060473	MS	xk		5b	PI(1.0)	Sx(.6) Lw(1.0) Fd(.6)	I	1000	500	400	2.0	7	20	
1060474	MS	xk		6	PI(1.4) Sx(.8) BI(.8)	Fd(.8)	I	1200	700	600	2.0	7	20	Balsam (BI) is limited to a maximum of 50% of preferred and acceptable well spaced trees
1060475	MS	xk		8	PI(1.4) Sx(.8)	BI(.8)	I	1200	700	600	2.0	4	20	
1060476	MS	xk		9	Sx(.6)	BI(.6) PL(1.0)	I	1000	500	400	1.6	4	20	
1060477	MS	xv		1	PI(1.0) Sx(.8)	BI(.8)	I	1200	700	600	2.0	7	20	
1060478	MS	xv		2	PI(.8)		I	1000	500	400	2.0	7	20	
1060479	MS	xv		3	PI(.8)		I	1000	500	400	2.0	7	20	
1060480	MS	xv		4	PI(1.0) Sx(.8)	BI(.8)	I	1200	700	600	2.0	7	20	
1060481	MS	xv		5	PI(1.0) Sx(.8)	BI(.8)	I	1200	700	600	2.0	7	20	
1060482	MS	xv		6	PI(1.0) Sx(.8)	BI(.8)	I	1200	700	600	2.0	7	20	
1060483	MS	xv		7	PI(.8) Sx(.6)	BI(.6)	I	1000	500	400	2.0	4	20	
1060484	MS	xv		8	Sx(.6)	PI(.8) BI(.6)	I	1000	500	400	1.6	4	20	
1060485	MS	xv		9	Sx(.6)	BI(.6) PI(.8)	I	400	200	150	1.6	4	20	
1060486	SBPS	dc		1	PI(1.4) Sx(.8)	Fd(.8) SB(.8) Lw(1.4)	I	1200	700	600	2.0	7	20	
1060487	SBPS	dc		2	PI(1.0)	Fd(.8)	I	1000	400	300	2.0	7	20	
1060488	SBPS	dc		3	PI(1.4)	SB(.8) Sx(.8) Fd(.8) Lw(1.4)	I	1200	700	600	2.0	7	20	
1060489	SBPS	dc		4	PI(1.4) Sx(.8)	SB(.8)	I	1200	700	600	2.0	7	20	
1060490	SBPS	dc		5	PI(1.0) Sx(.6)	SB(.6)	I	1000	500	400	2.0	4	20	
1060491	SBPS	dc		6	PI(1.0) Sx(.6)	SB(.6)	I	1000	500	400	1.6	4	20	
1060492	SBPS	dc		7	PI(1.0) Sx(.6)	SB(.6)	I	400	200	150	1.6	4	20	
1060493	SBPS	dc		8	Sx(.6)	PI(1.0) SB(.6)	I	1000	500	400	1.6	4	20	
1060494	SBPS	mc		1	PI(1.6)	Sx(.8) SB(.8)	I	1200	700	600	2.0	7	20	
1060495	SBPS	mc		2	PI(1.2)	Sx(.6) SB(.6)	I	1000	500	400	2.0	7	20	
1060496	SBPS	mc		3	PI(1.6)	Sx(.8) SB(.8)	I	1200	700	600	2.0	7	20	

RESULTS SSID	BGC				Regen and Free Growing							Assessments		Additional Standards
	Classification				Species		Stocking					Regen Delay	Free Growing	
	BGC Zone	Subzone	Variant	Site Series	Preferred (p)	Acceptable (a)	Layer	Target	MIN p+a	MIN p	MITD			
					minimum height (m)	minimum height (m)		Well-spaced/ha			(m)	(yrs)	(yrs)	
1060497	SBPS	mc		4	PI(1.2) Sx(.6)	SB(.6)	I	1000	500	400	1.6	4	20	
1060498	SBPS	mc		5	Sx(.6)	PI(1.2) SB(.6)	I	1000	500	400	2.0	4	20	
1060499	SBPS	mc		6	PI(1.2) Sx(.6)	Sb(.6)	I	1000	500	400	1.6	4	20	
1060500	SBPS	mc		7	PI(1.2) Sx(.6)	Sb(.6)	I	400	200	150	1.6	4	20	
1060501	SBPS	mk		1	Fd(1.0) PI(1.6) Sx(.8)	Lw(1.6)	I	1200	700	600	2.0	7	20	
1060503	SBPS	mk		2	Fd(.8) PI(1.2)	Sx(.6) Py(1.2)	I	1000	500	400	2.0	7	20	
1060504	SBPS	mk		3	Fd(1.0) PI(1.6)		I	1200	700	600	2.0	7	20	
1060506	SBPS	mk		4	Fd(1.0) PI(1.6) Sx(.8)	Lw(1.6)	I	1200	700	600	2.0	7	20	
1060508	SBPS	mk		5	Fd(1.0) PI(1.6) Sx(.8)	Lw(1.6)	I	1200	700	600	2.0	7	20	
1060510	SBPS	mk		6	PI(1.6) Sx(.8)		I	1200	700	600	2.0	4	20	
1060512	SBPS	mk		7	Sx(.6)	Bl(.6) PI(1.2)	I	1000	500	400	1.6	4	20	
1060513	SBPS	mk		8	PI(1.2) Sx(.6)	Sb(.6)	I	400	200	150	1.6	4	20	
1060514	SBPS	xc		1	PI(1.0)	Fd(.6) Sx(.6) Lw(1.4)	I	1200	700	600	2.0	7	20	
1060515	SBPS	xc		2a	Fd(.6) PI(1.0)		I	1000	500	400	1.6	7	20	
1060516	SBPS	xc		2b	PI(1.0)		i	1000	500	400	1.6	7	20	
1060517	SBPS	xc		2c	PI (1.0) Fd(0.6)		I	1000	500	400	1.6	7	20	
1060518	SBPS	xc		3	PI(1.0) Sx(.6)		I	1000	500	400	2.0	4	20	
1060519	SBPS	xc		4	PI(1.0) Sx(.8)	Lw(1.4)	I	1200	700	600	2.0	4	20	
1060520	SBPS	xc		5	PI(1.0) Sx(.6)		I	1000	500	400	1.6	4	20	
1060521	SBPS	xc		6	PI(1.0) Sx(.6)		I	1000	500	400	1.6	4	20	
1060522	SBS	dk		1	PI(2.0) Sx(1.0) Fd (1.4)		I	1200	700	600	2.0	7	20	
1060523	SBS	dk		2	PI(1.4) Sx(.8)		I	1000	500	400	1.6	7	20	
1060524	SBS	dk		3	PI(2.0) Sx(1.0)	Sb(1.0)	I	1200	700	600	2.0	7	20	
1060525	SBS	dk		4	Fd(1.4) PI(2.0) Sx(1.0)		I	1200	700	600	2.0	7	20	
1060526	SBS	dk		5	PI(2.0) Sx(1.0) Fd(1.4)		I	1200	700	600	2.0	7	20	
1060527	SBS	dk		6	PI(2.0) Sx(1.0) Fd(1.4)		I	1200	700	600	2.0	4	20	
1060528	SBS	dk		7	Sx(.8) PI(1.4)		I	1000	500	400	2.0	4	20	
1060529	SBS	dk		8	Sx(1.0) PI(2.0)		I	1200	700	600	2.0	4	20	
1060530	SBS	dk		9	PI(1.4) SB(1.0)		I	400	200	150	1.6	4	20	
1060531	SBS	dk		10	PI(1.4) Sx(.8) SB(.8)		I	400	200	150	1.6	4	20	

RESULTS SSID	BGC				Regen and Free Growing							Assessments		Additional Standards
	Classification				Species		Stocking					Regen Delay	Free Growing	
	BGC Zone	Subzone	Variant	Site Series	Preferred (p)	Acceptable (a)	Layer	Target	MIN p+a	MIN p	MITD			
					minimum height (m)	minimum height (m)		Well-spaced/ha			(m)	(yrs)	(yrs)	
1060532	SBS	dw	1	1	Fd(1.4) PI(2.0) Sx(1.0)	Lw(2.0) Bl(1.0)	I	1200	700	600	2.0	7	20	
1060535	SBS	dw	1	2	Fd(1.0) PI(1.4)	Lw(1.4)	I	1000	500	400	2.0	7	20	
1060536	SBS	dw	1	3	Fd(1.4) PI(2.0)	Lw(1.4)	I	1200	700	600	2.0	7	20	
1060537	SBS	dw	1	4	Fd(1.4) PI(2.0) Sx(1.0)		I	1200	700	600	2.0	7	20	
1060540	SBS	dw	1	5	Fd(1.4) PI(2.0) Sx(1.0)	Lw(1.4)	I	1200	700	600	2.0	7	20	
1060543	SBS	dw	1	6	Fd(1.4) PI(2.0) Sx(1.0)		I	1200	700	600	2.0	7	20	
1060545	SBS	dw	1	7	Fd(1.4) PI(2.0) Sx(1.0)	Bl(1.0)	I	1200	700	600	2.0	4	20	
1060547	SBS	dw	1	8	Fd(1.4) PI(2.0) Sx(1.0)	Bl(1.0)	I	1200	700	600	2.0	4	20	
1060549	SBS	dw	1	9	Sx(.8)	Bl(.8) PI(1.4)	I	1000	500	400	1.6	4	20	
1060550	SBS	dw	2	1	Fd(1.4) PI(2.0) Sx(1.0)	Lw(2.0)	I	1200	700	600	2.0	7	20	
1060704	SBS	dw	2	1	Fd(1.0) PI(2.0) Sx(1.0)		4	1200	700	600	2.0	7	20	
	SBS	dw	2	1	Fd PI Sx		3	1000	500	400	2.0	7	20	
	SBS	dw	2	1	Fd PI Sx		2	800	400	300	2.0	7	20	
	SBS	dw	2	1	Fd PI Sx		1	600	300	250	0.0	7	20	
1060553	SBS	dw	2	2	Fd(1.0) PI(1.4)	Lw(1.4)	I	1000	500	400	2.0	7	20	
1060705	SBS	dw	2	2	Fd(1.0) PI(4)		4	1000	500	400	2.0	7	20	
	SBS	dw	2	2	Fd PI		3	800	400	300	2.0	7	20	
	SBS	dw	2	2	Fd PI		2	600	300	250	2.0	7	20	
	SBS	dw	2	2	Fd PI		1	400	200	200	0.0	7	20	
1060554	SBS	dw	2	3	Fd(1.4) PI(2.0)		I	1200	700	600	2.0	7	20	
106076	SBS	dw	2	3	Fd(1.0) PI(2.0)		4	1200	700	600	2.0	7	20	
	SBS	dw	2	3	Fd PI		3	1000	500	400	2.0	7	20	
	SBS	dw	2	3	Fd PI		2	800	400	300	2.0	7	20	
	SBS	dw	2	3	Fd PI		1	600	300	250	0.0	7	20	
1060555	SBS	dw	2	4	Fd(1.4) PI(2.0)	Lw(2.0)	I	1200	700	600	2.0	7	20	
1060707	SBS	dw	2	4	Fd(1.0) PI(2.0)		4	1200	700	600	2.0	7	20	
	SBS	dw	2	4	Fd PI		3	1000	500	400	2.0	7	20	
	SBS	dw	2	4	Fd PI		2	800	400	300	2.0	7	20	
	SBS	dw	2	4	Fd PI		1	600	300	250	0.0	7	20	
1060557	SBS	dw	2	5	Fd(1.4) PI(2.0) Sx(1.0)	Lw(2.0)	I	1200	700	600	2.0	7	20	
1060708	SBS	dw	2	5	Fd(1.0) PI(2.0) Sx(1.0)		4	1200	700	600	2.0	7	20	

RESULTS SSID	BGC				Regen and Free Growing							Assessments		Additional Standards
	Classification				Species		Stocking					Regen Delay	Free Growing	
	BGC Zone	Subzone	Variant	Site Series	Preferred (p)	Acceptable (a)	Layer	Target	MIN p+a	MIN p	MITD			
					minimum height (m)	minimum height (m)		Well-spaced/ha			(m)	(yrs)	(yrs)	
	SBS	dw	2	5	Fd PI Sx		3	1000	500	400	2.0	7	20	
	SBS	dw	2	5	Fd PI Sx		2	800	400	300	2.0	7	20	
	SBS	dw	2	5	Fd PI Sx		1	600	300	250	0.0	7	20	
1060560	SBS	dw	2	6	Fd(1.4) PI(2.0) Sx(1.0)	Lw(2.0)	I	1200	700	600	2.0	7	20	
1060709	SBS	dw	2	6	Fd(1.0) PI(2.0) Sx(1.0)		4	1200	700	600	2.0	7	20	
	SBS	dw	2	6	Fd PI Sx		3	1000	500	400	2.0	7	20	
	SBS	dw	2	6	Fd PI Sx		2	800	400	300	2.0	7	20	
	SBS	dw	2	6	Fd PI Sx		1	600	300	250	0.0	7	20	
1060563	SBS	dw	2	7	PI(2.0) Sx(1.0)	BI(1.0)	I	1200	700	600	2.0	7	20	
1060564	SBS	dw	2	8	Fd(1.4) PI(2.0) Sx(1.0)	BI(1.0)	I	1200	700	600	2.0	4	20	
1060567	SBS	dw	2	9	Fd(1.4) PI(2.0) Sx(1.0)	BI(1.0)	I	1200	700	600	2.0	4	20	
1060568	SBS	dw	2	10	Sx(.8)	BI(.8) PI(1.4)	I	1000	500	400	1.6	4	20	
1060569	SBS	dw	2	11	PI(1.4) Sx(.8)		I	400	200	150	1.6	4	20	
1060570	SBS	mc	1	1	Fd(1.0) PI(1.6) Sx(.8)	BI(.8) Lw(1.6)	I	1200	700	600	2.0	7	20	
1060572	SBS	mc	1	2	PI(1.4)	Sx(.6) BI(.6) Lw(1.4)	I	1000	500	400	2.0	7	20	
1060573	SBS	mc	1	3	Fd(1.0) PI(1.4)	Sx(.8) Lw(1.4)	I	1200	700	600	2.0	7	20	
1060575	SBS	mc	1	4	PI(1.6) Sx(.8)	BI(.8)	I	1200	700	600	2.0	7	20	
1060577	SBS	mc	1	5	PI(1.6) Sx(.8)	BI(.8)	I	1200	700	600	2.0	7	20	
1060579	SBS	mc	1	6	Fd(1.0) PI(1.6) Sx(.8)	BI(.8)	I	1200	700	600	2.0	4	20	
1060581	SBS	mc	1	7	Fd(1.0) PI(1.6) Sx(.8)	BI(.8)	I	1200	700	600	2.0	4	20	
1060583	SBS	mc	1	8	Sx(.6)	PI(1.2) BI(.6)	I	1000	500	400	1.6	4	20	
1060584	SBS	mc	2	1	PI(1.6) Sx(.8)	BI(.8)	I	1200	700	600	2.0	7	20	
1060585	SBS	mc	2	2	PI(1.2)	Sx(.6) BI(.6)	I	1000	500	400	1.6	7	20	
1060586	SBS	mc	2	3	PI(1.6) Sx(.8)	BI(.8) SB (.6)	I	1200	700	600	2.0	7	20	
1060587	SBS	mc	2	4	PI(1.6) Sx(.8)	BI(.8)	I	1200	700	600	2.0	4	20	
1060588	SBS	mc	2	5	PI(1.6) Sx(.8)	BI(.8)	I	1200	700	600	2.0	4	20	
1060589	SBS	mc	2	6	PI(1.6) Sx(.8)	BI(.8)	I	1200	700	600	2.0	4	20	
1060590	SBS	mc	2	7	PI(1.2) Sx(.6)	BI(.6) SB (.6)	I	1000	500	400	1.6	4	20	
1060591	SBS	mc	2	8	PI(1.6) Sx(.8)	BI(.8)	I	1200	700	600	2.0	4	20	
1060592	SBS	mc	2	9	PI(1.6) Sx(.8)	BI(.8)	I	1200	700	600	2.0	4	20	
1060593	SBS	mc	2	10	PI(1.2) Sx(.6)	BI(.6)	I	1000	500	400	1.6	4	20	

RESULTS SSID	BGC				Regen and Free Growing							Assessments		Additional Standards
	Classification				Species		Stocking					Regen Delay	Free Growing	
	BGC Zone	Subzone	Variant	Site Series	Preferred (p)	Acceptable (a)	Layer	Target	MIN p+a	MIN p	MITD			
					minimum height (m)	minimum height (m)		Well-spaced/ha			(m)	(yrs)	(yrs)	
1060594	SBS	mc	2	11	Sx(.6)	Pl(1.2) Bl(.6)	I	1000	500	400	1.6	4	20	
1060595	SBS	mc	2	12	Pl(1.2) Sx(.6)	Bl(.6)	I	400	200	150	1.6	4	20	
1060596	SBS	mc	3	1	Pl(1.6) Sx(.8)	Bl(.8) Fd(0.8) Lw(0.8)	I	1200	700	600	2.0	7	20	
1060597	SBS	mc	3	2	Pl(1.6)	Sx(.8)	I	1200	700	600	2.0	7	20	
1060598	SBS	mc	3	3	Pl(1.6)	Sx(.8)	I	1200	700	600	2.0	7	20	
1060599	SBS	mc	3	4	Pl(1.6) Sx(.8)	Bl(.8) Sb(.8)	I	1200	700	600	2.0	7	20	
1060600	SBS	mc	3	5	Pl(1.6)	Sx(.8) Sb(.8)	I	1200	700	600	2.0	7	20	
1060601	SBS	mc	3	6	Pl(1.6)	Sx(.8) Sb(.8)	I	1200	700	600	2.0	7	20	
1060602	SBS	mc	3	7	Pl(1.6) Sx(.8)	Bl(.8)	I	1200	700	600	2.0	4	20	
1060603	SBS	mc	3	8	Pl(1.2) Sx(.6)	Bl(.6)	I	1000	500	400	1.6	4	20	
1060604	SBS	mc	3	9	Pl(1.2) Sx(.6)	Bl(.8) Sb(.8)	I	400	200	150	1.6	4	20	
1060605	SBS	mh		1	Fd(1.4) Sx(1.0)	Bl(1.0) Lw(2.0)	I	1200	700	600	2.0	7	20	
1060606	SBS	mh		2	Fd(1.0) Pl(1.4)	Lw(1.4)	I	1000	500	400	2.0	7	20	
1060607	SBS	mh		3	Fd(1.4) Pl(2.0) Sx(1.0)	Bl(1.0)	I	1200	700	600	2.0	7	20	
1060608	SBS	mh		4	Fd(1.4)	Bl(1.0) Sx(1.0) Lw(1.4)	I	1200	700	600	2.0	7	20	
1060609	SBS	mh		5	Fd(1.4) Sx(1.0)	Bl(1.0) Lw(2.0)	I	1200	700	600	2.0	7	20	
1060610	SBS	mh		6	Fd(1.4) Pl(2.0) Sx(1.0)	Bl(1.0)	I	1200	700	600	2.0	7	20	
1060611	SBS	mh		7	Fd(1.4) Sx(1.0)	Bl(1.0)	I	1200	700	600	2.0	4	20	
1060612	SBS	mh		8	Fd(1.4) Sx(1.0)	Bl(1.0)	I	1200	700	600	2.0	4	20	
1060613	SBS	mh		9	Sx(.8)	Bl(0.8)	I	1000	500	400	1.6	4	20	
1060614	SBS	mm		1	Pl(2.0) Sx(1.0) Bl(1.0)	Fd(1.4)	I	1200	700	600	2.0	7	20	Balsam (Bl) is limited to a maximum of 50% of preferred and acceptable well spaced trees
1060615	SBS	mm		2	Pl(1.4)	Sx(.8) Bl(.8) Fd(1.0)	I	1000	500	400	1.6	7	20	
1060616	SBS	mm		3	Pl(1.4) Sx(.8)	Bl(.8) Fd(1.0)	I	1000	500	400	2.0	7	20	
1060617	SBS	mm		4	Pl(1.4) Sx(.8)	Fd(1.0) Bl(.8)	I	1000	500	400	2.0	7	20	
1060618	SBS	mm		5	Fd(1.4) Pl(2.0) Sx(1.0)	Bl(1.0)	I	1200	700	600	2.0	7	20	
1060619	SBS	mm		6	Pl(2.0) Sx(1.0) Bl(1.0)	Fd(1.4)	I	1200	700	600	2.0	7	20	Balsam (Bl) is limited to a maximum of 50% of preferred and acceptable well spaced trees

RESULTS SSID	BGC				Regen and Free Growing							Assessments		Additional Standards
	Classification				Species		Stocking					Regen Delay	Free Growing	
	BGC Zone	Subzone	Variant	Site Series	Preferred (p)	Acceptable (a)	Layer	Target	MIN p+a	MIN p	MITD			
					minimum height (m)	minimum height (m)		Well-spaced/ha			(m)	(yrs)	(yrs)	
1060620	SBS	mm		7	Sx(1.0) BI(1.0)	Fd(1.4) PI(2.0) Cw(1.0)	I	1200	700	600	2.0	4	20	Balsam (BI) is limited to a maximum of 50% of preferred and acceptable well spaced trees
1060621	SBS	mm		8	Sx(.8) BI(.8)	PI(1.4)	I	1000	500	400	1.6	4	20	
1060622	SBS	mw		1	Fd(1.4) PI(2.0) Sx(1.0)	BI(1.0) Lw(2.0)	I	1200	700	600	2.0	7	20	
1060625	SBS	mw		2	Fd(1.0) PI(1.4)	Sx(.8) BI(.8)	I	1000	500	400	1.6	7	20	
1060626	SBS	mw		3	Fd(1.4) PI(2.0)	Sx(1.0) Lw(2.0)	I	1200	700	600	2.0	7	20	
1060628	SBS	mw		4	Fd(1.4) PI(2.0) Sx(1.0)	BI(1.0) Lw(2.0)	I	1200	700	600	2.0	7	20	
1060631	SBS	mw		5	PI(2.0) Sx(1.0)	BI(1.0)	I	1200	700	600	2.0	4	20	
1060633	SBS	mw		6	Fd(1.4) PI(2.0) Sx(1.0)	BI(1.0)	I	1200	700	600	2.0	4	20	
1060636	SBS	mw		7	PI(2.0) Sx(1.0)	BI(1.0)	I	1200	700	600	2.0	4	20	
1060638	SBS	mw		8	Fd(1.4) Sx(1.0)	BI(1.0) PI(2.0)	I	1200	700	600	1.6	4	20	
1060640	SBS	mw		9	Sx(.8)	BI(.8) PI(1.4)	I	1000	500	400	1.6	4	20	
1060641	SBS	mw		10	PI(1.4) Sx(.8)	SB(.8)	I	400	200	150	1.6	4	20	
1060642	SBS	mw		11	PI(2.0) Sx(.8)	BI(.8)	I	1200	700	600	2.0	4	20	
1060644	SBS	mw		12	PI(1.4) Sx(.8)		I	1000	500	400	1.6	4	20	
1060645	SBS	mw		13	Sx(.8)	BI(.8)	I	1000	500	400	1.6	4	20	
1060646	SBS	wk	1	1	Fd(1.4) PI(2.0) Sx(1.0)	BI(1.0)	I	1200	700	600	2.0	7	20	
1060649	SBS	wk	1	2	PI(1.4) Fd(1.0)	BI(.8) Sx(.8)	I	1000	500	400	2.0	7	20	
1060650	SBS	wk	1	3	PI(2.0) Fd(1.4)	Sx(1.0)	I	1200	700	600	2.0	7	20	
1060651	SBS	wk	1	4	Fd(1.4) PI(2.0) Sx(1.0)	BI(1.0)	I	1200	700	600	2.0	7	20	
1060654	SBS	wk	1	5	PI(2.0) Sx(1.0)	Fd(1.4) BI(1.0)	I	1200	700	600	2.0	7	20	
1060656	SBS	wk	1	6	PI(2.0) Sx(1.0)	BI(1.0)	I	1200	700	600	2.0	4	20	
1060658	SBS	wk	1	7	PI(2.0) Sx(1.0)	BI(1.0)	I	1200	700	600	2.0	4	20	
1060660	SBS	wk	1	8	PI(2.0) Sx(1.0)	BI(1.0)	I	1200	700	600	2.0	4	20	
1060662	SBS	wk	1	9	Sx(.8)	PI(1.4) BI(.8)	I	1000	500	400	1.6	4	20	
1060663	SBS	wk	1	10	PI(1.4) Sx(.8)		I	400	200	150	1.6	4	20	
1060664	SBS	wk	1	11	PI(1.4) Sx(.8)		I	400	200	150	1.6	4	20	