

SITE PLAN CP 410 BLOCK 13 COOPER CREEK CEDAR LTD.

A. TENURE IDENTIFICATION

LICENCE NO.: FL A30171	CP: 410	BLOCK: 13	TIMBER MARK: FE5410	UTM: 500900 E, 5498600 N	LICENSEE NAME: Cooper Creek Cedar Ltd.
AREA UNDER TENURE (ha): 4.1	MAPSHEET/OPENING #: 082F066	ELEVATION: 1060-1140m	LOCATION: Balfour Face		

B. AREA SUMMARY

AREA OF NO PLANNED REFORESTATION (ha) (NPR)									
PERMANENT ACCESS	ROCK	WATER	SWAMP	OTHER NP	NC>4ha	WILDLIFE TREE RETENTION AREA (HA):	IMMATURE	OTHER	TOTAL NPR AREA
0.1	-	-	-	-	-	0.4	-	-	0.5
NET AREA TO BE REFORESTED (ha)									
SU	SU AREA DESCRIPTION								NET AREA TO BE REFORESTED:
A	<p>ICHdw1 101 The block is located on Balfour Face upslope of the community of Balfour.</p> <p>The aspect of SU A is mainly southeast facing, slopes range from 10 to 40% with an average of 25%. Surface soil and subsoil texture is Loam (L). Soils are moderately to well drained. Coarse fragment content is moderate to high (60%) in surficial soils and high in subsoils (80%). Moisture regime is submesic and nutrient regime is medium. Humus form is a moder (5.0cm thickness) and rooting depth is 58cm. Soils in SU A exhibit non-sensitive characteristics.</p> <p>The block includes one Wildlife Tree Retention Area comprised of timber representative of the rest of the SU, patches of non-valuable timber (immature or dead useless), rich wildlife features, and will act as a visual aide to reflect a partial retention Visual Quality Objective.</p> <p>SU A will be harvested with Conventional Ground Based methods utilizing a Retention silviculture system with Reserves. Retain 35-40 stems per hectare of Fd, Lw, and Py in the >=45cm DBH class to provide stand structure, biodiversity, visual and wildlife values, and to manage for wildfire mitigation, in addition to the WTRA retention.</p>								3.6
TOTAL NET AREA TO BE REFORESTED:									3.6
TOTAL AREA UNDER THE PLAN:									4.1

SOIL DISTURBANCE

SU	Max. Allowable Soil Disturbance (%)	Max. Amount TAS May Exceed MASD Prior to Rehab (%)	Max. Allowable Soil Disturbance For Roadside Work Areas (%)	Maximum Permanent Access Structures (%)
A	10.0	5.0	25%	2.4

SU	CRITICAL SITE CONDITIONS THAT AFFECT THE TIMING OF OPERATIONS AND HOW THEY AFFECT THEM
A	<ul style="list-style-type: none"> Avoid machine travel during periods of soil saturation to reduce risk of soil compaction. Utilize designated harvesting trails, or a supporting snow pack in the winter. Spot piling along roadsides, landings and within the NAR may be necessary to remedy high levels of coarse woody debris.

RESULTS AND STRATEGIES

Biodiversity Objectives		Landscape Unit K10
Result or Strategy Description		3.5.3 - Old and Mature Forest
Applies:		YES
How the Result or Strategy Applies to the Site (or Rationale if it does not apply)		<p>'KBHLP Objective 2 – Old & Mature Forests'</p> <p>Field data collection found this block to be ICH dw1, and the block lies within Connectivity Corridor. CP410 falls within Landscape Unit K10: West Arm</p> <p>For the ICH dw1, there is a Mature + Old forest requirement in this landscape unit.</p> <p>Analysis completed by Timberland (August 29, 2018) shows that post-harvest there will be a surplus of Mature + Old within the Landscape Unit ICH dw1 as a whole, and also within connectivity corridor.</p>
Result or Strategy Description		3.5.3 - Green-up
Applies:		YES
How the Result or Strategy Applies to the Site (or Rationale if it does not apply)		'KBHLP Objective 4 – Green-up' – The proposed cutblock is consistent with FPPR Section 65(2).
Result or Strategy Description		3.5.1 - Objectives set by Government for Wildlife and Biodiversity – Landscape Level
Applies:		YES
How the Result or Strategy Applies to the Site (or Rationale if it does not apply)		<p>'KBHLP Objective 4 – Green-up'.</p> <p>The proposed cutblock complies with Sections 64 and 65 of the FPPR. Adjacent existing cutblocks are consistent with FPPR Section 65.</p>
Cultural Heritage Resources		
Result or Strategy Description		3.7 - Objectives set by Government for Cultural Heritage Resources
Applies:		YES
How the Result or Strategy Applies to the Site (or Rationale if it does not apply)		<p>A referral letter dated February 14, 2018, was sent to the appropriate individual(s) and/or group(s). Cooper Creek Cedar Ltd did not receive any comments from First Nations identifying any concerns with the proposed development that had the potential of impacting cultural heritage values.</p> <p>No cultural heritage values were noted in this area.</p>
Recreation Resources		
Result or Strategy Description		4.3 - Recreation Sites
Applies:		NO
How the Result or Strategy Applies to the Site (or Rationale if it does not apply)		The proposed cutblock is not located within a designated Recreational Area or Trail with legal objectives; therefore, managing for Recreation Resources is not applicable.
Riparian Management		
Result or Strategy Description		3.4.1 Objectives set by Government for Fish, Water, Wildlife & Biodiversity in Riparian Areas
Applies:		YES
How the Result or Strategy Applies to the Site (or Rationale if it does not apply)		<ol style="list-style-type: none"> 1) One S6 class stream (Haiseldean Creek) and its associated RMZ are reserved within WTRA. There are two minor NCDs within the same WTRA area. 2) See Section E.1 for Riparian Management Strategies. 3) See Section F for management strategies related to Temporary Access Structures and Soil Disturbance that should be used during and post-harvest in order to prevent/reduce soil disturbance and sediment delivery.
Soil Objectives		
Result or Strategy Description		3.1 - Objectives set by Government for Soils [FPPR Section 5 and 12.1(1)]
Applies:		YES
How the Result or Strategy Applies to the Site (or Rationale if it does not apply)		<ol style="list-style-type: none"> 1) SU A does not contain sensitive soils and soil disturbance will not exceed 10%. Specific measures for mitigating soil disturbance levels are addressed in Section F of this Site Plan. 2) Areas of the block where temporary access structures are required will be rehabilitated. Specific rehabilitation measures are addressed under Section F of this Site Plan. 3) PAS will not exceed the recommended limit of 7.0% and is estimated at 2.4%. 4) Areas within the block assigned to roadside work areas will not exceed 25%.

Visual Objectives	
Result or Strategy Description	3.6 – Visual Quality
Applies:	YES
How the Result or Strategy Applies to the Site (or Rationale if it does not apply)	<p>A Visual Impact Assessment was completed by Timberland Consultants in March 2018, and the proposed blocks meet the definition and requirements of PR. Irregular shaped boundaries that follow natural terrain features, and WTRA surrounding Haiseldean Creek serve to improve visual quality of Block 13 from selected viewpoints. 35-40 stems/ha of mature retention throughout Block 13 will enhance visual quality.</p> <p>The proposed development of CP410 meets the established VQO of PR from the selected viewpoints.</p>
Water Management Objectives	
Result or Strategy Description	3.4.4 - Consumptive Use Streams
Applies:	Yes
How the Result or Strategy Applies to the Site (or Rationale if it does not apply)	<p>'KBHLP Objective 6' – CP410 Block 13 is located within the Laird Face Domestic Watershed.</p> <p>Referral letters dated April 5, 2018 were sent to POD licensees with a 30 day response period. Several comments were received from water users.</p> <p>Haiseldean Creek (S6 Class) has one licensed POD which is approximately 875m downstream of CP410.</p> <p>Management with regard to the comments received includes a WTRA protecting 15-20m (almost 100%) of the RMA of Haiseldean Creek which exceeds minimum RMA requirements set out in the 2017-2022 Porcupine Wood Products FSP. This WTRA serving as a riparian reserve will help avoid or minimize disturbance to water quality for downstream water users.</p> <p>No recommendations were received for this block with regard to the terrain stability assessment.</p>
Wildlife Objectives	
Result or Strategy Description	3.3.1 - Objectives set by Government for Wildlife - Species at Risk – Section 7 of the FPPR
Applies:	NO
How the Result or Strategy Applies to the Site (or Rationale if it does not apply)	<p>The block is not within a Wildlife Habitat Area.</p> <p>There were no sightings of Species at Risk during field development of this cutblock.</p>
Result or Strategy Description	3.5.2 - Objectives set by Government for Wildlife and Biodiversity – Stand Level
Applies:	YES
How the Result or Strategy Applies to the Site (or Rationale if it does not apply)	<p>One Wildlife Tree Retention Area is planned for this block, totalling 0.4ha. Overall wildlife tree retention percentage for block 13 is approximately 9.8%. Total WTRA for CP410 is 22.9ha which constitutes approximately 24.1% of the gross area of the permit.</p> <p>The WTRA area meets the minimum percent requirements stated in the FSP for each block (3.5%) and for the whole cutting permit (7%).</p>
Result or Strategy Description	3.3.2 - Ungulates
Applies:	YES
How the Result or Strategy Applies to the Site (or Rationale if it does not apply)	<p>The proposed development CP410 is located within UWR Management Unit 178 and overlaps five distinct polygons with specific requirements in the ICHdw.</p> <p>Analysis completed by Timberland (August 29, 2018) shows that post-harvest, Ungulate Winter Range Management Unit 178 meets the minimum retention and maximum disturbance requirements for snow interception cover and forage areas.</p>

LICENCE NO: FL A30171	BLK: 13	CP: 410	Mapsheet: 082F065	PAGE: 4 of 10	RUN DATE:
-----------------------	---------	---------	-------------------	---------------	-----------

ADDITIONAL COMMENTS

Consistency Statement
This block is consistent with the approved 2017 to 2022 Forest Stewardship Plan for Cooper Creek Cedar Ltd – Forest Licence A30171 . This Site Plan is prepared for FL A30171 CP 410 Block 13 , in accordance with FRPA Section 10(1), (2) & (3).
Climate Change and Wildfire Resiliency
<p>Leave Trees</p> <p>SU A: Retain 35-40 stems per hectare of Fd, Lw, and Py in the >=45cm DBH class to provide stand structure, biodiversity, visual and wildlife values. Give preference to larger diameter, wind-firm dominants and/or vets</p> <p>Py, Fd, and Lw are more likely to survive a fire than the other species on site. Thinning the stand from above while retaining fire resilient stems and minimizing the surface fuels to meet the minimum CWD requirements is a recognized fire mitigation management plan. The objective is to retain larger, healthy stems with live crowns while maintaining a 3-5-m spacing between the crowns. The larger leave trees have higher crowns, which means a longer distance between surface fuels and tree crowns; reducing the effective ladder fuels, and reducing the likelihood of the fire moving into the canopy. Regularly spaced leave trees will shade the understory, which will help reduce ground temperatures and prevent brush species from becoming established, further reducing the ladder fuels. Leave tree distribution is expected to be regular where large stems exist and is operationally feasible to do so. Adequate inter-crown spacing prevents the spread of a potential wildfire between leave trees, while still providing ground shading. Post harvest the stand will be easier to protect should a fire occur – fire will move more slowly through the stand due to less ground fuel, an open stand with clean ground & a more open canopy that will let more water and fire retardant through to the ground from air drops than a full canopy stand. The roads and trails constructed to access the block will provide better access for the fire fighters.</p> <p>The current stand is heavy to Fd; therefore planting Lw & Py will make the stand more resilient to adapt to changing climate conditions & to adapt to species specific pest.</p>
Community Watersheds
<p>FSP Section 3.4.3</p> <p>Not applicable - The proposed block is not located within a Community Watershed.</p>
Enhanced Resource Development Zones
<p>FSP Section 3.2.1</p> <p>'KBHLP Objective 7 – Enhanced Resource Development Zones – Timber'</p> <p>Block 13 is not within an Enhanced Resource Development Zone.</p>
Fire Maintained Ecosystems
<p>FSP Section 3.5.3</p> <p>'KBHLP Objective 8 – Fire maintained Ecosystems'. There are no NDT 4 ecosystems in the FDUs under this FSP, therefore the requirement to create a Result/Strategy for this objective does not apply.</p>
Fisheries Sensitive Watersheds
<p>FSP Section 3.4.2</p> <p>At the time the FSP was developed there were no designated "Fisheries Sensitive Watersheds" in FDUs under this FSP, therefore the requirement to create a Result/Strategy for this objective does not apply.</p>
Invasive Plants
<p>FSP Section 4.1 – Invasive Plants</p> <p>The IAPP website was checked on May 31, 2018. The following invasive species were reported in nearby areas to CP 410, mainly at low elevations within the first km of Balfour Face FSR in the general area of the Balfour Transfer Station: Canada thistle, Chicory, Common tansy, Himalayan blackberry, Hoary alyssum, Japanese knotweed, Spotted knapweed.</p> <p>Measures to prevent the introduction or spread of invasive plants noted in the FSP include:</p> <ul style="list-style-type: none"> • Cleaning equipment before moving from a worksite with existing infestations to a new work site. • Minimizing soil disturbance during primary forest activities (PFA). • Reseed exposed mineral soil, resulting from a PFA in the first available fall or spring within 12 months following the soil disturbance. Plan planting of cutblocks as soon after harvesting as possible. • During PFAs minimize soil disturbance by: <ul style="list-style-type: none"> • Harvest on a snowpack, when feasible • Random skid to designated skid trails to minimize skidder traffic on the ground • Utilize benches for skid trails to minimize side cuts • Utilize brush to construct skid trails to reduce contact with the ground • Use overhead cable harvesting systems on steep ground • Where grass seeding is undertaken, CCC will use certified grass seed (Canada common #1 or better grade) from reputable suppliers to ensure premium quality free of invasive plant seed, or a seed mix recommended by a MFLNRO range specialist. • See FSP for additional strategies and practices regarding invasive plants.
Natural Range Barriers
<p>FSP Section – 4.2</p> <p>Not applicable. There are no range tenures located in the FDUs covered by this FSP.</p>

LICENCE NO: FL A30171	BLK: 13	CP: 410	Mapsheet: 082F065	PAGE: 5 of 10	RUN DATE:
-----------------------	---------	---------	-------------------	---------------	-----------

Timber
FSP Section 3.2 - Timber As per Sec 12(8) of the FPPR, results or strategies are not required for an objective set by government for timber.
Wildlife - Caribou
FSP Section – 3.3 and 3.5.3 'KBHLP Objective 3 – Caribou' was cancelled and replaced by <i>GAR Order #U-14-012 – Mountain Caribou – Southwest Kootenay Planning Unit</i> . This block does not fall within a Caribou Management Zone.
Wildlife – Grizzly Bear Habitat - Connectivity
FSP Section 3.3 and 3.5.3 'KBHLP Objective 5 – Grizzly Bear Habitat & Connectivity Corridors'. Not applicable to the FDU which includes this block. Block 13 falls within Connectivity Corridor area. Applicable targets for Old and Mature forest will be met following harvest.

STOCKING REQUIREMENTS

SU	NAR (ha)	Standards ID #	Other Performance Standards
A	3.6	1057445	See Section H - Stocking Requirements

C. MANAGEMENT OBJECTIVES & STRATEGIES

C.1 MANAGEMENT OBJECTIVES
<ul style="list-style-type: none"> Objectives for CP 410 Block 13 include meeting visual quality objectives, protecting nearby streams, maintaining water quality, managing for a changing climate, contributing to fire mitigation strategies, and maintaining rich biodiversity and wildlife values: All of these objectives are carefully considered, and in some cases there are trade-offs in strategies (e.g. Leave tree density for visuals vs. fire mitigation), but a balance between all management objectives is the goal. Harvest this mature stand of <u>FdCwLwHw(BgPyPw)</u> for sawlogs, chips and value-added products and manage for a healthy, free growing stand of planted and natural <u>CwFdLwPw(PIBgHwPy)</u> for similar end products. Wildlife Tree Retention Area (WTRA): One reserve is planned for retention, totalling 0.4ha in size (9.8% of the block). The reserve shelters mature stand values, riparian values, wildlife values and portions of stand structure that is similar to the harvest area. Kootenay Boundary Land Use Plan – Implementation Strategy (June 1997): This block is located within the designated Landscape Unit K10 (West Arm) – Intermediate BEO Assignment.

C.2 CONDITIONS THAT MUST EXIST AFTER HARVEST OR TREATMENT TO ACCOMMODATE KNOWN FOREST RESOURCES
C.2a WILDLIFE
Stand Level attributes/ concerns identified:
<p>Ungulate Winter Range: The proposed development CP410 is located within UWR Management Unit 178 and overlaps five distinct polygons with specific requirements in the ICHdw.</p> <p>Analysis completed by Timberland (August 29, 2018) shows that post-harvest, Ungulate Winter Range Management Unit 178 meets the minimum retention and maximum disturbance requirements for snow interception cover and forage areas.</p>
<p>Migratory Bird Habitat Assessment: The majority of Block 13 is within Migratory Bird Risk Rating 4 polygon (VRI Age Class 6/Mixed Conifer/) – ICH Mixed Conifer FdCwLw(HwBgEp). The management matrix therefore requires the implementation of at minimum one Best Management Practice (BMP) with a Degree of Protection rank of at least moderate. BMP's LO2 and LO4 have been implemented on site to reduce the likelihood of incidental take and to conform with CCC's adopted management strategy. LO2 refers to higher levels of retention prescribed surrounding riparian features: This has been implemented with a WTRA protecting the riparian area adjacent to Haiseldean Creek (S6). LO4 refers to retention of individual trees or snags suitable for cavity nesting birds which is achieved through the leave tree prescription of 30-35 stems/ha: Larger diameter healthy looking stems will be preferred. Snags will also be left where it is operationally feasible and safe to do so.</p>
<p>Slope values are low to moderate in the block, with few smaller areas of short, steeper slopes. Middle to upper elevation ICH dw1 site conditions. Aspect is mainly southeast facing, with short broken slopes. Middle slope location. Vegetation cover is low to moderate over most of the unit. An S6 class stream (Haiseldean Creek) runs adjacent to the east of the block. Minor NCDs exist within the block. All road access will be new construction. Old stumps were seen near the upper boundary, as well as an abandoned hiking/mountain bike trail. Existing coarse woody debris levels are low to moderate (15-40cm diameter) in most areas.</p>
<p>SU A (entire block): Stand type is: Fd₅Cw₃Lw₁Hw₁. Large Fd Lw Bg snags with loose bark are scattered throughout the stand.</p> <p>Average stand density (all species) is 456 stems/ha. Most stems fall within the 35-55cm DBH classes, with 3.7% of stems in the 70cm DBH class. Approximate species densities are Cw 214 stems/ha, Fd 149 stems/ha, Lw 55 stems/ha, and Hw 38 stems/ha. Other species such as Bg Ep At Pw occur throughout the block but were not picked up by the cruise. Stand age ranges from 110-152 with an average of 124 years old. The understorey contains low densities of Bg Hw Cw regen, saplings and poles that are mainly in poor (suppressed) to moderate condition but growing well in openings.</p>

LICENCE NO: FL A30171	BLK: 13	CP: 410	Mapsheet: 082F065	PAGE: 6 of 10	RUN DATE:
-----------------------	---------	---------	-------------------	---------------	-----------

Forest cover adjacent to the block includes similar mature stands with natural openings outside the Southwest boundary, and previous harvesting to the East of Haiseldean Creek.

Actions prescribed:

Total Area specified for the retention of wildlife trees: **0.4 ha** (9.8% of gross area)

Wildlife Tree Retention Patch (WTRA):

WTRA-1 (0.4 ha) Fd4Cw3Hw3: This WTRA is located in an incised gully within the riparian area of Haiseldean Creek (S6) and contains an Fd leading stand. Density is 300-500 sph; Height range is 25-35m; DBH range is 25-50cm; Age class is 6. Slope values range from low to moderate, and crown closure is 60%. Values within the area include large diameter stems, and snags. Ungulate scat and wildlife trails were seen within the WTRA.

The WTRAs have been established in part, as a best management practice for the reduction of migratory bird incidental take (**BMP LO2**), to ensure compliance with Visual Quality Objectives, and to mitigate risk to downslope terrain hazards.

Snags

Retain safe snags <5m tall in **SU A** where operationally feasible. Snags with evidence of wildlife use are preferred.

C.2c FISHERIES

There are no fish streams within or directly adjacent to the block.

See Section E.1 for Riparian Management Strategies.

Drainage from the majority of the cutblock area flows downslope to the South, towards the community of Balfour.

C.2d WATERSHEDS

CP410 Block 13 is located within the Laird Face Domestic Watershed.

Referral letters dated April 5, 2018 were sent to POD licensees with a 30 day response period. Several comments were received from water users.

Haiseldean Creek (S6 Class) has one licensed POD which is approximately 875m downstream of CP410.

Management with regard to the comments received includes a WTRA protecting 15-20m (almost 100%) of the RMA of Haiseldean Creek which exceeds minimum RMA requirements set out in the 2017-2022 Porcupine Wood Products FSP. This WTRA serving as a riparian reserve will help avoid or minimize disturbance to water quality for downstream water users.

No recommendations were received for this block with regard to the terrain stability assessment.

C.2e RECREATION

Not applicable. The proposed cutblock is not located within a designated Recreational Area or Trail with legal objectives.

C.2f BIOLOGICAL DIVERSITY

Landscape Unit - K10 (West Arm): Intermediate BEO Assignment.

C.2g VISUAL RESOURCE MANAGEMENT

A Visual Impact Assessment was completed by Timberland Consultants in March 2018, and the proposed blocks meet the definition and requirements of PR. Irregular shaped boundaries that follow natural terrain features, and WTRA surrounding Haiseldean Creek serve to improve visual quality of Block 13 from selected viewpoints. 35-40 stems/ha of mature retention throughout Block 13 will enhance visual quality. The proposed development of **CP410** meets the established VQO of PR from the selected viewpoints.

C.2h CULTURAL HERITAGE

A referral letter dated February 14, 2018, was sent to the appropriate individual(s) and/or group(s).

Cooper Creek Cedar Ltd did not receive any comments from First Nations identifying any concerns with the proposed development that had the potential of impacting cultural heritage values.

No cultural heritage values were noted in this area. See section E.5 for Archaeological information.

C.2i RANGE

Not applicable. There are no range tenures located in the FDU's covered by this FSP.

C.2j OTHER RESOURCES
<p>Trapping / Guiding: Trappers or guiding license holders in the area will be identified and notified through the Forest Stewardship Planning process.</p> <p>Windthrow: Windthrow hazard is Low to Moderate for adjacent mature stands. The block contains dispersed internal retention and is small in size. Mature stands surrounding the harvest area are similar to the block with moderately well to well drained soils, or are lower density stands with natural brush openings. Stands to the south drop away from the harvest boundaries on moderate to steep slopes, and stands to the north climb at steeper slopes than the block.</p> <p>Soils contain moderate coarse fragments, are well drained, and have 58 cm rooting depth.</p>
CONDITIONS NOT APPLICABLE TO THIS SITE PLAN
<p>THE FOLLOWING CONDITIONS WERE CONSIDERED, AND FOUND NOT TO BE APPLICABLE TO THIS SITE PLAN:</p> <p>None identified.</p>

D. ECOLOGICAL INFORMATION AND SITE CHARACTERISTICS

D.1 STANDARDS UNITS AND CRITICAL SITE CONDITIONS						
SU	BIOGEOCLIMATIC					
	TREATMENT UNIT	ZONE	SUBZONE	VARIANT & PHASE	SITE SERIES	SITE TYPE
A	1	ICH	dw	1	101 ₁₀	-

E. MANAGEMENT STRATEGIES

E.1 RIPARIAN MANAGEMENT STRATEGIES				
RIPARIAN RESERVE ZONE (RRZ)				
RIPARIAN/ LAKE ID	RIPARIAN/ LAKE CLASS	HARVESTING Y/N	SU XREF	DESCRIPTION OF THE PURPOSE AND EXTENT OF REMOVAL OR MODIFICATION OF TREES AND ANY RELATED FOREST PRACTICES IN RIPARIAN RESERVE ZONE(S)
N/A				
RIPARIAN MANAGEMENT ZONE (RMZ)				
RIPARIAN/ LAKE ID	HARVESTING Y/N	SU XREF	MANAGEMENT STRATEGIES FOR RIPARIAN OR LAKESHORE MANAGEMENT AREAS INCLUDING PROTECTING STREAM BANKS (if there is no RRZ), MAINTAINING SHADE, AND DEBRIS MANAGEMENT. IF FELLING AND/OR YARDING ACROSS STREAMS. INCLUDE EITHER THE RESIDUAL BASAL AREA <u>OR</u> DENSITY FOR RMZ (S) AND LMZ (S).	
Haiseldean Creek (S6)	N	WTRA	Outside block. WTRA#1 reserves riparian zone of S6.	
NON-CLASSIFIED (NC) RIPARIAN AREAS				
RIPARIAN/ LAKE ID	SU XREF	MANAGEMENT STRATEGIES		
NCD 13-1 NCD-12-3	A	none		

E.2 FOREST HEALTH MANAGEMENT STRATEGIES

SU	Code	Nelson Region DRA Risk Factors	Points	Relative Risk	Comments
A	DRA	Site factors	8	H	<ul style="list-style-type: none"> Armillaria is absent or present at low levels within the stand. Occurrence is likely opportunistic and compounded by other pathogens (DRN, DDE) weakening this stand. The Nomographic Zones in Section 3.0 of the <u>"Armillaria Root Disease Management Guidelines for the Nelson Forest Region"</u> (June 1998) indicate that Alternative or Intensive deferred treatments for root disease management are appropriate for this site, should Armillaria become a problem. Alternative treatments will include planting a species mixture that includes species tolerant and /or moderately susceptible to Armillaria (e.g.: Lw, Cw, Pw, Py). Fd (highly susceptible) may be included but should be limited to a maximum of 50% of the mix. Microsite selection should reflect buffer zones around infected stumps, if they can be identified. Hand-pulling (preferred) or pop-up spacing (alternative) should be considered in the future should Armillaria become a limiting factor in meeting regeneration or free growing requirements (see section H). Stumping or pushover harvesting treatments are not suitable due to low sign of Armillaria, and high soil hazards.
		Host factors	4-6	M	
		Inoculum potential	0	L	
		Disease factors	10	M	
			22-24	M	

Other Forest Health Factors

SU	Code	%	Comments	Current risk to inventory
A	IBD	1	<p>A small amount of Grey attack on Fd stems was observed in SU A and corroborates with MoF AOS completed in 2017. Due to the presence of frass, beetles and pupae/larva the infestation is presumed to be ongoing at endemic levels. Due to the risk rating of the stand and the high consequence should an epidemic occur a treatment plan has been designed to manage the infestation.</p> <p>Funnel traps and subsequent trap trees in the area may be utilized if required based on the results of post-harvest spillover probes conducted by a Qualified Professional.</p> <p>Leave tree prescriptions require Douglas Fir that exhibits signs of stress, scarring, decay or general poor health are not to be selected for retention. Depending upon the severity of the infestation post-harvest, MCH packets may be applied to dispersed retention in areas of high IBD presence determined by the assessment of a Qualified Professional.</p> <p>Trap trees may be considered for beetle management if timing of road building and block harvesting permits. This is to be determined by a qualified professional.</p>	High
A	DSB	0	Pw is absent or present in minor amounts in the current stand. A small amount of Pw may be planted in SU A. Plant only rust resistant stock. Expect high incidence of white pine blister rust on any naturally regenerated Pw.	nil

Expected future risks and actions

A forest health/pest incidence assessment is not required. Forest health information was collected during SP field data collection in **June 2018**. Stand health risks in the future include a warm aspect and possible moisture deficits during the growing season.

SU A: Timber type by volume of the pre-harvest stand is Fd₅Cw₃Lw₁Hw₁

E.3 VEGETATION MANAGEMENT STRATEGIES

LIVESTOCK TO BE USED FOR VEGETATION MANAGEMENT: YES: ☐ NO: ☒

Current Brush Hazard: **SU A:** Very low levels of brush inside harvest boundaries with dry brush complex and shallow rocky soils outside the block.

Future Brush Hazard: Moderate due to mesic moisture regime, low elevation, warm south aspect and dry brush complex in openings outside the block. Potential competitor species exist outside the block in open areas and include maple, alder, saskatoon, rose, and thimbleberry.

Brushing Methods: Should brushing become necessary, manual treatments are the preferred methods.

Risks and Considerations: Woody brushing or stand tending treatments must be carefully assessed due to pathogen ability to colonize wounds on stocked trees that may be damaged by brushing treatments.

Anticipated Timing: Treatment needs will be assessed through periodic walkthroughs and silviculture surveys. Treatment timing will be prescribed at the time of brush assessment.

E.4 COARSE WOODY DEBRIS (CWD) MANAGEMENT STRATEGIES

CWD levels are low to moderate (5% ground cover). CWD is predominantly composed of 15-40cm diameter stems. Lw Bg Ep Pl are the dominant CWD species. The stand has a dead standing and down component. Fire scars were noted on older snags and CWD.

Manage for **minimum** CWD levels post-harvest in accordance with wildfire mitigation strategies. Post-harvest CWD will consist of non-merchantable existing levels and snags, along with residue and breakage. A reduction of CWD levels is anticipated through fire mitigation.

(FPPR Section 68): **Manage for the minimum of 4 logs per hectare**, each being at least **2 metres** in length and at least **7.5cm** in diameter at one end.

See the SITE PREP section (K.1) for additional CWD management strategies.

E.5 ARCHAEOLOGICAL IMPACT ASSESSMENT

Archaeological Overview Mapping of the **CP 410** area shows that **block 13** falls partially within a polygon that has a potential rating.

On July 16-17th, 2018, TMECS completed an archaeological field inspection under BC Heritage Inspection Permit 2018-0192 for CP410-12. No archaeological materials or sites were observed, recorded or are otherwise suspected within the proposed boundaries of the cut blocks in CP410.

F. SOIL CONSERVATION

F.1 SITE DISTURBANCE						
SU	HAZARD RATINGS			SOIL CHARACTERISTICS		
	SOIL COMPACTION	SOIL DISPLACEMENT	SURFACE SOIL EROSION	DEPTH TO UNFAVOURABLE SUBSOIL (cm)		TYPE OF UNFAVOURABLE SUBSOIL
				MIN(cm)	MAX(cm)	
A	High	Moderate	Moderate	35	35	Fragmental (>70% CF) and dense parent material.

F.2 SOIL DISTURBANCE LIMITS	
<p>SU A: ARE THERE SENSITIVE SOILS? ☐ YES ☒ NO</p> <p>MAX. PROPORTION OF TOTAL AREA UNDER THE PRESCRIPTION ALLOWED FOR PERMANENT ACCESS STRUCTURES (PAS): 2.4%.</p> <p>Roadside harvesting or temporary landings will be used.</p> <p>DEACTIVATION OF PERMANENT ACCESS STRUCTURES: Any landings will be deactivated – debris will be piled & burned, water control will be installed around all landings.</p> <p><u>Terrain Stability Assessment, Balfour Face, CP 410, Blocks 10, 11, 12, and 13 (report dated July 30, 2018)</u></p> <p>Block 12, and the associated Spur 1, 2, and 4 roads, were reviewed by Christopher Perdue, P.Geo., Eng.L. of Perdue Geotechnical Services on July 6 & 9, 2018.</p> <p>The likelihood of landslide initiation as a result of the proposed timber harvesting is rated as Low.</p> <p>No specific recommendations were identified with regard to this block. General Timber Harvesting Recommendations are included in the TSA report and are noted on the Harvest Plan map.</p>	
SU	MAXIMUM ALLOWABLE SOIL DISTURBANCE WITHIN THE NET AREA TO REFOREST (%) MAXIMUM EXTENT SOIL DISTURBANCE LIMITS MAY BE TEMPORARILY EXCEEDED TO CONSTRUCT TEMPORARY ACCESS STRUCTURES OR EXCAVATED OR BLADED TRAILS (%)
A	10% 5%
<p>MASD for Roadside Work Areas: <u>25%</u></p> <p>Any temporary access structures or excavated or bladed trails will be rehabilitated to the extent necessary to bring the SU net area back into compliance with the specified soil disturbance limits.</p> <p>See Section F.4 below for description of temporary access structures or excavated or bladed trails, if any.</p> <p>Avoid harvesting during spring freshet/breakup conditions when soils are moist to reduce soil displacement and compaction.</p> <p>Steep slopes >35% are present in parts of SU A and are noted on the Harvest Plan Map. In SU A ground based harvest methods will be utilized.</p>	
F.3 REHABILITATION TIME FOR TEMPORARY ACCESS STRUCTURES	
MAXIMUM ALLOWABLE TIME TO COMPLETE REHAB (MEASURED FROM COMPLETION OF HARVEST): <u>1 YEAR</u>	

F.4 MANAGEMENT STRATEGIES FOR TEMPORARY ACCESS STRUCTURES

SU	GENERAL LOCATION:	MAX ALLOWABLE HEIGHT OF CUTBANKS (m)	AVERAGE HEIGHT OF CUTBANKS (m)	EQUIPMENT TO BE USED (IF OTHER THAN EXCAVATOR)
A	Blading or excavating is expected to occur in parts of the unit with moderate to steep slopes.	0.8	0.3	Skidder, cat.

Proposed Landings (temporary):

SU A: 1 landing @ 0.2 ha = **0.2 ha**

Proposed Roads (permanent):

SU A: Spur 4 = 152m x 10m = **0.15ha**

Total PAS = **0.15ha**

- **SU A: Roadside harvest with landings. Favourable skidding with minimal adverse skidding on the small finger of timber below Spur 4.**
- **See Section E.1 for stream management strategies.**

The following will apply for any excavated/bladed trails that are required:

- Maximum trail width is 4m.
- Actual dimensions of bladed trails may vary depending on topography.
- The amount of bladed trail constructed will be kept to a minimum.

Short sections that become bladed trails where a non-bladed trail crosses a hump or ridge will be exempt from rehabilitation requirements provided that the soil disturbance limits in this SP are not exceeded.

Rehabilitation for bladed or excavated trails:

Any bladed or excavated trails will be rehabilitated as follows:

- De-compact the trail, including removing woody debris that is conducting subsurface moisture
- Place fill material that was sidecast on the excavated portion of the trail
- Re-contour the slope
- Re-establish natural surface drainage
- Place some woody debris over exposed mineral soil

G. SILVICULTURAL SYSTEMS

SILVICULTURAL SYSTEMS	
SU	SYSTEM / VARIANT / PHASE
A	Clear-cut with reserves silviculture system.
SU	STAND STRUCTURE AND SITE CONDITION - COMMENTS
A	<p>Post-harvest stand structure will be even-aged with one age class. Planted trees and natural regeneration will include Cw Fd Lw Pw (Pl Bg Hw Py).</p> <p><u>1 Wildlife Tree Group Reserve Area (WTRA):</u> totalling 0.4 ha</p> <p><u>Leave Trees</u></p> <p>SU A: Retain 35-40 stems per hectare of Fd, Lw, and Py in the >=45 DBH classes to provide stand structure, biodiversity, visual and wildlife values. Give preference to larger diameter, wind-firm dominants and/or vets. Individual stems may be removed if required for safety or operational reasons. Douglas-fir stems that exhibits signs of stress, scarring, decay or general poor health are not to be selected for retention.</p> <p><u>Wildfire Mitigation</u></p> <p>Py, Fd, and Lw are more likely to survive a fire than the other species on site. Thinning the stand from above while retaining fire resilient stems and minimizing the surface fuels to meet the minimum CWD requirements is a recognized fire mitigation management plan. The objective is to retain larger, healthy stems with live crowns while maintaining a 3-5-m spacing between the crowns. The larger leave trees have higher crowns, which means a longer distance between surface fuels and tree crowns; reducing the effective ladder fuels, and reducing the likelihood of the fire moving into the canopy. Regularly spaced leave trees will shade the understory, which will help reduce ground temperatures and prevent brush species from becoming established, further reducing the ladder fuels. Leave tree distribution is expected to be regular where large stems exist and is operationally feasible to do so. Adequate inter-crown spacing prevents the spread of a potential wildfire between leave trees, while still providing ground shading. Post harvest the stand will be easier to protect should a fire occur – fire will move more slowly through the stand due to less ground fuel, an open stand with clean ground & a more open canopy that will let more water and fire retardant through to the ground from air drops than a full canopy stand. The roads and trails constructed to access the block will provide better access for the fire fighters.</p> <p>The current stand is heavy to Fd; therefore planting Lw & Py will make the stand more resilient to adapt to changing climate conditions & to adapt to species specific pest.</p> <p><u>Snags</u></p> <p>No snags or stubbed trees are prescribed to be left behind in the block, as they are a hazard from a fire management perspective. Live vets and larger stems selected as leave trees will provide wildlife values post-harvest.</p>

H. STOCKING REQUIREMENTS

LICENCE #	CP	BLOCK	OPENING NUMBER	LOCATION
A30171	410	13	82F066	Balfour Face

H1 ECOLOGICAL INFORMATION										
SU	Net Area (ha)	Zone	Subzone	Variant/Phase	Site Series (complex - %)	Elevation			Slope position	Soil Texture (0-30cm)
						Min	Max	Avg		
A	3.6	ICH	dw	1	101 ₁₀	770	910	840	Middle	L
RATIONALE FOR STOCKING STANDARD FSP ID SELECTION										
STANDARDS UNIT FSP ID #		CHANGE FROM STANDARD PRACTICE				COMMENT: (For example: Forest health (DRA) or Rocky site)				
1057445		N/A								

H2 STOCKING REQUIREMENTS FOR SILVICULTURAL SYSTEMS OTHER THAN SINGLE TREE SELECTION								
Standard unit	Standards ID	Regen Delay (yrs)		Free Growing Early (yrs)			Free Growing Late (yrs)	
A	1057445	7		12			20	
Preferred Species		Acceptable Species		Post Spacing Density (sph)				Max Coniferous (sph)
Species	min ht (m)	Species	min ht (m)	Min	700	Max	1800	10,000
Cw ¹⁰ Fd ⁵⁸ Lw Pw ³¹	Fd- 1.4, Lw Pw- 2.0, Cw- 1.0	Pl ¹³ Bg Hw Py ^{9,14}	Pl- 2.0, Bg Hw Py- 1.0	Well Spaced Trees (sph)				
				Target	Minimum pref&acc	Minimum preferred	Min Horizontal Inter-tree distance (m)	
				1200	700	600	2.0*	
							Height Relative to Competition (%)	
							150	
<u>Other Required Stocking Information/Footnotes :</u>								
9 – suitable on warm aspects								
10 – suitable on cool aspects								
13 – suitable at upper elevations								
14 – suitable at lower elevations								
31 – must use of blister rust resistant stock. See BC Journal of Ecosystems and Management 10(1): 97-100 for supplementary information.								
58 – South Area – Fd limited to a max 50% of preferred and acceptable well-spaced stems in the IDf _{mw} and all subzones of the ICH due to root rot. See Root Rot Handbook (2017, in press).								
203 – Recommended on sites for climate change adaptation.								
204 – Not recommended due to climate change concerns.								
* - a reduced MITD of 1.7m may be used to facilitate planting superior microsites, when sites have: mechanical site preparation (mounding and disk trenching), been previously fill planted, or conditions where obstacle planting for snow creep is necessary. Reduced MITD applies to PLANTED TREES ONLY								

H3 SITE PREPARATION	
Area (ha)	TECHNIQUE (S) / LIMITING FACTORS
A 3.6	Options for SU A include: <ul style="list-style-type: none"> Mechanical bunching (pile and burn) where feasible to minimize CWD as a method of wildfire mitigation. Up to 10% of piles may be left unburned in order to contribute to wildlife habitat and coarse woody debris values. Manage CWD and slash with a goal of future wildfire mitigation; minimize surface fuels post-harvest. Clearcutting and site prep that removes almost all of the aboveground biomass creates a good firebreak given the limited fuel remaining. This will reduce the intensity of a potential fire, and make it easier for firefighters to suppress. This does not mean removing all organic material down to mineral soil; just to reduce significant accumulations of surface fuel.

I. ADMINISTRATION

SITE PLAN PREPARED BY (RPF SIGNATURE AND SEAL):	
<p>Russell Fountain</p> <hr/> <p>RPF Name (Printed)</p> <p>Date: <u>September 28, 2018</u> RPF #: <u>4970</u></p>	 <hr/> <p>RPF Signature and Seal</p>
SITE PLAN ATTACHMENTS:	MAJOR LICENSEE SIGNING AUTHORITY:
<p>☒ SP MAP(S)</p> <p>☒ ARCHAEOLOGICAL IMPACT ASSESSMENT</p> <p>☒ TERRAIN STABILITY FIELD ASSESSMENT</p> <p>☒ VISUAL IMPACT ASSESSMENT</p> <p>☐ RIPARIAN ASSESSMENT</p> <p>☐ FOREST HEALTH / PEST INCIDENCE ASSESSMENT</p> <p>☐ SOIL CONSERVATION TABLE</p> <p>☒ OTHER: <u>REFORESTATION PRESCRIPTION</u></p> <p>☒ OTHER: <u>ARMILLARIA RISK ASSESSMENT MATRIX</u></p>	<hr/> <p>Licence Holder Signing Authority Signature</p> <hr/> <p>Licence Holder Signing Authority Name (Printed)</p> <p>Date: _____</p>

	Standards Units					
	A				TOTAL HA	%
HAZARD RATINGS:						
Compaction	High					
Soil Displacement	Moderate (13)					
Surface Erosion	Moderate (21)					
Forest Floor Displacement	High (19)					
Mass Wasting	Moderate (21-31)					
Harvest System	Conventional					
TOTAL AREA	4.1				4.1	
Wildlife Tree Patches / NP Nat						% WTP/IMM
WTRA	0.4				0.4	9.8
IMM	-				-	-
Permanent Access Structures						% Disturbance
Proposed roads	0.1				0.1	2.4
Existing roads	-					
Landings	-					
Total disturbance permanent access structures	0.1				0.1	2.4
NET AREA TO BE REFORESTED	3.6				3.6	
Sensitive Soils (Y/N)	No					
Temporary Access Structures: Road, landing, excavated or bladed trails that will be rehabilitated (% of NAR).	5% (excavated/bladed trails)					
Max. Allowable dispersed Soil Disturbance (% of NAR by Standards Unit) as a result of harvesting, mechanical site preparation, or hazard abatement activities.	10%					
Comments: Landings and spurs within the NAR are temporary and will be fully rehabilitated.						
Rehabilitation/Deactivation measures:						
All landings and trails within the NAR are temporary and will be rehabilitated by decompacting, re-contouring, surface restoration, followed by planting.						
Landings will be deactivated as per the following: Minimize runoff flowing onto the landing and minimize erosion of the landing fill material by incorporating appropriate drainage systems. If required, carry out measures to ensure that the landing is stable, such as decompaction, re-contouring, and grass seeding.						
Perm Road: 152m x 10m = 0.15ha						
Temp Road: N/A						
Temp Landings: 1 temporary landing utilizing new access structures. Total of one 0.2 ha landing within SU A NAR.						
See Section F.4 for discussion of rehabilitation of excavated/bladed trails.						