

**SENECA ENTERPRISES LTD.**

PO BOX 1902, PRINCE GEORGE, BC, V2L 5E3

Phone: (250) 561-0890, Fax: (250) 564-3275

**SPRUCE BARK BEETLE REPORT
FH17DPG218**POLYGON: **2016-BLA-0194** HECTARES: **21.2**WALKTHROUGH DISTANCE: **3000**ESTIMATED INFESTED PIXELS FROM
WALKTHROUGH (Code 1-4) **0 0.0%****SUMMARY OF CURRENT INFESTATION**

Walkthrough found NO recent attacked trees, and no probe line established. Site has several older attacked trees with 3 Code 5's noticed. Sites to the North and Southeast have no recent signs of attack as well, low priority.

NO CURRENT ATTACK

ACCESS

From truck, walk 1.5Km at 270 degrees to EASTERN part of polygon

POLYGON FEATURES (Topography, Terrain, Timber Types, Age)

Overall relatively flat site without any major slopes, 0-10% throughout. Overall, Sx 60%, Balsam 40%, with concentrated areas of thick balsam.

SIZE, BOUNDARY and PATTERN OF INFESTATION

Polygon 21.2 hectares with no infested pixels . I.. There are 3 Code 5 older attack scattered through polygon no pattern but mainly in the entrance to the polygon (East). Sites to the North and SE of polygon have no signs of current attack

INCIDENCE AND SEVERITY OF ATTACK

No Current attack

RISK OF BEETLE SPREAD

Polygon has older attack that are scattered throughout polygon. Minimal risk of spread.


ACCESS, OPERABILITY and INTEGRATED RESOURCE MANAGEMENT ISSUES

Good access, minimal slopes. Walk in 1.5km to start of polygon.

RECOMMENDATIONS**OPTION 1****NO ACTION**

No Recent attack

OPTION 2



200 m




TOPOGRAPHY

STRIP No.

700

TIMBER TYPE



600

207°

500

400

300°

255°

300

31°

200

100

257°

0

270°

(LSX2B)

(ESA)

200m

S/L

200m

200m

S/L

200m

STRIP NO.:

BIA-194

DIRECTION:

270°, 257°, 31°, 250°

START STRIP:

0-700

JOB NO.:

DATE:

NOV 11,

CREW:

Pat Poirier

REMARKS:




www.irisupplies.com
Ph: 1-800-663-6843


TOPOGRAPHY

STRIP No. 1400

TIMBER TYPE



1700	70°
1300	
1200	62°
	135°
1100	
1000	205°
900	
800	266°
700	221°



200m S/L 200m S/L 200m

STRIP NO.: 700-1400 DIRECTION: 221°, 266°, 205°, 135°, 62°
 START STRIP:
 JOB NO.: BJA-194 DATE: Nov 11, 16
 CREW: Pat Poiriev
 REMARKS:





www.irlsupplies.com
Ph: 1-800-663-6843

TOPOGRAPHY

STRIP No. 2100
2100

TIMBER TYPE



STRIP NO.: 1400-2100

DIRECTION: 70°

START STRIP:

JOB NO.: BIA-194

DATE: Nov 11, 16

CREW: Pat Poirier

REMARKS:






www.irisupplies.com
Ph: 1-800-663-6843

TOPOGRAPHY

STRIP No.

2800

TIMBER TYPE



STRIP NO.: 2100-2800

DIRECTION:

START STRIP:

JOB NO.:

BIA-194

DATE:

Nov 11, 16

CREW:

Pat Poirier

REMARKS:



www.irisupplies.com
Ph: 1-800-663-6843

TIMBER TYPE

END Point

Slope 15%

3000

2900

2800 95°

STRIP NO.: 2800-3000 DIRECTION: 95°

START STRIP:

JOB NO.: 31A-194 DATE: Nov 11, 16

CREW: Pat Koiries

REMARKS:



www.irlsupplies.com
Ph: 1-800-663-6843