

NUMBER OF CODE 1-4 ATTACK

0

PROBE LINE NO

SUMMARY OF CURRENT INFESTATION

NO ATTACK

Star Probe had no current signs of attack. 3 old attack code 5s noticed.

ACCESS

Clearwater FSR to 40km, walk 900m at 203 degrees,

SITE FEATURES (Topography, Terrain, Timber Types, Age)

Very steep to the west 40-50% slope, river runs N to S, plantation to east at 54m

SIZE, BOUNDARY and PATTERN OF INFESTATION

No current attack

INCIDENCE AND SEVERITY OF ATTACK


No attack.

RISK OF BEETLE SPREAD and SURROUNDING SITES

Minimal, boundry to the East by Plantation

ACCESS, OPERABILITY and INTEGRATED RESOURCE MGMT ISSUES

Steep slopes in parts 40-50%




RECOMMENDATIONS


OPTION 1

NO ACTION

OPTION 2



SITE - 118




Attack - No signs of current attack

Access - 40 km up clearwater FSR from truck, walk 900m @ 203°.

Features - Steep slopes to the West 40%.
- River runs N to S.
- Plantation in East @ 54m

Plot 118


14/11/16



118

Megan

100m



plot tree next
to river
otr of BL

Mark Videgain
Megan Anstey
14/11/2016