SENECA ENTERPRISES LTD.
PO BOX 1902, PRINCE GEORGE, BC, V2L 5E3
Phone: (250) 561-0890, Fax: (250) 564-3275

SPRUCE BARK BEETLE REPORT
FH17DPG218

STAR PROBE# **2016-CLE-0040** 490

NUMBER OF CODE 1-4 ATTACK 0

PROBE LINE NO

SUMMARY OF CURRENT INFESTATION

NO ATTACK

Star Probe had no current signs of attack.. Steep slopes on way to site

ACCESS

Alongside mainline, 580M at 65 degrees



SITE FEATURES (Topography, Terrain, Timber Types, Age)

Steep slopes on way to site, Alder at 50-100m on east line.

SIZE, BOUNDARY and PATTERN OF INFESTATION

No current attack at site.

INCIDENCE AND SEVERITY OF ATTACK

No current attack.

RISK OF BEETLE SPREAD and SURROUNDING SITES

Minimal, no attack

ACCESS, OPERABILITY and INTEGRATED RESOURCE MGMT ISSUES

Some steep slopes

RECOMMENDATIONS

OPTION 1 **NO ACTION**

OPTION 2



491



Mark Videgain
Megan Anstey
07/11/2016

R.D. PENHALL LTD. MADE IN VANCOUVER, CANADA
DUKSBAK WATERPROOF

METRIC FIELD

490

In the middle of a ravine



Mark Videgain
Megan Anstey
07/11/2016

R.D. PENHALL LTD. MADE IN VANCOUVER, CANADA
DUKSBAK WATERPROOF