

STAR PROBE# **2016-CLE-0056**

506

NUMBER OF CODE 1-4 ATTACK

0

PROBE LINE NO

SUMMARY OF CURRENT INFESTATION

NO ATTACK

Star Probe had no signs of attack. Site is East of site 2016-CLE-0057 and in between sites found 3 code 1 isolated attacked trees.

ACCESS

From Truck walk 500m @ 118degrees. Steep walk up to site

SITE FEATURES (Topography, Terrain, Timber Types, Age)

Sparse open stand. Steep slopes to site 0-40%

SIZE, BOUNDARY and PATTERN OF INFESTATION

No attack at site, located three isolated code 1's between sites

INCIDENCE AND SEVERITY OF ATTACK


No attack.

RISK OF BEETLE SPREAD and SURROUNDING SITES

Sparse spruce stand, minimal risk of spread.

ACCESS, OPERABILITY and INTEGRATED RESOURCE MGMT ISSUES

Up steep slope to site.





RECOMMENDATIONS


OPTION 1

NO ACTION

OPTION 2



507




Access walk from truck @ 1000502730
6169553
507 Plot Centre - 1000502730
6169330

Aaron Colebank Nov 8
Pat Pelletier 2016

⊗ No attack found

METRIC

506



Access - walked from truck
1000502339
6169558

506 Plot Centre - 1000502478
6169553
Pat Pelletier
Aaron Colebank, Nov 8th, 2016

⊗ No attack found

METRIC FIELD