

**SENECA ENTERPRISES LTD.**

PO BOX 1902, PRINCE GEORGE, BC, V2L 5E3
 Phone: (250) 561-0890, Fax: (250) 564-3275

SPRUCE BARK BEETLE REPORT

FH17DPG218

STAR PROBE# **2016-PHI-043**

86

NUMBER OF CODE 1-4 ATTACK

0

PROBE LINE

NO**SUMMARY OF CURRENT INFESTATION****NO CURRENT ATTACK**

Very steeply sloped site with lots of blowdown, Site had one older Code 5 attacked tree, larger DBH trees along river. 60% Spruce, 40% Balsam. No Current attack found, Site os to the west of PHI-0042 where one current attacked tree found.

ACCESS

Lots of Blowdown, site alongside river. From truck walk 481m @ 31 degrees

SITE FEATURES

(Topography, Terrain, Timber Types, Age)

Site alongside river. Large DBH trees. Sparse stand. Heavy blowdown

SIZE, BOUNDARY and PATTERN OF INFESTATION

One C% older attacked tree found in site, no current attack

INCIDENCE AND SEVERITY OF ATTACK

No current Attack

RISK OF BEETLE SPREAD and SURROUNDING SITES



No current Attack, surrounded for the most part by cutblocks, site is to the west of PHI-0042 where single C1 attacked tree found.


ACCESS, OPERABILITY and INTEGRATED RESOURCE MGMT ISSUES

From truck, short distance to site, adjacent to cutblock and river, could not cross river, steep slopes with heavy blowdown.

RECOMMENDATIONS**OPTION 1****NO ACTION**

No current attck

OPTION 2**MONITOR**




Attack - C5=1

Access - From truck, walk 481m @ 31°

Features - extreme blowdown

- 60% slopes down to river
- 60% Sx
- 40% B1



086 N 55°09'54.8"
S 123°10'38.6

60% Slope Down to River

60% / 40% - S/B

NO SIGNS OF BEETLE