

**SENECA ENTERPRISES LTD.**

PO BOX 1902, PRINCE GEORGE, BC, V2L 5E3

Phone: (250) 561-0890, Fax: (250) 564-3275

**SPRUCE BARK BEETLE REPORT
FH17DPG218**STAR PROBE# **2016-PHI-0136**

219

NUMBER OF CODE 1-4 ATTACK

0PROBE LINE **NO****SUMMARY OF CURRENT INFESTATION****NO CURRENT ATTACK**

Grouping of sites PHI-0135, and 0136. Both sites had no current attack, site PHI-0136 had one code 5 older attack. To the west, minimal attack in sites 0103-0107 with 1 code 1 attack in one site. To the north of these sites, inaccessible sites tried to get in to.

ACCESS

From truck, walk 1.0km to site PHI-0136 and 1.8km to site PHI-0135

SITE FEATURES

(Topography, Terrain, Timber Types, Age)

Both sites very wet, heavy alder, low volumes of spruce.

SIZE, BOUNDARY and PATTERN OF INFESTATION

One old attack tree in 0136, no current attack.

INCIDENCE AND SEVERITY OF ATTACK


One old attack tree in 0136, no current attack.

RISK OF BEETLE SPREAD and SURROUNDING SITES


One old attack tree in 0136, no current attack. Minimal risk of any spread, to the west sites PHI-0103-0107 with little to no attack

ACCESS, OPERABILITY and INTEGRATED RESOURCE MGMT ISSUES

Accessed north off mainline, walk 1.0km and 1.8km. Both sites very wet, heavy alder, minimal spruce.

**RECOMMENDATIONS****OPTION 1****NO ACTION**


No current attack



SITE 219

CF, KB

NOV 15




Attack - CS = 7

ACCESS - From truck, walk 970m @ 271°

Features - Extremely wet ground.
- low volume of Sx.

Site 219

R.D. PENHALL LTD. MADE IN VANCOUVER, CANADA
DUKSBAK WATERPROOF



point of centre 10 u 0490182
6101591

Cecilia Nov 15/16

FIELD