

* some flagger
62500 mislabelled as
26500*

Jan 22 19: Aw 1809m

Access - seismic lines provide
direct means of entry, to block
w/ no significant obstacles

General comments: Moderately
slope sized open areas
throughout polygon

- Moderate slopes
- Low tree density
- Significant moose activity
including bedding
- SX dominant w/ small
patches of At and scattered
Pl and Ac

Noticed
structures
that
may have
been
pitch
tubes
on a tree
in line
6, but
unable
to find
galleries

IP NO.:

DIRECTION:

RT STRIP:

DATE:

W:



www.irisupplies.com



BRITISH
COLUMBIA



SPRUCE BEETLE PROBE CARD


LOCATION 26500 62500		PAGE 1		OF 1					
BEARING 450		DISTANCE 100 m		STRIP WIDTH 10 m					
DIAMETER CLASS	MEAN SURFACE AREA (m ²) PER DIAMETER CLASS	NUMBER OF HEALTHY SPRUCE	BARK BEETLE CODE BY YEAR OF ATTACK						OTHER TREE SPECIES AC
			Yr		Yr		Yr		
			1	2	3	4	5	6	
17.5-25.0	3.3								
25.1-30.0	5.3								
30.1-35.0	7.1								
35.1-40.0	9.4								
40.1-45.0	11.6								
45.1-50.0	13.8								
50.1-55.0	16.2								
55.1-60.0	18.7								
60.1 +	25.3								
TOTALS		12							54
BARK SAMPLES 15 cm x 15 cm	NO. ENTRANCE HOLES	NO. PARENT ADULTS	NO. LARVAE	NO. PUPAE	NO. CALLOW ADULTS	FRESH (GREEN) BLOWDOWN			
						Attacked	Unattacked		
COMMENTS open areas throughout									
CREW NAMES ALW						DATE 2010 01 20			

FS 1111 RPG 93/12

TOPOGRAPHY

STRIP No ~~62500~~

TIMBER TYPE



STRIP NO.:

L1

START STRIP:

10 U 634288 PRO 2

JOB NO.:

CREW:

AW

REMARKS:

DIRECTION:

DATE:


62500 3480 6147065 Jan 22 2019

www.tris

TOPOGRAPHY

STRIP No.

TIMBER TYPE

end
300

250

200

Line 4 starts, trees

150

100

50

5x100

200m

S/L

200m

200m

S/L

STRIP NO.:

L3

START STRIP:

0.634647 6147405

JOB NO.:

PR 02

DATE:

Jan 22 19

CREW:


AW

REMARKS:

TOPOGRAPHY

STRIP No.

TIMBER TYPE



700

600

500

end

400

300

200

100

5x80 not
AC 200m5x80 open
40 20

5x100

S/L

200m

200m

S/L

200m

L2

62500

DIRECTION:

RIP:

100 0634209 6147377

PR 02

DATE:

Jan 22 19

AW


Moose

www.irisupplies.com

TOPOGRAPHY

STRIP No. 26500

TIMBER TYPE



200m

S/L

200m

62500

200m

S/L

STRIP NO.:

L5

START STRIP:

10V

JOB NO.:

PR 02

CREW:

AW

REMARKS:

DIRECTION:

2130

DATE:

Jan 22/19

www.irisupply.com
Ph: 1-800-

TOPOGRAPHY

STRIP No. 26500

TIMBER TYPE



S/L

200m

62500

200m

S/L

200m

NO.:

L4

STRIP:

10V

J.:

PR 02

AW

DIRECTION:

2130

DATE:

01/22/18



www.irisupply.com

TOPOGRAPHY

STRIP No. 26500

TIMBER TYPE

<p>906X</p> <p>10 AC</p> <p>→</p> <p>300</p>	<p>300</p> <p>end</p> <p>200</p> <p>100</p>	<p>110</p> <p>1124</p> <p>11005</p>			

S/L

200m

62500

200m

S/L

200m

STRIP NO.:

L 6

DIRECTION:

260°

PART STRIP:

10V

0634335

6147458

STRIP NO.:

PROZ

DATE:

Jan 22 19

EW:

AW



www.irlsupplies.com