

Block # 123035

Jan 8: ST - 510 m

Jan 13: MS - 1380 m

ST - 860 m.

2750 m

access: Located on either side of the
Haystack FSR @ 19 km
flat easy operable ground.
1 tree with live attack found (code 1)
95% of dead attack on east of road.
High moose intensity.
contains overgrown seismic along S. border
far western finger seems to be planted.
blowdown sections along edges.

TOPOGRAPHY

STRIP No. 511

TIMBER TYPE

200T

STI

20GVT

POC

200л

1034

2000

STRIP NO.:

DIRECTION:

 251°

START STRIP

0561144, 6259410

JOB NO.:

PR03


DATE:

Jan 13th 2019

CREW:

Simon Twistle

REMARKS:



www.irlsupplies.com
Ph: 1-800-663-6843

TOPOGRAPHY

STRIP No

STL

TIMBER TYPE

Hand-drawn geological cross-section on graph paper. The diagram shows a central vertical line with horizontal lines extending to the left and right. The left side is labeled "S/L" and "200m" at the bottom. The right side is labeled "S/L" and "200m" at the bottom. The central line has several horizontal lines drawn across it, with labels "100 POT", "100", "Pixel", and "STL-1" written vertically along it. A large bracket on the right side of the central line groups the "Pixel" and "STL-1" labels. The top of the diagram is labeled "300" and "200" on the left side. The bottom of the diagram is labeled "6/10" on the left side.

STRIP NO.:

ST2

DIRECTION:

 350°

START STRIP

0560780, 6259282

JOB NO.:

PRO3


DATE: _____

Jan 13th 2019

CREW:

Simon Turcotte

REMARKS:



www.irisupplies.com
Ph: 1-800-663-6843

123035


TOPOGRAPHY

STRIP No.

ST3

860M

TIMBER TYPE



STRIP NO.:

ST3

DIRECTION:

76°

START STRIP:

0560762, 6259387

JOB NO.:

PRO3


DATE:

Jan 13th 2019

CREW:

Simon Turcotte

REMARKS:




www.irtsupplies.com
Ph: 1-800-663-6843

123035

TOPOGRAPHY

STRIP No. MSI

TIMBER TYPE



STRIP NO.:

MSI

DIRECTION:

242°

START STRIP:

561160-6259324

JOB NO.:

PR03


DATE:

Jan 13, 2019

CREW:

maisha ud Sp

REMARKS:




www.irisupplies.com
Ph: 1-800-663-6843


TOPOGRAPHY

STRIP No. MS2

TIMBER TYPE




flat



200 pot

100



Sw Regen + At

planted

planted
Sagho, Ph

Lioy. n

STRIP NO.: MS2

DIRECTION: 188° / 308°


START STRIP: 560640-6259056 / 560604-6258858

JOB NO.: PR03

DATE: Jan 13 2019

CREW: markiska u d Sep

REMARKS:



www.irisupplies.com
Ph: 1-800-663-6843


TOPOGRAPHY

STRIP No.

MS4

TIMBER TYPE

123055

1380
m

STRIP NO.:

MS4

DIRECTION:

54°

START STRIP:

560479-6258956

JOB NO.:

PR3


DATE:

Jan 13, 2019

CREW:

Mariska - d. Sigs

REMARKS:



www.irisupplies.com
Ph: 1-800-663-6843

123035 ST2-1

BRITISH
COLUMBIASPRUCE BEETLE
PROBE CARD

LOCATION 0560780, 6259282						PAGE 1 OF 1			
BEARING 350°		DISTANCE 100M		STRIP WIDTH 10M					
DIAMETER CLASS	MEAN SURFACE AREA (m ²) PER DIAMETER CLASS	NUMBER OF HEALTHY SPRUCE	BARK BEETLE CODE BY YEAR OF ATTACK						OTHER TREE SPECIES
			Yr		Yr		Yr		
			1	2	3	4	5	6	
17.5-25.0	3.3	..							A Sx d EP
25.1-30.0	5.3	..							
30.1-35.0	7.1	.							
35.1-40.0	9.4	..							
40.1-45.0	11.6	L							
45.1-50.0	13.8	.							
50.1-55.0	16.2	.							
55.1-60.0	18.7								
60.1 +	25.3								
TOTALS									
BARK SAMPLES 15 cm x 15 cm	NO. ENTRANCE HOLES	NO. PARENT ADULTS	NO. LARVAE	NO. PUPAE	NO. CALLOW ADULTS	FRESH (GREEN) BLOWDOWN			
						Attacked Yr	Unattacked Yr		
N									
S									
COMMENTS O bark sample									
CREW NAMES Simon Turcotte						DATE 2019 06 13			

123035

STRIP No. ST1

TOPOGRAPHY

TIMBER TYPE

STRIP NO.: ST1 DIRECTION: 86°

START STRIP: 0561140, 6259481

JOB NO.: PR03 DATE: Jan 8, 2019

CREW: Simon Turcotte

REMARKS:

The map is drawn on a grid with major lines every 200m and minor lines every 20m. The trail is represented by a dashed line with a wavy pattern, and the pipeline is represented by a solid line. The trail starts at the bottom left and goes towards the top right. The pipeline starts at the bottom left and goes towards the top right. The trail is labeled 'TRAIL' and the pipeline is labeled 'PIPELINE'. The trail has a 10% grade and the pipeline has a 5% grade. The trail is marked with stationing: 0, 100, 200, 300, 400, 500, 600, 700, 800, 900, 1000. The pipeline is marked with stationing: 0, 100, 200, 300, 400, 500, 600, 700, 800, 900, 1000. The trail is marked with elevation markers: 100, 200, 300, 400, 500, 600, 700, 800, 900, 1000. The pipeline is marked with elevation markers: 100, 200, 300, 400, 500, 600, 700, 800, 900, 1000. The trail is marked with 'AT SX' and the pipeline is marked with 'SX AT'.

STRIP NO. 10


DIRECTION:

START STRIP:

JOB NO.:

CREW:

REMARKS:



www.irlsupplies.com
Ph: 1-800-663-6843