

09/10 Beetle Overview

Kootenay East

Date: 9/20/2009

8 2 G 0 5 7

- Tembec Infestation Point
- Tembec Flight Survey Area
- Period of Harvest:
 - FSP - Proposed Block
 - FDP - Cat. A Block (Approved)
 - FDP - Cat. A Block (Proposed)
 - FDP - Salvage Cut Block (Approved)
 - FDP - Salvage Cut Block (Proposed)
 - TSL / Cutting Permit (Approved)
 - Harvested & Not Satisfactorily Restocked (NSR)
 - Satisfactorily Restocked & Not Greened Up
- Reserves:
 - Wildlife Tree Patch
 - Other Reserve
- Road Status:
 - Existing Road
 - Old Existing Road
 - Proposed Perm Road
 - Proposed Temp Road
 - Highway
 - Information Road
 - Yard/Forwarding Trail
 - Proposed Trail
 - Other Trail
 - Re-Construct
 - 20 Year Plan Road
 - Road Permit Road
 - FSR
 - FSR - Non Status
 - Managed Forest Route
 - Highway
 - Private
 - Road Permit Roads Cancelled/Deleted
 - Development Plan Route
- Deactivation:
 - Temp Deact Existing
 - - Temp Deact Proposed
 - △ Semi-Perm Deact Existing
 - △ Semi-Perm Deact Proposed
 - ++ Perm Deact Existing
 - ++ Perm Deact Proposed
 - +++ Debulct Deact Existing
 - +++ Debulct Deact Proposed
 - Landing - Existing
 - Landing - Proposed
- Water/Streams:
 - Fish Bearing
 - < 20 slope - Potential Fish Bearing
 - S5, S6 Fish Inventory Code or > 20 slope - Non Fish Bearing
 - Lake, Wetland
 - Operability Line
 - Community Watershed
 - Domestic Watershed
- Ownership:
 - Ownership
 - Private Land
 - Managed Forest Boundary
 - Tembec
 - Park
 - Other
 - Landscape Unit

<p>g083_06_083 [RSC]</p> <p>Harvesting Code</p> <p>Attack Code</p> <p>Stems Affected</p> <p>Hectares Affected</p>	
<p>1 - Conventional Chance</p> <p>2 - Cable Chance</p> <p>3 - Not Accessible</p>	<p>E - Red Attack Pine</p> <p>GR - Green Attack Pine</p> <p>G - Grey Attack Pine</p> <p>FD - Douglas-fir</p> <p>S - Spruce Beetle</p> <p>RU - Pine Needle Rust</p> <p>DR - Armillaria Root Rot</p> <p>LO - Looper</p>
<p>1 - 1-5 Stems</p> <p>2 - 6-10 Stems</p> <p>3 - 11-15 Stems</p> <p>4 - 16-20 Stems</p> <p>5 - 21-30 Stems</p> <p>6 - 31-50 Stems</p> <p>7 - 51-75 Stems</p> <p>8 - > 75 Stems</p>	<p>A - 0.1</p> <p>B - 0.5</p> <p>C - 1.0</p> <p>D - 3.0</p> <p>E - 5.0</p> <p>F - 7.0</p> <p>G - 10.0</p> <p>H - 15.0</p> <p>I - 20.0</p> <p>J - 25.0</p> <p>K - 30.0</p>

