Ministry of Forests Lands and Natural Resources Operations

Climate Change Adaptation Workshop:

Richmond October 17, 2013

Ministry of Forests, Lands and Natural Resource Operations

Managing for Resilient Forests and Ecosystems

Climate Change Adaptation Workshops

BC's climate is changing and extreme weather events are expected to increase in frequency.
What does this mean for BC's forests?
What can we do about it?

The Ministry of Forests, Lands and Natural Resource Operations (FLNRO) has organized a series of regional workshops to help incorporate our understanding of climate change into forest management practices.

Workshop Content

- **The Future Will Not Be The Same As The Past!** What can we expect from climate change – what are the models and experts telling us?



- **Guiding Principles:** Fostering resilience and managing for complexity; uncertainty, and adaptation in a changing climate – what do these terms mean for BC forest and ecosystem management?
- **New Perspectives:** Exploring a range of plausible futures using a climate lens: prioritizing our most vulnerable forest stands and landscapes and managing risk, now and in the future.

- **Adaptation Tool Kit:** New tools that take into account both contemporary and future climates across multiple scales; and,
- **Adapting Practices:** Harvesting, silviculture, fire and ecosystem management practices that can be adapted today to foster resilient forests for a changing climate. What can we do to take action now?

Workshop Locations and Dates

- **Richmond: October 17, 2013**
- **Nelson: October 30, 2013**

Workshops are open to government, licensees, consultants and professionals.

Attend if you are:

- A Director of Resource Management, District Manager/ Resource Manager, Timber Sales Manager/ Woodlands Manager, Fire Centre Manager/ Deputy for FLNR; or,
- An industry or consulting decision maker, prescriber or practitioner.

Or responsible for...

- Designing and approving FSPs, woodlot licence plans, or community forest plans;
- Reforestation programs – in industry, government (FFT, LBIS), BCTS and consulting;
- Type 4 silviculture strategies now or in the future;
- Stewardship monitoring and evaluation (e.g. FREP district level delivery);
- Assessment of climate change impacts, risk and vulnerabilities, and in the creation of tools to assist management;
- Cumulative effects pilots;
- Risk mapping for wildfire management;
- Regional silviculture and habitat staff; or,
- Compliance and enforcement monitoring.

Others are welcome to attend as space permits to see how some of the concepts apply to other areas of natural resource management.

Registration
Send registrations to Miki Sakamoto msakamoto@forsite.ca
250.832.3366 ex. 228 except for
This workshop is no charge or a minimal charge ($30) if attendance levels necessitate a non-government venue.
For more information, contact Kathy Hopkins Kathy.Hopkins@gov.bc.ca, or Katharine.McCallion@gov.bc.ca

PARTICPANT MATERIALS

Ministry of Forests, Lands and Natural Resource Operations

Climate Change Adaptation Workshops

Module 1
Managing for Resilient Forests and Ecosystems

Ministry of Forests, Lands, and Natural Resource Operations

2013

1

Module 1 Managing for Resilience

Today's agenda

Welcome and Introductions

Executive Direction

Principles of Climate Change and Adaptation

- Climate trends, terminology and risk

Lunch on our own

Resilient Forests in a Changing Climate

- Guidance from Vulnerability Assessments
- Resilience through scenario-based risk management

What can we do now? – using:

- Overview of available tools
- Locally relevant exercises done throughout the day

Lessons learned

2

Module 1 Managing for Resilience

A message from our executive sponsors

Welcome from:

- Dave Peterson, ADM, Executive Sponsor
- Julia Berardinucci, Regional Sponsor
- Casey Macauley Association of BC Forest Professionals
- Peter Mitchell Association of Professional Engineers & Geoscientists of BC
- Pamela Zevit Association of Professional Biologists

3

Module 1 Managing for Resilience

Learning Objectives for Today

1. Understand the principles and terminology of climate change and adaptation.
2. How will climate change in your region?
3. What do we mean by resilience?
4. What tools are available to you?
5. What can YOU do now to promote resilience!

4

– **Climate Change and the Forest (Natural Resource) Professional**
– Perspectives from the ABCFP

Fostering Resilient Values and Ecosystems workshop series, October 2013
Casey Macaulay RPF, Resource Operations Specialist

ABCFP 2008 Position Statement:

"There is a large body of scientific research showing that climate change will have a profound effect on BC forests (ecosystems.) Projections of climate change and assessment of carbon cycle dynamics should be derived from the most defensible scientific evidence available. The ABCFP supports a diverse range of approaches to managing BC's forest land adaptively…"

Why is the profession concerned?

Resource professionals have a critical role:

Learning: Knowledge, awareness and innovation

Professional Reliance: Independence, application of knowledge, reflection on decisions

Managing uncertainty and risk: 'Blind corner ahead'

Stewardship mandate: Long term focus

Of course,
resource professionals are used to dealing with some uncertainty..

To resource professionals, climate change presents another example of a non-statutory expectation..

"*professionals are expected, by others, to achieve (forest) resource outcomes in an environment that does not always provide them the authority, control or resources to produce these outcomes..*"

(Non-Statutory Expectations Series - A Description of Non-Statutory Expectations and the Practice of Professional Forestry Sept. 2012)

What is the ABCFP doing?

CEO established the Climate Change Task Force:
That professionals will be guided in adapting practices in a changing climate..

Work to date:

- 1st Member survey: baseline of awareness (Feb '13)
- 2nd Member survey: barriers to adaptation (Oct '13)
- Collaborating with other professions
- Working with government and the research community to foster awareness
- Practical research summaries

Ongoing projects

- Report on second survey of ABCFP members to determine barriers to adaptation and methods to overcome these barriers (Fall 2013)
- Website materials to engage members in current research in BC, and how it links to changes in practice
- Working with national and provincial organizations; e.g. workshops and training opportunities
- Information sharing and best practices

Please check any of the following items that you would identify as a threat to BC forests in a changing climate or that you have observed in your region of the province.

Response	Chart	Percentage	Count
Increased levels of natural disturbance/mortality due to wildfires		58%	754
Increased levels of natural disturbance/mortality due to insects and disease		83%	1076
Regeneration failures		42%	548
Changes in stand-level productivity		34%	441
Increase in invasive species		49%	634
Genetic maladaptation		22%	290
Biome conversion (e.g. forest to shrub, grassland, etc.)		31%	406
Business disruptions due to extreme weather		40%	521
Other, please specify...		12%	160
		Total Responses	1291

The biggest barriers I face in working to minimize the impacts of climate change in my forestry decisions are (check all that apply):

Response	Chart	Percentage	Count
Lack of employer awareness of impacts.		13%	160
Lack of employer interest in minimizing impacts.		18%	223
Lack of personal knowledge, expertise or ability.		32%	410
No authority to make adaptation recommendations/decisions.		33%	417
Lack of strategic vision or policies that support innovation/diversification of practices.		43%	543
Lack of guidance, standards or best practices.		45%	567
Costs are prohibitive.		17%	222
My workload allows little time for this.		25%	319
No barriers.		14%	181
Other, please specify...		18%	228
		Total Responses	1274

Do you have the appropriate level of training needed to make balanced, scientifically sound climate change adaptation decisions in accordance with your current scope of professional practice?

Response	Chart	Percentage
Yes		40%
No		60%
		Total Responses: 1282

Please indicate which, if any, adaptation practices you are currently undertaking.

Response	Chart	Percentage	Count
Research (e.g. use of climate models, projections)		10%	125
Experimentation (e.g. small scale pilots, operational trials)		12%	153
Risk, impact and / or vulnerability assessments		10%	131
Incorporating into strategic planning		15%	186
Incorporating into operational planning		16%	199
Practices on the ground (to meet obligation requirements)		19%	241
Monitoring and evaluation		23%	294
None of the above		46%	581
Other, please specify...		9%	110
		Total Responses	1262

How can the ABCFP advance and support BC's forest professionals in the fostering of healthy, resilient and productive forest ecosystems in a changing climate?

Training:
Education Standards
Extension
General Training
Information Hub
Magazine
Web-based Training
Workshops

Advocacy:
General Advocacy
Lobby
Public Advocacy
Strengthen Legislation

Decision Support:
Best Practices
Decision Support Tools
Research

Skeptical/Cautious approaches:
Do Nothing
Focus on what we know
Investigate Opportunities
Step off the Band Wagon

Policy/Strategy:
Develop a policy
Strategy Development

Promote Dialogue:
Discussion Forums
Support Local Knowledge

Management approaches:
Conservation
Hedge our bets
Mitigate
Support Specific Practices
Not Sure

Messages that we are working on..

- Resource professionals must develop an ongoing awareness.
- There is enough scientific data available for professionals to begin pursuing adaptation.
- Policy makers and practitioners must manage for uncertain future conditions.
- The ABCFP will advocate for and support policies that lead to improved climate adaptation.
- The ABCFP supports collaboration between governments, industry, researchers and practitioners.

ASSOCIATION OF BC FOREST PROFESSIONALS

For more information, contact the Professional Practice and Forest Stewardship Team

- www.abcfp.ca

Climate Change Adaptation Workshop

www.apeg.bc.ca

Thanks to Peter R. Mitchell, P.Eng. | Director, Professional Practice, Standards & Development
Association of Professional Engineers & Geoscientists of BC

APEGBC has a Climate Change Adaptation Advisory Group (CCAAG) that advises the APEGBC Council on matters related to professional engineering and/or professional geoscience practice where the mitigation of the effects of climate change are relevant.

- APEGBC's CCAAG is currently finalizing a position paper on this which will be issued this fall.
- APEGBC is participating with other professional associations in the development of a statement of principles that could be jointly supported by the various professional associations involved (Foresters, Biologists, Agrologists, Planners). The focus is on how members of these professional associations can be equipped to deal with adapting their practice's to accommodate a changing climate.

- APEGBC acknowledges that guidance is limited on how to source and use appropriate climatic data related to a changing climate.
- APEGBC members are already being asked to consider the effects of climate change in their work.
- In response APEGBC has developed one guideline to date that responds to this need (APEGBC Professional Practice Guidelines – Legislated Flood Assessments in a Changing Climate in BC) http://www.apeg.bc.ca/ppractice/documents/Legislated_Flood_Assessments.pdf

- In addition Engineers Canada's Public Infrastructure Engineering Vulnerability Committee has developed a range of documents dealing with adopting infrastructure to climate change (Engineer's Canada is the national association of the constituent 12 provincial and territorial Engineering Associations across Canada having the legislated authority to regulate professional engineering)

Module 1 Managing for Resilience

Work to date – building as we go

Ministry of Forests, Lands and Natural Resource Operations

Tools

This page provides links to tools useful for:

- understanding changes underway in your area and
- adapting forest management so that BC forests remain resilient to climate change, variability and other stressors.

Credit for each of the tools belongs with each developer noted on the linked web pages.

- New link! (June 2013) **Stand Establishment Decision Aids (SEDAs)**: These SEDAS show current forest health risk and point to silvicultural tools and practices to deal with environmentally limiting factors within the context of BEC.
- New link! (June 2013) **Forest health change detection risk (hazard/severity) maps** in two formats:
  - **Mapped incidence of pests by TSA and cutblock from the RESULTS database** and,
  - **Regional maps of pest distribution** using the SEDA information.
- February 2013. FORREX Checklist for adapting BC's landscapes to a changing environment. This checklist summarizes the key considerations for buffering your managed forests against the impact of climate change during planning, harvesting, and reforestation. (3 pages).

This website is constantly being updated – note New! links

24

Module 1 Managing for Resilience

Climate Change Adaptation Workshops Overview

Long range view for Adaptation Workshops

Modules to be created by subject area, e.g.,

- *Forest Health*
- *Hydrology*
- *Habitat*
- …

Possible multi day field based workshop

Other modules to follow based on information availability and need – your feedback is welcome

25

Managing for Resilience

ADAPTING TO CLIMATE CHANGE

PRINCIPLES OF CLIMATE CHANGE ADAPTATION

26

Module 1 Managing for Resilience

Principles of Climate Change and Adaptatio

CLIMATE TRENDS

– what can we expect globally, regionally, locally?

27

Principles of Climate Change and Adaptation
Climate Trends

Personal observations

Turn to your Neighbour Discussion

- Discuss what local or regional impacts (differences) you have observed that could be attributed to climate change.
- Debrief as a group

28

Principles of Climate Change Adaptation
Climate Trends
Global Circulation Models and Downscaling



Mathematical representation of global climate system (the physics) – takes global climate and is downscaled for interpretation – e.g. Climate WNA



29

Principles of Climate Change Adaptation
Climate Trends

Natural Variation

Climate the bigger picture

Earth's natural climate system varies over time

Climate changes over time with different patterns and modes.

Modes are nested in annual, decadal, century and millennial scales

Note: Different mechanisms drive different modes

Source: Millar 2003



Principles of Climate Change Adaptation
Climate Trends

Global observations - IPCC



Sources: http://www.esrl.noaa.gov/gmd/ccgg/trends/ http://www.climatechange2013.org/images/uploads/WGIAR5-SPM_Approved27Sep2013.pdf - Mona Loa - Keeling curve Google Image

Principles of Climate Change Adaptation
Climate Trends

Global observations - IPCC



Source: http://www.climatechange2013.org/images/uploads/WGIAR5-SPM_Approved27Sep2013.pdf

Principles of Climate Change Adaptation
Climate Trends

Global observations - IPCC



Source: http://www.climatechange2013.org/images/uploads/WGIAR5-SPM_Approved27Sep2013.pdf

Principles of Climate Change Adaptation
Climate Trends

Scenarios – IPCC

From the Fourth Analysis Report



Note: SRES is the Special Report on Emission Scenarios.
http://en.wikipedia.org/wiki/Special_Report_on_Emissions_Scenarios

The four *SRES* scenario families[SAR][TAR] of the *Fourth Assessment Report* vs. projected global average surface warming until 2100

AR4 (Summary, PDF)	More economic focus	More environmental focus
Globalisation (homogeneous world)	**A1** rapid economic growth (groups: A1T, A1B, A1FI) **1.4 - 6.4 °C**	**B1** global environmental sustainability **1.1 - 2.9 °C**
Regionalisation (heterogeneous world)	**A2** regionally oriented economic development **2.0 - 5.4 °C**	**B2** local environmental sustainability **1.4 - 3.8 °C**

Sources: IPCC http://www.ipcc.ch/publications_and_data/ar4/syr/en/figure-3-1.html http://www.ipcc.ch/publications_and_data/ar4/syr/en/figure-1-1.html

34

Principles of Climate Change Adaptation
Climate Trends

IPCC Representative Concentration Pathways

Twelfth Session of Working Group I — Approved Summary for Policymakers

Table SPM.2 [TABLE SUBJECT TO FINAL COPYEDIT]

Variable	Scenario	2046–2065 mean	2046–2065 *likely* range [c]	2081–2100 mean	2081–2100 *likely* range [c]
Global Mean Surface Temperature Change (°C) [a]	RCP2.6	1.0	0.4 to 1.6	1.0	0.3 to 1.7
	RCP4.5	1.4	0.9 to 2.0	1.8	1.1 to 2.6
	RCP6.0	1.3	0.8 to 1.8	2.2	1.4 to 3.1
	RCP8.5	2.0	1.4 to 2.6	3.7	2.6 to 4.8

From the Fifth Assessment Report

These scenarios provide a range of concentrations over time

The RCP2.6 is a mitigation strategy – where CO2 peaks then declines by 2010

RCP4.5 and 6 are stabilization scenarios, while RCP8.5 is a scenario with increasing greenhouse gas emissions.

The RCPs can thus represent a range of 21st century climate policies, as compared with the no-climate-policy of the Special Report on Emissions Scenarios (SRES) used in the Third and Fourth Assessment Report..

Sources: http://www.ipcc.ch/report/ar5/wg1/#.UkXFTzJrbGg

35

Principles of Climate Change Adaptation
Climate Trends

Global observations and impacts

For each ~1 degree C increase expected impacts include:

5 to 15% reductions in crops as currently grown

3 to 10% increases in the amount of rain during heaviest events

5 to 10% decreases in some rivers

200 to 400% increases in wildfire in parts of Western North America

Sources: http://epa.gov/climatechange/basics/facts.html

36

Principles of Climate Change Adaptation
Climate Trends

Natural Variation



Source: http://www.climatechange2013.org/images/uploads/WGIAR5-SPM_Approved27Sep2013.pdf

37

Principles of Climate Change Adaptation
Climate Trends

Natural Variation



38

Principles of Climate Change Adaptation
Climate Trends

Natural Variation





39

Principles of Climate Change Adaptation
Climate Trends

Natural Variation



40

Principles of Climate Change Adaptation
Climate Trends

What has been observed in BC

Change in Average Temperature
1901 - 2010

- North and interior warming faster
- Winter warming faster
- Spring coming earlier
- Summer warmer but not as much change as winter



41

Principles of Climate Change Adaptation
Climate Trends

What has been observed in BC

Change in Average Precipitation 1900-2004

- Overall, BC has been getting wetter.
- Note the prairies are getting drier.
- Canada is overall getting wetter

(Moore et al 2010)



Yearly precipitation

42

Principles of Climate Change Adaptation
Climate Trends

Shifts of climate envelopes

Note: This is one representation at the zonal level using BC analogues



Source: Tongli Wang et al 2012

43

Principles of Climate Change Adaptation
Climate Trends

Shifts of climate envelopes

Model agreement (black) diminishes over time – (e.g., Future is more uncertain).



Source: Tongli Wang et al 2012

44

Principles of Climate Change Adaptation
Climate Trends

Shifts of climate envelopes

West Kootenay 2080 output - possible climate from outside BC



Source: http://www.kootenayresilience.org/Report5_BioclimateShift_Final.pdf

45

Principles of Climate Change Adaptation
Climate Trends

Regional plausible futures



E.g., Shift of the mean and extremes

(Spittlehouse 2012)

It is *virtually certain* that there will be more frequent hot and fewer cold temperature extremes over most land areas on daily and seasonal timescales as global mean temperatures increase. It is *very likely* that heat waves will occur with a higher frequency and duration. Occasional cold winter extremes will continue to occur (see Table SPM.1). {12.4} http://www.ipcc.ch/report/ar5/wg1/#.UkXFTzJrbGg

46

Principles of Climate Change Adaptation
Climate Trends

Activity: Use of Plan2Adapt



http://www.pacificclimate.org/tools-and-data/plan2adapt

47

Principles of Climate Change Adaptation
Climate Trends

Output from Plan2Adapt – list of impacts

Shorter access season where winter access requires frozen road
- Winter logging season will likely decrease
- More logs may need to be stockpiled for break-up

Opportunities for facilitated migration of tree species
- Increased growing season and changing frost dates
- Southerly species may be more suitable

Warmer and shorter cold season
- Increased growing season for some commodities
- Heating costs in cold season may decline

Earlier spring lake ice melt.
- Lake productivity may decline
- Inland fisheries, sport fisheries and related tourism affected
- Salmon smolt migration timing may be affected

Opportunity to for participant input and discussion

48

Principles of Climate Change Adaptation
Climate Trends

Exercise – Climate BC map

2010 vs 2050



Source: Tongli Wang et al 2012 http://www.genetics.forestry.ubc.ca/cfcg/ClimateBC40/Default.aspx

49

Principles of Climate Change Adaptation
Climate Trends

Regional plausible futures

See also PCIC summaries – tmurdock@uvic.ca

Virtually Certain
- **Temperatures will increase.**
- **Growing seasons will get longer.**
- **Nature and timing of precipitation will change.**

Very Likely
- **Pests and diseases will increase or become more severe.**
- **Frequency and size of natural disturbances will change across the landscape.**

Likely
- **Drier soils later in the growing season.**

From: Generalities in USDA GTR NRS-87 2012 p2

50

Principles of Climate Change Adaptation
Climate Trends

Why does climate change matter? (Nagel et al 2012)

20-45 days shorter

Arrives 29 days earlier

Arrives 9 days earlier

Has leaves 11 more days

Principles of Climate Change Adaptation
Climate Trends

Why does climate change matter? (Nagel et al 2012)

Stress

Disturbance

More Stress

More disturbance

Module 1 Managing for Resilience

Principles of Climate Change

Climate change terminology

- Vulnerability, risk and resilience – at relevant scales

53

Principles of Climate Change Adaptation
Climate Change Terminology

Vulnerability Definition (IPCC 2001)

The degree to which a system is susceptible to, or unable to cope with, adverse effects of climate change.

– *including climate variability and extremes.*

NOTE: Vulnerability relates to VALUES

Vulnerability V = ƒ (E, S, A)

– Exposure (E), (i.e., the magnitude of climate change)
– Sensitivity (S), (sensitivity to change)
– Adaptive capacity (A) (ability to adapt the system to the change)

Sources: From Morgan - Turner et al. 2003, Smit and Pilifosova 2003, Ford and Smit 2004, IPCC 2007

54

Principles of Climate Change Adaptation
Climate Change Terminology

Vulnerability – balancing E & S with A



Sources: Locateli et al. 2010. Forests and adaptation to climate change: challenges and opportunities (Ch 2). In Forests and Society—Responding to Global Drivers of Change (Morgan and Daust 2012)

55

Principles of Climate Change Adaptation
Climate Change Terminology

Vulnerability–balancing Exposure & Sensitivity with AC

Exposure – depends on which side of the fence you are on.

Sensitivity – your fear of heights, is it windy, wet…)

Adaptive Capacity – staying inside the fence, not going out when wet or windy – keeping your eyes shut?

How does this relate to resource values?

56

Principles of Climate Change Adaptation
Climate Change Terminology

Assessing Vulnerability - EXERCISE

Vulnerability V = f (E, S, A)

TURN TO YOUR NEIGHBOUR (TIME = 15 minutes)

1. Provide a local resource value that will become more vulnerable with climate change?
   - Where and why?

57

Principles of Climate Change Adaptation
Climate Change Terminology

Adaptation and Mitigation

- **ADAPTATION – WHAT WE CAN DO…**
  - Actions to moderate the vulnerability of forests and ecosystems
  - Manage forests to become more healthy, resistant, & resilient
  - Facilitate ecosystem responses to climate change when appropriate

- **MITIGATION AS IT RELATED TO FOREST MANAGEMENT**
  - Use of forests to sequester carbon, provide renewable energy from biomass, & avoid carbon emissions from fossil fuels, fire, mortality, and conversion in a thoughtful manner

58

Principles of Climate Change Adaptation
Climate Change Terminology

Adaptation and Mitigation

The role of forest management:

"In the long term, a sustainable forest management strategy aimed at maintaining or increasing forest carbon stocks, while producing an annual sustained yield of timber, fibre or energy from the forest, will generate the largest sustained mitigation benefit."

http://www.fao.org/docrep/012/i1580e/i1580e00.pdf

59

Principles of Climate Change Adaptation
Climate Change Terminology

Ecological Resilience – Thoughts from BC Ecologists:

The Long-term goal of managing for ecological resilience is:

Use forest management practices that minimize the risk of:

- *the risk of rapid, unexpected ecosystem changes*
- *that could in turn generate negative socio-economic pressures*".

E.g., MPB – impact on timber, visuals, water, wildlife habitat, carbon sequestration...



From: Campbell, E.M., S.C. Saunders, K.D. Coates, D.V. Meidinger, A. MacKinnon, G.A. O'Neill, D.J. MacKillop, S.C. DeLong, and D.G. Morgan. 2009. Ecological resilience and complexity: a theoretical framework for understanding and managing British Columbia's forest ecosystems in a changing climate. B.C. Min. For. Range, For. Sci. Prog., Victoria, B.C Tech. Rep. 055. www.for.gov.bc.ca/hfd/pubs/Docs/Tr/Tr055.htm

60

Principles of Climate Change Adaptation
Climate Change Terminology

Resilience – it is about values

"***Resilience is*** *- the long-term capacity of a system to deal with change and continue to develop."*

For a forest ecosystem...it is the capacity to deal with:

- *storms, fires and pollution,*

For a society ... it is the capacity to deal with:

- *political uncertainty or natural disasters.*
- *in a way that is sustainable in the long-term.*

From http://www.stockholmresilience.org/21/research/what-is-resilience.html

61

Principles of Climate Change Adaptation
Approaches to Adaptation

Limits to Resilience

Many boreal conifer forests are prone to fire, however the species are well-adapted to this disturbance and the forest ecosystem rapidly regenerates. Hence, this kind of forest is not resistant to fire but it is highly resilient.

Forest fires in wet tropical forests can overcome the resilience of the ecosystem if they occur too frequently or over very large areas

From: Forest Resilience, Biodiversity, and Climate Change A Synthesis of the Biodiversity/Resilience/Stability Relationship in Forest Ecosystems 2009

62

Principles of Climate Change Adaptation
Climate Change Terminology

Resilience - Discussion

Characteristics of Resilient Ecosystems – What do these terms mean to you?

1. Complex
2. Diverse
3. Rich biological legacies
4. Seed & pollen dispersal
5. Vigorous vegetation with ample growing space
6. Multiple representation of values
7. Connectivity
8. Reduced exposure and sensitivity to large scale disturbance!

E. Campbell et al (2009) (as summarized by Don Morgan, MFLNRO)

63

Module 1 Managing for Resilience

Principles of Climate Change

APPROACHES TO ADAPTATION

– Introducing the Five R's.

Principles of Climate Change Adaptation
Approaches to Adaptation

The 5 R's - Adaptation Approaches

Resistance
Resilience
Response
Realignment
Reduce

Management Opportunities

Millar et al 2007, 2008 as used by Nagel et al 2012

65

Principles of Climate Change Adaptation
Approaches to Adaptation

The 5 R's - Adaptation Approaches

Resistance
Resilience
Response
Realignment
Reduce

RESISTANCE – improve the defenses of the forest against effects of change

- Short-term
- High-value

Millar et al 2007, 2008 as used by Nagel et al 2012

66

Principles of Climate Change Adaptation
Approaches to Adaptation

The 5 R's - Adaptation Approaches

Resistance
Resilience
Response
Realignment
Reduce

RESILIENCE – accommodate gradual change, usually returning to a prior condition after disturbance
- Thinning stands to improve health and vigor
- Manage vegetation following disturbance

Millar et al 2007, 2008 as used by Nagel et al 2012

67

Principles of Climate Change Adaptation
Approaches to Adaptation

The 5 R's - Adaptation Approaches

Resistance
Resilience
Response
Realignment
Reduce

RESPONSE – intentionally accommodate change, enabling ecosystems to adaptively respond
- Assist transitions and range shifts
- Increase connectivity for migration corridors

Millar et al 2007, 2008 as used by Nagel et al 2012

68

Principles of Climate Change Adaptation
Approaches to Adaptation

The 5 R's - Adaptation Approaches

Resistance
Resilience
Response
Realignment
Reduce

- **REALIGNMENT** – move heavily disturbed systems into alignment with current and future conditions rather than restoring to a historical baseline.

- Create more resilient conditions
- Look forward not just back.

Millar et al 2007, 2008 as used by Nagel et al 2012

69

Principles of Climate Change Adaptation
Approaches to Adaptation

The 5 R's - Adaptation Approaches

Resistance
Resilience
Response
Realignment
Reduce

- **REDUCE – mitigation** of greenhouse gases through carbon sequestration and renewable energy use.

Millar et al 2007, 2008 as used by Nagel et al 2012

70

Principles of Climate Change Adaptation
Approaches to Adaptation

The 6th step – not an R

6. Set Priorities
Practice triage as appropriate
Confront What Can and Cannot be Done
* Sensitive & vulnerable vs resistant & resilient

From Connie Millar Presentation: Climate Change at Multiple Scales Rethinking Management Paradigms to Address Uncertainty

71



Principles of Climate Change Adaptation
Considering Uncertainty

Risk and Uncertainty

- ***Risk*** *is commonly defined as the product of the* ***probability*** *or* ***likelihood*** *of occurrence of a* ***consequence****…*
- *That is: what is the likelihood of something bad happening?*
- ***Uncertainty*** *describes the* ***quality of our knowledge*** *concerning risk. Uncertainty may affect both the probability and consequence of the risk.*
- *Uncertainty is not the same as unknown, e.g., with CC there are numerous future scenarios, each can be described, we simply don't know which will occur.*

http://www.ukcip.org.uk/wordpress/wp-content/PDFs/Risk.pdf
Climate adaptation: Risk, uncertainty and decision-making UKCIP Technical Report May 2003

73

Principles of Climate Change Adaptation
Considering Uncertainty

Risk, Resilience and Uncertainty

- *Some sources of uncertainty are quantifiable,*
  - *particularly as climate observation networks improve.*
- ***Nonetheless, uncertainty is not the same as incorrect information, nor does it mean we know too little to act".***

Likelihood	Consequences				
	Insignificant	Minor	Moderate	Major	Severe
Almost certain	M	H	H	E	E
Likely	M	M	H	H	E
Possible	L	M	M	H	E
Unlikely	L	M	M	M	H
Rare	L	L	M	M	H

http://www.ukcip.org.uk/wordpress/wp-content/PDFs/Risk.pdf
Climate adaptation: Risk, uncertainty and decision-making UKCIP Technical Report May 2003

http://andrewmedia.dyndns.org/Dartnell/images/risk_matrix.gif

74

Principles of Climate Change Adaptation
Considering Uncertainty

Decisions made in the face of uncertainty

"*Decisions are routinely made in the context of military operations, monetary policy or financial investments—to name a few examples—where levels of uncertainty often exceed those of climate projections*" (Mabey and others 2011).

An example of taking into account potential impacts of climate change:

Because some climate change impacts are inevitable, planning adaptation strategies now is essential. One example of adaptation is the Confederation Bridge between New Brunswick and Prince Edward Island, which was built a metre higher than currently required to accommodate sea level rise over its one hundred year lifespan.
http://www.elements.nb.ca/theme/climate03/cciarn/adapting.htm

http://www.ukcip.org.uk/wordpress/wp-content/PDFs/Risk.pdf
Climate adaptation: Risk, uncertainty and decision-making UKCIP Technical Report May 2003

75



Cumulative Effects Assessment & Management

Steve Wilson, Ph.D., R.P.Bio.
Northeast Operational Trial

76

77



78

Components of a Cumulative Effects Assessment

- Values
- Management indicators
- Management objectives
- Measures of current conditions
- Near-term trends
- Mitigation actions

79



80



81

Mitigating the Risk of Cumulative Effects

- Understanding the implications of current legislation, regulation and policy
- Promoting consistent approaches/outcomes among sectors
- Providing recommendations for mitigation, new or revised objectives, policy, inventory/ research needs

82

Incorporating Climate Change Adaptation

- Not within the scope of the current operation trial but part of the provincial framework
- Requires scenario modelling
- Need better understanding of interactions
- Adaptation strategies could inform new or revised: values, indicators, management objectives, strategies

83

- Early days of a shift from activity based management to value-based
- Current focus is on developing assessment methods, governance structures, operational tools, engagement with First Nations, stakeholders, communities
- Enables shift from short-term to longer-term assessment of risks, including climate change

84

BRITISH COLUMBIA
Mid-Term Timber Supply
Wildlife Habitat Supply Analysis
Presentation for the
Managing for Resilience Workshop
Andy Witt
Tony Button


Impact of MPB on Suitable Habitat
Northern Caribou - Living -Winter - MPB Impact
Prince George TSA
Hectares
740,000
720,000
700,000
680,000
660,000
640,000
620,000
600,000
580,000
560,000
2012
2022
2032
2042
2052
2062
2072
2082
2092
2102
Difference between solid and dashed lines indicates MPB impact on habitat values
Total MPB Habitat Area Scenario 1
Total MPB Habitat Area Scenario 2
Total MPB Habitat Area Scenario 3 (if applicable)
Total Non-MPB Habitat Area Scenario 1
Total Non-MPB Habitat Area Scenario 2
Total Non-MPB Habitat Area Scenario 3 (if applicable)


Impact of MPB on Suitable Habitat
Moose - Living - Winter - MPB Impact
Prince George TSA
Hectares
1,800,000
1,600,000
1,400,000
1,200,000
1,000,000
800,000
600,000
400,000
200,000
0
2012
2022
2032
2042
2052
2062
2072
2082
2092
2102
Difference between solid and dashed lines indicates MPB impact on habitat values
Total MPB Habitat Area Scenario 1
Total MPB Habitat Area Scenario 2
Total MPB Habitat Area Scenario 3 (if applicable)
Total Non-MPB Habitat Area Scenario 1
Total Non-MPB Habitat Area Scenario 2
Total Non-MPB Habitat Area Scenario 3 (if applicable)

What can be done now?

Forest Health Considerations

Forest Health considerations – Stefan Zeglan

88

ADAPTING TO CLIMATE CHANGE

Module 1 Managing for Resilience

RESILIENT FORESTS IN A CHANGING LANDSCAPE

Guidance from Vulnerability Assessments

89

Principles of Climate Change Adaptation
Guidance from Vulnerability Assessments

The W. Kootenay FFESC Project

Looked at multiple scenarios, while all different - trends are observable.

Climate Sensitive Prescriptions:

"In the West Kootenay's, initially these should focus on the highly vulnerable valley-bottom/ mid-elevation landscapes where forests could be significantly altered in the near term."

Utzig et al. 2012
www.kootenayresilience.org



90

Principles of Climate Change Adaptation
Guidance from Vulnerability Assessments

Where to start?

- *Local Vulnerability Assessments - Example output:*

Kamloops FFESC Project

Eco. Sensitivity #2	Natural disturbance as a "stand-replacing impact" on the landbase over the next 100 years could double relative to the previous century.
Mgmt. Risks	This represents a significant threat to property and safety in the urban interface, recreational areas and agricultural lands. As well, by 2100, age class distributions are projected to become highly skewed to younger ages - with most stands younger than 60 years of age. Associated threats: • Significant reduction in timber harvesting flows in the twenty-second century. • Threats to species that rely on old growth habitat with a dramatic decline in all old growth patches (30-50%) and an 80% reduction in large (> 1000 ha) patches.

Kamloops FFESC project
Nelson et al 2012 http://www.for.gov.bc.ca/hfp/future_forests/council/
Zielke et al 2009 http://www.for.gov.bc.ca/hcp/ffs/kamloopsFFS.htm

91

Principles of Climate Change Adaptation
Guidance from Vulnerability Assessments

Where to start?

Nadina FFESC project

Effects on hydrology in the Nadina

In general, the Nadina follows the climatic trends and related hydrological impacts projected for BC (Table 5).

Table 5. Projected changes in winter weather, storm impacts and streamflow in BC (from Pike et al. 2008a, b).

Winter	Summer	Storms and their impacts	Streamflow
Temp ↑	Temp ↑	Frequency & magnitude ↑	Snowmelt → hybrid rain/snow driven
Precipitation ↑	Precipitation ↓ ↑	Landslides ↑	Rain on snow events ↑
Rainfall ↑	Evaporative demand ↑	Avalanche ↑	Earlier freshet
Snowfall ↓	Plant transpiration ↑	Erosion ↑	Peak flow ↑ ↓
Snowpack ↓	Moisture deficits ↑	Sedimentation ↑	Summer low flow ↓
Snowline up & north	Stream/lake temp ↑	Big log jams ↑	Low flow period ↑
Extreme weather ↑	Risk to salmon ↑	Channel stability ↓	Perennial stream → intermittent*
		Log supply (long term) ↓	

*where snowmelt not stored in ground water

http://bvcentre.ca/research/project/a_multi-scale_trans-disciplinary_vulnerability_assessment/

92

Resilient Forests in a Changing Landscape
Resilience through scenario-based risk management

STEPS – A working example – from Risk to Action

1. Anticipate the effects of climate change.
2. Explore approaches to promote more resilient forests with the anticipated effects.
3. Choose the preferred options to manage risk.
4. Empower their use.
5. Monitor and adapt accordingly



93

Resilient Forests in a Changing Landscape
Resilience through scenario-based risk management

A General Perspective on Risk



Big risks may be a sufficiently compelling to apply treatments in spite of the uncertainties.

Appropriately weigh these risks and uncertainties:

- Treatments and timing
- Direction from higher level planning
  - realistic description of the current condition and direction
- Realistic expectation of treatment effect over time.
- Phase in
  - Learn by starting small, ramp up to have an effect

Adapted from : Development of an Incremental Silviculture Investment Plan for the Tolko IFPA Area - FIA Project SOTSA29 9093 006 – Note there is no weblink at this time.

94

Resilient Forests in a Changing Landscape
Resilience through scenario-based risk management

1. Anticipating Effects of Climate Change

A REAL LIFE EXAMPLE of PROMOTING RESILIENCE by ADDRESSING RISK

Alex Fraser Research Forest - observations

Weather seems unpredictable

- Drought (2010)
- Record snowpack (2011)
- Winter rainfall (2003)
- Warmer winter minimum temperatures
- Hotter summer maximum temperatures
- More humidity
- Return periods for extremes appear closer and more varied

95

Resilient Forests in a Changing Landscape
Resilience through scenario-based risk management

2. Explore Approaches – Scenarios and Risk Assessment

What path to follow?

No adaptation: future climate change impacts are not planned for and are not acknowledged as likely to occur.

Reactive adaptation: climate change impacts are not planned for and adaptation takes place after the impacts of climate change have been observed.

Anticipatory adaptation: Responsive: future climate change impacts are acknowledged as likely to occur and responses to those changes are planned for when changes are observed.

Proactive: climate change impacts are acknowledged as likely to occur and adaptation responses are planned for before the changes are observed.

Adapted from : Preliminary Review of Adaptation Options for Climate-Sensitive Ecosystems and Resources 2008 http://www.climatescience.gov/Library/sap/sap4-4/final-report/sap4-4-final-report-all.pdf

96

Resilient Forests in a Changing Landscape
Resilience through scenario-based risk management

2. Explore Approaches – Scenarios and Risk Assessment



UBC EXAMPLE
E.g., use of MPB sim



97

Resilient Forests in a Changing Landscape
Resilience through scenario-based risk management

3. Manage Risk with Preferred Options – UBC example

Example: Set Sensible Harvest Priorities

a) Consider the risk of loss stand by stand

- Establish a harvest queue
- Harvest most likely to be lost first
- Revisit the priorities periodically

b) Management Plan #3 (2007)
Harvest Priority

1. Imminent loss
2. Dead and dying
3. Regeneration cuts in partial-cut systems
4. At risk of infestation
5. Declining vigour
6. Affected by disease
7. Healthy vigorous timber

98

Resilient Forests in a Changing Landscape
Resilience through scenario-based risk management

4. Empower the Use of Preferred Options

KEY LESSON - Mountain pine beetle has confirmed: many of the lessons of the old textbooks remain sound

Empowering Preferred Management Options:

- Manage for vigorous stands
- Cut stands with greatest risk of loss
- Be aggressive when markets are favorable
- Be careful with investments
- Incorporate risk in operational decision-making – use climate change adaptation tools.

Remain vigilant, MONITOR, watch for new risks, ensure plans are forward looking!

99

Resilient Forests in a Changing Landscape
Resilience through scenario-based risk management

5. Monitor to ID issues as they emerge

What is being done?

FH monitoring initiatives include:

- 100% survey of FG blocks,
- Stand Development Monitoring, Provincial aerial overview survey
- Provincial FH report, annually updated TSA Forest Health strategies.
- **Remember Your best source of info is your Regional Forest Health specialist!**

These data sources should show what the current status of FH in your area.
What other sources of information are there? - E.g., Link to RESULTS output

100

Resilient Forests in a Changing Landscape
Resilience through scenario-based risk management

5. Monitor to ID issues as they emerge

In your area will this situation worsen with CC, remain the same or decrease?

How will you know?

What could we do better?



E.g., DFS
Dothistroma Needle Blight (*Dothistroma septosporum*)

101

Resilient Forests in a Changing Landscape
Resilience through scenario-based risk management

Dealing with Risk and Uncertainty

Be an adaptive thinker...

- Instead of fighting change work with it.
- Accept uncertainty, and use the best available information - revise as we learn more.
- The past is not the future – new ways of thinking may be needed.
- Focus on how forests grow and change instead of what they look like.
- Recognize we live with risk, and need to manage our behaviour and risk tolerance.

[1]Adapted from Natural Inquirer, Climate Change Edition Number 14
http://www.naturalinquier.org

102

Resilient Forests in a Changing Landscape
Resilience through scenario-based risk management

Dealing with Uncertainty

Need a Planning Framework to...

- Monitor and collect more data to help clarify key uncertainties
- Collaborate with researchers
  - Explore uncertainties
  - Test assumptions
- Revisit mgmt options with the latest science and data.

If this is in place – you will not be paralysed by uncertainty

103

Resilient Forests in a Changing Landscape
Resilience through scenario-based risk management

What about climate effects on species use?

An ecological approach – part of the process:
Ecosystem/climate niches were then incorporated into queries in our BEC VPro data base TreeGuideClimateChange.mdb tool and then linked to the tables in the Reference Guide to produce a "% area change for existing BGC units" for 2020, 2050 and 2080 along with the corresponding new suggested species selection. (Bruce Rogers ecologist)



Current reference guide status

Direction of ranking status change

New Ranking Status

Green = stays the same, Purple=was added, Blue=was promoted, Yellow=was demoted, Red = was removed

104

Resilient Forests in a Changing Landscape
Resilience through scenario-based risk management

What about climate effects on species use?

What is being done?

Type 4 Silviculture Strategies have species direction at the Subzone level as desired trends and or targets, e.g., for SBSdw in the Quesnel TSA



- Current –proportions planted / logged
- Trend – whether it is desired to
  - increase
  - decrease or
  - maintain the proportion planted / logged
- Target – a biological target for the unit to trend towards where feasible

105

Resilient Forests in a Changing Landscape
Resilience through scenario-based risk management

What about climate and wildfire – our options?

Fire Management Stocking Standards

Ed Korpela
Fire Management Specialist
Wildfire Management Branch
Oct 17, 2013

www.environmentdebate.wordpress.com

106

Resilient Forests in a Changing Landscape
Resilience through scenario-based risk management

What about climate and wildfire – our options?

Stocking Standards Defined

"Stocking Standards" means the stocking standards that apply when (a)establishing a free growing stand AND b) meeting the requirements of section 44 (4) - covers commercial thinning, intermediate cuts and harvesting for special forest products

Resilient Forests in a Changing Landscape
Resilience through scenario-based risk management

What about climate and wildfire – our options?

Stocking Standards Principles

- Be based on ecologically appropriate species
- Be measurable
- Describe where and when it will apply
- Have clearly defined target conditions
- Maintain or improve forest health
- Maintain stand productivity or minimize the impacts to stand productivity
- Maintain or enhance the commercially valuable timber supply
- Define acceptable levels of variability

Resilient Forests in a Changing Landscape
Resilience through scenario-based risk management

What about climate and wildfire – our options?

Stocking Standard elements:

- Contain a description of the regeneration
  - Ecological suitable species, density (target and min), MITD, Free growing height, height to brush ratio
- Contain a description of the overstory if it will contribute to stocking (e.g., partial harvest)
  - Min/ max basal area, ecologically suitable species, leave tree criteria
- Contain a description of where and when the standard would be applied (e.g., situations and circumstances)

Resilient Forests in a Changing Landscape
Resilience through scenario-based risk management

What about climate and wildfire – our options?

Types of Stocking standards

- Even –aged
- Single Entry Dispersed Retention (SEDRSS)
- Multi-storied (single tree selection)
- Intermediate cut standards
- Habitat standards (e.g. Grizzly bear, ungulate winter range)
- Broadleaf or mixed-wood standards
- **Fire Management**

Resilient Forests in a Changing Landscape
Resilience through scenario-based risk management

What about climate and wildfire – our options?

Fire Management Stocking Standards

- Ability to provide win/win scenarios
  - Ecosystem restoration
  - Hardwood production
  - Fire hazard reduction
- Consistent with Chief Forester Guidance on:
  - Incorporating mixedwood and broadleaves
  - Tree species composition at stand and landscape scales
  - Maintaining/recruiting habitat
  - Use of western larch
  - Immediate and long-term forest health issues

Resilient Forests in a Changing Landscape
Resilience through scenario-based risk management

What about climate and wildfire – our options?

Fire Management Stocking Standards - Key Questions

- Why – Protection of life and property and enhancement of the delivery of ecosystem goods and services from forests within BC
- Where – where should fire management stocking standards apply?
- When – at what point(s) in the life of a stand should stocking standards apply?

Resilient Forests in a Changing Landscape
Resilience through scenario-based risk management

What about climate and wildfire – our options?

Fire Management Stocking Standards - Where

- Relative to values negatively impacted by fire on the landbase
  - Within approx 2 km of interface
    - Provincial strategic threat analysis (PSTA) map
  - Within approx 2 km of other high value infrastructure on the landbase
    - Fire Management Plan Values Maps
    - Additional defined by Designated Decision Maker
  - Where identified by fuels management plan within the fire management plan
    - Based on landscape scale fire management objectives

Resilient Forests in a Changing Landscape
Resilience through scenario-based risk management

What about climate and wildfire – our options?

Fire Management Stocking Standards - Where cont.

- Does not necessarily have to be applied to entire harvest blocks
  - Usually adjacent to value to be protected
  - On other appropriate standard units
  - More than one fire management standard could be developed
    - May be desirable to create a diversity of fuel types
    - Spatial arrangement of fuel types is important – locally and landscape

Resilient Forests in a Changing Landscape
Resilience through scenario-based risk management

What about climate and wildfire – our options?

Fire Management Stocking Standards - When

- At different forest sucessional stages
  - Regeneration/ Free growing
  - Partial harvest with regeneration objectives
  - Intermediate Cut
- When identified by fuels management plan within a fire management plan
  - Based on landscape scale fire management objectives
  - May apply to any/all phases of forest production

Resilient Forests in a Changing Landscape
Resilience through scenario-based risk management

What about climate and wildfire – our options?

Fire Management Objectives

- May be Landscape or Local
  - Landscape
    - Reduce fire size
    - Reduce fire behaviour
  - Local
    - Reduce fire behaviour
    - Reduce likelihood of crown fire
    - Reduce fire intensities
    - Reduce rate of spread
- In both cases – typically include enhanced suppression effectiveness and success as an objective

Resilient Forests in a Changing Landscape
Resilience through scenario-based risk management

What about climate and wildfire – our options?

Stand Structure Considerations

- Include:
  - Species
    - Species fire characteristics
    - Species fire resistance
  - Inter-tree distance
    - Density and canopy bulk density
  - Canopy base height
  - Ecological suitability
  - Genetics
  - Tree/competition height ratios
  - Climate change considerations
  - Forest succession and in-growth including understory

Resilient Forests in a Changing Landscape
Resilience through scenario-based risk management

What about climate and wildfire – our options?

A Fire Management Stocking Standard

- Then becomes the combination of:
  - Fire management objectives
  - Stand structure considerations
  - And other compatible objectives (e.g. Timber production, ecosystem restoration, hardwood production, etc)

Resilient Forests in a Changing Landscape
Resilience through scenario-based risk management

What about climate and wildfire – our options?

Fire Management Stocking Standard Development Approaches

- Development of new stocking standards
- Approved variance(s) on existing standards
- Planning to develop guidance for approved variances – option 2.

Resilient Forests in a Changing Landscape
Resilience through scenario-based risk management

What about climate and wildfire – our options?

"Necessary" Complementary Activities

- Hazard abatement
  - Wildfire act and regulation
  - Fine fuel loading and continuity
- Maintenance of hazard free conditions – retreatment
- As a "best practice" practice professional reliance!

Resilient Forests in a Changing Landscape
Resilience through scenario-based risk management

What about climate and wildfire – our options?

Fire Management Stocking Standards – Exercise

- Within 2 km of interface
- BEC Site Series – CWHdm ss5 or CWHds ss1
- Concern that dm may become xm or ds more like IDF
- Southerly Exposure – dm is on a bench ds on a slope
- Both sites currently 75-80 year-old Douglas fir following old fires
- Harvesting is OK
- See Handout

Resilient Forests in a Changing Landscape
Resilience through scenario-based risk management

Managing Risk and Exploring Options

LOTS OF THOUGHT ON THIS ONE

The BC Wildland Fire Management Strategy 2010

Framework for achieving fire resilient landscapes.

Forest Sector Strategy for BC 2012

...Province will implement landscape fire management planning...

The BC Forest Stewardship Action Plan for Climate Change

...Manage risks and capture opportunities for fire resilience

- ***Need to bring this into some thoughtful operational strategic planning***

122

What can be done now?
Tools

Available tools

An opportunity to discover the range and utility of available tools

Note tools include, memos, summaries, and model outputs.

124

Module 1 Managing for Resilience



125

Lessons Learned

GROUP DISCUSSION – What are you going to do differently based on what you learned today?

Lessons Learned

What is on the horizon to help?

Module 1 Managing for Resilience

Climate Change Adaptation Workshops Overview

Long range view for Adaptation Workshops

Modules to be created by subject area, e.g.,

Forest Health

Hydrology

Habitat

…

Possible multi day field based workshop

Other modules to follow based on information availability and need – your feedback is welcome

128

Change is here
Think, Learn,
Act, Think again
…

129

Links to various tools available for practitioners



A companion document to Fostering Resilient Forests and Ecosystems – Climate Change Adaptation Workshops – winter 2013

The following links are meant to help integrate Climate Change into your day to day practice. They cover a range of topics, some provide computer adapted tools, and others provide guidance as text or examples. There is much to see, take your time, drill-in and enjoy.

The Climate Change Adaptation Team - October 2013

Contents

Links to various tools available for practitioners 1
Climate Change Policy link 3
Climate-Based Seed Transfer policy and guidance link 3
Knowledge link – a useful gateway 3
Species monitoring report 3
TSA Species summaries 3
Tree Species selection tool 4
Google map version of Climate BC 5
BioClimatic Envelope Modes - shows shifts the zone scale 5
Population response functions to climate change 5
Plan2Adapt 5
Potential Management Options for Adaptation, Link to pdf on FTP. 5
FFESC Output 6
Stand Level Risk and Decision Tool, Link is to a FTP site 6
Changing tree species in the West Kootenays 6
K2 information. 6
Bulkley Valley project link 7
Quantifying risks and opportunities from climate change interim results from the Merritt TSA 7
USFS links 8
Links to short presentations –worth checking out, an example link below to a presentation by Connie Millar on adaptation: 9
Forest Health links 11
Review of Literature on Climate Change and Forest Diseases of Western North America 13
Predicting Forest Insect Disturbance under Climate Change (Allan Carroll) 14
Climate change and forest diseases – Sturrock et al 2011 15
Yellow-cedar decline and climate change 15
Advances in threat assessment and their application to Forest and Rangeland Management 16
Forest Health and Climate Change: A British Columbia perspective. 16
Is the health of British Columbia's forest being influenced by climate change? If so, was this predictable? By Alex Woods, 2011 16
Forest health hazard ratings in BC: what is potentially an issue? 17
RESULTS data on incidence 17
Expected Effects of Climate Change on Forest Disturbance Regimes in British Columbia 18
Direction on fuel management in the Wildland Urban Interface 20
Useful link for managing habitat – Just add a climate change lens 20
Suggested links on specific subjects – some specific to the North regions: 21
Climate Change Guidelines for Forest Managers 21
Canadian Council of Forest Ministers – suite of four useful resource documents 22
Link to Regional summaries by PCIC 23
Future webinar to solicit feedback 23

Climate Change Policy link

http://www.for.gov.bc.ca/het/climate/knowledge/index.htm

Climate-Based Seed Transfer policy and guidance link

http://www.for.gov.bc.ca/hti/climate_based_seed_transfer/index.htm

http://www.for.gov.bc.ca/hti/climate_based_seed_transfer/2cbst_project.htm

- Ongoing project; see CBST project charter, 2012 to 2017

http://www.for.gov.bc.ca/hti/climate_based_seed_transfer/3cbst_project.htm

- Provides links to upward elevation transfer limit changes (Nov. 2008)
- Provides links to the recent range expansion for Lw (June, 2010)

For further information on statutory seed use requirements, see the Chief Forester's Standards for Seed Use at:
http://www.for.gov.bc.ca/code/cfstandards/

Knowledge link – a useful gateway

http://www.for.gov.bc.ca/het/climate/knowledge/knowledge.htm

Species monitoring report

http://www.for.gov.bc.ca/hfp/sof/species/Spp%20Monitoring%20Report%20-%20Province%20(May%2010,%202012).pdf

TSA Species summaries

http://www.for.gov.bc.ca/hfp/sof/species%20monitoring%20reports.htm

- Provides local context.



The index addresses the proportion of species present not simply presence or absence as richness describes.



Understanding the Berger-Parker Dominance Index

d=Nmax/N

Nmax= Nmax is the volume in the most abundant species

N: Total volume of individuals

Note that the most abundant species is not constant

Perfectly even - all species have equal abundance

Number of species (richness)	Pine	Spruce	Fir	Hardwoo	Larch	True fir	Cedar	Total	B-P Index
1	1000							1,000	1
2	500	500						1,000	0.5
3	333	333	333					1,000	0.33333
4	250	250	250	250				1,000	0.25
5	200	200	200	200	200			1,000	0.2
6	167	167	167	167	167	167		1,000	0.16667
7	143	143	143	143	143	143	143	1,000	0.14286



Constant richness - 5 species in all cases

Decreasing abundance of primary species (increasing eveness)	Pine Abundance	Spruce	Fir	Larch	True fir		Total	B-P Index
90	900	25	25	25	25		1,000	0.9
80	800	50	50	50	50		1,000	0.8
70	700	75	75	75	75		1,000	0.7
60	600	100	100	100	100		1,000	0.6
50	500	125	125	125	125		1,000	0.5
40	400	150	150	150	150		1,000	0.4
30	300	175	175	175	175		1,000	0.3
20	200	200	200	200	200		1,000	0.2



If you only considered richness all of these areas would be considered equivalent.

Tree Species selection tool

http://www.for.gov.bc.ca/hfp/silviculture/TSS/tss.htm

- This link provides a description of the Tree Species Selection Tool. Choose the green box and it takes you to the tool at right.

The following Link provides an example, using Lw on where information is found within the site to help make a decision on use.

http://www.for.gov.bc.ca/hfp/silviculture/TSS/example1.pdf



Google map version of Climate BC



http://www.genetics.forestry.ubc.ca/cfcg/ClimateBC40/Default.aspx

- Allows for easy exploration of scenarios.



BioClimatic Envelope Modes - shows shifts the zone scale

http://www.genetics.forestry.ubc.ca/cfcg/BEM.html

- Note: 20% shifted already from historic climate data. Consensus maps show greater consensus in 2020 diminishing with time as uncertainty increases. Presently this information has been summarized and is linked with species by BEC site series data for easy observation in shifts over time.

Population response functions to climate change



http://www.genetics.forestry.ubc.ca/cfcg/response_function.html

- Stress here the need to track seed source – may already be seed out there that has the propensity for maladaptation.

Plan2Adapt

http://pacificclimate.org/news/2012/pcic-updates-plan2adapt

- This tool has been explored earlier.

Potential Management Options for Adaptation, Link to pdf on FTP.



http://www.for.gov.bc.ca/ftp/HFP/external/!publish/ClimateChange/Adaptation/Options/Management_Options_May9_2012.pdf

- This provides an overall list of general strategies. Where and how they are used will need local involvement, planning, implementation and monitoring. Worthwhile perusing the list.

FFESC Output

http://www.for.gov.bc.ca/het/climate/knowledge/knowledge.htm
http://www.for.gov.bc.ca/hfp/future_forests/council/

- Links to program description and research project websites and reports.
- Not presently on the Tools webpage – should be linked



Stand Level Risk and Decision Tool, Link is to a FTP site

http://www.for.gov.bc.ca/ftp/HFP/external/!publish/ClimateChange/Seminar_Series/2012/DeLong/

- We will go to the tool link and describe what is being provided. Note it is not presently available for the Coast. This information may be used in some area specific guidance.
- Need to obtain the newer version with wider scope.

Changing tree species in the West Kootenays



http://www.kootenayresilience.org/WK-CC-Tree-spp-shifts__6-30-11.pdf

- Presentation that shows different plausible futures and possible impacts for species choice.
- http://www.kootenayresilience.org/ for full list of publications

K2 information.

http://www.for.gov.bc.ca/ftp/HFP/external/!publish/Web/FFESC/reports/NelsonrevisedK2adaptationguidanceoverview120607.pdf

- This is the guidance overview

http://www.for.gov.bc.ca/ftp/HFP/external/!publish/Web/FFESC/reports/NelsonrevisedK2adaptationguidance120607.pdf

- A more detailed guidance piece with discussion of similarities and differences from K1.



Bulkley Valley project link

http://bvcentre.ca/research/project/a_multi-scale_trans-disciplinary_vulnerability_assessment/

- Nadina Vulnerability Assessment.
- Lots to see here.

Quantifying risks and opportunities from climate change interim results from the Merritt TSA

- ftp://ftp.for.gov.bc.ca/HFP/external/!publish/ClimateChange/Seminar_Series/2012/Dymond/Dymond_slides_Socio-econ%20risk%20and%20opps-Merritt%20v3.pdf
- Not presently on the FLNRO site but can be found through FLNRO FTP site.

The socio economic portion is not yet complete but preliminary information shows that species mixes can provide for greater long term net revenue than business as usual.

Contact: Caren Dymond Caren.Dymond@gov.bc.ca



USFS links

The USFS has embraced climate change as reality and has created a range of resources that are useful for understanding the impacts, provide tools to screen projects for applicability and assess options. The following provide an entry point into their system.

http://www.fs.fed.us/climatechange/



http://www.fs.fed.us/climatechange/advisor/

http://www.fs.fed.us/ccrc/

- This provides a portal to some of the work being done south of the border.

For a thorough overview of adaptation and mitigation see: http://www.fs.fed.us/psw/publications/millar/MillarSwanson_inpress.pdf in Millar, C.I. and C. Swanston. In press. Adaptation and Mitigation. Chapter 4 in National Climate Assessment. US Global Change Research Program.

http://www.fs.fed.us/ccrc/



Links to climate background information

http://www.fs.fed.us/ccrc/climate-basics/



Useful site for understanding climate in an easy to follow approach.

Links to short presentations –worth checking out, an example link below to a presentation by Connie Millar on adaptation:

http://www.fs.fed.us/ccrc/hjar/management_strategies.html **Good overview of collaboration:** http://www.fs.fed.us/psw/publications/millar/psw_2011_millar004(littell).pdf **Adaptation resources**: http://www.nrs.fs.fed.us/pubs/gtr/gtr_nrs87.pdf http://www.fs.fed.us/pnw/pubs/pnw_gtr855.pdf





This publication provides a clearly laid out approach to address climate change, with examples. The appendix provides a series of worksheets that aid in identifying vulnerable conditions, options and steps to address the issue.

Link to climate change options: http://www.fs.fed.us/ccrc/mgmt_options/



Note the tool bar along the top has links to many useful sites.

Taccimo (Template for Assessing Climate Change Impacts and Management Options) – science at your fingertips – web tool: http://www.sgcp.ncsu.edu:8090/

Taccimo is worth a look through, it is created to help USFS planners but has information useful to all planning with a Climate Change filter.

Climate change and forest trees in the Pacific Northwest: A vulnerability assessment and recommended actions for National Forests:

http://ecoshare.info/projects/ccft/



This document provides a list of vulnerabilities based on different characteristics. It clearly provides assumptions and is a useful reference to begin thinking about tree vulnerability.

Forest Health links

A Risk Assessment of Climate Change and the Impact of Forest Diseases on Forest Ecosystems in the Western United States and Canada

http://www.fs.fed.us/psw/publications/documents/psw_gtr236/psw_gtr236.pdf



Information is provided on Dothistroma, Swiss Needle Cast, Sudden Oak Death, Ramorum Blight, White Pine Blister Rust, Cytospora Canker of Alder, Dwarf Mistletoes, Armillaria Root Disease, Yellow Cedar Decline.

Armillaria example (page 2-4)

Likelihood and the consequences were each assigned a certainty category as described in Orr and others (1993). The certainty categories are a function of the information that is available and the confidence of the assessor in it. Certainty categories used in the risk assessment process are:

- *Very certain*
- *Reasonably certain*
- *Moderately certain*
- *Reasonably uncertain*
- *Very uncertain*

Likelihood of increased disease damage

Warmer, drier—High (very certain) (Applicable criteria: a, b, d, e).

Warmer, wetter—Moderate (moderately certain) (Applicable criteria: a, d, e).

The incidence of Armillaria root disease is likely to increase as temperatures increase and precipitation decreases (Shaw and Kile 1991, U.S. Office of Technology Assessment 1993), especially when hosts are stressed by moisture deficiency.

Five criteria were used to estimate likelihood (risk) of increased disease damage:

a. Suitability of conditions for pathogen survival, reproduction, spread, or host infection will increase as climate changes.

b. Changes in climate will stress the host and increase its susceptibility to the pathogen.

c. Pathogen is capable of substantial increases in population size (has a high reproductive potential).

d. Pathogen has a broad host range.

e. Control techniques are unknown, not feasible, or ineffective.

Consequences of increased disease damage *(pages 40-41)*

High (reasonably certain) (Applicable criteria: a, b, c). As precipitation decreases, increased growth reduction and mortality losses in British Columbia could increase. Increased growth loss and mortality would likely increase as sites become drier elsewhere as well.

Risk potential –

Warmer, drier–Very high (9) (Likelihood of increased disease damage = high; consequences of increased disease damage = high). Warmer, wetter–High (6) (Likelihood of increased disease damage = moderate; consequences of increased disease damage = high). A warmer climate will generally increase Armillaria incidence and impact as host stress increases. A drier climate would, in general, stress hosts more than a wetter climate, and thus increase host susceptibility.

Review of Literature on Climate Change and Forest Diseases of Western North America

http://www.fs.fed.us/psw/publications/documents/psw_gtr225/psw_gtr225.pdf

Provides good general guidance: e.g.: below

Key points:

"Although rusts can adapt to a wide range of environmental conditions, their tolerances are unknown. Under a changing climate, the incidence of rusts will be determined chiefly by host distribution. Rusts are likely to remain the cause of damaging and lethal diseases. Typically, rusts increase in intensity and distribution in "wave years" during which the weather is especially favorable for sporulation, dispersal, and infection. As climate changes, the frequency of such wave years is expected to change." P 19

Predicting Forest Insect Disturbance under Climate Change (Allan Carroll)

http://www.for.gov.bc.ca/ftp/HFP/external/!publish/Web/FFESC/reports/Carrollfinalreport.pdfion

"ABSTRACT

This paper comprises a review of literature regarding climate change impacts to forest insect disturbances. Its primary objectives were three-fold. First, commonalities were sought among systems regarding the effects associated with altered temperature and/or precipitation patterns on forest insect herbivores, the proximate and ultimate form of the response by the insects, and the outcome in terms of forest disturbance. Second, a general framework within which to assess future disturbances to temperate and boreal forests by insect herbivores was constructed. Finally, uncertainty regarding predictions of the extent/severity of forest insect disturbances under climate change into the future was discussed.

Conclusions

The preceding analysis suggests that disturbance by bark beetles is more likely to be exacerbated by climate change than defoliators, mainly because of the former's positive response to host tree stress and lack of a requirement for strict phenological synchrony. Given that there is little doubt of climate change-aggravated disturbance by bark beetle populations occurring already, priority should be given to development of realistic predictive tools that will facilitate proactive strategies intended to minimize impacts. Vigilance toward native innocuous, native invasive and alien invasive species should also be stressed due to their potential to erupt unpredictably in space and time. For example, lesser known bark beetle species occurring in the southern regions of North America have the potential to move northward as temperatures increase (Gan 2004, Bentz et al. 2010). Although the response by defoliators may be less predictable compared to bark beetles, their potential to cause disturbances over vast areas of forest cannot be ignored. The predictive framework suggested in this study provides a suite of potential outcomes for an eruptive forest defoliator under climate change; however, research efforts should focus on the development of predictive models of defoliator dynamics in a warming environment."

Climate change and forest diseases – Sturrock et al 2011

http://onlinelibrary.wiley.com/doi/10.1111/j.1365-3059.2010.02406.x/abstract

Table 1 Predicted change in impact on forests of several examples of forest diseases as they respond to warmer and drier or warmer and wetter future climates (adapted from Dukes *et al.*, 2009)

		Climate change			
		Warmer/Drier		Warmer/Wetter	
Group	Forest disease (pathogen)	Predicted change in impact[a]	Level of uncertainty[b]	Predicted change in impact[a]	Level of uncertainty[b]
Diseases caused by group-1 pathogens (temperature and moisture directly affect pathogen reproduction, spread, infection and survival)	Phytophthora root rot (*Phytophthora cinnamomi*)	–/0	L	+	L
	Sudden oak death/ramorum blight (*Phytophthora ramorum*)	–	M	+	L
	Dothistroma needle blight (*Dothistroma septosporum*, *Dothistroma pini*)	0/–	M	+	L
	Swiss needle cast (*Phaeocryptopus gaeumannii*)	–	M	+	L
	White pine blister rust (*Cronartium ribicola*)	–	L	0	M
Diseases caused by group-2 pathogens (temperature and moisture more directly affect host susceptibility to pathogen)	Armillaria root disease (*Armillaria* spp.)	+	L	0	M
	Sphaeropsis shoot blight (*Sphaeropsis sapinea*)	+	L	0	M
	Charcoal canker (*Biscogniauxia mediterranea*)	+	L	0	M
	Botryosphaeria canker (*Botryosphaeria* spp.)	+	L	0	M
	Pitch canker (*Fusarium circinatum*)	+	M	+	H
	Septoria canker (*Septoria musiva*)	+	M	0	M
Decline and abiotic diseases	Yellow-cedar decline	+	L	+	M
	Sudden aspen decline	+	L	0/+	M
	Oak decline	+	M	0	M

[a]+, increase in impact; –, decrease in impact; 0, no change in impact.
[b]The effects of climate change on pathogen/host interactions are complex and uncertain. Dukes *et al.* (2009) lists four types of uncertainties: those associated with (i) internal ecosystem processes, (ii) climate projections (general agreement that mean annual surface temperatures will increase but amount of warming and nature of precipitation change is less certain), (iii) future human actions, and (iv) a lack of data on the pathogens themselves. These four types of uncertainty were considered when estimating predicted changes in impact by the case study diseases; associated uncertainty levels were estimated to be low (L), moderate (M) or high (H).

Plant Pathology (2011) 60, 133–149

Yellow-cedar decline and climate change

http://www.nrs.fs.fed.us/pubs/jrnl/2012/nrs_2012_hennon_001.pdf

Shifting Climate, Altered Niche, and a Dynamic Conservation Strategy for Yellow-Cedar in the North Pacific Coastal Rainforest

PAUL E. HENNON, DAVID V. D'AMORE, PAUL G. SCHABERG, DUSTIN T. WITTWER, AND COLIN S. SHANLEY

The extensive mortality of yellow-cedar along more than 1000 kilometers of the northern Pacific coast of North America serves as a leading example of climate effects on a forest tree species. In this article, we document our approaches to resolving the causes of tree death, which we explain as a cascade of interacting topographic, forest-structure, and microclimate factors that act on a unique vulnerability of yellow-cedar to fine-root freezing. The complex causes of tree mortality are reduced to two risk factors—snow depth and soil drainage—which are then used to model present and future cedar habitat suitability. We propose a dynamic, comprehensive conservation strategy for this valuable species on the basis of zones created by shifting climate, cedar's ecological niche, and observed risk factors. Research on yellow-cedar decline is offered as a template for understanding and adapting to climate change for other climate–forest issues.

Keywords: climate adaptation, forest decline, root cold tolerance, Callitropsis nootkatensis, Chamaecyparis nootkatensis

Provides compelling evidence of snow level impacts on yellow cedar – shows that the impacts of climate change may not be simple to identify.

Advances in threat assessment and their application to Forest and Rangeland Management

http://www.fs.fed.us/pnw/pubs/gtr802/Vol1/pnw_gtr802vol1.pdf



Interesting reference, may be of limited use in BC.

Forest Health and Climate Change: A British Columbia perspective.

http://bcwildfire.ca/ftp/HFP/external/!publish/ClimateChange/FRPA/Workshop/Forest_Health_CC.pdf



Forest health and climate change:
A British Columbia perspective

by Alex J. Woods[1], Don Heppner[2], Harry H. Kope[3], Jennifer Burleigh[3] and Lorraine Maclauchlan[4]

ABSTRACT

BC's forests have already faced two simultaneous, globally significant, epidemics linked to climate change; the Dothistroma needle blight epidemic in NW BC and the massive mountain pine beetle epidemic throughout the BC Interior. Building on these experiences, we have compiled our best estimates of how we believe other forest health agents may behave as climate change continues to influence our forests. We have drawn on literature from around the world but have focused on the situation in BC. We have made management recommendations based on what we have seen so far and what we expect to come.

BC context.

Is the health of British Columbia's forest being influenced by climate change? If so, was this predictable? By Alex Woods, 2011

http://journals2.scholarsportal.info/details.xqy?uri=/07060661/v33i0002/117_ithobcciswtp.xml

An excerpt from the conclusion: *"The current MPB epidemic in BC was arguably predictable given the strong link between the insect's vulnerability to very cold winter temperatures and the recent marked increase in winter minimum temperatures. Increasing winter temperatures are one of the most confidently predicted trends in climate change projections. Forest pathogens are similarly following a pattern of increased incidence and impact but the greater role that precipitation plays in their collective life histories presents a far less predictable scenario. The DNB epidemic in northwest BC has been linked to an increase in summer precipitation but increasing precipitation should have been beneficial for the trees. Increasing precipitation and warmer temperatures should also have benefited lodgepole pine plantations in the central interior but instead hard pine rusts may be increasing due to these new environmental conditions. A shortage of winter precipitation combined with increasing temperatures is causing more severe drought in portions of the southern interior which may already be exacerbating root disease severity."*

Forest health hazard ratings in BC: what is potentially an issue?

http://www.for.gov.bc.ca/ftp/HFP/external/!publish/Forest_Health/SEDA_maps/Individual%20Regional%20PDFs/

Example for Armillaria Root disease from the SEDA maps showing hazard rating – good starting point when looking forward in time. Note the high hazard area is for the entire BEC unit and may have areas within that have characteristics that are either greater or less than the identified hazard rating.
SEDA link from FORREX http://www.forrex.org/stand-establishment-decision-aids-sedas



RESULTS data on incidence

http://www.for.gov.bc.ca/ftp/HFP/external/!publish/Forest_Health/RESULTS%20incidence%20maps /

This site houses incidence maps based on survey information found in RESULTS. This provides a description of severity in a local area from actual data and is not extrapolated.

Expected Effects of Climate Change on Forest Disturbance Regimes in British Columbia

http://jem.forrex.org/index.php/jem/article/view/152

Expected Effects of Climate Change on Forest Disturbance Regimes in British Columbia

Sean R. Haughian, Philip J. Burton, Steve W. Taylor, Charles Curry

Abstract

Projections for forest disturbance and damage under a changing climate in British Columbia are summarized, with the objective of collating regionally specific expectations so that land managers can take pro-active steps to avoid or adapt to the changes expected. While some projections are based on extrapolations of recent multi-decadal trends, most are based on global climate models (GCMs) that must make assumptions about the range of CO_2 emissions and the status of atmospheric greenhouse gas emissions over the next century. Regardless of emission scenarios, it is universally expected that British Columbia will experience warmer air temperatures, coupled with more precipitation in some regions and less in others. Forest fires are expected to be more frequent and more intense in the southern half of the province and in the Taiga Plains, but less important in other portions of the province. Forest insects and fungal pathogens are expected to more fully occupy the current range of their host tree species and expand ranges northward and to higher elevations along with their hosts. More frequent and detrimental pest outbreaks are expected in some regions when several years of favourable weather align. Wind damage, floods, and landslides can be expected to increase on terrain where they are already a risk factor. For many agents of tree mortality, expected changes in disturbance regime amount to an expansion or shifting of the seasonal window of activity, sometimes with different trends projected for different seasons and different regions of the province. The prediction of future forest disturbance regimes is in its infancy, requiring a much more concerted effort in compiling both empirical and simulated data, but managers may wish to adjust plans accordingly where there is largely a consensus among current and projected trends.

Keywords

disturbance ecology, ecoprovinces, forest pathogens, insect outbreaks, tree mortality, wildfire, wind damage

Full Text: PDF



FIGURE 1. Projected changes (approximating the 2080s under the A2 scenario) for British Columbia from current monthly (MSR for June, July, August) and seasonal mean severity ratings (SSR, "all") by ecoprovince. Change is expressed as absolute change in MSR; baseline MSR values range from 0 to 12, with higher values in the south and lower values in northern and coastal areas. Data are summarized and extended from Taylor et al. (2010).

Example information on severity using the Canadian Fire Weather Information System – note regional variation.

Direction on fuel management in the Wildland Urban Interface

The attached link provides some guidance on integrating fuel management regimes into silvicultural treatments and high lights a prime opportunity for collaboration with fuel and fire management specialists throughout the province so that when planning and undertaking FFT treatments we can realize multiple benefits.

Thanks to all those who contributed comments in the development of this document and especially thanks to Ed Korpela and Bev Atkins for their very detailed contributions. (Al Powelson contact)

http://www.for.gov.bc.ca/ftp/HFP/external/!publish/LBIS_web/Guidance/FFT%20guidance%20-Silvicultural%20Regimes%20for%20Fuel%20Management%20in%20the%20WildLand%20Urban%20Interface_V2.3.pdf



RESOURCE PRACTICES BRANCH

Forests for Tomorrow

Silvicultural Regimes for Fuel Management in the Wildland Urban Interface or Adjacent to High Landscape Values - Guidance

Scope

This guidance covers silviculture activities by Forests For Tomorrow (FFT) within the Wildland Urban Interface[1] or adjacent[2] to identified high landscape values.

The main focus of the FFT funded silviculture activities within these areas will be on future timber production, however, modification of treatment prescriptions will be employed to reduce current and future wildfire hazard where possible

1. Introduction

Silvicultural treatments can be used to influence stand structure which, in turn, can influence wildfire behaviour and severity. There is a potential to use stocking standards (including species choice), site preparation, thinning, and pruning (*not yet eligible under FFT*) as tools to reduce or modify surface, ladder, and canopy fuels.

2. Purpose and Objectives

The purpose of this Ministry of Forests, Lands, and Natural Resource Operations (FLNR) Silvicultural Regimes for Fuel Management in the Wildland Urban Interface guidance is to provide direction on modifying silviculture regimes when they occur within the wildland urban interface or adjacent to identified high landscape values to reduce wildfire impacts while still targeting the primary objective of future timber production.

The secondary objective is to direct that, **where feasible and ecologically appropriate to do so, FFT silviculture activities undertaken within the wildland urban interface or adjacent to identified high landscape values will use regimes that minimize current and future wildfire hazard**.

3. General Principle

Altering tree species composition and/or reduction in aerial and/or ground fuels coupled with adequate tree crown base height management generally results in fires, should they occur, of reduced intensity and reduced likelihood of crown fire. Resulting surface fires of reduced intensity are generally easier to control and may result in less damage to values at risk as well as the stand itself.

[1] The wildland urban interface is any area where combustible wildland fuels (vegetation) are found adjacent to homes, farm structures or other outbuildings. Typically, the wildland urban interface is defined as an area within 2 km of a community, however, for the purposes of modifying treatments to reduce wildfire risk and hazard the zone will encompass those FFT treatments within 10 km of a community

[2] In reference to wildfire planning adjacent means within 10 km a community (community zone) or an area identified as having a high landscape values

https://www.firesmartcanada.ca/images/uploads/resources/chapter1.pdf

1

Version 2.3

Useful link for managing habitat – Just add a climate change lens

http://www.env.gov.bc.ca/fia/documents/mca_silvbmp.pdf

Suggested links on specific subjects – some specific to the North regions:

Prescribed Fire In BC
http://bcwildfire.ca/prevention/PrescribedFire/docs/BC%20Prescribed%20Fire%20Council%20Brochure.pdf
Ecosystem Restoration in BC http://www.for.gov.bc.ca/hra/Restoration/, http://www.trench-er.com/library/search/search&keywords=wildfire/
Best Management Practices for Invasive Plants in the Oil and Gas Industry:
http://prrd.bc.ca/services/environmental/weed_control/documents/OG-Guide.2013.FINAL.pdf
Seeding Manual for British Columbia http://www.for.gov.bc.ca/hra/Publications/practices/Seeding-Manual/MobileSeedManual/BC%20RL%20Seeding%20Manual_web_single_150dpi.09.04.pdf
Peace Liard Revegetation Manual
http://prrd.bc.ca/services/environmental/weed_control/documents/NEIPC_Reveg_manual_PeaceLiard_April2010_000.pdf

Climate Change Guidelines for Forest Managers

http://www.fao.org/docrep/018/i3383e/i3383e.pdf



The framework is on page 24:

- Yield & productivity p. 26
- Biodiversity p. 28
- Species p. 29
- Water p. 31
- Fire p. 34
- Pests p. 38
- Extreme events p 41
- Sea level rise p. 44
- Social p. 46
- Economic p. 50
- Institutional p. 54
- Mitigation p. 55

Canadian Council of Forest Ministers – suite of four useful resource documents

http://www.ccfm.org/english/coreproducts-cc.asp



Canadian Council of Forest Ministers | Conseil canadien des ministres des forêts

HOME | SITE MAP | CONTACT US | FRANÇAIS

About Us | Reports and Papers | What's New

HOME > CLIMATE CHANGE

Climate Change

- A Vision for Canada's Forests: 2008 and Beyond
- Climate Change
- Wildland Fires
- Forest Pests
- Forests In Mind

As Canada's forest sector continues to evolve it is subject to the effects of many global forces. A changing climate is one factor that will provide opportunities for and present major threats to Canada's forests, their economic benefits, and the livelihoods of those who depend on them. Adapting to a changing climate is therefore essential for Canada's forest sector to remain resilient and vibrant and for our forest industries to remain competitive in the global marketplace.

In 2008, Canada's premiers, via the Council of the Federation, asked the Canadian Council of Forest Ministers (CCFM) to collaborate on adaptation in forestry. This work was undertaken by the CCFM's Climate Change Task Force (CCTF), which initiated a two-phase program in this area.

Phase 1 culminated in 2010 with the publication of two reports:

- Vulnerability of Canada's Tree Species to Climate Change and Management Options for Adaptation
- A Framework for Forest Management Offset Protocols

These reports have been widely distributed to forestry organizations and are being used to help inform policies and practices.

Phase 2 addresses adaptation at the forest ecosystem and forest sector levels, responding directly to a key CCFM objective that "consideration of climate change and future climatic variability is needed in all aspects of sustainable forest management" (as described in *A Vision for Canada's Forests: 2008 and Beyond*). The primary goal is to provide members of the forest sector with state-of-the-art tools and new knowledge that will allow them to assess the vulnerabilities, risks, and opportunities associated with climate change. The CCFM vulnerability assessment tools and techniques are described in a series of inter-related reports, specifically designed for forest management decision-makers. Several reports are now available, with the remaining reports targeted for release in early 2013:

- Adapting sustainable forest management to climate change: preparing for the future (Abstract) (Full Report)
- Adapting sustainable forest management to climate change: a systematic approach for exploring organizational readiness (Abstract) (Full Report)
- Adapting sustainable forest management to climate change: a framework for assessing vulnerability and mainstreaming adaptation into decision making (Abstract) (Full Report)
- Adapting sustainable forest management to climate change: scenarios for vulnerability assessment (Abstract) (Full Report)

The CCTF's work has been strongly supported by all members of the CCFM and is intended to catalyze and accelerate the transformation of sustainable forest management policies, planning, and practices in accordance with the needs of various forest management organizations across Canada. We hope that you find this work informative and beneficial.

Contact:

- Amélie Roberge (aroberge@NRCan-RNCan.gc.ca)

© 2013 CCFM Printer Friendly

Canadian Council of Forest Ministers | Conseil canadien des ministres des forêts

Link to Regional summaries by PCIC

http://www.pacificclimate.org/news-and-events/news/2013/bc-regional-climate-summaries-now-online



Future webinar to solicit feedback

The Pacific Climate Impacts Consortium will be running a webinar in the coming months as part of a project to develop National Guidelines on the Use of Climate Scenarios for NRCAN, in collaboration with Ouranos http://www.ouranos.ca/en. As an attendee, you will be invited to attend. The purpose of the webinar is to obtain feedback and questions from people who have attended climate change workshops in regards to what information would be most valuable to include in a guidelines document on the use of climate information.