



Opening Number _____ Licensee/CP/Block _____ Date _____
 Benchmark Area ☐ Harvest Area (no retention) ☐ Reserve ☐ Reserve ID _____ Reserve Type _____ Size (ha): _____
 Actual Location and Size Consistent with Map? Yes ☐ No ☐ Not Mapped ☐ Assessor _____
 BAF _____ Fixed Area Radius (m) _____ Plot # _____ Full Count Area (ha) _____ Plot Centre (UTM/Lat.Long.) _____

Stem count and height (cm) by dbh class	1° spp: _____ WT class					2° spp: _____ WT class					3° spp: _____ WT class					Other spp: _____ WT class				
	1	2	3-5	6-7	8-9	1	2	3-5	6-7	8-9	1	2	3-5	6-7	8-9	1	2	3-5	6-7	8-9
Small 12.6-20																				
avg height																				
Small/Medium 21-30																				
avg height																				
Medium 31-50																				
avg height																				
Large 51-80																				
avg height																				
Very large >80																				
avg height																				

Age of forest: Old growth ☐ Second growth ☐ Estimated age _____

Cover Layers	Main species	% cover (crown or ground)
Trees > 12.5 dbh		
Trees < 12.5 dbh (regen)		
Shrubs		
Herbs		
Mosses/Lichens/Liverworts		

TABLE 3.1. List of low woody species and species of uncertain life form assigned to the herb layer

Latin Name	Latin Name
<i>Andromeda polifolia</i> *	<i>Kalmia microphylla</i> *
<i>Anemone multifida</i>	<i>Linnaea borealis</i> *
<i>Apocynum androsaemifolium</i>	<i>Lithospermum incisum</i>
<i>Apocynum cannabinum</i>	<i>Lithospermum ruderale</i>
<i>Apocynum medium</i>	<i>Loiseleuria procumbens</i> *
<i>Apocynum sibiricum</i>	<i>Luetkea pectinata</i> *
<i>Arctostaphylos alpine</i> *	<i>Orthilia secunda</i>
<i>Arctostaphylos uva-ursi</i> *	<i>Oxycoccus oxycoccus</i> *
<i>Aruncus dioicus</i>	<i>Penstemon davidsonii</i> *
<i>Asclepias ovalifolia</i>	<i>Penstemon ellipticus</i> *
<i>Asclepias speciosa</i>	<i>Phlox caespitosa</i>
<i>Cassiope lycopodioides</i> *	<i>Phyllocladus empetrifolius</i> *
<i>Cassiope mertensiana</i> *	<i>Phyllocladus glanduliflora</i> *
<i>Cassiope stelleriana</i> *	<i>Polygonum cuspidatum</i>
<i>Cassiope tetragona</i> *	<i>Polygonum paronychia</i>
<i>Chamaerhodos erecta</i>	<i>Polygonum polystachyum</i>
<i>Chimaphila menziesii</i> *	<i>Polygonum sachalinense</i>
<i>Chimaphila umbellata</i> *	<i>Rhododendron lapponicum</i> *
<i>Cornus canadensis</i>	<i>Rubus arcticus</i>
<i>Cornus suecica</i>	<i>Rubus chamaemorus</i>
<i>Draba</i> spp.	<i>Rubus lasiococcus</i>
<i>Dryas drummondii</i> *	<i>Rubus nivalis</i> *
<i>Dryas integrifolia</i> *	<i>Rubus pedatus</i>
<i>Dryas octopetala</i> *	<i>Rubus pubescens</i>
<i>Empetrum nigrum</i> *	<i>Rubus ursinus</i> *
<i>Eriogonum androsaceum</i>	<i>Salix arctica</i> *
<i>Eriogonum flavum</i>	<i>Salix cascadiensis</i> *
<i>Eriogonum hercynioides</i>	<i>Salix polaris</i> *
<i>Eriogonum nivium</i>	<i>Salix reticulata</i> *
<i>Eriogonum ovalifolium</i>	<i>Salix stolonifera</i> *
<i>Eriogonum pauciflorum</i>	<i>Saxifraga bronchialis</i>
<i>Eriogonum umbellatum</i>	<i>Saxifraga cespitosa</i>
<i>Fragaria chiloensis</i>	<i>Saxifraga flagellaris</i>
<i>Fragaria vesca</i>	<i>Saxifraga oppositifolia</i>
<i>Fragaria virginiana</i>	<i>Saxifraga tricuspidata</i>
<i>Galium boreale</i>	<i>Sibbaldia procumbens</i>
<i>Gaultheria hispidula</i> *	<i>Vaccinium caespitosum</i> *
<i>Gaultheria humifusa</i> *	<i>Vaccinium scoparium</i> *
<i>Gaultheria ovatifolia</i> *	<i>Vaccinium vitis-idaea</i> *
<i>Geocaulon lividum</i>	<i>Vaccinium myrtillus</i> *

* low woody species




FIGURE 3.2. Comparison charts for visual estimation of foliage cover.