BCTS

A94685 - CP# TBD

West Harrison
Block #: HW208

SUMMARY OF VOLUMES (loss factors)
F U L L V O L U M E S A P P L I E D

07-Feb-2018 12:41:01PM

Cruised by: DUNHAM & ASSOC.
Compiled by: IFS

Industrial Forestry Service Ltd. - Cruise Compilation Disclaimer

This compilation report was prepared by Industrial Forestry Service Ltd. (IFS) solely for the purpose of BCTS, and is based on the cruise data supplied to IFS by the client or its contractor. IFS is not responsible for any errors in this report resulting from errors in the cruise data including sampling errors, errors in quantities of measurement, measurement errors, or errors in qualities of measurement.

IFS's liability for any errors in the compilation report not attributable to the data are limited to the fee paid to IFS for the compilation and preparation of the report. In no event does IFS accept any liability for loss of profits or other indirect or consequential damages.

Generally, the liability of the client's cruising contractor is limited to the fee paid to the contractor for completion of the cruise and management of the data. This understanding should be included in the contract between the client and its contractor.

Map Area Statement Report

Average Line Method | Grades: MOF Computerized | FIZ: C | 07-Feb-2018 12:41:01PM
BCTS | Computerized Decay | PSYU: Dewdney (Harrison) | Filename: DAC-2018-02-A94685.ccp
Licence Number: A94685 CP: TBD | Computerized Waste | Region: 1 - South Coast | Compiled by: IFS
Project: 2018-02 | Computerized Breakage | District: 01 - Chilliwack | Cruised by: DUNHAM & ASSOC.
Version: 2017.01 IFS build 6070

Card A Cruise Identity

Licence #	: A94685	Cutting Permit #	: TBD
Number of Blocks	: 1	Forest Region	: South Coast
Forest District	: Chilliwack	Type	: PSYU
Unit No	: Dewdney (Harrison)	Tenure	: Forest Licence (COAST)
Quota	: Prop./Mngd.PSYU,TFL,or SSA	Sale Type	: None
Elevation	: 1	Co-ordinates Zone	: Unknown
East	: 0	North	: 0
Total Merch Area	: 40.80	Report Type	: *** FOR APPRAISAL PURPOSES ***
Locality	: West Harrison		

Card B Compilation Standard

Damage	: Damage	Selective	: Compile All Trees
Double Sampling	: Measure and Counts Plots	Special Compilation	: No Special Compilation
Species Compilation	: Exceptions Not Used	Type of Compilation	: Coastal

Compilation Standard	Mature	Immature
DBH Limit	17.50	12.00
Stump Height	30	30
Top Diameter	15.00	10.00

Card C Type Description

		Silvicultural Treatment Units	
Type	Description	A	B
1	FH(C) 2-4	40.7	0.1

Card D Block Description

				Silvicultural Treatment Units	
Block	Description	Maturity	Type	A	B
208	HW208	I	1	40.7	0.1

Card F Harvesting Description

Harvest	Harvest		Silvicultural Treatment Units	
Method	Description	Type	A	B
SC	Ground Systems - Clearcut	1	40.7	0.1

Card G Treatment Unit Description

Treatment Unit	Description
A	Merch
B	M/C Free

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright© 1996-2017, Industrial Forestry Service Ltd.

Double Sampling Factors

Average Line Method | Grades: MOF Computerized | FIZ: C | 07-Feb-2018 12:41:01PM
BCTS | Computerized Decay | PSYU: Dewdney (Harrison) | Filename: DAC-2018-02-A94685.ccp
Licence Number: A94685 CP: TBD | Computerized Waste | Region: 1 - South Coast | Compiled by: IFS
Project: 2018-02 | Computerized Breakage | District: 01 - Chilliwack | Cruised by: DUNHAM & ASSOC.
Version: 2017.01 IFS build 6070

	F	C	H	AC	D
Utilization Limits					
Min DBH cm (I)	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)	10.0	10.0	10.0	10.0	10.0
Log Len m	10.0	10.0	10.0	10.0	10.0

Type Factors

Forest Types:

1 :FH(C) 2-4	1.0241	0.8556	1.1027	0.6216	2.5958

Block Factors

Block 208:
Forest Types:

1 :FH(C) 2-4	1.0241	0.8556	1.1027	0.6216	2.5958

Harvest Method Factors

Method: SC: Ground Systems - Clearcut
Forest Types:

1 :FH(C) 2-4	1.0241	0.8556	1.1027	0.6216	2.5958

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright© 1996-2017, Industrial Forestry Service Ltd.

Appraisal Summary Report

07-Feb-2018 12:41:01PM

Average Line Method
BCTS
Licence Number: A94685 CP: TBD
Project: 2018-02
Location : West Harrison

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage
No Of Blocks : 1

FIZ: C
PSYU: Dewdney (Harrison)
Region: 1 - South Coast
District: 01 - Chilliwack

Filename: DAC-2018-02-A94685.ccp
Compiled by: IFS
Cruised by: DUNHAM & ASSOC.
Version: 2017.01 IFS build 6070

Utilization Levels:	Minimum DBH	Top Diameter	Stump Height
Mature Blocks: (cm)	17.5	15.0	30
Immature Blocks:(cm)	12.0	10.0	30
Standard Log Length:(m)	10.00		

Net Area: [All Treatment Units : 40.8]

All Method Summary

Species Code	Description	Algorithm Grades % J	U	X	Y	Net Volume (m3) All	Live	DP	Net Volume / ha All	Live	DP
CE	Cedar	21	54	11	14	1836	1836	0	44.995	44.995	0.000
FI	Doug-Fir	68	27	5		7928	7592	336	194.323	186.089	8.233
HE	Hemlock	62	21	6	11	3709	3709	0	90.916	90.916	0.000
AL	Alder			100		660	660	0	16.181	16.181	0.000
CO	Cottonwood		70		30	84	84	0	2.069	2.069	0.000
	Total					14218	13882	336	348.483	340.250	8.233

Harvesting Method Summaries

Harvest Method	Net Volume	Net Vol /10m Log	Net Vol /Hectare	Hem+ Bal%	Partial Cut%	Slope%	Down Tree%	Heavy Fire%
SC	14218	0.25	348.483	26		49	0	0
Conventional Methods	14218	0.25	348.483	26		49	0	0
All Methods	14218	0.25	348.483	26			0	0

Cutting Authority

95% Confidence Interval	18.3
Plots/Ha	0.9
Cruised Trees/Plot	4.2
Net 2nd Growth-Conifer %	100.0
Net 2nd Growth-Conifer (m3)	13474
Net Immature by Block %	208:100%
Non Heli Select Conifer (m3/ha)	330.23
Heli Select Total (decimal)	0.00
Heli+Skyline Total (decimal)	0.00
Piece Size - Conifer (m3/10m log)	0.25
Cruise Date (yy-mm):	17-12

Plots: 37 # <= 5yrs: 37 # > 5yrs: 0 # > 10yrs: 0 # no date: 0

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright© 1996-2017, Industrial Forestry Service Ltd.

Harvest Method Summary

Average Line Method
BCTS
Licence Number: A94685 CP: TBD
Project: 2018-02

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: C
PSYU: Dewdney (Harrison)
Region: 1 - South Coast
District: 01 - Chilliwack

07-Feb-2018 12:41:01PM
Filename: DAC-2018-02-A94685.ccp
Compiled by: IFS
Cruised by: DUNHAM & ASSOC.
Version: 2017.01   IFS build 6070

Harvest Method : SC - Ground Systems - Clearcut[All Treatment Units : 40.8]

		Total	Conifer	Decid	F	C	H	AC	D
Utilization Limits									
Min DBH cm (I)					12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)					30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)					10.0	10.0	10.0	10.0	10.0
Log Len m					10.0	10.0	10.0	10.0	10.0
Volume and Size Data									
Gross Merchantable	m3	14835	14055	780	8259	1932	3864	93	688
Net Merchantable	m3	14218	13474	745	7928	1836	3709	84	660
Net Merch - All	m3/ha	348.483	330.233	18.250	194.323	44.995	90.916	2.069	16.181
Net Merch - Live	m3/ha	340.250	322.000	18.250	186.089	44.995	90.916	2.069	16.181
Net Merch - DP	m3/ha	8.233	8.233		8.233				
Decay	%	0		0				4	
Waste(billing)	%								
Total Cull (DWB)	%	4	4	5	4	5	4	9	4
Net Merch Vol/Tree	m3	0.37	0.38	0.24	0.42	0.25	0.38	1.16	0.22
Avg 10.0 m Log Net	m3	0.25	0.25	0.25	0.26	0.21	0.25	0.61	0.23
Useless Dead/Living	%	4	4				14		
Net Second Growth	%		100.0		100.0	100.0	100.0		
All Burn Volume	%								
Heavy Fire Volume	%								
Blowdown Volume	%								
Insect Volume	%								
% Average Slope		49							
Algorithm Grades %									
#4 Sawlog	J	57	60		68	21	62		
#5 Utility	U	28	29	8	27	54	21	70	
#6 Utility	X	6	6		5	11	6		
#7 Chipper	Y	9	5	92		14	11	30	100

*** 1 tree(s) changed to tree class 4:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright© 1996-2017, Industrial Forestry Service Ltd.

Harvest Method Summary

Average Line Method | Grades: MOF Computerized | FIZ: C | 07-Feb-2018 12:41:01PM
BCTS | Computerized Decay | PSYU: Dewdney (Harrison) | Filename: DAC-2018-02-A94685.ccp
Licence Number: A94685 CP: TBD | Computerized Waste | Region: 1 - South Coast | Compiled by: IFS
Project: 2018-02 | Computerized Breakage | District: 01 - Chilliwack | Cruised by: DUNHAM & ASSOC.
Version: 2017.01 IFS build 6070

Harvest Method : SC - Ground Systems - Clearcut[Merch : 40.7]

		Total	Conifer	Decid	F	C	H	AC	D
Utilization Limits									
Min DBH cm (I)					12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)					30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)					10.0	10.0	10.0	10.0	10.0
Log Len m					10.0	10.0	10.0	10.0	10.0
Volume and Size Data									
Gross Merchantable	m3	14799	14021	779	8238	1928	3854	93	686
Net Merchantable	m3	14183	13440	743	7909	1831	3700	84	659
Net Merch - All	m3/ha	348.483	330.233	18.250	194.323	44.995	90.916	2.069	16.181
Net Merch - Live	m3/ha	340.250	322.000	18.250	186.089	44.995	90.916	2.069	16.181
Net Merch - DP	m3/ha	8.233	8.233		8.233				
Decay	%	0		0				4	
Waste(billing)	%								
Total Cull (DWB)	%	4	4	5	4	5	4	9	4
Net Merch Vol/Tree	m3	0.37	0.38	0.24	0.42	0.25	0.38	1.16	0.22
Avg 10.0 m Log Net	m3	0.25	0.25	0.25	0.26	0.21	0.25	0.61	0.23
Useless Dead/Living	%	4	4				14		
Net Second Growth	%		100.0		100.0	100.0	100.0		
All Burn Volume	%								
Heavy Fire Volume	%								
Blowdown Volume	%								
Insect Volume	%								

Algorithm Grades %									
#4 Sawlog	J	57	60		68	21	62		
#5 Utility	U	28	29	8	27	54	21	70	
#6 Utility	X	6	6		5	11	6		
#7 Chipper	Y	9	5	92		14	11	30	100

*** 1 tree(s) changed to tree class 4:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright© 1996-2017, Industrial Forestry Service Ltd.

Harvest Method Summary

Average Line Method
BCTS
Licence Number: A94685 CP: TBD
Project: 2018-02

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: C
PSYU: Dewdney (Harrison)
Region: 1 - South Coast
District: 01 - Chilliwack

07-Feb-2018 12:41:01PM
Filename: DAC-2018-02-A94685.ccp
Compiled by: IFS
Cruised by: DUNHAM & ASSOC.
Version: 2017.01   IFS build 6070

Harvest Method : SC - Ground Systems - Clearcut[M/C Free : 0.1]

		Total	Conifer	Decid	F	C	H	AC	D
Utilization Limits									
Min DBH cm (I)					12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)					30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)					10.0	10.0	10.0	10.0	10.0
Log Len m					10.0	10.0	10.0	10.0	10.0
Volume and Size Data									
Gross Merchantable	m3	36	34	2	20	5	9	0	2
Net Merchantable	m3	35	33	2	19	4	9	0	2
Net Merch - All	m3/ha	348.483	330.233	18.250	194.323	44.995	90.916	2.069	16.181
Net Merch - Live	m3/ha	340.250	322.000	18.250	186.089	44.995	90.916	2.069	16.181
Net Merch - DP	m3/ha	8.233	8.233		8.233				
Decay	%	0		0				4	
Waste(billing)	%								
Total Cull (DWB)	%	4	4	5	4	5	4	9	4
Net Merch Vol/Tree	m3	0.37	0.38	0.24	0.42	0.25	0.38	1.16	0.22
Avg 10.0 m Log Net	m3	0.25	0.25	0.25	0.26	0.21	0.25	0.61	0.23
Useless Dead/Living	%	4	4				14		
Net Second Growth	%		100.0		100.0	100.0	100.0		
All Burn Volume	%								
Heavy Fire Volume	%								
Blowdown Volume	%								
Insect Volume	%								

Algorithm Grades %									
#4 Sawlog	J	57	60		68	21	62		
#5 Utility	U	28	29	8	27	54	21	70	
#6 Utility	X	6	6		5	11	6		
#7 Chipper	Y	9	5	92		14	11	30	100

*** 1 tree(s) changed to tree class 4:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright© 1996-2017, Industrial Forestry Service Ltd.

Block Summary

Average Line Method | Grades: MOF Computerized | FIZ: C | 07-Feb-2018 12:41:01PM
BCTS | Computerized Decay | PSYU: Dewdney (Harrison) | Filename: DAC-2018-02-A94685.ccp
Licence Number: A94685 CP: TBD | Computerized Waste | Region: 1 - South Coast | Compiled by: IFS
Project: 2018-02 | Computerized Breakage | District: 01 - Chilliwack | Cruised by: DUNHAM & ASSOC.
Version: 2017.01 IFS build 6070

Net Area: Block : (I) - 208:HW208, Plots in Block: 37, TUs: [All Treatment Units : 40.8]
Gross Area: [Reserve : 0.7][Grand Total : 41.5]

		Total	Conifer	Decid	F	C	H	AC	D
Utilization Limits									
Min DBH cm (I)					12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)					30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)					10.0	10.0	10.0	10.0	10.0
Log Len m					10.0	10.0	10.0	10.0	10.0
Volume and Size Data									
Gross Merchantable	m3	14835	14055	780	8259	1932	3864	93	688
Net Merchantable	m3	14218	13474	745	7928	1836	3709	84	660
Net Merch - All	m3/ha	348	330	18	194	45	91	2	16
Distribution	%	100	95	5	56	13	26	1	5
Decay	%	0		0				4	
Waste	%								
Waste(billing)	%								
Breakage	%	4	4	4	4	5	4	5	4
Total Cull (DWB)	%	4	4	5	4	5	4	9	4
Stems/Ha (Live & DP)		954.0	879.3	74.7	457.4	180.0	241.9	1.8	72.9
Avg DBH (Live & DP)	cm	25.5	25.7	23.7	27.0	22.7	25.3	41.6	23.1
Snags/Ha		39.5	39.5				39.5		
Avg Snag DBH	cm	13.1	13.1				13.1		
Gross Merch Vol/Tree	m3	0.38	0.39	0.26	0.44	0.26	0.39	1.27	0.23
Net Merch Vol/Tree	m3	0.37	0.38	0.24	0.42	0.25	0.38	1.16	0.22
Avg Weight Total Ht	m	22.6	23.0	15.7	24.7	18.2	21.9	27.6	14.2
Avg Weight Merch Ht	m	17.5	17.9	10.7	19.6	12.9	16.6	21.6	9.3
Avg 10.0 m Log Net	m3	0.25	0.25	0.25	0.26	0.21	0.25	0.61	0.23
Avg 10.0 m Log Gross	m3	0.25	0.25	0.25	0.26	0.21	0.25	0.64	0.23
Avg # of 10.0 m Logs/Tree		1.54	1.59	1.02	1.73	1.26	1.55	2.00	1.00
Net Immature	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Net 2nd Growth	%		100.0						
Average Slope	%	49							
Algorithm Grades %									
#4 Sawlog	J	57	60		68	21	62		
#5 Utility	U	28	29	8	27	54	21	70	
#6 Utility	X	6	6		5	11	6		
#7 Chipper	Y	9	5	92		14	11	30	100
Statistical Summary									
Coeff. of Variation	%	43.9	46.2	113.0	59.8	150.3	121.6	608.3	103.1
Two Standard Error	%	18.3	19.3	47.1	24.9	62.7	50.7	253.7	43.0
Number and Type of Plots		MP = 23	CP = 14						
Number of Potential Trees		93							
Plots/Ha		0.9							
Cruised Trees/Plot		4.2							

Slope % Statistics

Min= 8, Max=150, CV=50.3, Std Error of Mean=4.1, 2SE%=16.5

*** 1 tree(s) changed to tree class 4:because only log was less then 3.00 m ***

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright© 1996-2017, Industrial Forestry Service Ltd.

Block Summary

Average Line Method | Grades: MOF Computerized | FIZ: C | 07-Feb-2018 12:41:01PM
BCTS | Computerized Decay | PSYU: Dewdney (Harrison) | Filename: DAC-2018-02-A94685.ccp
Licence Number: A94685 CP: TBD | Computerized Waste | Region: 1 - South Coast | Compiled by: IFS
Project: 2018-02 | Computerized Breakage | District: 01 - Chilliwack | Cruised by: DUNHAM & ASSOC.
Version: 2017.01 IFS build 6070

Net Area: Block : (I) - 208:HW208, Plots in Block: 37, TUs: [Merch : 40.7]

		Total	Conifer	Decid	F	C	H	AC	D
Utilization Limits									
Min DBH cm (I)					12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)					30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)					10.0	10.0	10.0	10.0	10.0
Log Len m					10.0	10.0	10.0	10.0	10.0
Volume and Size Data									
Gross Merchantable	m3	14799	14021	779	8238	1928	3854	93	686
Net Merchantable	m3	14183	13440	743	7909	1831	3700	84	659
Net Merch - All	m3/ha	348	330	18	194	45	91	2	16
Distribution	%	100	95	5	56	13	26	1	5
Decay	%	0		0				4	
Waste	%								
Waste(billing)	%								
Breakage	%	4	4	4	4	5	4	5	4
Total Cull (DWB)	%	4	4	5	4	5	4	9	4
Stems/Ha (Live & DP)		954.0	879.3	74.7	457.4	180.0	241.9	1.8	72.9
Avg DBH (Live & DP)	cm	25.5	25.7	23.7	27.0	22.7	25.3	41.6	23.1
Snags/Ha		39.5	39.5				39.5		
Avg Snag DBH	cm	13.1	13.1				13.1		
Gross Merch Vol/Tree	m3	0.38	0.39	0.26	0.44	0.26	0.39	1.27	0.23
Net Merch Vol/Tree	m3	0.37	0.38	0.24	0.42	0.25	0.38	1.16	0.22
Avg Weight Total Ht	m	22.6	23.0	15.7	24.7	18.2	21.9	27.6	14.2
Avg Weight Merch Ht	m	17.5	17.9	10.7	19.6	12.9	16.6	21.6	9.3
Avg 10.0 m Log Net	m3	0.25	0.25	0.25	0.26	0.21	0.25	0.61	0.23
Avg 10.0 m Log Gross	m3	0.25	0.25	0.25	0.26	0.21	0.25	0.64	0.23
Avg # of 10.0 m Logs/Tree		1.54	1.59	1.02	1.73	1.26	1.55	2.00	1.00
Net Immature	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Net 2nd Growth	%		100.0						
Average Slope	%	49							
Algorithm Grades %									
#4 Sawlog	J	57	60		68	21	62		
#5 Utility	U	28	29	8	27	54	21	70	
#6 Utility	X	6	6		5	11	6		
#7 Chipper	Y	9	5	92		14	11	30	100
Statistical Summary									
Coeff. of Variation	%	43.9	46.2	113.0	59.8	150.3	121.6	608.3	103.1
Two Standard Error	%	18.3	19.3	47.1	24.9	62.7	50.7	253.7	43.0
Number and Type of Plots		MP = 23	CP = 14						
Number of Potential Trees		93							
Plots/Ha		0.9							
Cruised Trees/Plot		4.2							

Slope % Statistics

Min= 8, Max=150, CV=50.3, Std Error of Mean=4.1, 2SE%=16.5

*** 1 tree(s) changed to tree class 4:because only log was less then 3.00 m ***

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright© 1996-2017, Industrial Forestry Service Ltd.

Block Summary

Average Line Method | Grades: MOF Computerized | FIZ: C | 07-Feb-2018 12:41:01PM
BCTS | Computerized Decay | PSYU: Dewdney (Harrison) | Filename: DAC-2018-02-A94685.ccp
Licence Number: A94685 CP: TBD | Computerized Waste | Region: 1 - South Coast | Compiled by: IFS
Project: 2018-02 | Computerized Breakage | District: 01 - Chilliwack | Cruised by: DUNHAM & ASSOC.
Version: 2017.01 IFS build 6070

Net Area: Block : (I) - 208:HW208, Plots in Block: 37, TUs: [M/C Free : 0.1]

		Total	Conifer	Decid	F	C	H	AC	D
Utilization Limits									
Min DBH cm (I)					12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)					30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)					10.0	10.0	10.0	10.0	10.0
Log Len m					10.0	10.0	10.0	10.0	10.0
Volume and Size Data									
Gross Merchantable	m3	36	34	2	20	5	9	0	2
Net Merchantable	m3	35	33	2	19	4	9	0	2
Net Merch - All	m3/ha	348	330	18	194	45	91	2	16
Distribution	%	100	95	5	56	13	26	1	5
Decay	%	0		0				4	
Waste	%								
Waste(billing)	%								
Breakage	%	4	4	4	4	5	4	5	4
Total Cull (DWB)	%	4	4	5	4	5	4	9	4
Stems/Ha (Live & DP)		954.0	879.3	74.7	457.4	180.0	241.9	1.8	72.9
Avg DBH (Live & DP)	cm	25.5	25.7	23.7	27.0	22.7	25.3	41.6	23.1
Snags/Ha		39.5	39.5				39.5		
Avg Snag DBH	cm	13.1	13.1				13.1		
Gross Merch Vol/Tree	m3	0.38	0.39	0.26	0.44	0.26	0.39	1.27	0.23
Net Merch Vol/Tree	m3	0.37	0.38	0.24	0.42	0.25	0.38	1.16	0.22
Avg Weight Total Ht	m	22.6	23.0	15.7	24.7	18.2	21.9	27.6	14.2
Avg Weight Merch Ht	m	17.5	17.9	10.7	19.6	12.9	16.6	21.6	9.3
Avg 10.0 m Log Net	m3	0.25	0.25	0.25	0.26	0.21	0.25	0.61	0.23
Avg 10.0 m Log Gross	m3	0.25	0.25	0.25	0.26	0.21	0.25	0.64	0.23
Avg # of 10.0 m Logs/Tree		1.54	1.59	1.02	1.73	1.26	1.55	2.00	1.00
Net Immature	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Net 2nd Growth	%		100.0						
Average Slope	%	49							
Algorithm Grades %									
#4 Sawlog	J	57	60		68	21	62		
#5 Utility	U	28	29	8	27	54	21	70	
#6 Utility	X	6	6		5	11	6		
#7 Chipper	Y	9	5	92		14	11	30	100
Statistical Summary									
Coeff. of Variation	%	43.9	46.2	113.0	59.8	150.3	121.6	608.3	103.1
Two Standard Error	%	18.3	19.3	47.1	24.9	62.7	50.7	253.7	43.0
Number and Type of Plots		MP = 23	CP = 14						
Number of Potential Trees		93							
Plots/Ha		0.9							
Cruised Trees/Plot		4.2							

Slope % Statistics

Min= 8, Max=150, CV=50.3, Std Error of Mean=4.1, 2SE%=16.5

*** 1 tree(s) changed to tree class 4:because only log was less then 3.00 m ***

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright© 1996-2017, Industrial Forestry Service Ltd.

Type Summary

Average Line Method | Grades: MOF Computerized | FIZ: C | 07-Feb-2018 12:41:01PM
BCTS | Computerized Decay | PSYU: Dewdney (Harrison) | Filename: DAC-2018-02-A94685.ccp
Licence Number: A94685 CP: TBD | Computerized Waste | Region: 1 - South Coast | Compiled by: IFS
Project: 2018-02 | Computerized Breakage | District: 01 - Chilliwack | Cruised by: DUNHAM & ASSOC.
Version: 2017.01 IFS build 6070

Net Area: Type 1 (I):FH(C) 2-4, Plots in Type: 37, TUs: [All Treatment Units : 40.8]

		Total	Conifer	Decid	F	C	H	AC	D
Utilization Limits									
Min DBH cm (I)					12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)					30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)					10.0	10.0	10.0	10.0	10.0
Log Len m					10.0	10.0	10.0	10.0	10.0
Volume and Size Data									
Gross Merchantable	m3	14835	14055	780	8259	1932	3864	93	688
Net Merchantable	m3	14218	13474	745	7928	1836	3709	84	660
Net Merch - All	m3/ha	348	330	18	194	45	91	2	16
Distribution	%	100	95	5	56	13	26	1	5
Decay	%	0		0				4	
Waste	%								
Waste(billing)	%								
Breakage	%	4	4	4	4	5	4	5	4
Total Cull (DWB)	%	4	4	5	4	5	4	9	4
Stems/Ha (Live & DP)		954.0	879.3	74.7	457.4	180.0	241.9	1.8	72.9
Avg DBH (Live & DP)	cm	25.5	25.7	23.7	27.0	22.7	25.3	41.6	23.1
Snags/Ha		39.5	39.5				39.5		
Avg Snag DBH	cm	13.1	13.1				13.1		
Gross Merch Vol/Tree	m3	0.38	0.39	0.26	0.44	0.26	0.39	1.27	0.23
Net Merch Vol/Tree	m3	0.37	0.38	0.24	0.42	0.25	0.38	1.16	0.22
Avg Weight Total Ht	m	22.6	23.0	15.7	24.7	18.2	21.9	27.6	14.2
Avg Weight Merch Ht	m	17.5	17.9	10.7	19.6	12.9	16.6	21.6	9.3
Avg 10.0 m Log Net	m3	0.25	0.25	0.25	0.26	0.21	0.25	0.61	0.23
Avg 10.0 m Log Gross	m3	0.25	0.25	0.25	0.26	0.21	0.25	0.64	0.23
Avg # of 10.0 m Logs/Tree		1.54	1.59	1.02	1.73	1.26	1.55	2.00	1.00
Net Immature	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Net 2nd Growth	%		100.0						
Algorithm Grades %									
#4 Sawlog	J	57	60		68	21	62		
#5 Utility	U	28	29	8	27	54	21	70	
#6 Utility	X	6	6		5	11	6		
#7 Chipper	Y	9	5	92		14	11	30	100
Statistical Summary									
Coeff. of Variation	%	57.1	58.7	266.9	76.4	162.1	168.4	479.6	336.5
Two Standard Error	%	18.3	19.3	47.1	24.9	62.7	50.7	253.7	43.0
Number and Type of Plots		MP = 23	CP = 14						
Number of Potential Trees		93							
Plots/Ha		0.9							
Cruised Trees/Plot		4.2							

*** 1 tree(s) changed to tree class 4:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright© 1996-2017, Industrial Forestry Service Ltd.

Type Summary

Average Line Method | Grades: MOF Computerized | FIZ: C | 07-Feb-2018 12:41:01PM
BCTS | Computerized Decay | PSYU: Dewdney (Harrison) | Filename: DAC-2018-02-A94685.ccp
Licence Number: A94685 CP: TBD | Computerized Waste | Region: 1 - South Coast | Compiled by: IFS
Project: 2018-02 | Computerized Breakage | District: 01 - Chilliwack | Cruised by: DUNHAM & ASSOC.
Version: 2017.01 IFS build 6070

Net Area: Type 1 (I):FH(C) 2-4, Plots in Type: 37, TUs: [Merch : 40.7]

		Total	Conifer	Decid	F	C	H	AC	D
Utilization Limits									
Min DBH cm (I)					12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)					30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)					10.0	10.0	10.0	10.0	10.0
Log Len m					10.0	10.0	10.0	10.0	10.0
Volume and Size Data									
Gross Merchantable	m3	14799	14021	779	8238	1928	3854	93	686
Net Merchantable	m3	14183	13440	743	7909	1831	3700	84	659
Net Merch - All	m3/ha	348	330	18	194	45	91	2	16
Distribution	%	100	95	5	56	13	26	1	5
Decay	%	0		0				4	
Waste	%								
Waste(billing)	%								
Breakage	%	4	4	4	4	5	4	5	4
Total Cull (DWB)	%	4	4	5	4	5	4	9	4
Stems/Ha (Live & DP)		954.0	879.3	74.7	457.4	180.0	241.9	1.8	72.9
Avg DBH (Live & DP)	cm	25.5	25.7	23.7	27.0	22.7	25.3	41.6	23.1
Snags/Ha		39.5	39.5				39.5		
Avg Snag DBH	cm	13.1	13.1				13.1		
Gross Merch Vol/Tree	m3	0.38	0.39	0.26	0.44	0.26	0.39	1.27	0.23
Net Merch Vol/Tree	m3	0.37	0.38	0.24	0.42	0.25	0.38	1.16	0.22
Avg Weight Total Ht	m	22.6	23.0	15.7	24.7	18.2	21.9	27.6	14.2
Avg Weight Merch Ht	m	17.5	17.9	10.7	19.6	12.9	16.6	21.6	9.3
Avg 10.0 m Log Net	m3	0.25	0.25	0.25	0.26	0.21	0.25	0.61	0.23
Avg 10.0 m Log Gross	m3	0.25	0.25	0.25	0.26	0.21	0.25	0.64	0.23
Avg # of 10.0 m Logs/Tree		1.54	1.59	1.02	1.73	1.26	1.55	2.00	1.00
Net Immature	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Net 2nd Growth	%		100.0						
Algorithm Grades %									
#4 Sawlog	J	57	60		68	21	62		
#5 Utility	U	28	29	8	27	54	21	70	
#6 Utility	X	6	6		5	11	6		
#7 Chipper	Y	9	5	92		14	11	30	100
Statistical Summary									
Coeff. of Variation	%	57.1	58.7	266.9	76.4	162.1	168.4	479.6	336.5
Two Standard Error	%	18.3	19.3	47.1	24.9	62.7	50.7	253.7	43.0
Number and Type of Plots		MP = 23	CP = 14						
Number of Potential Trees		93							
Plots/Ha		0.9							
Cruised Trees/Plot		4.2							

*** 1 tree(s) changed to tree class 4:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright© 1996-2017, Industrial Forestry Service Ltd.

Type Summary

Average Line Method | Grades: MOF Computerized | FIZ: C | 07-Feb-2018 12:41:01PM
BCTS | Computerized Decay | PSYU: Dewdney (Harrison) | Filename: DAC-2018-02-A94685.ccp
Licence Number: A94685 CP: TBD | Computerized Waste | Region: 1 - South Coast | Compiled by: IFS
Project: 2018-02 | Computerized Breakage | District: 01 - Chilliwack | Cruised by: DUNHAM & ASSOC.
Version: 2017.01 IFS build 6070

Net Area: Type 1 (I):FH(C) 2-4, Plots in Type: 37, TUs: [M/C Free : 0.1]

		Total	Conifer	Decid	F	C	H	AC	D
Utilization Limits									
Min DBH cm (I)					12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)					30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)					10.0	10.0	10.0	10.0	10.0
Log Len m					10.0	10.0	10.0	10.0	10.0
Volume and Size Data									
Gross Merchantable	m3	36	34	2	20	5	9	0	2
Net Merchantable	m3	35	33	2	19	4	9	0	2
Net Merch - All	m3/ha	348	330	18	194	45	91	2	16
Distribution	%	100	95	5	56	13	26	1	5
Decay	%	0		0				4	
Waste	%								
Waste(billing)	%								
Breakage	%	4	4	4	4	5	4	5	4
Total Cull (DWB)	%	4	4	5	4	5	4	9	4
Stems/Ha (Live & DP)		954.0	879.3	74.7	457.4	180.0	241.9	1.8	72.9
Avg DBH (Live & DP)	cm	25.5	25.7	23.7	27.0	22.7	25.3	41.6	23.1
Snags/Ha		39.5	39.5				39.5		
Avg Snag DBH	cm	13.1	13.1				13.1		
Gross Merch Vol/Tree	m3	0.38	0.39	0.26	0.44	0.26	0.39	1.27	0.23
Net Merch Vol/Tree	m3	0.37	0.38	0.24	0.42	0.25	0.38	1.16	0.22
Avg Weight Total Ht	m	22.6	23.0	15.7	24.7	18.2	21.9	27.6	14.2
Avg Weight Merch Ht	m	17.5	17.9	10.7	19.6	12.9	16.6	21.6	9.3
Avg 10.0 m Log Net	m3	0.25	0.25	0.25	0.26	0.21	0.25	0.61	0.23
Avg 10.0 m Log Gross	m3	0.25	0.25	0.25	0.26	0.21	0.25	0.64	0.23
Avg # of 10.0 m Logs/Tree		1.54	1.59	1.02	1.73	1.26	1.55	2.00	1.00
Net Immature	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Net 2nd Growth	%		100.0						
Algorithm Grades %									
#4 Sawlog	J	57	60		68	21	62		
#5 Utility	U	28	29	8	27	54	21	70	
#6 Utility	X	6	6		5	11	6		
#7 Chipper	Y	9	5	92		14	11	30	100
Statistical Summary									
Coeff. of Variation	%	57.1	58.7	266.9	76.4	162.1	168.4	479.6	336.5
Two Standard Error	%	18.3	19.3	47.1	24.9	62.7	50.7	253.7	43.0
Number and Type of Plots		MP = 23	CP = 14						
Number of Potential Trees		93							
Plots/Ha		0.9							
Cruised Trees/Plot		4.2							

*** 1 tree(s) changed to tree class 4:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright© 1996-2017, Industrial Forestry Service Ltd.

Volume Statistical Analysis

07-Feb-2018 12:41:01PM

Average Line Method
BCTS
Licence Number: A94685 CP: TBD
Project: 2018-02

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: C
PSYU: Dewdney (Harrison)
Region: 1 - South Coast
District: 01 - Chilliwack

Filename: DAC-2018-02-A94685.ccp
Compiled by: IFS
Cruised by: DUNHAM & ASSOC.
Version: 2017.01 IFS build 6070

Utilization Levels:	Minimum DBH	Top Diameter	Stump Height
Mature Blocks: (cm)	17.5	15.0	30
Immature Blocks:(cm)	12.0	10.0	30

Standard Log Length:(m) 10.00

Forest Type	Plots Cnt	Mea	Tot	Area ha	Net Volume m3/ha	Proportional Volume	Trees Cnt	Mea	Tot	Standard Deviation	Coeff. of Variation	Sampling Error 1 SE%	2 SE%
1 :FH(C) 2-4	14	23	37	40.8	348.5	1.00	60	93	153	190.9236	57.1	9.2	18.3
TOTAL	14	23	37	40.8	348.5		60	93	153		43.9	9.2	18.3

Number of live & dead potential trees sampled is 93
Number of dead useless trees sampled is 1
Number of live useless trees sampled is 0
The measured weighted sampling error is 24.7% at the 95% confidence level
The weighted sampling error is 18.3% at the 95% confidence level

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright© 1996-2017, Industrial Forestry Service Ltd.

Basal Area Statistical Analysis

07-Feb-2018 12:41:01PM

Average Line Method
BCTS
Licence Number: A94685 CP: TBD
Project: 2018-02

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: C
PSYU: Dewdney (Harrison)
Region: 1 - South Coast
District: 01 - Chilliwack

Filename: DAC-2018-02-A94685.ccp
Compiled by: IFS
Cruised by: DUNHAM & ASSOC.
Version: 2017.01 IFS build 6070

Utilization Levels:	Minimum DBH	Top Diameter	Stump Height
Mature Blocks: (cm)	17.5	15.0	30
Immature Blocks:(cm)	12.0	10.0	30

Standard Log Length:(m) 10.00

Forest Type	Plots Cnt	Mea	Tot	Area ha	Basal Area m2/ha	Proportional Basal Area	Trees Cnt	Mea	Tot	Standard Deviation	Coeff. of Variation	Sampling Error 1 SE%	2 SE%
1 :FH(C) 2-4	14	23	37	40.8	48.8	1.00	60	93	153	24.0286	49.2	8.1	16.2
TOTAL	14	23	37	40.8	48.8		60	93	153		49.2	8.1	16.2

Number of live & dead potential trees sampled is 93
Number of dead useless trees sampled is 1
Number of live useless trees sampled is 0
The measured weighted sampling error is 22.2% at the 95% confidence level
The weighted sampling error is 16.2% at the 95% confidence level

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright© 1996-2017, Industrial Forestry Service Ltd.

Block Stand Table (stems/ha)

Average Line Method | Grades: MOF Computerized | FIZ: C | 07-Feb-2018 12:41:01PM
BCTS | Computerized Decay | PSYU: Dewdney (Harrison) | Filename: DAC-2018-02-A94685.ccp
Licence Number: A94685 CP: TBD | Computerized Waste | Region: 1 - South Coast | Compiled by: IFS
Project: 2018-02 | Computerized Breakage | District: 01 - Chilliwack | Cruised by: DUNHAM & ASSOC.
Version: 2017.01 IFS build 6070

Block : (I) - 208:HW208, Plots in Block: 37, TUs: [All Treatment Units : 40.8]

	F	C	H	AC	D	Total	DP	DU	LU
Utilization Limits									
Min DBH cm (I)	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class									
5									
10									
15	63.9	32.3	71.5			167.8	41.1	39.5	
20	88.8	59.1	24.4		29.6	202.0	18.8		
25	61.3	62.8	68.2		43.3	235.6			
30	68.8	13.3	24.0			106.1			
35	65.7	5.0	44.4			115.1			
40	23.0	7.4	9.4	1.8		41.5			
45	20.0					20.0	2.6		
50	1.9					1.9			
55									
60	1.5					1.5			
65									
70									
75									
80									
85									
90									
95									
100									
105									
110									
115									
120									
125									
130									
135									
140									
145									
150									
175									
200									
225									
250									
275									
Total	394.9	180.0	241.9	1.8	72.9	891.5			
Dead P	62.5						62.5		
Dead U			39.5					39.5	
Live U									
			Average DBH(cm) at 5 Levels						
12.5 +	28.2	22.7	25.3	41.6	23.1	26.0	17.4	13.1	
17.5 +	30.1	24.2	28.8	41.6	23.1	28.1	23.7		
22.5 +	33.1	27.4	30.3	41.6	24.5	30.8	44.6		
27.5 +	35.1	33.6	34.3	41.6		34.8	44.6		
32.5 +	38.1	37.5	36.3	41.6		37.6	44.6		

*** 1 tree(s) changed to tree class 4:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright© 1996-2017, Industrial Forestry Service Ltd.

Block Stand Table (stems/ha)

Average Line Method | Grades: MOF Computerized | FIZ: C | 07-Feb-2018 12:41:01PM
BCTS | Computerized Decay | PSYU: Dewdney (Harrison) | Filename: DAC-2018-02-A94685.ccp
Licence Number: A94685 CP: TBD | Computerized Waste | Region: 1 - South Coast | Compiled by: IFS
Project: 2018-02 | Computerized Breakage | District: 01 - Chilliwack | Cruised by: DUNHAM & ASSOC.
Version: 2017.01 IFS build 6070

Block : (I) - 208:HW208, Plots in Block: 37, TUs: [Merch : 40.7]

	F	C	H	AC	D	Total	DP	DU	LU
Utilization Limits									
Min DBH cm (I)	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class									
5									
10									
15	63.9	32.3	71.5			167.8	41.1	39.5	
20	88.8	59.1	24.4		29.6	202.0	18.8		
25	61.3	62.8	68.2		43.3	235.6			
30	68.8	13.3	24.0			106.1			
35	65.7	5.0	44.4			115.1			
40	23.0	7.4	9.4	1.8		41.5			
45	20.0					20.0	2.6		
50	1.9					1.9			
55									
60	1.5					1.5			
65									
70									
75									
80									
85									
90									
95									
100									
105									
110									
115									
120									
125									
130									
135									
140									
145									
150									
175									
200									
225									
250									
275									
Total	394.9	180.0	241.9	1.8	72.9	891.5			
Dead P	62.5						62.5		
Dead U			39.5					39.5	
Live U									
			Average DBH(cm) at 5 Levels						
12.5 +	28.2	22.7	25.3	41.6	23.1	26.0	17.4	13.1	
17.5 +	30.1	24.2	28.8	41.6	23.1	28.1	23.7		
22.5 +	33.1	27.4	30.3	41.6	24.5	30.8	44.6		
27.5 +	35.1	33.6	34.3	41.6		34.8	44.6		
32.5 +	38.1	37.5	36.3	41.6		37.6	44.6		

*** 1 tree(s) changed to tree class 4:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright© 1996-2017, Industrial Forestry Service Ltd.

Block Stand Table (stems/ha)

Average Line Method | Grades: MOF Computerized | FIZ: C | 07-Feb-2018 12:41:01PM
BCTS | Computerized Decay | PSYU: Dewdney (Harrison) | Filename: DAC-2018-02-A94685.ccp
Licence Number: A94685 CP: TBD | Computerized Waste | Region: 1 - South Coast | Compiled by: IFS
Project: 2018-02 | Computerized Breakage | District: 01 - Chilliwack | Cruised by: DUNHAM & ASSOC.
Version: 2017.01 IFS build 6070

Block : (I) - 208:HW208, Plots in Block: 37, TUs: [M/C Free : 0.1]

	F	C	H	AC	D	Total	DP	DU	LU
Utilization Limits									
Min DBH cm (I)	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class									
5									
10									
15	63.9	32.3	71.5			167.8	41.1	39.5	
20	88.8	59.1	24.4		29.6	202.0	18.8		
25	61.3	62.8	68.2		43.3	235.6			
30	68.8	13.3	24.0			106.1			
35	65.7	5.0	44.4			115.1			
40	23.0	7.4	9.4	1.8		41.5			
45	20.0					20.0	2.6		
50	1.9					1.9			
55									
60	1.5					1.5			
65									
70									
75									
80									
85									
90									
95									
100									
105									
110									
115									
120									
125									
130									
135									
140									
145									
150									
175									
200									
225									
250									
275									
Total	394.9	180.0	241.9	1.8	72.9	891.5			
Dead P	62.5						62.5		
Dead U			39.5					39.5	
Live U									
			Average DBH(cm) at 5 Levels						
12.5 +	28.2	22.7	25.3	41.6	23.1	26.0	17.4	13.1	
17.5 +	30.1	24.2	28.8	41.6	23.1	28.1	23.7		
22.5 +	33.1	27.4	30.3	41.6	24.5	30.8	44.6		
27.5 +	35.1	33.6	34.3	41.6		34.8	44.6		
32.5 +	38.1	37.5	36.3	41.6		37.6	44.6		

*** 1 tree(s) changed to tree class 4:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright© 1996-2017, Industrial Forestry Service Ltd.

Type Stand Table (stems/ha)

Average Line Method
BCTS
Licence Number: A94685 CP: TBD
Project: 2018-02

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: C
PSYU: Dewdney (Harrison)
Region: 1 - South Coast
District: 01 - Chilliwack

07-Feb-2018 12:41:01PM
Filename: DAC-2018-02-A94685.ccp
Compiled by: IFS
Cruised by: DUNHAM & ASSOC.
Version: 2017.01   IFS build 6070

Type 1 (I):FH(C) 2-4, Plots in Type: 37, TUs: [All Treatment Units : 40.8]

	F	C	H	AC	D	Total	DP	DU	LU
Utilization Limits									
Min DBH cm (I)	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class									
5									
10									
15	63.9	32.3	71.5			167.8	41.1	39.5	
20	88.8	59.1	24.4		29.6	202.0	18.8		
25	61.3	62.8	68.2		43.3	235.6			
30	68.8	13.3	24.0			106.1			
35	65.7	5.0	44.4			115.1			
40	23.0	7.4	9.4	1.8		41.5			
45	20.0					20.0	2.6		
50	1.9					1.9			
55									
60	1.5					1.5			
65									
70									
75									
80									
85									
90									
95									
100									
105									
110									
115									
120									
125									
130									
135									
140									
145									
150									
175									
200									
225									
250									
275									
Total	394.9	180.0	241.9	1.8	72.9	891.5			
Dead P	62.5						62.5		
Dead U			39.5					39.5	
Live U									
			Average DBH(cm) at 5 Levels						
12.5 +	28.2	22.7	25.3	41.6	23.1	26.0	17.4	13.1	
17.5 +	30.1	24.2	28.8	41.6	23.1	28.1	23.7		
22.5 +	33.1	27.4	30.3	41.6	24.5	30.8	44.6		
27.5 +	35.1	33.6	34.3	41.6		34.8	44.6		
32.5 +	38.1	37.5	36.3	41.6		37.6	44.6		

*** 1 tree(s) changed to tree class 4:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright© 1996-2017, Industrial Forestry Service Ltd.

Type Stand Table (stems/ha)

Average Line Method | Grades: MOF Computerized | FIZ: C | 07-Feb-2018 12:41:01PM
BCTS | Computerized Decay | PSYU: Dewdney (Harrison) | Filename: DAC-2018-02-A94685.ccp
Licence Number: A94685 CP: TBD | Computerized Waste | Region: 1 - South Coast | Compiled by: IFS
Project: 2018-02 | Computerized Breakage | District: 01 - Chilliwack | Cruised by: DUNHAM & ASSOC.
Version: 2017.01 IFS build 6070

Type 1 (I):FH(C) 2-4, Plots in Type: 37, TUs: [Merch : 40.7]

	F	C	H	AC	D	Total	DP	DU	LU
Utilization Limits									
Min DBH cm (I)	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class									
5									
10									
15	63.9	32.3	71.5			167.8	41.1	39.5	
20	88.8	59.1	24.4		29.6	202.0	18.8		
25	61.3	62.8	68.2		43.3	235.6			
30	68.8	13.3	24.0			106.1			
35	65.7	5.0	44.4			115.1			
40	23.0	7.4	9.4	1.8		41.5			
45	20.0					20.0	2.6		
50	1.9					1.9			
55									
60	1.5					1.5			
65									
70									
75									
80									
85									
90									
95									
100									
105									
110									
115									
120									
125									
130									
135									
140									
145									
150									
175									
200									
225									
250									
275									
Total	394.9	180.0	241.9	1.8	72.9	891.5			
Dead P	62.5						62.5		
Dead U			39.5					39.5	
Live U									
			Average DBH(cm) at 5 Levels						
12.5 +	28.2	22.7	25.3	41.6	23.1	26.0	17.4	13.1	
17.5 +	30.1	24.2	28.8	41.6	23.1	28.1	23.7		
22.5 +	33.1	27.4	30.3	41.6	24.5	30.8	44.6		
27.5 +	35.1	33.6	34.3	41.6		34.8	44.6		
32.5 +	38.1	37.5	36.3	41.6		37.6	44.6		

*** 1 tree(s) changed to tree class 4:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright© 1996-2017, Industrial Forestry Service Ltd.

Type Stand Table (stems/ha)

Average Line Method | Grades: MOF Computerized | FIZ: C | 07-Feb-2018 12:41:01PM
BCTS | Computerized Decay | PSYU: Dewdney (Harrison) | Filename: DAC-2018-02-A94685.ccp
Licence Number: A94685 CP: TBD | Computerized Waste | Region: 1 - South Coast | Compiled by: IFS
Project: 2018-02 | Computerized Breakage | District: 01 - Chilliwack | Cruised by: DUNHAM & ASSOC.
Version: 2017.01 IFS build 6070

Type 1 (I):FH(C) 2-4, Plots in Type: 37, TUs: [M/C Free : 0.1]

	F	C	H	AC	D	Total	DP	DU	LU
Utilization Limits									
Min DBH cm (I)	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class									
5									
10									
15	63.9	32.3	71.5			167.8	41.1	39.5	
20	88.8	59.1	24.4		29.6	202.0	18.8		
25	61.3	62.8	68.2		43.3	235.6			
30	68.8	13.3	24.0			106.1			
35	65.7	5.0	44.4			115.1			
40	23.0	7.4	9.4	1.8		41.5			
45	20.0					20.0	2.6		
50	1.9					1.9			
55									
60	1.5					1.5			
65									
70									
75									
80									
85									
90									
95									
100									
105									
110									
115									
120									
125									
130									
135									
140									
145									
150									
175									
200									
225									
250									
275									
Total	394.9	180.0	241.9	1.8	72.9	891.5			
Dead P	62.5						62.5		
Dead U			39.5					39.5	
Live U									
			Average DBH(cm) at 5 Levels						
12.5 +	28.2	22.7	25.3	41.6	23.1	26.0	17.4	13.1	
17.5 +	30.1	24.2	28.8	41.6	23.1	28.1	23.7		
22.5 +	33.1	27.4	30.3	41.6	24.5	30.8	44.6		
27.5 +	35.1	33.6	34.3	41.6		34.8	44.6		
32.5 +	38.1	37.5	36.3	41.6		37.6	44.6		

*** 1 tree(s) changed to tree class 4:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright© 1996-2017, Industrial Forestry Service Ltd.

Block Stock Table (m3/ha)

Average Line Method
BCTS
Licence Number: A94685 CP: TBD
Project: 2018-02

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: C
PSYU: Dewdney (Harrison)
Region: 1 - South Coast
District: 01 - Chilliwack

07-Feb-2018 12:41:01PM
Filename: DAC-2018-02-A94685.ccp
Compiled by: IFS
Cruised by: DUNHAM & ASSOC.
Version: 2017.01 IFS build 6070

Block : (I) - 208:HW208, Plots in Block: 37, TUs: [All Treatment Units : 40.8]

	F	C	H	AC	D	Total	DP	DU	LU
Utilization Limits									
Min DBH cm (I)	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class									
5									
10									
15	5.4	1.7	2.4			9.4	1.3		
20	16.2	8.7	1.6		4.8	31.3	3.2		
25	24.6	19.7	25.3		11.4	81.1			
30	36.3	5.4	14.1			55.8			
35	48.1	3.1	36.5			87.6			
40	21.7	6.4	11.0	2.1		41.2			
45	27.0					27.0	3.7		
50	3.7					3.7			
55									
60	3.1					3.1			
65									
70									
75									
80									
85									
90									
95									
100									
105									
110									
115									
120									
125									
130									
135									
140									
145									
150									
175									
200									
225									
250									
275									
Total	186.1	45.0	90.9	2.1	16.2	340.2			
Dead P	8.2						8.2		
			Total Volumes for 7 Levels						
17.5 +	180.7	43.3	88.5	2.1	16.2	330.8	6.9		
22.5 +	164.5	34.6	86.9	2.1	11.4	299.5	3.7		
27.5 +	139.9	14.9	61.6	2.1		218.4	3.7		
32.5 +	103.6	9.4	47.5	2.1		162.6	3.7		
37.5 +	55.5	6.4	11.0	2.1		75.0	3.7		
42.5 +	33.8					33.8	3.7		
47.5 +	6.8					6.8			

*** 1 tree(s) changed to tree class 4:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright© 1996-2017, Industrial Forestry Service Ltd.

Block Stock Table (m3/ha)

Average Line Method | Grades: MOF Computerized | FIZ: C | 07-Feb-2018 12:41:01PM
BCTS | Computerized Decay | PSYU: Dewdney (Harrison) | Filename: DAC-2018-02-A94685.ccp
Licence Number: A94685 CP: TBD | Computerized Waste | Region: 1 - South Coast | Compiled by: IFS
Project: 2018-02 | Computerized Breakage | District: 01 - Chilliwack | Cruised by: DUNHAM & ASSOC.
Version: 2017.01 IFS build 6070

Block : (I) - 208:HW208, Plots in Block: 37, TUs: [Merch : 40.7]

	F	C	H	AC	D	Total	DP	DU	LU
Utilization Limits									
Min DBH cm (I)	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class									
5									
10									
15	5.4	1.7	2.4			9.4	1.3		
20	16.2	8.7	1.6		4.8	31.3	3.2		
25	24.6	19.7	25.3		11.4	81.1			
30	36.3	5.4	14.1			55.8			
35	48.1	3.1	36.5			87.6			
40	21.7	6.4	11.0	2.1		41.2			
45	27.0					27.0	3.7		
50	3.7					3.7			
55									
60	3.1					3.1			
65									
70									
75									
80									
85									
90									
95									
100									
105									
110									
115									
120									
125									
130									
135									
140									
145									
150									
175									
200									
225									
250									
275									
Total	186.1	45.0	90.9	2.1	16.2	340.2			
Dead P	8.2						8.2		
			Total Volumes for 7 Levels						
17.5 +	180.7	43.3	88.5	2.1	16.2	330.8	6.9		
22.5 +	164.5	34.6	86.9	2.1	11.4	299.5	3.7		
27.5 +	139.9	14.9	61.6	2.1		218.4	3.7		
32.5 +	103.6	9.4	47.5	2.1		162.6	3.7		
37.5 +	55.5	6.4	11.0	2.1		75.0	3.7		
42.5 +	33.8					33.8	3.7		
47.5 +	6.8					6.8			

*** 1 tree(s) changed to tree class 4:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright© 1996-2017, Industrial Forestry Service Ltd.

Block Stock Table (m3/ha)

Average Line Method | Grades: MOF Computerized | FIZ: C | 07-Feb-2018 12:41:01PM
BCTS | Computerized Decay | PSYU: Dewdney (Harrison) | Filename: DAC-2018-02-A94685.ccp
Licence Number: A94685 CP: TBD | Computerized Waste | Region: 1 - South Coast | Compiled by: IFS
Project: 2018-02 | Computerized Breakage | District: 01 - Chilliwack | Cruised by: DUNHAM & ASSOC.
Version: 2017.01 IFS build 6070

Block : (I) - 208:HW208, Plots in Block: 37, TUs: [M/C Free : 0.1]

	F	C	H	AC	D	Total	DP	DU	LU
Utilization Limits									
Min DBH cm (I)	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class									
5									
10									
15	5.4	1.7	2.4			9.4	1.3		
20	16.2	8.7	1.6		4.8	31.3	3.2		
25	24.6	19.7	25.3		11.4	81.1			
30	36.3	5.4	14.1			55.8			
35	48.1	3.1	36.5			87.6			
40	21.7	6.4	11.0	2.1		41.2			
45	27.0					27.0	3.7		
50	3.7					3.7			
55									
60	3.1					3.1			
65									
70									
75									
80									
85									
90									
95									
100									
105									
110									
115									
120									
125									
130									
135									
140									
145									
150									
175									
200									
225									
250									
275									
Total	186.1	45.0	90.9	2.1	16.2	340.2			
Dead P	8.2						8.2		
			Total Volumes for 7 Levels						
17.5 +	180.7	43.3	88.5	2.1	16.2	330.8	6.9		
22.5 +	164.5	34.6	86.9	2.1	11.4	299.5	3.7		
27.5 +	139.9	14.9	61.6	2.1		218.4	3.7		
32.5 +	103.6	9.4	47.5	2.1		162.6	3.7		
37.5 +	55.5	6.4	11.0	2.1		75.0	3.7		
42.5 +	33.8					33.8	3.7		
47.5 +	6.8					6.8			

*** 1 tree(s) changed to tree class 4:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright© 1996-2017, Industrial Forestry Service Ltd.

Type Stock Table (m3/ha)

Average Line Method
BCTS
Licence Number: A94685 CP: TBD
Project: 2018-02

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: C
PSYU: Dewdney (Harrison)
Region: 1 - South Coast
District: 01 - Chilliwack

07-Feb-2018 12:41:01PM
Filename: DAC-2018-02-A94685.ccp
Compiled by: IFS
Cruised by: DUNHAM & ASSOC.
Version: 2017.01 IFS build 6070

Type 1 (I):FH(C) 2-4, Plots in Type: 37, TUs: [All Treatment Units : 40.8]

	F	C	H	AC	D	Total	DP	DU	LU
Utilization Limits									
Min DBH cm (I)	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class									
5									
10									
15	5.4	1.7	2.4			9.4	1.3		
20	16.2	8.7	1.6		4.8	31.3	3.2		
25	24.6	19.7	25.3		11.4	81.1			
30	36.3	5.4	14.1			55.8			
35	48.1	3.1	36.5			87.6			
40	21.7	6.4	11.0	2.1		41.2			
45	27.0					27.0	3.7		
50	3.7					3.7			
55									
60	3.1					3.1			
65									
70									
75									
80									
85									
90									
95									
100									
105									
110									
115									
120									
125									
130									
135									
140									
145									
150									
175									
200									
225									
250									
275									
Total	186.1	45.0	90.9	2.1	16.2	340.2			
Dead P	8.2						8.2		
			Total Volumes for 7 Levels						
17.5 +	180.7	43.3	88.5	2.1	16.2	330.8	6.9		
22.5 +	164.5	34.6	86.9	2.1	11.4	299.5	3.7		
27.5 +	139.9	14.9	61.6	2.1		218.4	3.7		
32.5 +	103.6	9.4	47.5	2.1		162.6	3.7		
37.5 +	55.5	6.4	11.0	2.1		75.0	3.7		
42.5 +	33.8					33.8	3.7		
47.5 +	6.8					6.8			

*** 1 tree(s) changed to tree class 4:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright© 1996-2017, Industrial Forestry Service Ltd.

Type Stock Table (m3/ha)

Average Line Method
BCTS
Licence Number: A94685 CP: TBD
Project: 2018-02

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: C
PSYU: Dewdney (Harrison)
Region: 1 - South Coast
District: 01 - Chilliwack

07-Feb-2018 12:41:01PM
Filename: DAC-2018-02-A94685.ccp
Compiled by: IFS
Cruised by: DUNHAM & ASSOC.
Version: 2017.01 IFS build 6070

Type 1 (I):FH(C) 2-4, Plots in Type: 37, TUs: [Merch : 40.7]

	F	C	H	AC	D	Total	DP	DU	LU
Utilization Limits									
Min DBH cm (I)	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class									
5									
10									
15	5.4	1.7	2.4			9.4	1.3		
20	16.2	8.7	1.6		4.8	31.3	3.2		
25	24.6	19.7	25.3		11.4	81.1			
30	36.3	5.4	14.1			55.8			
35	48.1	3.1	36.5			87.6			
40	21.7	6.4	11.0	2.1		41.2			
45	27.0					27.0	3.7		
50	3.7					3.7			
55									
60	3.1					3.1			
65									
70									
75									
80									
85									
90									
95									
100									
105									
110									
115									
120									
125									
130									
135									
140									
145									
150									
175									
200									
225									
250									
275									
Total	186.1	45.0	90.9	2.1	16.2	340.2			
Dead P	8.2						8.2		
			Total Volumes for 7 Levels						
17.5 +	180.7	43.3	88.5	2.1	16.2	330.8	6.9		
22.5 +	164.5	34.6	86.9	2.1	11.4	299.5	3.7		
27.5 +	139.9	14.9	61.6	2.1		218.4	3.7		
32.5 +	103.6	9.4	47.5	2.1		162.6	3.7		
37.5 +	55.5	6.4	11.0	2.1		75.0	3.7		
42.5 +	33.8					33.8	3.7		
47.5 +	6.8					6.8			

*** 1 tree(s) changed to tree class 4:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright© 1996-2017, Industrial Forestry Service Ltd.

Type Stock Table (m3/ha)

Average Line Method
BCTS
Licence Number: A94685 CP: TBD
Project: 2018-02

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: C
PSYU: Dewdney (Harrison)
Region: 1 - South Coast
District: 01 - Chilliwack

07-Feb-2018 12:41:01PM
Filename: DAC-2018-02-A94685.ccp
Compiled by: IFS
Cruised by: DUNHAM & ASSOC.
Version: 2017.01 IFS build 6070

Type 1 (I):FH(C) 2-4, Plots in Type: 37, TUs: [M/C Free : 0.1]

	F	C	H	AC	D	Total	DP	DU	LU
Utilization Limits									
Min DBH cm (I)	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class									
5									
10									
15	5.4	1.7	2.4			9.4	1.3		
20	16.2	8.7	1.6		4.8	31.3	3.2		
25	24.6	19.7	25.3		11.4	81.1			
30	36.3	5.4	14.1			55.8			
35	48.1	3.1	36.5			87.6			
40	21.7	6.4	11.0	2.1		41.2			
45	27.0					27.0	3.7		
50	3.7					3.7			
55									
60	3.1					3.1			
65									
70									
75									
80									
85									
90									
95									
100									
105									
110									
115									
120									
125									
130									
135									
140									
145									
150									
175									
200									
225									
250									
275									
Total	186.1	45.0	90.9	2.1	16.2	340.2			
Dead P	8.2						8.2		
			Total Volumes for 7 Levels						
17.5 +	180.7	43.3	88.5	2.1	16.2	330.8	6.9		
22.5 +	164.5	34.6	86.9	2.1	11.4	299.5	3.7		
27.5 +	139.9	14.9	61.6	2.1		218.4	3.7		
32.5 +	103.6	9.4	47.5	2.1		162.6	3.7		
37.5 +	55.5	6.4	11.0	2.1		75.0	3.7		
42.5 +	33.8					33.8	3.7		
47.5 +	6.8					6.8			

*** 1 tree(s) changed to tree class 4:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright© 1996-2017, Industrial Forestry Service Ltd.

Block Basal Area Table (m2/ha)

Average Line Method | Grades: MOF Computerized | FIZ: C | 07-Feb-2018 12:41:01PM
BCTS | Computerized Decay | PSYU: Dewdney (Harrison) | Filename: DAC-2018-02-A94685.ccp
Licence Number: A94685 CP: TBD | Computerized Waste | Region: 1 - South Coast | Compiled by: IFS
Project: 2018-02 | Computerized Breakage | District: 01 - Chilliwack | Cruised by: DUNHAM & ASSOC.
Version: 2017.01 IFS build 6070

Block : (I) - 208:HW208, Plots in Block: 37, TUs: [All Treatment Units : 40.8]

	F	C	H	AC	D	Total	DP	DU	LU
Utilization Limits									
Min DBH cm (I)	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class									
5									
10									
15	1.1	0.5	1.0			2.6	0.5	0.5	
20	2.7	1.6	0.6		1.0	5.9	0.5		
25	3.3	2.9	3.4		2.0	11.6			
30	4.8	0.9	1.6			7.3			
35	6.1	0.5	4.4			11.0			
40	2.7	0.9	1.2	0.2		5.1			
45	3.1					3.1	0.4		
50	0.4					0.4			
55									
60	0.4					0.4			
65									
70									
75									
80									
85									
90									
95									
100									
105									
110									
115									
120									
125									
130									
135									
140									
145									
150									
175									
200									
225									
250									
275									
Total	24.6	7.3	12.1	0.2	3.0	47.3			
Dead P	1.5						1.5		
Dead U			0.5					0.5	
Live U									
Average Basal Area (m2) at 5 Levels									
12.5 +	24.6	7.3	12.1	0.2	3.0	47.3	1.5	0.5	
17.5 +	23.5	6.8	11.1	0.2	3.0	44.8	0.9		
22.5 +	20.8	5.2	10.5	0.2	2.0	38.8	0.4		
27.5 +	17.5	2.3	7.2	0.2		27.2	0.4		
32.5 +	12.8	1.4	5.6	0.2		19.9	0.4		

*** 1 tree(s) changed to tree class 4:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright© 1996-2017, Industrial Forestry Service Ltd.

Block Basal Area Table (m2/ha)

Average Line Method | Grades: MOF Computerized | FIZ: C | 07-Feb-2018 12:41:01PM
BCTS | Computerized Decay | PSYU: Dewdney (Harrison) | Filename: DAC-2018-02-A94685.ccp
Licence Number: A94685 CP: TBD | Computerized Waste | Region: 1 - South Coast | Compiled by: IFS
Project: 2018-02 | Computerized Breakage | District: 01 - Chilliwack | Cruised by: DUNHAM & ASSOC.
Version: 2017.01 IFS build 6070

Block : (I) - 208:HW208, Plots in Block: 37, TUs: [Merch : 40.7]

	F	C	H	AC	D	Total	DP	DU	LU
Utilization Limits									
Min DBH cm (I)	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class									
5									
10									
15	1.1	0.5	1.0			2.6	0.5	0.5	
20	2.7	1.6	0.6		1.0	5.9	0.5		
25	3.3	2.9	3.4		2.0	11.6			
30	4.8	0.9	1.6			7.3			
35	6.1	0.5	4.4			11.0			
40	2.7	0.9	1.2	0.2		5.1			
45	3.1					3.1	0.4		
50	0.4					0.4			
55									
60	0.4					0.4			
65									
70									
75									
80									
85									
90									
95									
100									
105									
110									
115									
120									
125									
130									
135									
140									
145									
150									
175									
200									
225									
250									
275									
Total	24.6	7.3	12.1	0.2	3.0	47.3			
Dead P	1.5						1.5		
Dead U			0.5					0.5	
Live U									
Average Basal Area (m2) at 5 Levels									
12.5 +	24.6	7.3	12.1	0.2	3.0	47.3	1.5	0.5	
17.5 +	23.5	6.8	11.1	0.2	3.0	44.8	0.9		
22.5 +	20.8	5.2	10.5	0.2	2.0	38.8	0.4		
27.5 +	17.5	2.3	7.2	0.2		27.2	0.4		
32.5 +	12.8	1.4	5.6	0.2		19.9	0.4		

*** 1 tree(s) changed to tree class 4:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright© 1996-2017, Industrial Forestry Service Ltd.

Block Basal Area Table (m2/ha)

Average Line Method | Grades: MOF Computerized | FIZ: C | 07-Feb-2018 12:41:01PM
BCTS | Computerized Decay | PSYU: Dewdney (Harrison) | Filename: DAC-2018-02-A94685.ccp
Licence Number: A94685 CP: TBD | Computerized Waste | Region: 1 - South Coast | Compiled by: IFS
Project: 2018-02 | Computerized Breakage | District: 01 - Chilliwack | Cruised by: DUNHAM & ASSOC.
Version: 2017.01 IFS build 6070

Block : (I) - 208:HW208, Plots in Block: 37, TUs: [M/C Free : 0.1]

	F	C	H	AC	D	Total	DP	DU	LU
Utilization Limits									
Min DBH cm (I)	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class									
5									
10									
15	1.1	0.5	1.0			2.6	0.5	0.5	
20	2.7	1.6	0.6		1.0	5.9	0.5		
25	3.3	2.9	3.4		2.0	11.6			
30	4.8	0.9	1.6			7.3			
35	6.1	0.5	4.4			11.0			
40	2.7	0.9	1.2	0.2		5.1			
45	3.1					3.1	0.4		
50	0.4					0.4			
55									
60	0.4					0.4			
65									
70									
75									
80									
85									
90									
95									
100									
105									
110									
115									
120									
125									
130									
135									
140									
145									
150									
175									
200									
225									
250									
275									
Total	24.6	7.3	12.1	0.2	3.0	47.3			
Dead P	1.5						1.5		
Dead U			0.5					0.5	
Live U									
Average Basal Area (m2) at 5 Levels									
12.5 +	24.6	7.3	12.1	0.2	3.0	47.3	1.5	0.5	
17.5 +	23.5	6.8	11.1	0.2	3.0	44.8	0.9		
22.5 +	20.8	5.2	10.5	0.2	2.0	38.8	0.4		
27.5 +	17.5	2.3	7.2	0.2		27.2	0.4		
32.5 +	12.8	1.4	5.6	0.2		19.9	0.4		

*** 1 tree(s) changed to tree class 4:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright© 1996-2017, Industrial Forestry Service Ltd.

Type Basal Area Table (m2/ha)

Average Line Method | Grades: MOF Computerized | FIZ: C | 07-Feb-2018 12:41:01PM
BCTS | Computerized Decay | PSYU: Dewdney (Harrison) | Filename: DAC-2018-02-A94685.ccp
Licence Number: A94685 CP: TBD | Computerized Waste | Region: 1 - South Coast | Compiled by: IFS
Project: 2018-02 | Computerized Breakage | District: 01 - Chilliwack | Cruised by: DUNHAM & ASSOC.
Version: 2017.01 IFS build 6070

Type 1 (I):FH(C) 2-4, Plots in Type: 37, TUs: [All Treatment Units : 40.8]

	F	C	H	AC	D	Total	DP	DU	LU
Utilization Limits									
Min DBH cm (I)	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class									
5									
10									
15	1.1	0.5	1.0			2.6	0.5	0.5	
20	2.7	1.6	0.6		1.0	5.9	0.5		
25	3.3	2.9	3.4		2.0	11.6			
30	4.8	0.9	1.6			7.3			
35	6.1	0.5	4.4			11.0			
40	2.7	0.9	1.2	0.2		5.1			
45	3.1					3.1	0.4		
50	0.4					0.4			
55									
60	0.4					0.4			
65									
70									
75									
80									
85									
90									
95									
100									
105									
110									
115									
120									
125									
130									
135									
140									
145									
150									
175									
200									
225									
250									
275									
Total	24.6	7.3	12.1	0.2	3.0	47.3			
Dead P	1.5						1.5		
Dead U			0.5					0.5	
Live U									
Average Basal Area (m2) at 5 Levels									
12.5 +	24.6	7.3	12.1	0.2	3.0	47.3	1.5	0.5	
17.5 +	23.5	6.8	11.1	0.2	3.0	44.8	0.9		
22.5 +	20.8	5.2	10.5	0.2	2.0	38.8	0.4		
27.5 +	17.5	2.3	7.2	0.2		27.2	0.4		
32.5 +	12.8	1.4	5.6	0.2		19.9	0.4		

*** 1 tree(s) changed to tree class 4:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright© 1996-2017, Industrial Forestry Service Ltd.

Type Basal Area Table (m2/ha)

Average Line Method | Grades: MOF Computerized | FIZ: C | 07-Feb-2018 12:41:01PM
BCTS | Computerized Decay | PSYU: Dewdney (Harrison) | Filename: DAC-2018-02-A94685.ccp
Licence Number: A94685 CP: TBD | Computerized Waste | Region: 1 - South Coast | Compiled by: IFS
Project: 2018-02 | Computerized Breakage | District: 01 - Chilliwack | Cruised by: DUNHAM & ASSOC.
Version: 2017.01 IFS build 6070

Type 1 (I):FH(C) 2-4, Plots in Type: 37, TUs: [Merch : 40.7]

	F	C	H	AC	D	Total	DP	DU	LU
Utilization Limits									
Min DBH cm (I)	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class									
5									
10									
15	1.1	0.5	1.0			2.6	0.5	0.5	
20	2.7	1.6	0.6		1.0	5.9	0.5		
25	3.3	2.9	3.4		2.0	11.6			
30	4.8	0.9	1.6			7.3			
35	6.1	0.5	4.4			11.0			
40	2.7	0.9	1.2	0.2		5.1			
45	3.1					3.1	0.4		
50	0.4					0.4			
55									
60	0.4					0.4			
65									
70									
75									
80									
85									
90									
95									
100									
105									
110									
115									
120									
125									
130									
135									
140									
145									
150									
175									
200									
225									
250									
275									
Total	24.6	7.3	12.1	0.2	3.0	47.3			
Dead P	1.5						1.5		
Dead U			0.5					0.5	
Live U									
Average Basal Area (m2) at 5 Levels									
12.5 +	24.6	7.3	12.1	0.2	3.0	47.3	1.5	0.5	
17.5 +	23.5	6.8	11.1	0.2	3.0	44.8	0.9		
22.5 +	20.8	5.2	10.5	0.2	2.0	38.8	0.4		
27.5 +	17.5	2.3	7.2	0.2		27.2	0.4		
32.5 +	12.8	1.4	5.6	0.2		19.9	0.4		

*** 1 tree(s) changed to tree class 4:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright© 1996-2017, Industrial Forestry Service Ltd.

Type Basal Area Table (m2/ha)

Average Line Method | Grades: MOF Computerized | FIZ: C | 07-Feb-2018 12:41:01PM
BCTS | Computerized Decay | PSYU: Dewdney (Harrison) | Filename: DAC-2018-02-A94685.ccp
Licence Number: A94685 CP: TBD | Computerized Waste | Region: 1 - South Coast | Compiled by: IFS
Project: 2018-02 | Computerized Breakage | District: 01 - Chilliwack | Cruised by: DUNHAM & ASSOC.
Version: 2017.01 IFS build 6070

Type 1 (I):FH(C) 2-4, Plots in Type: 37, TUs: [M/C Free : 0.1]

	F	C	H	AC	D	Total	DP	DU	LU
Utilization Limits									
Min DBH cm (I)	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class									
5									
10									
15	1.1	0.5	1.0			2.6	0.5	0.5	
20	2.7	1.6	0.6		1.0	5.9	0.5		
25	3.3	2.9	3.4		2.0	11.6			
30	4.8	0.9	1.6			7.3			
35	6.1	0.5	4.4			11.0			
40	2.7	0.9	1.2	0.2		5.1			
45	3.1					3.1	0.4		
50	0.4					0.4			
55									
60	0.4					0.4			
65									
70									
75									
80									
85									
90									
95									
100									
105									
110									
115									
120									
125									
130									
135									
140									
145									
150									
175									
200									
225									
250									
275									
Total	24.6	7.3	12.1	0.2	3.0	47.3			
Dead P	1.5						1.5		
Dead U			0.5					0.5	
Live U									
Average Basal Area (m2) at 5 Levels									
12.5 +	24.6	7.3	12.1	0.2	3.0	47.3	1.5	0.5	
17.5 +	23.5	6.8	11.1	0.2	3.0	44.8	0.9		
22.5 +	20.8	5.2	10.5	0.2	2.0	38.8	0.4		
27.5 +	17.5	2.3	7.2	0.2		27.2	0.4		
32.5 +	12.8	1.4	5.6	0.2		19.9	0.4		

*** 1 tree(s) changed to tree class 4:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright© 1996-2017, Industrial Forestry Service Ltd.

Plot Summary

Average Line Method
BCTS
Licence Number: A94685 CP: TBD
Project: 2018-02

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: C
PSYU: Dewdney (Harrison)
Region: 1 - South Coast
District: 01 - Chilliwack

07-Feb-2018 12:41:01PM
Filename: DAC-2018-02-A94685.ccp
Compiled by: IFS
Cruised by: DUNHAM & ASSOC.
Version: 2017.01   IFS build 6070

Utilization Levels:	Minimum DBH	Top Diameter	Stump Height
Mature Blocks: (cm)	17.5	15.0	30
Immature Blocks:(cm)	12.0	10.0	30

Standard Log Length:(m) 10.00

Forest Type	Block	Strip	Plot #	Plot Size	Slope %	Species	# of Stems	Stems / Ha	Avg Diam	Gross Merch	Less Decay	Less DB	Less DWB	Cruise Date	Loss YI	Loss OI	Ref No. M
1-FH(C) 2-4	208	2	2	12.250F	32	NIL	0										
						All Sp.	0							1712			
		2	3	12.250F C	55	Doug-Fir	5										
						All Sp.	5							1712			
		2	5	12.250F C	38	Doug-Fir	6										
						Hemlock	1										
						All Sp.	7							1712			
		2	6	12.250F	28	W.R. Cedar	2	680.32	21.41	139.67	139.67	132.69	132.69		201		
						Doug-Fir	1	79.12	44.40	112.21	112.21	107.72	107.72		101		
						Hemlock	3	503.24	30.49	275.87	275.87	264.83	264.83		301		
						All Sp.	6	1262.68	27.22	527.75	527.75	505.24	505.24	1712			
		3	2	12.250F C	25	W.R. Cedar	3										
						Hemlock	1										
						All Sp.	4							1712			
		3	3	12.250F	35	Hemlock	3	385.69	34.83	372.00	372.00	357.12	357.12		301		
						All Sp.	3	385.69	34.83	372.00	372.00	357.12	357.12	1712			
		4	2	12.250F	44	W.R. Cedar	3	705.35	25.76	247.67	247.67	235.28	235.28		201		
						Doug-Fir	1	121.02	35.90	89.65	89.65	86.06	86.06		101		
						All Sp.	4	826.37	27.48	337.31	337.31	321.35	321.35	1712			
		4	3	12.250F C	20	Hemlock	6										
						All Sp.	6							1712			
		4	6	12.250F	61	Doug-Fir	4	720.52	29.43	446.79	446.79	428.92	428.92		101		
						All Sp.	4	720.52	29.43	446.79	446.79	428.92	428.92	1712			
		5	3	9.000F	55	Alder	2	434.49	22.97	87.36	87.36	83.86	83.86			1202	
						All Sp.	2	434.49	22.97	87.36	87.36	83.86	83.86	1712			
		5	5	12.250F	76	Doug-Fir	2	324.57	31.00	144.61	144.61	138.82	138.82		101		
						All Sp.	2	324.57	31.00	144.61	144.61	138.82	138.82	1712			
		6	3	12.250F C	48	Doug-Fir	4										
						All Sp.	4							1712			
		6	4	12.250F	19	W.R. Cedar	1	868.63	13.40	47.87	47.87	45.48	45.48		201		
						Doug-Fir	3	332.47	37.52	341.45	341.45	327.79	327.79		101		
						Hemlock	1	259.84	24.50	91.16	91.16	87.52	87.52		301		
						All Sp.	5	1460.95	23.10	480.48	480.48	460.78	460.78	1712			

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright© 1996-2017, Industrial Forestry Service Ltd.

Plot Summary

Average Line Method
BCTS
Licence Number: A94685 CP: TBD
Project: 2018-02

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: C
PSYU: Dewdney (Harrison)
Region: 1 - South Coast
District: 01 - Chilliwack

07-Feb-2018 12:41:01PM
Filename: DAC-2018-02-A94685.ccp
Compiled by: IFS
Cruised by: DUNHAM & ASSOC.
Version: 2017.01   IFS build 6070

Utilization Levels:	Minimum DBH	Top Diameter	Stump Height
Mature Blocks: (cm)	17.5	15.0	30
Immature Blocks:(cm)	12.0	10.0	30

Standard Log Length:(m) 10.00

Forest Type	Block	Strip	Plot #	Size	Slope %	Species	# of Stems	Stems / Ha	Avg Diam	Gross Merch	Less Decay	Less DB	Less DWB	Cruise Date	Loss YI	Ref No. OI	M
1-FH(C) 2-4	208	6	5	12.250F C	150	W.R. Cedar	1										
						Doug-Fir	2										
						Hemlock	1										
						All Sp.	4							1712			
		07	13	12.250F	64	Doug-Fir	2	169.07	42.95	224.17	224.17	215.21	215.21		101		
						Hemlock	7	2338.24	21.61	557.28	557.28	534.99	534.99		301		
						E-Down	1	908.87	13.10						301		
						All Sp.	9	2507.31	23.66	781.46	781.46	750.20	750.20	1712			
		07	14	12.250F C	70	Doug-Fir	8										
						All Sp.	8							1712			
		7	5	12.250F	53	Doug-Fir	3	1381.00	18.41	229.29	229.29	220.12	220.12		101		
						Hemlock	1	126.60	35.10	126.43	126.43	121.38	121.38		301		
						All Sp.	4	1507.60	20.34	355.73	355.73	341.50	341.50	1712			
		7	6	12.250F C	36	Alder	5										
						Doug-Fir	1										
						All Sp.	6							1712			
		08	13	12.250F C	54	Doug-Fir	1										
						All Sp.	1							1712			
		08	14	12.250F	75	Doug-Fir	4	763.70	28.58	372.46	372.46	357.56	357.56		101		
						All Sp.	4	763.70	28.58	372.46	372.46	357.56	357.56	1712			
		8	2	9.000F	47	Doug-Fir	2	153.39	38.65	157.34	157.34	151.04	151.04		101		
						Hemlock	2	699.45	18.10	96.74	96.74	92.87	92.87		301		
						All Sp.	4	852.84	23.18	254.08	254.08	243.91	243.91	1712			
		8	7	12.250F C	48	Alder	1										
						Doug-Fir	3										
						All Sp.	4							1712			
		8	12	12.250F	58	Doug-Fir	1	455.72	18.50	69.11	69.11	66.35	66.35		101		
						Hemlock	1	881.74	13.30	27.99	27.99	26.87	26.87		301		
						All Sp.	2	1337.47	15.27	97.11	97.11	93.22	93.22	1712			
		09	13	12.250F	44	W.R. Cedar	2	276.22	33.61	171.78	171.78	163.20	163.20		201		
						Hemlock	1	95.09	40.50	108.19	108.19	103.86	103.86		301		
						All Sp.	3	371.31	35.50	279.97	279.97	267.05	267.05	1712			
		09	14	12.250F C	36	Alder	1										
						All Sp.	1							1712			

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright© 1996-2017, Industrial Forestry Service Ltd.

Plot Summary

Average Line Method
BCTS
Licence Number: A94685 CP: TBD
Project: 2018-02

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: C
PSYU: Dewdney (Harrison)
Region: 1 - South Coast
District: 01 - Chilliwack

07-Feb-2018 12:41:01PM
Filename: DAC-2018-02-A94685.ccp
Compiled by: IFS
Cruised by: DUNHAM & ASSOC.
Version: 2017.01   IFS build 6070

Utilization Levels:	Minimum DBH	Top Diameter	Stump Height
Mature Blocks: (cm)	17.5	15.0	30
Immature Blocks:(cm)	12.0	10.0	30

Standard Log Length:(m) 10.00

Forest Type	Block	Strip	Plot #	Plot Size	Slope %	Species	# of Stems	Stems / Ha	Avg Diam	Gross Merch	Less Decay	Less DB	Less DWB	Cruise Date	Loss Ref No. YI	Loss Ref No. OI	Loss Ref No. M
1-FH(C) 2-4	208	9	3	9.000F	44	Alder	1	211.08	23.30	61.98	61.98	59.50	59.50			1202	
						Doug-Fir	5	368.00	39.46	413.24	413.24	396.72	396.72		101		
						All Sp.	6	579.08	34.46	475.23	475.23	456.22	456.22	1712			
		9	7	12.250F	35	W.R. Cedar	1	217.16	26.80	96.37	96.37	91.55	91.55		201		
						Doug-Fir	3	978.60	21.87	267.05	267.05	256.37	256.37		101		
						All Sp.	4	1195.75	22.84	363.42	363.42	347.92	347.92	1712			
		9	8	12.250F C	14	W.R. Cedar	1										
						Hemlock	2										
						All Sp.	3							1712			
		9	9	12.250F	58	Doug-Fir	1	140.66	33.30	94.65	94.65	90.87	90.87		101		
						All Sp.	1	140.66	33.30	94.65	94.65	90.87	90.87	1712			
		9	12	12.250F C	90	Hemlock	3										
						All Sp.	3							1712			
		9	15	12.250F	46	W.R. Cedar	1	134.92	34.00	86.39	86.39	82.07	82.07		201		
						Doug-Fir	4	555.14	33.52	364.41	364.41	349.83	349.83		101		
						All Sp.	5	690.07	33.62	450.80	450.80	431.90	431.90	1712			
		10	10	12.250F	56	Doug-Fir	2	1072.41	17.06	148.33	148.33	142.40	142.40		101		
						All Sp.	2	1072.41	17.06	148.33	148.33	142.40	142.40	1712			
		11	9	12.250F	71	Doug-Fir	5	918.37	29.14	475.01	475.01	456.01	456.01		101		
						Hemlock	1	253.60	24.80	99.00	99.00	95.04	95.04		301		
						All Sp.	6	1171.96	28.26	574.01	574.01	551.05	551.05	1712			
		11	11	12.250F	42	Doug-Fir	3	965.07	22.02	219.20	219.20	210.43	210.43		101		
						All Sp.	3	965.07	22.02	219.20	219.20	210.43	210.43	1712			
		12	10	12.250F	38	W.R. Cedar	3	908.84	22.69	216.11	216.11	205.30	205.30		201		
						Doug-Fir	3	716.52	25.55	291.08	291.08	279.44	279.44		101		
						All Sp.	6	1625.36	24.00	507.19	507.19	484.74	484.74	1712			
		12	11	12.250F C	8	W.R. Cedar	1										
						Doug-Fir	1										
						Hemlock	2										
						All Sp.	4							1712			
		15	5	9.000F	45	Cottonwood	1	66.22	41.60	84.13	80.77	76.56	76.56			1102	
						W.R. Cedar	4	1046.38	20.93	267.30	267.30	253.94	253.94		201		
						Doug-Fir	1	57.61	44.60	85.96	85.96	82.53	82.53		101		

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright© 1996-2017, Industrial Forestry Service Ltd.

Plot Summary

Average Line Method
BCTS
Licence Number: A94685 CP: TBD
Project: 2018-02

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: C
PSYU: Dewdney (Harrison)
Region: 1 - South Coast
District: 01 - Chilliwack

07-Feb-2018 12:41:01PM
Filename: DAC-2018-02-A94685.ccp
Compiled by: IFS
Cruised by: DUNHAM & ASSOC.
Version: 2017.01   IFS build 6070

Utilization Levels:	Minimum DBH	Top Diameter	Stump Height
Mature Blocks: (cm)	17.5	15.0	30
Immature Blocks:(cm)	12.0	10.0	30

Standard Log Length:(m) 10.00

Forest Type	Block	Strip	Plot #	Plot Size	Slope %	Species	# of Stems	Stems / Ha	Avg Diam	Gross Merch	Less Decay	Less DB	Less DWB	Cruise Date	Loss YI	Ref No. OI	Ref No. M
1-FH(C) 2-4	208	15	5	9.000F	45	Hemlock	3	411.27	28.91	220.63	220.63	211.80	211.80		301		
						All Sp.	9	1581.48	25.54	658.03	654.66	624.83	624.83	1712			

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright© 1996-2017, Industrial Forestry Service Ltd.