

BCTS

A94685 - CP# TBD

West Harrison
Block #: HW208

SUMMARY OF VOLUMES (loss factors) L E A V E T R E E R E P O R T

07-Feb-2018 12:20:29PM

Cruised by: DUNHAM & ASSOC.
Compiled by: IFS



Industrial Forestry Service Ltd. - Cruise Compilation Disclaimer

This compilation report was prepared by Industrial Forestry Service Ltd. (IFS) solely for the purpose of BCTS, and is based on the cruise data supplied to IFS by the client or its contractor. IFS is not responsible for any errors in this report resulting from errors in the cruise data including sampling errors, errors in quantities of measurement, measurement errors, or errors in qualities of measurement.

IFS's liability for any errors in the compilation report not attributable to the data are limited to the fee paid to IFS for the compilation and preparation of the report. In no event does IFS accept any liability for loss of profits or other indirect or consequential damages.

Generally, the liability of the client's cruising contractor is limited to the fee paid to the contractor for completion of the cruise and management of the data. This understanding should be included in the contract between the client and its contractor.

*** FOR APPRAISAL PURPOSES ***			L E A V E T R E E R E P O R T			BS- 1, p3		
			Block Summary			07-Feb-2018 12:20:29PM		
Average Line Method			Grades: MOF Computerized			FIZ: C		
BCTS			Computerized Decay			PSYU: Dewdney (Harrison)		
Licence Number: A94685 CP: TBD			Computerized Waste			Region: 1 - South Coast		
Project: 2018-02			Computerized Breakage			District: 01 - Chilliwack		
						Compiled by: IFS		
						Cruised by: DUNHAM & ASSOC.		
						Version: 2017.01 IFS build 6070		

Net Area: Block : (I) - 208:HW208, Plots in Block: 37, TUs: [All Treatment Units : 40.8]
Gross Area: [Reserve : 0.7][Grand Total : 41.5]

		Total	Conifer	Decid	F	C	H	AC	D
Utilization Limits									
Min DBH	cm (I)				12.0	12.0	12.0	12.0	12.0
Stump Ht	cm (I)				30.0	30.0	30.0	30.0	30.0
Top Dia	cm (I)				10.0	10.0	10.0	10.0	10.0
Log Len	m				10.0	10.0	10.0	10.0	10.0
Volume and Size Data									
Gross Merchantable	m3	2	0	2			0		2
Net Merchantable	m3	2	0	2			0		2
Net Merch - All	m3/ha	0	0	0			0		0
Distribution	%	100	5	95			5		95
Decay	%								
Waste	%								
Waste(billing)	%								
Breakage	%	4	4	4			4		4
Total Cull (DWB)	%	4	4	4			4		4
Stems/Ha (Live & DP)		0.2	0.1	0.2			0.1		0.2
Avg DBH (Live & DP)	cm	21.0	13.5	23.1			13.5		23.1
Snags/Ha									
Avg Snag DBH	cm								
Gross Merch Vol/Tree	m3	0.18	0.03	0.23			0.03		0.23
Net Merch Vol/Tree	m3	0.17	0.03	0.22			0.03		0.22
Avg Weight Total Ht	m	13.9	9.9	14.2			9.9		14.2
Avg Weight Merch Ht	m	9.0	3.5	9.3			3.5		9.3
Avg 10.0 m Log Net	m3	0.18	0.03	0.23			0.03		0.23
Avg 10.0 m Log Gross	m3	0.18	0.03	0.23			0.03		0.23
Avg # of 10.0 m Logs/Tree		1.00	1.00	1.00			1.00		1.00
Net Immature	%	100.0	100.0	100.0			100.0		100.0
Net 2nd Growth	%		100.0						
Average Slope	%	49							
Algorithm Grades %									
#4 Sawlog	J								
#5 Utility	U								
#6 Utility	X	5	100				100		
#7 Chipper	Y	95		100					100
Statistical Summary									
Coeff. of Variation	%	125.1	306.8	108.4			311.5		103.1
Two Standard Error	%	52.2	127.9	45.2			129.9		43.0
Number and Type of Plots		MP = 23	CP = 14						
Number of Potential Trees		93							
Plots/Ha		0.9							
Cruised Trees/Plot		4.2							
Slope % Statistics									
Min= 8,									
Max=150,									
CV=50.3,									
Std Error of Mean=4.1,									
2SE%=16.5									

*** FOR APPRAISAL PURPOSES ***			L E A V E T R E E R E P O R T			BS- 2, p4		
			Block Summary			07-Feb-2018 12:20:29PM		
Average Line Method			Grades: MOF Computerized			Filename: DAC-2018-02-A94685.ccp		
BCTS			Computerized Decay			Compiled by: IFS		
Licence Number: A94685 CP: TBD			Computerized Waste			Cruised by: DUNHAM & ASSOC.		
Project: 2018-02			Computerized Breakage			Version: 2017.01 IFS build 6070		

Net Area: Block : (I) - 208:HW208, Plots in Block: 37, TUs: [Merch : 40.7]

		Total	Conifer	Decid	F	C	H	AC	D
Utilization Limits									
Min DBH	cm (I)				12.0	12.0	12.0	12.0	12.0
Stump Ht	cm (I)				30.0	30.0	30.0	30.0	30.0
Top Dia	cm (I)				10.0	10.0	10.0	10.0	10.0
Log Len	m				10.0	10.0	10.0	10.0	10.0
Volume and Size Data									
Gross Merchantable	m3								
Net Merchantable	m3								
Net Merch - All	m3/ha								
Distribution	%								
Decay	%								
Waste	%								
Waste(billing)	%								
Breakage	%								
Total Cull (DWB)	%								
Stems/Ha (Live & DP)									
Avg DBH (Live & DP)	cm								
Snags/Ha									
Avg Snag DBH	cm								
Gross Merch Vol/Tree	m3								
Net Merch Vol/Tree	m3								
Avg Weight Total Ht	m								
Avg Weight Merch Ht	m								
Avg 10.0 m Log Net	m3								
Avg 10.0 m Log Gross	m3								
Avg # of 10.0 m Logs/Tree									
Net Immature	%								
Net 2nd Growth	%								
Average Slope	%	49							
Algorithm Grades %									
#4 Sawlog	J								
#5 Utility	U								
#6 Utility	X								
#7 Chipper	Y								
Statistical Summary									
Coeff. of Variation	%	125.1	306.8	108.4			311.5		103.1
Two Standard Error	%	52.2	127.9	45.2			129.9		43.0
Number and Type of Plots		MP = 23	CP = 14						
Number of Potential Trees		93							
Plots/Ha		0.9							
Cruised Trees/Plot		4.2							
Slope % Statistics									
Min=	8,	Max=150,	CV=50.3,	Std Error of Mean=4.1,	2SE%=16.5				

*** FOR APPRAISAL PURPOSES ***			L E A V E T R E E R E P O R T			BS- 3, p5		
			Block Summary			07-Feb-2018 12:20:29PM		
Average Line Method			Grades: MOF Computerized			Filename: DAC-2018-02-A94685.ccp		
BCTS			Computerized Decay			Compiled by: IFS		
Licence Number: A94685 CP: TBD			Computerized Waste			Cruised by: DUNHAM & ASSOC.		
Project: 2018-02			Computerized Breakage			Version: 2017.01 IFS build 6070		

Net Area: Block : (I) - 208:HW208, Plots in Block: 37, TUs: [M/C Free : 0.1]

		Total	Conifer	Decid	F	C	H	AC	D
Utilization Limits									
Min DBH	cm (I)				12.0	12.0	12.0	12.0	12.0
Stump Ht	cm (I)				30.0	30.0	30.0	30.0	30.0
Top Dia	cm (I)				10.0	10.0	10.0	10.0	10.0
Log Len	m				10.0	10.0	10.0	10.0	10.0
Volume and Size Data									
Gross Merchantable	m3	2	0	2			0		2
Net Merchantable	m3	2	0	2			0		2
Net Merch - All	m3/ha	17	1	16			1		16
Distribution	%	100	5	95			5		95
Decay	%								
Waste	%								
Waste(billing)	%								
Breakage	%	4	4	4			4		4
Total Cull (DWB)	%	4	4	4			4		4
Stems/Ha (Live & DP)		97.9	25.0	72.9			25.0		72.9
Avg DBH (Live & DP)	cm	21.0	13.5	23.1			13.5		23.1
Snags/Ha									
Avg Snag DBH	cm								
Gross Merch Vol/Tree	m3	0.18	0.03	0.23			0.03		0.23
Net Merch Vol/Tree	m3	0.17	0.03	0.22			0.03		0.22
Avg Weight Total Ht	m	13.9	9.9	14.2			9.9		14.2
Avg Weight Merch Ht	m	9.0	3.5	9.3			3.5		9.3
Avg 10.0 m Log Net	m3	0.18	0.03	0.23			0.03		0.23
Avg 10.0 m Log Gross	m3	0.18	0.03	0.23			0.03		0.23
Avg # of 10.0 m Logs/Tree		1.00	1.00	1.00			1.00		1.00
Net Immature	%	100.0	100.0	100.0			100.0		100.0
Net 2nd Growth	%		100.0						
Average Slope	%	49							
Algorithm Grades %									
#4 Sawlog	J								
#5 Utility	U								
#6 Utility	X	5	100				100		
#7 Chipper	Y	95		100					100
Statistical Summary									
Coeff. of Variation	%	125.1	306.8	108.4			311.5		103.1
Two Standard Error	%	52.2	127.9	45.2			129.9		43.0
Number and Type of Plots		MP = 23	CP = 14						
Number of Potential Trees		93							
Plots/Ha		0.9							
Cruised Trees/Plot		4.2							
Slope % Statistics									
Min= 8,									
Max=150,									
CV=50.3,									
Std Error of Mean=4.1,									
2SE%=16.5									

Net Area: Type 1 (I):FH(C) 2-4, Plots in Type: 37, TUs: [All Treatment Units : 40.8]

		Total	Conifer	Decid	F	C	H	AC	D
Utilization Limits									
Min DBH	cm (I)				12.0	12.0	12.0	12.0	12.0
Stump Ht	cm (I)				30.0	30.0	30.0	30.0	30.0
Top Dia	cm (I)				10.0	10.0	10.0	10.0	10.0
Log Len	m				10.0	10.0	10.0	10.0	10.0
Volume and Size Data									
Gross Merchantable	m3	2	0	2			0		2
Net Merchantable	m3	2	0	2			0		2
Net Merch - All	m3/ha	0	0	0			0		0
Distribution	%	100	5	95			5		95
Decay	%								
Waste	%								
Waste(billing)	%								
Breakage	%	4	4	4			4		4
Total Cull (DWB)	%	4	4	4			4		4
Stems/Ha (Live & DP)		0.2	0.1	0.2			0.1		0.2
Avg DBH (Live & DP)	cm	21.0	13.5	23.1			13.5		23.1
Snags/Ha									
Avg Snag DBH	cm								
Gross Merch Vol/Tree	m3	0.18	0.03	0.23			0.03		0.23
Net Merch Vol/Tree	m3	0.17	0.03	0.22			0.03		0.22
Avg Weight Total Ht	m	13.9	9.9	14.2			9.9		14.2
Avg Weight Merch Ht	m	9.0	3.5	9.3			3.5		9.3
Avg 10.0 m Log Net	m3	0.18	0.03	0.23			0.03		0.23
Avg 10.0 m Log Gross	m3	0.18	0.03	0.23			0.03		0.23
Avg # of 10.0 m Logs/Tree		1.00	1.00	1.00			1.00		1.00
Net Immature	%	100.0	100.0	100.0			100.0		100.0
Net 2nd Growth	%		100.0						
Algorithm Grades %									
#4 Sawlog	J								
#5 Utility	U								
#6 Utility	X	5	100				100		
#7 Chipper	Y	95		100					100
Statistical Summary									
Coeff. of Variation	%	299.0	332.6	336.5			332.6		336.5
Two Standard Error	%	52.2	127.9	45.2			129.9		43.0
Number and Type of Plots		MP = 23	CP = 14						
Number of Potential Trees		93							
Plots/Ha		0.9							
Cruised Trees/Plot		4.2							

Net Area: Type 1 (I):FH(C) 2-4, Plots in Type: 37, TUs: [Merch : 40.7]

		Total	Conifer	Decid	F	C	H	AC	D
Utilization Limits									
Min DBH	cm (I)				12.0	12.0	12.0	12.0	12.0
Stump Ht	cm (I)				30.0	30.0	30.0	30.0	30.0
Top Dia	cm (I)				10.0	10.0	10.0	10.0	10.0
Log Len	m				10.0	10.0	10.0	10.0	10.0
Volume and Size Data									
Gross Merchantable	m3								
Net Merchantable	m3								
Net Merch - All	m3/ha								
Distribution	%								
Decay	%								
Waste	%								
Waste(billing)	%								
Breakage	%								
Total Cull (DWB)	%								
Stems/Ha (Live & DP)									
Avg DBH (Live & DP)	cm								
Snags/Ha									
Avg Snag DBH	cm								
Gross Merch Vol/Tree	m3								
Net Merch Vol/Tree	m3								
Avg Weight Total Ht	m								
Avg Weight Merch Ht	m								
Avg 10.0 m Log Net	m3								
Avg 10.0 m Log Gross	m3								
Avg # of 10.0 m Logs/Tree									
Net Immature	%								
Net 2nd Growth	%								
Algorithm Grades %									
#4 Sawlog	J								
#5 Utility	U								
#6 Utility	X								
#7 Chipper	Y								
Statistical Summary									
Coeff. of Variation	%	299.0	332.6	336.5			332.6		336.5
Two Standard Error	%	52.2	127.9	45.2			129.9		43.0
Number and Type of Plots		MP = 23	CP = 14						
Number of Potential Trees		93							
Plots/Ha		0.9							
Cruised Trees/Plot		4.2							

Net Area: Type 1 (I):FH(C) 2-4, Plots in Type: 37, TUs: [M/C Free : 0.1]

		Total	Conifer	Decid	F	C	H	AC	D
Utilization Limits									
Min DBH	cm (I)				12.0	12.0	12.0	12.0	12.0
Stump Ht	cm (I)				30.0	30.0	30.0	30.0	30.0
Top Dia	cm (I)				10.0	10.0	10.0	10.0	10.0
Log Len	m				10.0	10.0	10.0	10.0	10.0
Volume and Size Data									
Gross Merchantable	m3	2	0	2			0		2
Net Merchantable	m3	2	0	2			0		2
Net Merch - All	m3/ha	17	1	16			1		16
Distribution	%	100	5	95			5		95
Decay	%								
Waste	%								
Waste(billing)	%								
Breakage	%	4	4	4			4		4
Total Cull (DWB)	%	4	4	4			4		4
Stems/Ha (Live & DP)		97.9	25.0	72.9			25.0		72.9
Avg DBH (Live & DP)	cm	21.0	13.5	23.1			13.5		23.1
Snags/Ha									
Avg Snag DBH	cm								
Gross Merch Vol/Tree	m3	0.18	0.03	0.23			0.03		0.23
Net Merch Vol/Tree	m3	0.17	0.03	0.22			0.03		0.22
Avg Weight Total Ht	m	13.9	9.9	14.2			9.9		14.2
Avg Weight Merch Ht	m	9.0	3.5	9.3			3.5		9.3
Avg 10.0 m Log Net	m3	0.18	0.03	0.23			0.03		0.23
Avg 10.0 m Log Gross	m3	0.18	0.03	0.23			0.03		0.23
Avg # of 10.0 m Logs/Tree		1.00	1.00	1.00			1.00		1.00
Net Immature	%	100.0	100.0	100.0			100.0		100.0
Net 2nd Growth	%		100.0						
Algorithm Grades %									
#4 Sawlog	J								
#5 Utility	U								
#6 Utility	X	5	100				100		
#7 Chipper	Y	95		100					100
Statistical Summary									
Coeff. of Variation	%	299.0	332.6	336.5			332.6		336.5
Two Standard Error	%	52.2	127.9	45.2			129.9		43.0
Number and Type of Plots		MP = 23	CP = 14						
Number of Potential Trees		93							
Plots/Ha		0.9							
Cruised Trees/Plot		4.2							

Block : (I) - 208:HW208, Plots in Block: 37, TUs: [All Treatment Units : 40.8]

		F	C	H	AC	D	Total	DP	DU	LU
Utilization Limits										
Min DBH	cm (I)	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht	cm (I)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia	cm (I)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len	m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH										
Class										
5										
10										
15				0.1			0.1			
20						0.1	0.1			
25						0.1	0.1			
30										
35										
40										
45										
50										
55										
60										
65										
70										
75										
80										
85										
90										
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total				0.1		0.2	0.2			
Dead P										
Dead U										
Live U										
		Average DBH(cm) at 5 Levels								
12.5 +				13.5		23.1	21.0			
17.5 +						23.1	23.1			
22.5 +						24.5	24.5			
27.5 +										
32.5 +										

Block Stand Table (stems/ha)

Average Line Method

Grades: MOF Computerized

FIZ: C

07-Feb-2018 12:20:29PM

Filename: DAC-2018-02-A94685.ccp

BCTS

Computerized Decay

PSYU: Dewdney (Harrison)

Compiled by: IFS

Licence Number: A94685 CP: TBD

Computerized Waste

Region: 1 - South Coast

Cruised by: DUNHAM & ASSOC.

Project: 2018-02

Computerized Breakage

District: 01 - Chilliwack

Version: 2017.01 IFS build 6070

Block : (I) - 208:HW208, Plots in Block: 37, TUs: [Merch : 40.7]

		F	C	H	AC	D	Total	DP	DU	LU
Utilization Limits										
Min DBH	cm (I)	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht	cm (I)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia	cm (I)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len	m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH										
Class										
5										
10										
15										
20										
25										
30										
35										
40										
45										
50										
55										
60										
65										
70										
75										
80										
85										
90										
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total										
Dead P										
Dead U										
Live U										
Average DBH(cm) at 5 Levels										
12.5 +										
17.5 +										
22.5 +										
27.5 +										
32.5 +										

```
*** 1 tree(s) changed to tree class 4:because only log was less then 3.00 m ***
```

1 tree(s) changed to tree class 4: because only log was less than 3.00 m
 FLAGS: Leave Tree Report, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright' 1996-2017, Industrial Forestry Service Ltd.

*** FOR APPRAISAL PURPOSES ***			L E A V E T R E E R E P O R T			BSTND- 3, p11		
			Block Stand Table (stems/ha)			07-Feb-2018 12:20:29PM		
Average Line Method		Grades: MOF Computerized	FIZ: C		Filename: DAC-2018-02-A94685.ccp			
BCTS		Computerized Decay	PSYU: Dewdney (Harrison)		Compiled by: IFS			
Licence Number: A94685 CP: TBD		Computerized Waste	Region: 1 - South Coast		Cruised by: DUNHAM & ASSOC.			
Project: 2018-02		Computerized Breakage	District: 01 - Chilliwack		Version: 2017.01 IFS build 6070			

Block : (I) - 208:HW208, Plots in Block: 37, TUs: [M/C Free : 0.1]

		F	C	H	AC	D	Total	DP	DU	LU
Utilization Limits										
Min DBH	cm (I)	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht	cm (I)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia	cm (I)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len	m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH										
Class										
5										
10										
15										
20										
25										
30										
35										
40										
45										
50										
55										
60										
65										
70										
75										
80										
85										
90										
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total			25.0			72.9	97.9			
Dead P										
Dead U										
Live U										
Average DBH(cm) at 5 Levels										
12.5 +			13.5			23.1	21.0			
17.5 +						23.1	23.1			
22.5 +						24.5	24.5			
27.5 +										
32.5 +										

Type 1 (I):FH(C) 2-4, Plots in Type: 37, TUs: [All Treatment Units : 40.8]

Utilization Limits										
	F	C	H	AC	D	Total	DP	DU	LU	
Min DBH cm (I)	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	
Stump Ht cm (I)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	
Top Dia cm (I)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
DBH										
Class										
5										
10										
15			0.1			0.1				
20					0.1	0.1				
25					0.1	0.1				
30										
35										
40										
45										
50										
55										
60										
65										
70										
75										
80										
85										
90										
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total			0.1		0.2	0.2				
Dead P										
Dead U										
Live U										
Average DBH(cm) at 5 Levels										
12.5 +			13.5		23.1	21.0				
17.5 +					23.1	23.1				
22.5 +					24.5	24.5				
27.5 +										
32.5 +										

Type Stand Table (stems/ha)

Average Line Method

Grades: MOF Computerized

FIZ: C

07-Feb-2018 12:20:29PM

Filename: DAC-2018-02-A94685.ccp

BCTS

Computerized Decay

PSYU: Dewdney (Harrison)

Compiled by: IFS

Licence Number: A94685 CP: TBD

Computerized Waste

Region: 1 - South Coast

Cruised by: DUNHAM & ASSOC.

Project: 2018-02

Computerized Breakage

District: 01 - Chilliwack

Version: 2017.01 IFS build 6070

Type 1 (I):FH(C) 2-4, Plots in Type: 37, TUs: [Merch : 40.7]

		F	C	H	AC	D	Total	DP	DU	LU
Utilization Limits										
Min DBH	cm (I)	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht	cm (I)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia	cm (I)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len	m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20										
25										
30										
35										
40										
45										
50										
55										
60										
65										
70										
75										
80										
85										
90										
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total										
Dead P										
Dead U										
Live U										
Average DBH(cm) at 5 Levels										
12.5 +										
17.5 +										
22.5 +										
27.5 +										
32.5 +										

```
*** 1 tree(s) changed to tree class 4:because only log was less then 3.00 m ***
```

1 tree(s) changed to tree class 4: because only log was less than 3.00 m
 FLAGS: Leave Tree Report, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright' 1996-2017, Industrial Forestry Service Ltd.

*** FOR APPRAISAL PURPOSES ***			L E A V E T R E E R E P O R T			TSTND- 3, p14		
			Type Stand Table (stems/ha)			07-Feb-2018 12:20:29PM		
Average Line Method			Grades: MOF Computerized			FIZ: C		
BCTS			Computerized Decay			PSYU: Dewdney (Harrison)		
Licence Number: A94685 CP: TBD			Computerized Waste			Region: 1 - South Coast		
Project: 2018-02			Computerized Breakage			District: 01 - Chilliwack		
						Cruised by: DUNHAM & ASSOC.		
						Version: 2017.01 IFS build 6070		

Type 1 (I):FH(C) 2-4, Plots in Type: 37, TUs: [M/C Free : 0.1]

		F	C	H	AC	D	Total	DP	DU	LU
Utilization Limits										
Min DBH	cm (I)	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht	cm (I)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia	cm (I)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len	m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH										
Class										
5										
10										
15										
20										
25										
30										
35										
40										
45										
50										
55										
60										
65										
70										
75										
80										
85										
90										
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total			25.0			72.9	97.9			
Dead P										
Dead U										
Live U										
Average DBH(cm) at 5 Levels										
12.5 +			13.5			23.1	21.0			
17.5 +						23.1	23.1			
22.5 +						24.5	24.5			
27.5 +										
32.5 +										

Block : (I) - 208:HW208, Plots in Block: 37, TUs: [All Treatment Units : 40.8]

		F	C	H	AC	D	Total	DP	DU	LU
Utilization Limits										
Min DBH	cm (I)	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht	cm (I)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia	cm (I)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len	m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH										
Class										
5										
10										
15										
				0.0			0.0			
20						0.0	0.0			
25						0.0	0.0			
30										
35										
40										
45										
50										
55										
60										
65										
70										
75										
80										
85										
90										
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total				0.0	0.0		0.0			
Dead P										
Total Volumes for 7 Levels										
17.5 +						0.0	0.0			
22.5 +						0.0	0.0			
27.5 +										
32.5 +										
37.5 +										
42.5 +										
47.5 +										

Block : (I) - 208:HW208, Plots in Block: 37, TUs: [Merch : 40.7]

		F	C	H	AC	D	Total	DP	DU	LU
Utilization Limits										
Min DBH	cm (I)	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht	cm (I)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia	cm (I)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len	m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH										
Class										
5										
10										
15										
20										
25										
30										
35										
40										
45										
50										
55										
60										
65										
70										
75										
80										
85										
90										
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total										
Dead P										
		Total Volumes for 7 Levels								
17.5 +										
22.5 +										
27.5 +										
32.5 +										
37.5 +										
42.5 +										
47.5 +										

Block : (I) - 208:HW208, Plots in Block: 37, TUs: [M/C Free : 0.1]

		F	C	H	AC	D	Total	DP	DU	LU
Utilization Limits										
Min DBH	cm (I)	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht	cm (I)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia	cm (I)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len	m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH										
Class										
5										
10										
15										
20				0.8			0.8			
25						4.8	4.8			
30						11.4	11.4			
35										
40										
45										
50										
55										
60										
65										
70										
75										
80										
85										
90										
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total				0.8		16.2	17.0			
Dead P										
Total Volumes for 7 Levels										
17.5 +						16.2	16.2			
22.5 +						11.4	11.4			
27.5 +										
32.5 +										
37.5 +										
42.5 +										
47.5 +										

Type 1 (I):FH(C) 2-4, Plots in Type: 37, TUs: [All Treatment Units : 40.8]

		F	C	H	AC	D	Total	DP	DU	LU
Utilization Limits										
Min DBH	cm (I)	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht	cm (I)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia	cm (I)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len	m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20				0.0			0.0			
25						0.0	0.0			
30										
35										
40										
45										
50										
55										
60										
65										
70										
75										
80										
85										
90										
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total Dead P			0.0			0.0	0.0			
Total Volumes for 7 Levels										
17.5 +						0.0	0.0			
22.5 +						0.0	0.0			
27.5 +										
32.5 +										
37.5 +										
42.5 +										
47.5 +										

Type 1 (I):FH(C) 2-4, Plots in Type: 37, TUs: [Merch : 40.7]

		F	C	H	AC	D	Total	DP	DU	LU
Utilization Limits										
Min DBH	cm (I)	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht	cm (I)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia	cm (I)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len	m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH										
Class										
5										
10										
15										
20										
25										
30										
35										
40										
45										
50										
55										
60										
65										
70										
75										
80										
85										
90										
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total										
Dead P										
		Total Volumes for 7 Levels								
17.5 +										
22.5 +										
27.5 +										
32.5 +										
37.5 +										
42.5 +										
47.5 +										

Type 1 (I):FH(C) 2-4, Plots in Type: 37, TUs: [M/C Free : 0.1]

			F	C	H	AC	D	Total	DP	DU	LU
Utilization Limits											
Min DBH	cm (I)		12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht	cm (I)		30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia	cm (I)		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len	m		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class											
5											
10											
15											
20					0.8			0.8			
25							4.8	4.8			
30							11.4	11.4			
35											
40											
45											
50											
55											
60											
65											
70											
75											
80											
85											
90											
95											
100											
105											
110											
115											
120											
125											
130											
135											
140											
145											
150											
175											
200											
225											
250											
275											
Total Dead P					0.8		16.2	17.0			
			Total Volumes for 7 Levels								
17.5 +							16.2	16.2			
22.5 +							11.4	11.4			
27.5 +											
32.5 +											
37.5 +											
42.5 +											
47.5 +											

Block : (I) - 208:HW208, Plots in Block: 37, TUs: [All Treatment Units : 40.8]

		F	C	H	AC	D	Total	DP	DU	LU
Utilization Limits										
Min DBH	cm (I)	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht	cm (I)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia	cm (I)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len	m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20				0.0			0.0			
25						0.0	0.0			
30										
35										
40										
45										
50										
55										
60										
65										
70										
75										
80										
85										
90										
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total				0.0		0.0	0.0			
Dead P										
Dead U										
Live U										
		Average Basal Area (m2) at 5 Levels								
12.5 +				0.0		0.0	0.0			
17.5 +						0.0	0.0			
22.5 +						0.0	0.0			
27.5 +										
32.5 +										

Block Basal Area Table (m2/ha)

Average Line Method

Grades: MOF Computerized

FIZ: C

07-Feb-2018 12:20:29PM

Filename: DAC-2018-02-A94685.ccp

BCTS

Computerized Decay

PSYU: Dewdney (Harrison)

Compiled by: IFS

Licence Number: A94685 CP: TBD

Computerized Waste

Region: 1 - South Coast

Cruised by: DUNHAM & ASSOC.

Project: 2018-02

Computerized Breakage

District: 01 - Chilliwack

Version: 2017.01 IFS build 6070

Block : (I) - 208:HW208, Plots in Block: 37, TUs: [Merch : 40.7]

		F	C	H	AC	D	Total	DP	DU	LU
Utilization Limits										
Min DBH	cm (I)	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht	cm (I)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia	cm (I)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len	m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20										
25										
30										
35										
40										
45										
50										
55										
60										
65										
70										
75										
80										
85										
90										
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total										
Dead P										
Dead U										
Live U										
Average Basal Area (m2) at 5 Levels										
12.5 +										
17.5 +										
22.5 +										
27.5 +										
32.5 +										

```
*** 1 tree(s) changed to tree class 4:because only log was less then 3.00 m ***
```

1 tree(s) changed to tree class 4: because only log was less than 3.00 m
 FLAGS: Leave Tree Report, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright' 1996-2017, Industrial Forestry Service Ltd.

Block : (I) - 208:HW208, Plots in Block: 37, TUs: [M/C Free : 0.1]

		F	C	H	AC	D	Total	DP	DU	LU
Utilization Limits										
Min DBH	cm (I)	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht	cm (I)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia	cm (I)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len	m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH										
Class										
5										
10										
15										
20										
25										
30										
35										
40										
45										
50										
55										
60										
65										
70										
75										
80										
85										
90										
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total		0.4			3.0		3.4			
Dead P										
Dead U										
Live U										
Average Basal Area (m2) at 5 Levels										
12.5 +	0.4									
17.5 +										
22.5 +										
27.5 +										
32.5 +										

Type 1 (I):FH(C) 2-4, Plots in Type: 37, TUs: [All Treatment Units : 40.8]

*** 1 tree(s) changed to tree class 4:because only log was less then 3.00 m ***
 FLAGS: Leave Tree Report, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,
 CruiseComp Copyright' 1996-2017, Industrial Forestry Service Ltd.

Type 1 (I):FH(C) 2-4, Plots in Type: 37, TUs: [M/C Free : 0.1]

		F	C	H	AC	D	Total	DP	DU	LU
Utilization Limits										
Min DBH	cm (I)	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht	cm (I)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia	cm (I)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len	m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH										
Class										
5										
10										
15										
20										
25										
30										
35										
40										
45										
50										
55										
60										
65										
70										
75										
80										
85										
90										
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total			0.4			3.0	3.4			
Dead P										
Dead U										
Live U										
Average Basal Area (m2) at 5 Levels										
12.5 +										
17.5 +										
22.5 +										
27.5 +										
32.5 +										