TS’ELXWEYEQW

A75807 - CP# 14

Paleface Creek
Block #: LB11A, MP2B, and PF1

SUMMARY OF VOLUMES (loss factors)
FULL VOLUMES APPLIED

10-Sep-2018 06:40:59PM

Cruised by: DUNHAM AND ASSOCIATES
Compiled by: IFS

Industrial Forestry Service Ltd. - Cruise Compilation Disclaimer

This compilation report was prepared by Industrial Forestry Service Ltd. (IFS) solely for the purpose of TS'ELXWEYEQW, and is based on the cruise data supplied to IFS by the client or its contractor. IFS is not responsible for any errors in this report resulting from errors in the cruise data including sampling errors, errors in quantities of measurement, measurement errors, or errors in qualities of measurement.

IFS's liability for any errors in the compilation report not attributable to the data are limited to the fee paid to IFS for the compilation and preparation of the report. In no event does IFS accept any liability for loss of profits or other indirect or consequential damages.

Generally, the liability of the client's cruising contractor is limited to the fee paid to the contractor for completion of the cruise and management of the data. This understanding should be included in the contract between the client and its contractor.

Map Area Statement Report

Average Line Method | Grades: MOF Computerized | FIZ: C | 10-Sep-2018 06:40:59PM
TS'ELXWEYEQW | Computerized Decay | PSYU: Dewdney (Chilliwack) | Filename: tsc-2018-04-a75807-cp-14.ccp
Licence Number: A75807 CP: 14 | Computerized Waste | Region: 1 - South Coast | Compiled by: IFS
Project: 2018-04 | Computerized Breakage | District: 01 - Chilliwack | Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

Card A Cruise Identity

Licence #	: A75807	Cutting Permit #	: 14
Number of Blocks	: 3	Forest Region	: South Coast
Forest District	: Chilliwack	Type	: PSYU
Unit No	: Dewdney (Chilliwack)	Tenure	: Forest Licence (COAST)
Quota	: Prop./Mngd.PSYU,TFL,or SSA	Sale Type	: None
Elevation	: 1	Co-ordinates Zone	: Unknown
East	: 0	North	: 0
Total Merch Area	: 24.90	Report Type	: *** FOR APPRAISAL PURPOSES ***
Locality	: Paleface Creek		

Card B Compilation Standard

Damage	: Damage	Selective	: Compile All Trees
Double Sampling	: Measure Plots Only	Special Compilation	: No Special Compilation
Species Compilation	: Exceptions Not Used	Type of Compilation	: Coastal

Compilation Standard	Mature	Immature
DBH Limit	17.50	12.00
Stump Height	30	30
Top Diameter	15.00	10.00

Card C Type Description

			Silvicultural Treatment Units	
Type	Description	A	B	C
1	HwBa 946	8.3	5.0	
2	FH 6+	3.5		
3	FH(D) 6+		2.3	
6	FH(C) 6+		4.4	1.4

Card D Block Description

					Silvicultural Treatment Units	
Block	Description	Maturity	Type	A	B	C
11A	LB11A	I	2	3.5		
			3		2.3	
P2B	MP2B	I	6		4.4	1.4
PF1	PF1	M	1	8.3	5.0	

Card F Harvesting Description

Harvest	Harvest			Silvicultural Treatment Units	
Method	Description	Type	A	B	C
CC	Cable - Clearcut	1		5.0	
		3		2.3	
		6		4.4	1.4
SC	Ground Systems - Clearcut	1	8.3		
		2	3.5		

Card G Treatment Unit Description

Treatment Unit	Description
A	ground
B	cable
C	Partial

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Appraisal Summary Report

Average Line Method
TS'ELXWEYEQW
Licence Number: A75807 CP: 14
Project: 2018-04
Location : Paleface Creek

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage
No Of Blocks : 3

FIZ: C
PSYU: Dewdney (Chilliwack)
Region: 1 - South Coast
District: 01 - Chilliwack

10-Sep-2018 06:40:59PM
Filename: tsc-2018-04-a75807-cp-14.ccp
Compiled by: IFS
Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00   IFS build 6204

Utilization Levels:	Minimum DBH	Top Diameter	Stump Height
Mature Blocks: (cm)	17.5	15.0	30
Immature Blocks:(cm)	12.0	10.0	30
Standard Log Length:(m)	10.00		

Net Area: [All Treatment Units : 24.9]

All Method Summary

Code	Species Description	F	H	I	J	M	U	X	Y	Net Volume (m3) All	Net Volume (m3) Live	Net Volume (m3) DP	Net Volume / ha All	Net Volume / ha Live	Net Volume / ha DP
BA	Balsam		10	14	54		3	7	12	2729	2729	0	109.581	109.581	0.000
CE	Cedar		19	2	27	2	45	4	1	863	801	61	34.652	32.187	2.466
CY	Y. Cedar		69				29		2	130	130	0	5.236	5.236	0.000
FI	Doug-Fir	1	18	3	63		12	3		5625	5184	441	225.905	208.178	17.727
HE	Hemlock		16	13	32		28	10	1	7529	7422	107	302.389	298.090	4.300
AL	Alder								100	125	125	0	5.007	5.007	0.000
	Total									17001	16391	610	682.771	658.279	24.492

Harvesting Method Summaries

Harvest Method	Net Volume	Net Vol /10m Log	Net Vol /Hectare	Hem+ Bal%	Partial Cut%	Slope%	Down Tree%	Heavy Fire%
CC	9269	0.45	707.590	53		53	2	0
SC	7732	0.60	655.216	69		44	5	0
Conventional Methods	17001	0.50	682.771	60		49	3	0
All Methods	17001	0.50	682.771	60			3	0

Cutting Authority

95% Confidence Interval	15.1
Plots/Ha	1.0
Cruised Trees/Plot	5.1
Net 2nd Growth-Conifer %	42.5
Net 2nd Growth-Conifer (m3)	7165
Net Immature by Block %	11A: 97% P2B: 71% PF1: 1%
Non Heli Select Conifer (m3/ha)	677.76
Heli Select Total (decimal)	0.00
Heli+Skyline Total (decimal)	0.00
Piece Size - Conifer (m3/10m log)	0.51
Cruise Date (yy-mm):	15-06

Plots: 25   # <= 5yrs: 25   # > 5yrs: 0 # > 10yrs: 0 # no date: 0

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

All Method Summary

Average Line Method
TS'ELXWEYEQW
Licence Number: A75807 CP: 14
Project: 2018-04

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: C
PSYU: Dewdney (Chilliwack)
Region: 1 - South Coast
District: 01 - Chilliwack

10-Sep-2018 06:40:59PM
Filename: tsc-2018-04-a75807-cp-14.ccp
Compiled by: IFS
Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00   IFS build 6204

[All Treatment Units : 24.9]

		Total	Conifer	Decid	F	C	H	B	Y	D
Utilization Limits										
Min DBH cm (M)					17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					15.0	15.0	15.0	15.0	15.0	15.0
Min DBH cm (I)					12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)					10.0	10.0	10.0	10.0	10.0	10.0
Log Len m					10.0	10.0	10.0	10.0	10.0	10.0
Volume and Size Data										
Gross Merchantable	m3	21924	21791	133	5985	1154	10602	3878	172	133
Net Merchantable	m3	17001	16876	125	5625	863	7529	2729	130	125
Net Merch - All	m3/ha	682.771	677.764	5.007	225.905	34.652	302.389	109.581	5.236	5.007
Net Merch - Live	m3/ha	658.279	653.272	5.007	208.178	32.187	298.090	109.581	5.236	5.007
Net Merch - DP	m3/ha	24.492	24.492		17.727	2.466	4.300			
Decay	%	11	11	1	1	14	15	16	14	1
Waste(billing)	%	8	8		1	7	13	11	4	
Total Cull (DWB)	%	22	23	6	6	25	29	30	24	6
Net Merch Vol/Tree	m3	1.05	1.05	0.80	1.46	0.77	0.99	0.81	2.64	0.80
Avg 10.0 m Log Net	m3	0.50	0.51	0.28	0.54	0.39	0.52	0.46	0.96	0.28
Useless Dead/Living	%	5	6				11			
Net Second Growth	%		42.5		78.6	49.9	30.7			
All Burn Volume	%									
Heavy Fire Volume	%									
Blowdown Volume	%	3	3		5	7	2			
Insect Volume	%									

Algorithm Grades %										
#2 Lum/#1 Lum	F				1					
#2 Sawlog	H	16	16		18	19	16	10	69	
#3 Sawlog	I	9	9		3	2	13	14		
#4 Sawlog	J	45	45		63	27	32	54		
#4 Shingle	M					2				
#5 Utility	U	20	20		12	45	28	3	29	
#6 Utility	X	7	7		3	4	10	7		
#7 Chipper	Y	3	3	100		1	1	12	2	100

*** 1 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

All Method Summary

Average Line Method
TS'ELXWEYEQW
Licence Number: A75807 CP: 14
Project: 2018-04

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: C
PSYU: Dewdney (Chilliwack)
Region: 1 - South Coast
District: 01 - Chilliwack

10-Sep-2018 06:40:59PM
Filename: tsc-2018-04-a75807-cp-14.ccp
Compiled by: IFS
Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00   IFS build 6204

[ground : 11.8]

		Total	Conifer	Decid	F	C	H	B	Y	D
Utilization Limits										
Min DBH cm (M)					17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					15.0	15.0	15.0	15.0	15.0	15.0
Min DBH cm (I)					12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)					10.0	10.0	10.0	10.0	10.0	10.0
Log Len m					10.0	10.0	10.0	10.0	10.0	10.0
Volume and Size Data										
Gross Merchantable	m3	10571	10571		2154	364	5525	2420	108	
Net Merchantable	m3	7732	7732		2068	227	3652	1703	81	
Net Merch - All	m3/ha	655.216	655.216		175.265	19.240	309.512	144.305	6.895	
Net Merch - Live	m3/ha	614.563	614.563		137.858	15.993	309.512	144.305	6.895	
Net Merch - DP	m3/ha	40.654	40.654		37.407	3.247				
Decay	%	14	14			21	17	16	14	
Waste(billing)	%	11	11			15	16	11	4	
Total Cull (DWB)	%	27	27		4	38	34	30	24	
Net Merch Vol/Tree	m3	1.21	1.21		1.06	3.47	1.62	0.81	2.64	
Avg 10.0 m Log Net	m3	0.60	0.60		0.46	1.64	0.78	0.46	0.96	
Useless Dead/Living	%									
Net Second Growth	%		31.9		100.0		10.9			
All Burn Volume	%									
Heavy Fire Volume	%									
Blowdown Volume	%	5	5		13	17	1			
Insect Volume	%									
Algorithm Grades %										
#2 Sawlog	H	16	16		9	34	20	10	69	
#3 Sawlog	I	11	11			2	17	14		
#4 Sawlog	J	42	42		78		21	54		
#4 Shingle	M					2				
#5 Utility	U	18	18		6	61	29	3	29	
#6 Utility	X	9	9		7		11	7		
#7 Chipper	Y	4	4			1	2	12	2	

*** 1 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

All Method Summary

Average Line Method
TS'ELXWEYEQW
Licence Number: A75807 CP: 14
Project: 2018-04

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: C
PSYU: Dewdney (Chilliwack)
Region: 1 - South Coast
District: 01 - Chilliwack

10-Sep-2018 06:40:59PM
Filename: tsc-2018-04-a75807-cp-14.ccp
Compiled by: IFS
Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00   IFS build 6204

[cable : 11.7]

		Total	Conifer	Decid	F	C	H	B	Y	D
Utilization Limits										
Min DBH cm (M)					17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					15.0	15.0	15.0	15.0	15.0	15.0
Min DBH cm (I)					12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)					10.0	10.0	10.0	10.0	10.0	10.0
Log Len m					10.0	10.0	10.0	10.0	10.0	10.0
Volume and Size Data										
Gross Merchantable	m3	10200	10067	133	3199	653	4692	1458	65	133
Net Merchantable	m3	8203	8079	125	2980	515	3508	1026	49	125
Net Merch - All	m3/ha	701.127	690.471	10.656	254.698	44.047	299.864	87.673	4.189	10.656
Net Merch - Live	m3/ha	692.212	681.556	10.656	254.698	42.074	292.922	87.673	4.189	10.656
Net Merch - DP	m3/ha	8.915	8.915			1.973	6.942			
Decay	%	9	9	1	2	11	12	16	14	1
Waste(billing)	%	6	6		1	5	10	11	4	
Total Cull (DWB)	%	20	20	6	7	21	25	30	24	6
Net Merch Vol/Tree	m3	0.95	0.95	0.80	1.86	0.64	0.73	0.81	2.64	0.80
Avg 10.0 m Log Net	m3	0.46	0.46	0.28	0.59	0.32	0.41	0.46	0.96	0.28
Useless Dead/Living	%	10	10				16			
Net Second Growth	%		48.8		69.3	63.4	44.1			
All Burn Volume	%									
Heavy Fire Volume	%									
Blowdown Volume	%	2	2			4	3			
Insect Volume	%									
Algorithm Grades %										
#2 Lum/#1 Lum	F	1	1		2					
#2 Sawlog	H	16	16		22	15	13	10	69	
#3 Sawlog	I	8	8		5	2	11	14		
#4 Sawlog	J	44	46		55	34	37	54		
#4 Shingle	M					2				
#5 Utility	U	21	21		15	43	28	3	29	
#6 Utility	X	6	6		1	4	10	7		
#7 Chipper	Y	4	2	100			1	12	2	100

*** 1 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

All Method Summary

Average Line Method
TS'ELXWEYEQW
Licence Number: A75807 CP: 14
Project: 2018-04

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: C
PSYU: Dewdney (Chilliwack)
Region: 1 - South Coast
District: 01 - Chilliwack

10-Sep-2018 06:40:59PM
Filename: tsc-2018-04-a75807-cp-14.ccp
Compiled by: IFS
Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00   IFS build 6204

[Partial : 1.4]

		Total	Conifer	Decid	F	C	H	B	Y	D
Utilization Limits										
Min DBH cm (M)					17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					15.0	15.0	15.0	15.0	15.0	15.0
Min DBH cm (I)					12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)					10.0	10.0	10.0	10.0	10.0	10.0
Log Len m					10.0	10.0	10.0	10.0	10.0	10.0
Volume and Size Data										
Gross Merchantable	m3	1154	1154		631	138	384			
Net Merchantable	m3	1066	1066		577	120	369			
Net Merch - All	m3/ha	761.607	761.607		412.102	86.042	263.463			
Net Merch - Live	m3/ha	743.148	743.148		412.102	86.042	245.004			
Net Merch - DP	m3/ha	18.459	18.459				18.459			
Decay	%	2	2		3	6	0			
Waste(billing)	%	1	1		1	2				
Total Cull (DWB)	%	8	8		9	13	4			
Net Merch Vol/Tree	m3	0.94	0.94		1.85	0.49	0.64			
Avg 10.0 m Log Net	m3	0.39	0.39		0.61	0.25	0.28			
Useless Dead/Living	%									
Net Second Growth	%		71.2		49.6	86.3	100.0			
All Burn Volume	%									
Heavy Fire Volume	%									
Blowdown Volume	%	2	2				7			
Insect Volume	%									

Algorithm Grades %							
#2 Lum/#1 Lum	F	1	1	3			
#2 Sawlog	H	17	17	30	8		
#3 Sawlog	I	3	3	6	2		
#4 Sawlog	J	53	53	44	46	68	
#4 Shingle	M				2		
#5 Utility	U	22	22	16	36	25	
#6 Utility	X	4	4	1	6	7	
#7 Chipper	Y						

*** 1 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Harvest Method Summary

Average Line Method
TS'ELXWEYEQW
Licence Number: A75807 CP: 14
Project: 2018-04

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: C
PSYU: Dewdney (Chilliwack)
Region: 1 - South Coast
District: 01 - Chilliwack

10-Sep-2018 06:40:59PM
Filename: tsc-2018-04-a75807-cp-14.ccp
Compiled by: IFS
Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

Harvest Method : CC - Cable - Clearcut [All Treatment Units : 13.1]

		Total	Conifer	Decid	F	C	H	B	Y	D
Utilization Limits										
Min DBH cm (M)					17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					15.0	15.0	15.0	15.0	15.0	15.0
Min DBH cm (I)					12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)					10.0	10.0	10.0	10.0	10.0	10.0
Log Len m					10.0	10.0	10.0	10.0	10.0	10.0
Volume and Size Data										
Gross Merchantable	m3	11353	11220	133	3831	790	5077	1458	65	133
Net Merchantable	m3	9269	9145	125	3557	636	3877	1026	49	125
Net Merch - All	m3/ha	707.590	698.073	9.517	271.520	48.535	295.973	78.304	3.741	9.517
Net Merch - Live	m3/ha	697.656	688.139	9.517	271.520	46.773	287.801	78.304	3.741	9.517
Net Merch - DP	m3/ha	9.935	9.935			1.762	8.173			
Decay	%	9	9	1	2	10	11	16	14	1
Waste(billing)	%	6	6		1	5	9	11	4	
Total Cull (DWB)	%	18	18	6	7	20	24	30	24	6
Net Merch Vol/Tree	m3	0.95	0.95	0.80	1.86	0.61	0.72	0.81	2.64	0.80
Avg 10.0 m Log Net	m3	0.45	0.45	0.28	0.60	0.30	0.39	0.46	0.96	0.28
Useless Dead/Living	%	9	9				15			
Net Second Growth	%		51.4		66.1	67.7	49.4			
All Burn Volume	%									
Heavy Fire Volume	%									
Blowdown Volume	%	2	2			4	4			
Insect Volume	%									
% Average Slope		53								
Algorithm Grades %										
#2 Lum/#1 Lum	F	1	1		2					
#2 Sawlog	H	16	16		24	13	11	10	69	
#3 Sawlog	I	8	8		5	2	10	14		
#4 Sawlog	J	45	46		53	36	40	54		
#4 Shingle	M					2				
#5 Utility	U	21	21		15	42	28	3	29	
#6 Utility	X	6	6		1	5	10	7		
#7 Chipper	Y	3	2	100			1	12	2	100

*** 1 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Harvest Method Summary

Average Line Method
TS'ELXWEYEQW
Licence Number: A75807 CP: 14
Project: 2018-04

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: C
PSYU: Dewdney (Chilliwack)
Region: 1 - South Coast
District: 01 - Chilliwack

10-Sep-2018 06:40:59PM
Filename: tsc-2018-04-a75807-cp-14.ccp
Compiled by: IFS
Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

Harvest Method : CC - Cable - Clearcut [cable : 11.7]

		Total	Conifer	Decid	F	C	H	B	Y	D
Utilization Limits										
Min DBH cm (M)					17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					15.0	15.0	15.0	15.0	15.0	15.0
Min DBH cm (I)					12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)					10.0	10.0	10.0	10.0	10.0	10.0
Log Len m					10.0	10.0	10.0	10.0	10.0	10.0
Volume and Size Data										
Gross Merchantable	m3	10200	10067	133	3199	653	4692	1458	65	133
Net Merchantable	m3	8203	8079	125	2980	515	3508	1026	49	125
Net Merch - All	m3/ha	701.127	690.471	10.656	254.698	44.047	299.864	87.673	4.189	10.656
Net Merch - Live	m3/ha	692.212	681.556	10.656	254.698	42.074	292.922	87.673	4.189	10.656
Net Merch - DP	m3/ha	8.915	8.915			1.973	6.942			
Decay	%	9	9	1	2	11	12	16	14	1
Waste(billing)	%	6	6		1	5	10	11	4	
Total Cull (DWB)	%	20	20	6	7	21	25	30	24	6
Net Merch Vol/Tree	m3	0.95	0.95	0.80	1.86	0.64	0.73	0.81	2.64	0.80
Avg 10.0 m Log Net	m3	0.46	0.46	0.28	0.59	0.32	0.41	0.46	0.96	0.28
Useless Dead/Living	%	10	10				16			
Net Second Growth	%		48.8		69.3	63.4	44.1			
All Burn Volume	%									
Heavy Fire Volume	%									
Blowdown Volume	%	2	2			4	3			
Insect Volume	%									

Algorithm Grades %

#2 Lum/#1 Lum	F	1	1		2					
#2 Sawlog	H	16	16		22	15	13	10	69	
#3 Sawlog	I	8	8		5	2	11	14		
#4 Sawlog	J	44	46		55	34	37	54		
#4 Shingle	M					2				
#5 Utility	U	21	21		15	43	28	3	29	
#6 Utility	X	6	6		1	4	10	7		
#7 Chipper	Y	4	2	100			1	12	2	100

*** 1 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Harvest Method Summary

Average Line Method
TS'ELXWEYEQW
Licence Number: A75807 CP: 14
Project: 2018-04

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: C
PSYU: Dewdney (Chilliwack)
Region: 1 - South Coast
District: 01 - Chilliwack

10-Sep-2018 06:40:59PM
Filename: tsc-2018-04-a75807-cp-14.ccp
Compiled by: IFS
Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

Harvest Method : CC - Cable - Clearcut [Partial : 1.4]

		Total	Conifer	Decid	F	C	H	B	Y	D
Utilization Limits										
Min DBH cm (M)					17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					15.0	15.0	15.0	15.0	15.0	15.0
Min DBH cm (I)					12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)					10.0	10.0	10.0	10.0	10.0	10.0
Log Len m					10.0	10.0	10.0	10.0	10.0	10.0
Volume and Size Data										
Gross Merchantable	m3	1154	1154		631	138	384			
Net Merchantable	m3	1066	1066		577	120	369			
Net Merch - All	m3/ha	761.607	761.607		412.102	86.042	263.463			
Net Merch - Live	m3/ha	743.148	743.148		412.102	86.042	245.004			
Net Merch - DP	m3/ha	18.459	18.459				18.459			
Decay	%	2	2		3	6	0			
Waste(billing)	%	1	1		1	2				
Total Cull (DWB)	%	8	8		9	13	4			
Net Merch Vol/Tree	m3	0.94	0.94		1.85	0.49	0.64			
Avg 10.0 m Log Net	m3	0.39	0.39		0.61	0.25	0.28			
Useless Dead/Living	%									
Net Second Growth	%		71.2		49.6	86.3	100.0			
All Burn Volume	%									
Heavy Fire Volume	%									
Blowdown Volume	%	2	2				7			
Insect Volume	%									
Algorithm Grades %										
#2 Lum/#1 Lum	F	1	1		3					
#2 Sawlog	H	17	17		30	8				
#3 Sawlog	I	3	3		6	2				
#4 Sawlog	J	53	53		44	46	68			
#4 Shingle	M					2				
#5 Utility	U	22	22		16	36	25			
#6 Utility	X	4	4		1	6	7			
#7 Chipper	Y									

*** 1 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Harvest Method Summary

Average Line Method
TS'ELXWEYEQW
Licence Number: A75807 CP: 14
Project: 2018-04

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: C
PSYU: Dewdney (Chilliwack)
Region: 1 - South Coast
District: 01 - Chilliwack

10-Sep-2018 06:40:59PM
Filename: tsc-2018-04-a75807-cp-14.ccp
Compiled by: IFS
Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

Harvest Method : SC - Ground Systems - Clearcut[All Treatment Units : 11.8]

		Total	Conifer	Decid	F	C	H	B	Y	D
Utilization Limits										
Min DBH cm (M)					17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					15.0	15.0	15.0	15.0	15.0	15.0
Min DBH cm (I)					12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)					10.0	10.0	10.0	10.0	10.0	10.0
Log Len m					10.0	10.0	10.0	10.0	10.0	10.0
Volume and Size Data										
Gross Merchantable	m3	10571	10571		2154	364	5525	2420	108	
Net Merchantable	m3	7732	7732		2068	227	3652	1703	81	
Net Merch - All	m3/ha	655.216	655.216		175.265	19.240	309.512	144.305	6.895	
Net Merch - Live	m3/ha	614.563	614.563		137.858	15.993	309.512	144.305	6.895	
Net Merch - DP	m3/ha	40.654	40.654		37.407	3.247				
Decay	%	14	14			21	17	16	14	
Waste(billing)	%	11	11			15	16	11	4	
Total Cull (DWB)	%	27	27		4	38	34	30	24	
Net Merch Vol/Tree	m3	1.21	1.21		1.06	3.47	1.62	0.81	2.64	
Avg 10.0 m Log Net	m3	0.60	0.60		0.46	1.64	0.78	0.46	0.96	
Useless Dead/Living	%									
Net Second Growth	%		31.9		100.0		10.9			
All Burn Volume	%									
Heavy Fire Volume	%									
Blowdown Volume	%	5	5		13	17	1			
Insect Volume	%									
% Average Slope		44								
Algorithm Grades %										
#2 Sawlog	H	16	16		9	34	20	10	69	
#3 Sawlog	I	11	11			2	17	14		
#4 Sawlog	J	42	42		78		21	54		
#4 Shingle	M					2				
#5 Utility	U	18	18		6	61	29	3	29	
#6 Utility	X	9	9		7		11	7		
#7 Chipper	Y	4	4			1	2	12	2	

*** 1 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Cutting Permit Summary

Average Line Method
TS'ELXWEYEQW
Licence Number: A75807 CP: 14
Project: 2018-04

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: C
PSYU: Dewdney (Chilliwack)
Region: 1 - South Coast
District: 01 - Chilliwack

10-Sep-2018 06:40:59PM
Filename: tsc-2018-04-a75807-cp-14.ccp
Compiled by: IFS
Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

Net Area: [All Treatment Units : 24.9]
Gross Area: [R/W Removed : 1.9][Retention : 1.0][Exst R/W : 0.1][Grand Total : 27.9]

		Total	Conifer	Decid	F	C	H	B	Y	D
Utilization Limits										
Min DBH cm (M)					17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					15.0	15.0	15.0	15.0	15.0	15.0
Min DBH cm (I)					12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)					10.0	10.0	10.0	10.0	10.0	10.0
Log Len m					10.0	10.0	10.0	10.0	10.0	10.0
Volume and Size Data										
Gross Merchantable	m3	21924	21791	133	5985	1154	10602	3878	172	133
Net Merchantable	m3	17001	16876	125	5625	863	7529	2729	130	125
Net Merch - All	m3/ha	683	678	5	226	35	302	110	5	5
Distribution	%	100	99	1	33	5	44	16	1	1
Decay	%	11	11	1	1	14	15	16	14	1
Waste	%	6	6		1	5	9	8	3	
Waste(billing)	%	8	8		1	7	13	11	4	
Breakage	%	5	5	5	4	6	6	6	7	5
Total Cull (DWB)	%	22	23	6	6	25	29	30	24	6
Basal Area / Ha	m2/ha	78.2	77.8	0.4	19.3	5.5	38.4	14.0	0.7	0.4
Net VBAR	m3/m2	9.045	9.040	1.068	5.475	4.478	8.755	4.194	3.927	1.068
Stems/Ha (Live & DP)		650.0	643.7	6.3	155.1	44.7	306.1	135.8	2.0	6.3
Avg DBH (Live & DP)	cm	39.1	39.2	29.7	39.8	39.5	40.0	36.2	67.6	29.7
Snags/Ha		37.7	37.7				37.7			
Avg Snag DBH	cm	12.1	12.1				12.1			
Gross Merch Vol/Tree	m3	1.35	1.36	0.85	1.55	1.04	1.39	1.15	3.49	0.85
Net Merch Vol/Tree	m3	1.05	1.05	0.80	1.46	0.77	0.99	0.81	2.64	0.80
Avg Weight Total Ht	m	33.5	33.6	29.2	40.7	29.5	31.6	29.7	27.5	29.2
Avg Weight Merch Ht	m	27.6	27.7	22.5	35.6	23.1	24.7	23.2	22.5	22.5
Avg 10.0 m Log Net	m3	0.50	0.51	0.28	0.54	0.39	0.52	0.46	0.96	0.28
Avg 10.0 m Log Gross	m3	0.61	0.61	0.28	0.55	0.48	0.67	0.60	1.16	0.28
Avg # of 10.0 m Logs/Tree		2.23	2.22	3.00	2.82	2.15	2.06	1.90	3.00	3.00
Net Immature	%	42.1	42.5		78.6	49.9	30.7			
Net 2nd Growth	%		42.5							
Average Slope	%	49								
Algorithm Grades %										
#2 Lum/#1 Lum	F				1					
#2 Sawlog	H	16	16		18	19	16	10	69	
#3 Sawlog	I	9	9		3	2	13	14		
#4 Sawlog	J	45	45		63	27	32	54		
#4 Shingle	M					2				
#5 Utility	U	20	20		12	45	28	3	29	
#6 Utility	X	7	7		3	4	10	7		
#7 Chipper	Y	3	3	100		1	1	12	2	100
Statistical Summary										
Coeff. of Variation	%	36.4	35.5	500.0	42.6	200.2	76.3	130.2	500.0	500.0
Two Standard Error	%	15.1	14.7	208.0	17.7	83.3	31.7	54.2	208.0	208.0
Number and Type of Plots		MP = 25								
Number of Potential Trees		127								
Plots/Ha		1.0								
Cruised Trees/Plot		5.1								

*** 1 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Cutting Permit Summary

Average Line Method
TS'ELXWEYEQW
Licence Number: A75807 CP: 14
Project: 2018-04

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: C
PSYU: Dewdney (Chilliwack)
Region: 1 - South Coast
District: 01 - Chilliwack

10-Sep-2018 06:40:59PM
Filename: tsc-2018-04-a75807-cp-14.ccp
Compiled by: IFS
Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

Net Area: [ground : 11.8]

		Total	Conifer	Decid	F	C	H	B	Y	D
Utilization Limits										
Min DBH cm (M)					17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					15.0	15.0	15.0	15.0	15.0	15.0
Min DBH cm (I)					12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)					10.0	10.0	10.0	10.0	10.0	10.0
Log Len m					10.0	10.0	10.0	10.0	10.0	10.0
Volume and Size Data										
Gross Merchantable	m3	10571	10571		2154	364	5525	2420	108	
Net Merchantable	m3	7732	7732		2068	227	3652	1703	81	
Net Merch - All	m3/ha	655	655		175	19	310	144	7	
Distribution	%	100	100		27	3	47	22	1	
Decay	%	14	14			21	17	16	14	
Waste	%	8	8			9	11	8	3	
Waste(billing)	%	11	11			15	16	11	4	
Breakage	%	6	6		4	7	6	6	7	
Total Cull (DWB)	%	27	27		4	38	34	30	24	
Basal Area / Ha	m2/ha	81.1	81.1		15.3	4.0	42.5	18.4	0.9	
Net VBAR	m3/m2	9.045	9.040		5.475	4.478	8.755	4.194	3.927	
Stems/Ha (Live & DP)		543.1	543.1		165.2	5.5	190.9	178.9	2.6	
Avg DBH (Live & DP)	cm	43.6	43.6		34.3	95.9	53.3	36.2	67.6	
Snags/Ha										
Avg Snag DBH	cm									
Gross Merch Vol/Tree	m3	1.65	1.65		1.11	5.56	2.45	1.15	3.49	
Net Merch Vol/Tree	m3	1.21	1.21		1.06	3.47	1.62	0.81	2.64	
Avg Weight Total Ht	m	32.5	32.5		38.6	31.6	31.6	29.7	27.5	
Avg Weight Merch Ht	m	26.5	26.5		33.3	25.7	24.9	23.2	22.5	
Avg 10.0 m Log Net	m3	0.60	0.60		0.46	1.64	0.78	0.46	0.96	
Avg 10.0 m Log Gross	m3	0.76	0.76		0.46	2.36	1.09	0.60	1.16	
Avg # of 10.0 m Logs/Tree		2.18	2.18		2.38	2.35	2.25	1.90	3.00	
Net Immature	%	31.9	31.9		100.0		10.9			
Net 2nd Growth	%		31.9							
Average Slope	%	49								
Algorithm Grades %										
#2 Sawlog	H	16	16		9	34	20	10	69	
#3 Sawlog	I	11	11			2	17	14		
#4 Sawlog	J	42	42		78		21	54		
#4 Shingle	M					2				
#5 Utility	U	18	18		6	61	29	3	29	
#6 Utility	X	9	9		7		11	7		
#7 Chipper	Y	4	4			1	2	12	2	
Statistical Summary										
Coeff. of Variation	%	36.4	35.5		42.6	200.2	76.3	130.2	500.0	
Two Standard Error	%	15.1	14.7		17.7	83.3	31.7	54.2	208.0	
Number and Type of Plots		MP = 25								
Number of Potential Trees		127								
Plots/Ha		1.0								
Cruised Trees/Plot		5.1								

*** 1 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Cutting Permit Summary

Average Line Method
TS'ELXWEYEQW
Licence Number: A75807 CP: 14
Project: 2018-04

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: C
PSYU: Dewdney (Chilliwack)
Region: 1 - South Coast
District: 01 - Chilliwack

10-Sep-2018 06:40:59PM
Filename: tsc-2018-04-a75807-cp-14.ccp
Compiled by: IFS
Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

Net Area: [cable : 11.7]

		Total	Conifer	Decid	F	C	H	B	Y	D
Utilization Limits										
Min DBH cm (M)					17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					15.0	15.0	15.0	15.0	15.0	15.0
Min DBH cm (I)					12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)					10.0	10.0	10.0	10.0	10.0	10.0
Log Len m					10.0	10.0	10.0	10.0	10.0	10.0
Volume and Size Data										
Gross Merchantable	m3	10200	10067	133	3199	653	4692	1458	65	133
Net Merchantable	m3	8203	8079	125	2980	515	3508	1026	49	125
Net Merch - All	m3/ha	701	690	11	255	44	300	88	4	11
Distribution	%	100	98	2	36	6	43	13	1	2
Decay	%	9	9	1	2	11	12	16	14	1
Waste	%	5	5		1	4	8	8	3	
Waste(billing)	%	6	6		1	5	10	11	4	
Breakage	%	5	5	5	4	6	5	6	7	5
Total Cull (DWB)	%	20	20	6	7	21	25	30	24	6
Basal Area / Ha	m2/ha	76.6	75.7	0.9	21.4	6.4	36.1	11.2	0.6	0.9
Net VBAR	m3/m2	9.045	9.040	1.068	5.475	4.478	8.755	4.194	3.927	1.068
Stems/Ha (Live & DP)		738.8	725.5	13.3	136.7	68.8	409.7	108.7	1.6	13.3
Avg DBH (Live & DP)	cm	36.3	36.4	29.7	44.7	34.4	33.5	36.2	67.6	29.7
Snags/Ha		80.1	80.1				80.1			
Avg Snag DBH	cm	12.1	12.1				12.1			
Gross Merch Vol/Tree	m3	1.18	1.19	0.85	2.00	0.81	0.98	1.15	3.49	0.85
Net Merch Vol/Tree	m3	0.95	0.95	0.80	1.86	0.64	0.73	0.81	2.64	0.80
Avg Weight Total Ht	m	34.2	34.2	29.2	41.8	28.8	31.5	29.7	27.5	29.2
Avg Weight Merch Ht	m	28.3	28.4	22.5	36.7	22.3	24.6	23.2	22.5	22.5
Avg 10.0 m Log Net	m3	0.46	0.46	0.28	0.59	0.32	0.41	0.46	0.96	0.28
Avg 10.0 m Log Gross	m3	0.53	0.54	0.28	0.61	0.38	0.51	0.60	1.16	0.28
Avg # of 10.0 m Logs/Tree		2.22	2.20	3.00	3.28	2.14	1.93	1.90	3.00	3.00
Net Immature	%	48.0	48.8		69.3	63.4	44.1			
Net 2nd Growth	%		48.8							
Average Slope	%	49								
Algorithm Grades %										
#2 Lum/#1 Lum	F	1	1		2					
#2 Sawlog	H	16	16		22	15	13	10	69	
#3 Sawlog	I	8	8		5	2	11	14		
#4 Sawlog	J	44	46		55	34	37	54		
#4 Shingle	M					2				
#5 Utility	U	21	21		15	43	28	3	29	
#6 Utility	X	6	6		1	4	10	7		
#7 Chipper	Y	4	2	100			1	12	2	100
Statistical Summary										
Coeff. of Variation	%	36.4	35.5	500.0	42.6	200.2	76.3	130.2	500.0	500.0
Two Standard Error	%	15.1	14.7	208.0	17.7	83.3	31.7	54.2	208.0	208.0
Number and Type of Plots		MP = 25								
Number of Potential Trees		127								
Plots/Ha		1.0								
Cruised Trees/Plot		5.1								

*** 1 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Cutting Permit Summary

Average Line Method
TS'ELXWEYEQW
Licence Number: A75807 CP: 14
Project: 2018-04

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: C
PSYU: Dewdney (Chilliwack)
Region: 1 - South Coast
District: 01 - Chilliwack

10-Sep-2018 06:40:59PM
Filename: tsc-2018-04-a75807-cp-14.ccp
Compiled by: IFS
Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

Net Area: [Partial : 1.4]

		Total	Conifer	Decid	F	C	H	B	Y	D
Utilization Limits										
Min DBH cm (M)					17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					15.0	15.0	15.0	15.0	15.0	15.0
Min DBH cm (I)					12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)					10.0	10.0	10.0	10.0	10.0	10.0
Log Len m					10.0	10.0	10.0	10.0	10.0	10.0
Volume and Size Data										
Gross Merchantable	m3	1154	1154		631	138	384			
Net Merchantable	m3	1066	1066		577	120	369			
Net Merch - All	m3/ha	762	762		412	86	263			
Distribution	%	100	100		54	11	35			
Decay	%	2	2		3	6	0			
Waste	%	1	1		1	2				
Waste(billing)	%	1	1		1	2				
Breakage	%	4	4		5	5	4			
Total Cull (DWB)	%	8	8		9	13	4			
Basal Area / Ha	m2/ha	67.4	67.4		34.9	10.5	22.1			
Net VBAR	m3/m2	9.045	9.040		5.475	4.478	8.755			
Stems/Ha (Live & DP)		808.9	808.9		223.2	174.0	411.7			
Avg DBH (Live & DP)	cm	32.6	32.6		44.6	27.7	26.1			
Snags/Ha										
Avg Snag DBH	cm									
Gross Merch Vol/Tree	m3	1.02	1.02		2.02	0.57	0.67			
Net Merch Vol/Tree	m3	0.94	0.94		1.85	0.49	0.64			
Avg Weight Total Ht	m	37.3	37.3		42.8	27.5	32.1			
Avg Weight Merch Ht	m	31.3	31.3		37.8	20.9	24.4			
Avg 10.0 m Log Net	m3	0.39	0.39		0.61	0.25	0.28			
Avg 10.0 m Log Gross	m3	0.40	0.40		0.64	0.27	0.28			
Avg # of 10.0 m Logs/Tree		2.55	2.55		3.17	2.13	2.40			
Net Immature	%	71.2	71.2		49.6	86.3	100.0			
Net 2nd Growth	%		71.2							
Average Slope	%	49								
Algorithm Grades %										
#2 Lum/#1 Lum	F	1	1		3					
#2 Sawlog	H	17	17		30	8				
#3 Sawlog	I	3	3		6	2				
#4 Sawlog	J	53	53		44	46	68			
#4 Shingle	M					2				
#5 Utility	U	22	22		16	36	25			
#6 Utility	X	4	4		1	6	7			
#7 Chipper	Y									
Statistical Summary										
Coeff. of Variation	%	36.4	35.5		42.6	200.2	76.3			
Two Standard Error	%	15.1	14.7		17.7	83.3	31.7			
Number and Type of Plots		MP = 25								
Number of Potential Trees		127								
Plots/Ha		1.0								
Cruised Trees/Plot		5.1								

*** 1 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Block Summary

Average Line Method
TS'ELXWEYEQW
Licence Number: A75807 CP: 14
Project: 2018-04

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: C
PSYU: Dewdney (Chilliwack)
Region: 1 - South Coast
District: 01 - Chilliwack

10-Sep-2018 06:40:59PM
Filename: tsc-2018-04-a75807-cp-14.ccp
Compiled by: IFS
Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

Net Area: Block : (I) - 11A:LB11A, Plots in Block: 6, TUs: [All Treatment Units : 5.8]
Gross Area: [R/W Removed : 0.5][Exst R/W : 0.1][Grand Total : 6.4]

		Total	Conifer	Decid	F	C	H	B	Y	D
Utilization Limits										
Min DBH cm (I)					12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)					10.0	10.0	10.0	10.0	10.0	10.0
Log Len m					10.0	10.0	10.0	10.0	10.0	10.0
Volume and Size Data										
Gross Merchantable	m3	4221	4088	133	3370		718			133
Net Merchantable	m3	4049	3925	125	3235		690			125
Net Merch - All	m3/ha	698	677	21	558		119			21
Distribution	%	100	97	3	80		17			3
Decay	%	0		1						1
Waste	%									
Waste(billing)	%									
Breakage	%	4	4	5	4		4			5
Total Cull (DWB)	%	4	4	6	4		4			6
Basal Area / Ha	m2/ha	62.8	60.9	1.9	47.8		13.1			1.9
Net VBAR	m3/m2	11.124	11.104	4.586	11.683		9.445			4.586
Stems/Ha (Live & DP)		891.2	864.4	26.8	442.5		421.9			26.8
Avg DBH (Live & DP)	cm	30.0	30.0	29.7	37.1		19.9			29.7
Snags/Ha		161.7	161.7				161.7			
Avg Snag DBH	cm	12.1	12.1				12.1			
Gross Merch Vol/Tree	m3	0.82	0.82	0.85	1.31		0.29			0.85
Net Merch Vol/Tree	m3	0.78	0.78	0.80	1.26		0.28			0.80
Avg Weight Total Ht	m	36.7	36.9	29.2	39.1		27.5			29.2
Avg Weight Merch Ht	m	31.3	31.5	22.5	33.9		20.5			22.5
Avg 10.0 m Log Net	m3	0.39	0.40	0.28	0.50		0.20			0.28
Avg 10.0 m Log Gross	m3	0.39	0.40	0.28	0.50		0.20			0.28
Avg # of 10.0 m Logs/Tree		2.08	2.05	3.00	2.63		1.43			3.00
Net Immature	%	96.9	100.0		100.0		100.0			
Net 2nd Growth	%		100.0							
Average Slope	%	60								
Algorithm Grades %										
#2 Sawlog	H	7	8		9					
#3 Sawlog	I	1	1		1					
#4 Sawlog	J	71	73		76		62			
#5 Utility	U	13	13		9		34			
#6 Utility	X	5	5		5		4			
#7 Chipper	Y	3		100						100
Statistical Summary										
Coeff. of Variation	%	28.3	21.9	244.9	12.6		139.3			244.9
Two Standard Error	%	32.1	24.8	277.6	14.3		157.8			277.6
Number and Type of Plots		MP = 6								
Number of Potential Trees		27								
Plots/Ha		1.0								
Cruised Trees/Plot		4.7								

Slope % Statistics

Min= 52, Max= 65, CV=7.9, Std Error of Mean=1.9, 2SE%=8.3

*** 1 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Block Summary

Average Line Method
TS'ELXWEYEQW
Licence Number: A75807 CP: 14
Project: 2018-04

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: C
PSYU: Dewdney (Chilliwack)
Region: 1 - South Coast
District: 01 - Chilliwack

10-Sep-2018 06:40:59PM
Filename: tsc-2018-04-a75807-cp-14.ccp
Compiled by: IFS
Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00   IFS build 6204

Net Area: Block : (I) - 11A:LB11A, Plots in Block: 6, TUs: [ground : 3.5]

		Total	Conifer	Decid	F	C	H	B	Y	D
Utilization Limits										
Min DBH cm (I)					12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)					10.0	10.0	10.0	10.0	10.0	10.0
Log Len m					10.0	10.0	10.0	10.0	10.0	10.0
Volume and Size Data										
Gross Merchantable	m3	2506	2506		2154		352			
Net Merchantable	m3	2406	2406		2068		337			
Net Merch - All	m3/ha	687	687		591		96			
Distribution	%	100	100		86		14			
Decay	%									
Waste	%									
Waste(billing)	%									
Breakage	%	4	4		4		4			
Total Cull (DWB)	%	4	4		4		4			
Basal Area / Ha	m2/ha	60.9	60.9		51.6		9.4			
Net VBAR	m3/m2	11.124	11.104		11.683		9.445			
Stems/Ha (Live & DP)		703.5	703.5		557.0		146.5			
Avg DBH (Live & DP)	cm	33.2	33.2		34.3		28.5			
Snags/Ha										
Avg Snag DBH	cm									
Gross Merch Vol/Tree	m3	1.02	1.02		1.11		0.69			
Net Merch Vol/Tree	m3	0.98	0.98		1.06		0.66			
Avg Weight Total Ht	m	37.1	37.1		38.6		27.8			
Avg Weight Merch Ht	m	31.6	31.6		33.3		20.7			
Avg 10.0 m Log Net	m3	0.44	0.44		0.46		0.34			
Avg 10.0 m Log Gross	m3	0.44	0.44		0.46		0.34			
Avg # of 10.0 m Logs/Tree		2.30	2.30		2.38		2.00			
Net Immature	%	100.0	100.0		100.0		100.0			
Net 2nd Growth	%		100.0							
Average Slope	%	60								
Algorithm Grades %										
#2 Sawlog	H	7	7		9					
#4 Sawlog	J	77	77		78		66			
#5 Utility	U	10	10		6		34			
#6 Utility	X	6	6		7					
Statistical Summary										
Coeff. of Variation	%	28.3	21.9		12.6		139.3			
Two Standard Error	%	32.1	24.8		14.3		157.8			
Number and Type of Plots		MP =	6							
Number of Potential Trees		27								
Plots/Ha		1.0								
Cruised Trees/Plot		4.7								

Slope % Statistics

Min= 52, Max= 65, CV=7.9, Std Error of Mean=1.9, 2SE%=8.3

*** 1 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Block Summary

Average Line Method
TS'ELXWEYEQW
Licence Number: A75807 CP: 14
Project: 2018-04

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: C
PSYU: Dewdney (Chilliwack)
Region: 1 - South Coast
District: 01 - Chilliwack

10-Sep-2018 06:40:59PM
Filename: tsc-2018-04-a75807-cp-14.ccp
Compiled by: IFS
Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

Net Area: Block : (I) - 11A:LB11A, Plots in Block: 6, TUs: [cable : 2.3]

		Total	Conifer	Decid	F	C	H	B	Y	D
Utilization Limits										
Min DBH cm (I)					12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)					10.0	10.0	10.0	10.0	10.0	10.0
Log Len m					10.0	10.0	10.0	10.0	10.0	10.0
Volume and Size Data										
Gross Merchantable	m3	1715	1582	133	1215		367			133
Net Merchantable	m3	1644	1519	125	1167		352			125
Net Merch - All	m3/ha	715	660	54	507		153			54
Distribution	%	100	92	8	71		21			8
Decay	%	0		1						1
Waste	%									
Waste(billing)	%									
Breakage	%	4	4	5	4		4			5
Total Cull (DWB)	%	4	4	6	4		4			6
Basal Area / Ha	m2/ha	65.6	60.9	4.7	42.2		18.8			4.7
Net VBAR	m3/m2	11.124	11.104	4.586	11.683		9.445			4.586
Stems/Ha (Live & DP)		1176.9	1109.2	67.7	268.3		841.0			67.7
Avg DBH (Live & DP)	cm	26.6	26.4	29.7	44.7		16.8			29.7
Snags/Ha		407.7	407.7				407.7			
Avg Snag DBH	cm	12.1	12.1				12.1			
Gross Merch Vol/Tree	m3	0.63	0.62	0.85	1.97		0.19			0.85
Net Merch Vol/Tree	m3	0.61	0.60	0.80	1.89		0.18			0.80
Avg Weight Total Ht	m	36.2	36.7	29.2	40.0		27.3			29.2
Avg Weight Merch Ht	m	30.8	31.5	22.5	34.8		20.3			22.5
Avg 10.0 m Log Net	m3	0.34	0.34	0.28	0.57		0.15			0.28
Avg 10.0 m Log Gross	m3	0.34	0.34	0.28	0.57		0.15			0.28
Avg # of 10.0 m Logs/Tree		1.87	1.81	3.00	3.45		1.28			3.00
Net Immature	%	92.4	100.0		100.0		100.0			
Net 2nd Growth	%		100.0							
Average Slope	%	60								
Algorithm Grades %										
#2 Sawlog	H	7	8		10					
#3 Sawlog	I	3	3		4					
#4 Sawlog	J	63	69		72		58			
#5 Utility	U	16	17		13		34			
#6 Utility	X	3	3		1		8			
#7 Chipper	Y	8		100						100
Statistical Summary										
Coeff. of Variation	%	28.3	21.9	244.9	12.6		139.3			244.9
Two Standard Error	%	32.1	24.8	277.6	14.3		157.8			277.6
Number and Type of Plots		MP = 6								
Number of Potential Trees		27								
Plots/Ha		1.0								
Cruised Trees/Plot		4.7								

Slope % Statistics

Min= 52, Max= 65, CV=7.9, Std Error of Mean=1.9, 2SE%=8.3

*** 1 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Block Summary

Average Line Method
TS'ELXWEYEQW
Licence Number: A75807 CP: 14
Project: 2018-04

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: C
PSYU: Dewdney (Chilliwack)
Region: 1 - South Coast
District: 01 - Chilliwack

10-Sep-2018 06:40:59PM
Filename: tsc-2018-04-a75807-cp-14.ccp
Compiled by: IFS
Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00   IFS build 6204

Net Area: Block : (I) - P2B:MP2B, Plots in Block: 7, TUs: [All Treatment Units : 5.8]
Gross Area: [R/W Removed : 1.1][Retention : 0.6][Grand Total : 7.5]

		Total	Conifer	Decid	F	C	H	B	Y	D
Utilization Limits										
Min DBH cm (I)					12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)					10.0	10.0	10.0	10.0	10.0	10.0
Log Len m					10.0	10.0	10.0	10.0	10.0	10.0
Volume and Size Data										
Gross Merchantable	m3	4780	4780		2615	571	1593			
Net Merchantable	m3	4417	4417		2390	499	1528			
Net Merch - All	m3/ha	762	762		412	86	263			
Distribution	%	100	100		54	11	35			
Decay	%	2	2		3	6	0			
Waste	%	1	1		1	2				
Waste(billing)	%	1	1		1	2				
Breakage	%	4	4		5	5	4			
Total Cull (DWB)	%	8	8		9	13	4			
Basal Area / Ha	m2/ha	67.4	67.4		34.9	10.5	22.1			
Net VBAR	m3/m2	11.295	11.295		11.823	8.194	11.937			
Stems/Ha (Live & DP)		808.9	808.9		223.2	174.0	411.7			
Avg DBH (Live & DP)	cm	32.6	32.6		44.6	27.7	26.1			
Snags/Ha										
Avg Snag DBH	cm									
Gross Merch Vol/Tree	m3	1.02	1.02		2.02	0.57	0.67			
Net Merch Vol/Tree	m3	0.94	0.94		1.85	0.49	0.64			
Avg Weight Total Ht	m	37.3	37.3		42.8	27.5	32.1			
Avg Weight Merch Ht	m	31.3	31.3		37.8	20.9	24.4			
Avg 10.0 m Log Net	m3	0.39	0.39		0.61	0.25	0.28			
Avg 10.0 m Log Gross	m3	0.40	0.40		0.64	0.27	0.28			
Avg # of 10.0 m Logs/Tree		2.55	2.55		3.17	2.13	2.40			
Net Immature	%	71.2	71.2		49.6	86.3	100.0			
Net 2nd Growth	%		71.2							
Average Slope	%	51								
Algorithm Grades %										
#2 Lum/#1 Lum	F	1	1		3					
#2 Sawlog	H	17	17		30	8				
#3 Sawlog	I	3	3		6	2				
#4 Sawlog	J	53	53		44	46	68			
#4 Shingle	M					2				
#5 Utility	U	22	22		16	36	25			
#6 Utility	X	4	4		1	6	7			
#7 Chipper	Y									
Statistical Summary										
Coeff. of Variation	%	40.3	40.3		49.7	99.0	86.1			
Two Standard Error	%	37.3	37.3		46.0	91.5	79.6			
Number and Type of Plots		MP = 7								
Number of Potential Trees		37								
Plots/Ha		1.2								
Cruised Trees/Plot		5.3								

Slope % Statistics

Min= 34, Max= 72, CV=25.5, Std Error of Mean=4.9, 2SE%=23.6

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Block Summary

Average Line Method
TS'ELXWEYEQW
Licence Number: A75807 CP: 14
Project: 2018-04

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: C
PSYU: Dewdney (Chilliwack)
Region: 1 - South Coast
District: 01 - Chilliwack

10-Sep-2018 06:40:59PM
Filename: tsc-2018-04-a75807-cp-14.ccp
Compiled by: IFS
Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00   IFS build 6204

Net Area: Block : (I) - P2B:MP2B, Plots in Block: 7, TUs: [cable : 4.4]

		Total	Conifer	Decid	F	C	H	B	Y	D
Utilization Limits										
Min DBH cm (I)					12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)					10.0	10.0	10.0	10.0	10.0	10.0
Log Len m					10.0	10.0	10.0	10.0	10.0	10.0
Volume and Size Data										
Gross Merchantable	m3	3626	3626		1984	433	1208			
Net Merchantable	m3	3351	3351		1813	379	1159			
Net Merch - All	m3/ha	762	762		412	86	263			
Distribution	%	100	100		54	11	35			
Decay	%	2	2		3	6	0			
Waste	%	1	1		1	2				
Waste(billing)	%	1	1		1	2				
Breakage	%	4	4		5	5	4			
Total Cull (DWB)	%	8	8		9	13	4			
Basal Area / Ha	m2/ha	67.4	67.4		34.9	10.5	22.1			
Net VBAR	m3/m2	11.295	11.295		11.823	8.194	11.937			
Stems/Ha (Live & DP)		808.9	808.9		223.2	174.0	411.7			
Avg DBH (Live & DP)	cm	32.6	32.6		44.6	27.7	26.1			
Snags/Ha										
Avg Snag DBH	cm									
Gross Merch Vol/Tree	m3	1.02	1.02		2.02	0.57	0.67			
Net Merch Vol/Tree	m3	0.94	0.94		1.85	0.49	0.64			
Avg Weight Total Ht	m	37.3	37.3		42.8	27.5	32.1			
Avg Weight Merch Ht	m	31.3	31.3		37.8	20.9	24.4			
Avg 10.0 m Log Net	m3	0.39	0.39		0.61	0.25	0.28			
Avg 10.0 m Log Gross	m3	0.40	0.40		0.64	0.27	0.28			
Avg # of 10.0 m Logs/Tree		2.55	2.55		3.17	2.13	2.40			
Net Immature	%	71.2	71.2		49.6	86.3	100.0			
Net 2nd Growth	%		71.2							
Average Slope	%	51								
Algorithm Grades %										
#2 Lum/#1 Lum	F	1	1		3					
#2 Sawlog	H	17	17		30	8				
#3 Sawlog	I	3	3		6	2				
#4 Sawlog	J	53	53		44	46	68			
#4 Shingle	M					2				
#5 Utility	U	22	22		16	36	25			
#6 Utility	X	4	4		1	6	7			
#7 Chipper	Y									
Statistical Summary										
Coeff. of Variation	%	40.3	40.3		49.7	99.0	86.1			
Two Standard Error	%	37.3	37.3		46.0	91.5	79.6			
Number and Type of Plots		MP = 7								
Number of Potential Trees		37								
Plots/Ha		1.2								
Cruised Trees/Plot		5.3								

Slope % Statistics

Min= 34, Max= 72, CV=25.5, Std Error of Mean=4.9, 2SE%=23.6

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Block Summary

Average Line Method
TS'ELXWEYEQW
Licence Number: A75807 CP: 14
Project: 2018-04

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: C
PSYU: Dewdney (Chilliwack)
Region: 1 - South Coast
District: 01 - Chilliwack

10-Sep-2018 06:40:59PM
Filename: tsc-2018-04-a75807-cp-14.ccp
Compiled by: IFS
Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00   IFS build 6204

Net Area: Block : (I) - P2B:MP2B, Plots in Block: 7, TUs: [Partial : 1.4]

		Total	Conifer	Decid	F	C	H	B	Y	D
Utilization Limits										
Min DBH cm (I)					12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)					10.0	10.0	10.0	10.0	10.0	10.0
Log Len m					10.0	10.0	10.0	10.0	10.0	10.0
Volume and Size Data										
Gross Merchantable	m3	1154	1154		631	138	384			
Net Merchantable	m3	1066	1066		577	120	369			
Net Merch - All	m3/ha	762	762		412	86	263			
Distribution	%	100	100		54	11	35			
Decay	%	2	2		3	6	0			
Waste	%	1	1		1	2				
Waste(billing)	%	1	1		1	2				
Breakage	%	4	4		5	5	4			
Total Cull (DWB)	%	8	8		9	13	4			
Basal Area / Ha	m2/ha	67.4	67.4		34.9	10.5	22.1			
Net VBAR	m3/m2	11.295	11.295		11.823	8.194	11.937			
Stems/Ha (Live & DP)		808.9	808.9		223.2	174.0	411.7			
Avg DBH (Live & DP)	cm	32.6	32.6		44.6	27.7	26.1			
Snags/Ha										
Avg Snag DBH	cm									
Gross Merch Vol/Tree	m3	1.02	1.02		2.02	0.57	0.67			
Net Merch Vol/Tree	m3	0.94	0.94		1.85	0.49	0.64			
Avg Weight Total Ht	m	37.3	37.3		42.8	27.5	32.1			
Avg Weight Merch Ht	m	31.3	31.3		37.8	20.9	24.4			
Avg 10.0 m Log Net	m3	0.39	0.39		0.61	0.25	0.28			
Avg 10.0 m Log Gross	m3	0.40	0.40		0.64	0.27	0.28			
Avg # of 10.0 m Logs/Tree		2.55	2.55		3.17	2.13	2.40			
Net Immature	%	71.2	71.2		49.6	86.3	100.0			
Net 2nd Growth	%		71.2							
Average Slope	%	51								
Algorithm Grades %										
#2 Lum/#1 Lum	F	1	1		3					
#2 Sawlog	H	17	17		30	8				
#3 Sawlog	I	3	3		6	2				
#4 Sawlog	J	53	53		44	46	68			
#4 Shingle	M					2				
#5 Utility	U	22	22		16	36	25			
#6 Utility	X	4	4		1	6	7			
#7 Chipper	Y									
Statistical Summary										
Coeff. of Variation	%	40.3	40.3		49.7	99.0	86.1			
Two Standard Error	%	37.3	37.3		46.0	91.5	79.6			
Number and Type of Plots		MP = 7								
Number of Potential Trees		37								
Plots/Ha		1.2								
Cruised Trees/Plot		5.3								

Slope % Statistics

Min= 34, Max= 72, CV=25.5, Std Error of Mean=4.9, 2SE%=23.6

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Block Summary

Average Line Method
TS'ELXWEYEQW
Licence Number: A75807 CP: 14
Project: 2018-04

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: C
PSYU: Dewdney (Chilliwack)
Region: 1 - South Coast
District: 01 - Chilliwack

10-Sep-2018 06:40:59PM
Filename: tsc-2018-04-a75807-cp-14.ccp
Compiled by: IFS
Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00   IFS build 6204

Net Area: Block : (M) - PF1:PF1, Plots in Block: 12, TUs: [All Treatment Units : 13.3]
Gross Area: [R/W Removed : 0.3][Retention : 0.4][Grand Total : 14.0]

		Total	Conifer	Decid	F	C	H	B	Y	D
Utilization Limits										
Min DBH cm (M)					17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					15.0	15.0	15.0	15.0	15.0	15.0
Log Len m					10.0	10.0	10.0	10.0	10.0	10.0
Volume and Size Data										
Gross Merchantable	m3	12924	12924			583	8291	3878	172	
Net Merchantable	m3	8534	8534			364	5312	2729	130	
Net Merch - All	m3/ha	642	642			27	399	205	10	
Distribution	%	100	100			4	62	32	2	
Decay	%	18	18			21	19	16	14	
Waste	%	10	10			9	11	8	3	
Waste(billing)	%	15	15			15	18	11	4	
Breakage	%	6	6			7	6	6	7	
Total Cull (DWB)	%	34	34			38	36	30	24	
Basal Area / Ha	m2/ha	89.7	89.7			5.7	56.5	26.1	1.3	
Net VBAR	m3/m2	7.156	7.156			4.809	7.066	7.853	7.351	
Stems/Ha (Live & DP)		475.5	475.5			7.9	209.6	254.3	3.7	
Avg DBH (Live & DP)	cm	49.0	49.0			95.9	58.6	36.2	67.6	
Snags/Ha										
Avg Snag DBH	cm									
Gross Merch Vol/Tree	m3	2.04	2.04			5.56	2.97	1.15	3.49	
Net Merch Vol/Tree	m3	1.35	1.35			3.47	1.91	0.81	2.64	
Avg Weight Total Ht	m	31.1	31.1			31.6	31.9	29.7	27.5	
Avg Weight Merch Ht	m	24.6	24.6			25.7	25.3	23.2	22.5	
Avg 10.0 m Log Net	m3	0.70	0.70			1.64	0.90	0.46	0.96	
Avg 10.0 m Log Gross	m3	0.97	0.97			2.36	1.28	0.60	1.16	
Avg # of 10.0 m Logs/Tree		2.10	2.10			2.35	2.33	1.90	3.00	
Net Immature	%	1.1	1.1				1.8			
Net 2nd Growth	%		1.1							
Average Slope	%	42								
Algorithm Grades %										
#2 Sawlog	H	20	20			34	22	10	69	
#3 Sawlog	I	16	16			2	19	14		
#4 Sawlog	J	27	27				16	54		
#4 Shingle	M					2				
#5 Utility	U	22	22			61	29	3	29	
#6 Utility	X	10	10				12	7		
#7 Chipper	Y	5	5			1	2	12	2	
Statistical Summary										
Coeff. of Variation	%	37.6	37.6			276.7	62.5	90.2	346.4	
Two Standard Error	%	23.9	23.9			175.8	39.7	57.3	220.1	
Number and Type of Plots		MP = 12								
Number of Potential Trees		63								
Plots/Ha		0.9								
Cruised Trees/Plot		5.3								

Slope % Statistics

Min= 21, Max= 62, CV=24.5, Std Error of Mean=3.0, 2SE%=15.6

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Block Summary

Average Line Method
TS'ELXWEYEQW
Licence Number: A75807 CP: 14
Project: 2018-04

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: C
PSYU: Dewdney (Chilliwack)
Region: 1 - South Coast
District: 01 - Chilliwack

10-Sep-2018 06:40:59PM
Filename: tsc-2018-04-a75807-cp-14.ccp
Compiled by: IFS
Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00   IFS build 6204

Net Area: Block : (M) - PF1:PF1, Plots in Block: 12, TUs: [ground : 8.3]

		Total	Conifer	Decid	F	C	H	B	Y	D
Utilization Limits										
Min DBH cm (M)					17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					15.0	15.0	15.0	15.0	15.0	15.0
Log Len m					10.0	10.0	10.0	10.0	10.0	10.0
Volume and Size Data										
Gross Merchantable	m3	8065	8065			364	5174	2420	108	
Net Merchantable	m3	5326	5326			227	3315	1703	81	
Net Merch - All	m3/ha	642	642			27	399	205	10	
Distribution	%	100	100			4	62	32	2	
Decay	%	18	18			21	19	16	14	
Waste	%	10	10			9	11	8	3	
Waste(billing)	%	15	15			15	18	11	4	
Breakage	%	6	6			7	6	6	7	
Total Cull (DWB)	%	34	34			38	36	30	24	
Basal Area / Ha	m2/ha	89.7	89.7			5.7	56.5	26.1	1.3	
Net VBAR	m3/m2	7.156	7.156			4.809	7.066	7.853	7.351	
Stems/Ha (Live & DP)		475.5	475.5			7.9	209.6	254.3	3.7	
Avg DBH (Live & DP)	cm	49.0	49.0			95.9	58.6	36.2	67.6	
Snags/Ha										
Avg Snag DBH	cm									
Gross Merch Vol/Tree	m3	2.04	2.04			5.56	2.97	1.15	3.49	
Net Merch Vol/Tree	m3	1.35	1.35			3.47	1.91	0.81	2.64	
Avg Weight Total Ht	m	31.1	31.1			31.6	31.9	29.7	27.5	
Avg Weight Merch Ht	m	24.6	24.6			25.7	25.3	23.2	22.5	
Avg 10.0 m Log Net	m3	0.70	0.70			1.64	0.90	0.46	0.96	
Avg 10.0 m Log Gross	m3	0.97	0.97			2.36	1.28	0.60	1.16	
Avg # of 10.0 m Logs/Tree		2.10	2.10			2.35	2.33	1.90	3.00	
Net Immature	%	1.1	1.1				1.8			
Net 2nd Growth	%		1.1							
Average Slope	%	42								
Algorithm Grades %										
#2 Sawlog	H	20	20			34	22	10	69	
#3 Sawlog	I	16	16			2	19	14		
#4 Sawlog	J	27	27				16	54		
#4 Shingle	M					2				
#5 Utility	U	22	22			61	29	3	29	
#6 Utility	X	10	10				12	7		
#7 Chipper	Y	5	5			1	2	12	2	
Statistical Summary										
Coeff. of Variation	%	37.6	37.6			276.7	62.5	90.2	346.4	
Two Standard Error	%	23.9	23.9			175.8	39.7	57.3	220.1	
Number and Type of Plots		MP = 12								
Number of Potential Trees		63								
Plots/Ha		0.9								
Cruised Trees/Plot		5.3								

Slope % Statistics

Min= 21, Max= 62, CV=24.5, Std Error of Mean=3.0, 2SE%=15.6

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Block Summary

Average Line Method
TS'ELXWEYEQW
Licence Number: A75807 CP: 14
Project: 2018-04

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: C
PSYU: Dewdney (Chilliwack)
Region: 1 - South Coast
District: 01 - Chilliwack

10-Sep-2018 06:40:59PM
Filename: tsc-2018-04-a75807-cp-14.ccp
Compiled by: IFS
Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

Net Area: Block : (M) - PF1:PF1, Plots in Block: 12, TUs: [cable : 5.0]

		Total	Conifer	Decid	F	C	H	B	Y	D
Utilization Limits										
Min DBH cm (M)					17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					15.0	15.0	15.0	15.0	15.0	15.0
Log Len m					10.0	10.0	10.0	10.0	10.0	10.0
Volume and Size Data										
Gross Merchantable	m3	4859	4859			219	3117	1458	65	
Net Merchantable	m3	3208	3208			137	1997	1026	49	
Net Merch - All	m3/ha	642	642			27	399	205	10	
Distribution	%	100	100			4	62	32	2	
Decay	%	18	18			21	19	16	14	
Waste	%	10	10			9	11	8	3	
Waste(billing)	%	15	15			15	18	11	4	
Breakage	%	6	6			7	6	6	7	
Total Cull (DWB)	%	34	34			38	36	30	24	
Basal Area / Ha	m2/ha	89.7	89.7			5.7	56.5	26.1	1.3	
Net VBAR	m3/m2	7.156	7.156			4.809	7.066	7.853	7.351	
Stems/Ha (Live & DP)		475.5	475.5			7.9	209.6	254.3	3.7	
Avg DBH (Live & DP)	cm	49.0	49.0			95.9	58.6	36.2	67.6	
Snags/Ha										
Avg Snag DBH	cm									
Gross Merch Vol/Tree	m3	2.04	2.04			5.56	2.97	1.15	3.49	
Net Merch Vol/Tree	m3	1.35	1.35			3.47	1.91	0.81	2.64	
Avg Weight Total Ht	m	31.1	31.1			31.6	31.9	29.7	27.5	
Avg Weight Merch Ht	m	24.6	24.6			25.7	25.3	23.2	22.5	
Avg 10.0 m Log Net	m3	0.70	0.70			1.64	0.90	0.46	0.96	
Avg 10.0 m Log Gross	m3	0.97	0.97			2.36	1.28	0.60	1.16	
Avg # of 10.0 m Logs/Tree		2.10	2.10			2.35	2.33	1.90	3.00	
Net Immature	%	1.1	1.1				1.8			
Net 2nd Growth	%		1.1							
Average Slope	%	42								
Algorithm Grades %										
#2 Sawlog	H	20	20			34	22	10	69	
#3 Sawlog	I	16	16			2	19	14		
#4 Sawlog	J	27	27				16	54		
#4 Shingle	M					2				
#5 Utility	U	22	22			61	29	3	29	
#6 Utility	X	10	10				12	7		
#7 Chipper	Y	5	5			1	2	12	2	
Statistical Summary										
Coeff. of Variation	%	37.6	37.6			276.7	62.5	90.2	346.4	
Two Standard Error	%	23.9	23.9			175.8	39.7	57.3	220.1	
Number and Type of Plots		MP = 12								
Number of Potential Trees		63								
Plots/Ha		0.9								
Cruised Trees/Plot		5.3								

Slope % Statistics

Min= 21, Max= 62, CV=24.5, Std Error of Mean=3.0, 2SE%=15.6

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Type Summary

Average Line Method
TS'ELXWEYEQW
Licence Number: A75807 CP: 14
Project: 2018-04

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: C
PSYU: Dewdney (Chilliwack)
Region: 1 - South Coast
District: 01 - Chilliwack

10-Sep-2018 06:40:59PM
Filename: tsc-2018-04-a75807-cp-14.ccp
Compiled by: IFS
Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

Net Area: Type 1 (M):HwBa 946, Plots in Type: 12, TUs: [All Treatment Units : 13.3]

		Total	Conifer	Decid	F	C	H	B	Y	D
Utilization Limits										
Min DBH cm (M)					17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					15.0	15.0	15.0	15.0	15.0	15.0
Log Len m					10.0	10.0	10.0	10.0	10.0	10.0
Volume and Size Data										
Gross Merchantable	m3	12924	12924			583	8291	3878	172	
Net Merchantable	m3	8534	8534			364	5312	2729	130	
Net Merch - All	m3/ha	642	642			27	399	205	10	
Distribution	%	100	100			4	62	32	2	
Decay	%	18	18			21	19	16	14	
Waste	%	10	10			9	11	8	3	
Waste(billing)	%	15	15			15	18	11	4	
Breakage	%	6	6			7	6	6	7	
Total Cull (DWB)	%	34	34			38	36	30	24	
Basal Area / Ha	m2/ha	89.7	89.7			5.7	56.5	26.1	1.3	
Net VBAR	m3/m2	7.156	7.156			4.809	7.066	7.853	7.351	
Stems/Ha (Live & DP)		475.5	475.5			7.9	209.6	254.3	3.7	
Avg DBH (Live & DP)	cm	49.0	49.0			95.9	58.6	36.2	67.6	
Snags/Ha										
Avg Snag DBH	cm									
Gross Merch Vol/Tree	m3	2.04	2.04			5.56	2.97	1.15	3.49	
Net Merch Vol/Tree	m3	1.35	1.35			3.47	1.91	0.81	2.64	
Avg Weight Total Ht	m	31.1	31.1			31.6	31.9	29.7	27.5	
Avg Weight Merch Ht	m	24.6	24.6			25.7	25.3	23.2	22.5	
Avg 10.0 m Log Net	m3	0.70	0.70			1.64	0.90	0.46	0.96	
Avg 10.0 m Log Gross	m3	0.97	0.97			2.36	1.28	0.60	1.16	
Avg # of 10.0 m Logs/Tree		2.10	2.10			2.35	2.33	1.90	3.00	
Net Immature	%	1.1	1.1				1.8			
Net 2nd Growth	%		1.1							
Algorithm Grades %										
#2 Sawlog	H	20	20			34	22	10	69	
#3 Sawlog	I	16	16			2	19	14		
#4 Sawlog	J	27	27				16	54		
#4 Shingle	M					2				
#5 Utility	U	22	22			61	29	3	29	
#6 Utility	X	10	10				12	7		
#7 Chipper	Y	5	5			1	2	12	2	
Statistical Summary										
Coeff. of Variation	%	37.6	37.6			276.7	62.5	90.2	346.4	
Two Standard Error	%	23.9	23.9			175.8	39.7	57.3	220.1	
Number and Type of Plots		MP = 12								
Number of Potential Trees		63								
Plots/Ha		0.9								
Cruised Trees/Plot		5.3								

*** 1 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Average Line Method
TS'ELXWEYEQW
Licence Number: A75807 CP: 14
Project: 2018-04

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

Type Summary
FIZ: C
PSYU: Dewdney (Chilliwack)
Region: 1 - South Coast
District: 01 - Chilliwack

10-Sep-2018 06:40:59PM
Filename: tsc-2018-04-a75807-cp-14.ccp
Compiled by: IFS
Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00   IFS build 6204

Net Area: Type 1 (M):HwBa 946, Plots in Type: 12, TUs: [ground : 8.3]

		Total	Conifer	Decid	F	C	H	B	Y	D
Utilization Limits										
Min DBH cm (M)					17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					15.0	15.0	15.0	15.0	15.0	15.0
Log Len m					10.0	10.0	10.0	10.0	10.0	10.0
Volume and Size Data										
Gross Merchantable	m3	8065	8065			364	5174	2420	108	
Net Merchantable	m3	5326	5326			227	3315	1703	81	
Net Merch - All	m3/ha	642	642			27	399	205	10	
Distribution	%	100	100			4	62	32	2	
Decay	%	18	18			21	19	16	14	
Waste	%	10	10			9	11	8	3	
Waste(billing)	%	15	15			15	18	11	4	
Breakage	%	6	6			7	6	6	7	
Total Cull (DWB)	%	34	34			38	36	30	24	
Basal Area / Ha	m2/ha	89.7	89.7			5.7	56.5	26.1	1.3	
Net VBAR	m3/m2	7.156	7.156			4.809	7.066	7.853	7.351	
Stems/Ha (Live & DP)		475.5	475.5			7.9	209.6	254.3	3.7	
Avg DBH (Live & DP)	cm	49.0	49.0			95.9	58.6	36.2	67.6	
Snags/Ha										
Avg Snag DBH	cm									
Gross Merch Vol/Tree	m3	2.04	2.04			5.56	2.97	1.15	3.49	
Net Merch Vol/Tree	m3	1.35	1.35			3.47	1.91	0.81	2.64	
Avg Weight Total Ht	m	31.1	31.1			31.6	31.9	29.7	27.5	
Avg Weight Merch Ht	m	24.6	24.6			25.7	25.3	23.2	22.5	
Avg 10.0 m Log Net	m3	0.70	0.70			1.64	0.90	0.46	0.96	
Avg 10.0 m Log Gross	m3	0.97	0.97			2.36	1.28	0.60	1.16	
Avg # of 10.0 m Logs/Tree		2.10	2.10			2.35	2.33	1.90	3.00	
Net Immature	%	1.1	1.1				1.8			
Net 2nd Growth	%		1.1							
Algorithm Grades %										
#2 Sawlog	H	20	20			34	22	10	69	
#3 Sawlog	I	16	16			2	19	14		
#4 Sawlog	J	27	27				16	54		
#4 Shingle	M					2				
#5 Utility	U	22	22			61	29	3	29	
#6 Utility	X	10	10				12	7		
#7 Chipper	Y	5	5			1	2	12	2	
Statistical Summary										
Coeff. of Variation	%	37.6	37.6			276.7	62.5	90.2	346.4	
Two Standard Error	%	23.9	23.9			175.8	39.7	57.3	220.1	
Number and Type of Plots		MP = 12								
Number of Potential Trees		63								
Plots/Ha		0.9								
Cruised Trees/Plot		5.3								

*** 1 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Average Line Method
TS'ELXWEYEQW
Licence Number: A75807 CP: 14
Project: 2018-04

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

Type Summary
FIZ: C
PSYU: Dewdney (Chilliwack)
Region: 1 - South Coast
District: 01 - Chilliwack

10-Sep-2018 06:40:59PM
Filename: tsc-2018-04-a75807-cp-14.ccp
Compiled by: IFS
Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00   IFS build 6204

Net Area: Type 1 (M):HwBa 946, Plots in Type: 12, TUs: [cable : 5.0]

		Total	Conifer	Decid	F	C	H	B	Y	D
Utilization Limits										
Min DBH cm (M)					17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					15.0	15.0	15.0	15.0	15.0	15.0
Log Len m					10.0	10.0	10.0	10.0	10.0	10.0
Volume and Size Data										
Gross Merchantable	m3	4859	4859			219	3117	1458	65	
Net Merchantable	m3	3208	3208			137	1997	1026	49	
Net Merch - All	m3/ha	642	642			27	399	205	10	
Distribution	%	100	100			4	62	32	2	
Decay	%	18	18			21	19	16	14	
Waste	%	10	10			9	11	8	3	
Waste(billing)	%	15	15			15	18	11	4	
Breakage	%	6	6			7	6	6	7	
Total Cull (DWB)	%	34	34			38	36	30	24	
Basal Area / Ha	m2/ha	89.7	89.7			5.7	56.5	26.1	1.3	
Net VBAR	m3/m2	7.156	7.156			4.809	7.066	7.853	7.351	
Stems/Ha (Live & DP)		475.5	475.5			7.9	209.6	254.3	3.7	
Avg DBH (Live & DP)	cm	49.0	49.0			95.9	58.6	36.2	67.6	
Snags/Ha										
Avg Snag DBH	cm									
Gross Merch Vol/Tree	m3	2.04	2.04			5.56	2.97	1.15	3.49	
Net Merch Vol/Tree	m3	1.35	1.35			3.47	1.91	0.81	2.64	
Avg Weight Total Ht	m	31.1	31.1			31.6	31.9	29.7	27.5	
Avg Weight Merch Ht	m	24.6	24.6			25.7	25.3	23.2	22.5	
Avg 10.0 m Log Net	m3	0.70	0.70			1.64	0.90	0.46	0.96	
Avg 10.0 m Log Gross	m3	0.97	0.97			2.36	1.28	0.60	1.16	
Avg # of 10.0 m Logs/Tree		2.10	2.10			2.35	2.33	1.90	3.00	
Net Immature	%	1.1	1.1				1.8			
Net 2nd Growth	%		1.1							
Algorithm Grades %										
#2 Sawlog	H	20	20			34	22	10	69	
#3 Sawlog	I	16	16			2	19	14		
#4 Sawlog	J	27	27				16	54		
#4 Shingle	M					2				
#5 Utility	U	22	22			61	29	3	29	
#6 Utility	X	10	10				12	7		
#7 Chipper	Y	5	5			1	2	12	2	
Statistical Summary										
Coeff. of Variation	%	37.6	37.6			276.7	62.5	90.2	346.4	
Two Standard Error	%	23.9	23.9			175.8	39.7	57.3	220.1	
Number and Type of Plots		MP = 12								
Number of Potential Trees		63								
Plots/Ha		0.9								
Cruised Trees/Plot		5.3								

*** 1 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Average Line Method
TS'ELXWEYEQW
Licence Number: A75807 CP: 14
Project: 2018-04

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

Type Summary
FIZ: C
PSYU: Dewdney (Chilliwack)
Region: 1 - South Coast
District: 01 - Chilliwack

10-Sep-2018 06:40:59PM
Filename: tsc-2018-04-a75807-cp-14.ccp
Compiled by: IFS
Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

Net Area: Type 2 (I):FH 6+, Plots in Type: 3, TUs: [ground : 3.5]

		Total	Conifer	Decid	F	C	H	B	Y	D
Utilization Limits										
Min DBH cm (I)					12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)					10.0	10.0	10.0	10.0	10.0	10.0
Log Len m					10.0	10.0	10.0	10.0	10.0	10.0
Volume and Size Data										
Gross Merchantable	m3	2506	2506		2154		352			
Net Merchantable	m3	2406	2406		2068		337			
Net Merch - All	m3/ha	687	687		591		96			
Distribution	%	100	100		86		14			
Decay	%									
Waste	%									
Waste(billing)	%									
Breakage	%	4	4		4		4			
Total Cull (DWB)	%	4	4		4		4			
Basal Area / Ha	m2/ha	60.9	60.9		51.6		9.4			
Net VBAR	m3/m2	11.278	11.278		11.459		10.284			
Stems/Ha (Live & DP)		703.5	703.5		557.0		146.5			
Avg DBH (Live & DP)	cm	33.2	33.2		34.3		28.5			
Snags/Ha										
Avg Snag DBH	cm									
Gross Merch Vol/Tree	m3	1.02	1.02		1.11		0.69			
Net Merch Vol/Tree	m3	0.98	0.98		1.06		0.66			
Avg Weight Total Ht	m	37.1	37.1		38.6		27.8			
Avg Weight Merch Ht	m	31.6	31.6		33.3		20.7			
Avg 10.0 m Log Net	m3	0.44	0.44		0.46		0.34			
Avg 10.0 m Log Gross	m3	0.44	0.44		0.46		0.34			
Avg # of 10.0 m Logs/Tree		2.30	2.30		2.38		2.00			
Net Immature	%	100.0	100.0		100.0		100.0			
Net 2nd Growth	%		100.0							
Algorithm Grades %										
#2 Sawlog	H	7	7		9					
#4 Sawlog	J	77	77		78		66			
#5 Utility	U	10	10		6		34			
#6 Utility	X	6	6		7					
Statistical Summary										
Coeff. of Variation	%	9.6	9.6		13.7		88.4			
Two Standard Error	%	23.8	23.8		34.0		219.6			
Number and Type of Plots		MP = 3								
Number of Potential Trees		13								
Plots/Ha		0.9								
Cruised Trees/Plot		4.3								

*** 1 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Average Line Method
TS'ELXWEYEQW
Licence Number: A75807 CP: 14
Project: 2018-04

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

Type Summary
FIZ: C
PSYU: Dewdney (Chilliwack)
Region: 1 - South Coast
District: 01 - Chilliwack

10-Sep-2018 06:40:59PM
Filename: tsc-2018-04-a75807-cp-14.ccp
Compiled by: IFS
Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

Net Area: Type 3 (I):FH(D) 6+, Plots in Type: 3, TUs: [cable : 2.3]

		Total	Conifer	Decid	F	C	H	B	Y	D
Utilization Limits										
Min DBH cm (I)					12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)					10.0	10.0	10.0	10.0	10.0	10.0
Log Len m					10.0	10.0	10.0	10.0	10.0	10.0
Volume and Size Data										
Gross Merchantable	m3	1715	1582	133	1215		367			133
Net Merchantable	m3	1644	1519	125	1167		352			125
Net Merch - All	m3/ha	715	660	54	507		153			54
Distribution	%	100	92	8	71		21			8
Decay	%	0		1						1
Waste	%									
Waste(billing)	%									
Breakage	%	4	4	5	4		4			5
Total Cull (DWB)	%	4	4	6	4		4			6
Basal Area / Ha	m2/ha	65.6	60.9	4.7	42.2		18.8			4.7
Net VBAR	m3/m2	10.890	10.838	11.564	12.024		8.169			11.564
Stems/Ha (Live & DP)		1176.9	1109.2	67.7	268.3		841.0			67.7
Avg DBH (Live & DP)	cm	26.6	26.4	29.7	44.7		16.8			29.7
Snags/Ha		407.7	407.7				407.7			
Avg Snag DBH	cm	12.1	12.1				12.1			
Gross Merch Vol/Tree	m3	0.63	0.62	0.85	1.97		0.19			0.85
Net Merch Vol/Tree	m3	0.61	0.60	0.80	1.89		0.18			0.80
Avg Weight Total Ht	m	36.2	36.7	29.2	40.0		27.3			29.2
Avg Weight Merch Ht	m	30.8	31.5	22.5	34.8		20.3			22.5
Avg 10.0 m Log Net	m3	0.34	0.34	0.28	0.57		0.15			0.28
Avg 10.0 m Log Gross	m3	0.34	0.34	0.28	0.57		0.15			0.28
Avg # of 10.0 m Logs/Tree		1.87	1.81	3.00	3.45		1.28			3.00
Net Immature	%	92.4	100.0		100.0		100.0			
Net 2nd Growth	%		100.0							
Algorithm Grades %										
#2 Sawlog	H	7	8		10					
#3 Sawlog	I	3	3		4					
#4 Sawlog	J	63	69		72		58			
#5 Utility	U	16	17		13		34			
#6 Utility	X	3	3		1		8			
#7 Chipper	Y	8		100						100
Statistical Summary										
Coeff. of Variation	%	47.3	37.0	173.2	4.8		173.2			173.2
Two Standard Error	%	117.5	91.8	430.3	12.0		430.3			430.3
Number and Type of Plots		MP = 3								
Number of Potential Trees		14								
Plots/Ha		1.3								
Cruised Trees/Plot		5.0								

*** 1 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Average Line Method
TS'ELXWEYEQW
Licence Number: A75807 CP: 14
Project: 2018-04

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

Type Summary
FIZ: C
PSYU: Dewdney (Chilliwack)
Region: 1 - South Coast
District: 01 - Chilliwack

10-Sep-2018 06:40:59PM
Filename: tsc-2018-04-a75807-cp-14.ccp
Compiled by: IFS
Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

Net Area: Type 6 (I):FH(C) 6+, Plots in Type: 7, TUs: [All Treatment Units : 5.8]

		Total	Conifer	Decid	F	C	H	B	Y	D
Utilization Limits										
Min DBH cm (I)					12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)					10.0	10.0	10.0	10.0	10.0	10.0
Log Len m					10.0	10.0	10.0	10.0	10.0	10.0
Volume and Size Data										
Gross Merchantable	m3	4780	4780		2615	571	1593			
Net Merchantable	m3	4417	4417		2390	499	1528			
Net Merch - All	m3/ha	762	762		412	86	263			
Distribution	%	100	100		54	11	35			
Decay	%	2	2		3	6	0			
Waste	%	1	1		1	2				
Waste(billing)	%	1	1		1	2				
Breakage	%	4	4		5	5	4			
Total Cull (DWB)	%	8	8		9	13	4			
Basal Area / Ha	m2/ha	67.4	67.4		34.9	10.5	22.1			
Net VBAR	m3/m2	11.295	11.295		11.823	8.194	11.937			
Stems/Ha (Live & DP)		808.9	808.9		223.2	174.0	411.7			
Avg DBH (Live & DP)	cm	32.6	32.6		44.6	27.7	26.1			
Snags/Ha										
Avg Snag DBH	cm									
Gross Merch Vol/Tree	m3	1.02	1.02		2.02	0.57	0.67			
Net Merch Vol/Tree	m3	0.94	0.94		1.85	0.49	0.64			
Avg Weight Total Ht	m	37.3	37.3		42.8	27.5	32.1			
Avg Weight Merch Ht	m	31.3	31.3		37.8	20.9	24.4			
Avg 10.0 m Log Net	m3	0.39	0.39		0.61	0.25	0.28			
Avg 10.0 m Log Gross	m3	0.40	0.40		0.64	0.27	0.28			
Avg # of 10.0 m Logs/Tree		2.55	2.55		3.17	2.13	2.40			
Net Immature	%	71.2	71.2		49.6	86.3	100.0			
Net 2nd Growth	%		71.2							
Algorithm Grades %										
#2 Lum/#1 Lum	F	1	1		3					
#2 Sawlog	H	17	17		30	8				
#3 Sawlog	I	3	3		6	2				
#4 Sawlog	J	53	53		44	46	68			
#4 Shingle	M					2				
#5 Utility	U	22	22		16	36	25			
#6 Utility	X	4	4		1	6	7			
#7 Chipper	Y									
Statistical Summary										
Coeff. of Variation	%	40.3	40.3		49.7	99.0	86.1			
Two Standard Error	%	37.3	37.3		46.0	91.5	79.6			
Number and Type of Plots		MP = 7								
Number of Potential Trees		37								
Plots/Ha		1.2								
Cruised Trees/Plot		5.3								

*** 1 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Average Line Method
TS'ELXWEYEQW
Licence Number: A75807 CP: 14
Project: 2018-04

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

Type Summary
FIZ: C
PSYU: Dewdney (Chilliwack)
Region: 1 - South Coast
District: 01 - Chilliwack

10-Sep-2018 06:40:59PM
Filename: tsc-2018-04-a75807-cp-14.ccp
Compiled by: IFS
Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

Net Area: Type 6 (I):FH(C) 6+, Plots in Type: 7, TUs: [cable : 4.4]

		Total	Conifer	Decid	F	C	H	B	Y	D
Utilization Limits										
Min DBH cm (I)					12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)					10.0	10.0	10.0	10.0	10.0	10.0
Log Len m					10.0	10.0	10.0	10.0	10.0	10.0
Volume and Size Data										
Gross Merchantable	m3	3626	3626		1984	433	1208			
Net Merchantable	m3	3351	3351		1813	379	1159			
Net Merch - All	m3/ha	762	762		412	86	263			
Distribution	%	100	100		54	11	35			
Decay	%	2	2		3	6	0			
Waste	%	1	1		1	2				
Waste(billing)	%	1	1		1	2				
Breakage	%	4	4		5	5	4			
Total Cull (DWB)	%	8	8		9	13	4			
Basal Area / Ha	m2/ha	67.4	67.4		34.9	10.5	22.1			
Net VBAR	m3/m2	11.295	11.295		11.823	8.194	11.937			
Stems/Ha (Live & DP)		808.9	808.9		223.2	174.0	411.7			
Avg DBH (Live & DP)	cm	32.6	32.6		44.6	27.7	26.1			
Snags/Ha										
Avg Snag DBH	cm									
Gross Merch Vol/Tree	m3	1.02	1.02		2.02	0.57	0.67			
Net Merch Vol/Tree	m3	0.94	0.94		1.85	0.49	0.64			
Avg Weight Total Ht	m	37.3	37.3		42.8	27.5	32.1			
Avg Weight Merch Ht	m	31.3	31.3		37.8	20.9	24.4			
Avg 10.0 m Log Net	m3	0.39	0.39		0.61	0.25	0.28			
Avg 10.0 m Log Gross	m3	0.40	0.40		0.64	0.27	0.28			
Avg # of 10.0 m Logs/Tree		2.55	2.55		3.17	2.13	2.40			
Net Immature	%	71.2	71.2		49.6	86.3	100.0			
Net 2nd Growth	%		71.2							
Algorithm Grades %										
#2 Lum/#1 Lum	F	1	1		3					
#2 Sawlog	H	17	17		30	8				
#3 Sawlog	I	3	3		6	2				
#4 Sawlog	J	53	53		44	46	68			
#4 Shingle	M					2				
#5 Utility	U	22	22		16	36	25			
#6 Utility	X	4	4		1	6	7			
#7 Chipper	Y									
Statistical Summary										
Coeff. of Variation	%	40.3	40.3		49.7	99.0	86.1			
Two Standard Error	%	37.3	37.3		46.0	91.5	79.6			
Number and Type of Plots		MP = 7								
Number of Potential Trees		37								
Plots/Ha		1.2								
Cruised Trees/Plot		5.3								

*** 1 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Average Line Method
TS'ELXWEYEQW
Licence Number: A75807 CP: 14
Project: 2018-04

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

Type Summary
FIZ: C
PSYU: Dewdney (Chilliwack)
Region: 1 - South Coast
District: 01 - Chilliwack

10-Sep-2018 06:40:59PM
Filename: tsc-2018-04-a75807-cp-14.ccp
Compiled by: IFS
Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

Net Area: Type 6 (I):FH(C) 6+, Plots in Type: 7, TUs: [Partial : 1.4]

		Total	Conifer	Decid	F	C	H	B	Y	D
Utilization Limits										
Min DBH cm (I)					12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)					10.0	10.0	10.0	10.0	10.0	10.0
Log Len m					10.0	10.0	10.0	10.0	10.0	10.0
Volume and Size Data										
Gross Merchantable	m3	1154	1154		631	138	384			
Net Merchantable	m3	1066	1066		577	120	369			
Net Merch - All	m3/ha	762	762		412	86	263			
Distribution	%	100	100		54	11	35			
Decay	%	2	2		3	6	0			
Waste	%	1	1		1	2				
Waste(billing)	%	1	1		1	2				
Breakage	%	4	4		5	5	4			
Total Cull (DWB)	%	8	8		9	13	4			
Basal Area / Ha	m2/ha	67.4	67.4		34.9	10.5	22.1			
Net VBAR	m3/m2	11.295	11.295		11.823	8.194	11.937			
Stems/Ha (Live & DP)		808.9	808.9		223.2	174.0	411.7			
Avg DBH (Live & DP)	cm	32.6	32.6		44.6	27.7	26.1			
Snags/Ha										
Avg Snag DBH	cm									
Gross Merch Vol/Tree	m3	1.02	1.02		2.02	0.57	0.67			
Net Merch Vol/Tree	m3	0.94	0.94		1.85	0.49	0.64			
Avg Weight Total Ht	m	37.3	37.3		42.8	27.5	32.1			
Avg Weight Merch Ht	m	31.3	31.3		37.8	20.9	24.4			
Avg 10.0 m Log Net	m3	0.39	0.39		0.61	0.25	0.28			
Avg 10.0 m Log Gross	m3	0.40	0.40		0.64	0.27	0.28			
Avg # of 10.0 m Logs/Tree		2.55	2.55		3.17	2.13	2.40			
Net Immature	%	71.2	71.2		49.6	86.3	100.0			
Net 2nd Growth	%		71.2							
Algorithm Grades %										
#2 Lum/#1 Lum	F	1	1		3					
#2 Sawlog	H	17	17		30	8				
#3 Sawlog	I	3	3		6	2				
#4 Sawlog	J	53	53		44	46	68			
#4 Shingle	M					2				
#5 Utility	U	22	22		16	36	25			
#6 Utility	X	4	4		1	6	7			
#7 Chipper	Y									
Statistical Summary										
Coeff. of Variation	%	40.3	40.3		49.7	99.0	86.1			
Two Standard Error	%	37.3	37.3		46.0	91.5	79.6			
Number and Type of Plots		MP = 7								
Number of Potential Trees		37								
Plots/Ha		1.2								
Cruised Trees/Plot		5.3								

*** 1 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Volume Statistical Analysis

10-Sep-2018 06:40:59PM

Average Line Method
TS'ELXWEYEQW
Licence Number: A75807 CP: 14
Project: 2018-04

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: C
PSYU: Dewdney (Chilliwack)
Region: 1 - South Coast
District: 01 - Chilliwack

Filename: tsc-2018-04-a75807-cp-14.ccp
Compiled by: IFS
Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

Utilization Levels:	Minimum DBH	Top Diameter	Stump Height
Mature Blocks: (cm)	17.5	15.0	30
Immature Blocks:(cm)	12.0	10.0	30
Standard Log Length:(m)	10.00		

Forest Type	Plots Cnt	Plots Mea	Plots Tot	Area ha	Net Volume m3/ha	Proportional Volume	Trees Cnt	Trees Mea	Trees Tot	Standard Deviation	Coeff. of Variation	Sampling Error 1 SE%	Sampling Error 2 SE%
1 :HwBa 946	0	12	12	13.3	641.7	0.50	0	63	63	241.0990	37.6	10.8	23.9
2 :FH 6+	0	3	3	3.5	687.3	0.14	0	13	13	65.8274	9.6	5.5	23.8
3 :FH(D) 6+	0	3	3	2.3	714.6	0.10	0	14	14	337.8786	47.3	27.3	117.5
6 :FH(C) 6+	0	7	7	5.8	761.6	0.26	0	37	37	306.7461	40.3	15.2	37.3
TOTAL	0	25	25	24.9	682.8		0	127	127		36.4	7.3	15.1

Number of live & dead potential trees sampled is 127
Number of dead useless trees sampled is 0
Number of live useless trees sampled is 1

The weighted sampling error is 15.1% at the 95% confidence level

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Basal Area Statistical Analysis

Average Line Method
TS'ELXWEYEQW
Licence Number: A75807 CP: 14
Project: 2018-04

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: C
PSYU: Dewdney (Chilliwack)
Region: 1 - South Coast
District: 01 - Chilliwack

10-Sep-2018 06:40:59PM
Filename: tsc-2018-04-a75807-cp-14.ccp
Compiled by: IFS
Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00   IFS build 6204

Utilization Levels:	Minimum DBH	Top Diameter	Stump Height
Mature Blocks: (cm)	17.5	15.0	30
Immature Blocks:(cm)	12.0	10.0	30
Standard Log Length:(m)	10.00		

Forest Type	Plots Cnt	Plots Mea	Plots Tot	Area ha	Basal Area m2/ha	Proportional Basal Area	Trees Cnt	Trees Mea	Trees Tot	Standard Deviation	Coeff. of Variation	Sampling Error 1 SE%	Sampling Error 2 SE%
1 :HwBa 946	0	12	12	13.3	89.7	0.61	0	63	63	30.4493	34.0	9.8	21.6
2 :FH 6+	0	3	3	3.5	60.9	0.11	0	13	13	8.1193	13.3	7.7	33.1
3 :FH(D) 6+	0	3	3	2.3	65.6	0.08	0	14	14	40.5964	61.9	35.7	153.7
6 :FH(C) 6+	0	7	7	5.8	67.4	0.20	0	37	37	25.7745	38.2	14.4	35.4
TOTAL	0	25	25	24.9	78.2		0	127	127		36.3	7.3	15.1

Number of live & dead potential trees sampled is 127
Number of dead useless trees sampled is 0
Number of live useless trees sampled is 1

The weighted sampling error is 15.1% at the 95% confidence level

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Cutting Permit Stand Table (stems/ha)

Average Line Method | Grades: MOF Computerized | FIZ: C | 10-Sep-2018 06:40:59PM
TS'ELXWEYEQW | Computerized Decay | PSYU: Dewdney (Chilliwack) | Filename: tsc-2018-04-a75807-cp-14.ccp
Licence Number: A75807 CP: 14 | Computerized Waste | Region: 1 - South Coast | Compiled by: IFS
Project: 2018-04 | Computerized Breakage | District: 01 - Chilliwack | Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

[All Treatment Units : 24.9]

	F	C	H	B	Y	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Min DBH cm (I)	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										37.7
15			61.7				61.7	35.8		
20	11.2	12.1	24.6	42.0			90.0	10.5		
25		17.0	68.3	28.7			114.0			
30	28.4	6.8	23.2	11.2		6.3	75.8			
35	8.8	3.9	9.8	16.4			38.8			
40	14.9		22.0				36.9	5.8		
45	9.7		16.2	10.8			36.8	4.5		
50	6.7		10.3	14.9			31.9			
55	14.5		22.8	6.1			43.4			
60	4.0		2.6				6.5			
65	5.2		4.3	2.6			12.1			
70	1.0		8.3	1.9	2.0		13.2			
75	0.9		5.3				6.2			
80	0.9	1.9	2.8				5.6			
85	0.8	0.7	6.5				8.0			
90	1.4	1.1	3.4	1.2			7.1			
95	0.6	1.0	1.3				2.9			
100			0.9				0.9			
105										
110			0.8				0.8			
115										
120										
125										
130			0.5				0.5			
135										
140										
145										
150										
175										
200										
225								0.2		
250										
275										
Total	108.9	44.6	295.6	135.8	2.0	6.3	593.1			
Dead P	46.1	0.2	10.5					56.9		
Dead U										
Live U			37.7							37.7
Average DBH (cm) at 5 Levels										
12.5 +	45.0	36.9	40.4	36.2	67.6	29.7	40.2	26.3		
17.5 +	45.0	36.9	44.9	36.2	67.6	29.7	42.2	38.4		
22.5 +	46.9	41.4	47.0	41.2	67.6	29.7	45.3	49.6		
27.5 +	46.9	54.1	54.7	46.2	67.6	29.7	50.5	49.6		
32.5 +	52.2	68.2	58.3	48.6	67.6		55.2	49.6		

*** 1 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Cutting Permit Stand Table (stems/ha)

Average Line Method | Grades: MOF Computerized | FIZ: C | 10-Sep-2018 06:40:59PM
TS'ELXWEYEQW | Computerized Decay | PSYU: Dewdney (Chilliwack) | Filename: tsc-2018-04-a75807-cp-14.ccp
Licence Number: A75807 CP: 14 | Computerized Waste | Region: 1 - South Coast | Compiled by: IFS
Project: 2018-04 | Computerized Breakage | District: 01 - Chilliwack | Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

[ground : 11.8]

	F	C	H	B	Y	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Min DBH cm (I)	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15								75.6		
20				55.4			55.4			
25			32.1	37.8			69.8			
30	19.4		13.6	14.8			47.8			
35			12.8	21.5			34.4			
40	10.7		19.0				29.7	12.3		
45			21.3	14.3			35.6	9.4		
50	14.0		13.6	19.7			47.3			
55	18.6		30.0	8.1			56.6			
60	5.1		3.4				8.5			
65			5.7	3.4			9.0			
70			10.9	2.5	2.6		16.0			
75			7.0				7.0			
80		2.5	3.7				6.2			
85			8.6				8.6			
90		1.4	4.5	1.5			7.5			
95		1.4	1.7				3.1			
100			1.2				1.2			
105										
110			1.0				1.0			
115										
120										
125										
130			0.7				0.7			
135										
140										
145										
150										
175										
200										
225								0.3		
250										
275										
Total	67.9	5.3	190.9	178.9	2.6		445.5			
Dead P	97.3	0.3						97.6		
Dead U										
Live U										
			Average DBH (cm) at 5 Levels							
12.5 +	45.7	85.9	53.3	36.2	67.6		46.6	25.8		
17.5 +	45.7	85.9	53.3	36.2	67.6		46.6	46.4		
22.5 +	45.7	85.9	53.3	41.2	67.6		49.2	46.4		
27.5 +	45.7	85.9	57.4	46.2	67.6		53.0	46.4		
32.5 +	50.6	85.9	59.4	48.6	67.6		56.0	46.4		

*** 1 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Cutting Permit Stand Table (stems/ha)

Average Line Method | Grades: MOF Computerized | FIZ: C | 10-Sep-2018 06:40:59PM
TS'ELXWEYEQW | Computerized Decay | PSYU: Dewdney (Chilliwack) | Filename: tsc-2018-04-a75807-cp-14.ccp
Licence Number: A75807 CP: 14 | Computerized Waste | Region: 1 - South Coast | Compiled by: IFS
Project: 2018-04 | Computerized Breakage | District: 01 - Chilliwack | Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

[cable : 11.7]

	F	C	H	B	Y	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Min DBH cm (I)	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										80.1
15			131.3				131.3			
20	18.1	19.6	39.7	33.6			111.0	17.0		
25		27.5	90.9	23.0			141.3			
30	34.7	11.0	32.0	9.0		13.3	100.0			
35	14.2	6.2	7.8	13.1			41.3			
40	19.3		22.1				41.4			
45	17.0		13.0	8.7			38.6			
50			8.3	11.9			20.2			
55	12.2		18.2	4.9			35.3			
60	3.3		2.1				5.3			
65	9.1		3.4	2.0			14.6			
70	1.6		6.6	1.5	1.6		11.4			
75	1.4		4.2				5.7			
80	1.4	1.5	2.3				5.2			
85	1.2	1.2	5.2				7.6			
90	2.3	0.9	2.7	0.9			6.9			
95	0.9	0.8	1.1				2.8			
100			0.7				0.7			
105										
110			0.6				0.6			
115										
120										
125										
130			0.4				0.4			
135										
140										
145										
150										
175										
200										
225								0.2		
250										
275										
Total	136.7	68.7	392.7	108.7	1.6	13.3	721.6			
Dead P		0.2	17.0					17.2		
Dead U										
Live U			80.1							80.1
Average DBH (cm) at 5 Levels										
12.5 +	44.7	32.8	33.9	36.2	67.6	29.7	36.5	30.2		
17.5 +	44.7	32.8	40.5	36.2	67.6	29.7	39.8	30.2		
22.5 +	47.2	36.5	43.1	41.2	67.6	29.7	43.0	215.0		
27.5 +	47.2	47.5	52.3	46.2	67.6	29.7	48.7	215.0		
32.5 +	52.7	61.7	57.6	48.6	67.6		54.6	215.0		

*** 1 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Cutting Permit Stand Table (stems/ha)

Average Line Method | Grades: MOF Computerized | FIZ: C | 10-Sep-2018 06:40:59PM
TS'ELXWEYEQW | Computerized Decay | PSYU: Dewdney (Chilliwack) | Filename: tsc-2018-04-a75807-cp-14.ccp
Licence Number: A75807 CP: 14 | Computerized Waste | Region: 1 - South Coast | Compiled by: IFS
Project: 2018-04 | Computerized Breakage | District: 01 - Chilliwack | Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

[Partial : 1.4]

	F	C	H	B	Y	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Min DBH cm (I)	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20	48.2	52.0	105.6				205.8	45.2		
25		73.1	184.7				257.7			
30	51.7	29.3	29.5				110.4			
35	37.8	16.5					54.3			
40	14.1		46.7				60.8			
45	30.7						30.7			
50										
55										
60										
65	17.2						17.2			
70	4.3						4.3			
75	3.7						3.7			
80	3.7						3.7			
85	3.2	3.2					6.4			
90	6.2						6.2			
95	2.4						2.4			
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	223.2	174.0	366.5				763.7			
Dead P			45.2					45.2		
Dead U										
Live U										

Average DBH (cm) at 5 Levels

12.5 +	44.6	27.7	26.6				33.1	22.2		
17.5 +	44.6	27.7	26.6				33.1	22.2		
22.5 +	49.1	30.2	28.7				36.6			
27.5 +	49.1	36.9	36.7				44.4			
32.5 +	54.8	47.5	39.7				50.7			

*** 1 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Block Stand Table (stems/ha)

Average Line Method | Grades: MOF Computerized | FIZ: C | 10-Sep-2018 06:40:59PM
TS'ELXWEYEQW | Computerized Decay | PSYU: Dewdney (Chilliwack) | Filename: tsc-2018-04-a75807-cp-14.ccp
Licence Number: A75807 CP: 14 | Computerized Waste | Region: 1 - South Coast | Compiled by: IFS
Project: 2018-04 | Computerized Breakage | District: 01 - Chilliwack | Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

Block : (I) - 11A:LB11A, Plots in Block: 6, TUs: [All Treatment Units : 5.8]

	F	C	H	B	Y	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (I)	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										161.7
15			264.8				264.8	153.9		
20										
25			108.4				108.4			
30	70.3		25.4			26.8	122.6			
35										
40	49.9		23.2				73.1	25.1		
45	11.0						11.0	19.1		
50	28.6						28.6			
55	62.4						62.4			
60	17.0						17.0			
65	5.3						5.3			
70										
75										
80										
85										
90										
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	244.4		421.9			26.8	693.2			
Dead P	198.1							198.1		
Dead U										
Live U			161.7							161.7
			Average DBH (cm) at 5 Levels							
12.5 +	45.3		19.9			29.7	31.6	23.4		
17.5 +	45.3		27.6			29.7	38.8	40.4		
22.5 +	45.3		27.6			29.7	38.8	40.4		
27.5 +	45.3		35.0			29.7	42.7	40.4		
32.5 +	50.4		39.4				49.2	40.4		

*** 1 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Block Stand Table (stems/ha)

Average Line Method
TS'ELXWEYEQW
Licence Number: A75807 CP: 14
Project: 2018-04

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: C
PSYU: Dewdney (Chilliwack)
Region: 1 - South Coast
District: 01 - Chilliwack

10-Sep-2018 06:40:59PM
Filename: tsc-2018-04-a75807-cp-14.ccp
Compiled by: IFS
Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

Block : (I) - 11A:LB11A, Plots in Block: 6, TUs: [ground : 3.5]

	F	C	H	B	Y	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (I)	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15								255.0		
20										
25			108.1				108.1			
30	65.4						65.4			
35										
40	36.0		38.4				74.5	41.6		
45								31.7		
50	47.3						47.3			
55	62.7						62.7			
60	17.3						17.3			
65										
70										
75										
80										
85										
90										
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	228.8		146.5				375.3			
Dead P	328.2							328.2		
Dead U										
Live U										
			Average DBH (cm) at 5 Levels							
12.5 +	45.7		28.5				39.9	23.4		
17.5 +	45.7		28.5				39.9	40.4		
22.5 +	45.7		28.5				39.9	40.4		
27.5 +	45.7		39.4				44.8	40.4		
32.5 +	50.6		39.4				48.6	40.4		

*** 1 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Block Stand Table (stems/ha)

Average Line Method | Grades: MOF Computerized | FIZ: C | 10-Sep-2018 06:40:59PM
TS'ELXWEYEQW | Computerized Decay | PSYU: Dewdney (Chilliwack) | Filename: tsc-2018-04-a75807-cp-14.ccp
Licence Number: A75807 CP: 14 | Computerized Waste | Region: 1 - South Coast | Compiled by: IFS
Project: 2018-04 | Computerized Breakage | District: 01 - Chilliwack | Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

Block : (I) - 11A:LB11A, Plots in Block: 6, TUs: [cable : 2.3]

	F	C	H	B	Y	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (I)	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										407.7
15			667.8				667.8			
20										
25			109.0				109.0			
30	77.8		64.2			67.7	209.6			
35										
40	70.9						70.9			
45	27.7						27.7			
50										
55	62.0						62.0			
60	16.6						16.6			
65	13.3						13.3			
70										
75										
80										
85										
90										
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	268.3		841.0			67.7	1176.9			
Dead P										
Dead U										
Live U			407.7							407.7
			Average DBH (cm) at 5 Levels							
12.5 +	44.7		16.8			29.7	26.6			
17.5 +	44.7		26.3			29.7	37.5			
22.5 +	44.7		26.3			29.7	37.5			
27.5 +	44.7		30.5			29.7	40.5			
32.5 +	50.1						50.1			

*** 1 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Block Stand Table (stems/ha)

Average Line Method | Grades: MOF Computerized | FIZ: C | 10-Sep-2018 06:40:59PM
TS'ELXWEYEQW | Computerized Decay | PSYU: Dewdney (Chilliwack) | Filename: tsc-2018-04-a75807-cp-14.ccp
Licence Number: A75807 CP: 14 | Computerized Waste | Region: 1 - South Coast | Compiled by: IFS
Project: 2018-04 | Computerized Breakage | District: 01 - Chilliwack | Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

Block : (I) - P2B:MP2B, Plots in Block: 7, TUs: [All Treatment Units : 5.8]

	F	C	H	B	Y	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (I)	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20	48.2	52.0	105.6				205.8	45.2		
25		73.1	184.7				257.7			
30	51.7	29.3	29.5				110.4			
35	37.8	16.5					54.3			
40	14.1		46.7				60.8			
45	30.7						30.7			
50										
55										
60										
65	17.2						17.2			
70	4.3						4.3			
75	3.7						3.7			
80	3.7						3.7			
85	3.2	3.2					6.4			
90	6.2						6.2			
95	2.4						2.4			
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	223.2	174.0	366.5				763.7			
Dead P			45.2					45.2		
Dead U										
Live U										
			Average DBH (cm) at 5 Levels							
12.5 +	44.6	27.7	26.6				33.1	22.2		
17.5 +	44.6	27.7	26.6				33.1	22.2		
22.5 +	49.1	30.2	28.7				36.6			
27.5 +	49.1	36.9	36.7				44.4			
32.5 +	54.8	47.5	39.7				50.7			

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Block Stand Table (stems/ha)

Average Line Method
TS'ELXWEYEQW
Licence Number: A75807 CP: 14
Project: 2018-04

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: C
PSYU: Dewdney (Chilliwack)
Region: 1 - South Coast
District: 01 - Chilliwack

10-Sep-2018 06:40:59PM
Filename: tsc-2018-04-a75807-cp-14.ccp
Compiled by: IFS
Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

Block : (I) - P2B:MP2B, Plots in Block: 7, TUs: [cable : 4.4]

	F	C	H	B	Y	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (I)	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20	48.2	52.0	105.6				205.8	45.2		
25		73.1	184.7				257.7			
30	51.7	29.3	29.5				110.4			
35	37.8	16.5					54.3			
40	14.1		46.7				60.8			
45	30.7						30.7			
50										
55										
60										
65	17.2						17.2			
70	4.3						4.3			
75	3.7						3.7			
80	3.7						3.7			
85	3.2	3.2					6.4			
90	6.2						6.2			
95	2.4						2.4			
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	223.2	174.0	366.5				763.7			
Dead P			45.2					45.2		
Dead U										
Live U										
			Average DBH (cm) at 5 Levels							
12.5 +	44.6	27.7	26.6				33.1	22.2		
17.5 +	44.6	27.7	26.6				33.1	22.2		
22.5 +	49.1	30.2	28.7				36.6			
27.5 +	49.1	36.9	36.7				44.4			
32.5 +	54.8	47.5	39.7				50.7			

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Block Stand Table (stems/ha)

Average Line Method | Grades: MOF Computerized | FIZ: C | 10-Sep-2018 06:40:59PM
TS'ELXWEYEQW | Computerized Decay | PSYU: Dewdney (Chilliwack) | Filename: tsc-2018-04-a75807-cp-14.ccp
Licence Number: A75807 CP: 14 | Computerized Waste | Region: 1 - South Coast | Compiled by: IFS
Project: 2018-04 | Computerized Breakage | District: 01 - Chilliwack | Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

Block : (I) - P2B:MP2B, Plots in Block: 7, TUs: [Partial : 1.4]

	F	C	H	B	Y	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (I)	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20	48.2	52.0	105.6				205.8	45.2		
25		73.1	184.7				257.7			
30	51.7	29.3	29.5				110.4			
35	37.8	16.5					54.3			
40	14.1		46.7				60.8			
45	30.7						30.7			
50										
55										
60										
65	17.2						17.2			
70	4.3						4.3			
75	3.7						3.7			
80	3.7						3.7			
85	3.2	3.2					6.4			
90	6.2						6.2			
95	2.4						2.4			
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	223.2	174.0	366.5				763.7			
Dead P			45.2					45.2		
Dead U										
Live U										
			Average DBH (cm) at 5 Levels							
12.5 +	44.6	27.7	26.6				33.1	22.2		
17.5 +	44.6	27.7	26.6				33.1	22.2		
22.5 +	49.1	30.2	28.7				36.6			
27.5 +	49.1	36.9	36.7				44.4			
32.5 +	54.8	47.5	39.7				50.7			

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Block Stand Table (stems/ha)

Average Line Method | Grades: MOF Computerized | FIZ: C | 10-Sep-2018 06:40:59PM
TS'ELXWEYEQW | Computerized Decay | PSYU: Dewdney (Chilliwack) | Filename: tsc-2018-04-a75807-cp-14.ccp
Licence Number: A75807 CP: 14 | Computerized Waste | Region: 1 - South Coast | Compiled by: IFS
Project: 2018-04 | Computerized Breakage | District: 01 - Chilliwack | Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

Block : (M) - PF1:PF1, Plots in Block: 12, TUs: [All Treatment Units : 13.3]

	F	C	H	B	Y	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20				78.7			78.7			
25				53.7			53.7			
30			19.4	21.0			40.4			
35			18.3	30.6			48.9			
40			10.8				10.8			
45			30.3	20.3			50.6			
50			19.4	27.9			47.3			
55			42.6	11.5			54.1			
60			4.8				4.8			
65			8.0	4.8			12.8			
70			15.6	3.5	3.7		22.8			
75			9.9				9.9			
80		3.5	5.3				8.8			
85			12.2				12.2			
90		2.1	6.4	2.2			10.7			
95		1.9	2.5				4.4			
100			1.7				1.7			
105										
110			1.4				1.4			
115										
120										
125										
130			1.0				1.0			
135										
140										
145										
150										
175										
200										
225								0.4		
250										
275										
Total		7.5	209.6	254.3	3.7		475.1			
Dead P		0.4						0.4		
Dead U										
Live U										
			Average DBH (cm) at 5 Levels							
12.5 +		85.9	58.6	36.2	67.6		48.7	215.0		
17.5 +		85.9	58.6	36.2	67.6		48.7	215.0		
22.5 +		85.9	58.6	41.2	67.6		52.5	215.0		
27.5 +		85.9	58.6	46.2	67.6		55.4	215.0		
32.5 +		85.9	60.8	48.6	67.6		57.9	215.0		

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Block Stand Table (stems/ha)

Average Line Method
TS'ELXWEYEQW
Licence Number: A75807 CP: 14
Project: 2018-04

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: C
PSYU: Dewdney (Chilliwack)
Region: 1 - South Coast
District: 01 - Chilliwack

10-Sep-2018 06:40:59PM
Filename: tsc-2018-04-a75807-cp-14.ccp
Compiled by: IFS
Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

Block : (M) - PF1:PF1, Plots in Block: 12, TUs: [ground : 8.3]

	F	C	H	B	Y	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20				78.7			78.7			
25				53.7			53.7			
30			19.4	21.0			40.4			
35			18.3	30.6			48.9			
40			10.8				10.8			
45			30.3	20.3			50.6			
50			19.4	27.9			47.3			
55			42.6	11.5			54.1			
60			4.8				4.8			
65			8.0	4.8			12.8			
70			15.6	3.5	3.7		22.8			
75			9.9				9.9			
80		3.5	5.3				8.8			
85			12.2				12.2			
90		2.1	6.4	2.2			10.7			
95		1.9	2.5				4.4			
100			1.7				1.7			
105										
110			1.4				1.4			
115										
120										
125										
130			1.0				1.0			
135										
140										
145										
150										
175										
200										
225								0.4		
250										
275										
Total		7.5	209.6	254.3	3.7		475.1			
Dead P		0.4						0.4		
Dead U										
Live U										
			Average DBH (cm) at 5 Levels							
12.5 +		85.9	58.6	36.2	67.6		48.7	215.0		
17.5 +		85.9	58.6	36.2	67.6		48.7	215.0		
22.5 +		85.9	58.6	41.2	67.6		52.5	215.0		
27.5 +		85.9	58.6	46.2	67.6		55.4	215.0		
32.5 +		85.9	60.8	48.6	67.6		57.9	215.0		

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Block Stand Table (stems/ha)

Average Line Method
TS'ELXWEYEQW
Licence Number: A75807 CP: 14
Project: 2018-04

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: C
PSYU: Dewdney (Chilliwack)
Region: 1 - South Coast
District: 01 - Chilliwack

10-Sep-2018 06:40:59PM
Filename: tsc-2018-04-a75807-cp-14.ccp
Compiled by: IFS
Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

Block : (M) - PF1:PF1, Plots in Block: 12, TUs: [cable : 5.0]

	F	C	H	B	Y	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20				78.7			78.7			
25				53.7			53.7			
30			19.4	21.0			40.4			
35			18.3	30.6			48.9			
40			10.8				10.8			
45			30.3	20.3			50.6			
50			19.4	27.9			47.3			
55			42.6	11.5			54.1			
60			4.8				4.8			
65			8.0	4.8			12.8			
70			15.6	3.5	3.7		22.8			
75			9.9				9.9			
80		3.5	5.3				8.8			
85			12.2				12.2			
90		2.1	6.4	2.2			10.7			
95		1.9	2.5				4.4			
100			1.7				1.7			
105										
110			1.4				1.4			
115										
120										
125										
130			1.0				1.0			
135										
140										
145										
150										
175										
200										
225								0.4		
250										
275										
Total		7.5	209.6	254.3	3.7		475.1			
Dead P		0.4						0.4		
Dead U										
Live U										
			Average DBH (cm) at 5 Levels							
12.5 +		85.9	58.6	36.2	67.6		48.7	215.0		
17.5 +		85.9	58.6	36.2	67.6		48.7	215.0		
22.5 +		85.9	58.6	41.2	67.6		52.5	215.0		
27.5 +		85.9	58.6	46.2	67.6		55.4	215.0		
32.5 +		85.9	60.8	48.6	67.6		57.9	215.0		

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Type Stand Table (stems/ha)

Average Line Method
TS'ELXWEYEQW
Licence Number: A75807 CP: 14
Project: 2018-04

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: C
PSYU: Dewdney (Chilliwack)
Region: 1 - South Coast
District: 01 - Chilliwack

10-Sep-2018 06:40:59PM
Filename: tsc-2018-04-a75807-cp-14.ccp
Compiled by: IFS
Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

Type 1 (M):HwBa 946, Plots in Type: 12, TUs: [All Treatment Units : 13.3]

	F	C	H	B	Y	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20				78.7			78.7			
25				53.7			53.7			
30			19.4	21.0			40.4			
35			18.3	30.6			48.9			
40			10.8				10.8			
45			30.3	20.3			50.6			
50			19.4	27.9			47.3			
55			42.6	11.5			54.1			
60			4.8				4.8			
65			8.0	4.8			12.8			
70			15.6	3.5	3.7		22.8			
75			9.9				9.9			
80		3.5	5.3				8.8			
85			12.2				12.2			
90		2.1	6.4	2.2			10.7			
95		1.9	2.5				4.4			
100			1.7				1.7			
105										
110			1.4				1.4			
115										
120										
125										
130			1.0				1.0			
135										
140										
145										
150										
175										
200										
225								0.4		
250										
275										
Total		7.5	209.6	254.3	3.7		475.1			
Dead P		0.4						0.4		
Dead U										
Live U										
		Average DBH (cm) at 5 Levels								
12.5 +		85.9	58.6	36.2	67.6		48.7	215.0		
17.5 +		85.9	58.6	36.2	67.6		48.7	215.0		
22.5 +		85.9	58.6	41.2	67.6		52.5	215.0		
27.5 +		85.9	58.6	46.2	67.6		55.4	215.0		
32.5 +		85.9	60.8	48.6	67.6		57.9	215.0		

*** 1 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Type Stand Table (stems/ha)

Average Line Method
TS'ELXWEYEQW
Licence Number: A75807 CP: 14
Project: 2018-04

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: C
PSYU: Dewdney (Chilliwack)
Region: 1 - South Coast
District: 01 - Chilliwack

10-Sep-2018 06:40:59PM
Filename: tsc-2018-04-a75807-cp-14.ccp
Compiled by: IFS
Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00   IFS build 6204

Type 1 (M):HwBa 946, Plots in Type: 12, TUs: [ground : 8.3]

	F	C	H	B	Y	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20				78.7			78.7			
25				53.7			53.7			
30			19.4	21.0			40.4			
35			18.3	30.6			48.9			
40			10.8				10.8			
45			30.3	20.3			50.6			
50			19.4	27.9			47.3			
55			42.6	11.5			54.1			
60			4.8				4.8			
65			8.0	4.8			12.8			
70			15.6	3.5	3.7		22.8			
75			9.9				9.9			
80		3.5	5.3				8.8			
85			12.2				12.2			
90		2.1	6.4	2.2			10.7			
95		1.9	2.5				4.4			
100			1.7				1.7			
105										
110			1.4				1.4			
115										
120										
125										
130			1.0				1.0			
135										
140										
145										
150										
175										
200										
225								0.4		
250										
275										
Total		7.5	209.6	254.3	3.7		475.1			
Dead P		0.4						0.4		
Dead U										
Live U										
			Average DBH (cm) at 5 Levels							
12.5 +		85.9	58.6	36.2	67.6		48.7	215.0		
17.5 +		85.9	58.6	36.2	67.6		48.7	215.0		
22.5 +		85.9	58.6	41.2	67.6		52.5	215.0		
27.5 +		85.9	58.6	46.2	67.6		55.4	215.0		
32.5 +		85.9	60.8	48.6	67.6		57.9	215.0		

*** 1 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Type Stand Table (stems/ha)

Average Line Method
TS'ELXWEYEQW
Licence Number: A75807 CP: 14
Project: 2018-04

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: C
PSYU: Dewdney (Chilliwack)
Region: 1 - South Coast
District: 01 - Chilliwack

10-Sep-2018 06:40:59PM
Filename: tsc-2018-04-a75807-cp-14.ccp
Compiled by: IFS
Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

Type 1 (M):HwBa 946, Plots in Type: 12, TUs: [cable : 5.0]

	F	C	H	B	Y	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20				78.7			78.7			
25				53.7			53.7			
30			19.4	21.0			40.4			
35			18.3	30.6			48.9			
40			10.8				10.8			
45			30.3	20.3			50.6			
50			19.4	27.9			47.3			
55			42.6	11.5			54.1			
60			4.8				4.8			
65			8.0	4.8			12.8			
70			15.6	3.5	3.7		22.8			
75			9.9				9.9			
80		3.5	5.3				8.8			
85			12.2				12.2			
90		2.1	6.4	2.2			10.7			
95		1.9	2.5				4.4			
100			1.7				1.7			
105										
110			1.4				1.4			
115										
120										
125										
130			1.0				1.0			
135										
140										
145										
150										
175										
200										
225								0.4		
250										
275										
Total		7.5	209.6	254.3	3.7		475.1			
Dead P		0.4						0.4		
Dead U										
Live U										
			Average DBH (cm) at 5 Levels							
12.5 +		85.9	58.6	36.2	67.6		48.7	215.0		
17.5 +		85.9	58.6	36.2	67.6		48.7	215.0		
22.5 +		85.9	58.6	41.2	67.6		52.5	215.0		
27.5 +		85.9	58.6	46.2	67.6		55.4	215.0		
32.5 +		85.9	60.8	48.6	67.6		57.9	215.0		

*** 1 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Type Stand Table (stems/ha)

Average Line Method
TS'ELXWEYEQW
Licence Number: A75807 CP: 14
Project: 2018-04

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: C
PSYU: Dewdney (Chilliwack)
Region: 1 - South Coast
District: 01 - Chilliwack

10-Sep-2018 06:40:59PM
Filename: tsc-2018-04-a75807-cp-14.ccp
Compiled by: IFS
Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

Type 2 (I):FH 6+, Plots in Type: 3, TUs: [ground : 3.5]

	F	C	H	B	Y	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (I)	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15								255.0		
20										
25			108.1				108.1			
30	65.4						65.4			
35										
40	36.0		38.4				74.5	41.6		
45								31.7		
50	47.3						47.3			
55	62.7						62.7			
60	17.3						17.3			
65										
70										
75										
80										
85										
90										
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	228.8		146.5				375.3			
Dead P	328.2							328.2		
Dead U										
Live U										
			Average DBH (cm) at 5 Levels							
12.5 +	45.7		28.5				39.9	23.4		
17.5 +	45.7		28.5				39.9	40.4		
22.5 +	45.7		28.5				39.9	40.4		
27.5 +	45.7		39.4				44.8	40.4		
32.5 +	50.6		39.4				48.6	40.4		

*** 1 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Type Stand Table (stems/ha)

Average Line Method
TS'ELXWEYEQW
Licence Number: A75807 CP: 14
Project: 2018-04

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: C
PSYU: Dewdney (Chilliwack)
Region: 1 - South Coast
District: 01 - Chilliwack

10-Sep-2018 06:40:59PM
Filename: tsc-2018-04-a75807-cp-14.ccp
Compiled by: IFS
Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

Type 3 (I):FH(D) 6+, Plots in Type: 3, TUs: [cable : 2.3]

	F	C	H	B	Y	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (I)	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										407.7
15			667.8				667.8			
20										
25			109.0				109.0			
30	77.8		64.2			67.7	209.6			
35										
40	70.9						70.9			
45	27.7						27.7			
50										
55	62.0						62.0			
60	16.6						16.6			
65	13.3						13.3			
70										
75										
80										
85										
90										
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	268.3		841.0			67.7	1176.9			
Dead P										
Dead U										
Live U			407.7							407.7
			Average DBH (cm) at 5 Levels							
12.5 +	44.7		16.8			29.7	26.6			
17.5 +	44.7		26.3			29.7	37.5			
22.5 +	44.7		26.3			29.7	37.5			
27.5 +	44.7		30.5			29.7	40.5			
32.5 +	50.1						50.1			

*** 1 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Type Stand Table (stems/ha)

Average Line Method
TS'ELXWEYEQW
Licence Number: A75807 CP: 14
Project: 2018-04

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: C
PSYU: Dewdney (Chilliwack)
Region: 1 - South Coast
District: 01 - Chilliwack

10-Sep-2018 06:40:59PM
Filename: tsc-2018-04-a75807-cp-14.ccp
Compiled by: IFS
Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

Type 6 (I):FH(C) 6+, Plots in Type: 7, TUs: [All Treatment Units : 5.8]

	F	C	H	B	Y	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (I)	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20	48.2	52.0	105.6				205.8	45.2		
25		73.1	184.7				257.7			
30	51.7	29.3	29.5				110.4			
35	37.8	16.5					54.3			
40	14.1		46.7				60.8			
45	30.7						30.7			
50										
55										
60										
65	17.2						17.2			
70	4.3						4.3			
75	3.7						3.7			
80	3.7						3.7			
85	3.2	3.2					6.4			
90	6.2						6.2			
95	2.4						2.4			
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	223.2	174.0	366.5				763.7			
Dead P			45.2					45.2		
Dead U										
Live U										
			Average DBH (cm) at 5 Levels							
12.5 +	44.6	27.7	26.6				33.1	22.2		
17.5 +	44.6	27.7	26.6				33.1	22.2		
22.5 +	49.1	30.2	28.7				36.6			
27.5 +	49.1	36.9	36.7				44.4			
32.5 +	54.8	47.5	39.7				50.7			

*** 1 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Type Stand Table (stems/ha)

Average Line Method
TS'ELXWEYEQW
Licence Number: A75807 CP: 14
Project: 2018-04

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: C
PSYU: Dewdney (Chilliwack)
Region: 1 - South Coast
District: 01 - Chilliwack

10-Sep-2018 06:40:59PM
Filename: tsc-2018-04-a75807-cp-14.ccp
Compiled by: IFS
Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

Type 6 (I):FH(C) 6+, Plots in Type: 7, TUs: [cable : 4.4]

	F	C	H	B	Y	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (I)	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20	48.2	52.0	105.6				205.8	45.2		
25		73.1	184.7				257.7			
30	51.7	29.3	29.5				110.4			
35	37.8	16.5					54.3			
40	14.1		46.7				60.8			
45	30.7						30.7			
50										
55										
60										
65	17.2						17.2			
70	4.3						4.3			
75	3.7						3.7			
80	3.7						3.7			
85	3.2	3.2					6.4			
90	6.2						6.2			
95	2.4						2.4			
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	223.2	174.0	366.5				763.7			
Dead P			45.2					45.2		
Dead U										
Live U										
			Average DBH (cm) at 5 Levels							
12.5 +	44.6	27.7	26.6				33.1	22.2		
17.5 +	44.6	27.7	26.6				33.1	22.2		
22.5 +	49.1	30.2	28.7				36.6			
27.5 +	49.1	36.9	36.7				44.4			
32.5 +	54.8	47.5	39.7				50.7			

*** 1 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Type Stand Table (stems/ha)

Average Line Method
TS'ELXWEYEQW
Licence Number: A75807 CP: 14
Project: 2018-04

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: C
PSYU: Dewdney (Chilliwack)
Region: 1 - South Coast
District: 01 - Chilliwack

10-Sep-2018 06:40:59PM
Filename: tsc-2018-04-a75807-cp-14.ccp
Compiled by: IFS
Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

Type 6 (I):FH(C) 6+, Plots in Type: 7, TUs: [Partial : 1.4]

	F	C	H	B	Y	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (I)	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20	48.2	52.0	105.6				205.8	45.2		
25		73.1	184.7				257.7			
30	51.7	29.3	29.5				110.4			
35	37.8	16.5					54.3			
40	14.1		46.7				60.8			
45	30.7						30.7			
50										
55										
60										
65	17.2						17.2			
70	4.3						4.3			
75	3.7						3.7			
80	3.7						3.7			
85	3.2	3.2					6.4			
90	6.2						6.2			
95	2.4						2.4			
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	223.2	174.0	366.5				763.7			
Dead P			45.2					45.2		
Dead U										
Live U										
			Average DBH (cm) at 5 Levels							
12.5 +	44.6	27.7	26.6				33.1	22.2		
17.5 +	44.6	27.7	26.6				33.1	22.2		
22.5 +	49.1	30.2	28.7				36.6			
27.5 +	49.1	36.9	36.7				44.4			
32.5 +	54.8	47.5	39.7				50.7			

*** 1 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Cutting Permit Stock Table (m3/ha)

Average Line Method
TS'ELXWEYEQW
Licence Number: A75807 CP: 14
Project: 2018-04

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: C
PSYU: Dewdney (Chilliwack)
Region: 1 - South Coast
District: 01 - Chilliwack

10-Sep-2018 06:40:59PM
Filename: tsc-2018-04-a75807-cp-14.ccp
Compiled by: IFS
Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

[All Treatment Units : 24.9]

	F	C	H	B	Y	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Min DBH cm (I)	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15			3.4				3.4	3.8		
20	4.1	3.2	7.7	6.1			21.1	4.3		
25		6.2	35.7	11.6			53.5			
30	23.2	3.6	17.5	8.5		5.0	57.8			
35	9.6	4.2	7.6	15.3			36.7			
40	23.9		29.8				53.7	6.8		
45	20.6		13.0	12.6			46.2	7.1		
50	15.9		11.1	26.1			53.1			
55	41.5		42.4	7.6			91.6			
60	13.0		5.7				18.6			
65	22.2		8.3	5.5			36.0			
70	4.9		26.8	8.8	5.2		45.7			
75	5.3		15.8				21.1			
80	1.6	3.1	13.1				17.8			
85	4.8	2.7	28.2				35.7			
90	11.8	5.2	17.5	7.5			42.0			
95	5.7	3.9	7.6				17.1			
100			2.7				2.7			
105										
110			2.7				2.7			
115										
120										
125										
130			1.7				1.7			
135										
140										
145										
150										
175										
200										
225								2.5		
250										
275										
Total	208.2	32.2	298.1	109.6	5.2	5.0	658.3			
Dead P	17.7	2.5	4.3					24.5		
			Volume (m3/ha) for 7 Levels							
17.5 +	208.2	32.2	294.7	109.6	5.2	5.0	654.8	20.7		
22.5 +	204.1	28.9	286.9	103.5	5.2	5.0	633.7	16.4		
27.5 +	204.1	22.8	251.2	91.9	5.2	5.0	580.2	16.4		
32.5 +	180.9	19.1	233.7	83.4	5.2		522.4	16.4		
37.5 +	171.3	14.9	226.2	68.1	5.2		485.7	16.4		
42.5 +	147.4	14.9	196.4	68.1	5.2		432.0	9.6		
47.5 +	126.8	14.9	183.4	55.5	5.2		385.8	2.5		

*** 1 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Cutting Permit Stock Table (m3/ha)

Average Line Method | Grades: MOF Computerized | FIZ: C | 10-Sep-2018 06:40:59PM
TS'ELXWEYEQW | Computerized Decay | PSYU: Dewdney (Chilliwack) | Filename: tsc-2018-04-a75807-cp-14.ccp
Licence Number: A75807 CP: 14 | Computerized Waste | Region: 1 - South Coast | Compiled by: IFS
Project: 2018-04 | Computerized Breakage | District: 01 - Chilliwack | Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

[ground : 11.8]

	F	C	H	B	Y	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Min DBH cm (I)	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15								8.0		
20				8.0			8.0			
25			16.0	15.3			31.3			
30	15.6		5.1	11.2			31.9			
35			10.0	20.1			30.1			
40	19.4		19.8				39.2	14.4		
45			17.2	16.6			33.8	15.0		
50	33.6		14.6	34.3			82.5			
55	52.8		55.8	10.1			118.7			
60	16.4		7.5				23.9			
65			10.9	7.2			18.2			
70			35.2	11.5	6.9		53.7			
75			20.8				20.8			
80		4.0	17.3				21.3			
85			37.1				37.1			
90		6.9	23.0	9.9			39.8			
95		5.1	10.0				15.0			
100			3.6				3.6			
105										
110			3.6				3.6			
115										
120										
125										
130			2.2				2.2			
135										
140										
145										
150										
175										
200										
225								3.2		
250										
275										
Total	137.9	16.0	309.5	144.3	6.9		614.6			
Dead P	37.4	3.2						40.7		
			Volume (m3/ha) for 7 Levels							
17.5 +	137.9	16.0	309.5	144.3	6.9		614.6	32.6		
22.5 +	137.9	16.0	309.5	136.3	6.9		606.5	32.6		
27.5 +	137.9	16.0	293.5	121.0	6.9		575.3	32.6		
32.5 +	122.3	16.0	288.4	109.8	6.9		543.4	32.6		
37.5 +	122.3	16.0	278.4	89.7	6.9		513.3	32.6		
42.5 +	102.9	16.0	258.6	89.7	6.9		474.1	18.2		
47.5 +	102.9	16.0	241.5	73.1	6.9		440.4	3.2		

*** 1 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Cutting Permit Stock Table (m3/ha)

Average Line Method
TS'ELXWEYEQW
Licence Number: A75807 CP: 14
Project: 2018-04

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: C
PSYU: Dewdney (Chilliwack)
Region: 1 - South Coast
District: 01 - Chilliwack

10-Sep-2018 06:40:59PM
Filename: tsc-2018-04-a75807-cp-14.ccp
Compiled by: IFS
Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

[cable : 11.7]

	F	C	H	B	Y	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Min DBH cm (I)	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15			7.3				7.3			
20	6.6	5.2	12.5	4.9			29.1	6.9		
25		10.0	47.8	9.3			67.1			
30	27.9	5.9	28.2	6.8		10.7	79.4			
35	15.5	6.8	6.1	12.2			40.6			
40	28.9		34.0				62.9			
45	36.0		10.4	10.1			56.5			
50			8.9	20.9			29.7			
55	35.0		33.9	6.1			75.1			
60	11.0		4.5				15.6			
65	38.7		6.6	4.4			49.7			
70	7.9		21.4	7.0	4.2		40.5			
75	8.6		12.6				21.2			
80	2.5	2.5	10.5				15.5			
85	7.8	4.4	22.5				34.7			
90	19.0	4.2	14.0	6.0			43.2			
95	9.2	3.1	6.0				18.3			
100			2.2				2.2			
105										
110			2.2				2.2			
115										
120										
125										
130			1.3				1.3			
135										
140										
145										
150										
175										
200										
225								2.0		
250										
275										
Total	254.7	42.1	292.9	87.7	4.2	10.7	692.2			
Dead P		2.0	6.9					8.9		
			Volume (m3/ha) for 7 Levels							
17.5 +	254.7	42.1	285.6	87.7	4.2	10.7	684.9	8.9		
22.5 +	248.1	36.8	273.2	82.8	4.2	10.7	655.8	2.0		
27.5 +	248.1	26.8	225.4	73.5	4.2	10.7	588.7	2.0		
32.5 +	220.3	21.0	197.2	66.7	4.2		509.3	2.0		
37.5 +	204.7	14.2	191.1	54.5	4.2		468.7	2.0		
42.5 +	175.8	14.2	157.1	54.5	4.2		405.8	2.0		
47.5 +	139.8	14.2	146.7	44.4	4.2		349.3	2.0		

*** 1 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Cutting Permit Stock Table (m3/ha)

Average Line Method | Grades: MOF Computerized | FIZ: C | 10-Sep-2018 06:40:59PM
TS'ELXWEYEQW | Computerized Decay | PSYU: Dewdney (Chilliwack) | Filename: tsc-2018-04-a75807-cp-14.ccp
Licence Number: A75807 CP: 14 | Computerized Waste | Region: 1 - South Coast | Compiled by: IFS
Project: 2018-04 | Computerized Breakage | District: 01 - Chilliwack | Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

[Partial : 1.4]

	F	C	H	B	Y	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Min DBH cm (I)	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20	17.4	13.9	33.1				64.5	18.5		
25		26.6	100.9				127.4			
30	48.2	15.6	32.3				96.1			
35	41.3	18.1					59.4			
40	20.7		78.7				99.4			
45	65.9						65.9			
50										
55										
60										
65	72.2						72.2			
70	21.1						21.1			
75	22.9						22.9			
80	6.8						6.8			
85	20.6	11.8					32.4			
90	50.7						50.7			
95	24.5						24.5			
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	412.1	86.0	245.0				743.1			
Dead P			18.5					18.5		
			Volume (m3/ha) for 7 Levels							
17.5 +	412.1	86.0	245.0				743.1	18.5		
22.5 +	394.7	72.1	211.9				678.7			
27.5 +	394.7	45.5	111.0				551.2			
32.5 +	346.5	29.9	78.7				455.1			
37.5 +	305.2	11.8	78.7				395.7			
42.5 +	284.5	11.8					296.3			
47.5 +	218.6	11.8					230.4			

*** 1 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Block Stock Table (m3/ha)

Average Line Method
TS'ELXWEYEQW
Licence Number: A75807 CP: 14
Project: 2018-04

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: C
PSYU: Dewdney (Chilliwack)
Region: 1 - South Coast
District: 01 - Chilliwack

10-Sep-2018 06:40:59PM
Filename: tsc-2018-04-a75807-cp-14.ccp
Compiled by: IFS
Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

Block : (I) - 11A:LB11A, Plots in Block: 6, TUs: [All Treatment Units : 5.8]

	F	C	H	B	Y	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (I)	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15			14.7				14.7	16.3		
20										
25			52.4				52.4			
30	51.4		26.1			21.5	99.0			
35										
40	82.1		25.7				107.7	29.3		
45	22.6						22.6	30.4		
50	68.4						68.4			
55	178.2						178.2			
60	55.7						55.7			
65	23.3						23.3			
70										
75										
80										
85										
90										
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	481.6		118.9			21.5	622.0			
Dead P	76.1							76.1		
			Volume (m3/ha) for 7 Levels							
17.5 +	481.6		104.2			21.5	607.3	59.8		
22.5 +	481.6		104.2			21.5	607.3	59.8		
27.5 +	481.6		51.8			21.5	554.9	59.8		
32.5 +	430.2		25.7				455.9	59.8		
37.5 +	430.2		25.7				455.9	59.8		
42.5 +	348.2						348.2	30.4		
47.5 +	325.6						325.6			

*** 1 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Block Stock Table (m3/ha)

Average Line Method | Grades: MOF Computerized | FIZ: C | 10-Sep-2018 06:40:59PM
TS'ELXWEYEQW | Computerized Decay | PSYU: Dewdney (Chilliwack) | Filename: tsc-2018-04-a75807-cp-14.ccp
Licence Number: A75807 CP: 14 | Computerized Waste | Region: 1 - South Coast | Compiled by: IFS
Project: 2018-04 | Computerized Breakage | District: 01 - Chilliwack | Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

Block : (I) - 11A:LB11A, Plots in Block: 6, TUs: [ground : 3.5]

	F	C	H	B	Y	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (I)	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15								27.0		
20										
25			53.9				53.9			
30	52.5						52.5			
35										
40	65.4		42.5				107.9	48.6		
45								50.4		
50	113.4						113.4			
55	178.1						178.1			
60	55.4						55.4			
65										
70										
75										
80										
85										
90										
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	464.8		96.4				561.2			
Dead P	126.1							126.1		
			Volume (m3/ha) for 7 Levels							
17.5 +	464.8		96.4				561.2	99.1		
22.5 +	464.8		96.4				561.2	99.1		
27.5 +	464.8		42.5				507.3	99.1		
32.5 +	412.3		42.5				454.8	99.1		
37.5 +	412.3		42.5				454.8	99.1		
42.5 +	346.9						346.9	50.4		
47.5 +	346.9						346.9			

*** 1 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Block Stock Table (m3/ha)

Average Line Method
TS'ELXWEYEQW
Licence Number: A75807 CP: 14
Project: 2018-04

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: C
PSYU: Dewdney (Chilliwack)
Region: 1 - South Coast
District: 01 - Chilliwack

10-Sep-2018 06:40:59PM
Filename: tsc-2018-04-a75807-cp-14.ccp
Compiled by: IFS
Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

Block : (I) - 11A:LB11A, Plots in Block: 6, TUs: [cable : 2.3]

	F	C	H	B	Y	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (I)	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15			37.1				37.1			
20										
25			50.2				50.2			
30	49.7		65.8			54.2	169.7			
35										
40	107.4						107.4			
45	57.0						57.0			
50										
55	178.3						178.3			
60	56.1						56.1			
65	58.8						58.8			
70										
75										
80										
85										
90										
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	507.3		153.2			54.2	714.6			
Dead P										
			Volume (m3/ha) for 7 Levels							
17.5 +	507.3		116.0			54.2	677.5			
22.5 +	507.3		116.0			54.2	677.5			
27.5 +	507.3		65.8			54.2	627.3			
32.5 +	457.6						457.6			
37.5 +	457.6						457.6			
42.5 +	350.1						350.1			
47.5 +	293.2						293.2			

*** 1 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Block Stock Table (m3/ha)

Average Line Method | Grades: MOF Computerized | FIZ: C | 10-Sep-2018 06:40:59PM
TS'ELXWEYEQW | Computerized Decay | PSYU: Dewdney (Chilliwack) | Filename: tsc-2018-04-a75807-cp-14.ccp
Licence Number: A75807 CP: 14 | Computerized Waste | Region: 1 - South Coast | Compiled by: IFS
Project: 2018-04 | Computerized Breakage | District: 01 - Chilliwack | Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

Block : (I) - P2B:MP2B, Plots in Block: 7, TUs: [All Treatment Units : 5.8]

	F	C	H	B	Y	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (I)	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20	17.4	13.9	33.1				64.5	18.5		
25		26.6	100.9				127.4			
30	48.2	15.6	32.3				96.1			
35	41.3	18.1					59.4			
40	20.7		78.7				99.4			
45	65.9						65.9			
50										
55										
60										
65	72.2						72.2			
70	21.1						21.1			
75	22.9						22.9			
80	6.8						6.8			
85	20.6	11.8					32.4			
90	50.7						50.7			
95	24.5						24.5			
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	412.1	86.0	245.0				743.1			
Dead P			18.5					18.5		
			Volume (m3/ha) for 7 Levels							
17.5 +	412.1	86.0	245.0				743.1	18.5		
22.5 +	394.7	72.1	211.9				678.7			
27.5 +	394.7	45.5	111.0				551.2			
32.5 +	346.5	29.9	78.7				455.1			
37.5 +	305.2	11.8	78.7				395.7			
42.5 +	284.5	11.8					296.3			
47.5 +	218.6	11.8					230.4			

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Block Stock Table (m3/ha)

Average Line Method
TS'ELXWEYEQW
Licence Number: A75807 CP: 14
Project: 2018-04

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: C
PSYU: Dewdney (Chilliwack)
Region: 1 - South Coast
District: 01 - Chilliwack

10-Sep-2018 06:40:59PM
Filename: tsc-2018-04-a75807-cp-14.ccp
Compiled by: IFS
Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

Block : (I) - P2B:MP2B, Plots in Block: 7, TUs: [cable : 4.4]

	F	C	H	B	Y	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (I)	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20	17.4	13.9	33.1				64.5	18.5		
25		26.6	100.9				127.4			
30	48.2	15.6	32.3				96.1			
35	41.3	18.1					59.4			
40	20.7		78.7				99.4			
45	65.9						65.9			
50										
55										
60										
65	72.2						72.2			
70	21.1						21.1			
75	22.9						22.9			
80	6.8						6.8			
85	20.6	11.8					32.4			
90	50.7						50.7			
95	24.5						24.5			
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	412.1	86.0	245.0				743.1			
Dead P			18.5					18.5		
			Volume (m3/ha) for 7 Levels							
17.5 +	412.1	86.0	245.0				743.1	18.5		
22.5 +	394.7	72.1	211.9				678.7			
27.5 +	394.7	45.5	111.0				551.2			
32.5 +	346.5	29.9	78.7				455.1			
37.5 +	305.2	11.8	78.7				395.7			
42.5 +	284.5	11.8					296.3			
47.5 +	218.6	11.8					230.4			

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Block Stock Table (m3/ha)

Average Line Method
TS'ELXWEYEQW
Licence Number: A75807 CP: 14
Project: 2018-04

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: C
PSYU: Dewdney (Chilliwack)
Region: 1 - South Coast
District: 01 - Chilliwack

10-Sep-2018 06:40:59PM
Filename: tsc-2018-04-a75807-cp-14.ccp
Compiled by: IFS
Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

Block : (I) - P2B:MP2B, Plots in Block: 7, TUs: [Partial : 1.4]

	F	C	H	B	Y	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (I)	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20	17.4	13.9	33.1				64.5	18.5		
25		26.6	100.9				127.4			
30	48.2	15.6	32.3				96.1			
35	41.3	18.1					59.4			
40	20.7		78.7				99.4			
45	65.9						65.9			
50										
55										
60										
65	72.2						72.2			
70	21.1						21.1			
75	22.9						22.9			
80	6.8						6.8			
85	20.6	11.8					32.4			
90	50.7						50.7			
95	24.5						24.5			
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	412.1	86.0	245.0				743.1			
Dead P			18.5					18.5		
			Volume (m3/ha) for 7 Levels							
17.5 +	412.1	86.0	245.0				743.1	18.5		
22.5 +	394.7	72.1	211.9				678.7			
27.5 +	394.7	45.5	111.0				551.2			
32.5 +	346.5	29.9	78.7				455.1			
37.5 +	305.2	11.8	78.7				395.7			
42.5 +	284.5	11.8					296.3			
47.5 +	218.6	11.8					230.4			

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Block Stock Table (m3/ha)

Average Line Method
TS'ELXWEYEQW
Licence Number: A75807 CP: 14
Project: 2018-04

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: C
PSYU: Dewdney (Chilliwack)
Region: 1 - South Coast
District: 01 - Chilliwack

10-Sep-2018 06:40:59PM
Filename: tsc-2018-04-a75807-cp-14.ccp
Compiled by: IFS
Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

Block : (M) - PF1:PF1, Plots in Block: 12, TUs: [All Treatment Units : 13.3]

	F	C	H	B	Y	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20				11.4			11.4			
25				21.7			21.7			
30			7.3	15.9			23.2			
35			14.2	28.6			42.8			
40			10.2				10.2			
45			24.4	23.6			48.0			
50			20.7	48.8			69.5			
55			79.4	14.3			93.7			
60			10.6				10.6			
65			15.5	10.3			25.8			
70			50.1	16.4	9.8		76.3			
75			29.6				29.6			
80		5.7	24.6				30.3			
85			52.7				52.7			
90		9.8	32.7	14.1			56.5			
95		7.2	14.2				21.4			
100			5.1				5.1			
105										
110			5.1				5.1			
115										
120										
125										
130			3.1				3.1			
135										
140										
145										
150										
175										
200										
225								4.6		
250										
275										
Total		22.7	399.4	205.2	9.8		637.1			
Dead P		4.6						4.6		
		Volume (m3/ha) for 7 Levels								
17.5 +		22.7	399.4	205.2	9.8		637.1	4.6		
22.5 +		22.7	399.4	193.7	9.8		625.7	4.6		
27.5 +		22.7	399.4	172.0	9.8		603.9	4.6		
32.5 +		22.7	392.1	156.1	9.8		580.8	4.6		
37.5 +		22.7	377.9	127.5	9.8		538.0	4.6		
42.5 +		22.7	367.7	127.5	9.8		527.8	4.6		
47.5 +		22.7	343.3	103.9	9.8		479.8	4.6		

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Block Stock Table (m3/ha)

Average Line Method | Grades: MOF Computerized | FIZ: C | 10-Sep-2018 06:40:59PM
TS'ELXWEYEQW | Computerized Decay | PSYU: Dewdney (Chilliwack) | Filename: tsc-2018-04-a75807-cp-14.ccp
Licence Number: A75807 CP: 14 | Computerized Waste | Region: 1 - South Coast | Compiled by: IFS
Project: 2018-04 | Computerized Breakage | District: 01 - Chilliwack | Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

Block : (M) - PF1:PF1, Plots in Block: 12, TUs: [ground : 8.3]

	F	C	H	B	Y	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20				11.4			11.4			
25				21.7			21.7			
30			7.3	15.9			23.2			
35			14.2	28.6			42.8			
40			10.2				10.2			
45			24.4	23.6			48.0			
50			20.7	48.8			69.5			
55			79.4	14.3			93.7			
60			10.6				10.6			
65			15.5	10.3			25.8			
70			50.1	16.4	9.8		76.3			
75			29.6				29.6			
80		5.7	24.6				30.3			
85			52.7				52.7			
90		9.8	32.7	14.1			56.5			
95		7.2	14.2				21.4			
100			5.1				5.1			
105										
110			5.1				5.1			
115										
120										
125										
130			3.1				3.1			
135										
140										
145										
150										
175										
200										
225								4.6		
250										
275										
Total		22.7	399.4	205.2	9.8		637.1			
Dead P		4.6						4.6		
		Volume (m3/ha) for 7 Levels								
17.5 +		22.7	399.4	205.2	9.8		637.1	4.6		
22.5 +		22.7	399.4	193.7	9.8		625.7	4.6		
27.5 +		22.7	399.4	172.0	9.8		603.9	4.6		
32.5 +		22.7	392.1	156.1	9.8		580.8	4.6		
37.5 +		22.7	377.9	127.5	9.8		538.0	4.6		
42.5 +		22.7	367.7	127.5	9.8		527.8	4.6		
47.5 +		22.7	343.3	103.9	9.8		479.8	4.6		

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Block Stock Table (m3/ha)

Average Line Method
TS'ELXWEYEQW
Licence Number: A75807 CP: 14
Project: 2018-04

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: C
PSYU: Dewdney (Chilliwack)
Region: 1 - South Coast
District: 01 - Chilliwack

10-Sep-2018 06:40:59PM
Filename: tsc-2018-04-a75807-cp-14.ccp
Compiled by: IFS
Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

Block : (M) - PF1:PF1, Plots in Block: 12, TUs: [cable : 5.0]

	F	C	H	B	Y	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20				11.4			11.4			
25				21.7			21.7			
30			7.3	15.9			23.2			
35			14.2	28.6			42.8			
40			10.2				10.2			
45			24.4	23.6			48.0			
50			20.7	48.8			69.5			
55			79.4	14.3			93.7			
60			10.6				10.6			
65			15.5	10.3			25.8			
70			50.1	16.4	9.8		76.3			
75			29.6				29.6			
80		5.7	24.6				30.3			
85			52.7				52.7			
90		9.8	32.7	14.1			56.5			
95		7.2	14.2				21.4			
100			5.1				5.1			
105										
110			5.1				5.1			
115										
120										
125										
130			3.1				3.1			
135										
140										
145										
150										
175										
200										
225								4.6		
250										
275										
Total		22.7	399.4	205.2	9.8		637.1			
Dead P		4.6						4.6		
		Volume (m3/ha) for 7 Levels								
17.5 +		22.7	399.4	205.2	9.8		637.1	4.6		
22.5 +		22.7	399.4	193.7	9.8		625.7	4.6		
27.5 +		22.7	399.4	172.0	9.8		603.9	4.6		
32.5 +		22.7	392.1	156.1	9.8		580.8	4.6		
37.5 +		22.7	377.9	127.5	9.8		538.0	4.6		
42.5 +		22.7	367.7	127.5	9.8		527.8	4.6		
47.5 +		22.7	343.3	103.9	9.8		479.8	4.6		

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Type Stock Table (m3/ha)

Average Line Method
TS'ELXWEYEQW
Licence Number: A75807 CP: 14
Project: 2018-04

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: C
PSYU: Dewdney (Chilliwack)
Region: 1 - South Coast
District: 01 - Chilliwack

10-Sep-2018 06:40:59PM
Filename: tsc-2018-04-a75807-cp-14.ccp
Compiled by: IFS
Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

Type 1 (M):HwBa 946, Plots in Type: 12, TUs: [All Treatment Units : 13.3]

	F	C	H	B	Y	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20				11.4			11.4			
25				21.7			21.7			
30			7.3	15.9			23.2			
35			14.2	28.6			42.8			
40			10.2				10.2			
45			24.4	23.6			48.0			
50			20.7	48.8			69.5			
55			79.4	14.3			93.7			
60			10.6				10.6			
65			15.5	10.3			25.8			
70			50.1	16.4	9.8		76.3			
75			29.6				29.6			
80		5.7	24.6				30.3			
85			52.7				52.7			
90		9.8	32.7	14.1			56.5			
95		7.2	14.2				21.4			
100			5.1				5.1			
105										
110			5.1				5.1			
115										
120										
125										
130			3.1				3.1			
135										
140										
145										
150										
175										
200										
225								4.6		
250										
275										
Total		22.7	399.4	205.2	9.8		637.1			
Dead P		4.6						4.6		
			Volume (m3/ha) for 7 Levels							
17.5 +		22.7	399.4	205.2	9.8		637.1	4.6		
22.5 +		22.7	399.4	193.7	9.8		625.7	4.6		
27.5 +		22.7	399.4	172.0	9.8		603.9	4.6		
32.5 +		22.7	392.1	156.1	9.8		580.8	4.6		
37.5 +		22.7	377.9	127.5	9.8		538.0	4.6		
42.5 +		22.7	367.7	127.5	9.8		527.8	4.6		
47.5 +		22.7	343.3	103.9	9.8		479.8	4.6		

*** 1 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Type Stock Table (m3/ha)

Average Line Method
TS'ELXWEYEQW
Licence Number: A75807 CP: 14
Project: 2018-04

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: C
PSYU: Dewdney (Chilliwack)
Region: 1 - South Coast
District: 01 - Chilliwack

10-Sep-2018 06:40:59PM
Filename: tsc-2018-04-a75807-cp-14.ccp
Compiled by: IFS
Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

Type 1 (M):HwBa 946, Plots in Type: 12, TUs: [ground : 8.3]

	F	C	H	B	Y	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20				11.4			11.4			
25				21.7			21.7			
30			7.3	15.9			23.2			
35			14.2	28.6			42.8			
40			10.2				10.2			
45			24.4	23.6			48.0			
50			20.7	48.8			69.5			
55			79.4	14.3			93.7			
60			10.6				10.6			
65			15.5	10.3			25.8			
70			50.1	16.4	9.8		76.3			
75			29.6				29.6			
80		5.7	24.6				30.3			
85			52.7				52.7			
90		9.8	32.7	14.1			56.5			
95		7.2	14.2				21.4			
100			5.1				5.1			
105										
110			5.1				5.1			
115										
120										
125										
130			3.1				3.1			
135										
140										
145										
150										
175										
200										
225								4.6		
250										
275										
Total		22.7	399.4	205.2	9.8		637.1			
Dead P		4.6						4.6		
			Volume (m3/ha) for 7 Levels							
17.5 +		22.7	399.4	205.2	9.8		637.1	4.6		
22.5 +		22.7	399.4	193.7	9.8		625.7	4.6		
27.5 +		22.7	399.4	172.0	9.8		603.9	4.6		
32.5 +		22.7	392.1	156.1	9.8		580.8	4.6		
37.5 +		22.7	377.9	127.5	9.8		538.0	4.6		
42.5 +		22.7	367.7	127.5	9.8		527.8	4.6		
47.5 +		22.7	343.3	103.9	9.8		479.8	4.6		

*** 1 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Type Stock Table (m3/ha)

Average Line Method
TS'ELXWEYEQW
Licence Number: A75807 CP: 14
Project: 2018-04

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: C
PSYU: Dewdney (Chilliwack)
Region: 1 - South Coast
District: 01 - Chilliwack

10-Sep-2018 06:40:59PM
Filename: tsc-2018-04-a75807-cp-14.ccp
Compiled by: IFS
Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

Type 1 (M):HwBa 946, Plots in Type: 12, TUs: [cable : 5.0]

	F	C	H	B	Y	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20				11.4			11.4			
25				21.7			21.7			
30			7.3	15.9			23.2			
35			14.2	28.6			42.8			
40			10.2				10.2			
45			24.4	23.6			48.0			
50			20.7	48.8			69.5			
55			79.4	14.3			93.7			
60			10.6				10.6			
65			15.5	10.3			25.8			
70			50.1	16.4	9.8		76.3			
75			29.6				29.6			
80		5.7	24.6				30.3			
85			52.7				52.7			
90		9.8	32.7	14.1			56.5			
95		7.2	14.2				21.4			
100			5.1				5.1			
105										
110			5.1				5.1			
115										
120										
125										
130			3.1				3.1			
135										
140										
145										
150										
175										
200										
225								4.6		
250										
275										
Total		22.7	399.4	205.2	9.8		637.1			
Dead P		4.6						4.6		
			Volume (m3/ha) for 7 Levels							
17.5 +		22.7	399.4	205.2	9.8		637.1	4.6		
22.5 +		22.7	399.4	193.7	9.8		625.7	4.6		
27.5 +		22.7	399.4	172.0	9.8		603.9	4.6		
32.5 +		22.7	392.1	156.1	9.8		580.8	4.6		
37.5 +		22.7	377.9	127.5	9.8		538.0	4.6		
42.5 +		22.7	367.7	127.5	9.8		527.8	4.6		
47.5 +		22.7	343.3	103.9	9.8		479.8	4.6		

*** 1 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Type Stock Table (m3/ha)

Average Line Method
TS'ELXWEYEQW
Licence Number: A75807 CP: 14
Project: 2018-04

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: C
PSYU: Dewdney (Chilliwack)
Region: 1 - South Coast
District: 01 - Chilliwack

10-Sep-2018 06:40:59PM
Filename: tsc-2018-04-a75807-cp-14.ccp
Compiled by: IFS
Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

Type 2 (I):FH 6+, Plots in Type: 3, TUs: [ground : 3.5]

	F	C	H	B	Y	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (I)	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15								27.0		
20										
25			53.9				53.9			
30	52.5						52.5			
35										
40	65.4		42.5				107.9	48.6		
45								50.4		
50	113.4						113.4			
55	178.1						178.1			
60	55.4						55.4			
65										
70										
75										
80										
85										
90										
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	464.8		96.4				561.2			
Dead P	126.1							126.1		
			Volume (m3/ha) for 7 Levels							
17.5 +	464.8		96.4				561.2	99.1		
22.5 +	464.8		96.4				561.2	99.1		
27.5 +	464.8		42.5				507.3	99.1		
32.5 +	412.3		42.5				454.8	99.1		
37.5 +	412.3		42.5				454.8	99.1		
42.5 +	346.9						346.9	50.4		
47.5 +	346.9						346.9			

*** 1 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Type Stock Table (m3/ha)

Average Line Method
TS'ELXWEYEQW
Licence Number: A75807 CP: 14
Project: 2018-04

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: C
PSYU: Dewdney (Chilliwack)
Region: 1 - South Coast
District: 01 - Chilliwack

10-Sep-2018 06:40:59PM
Filename: tsc-2018-04-a75807-cp-14.ccp
Compiled by: IFS
Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

Type 3 (I):FH(D) 6+, Plots in Type: 3, TUs: [cable : 2.3]

	F	C	H	B	Y	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (I)	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15			37.1				37.1			
20										
25			50.2				50.2			
30	49.7		65.8			54.2	169.7			
35										
40	107.4						107.4			
45	57.0						57.0			
50										
55	178.3						178.3			
60	56.1						56.1			
65	58.8						58.8			
70										
75										
80										
85										
90										
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	507.3		153.2			54.2	714.6			
Dead P										
			Volume (m3/ha) for 7 Levels							
17.5 +	507.3		116.0			54.2	677.5			
22.5 +	507.3		116.0			54.2	677.5			
27.5 +	507.3		65.8			54.2	627.3			
32.5 +	457.6						457.6			
37.5 +	457.6						457.6			
42.5 +	350.1						350.1			
47.5 +	293.2						293.2			

*** 1 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Type Stock Table (m3/ha)

Average Line Method
TS'ELXWEYEQW
Licence Number: A75807 CP: 14
Project: 2018-04

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: C
PSYU: Dewdney (Chilliwack)
Region: 1 - South Coast
District: 01 - Chilliwack

10-Sep-2018 06:40:59PM
Filename: tsc-2018-04-a75807-cp-14.ccp
Compiled by: IFS
Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

Type 6 (I):FH(C) 6+, Plots in Type: 7, TUs: [All Treatment Units : 5.8]

	F	C	H	B	Y	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (I)	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20	17.4	13.9	33.1				64.5	18.5		
25		26.6	100.9				127.4			
30	48.2	15.6	32.3				96.1			
35	41.3	18.1					59.4			
40	20.7		78.7				99.4			
45	65.9						65.9			
50										
55										
60										
65	72.2						72.2			
70	21.1						21.1			
75	22.9						22.9			
80	6.8						6.8			
85	20.6	11.8					32.4			
90	50.7						50.7			
95	24.5						24.5			
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	412.1	86.0	245.0				743.1			
Dead P			18.5					18.5		
			Volume (m3/ha) for 7 Levels							
17.5 +	412.1	86.0	245.0				743.1	18.5		
22.5 +	394.7	72.1	211.9				678.7			
27.5 +	394.7	45.5	111.0				551.2			
32.5 +	346.5	29.9	78.7				455.1			
37.5 +	305.2	11.8	78.7				395.7			
42.5 +	284.5	11.8					296.3			
47.5 +	218.6	11.8					230.4			

*** 1 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Type Stock Table (m3/ha)

Average Line Method
TS'ELXWEYEQW
Licence Number: A75807 CP: 14
Project: 2018-04

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: C
PSYU: Dewdney (Chilliwack)
Region: 1 - South Coast
District: 01 - Chilliwack

10-Sep-2018 06:40:59PM
Filename: tsc-2018-04-a75807-cp-14.ccp
Compiled by: IFS
Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

Type 6 (I):FH(C) 6+, Plots in Type: 7, TUs: [cable : 4.4]

	F	C	H	B	Y	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (I)	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20	17.4	13.9	33.1				64.5	18.5		
25		26.6	100.9				127.4			
30	48.2	15.6	32.3				96.1			
35	41.3	18.1					59.4			
40	20.7		78.7				99.4			
45	65.9						65.9			
50										
55										
60										
65	72.2						72.2			
70	21.1						21.1			
75	22.9						22.9			
80	6.8						6.8			
85	20.6	11.8					32.4			
90	50.7						50.7			
95	24.5						24.5			
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	412.1	86.0	245.0				743.1			
Dead P			18.5					18.5		
			Volume (m3/ha) for 7 Levels							
17.5 +	412.1	86.0	245.0				743.1	18.5		
22.5 +	394.7	72.1	211.9				678.7			
27.5 +	394.7	45.5	111.0				551.2			
32.5 +	346.5	29.9	78.7				455.1			
37.5 +	305.2	11.8	78.7				395.7			
42.5 +	284.5	11.8					296.3			
47.5 +	218.6	11.8					230.4			

*** 1 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Type Stock Table (m3/ha)

Average Line Method
TS'ELXWEYEQW
Licence Number: A75807 CP: 14
Project: 2018-04

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: C
PSYU: Dewdney (Chilliwack)
Region: 1 - South Coast
District: 01 - Chilliwack

10-Sep-2018 06:40:59PM
Filename: tsc-2018-04-a75807-cp-14.ccp
Compiled by: IFS
Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

Type 6 (I):FH(C) 6+, Plots in Type: 7, TUs: [Partial : 1.4]

	F	C	H	B	Y	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (I)	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20	17.4	13.9	33.1				64.5	18.5		
25		26.6	100.9				127.4			
30	48.2	15.6	32.3				96.1			
35	41.3	18.1					59.4			
40	20.7		78.7				99.4			
45	65.9						65.9			
50										
55										
60										
65	72.2						72.2			
70	21.1						21.1			
75	22.9						22.9			
80	6.8						6.8			
85	20.6	11.8					32.4			
90	50.7						50.7			
95	24.5						24.5			
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	412.1	86.0	245.0				743.1			
Dead P			18.5					18.5		
			Volume (m3/ha) for 7 Levels							
17.5 +	412.1	86.0	245.0				743.1	18.5		
22.5 +	394.7	72.1	211.9				678.7			
27.5 +	394.7	45.5	111.0				551.2			
32.5 +	346.5	29.9	78.7				455.1			
37.5 +	305.2	11.8	78.7				395.7			
42.5 +	284.5	11.8					296.3			
47.5 +	218.6	11.8					230.4			

*** 1 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Cutting Permit Basal Area Table (m2/ha)

Average Line Method
TS'ELXWEYEQW
Licence Number: A75807 CP: 14
Project: 2018-04

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: C
PSYU: Dewdney (Chilliwack)
Region: 1 - South Coast
District: 01 - Chilliwack

10-Sep-2018 06:40:59PM
Filename: tsc-2018-04-a75807-cp-14.ccp
Compiled by: IFS
Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

[All Treatment Units : 24.9]

	F	C	H	B	Y	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Min DBH cm (I)	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										0.4
15			0.9				0.9	0.7		
20	0.4	0.4	0.8	1.4			3.1	0.4		
25		0.8	3.1	1.6			5.6			
30	2.0	0.4	1.7	0.9		0.4	5.5			
35	0.8	0.4	0.9	1.6			3.7			
40	1.9		2.7				4.7	0.7		
45	1.7		2.5	1.6			5.8	0.7		
50	1.3		2.1	3.0			6.5			
55	3.3		5.4	1.4			10.1			
60	1.1		0.7				1.8			
65	1.8		1.4	0.9			4.1			
70	0.4		3.2	0.7	0.7		5.1			
75	0.4		2.3				2.7			
80	0.4	0.9	1.4				2.7			
85	0.4	0.4	3.6				4.4			
90	0.9	0.7	2.1	0.7			4.5			
95	0.4	0.7	0.9				2.0			
100			0.7				0.7			
105										
110			0.7				0.7			
115										
120										
125										
130			0.7				0.7			
135										
140										
145										
150										
175										
200										
225								0.7		
250										
275										
Total	17.3	4.8	38.0	14.0	0.7	0.4	75.1			
Dead P	2.0	0.7	0.4					3.1		
Dead U										
Live U			0.4							0.4
Basal Area (m2/ha) at 5 Levels										
12.5 +	17.3	4.8	38.0	14.0	0.7	0.4	75.1	3.1		
17.5 +	17.3	4.8	37.1	14.0	0.7	0.4	74.3	2.4		
22.5 +	16.9	4.4	36.3	12.5	0.7	0.4	71.2	2.0		
27.5 +	16.9	3.5	33.2	10.9	0.7	0.4	65.7	2.0		
32.5 +	14.8	3.1	31.5	10.0	0.7		60.2	2.0		

*** 1 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Cutting Permit Basal Area Table (m2/ha)

Average Line Method
TS'ELXWEYEQW
Licence Number: A75807 CP: 14
Project: 2018-04

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: C
PSYU: Dewdney (Chilliwack)
Region: 1 - South Coast
District: 01 - Chilliwack

10-Sep-2018 06:40:59PM
Filename: tsc-2018-04-a75807-cp-14.ccp
Compiled by: IFS
Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

[ground : 11.8]

	F	C	H	B	Y	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Min DBH cm (I)	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15								1.4		
20				1.9			1.9			
25			1.4	2.1			3.5			
30	1.4		0.9	1.2			3.5			
35			1.2	2.1			3.3			
40	1.4		2.3				3.7	1.4		
45			3.3	2.1			5.4	1.4		
50	2.8		2.8	4.0			9.6			
55	4.2		7.1	1.9			13.1			
60	1.4		0.9				2.3			
65			1.9	1.2			3.1			
70			4.2	0.9	0.9		6.1			
75			3.1				3.1			
80		1.2	1.9				3.1			
85			4.7				4.7			
90		0.9	2.8	0.9			4.7			
95		0.9	1.2				2.1			
100			0.9				0.9			
105										
110			0.9				0.9			
115										
120										
125										
130			0.9				0.9			
135										
140										
145										
150										
175										
200										
225								0.9		
250										
275										
Total	11.1	3.1	42.5	18.4	0.9		76.0			
Dead P	4.2	0.9						5.1		
Dead U										
Live U										

Basal Area (m2/ha) at 5 Levels

12.5 +	11.1	3.1	42.5	18.4	0.9		76.0	5.1
17.5 +	11.1	3.1	42.5	18.4	0.9		76.0	3.7
22.5 +	11.1	3.1	42.5	16.5	0.9		74.2	3.7
27.5 +	11.1	3.1	41.1	14.4	0.9		70.6	3.7
32.5 +	9.7	3.1	40.2	13.2	0.9		67.1	3.7

*** 1 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Cutting Permit Basal Area Table (m2/ha)

Average Line Method | Grades: MOF Computerized | FIZ: C | 10-Sep-2018 06:40:59PM
TS'ELXWEYEQW | Computerized Decay | PSYU: Dewdney (Chilliwack) | Filename: tsc-2018-04-a75807-cp-14.ccp
Licence Number: A75807 CP: 14 | Computerized Waste | Region: 1 - South Coast | Compiled by: IFS
Project: 2018-04 | Computerized Breakage | District: 01 - Chilliwack | Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

[cable : 11.7]

	F	C	H	B	Y	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Min DBH cm (I)	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										0.9
15			1.8				1.8			
20	0.7	0.7	1.3	1.1			3.8	0.7		
25		1.3	4.2	1.3			6.8			
30	2.4	0.7	2.4	0.7		0.9	7.1			
35	1.3	0.7	0.7	1.3			4.0			
40	2.5		2.7				5.2			
45	2.9		2.0	1.3			6.2			
50			1.7	2.4			4.1			
55	2.8		4.3	1.1			8.2			
60	0.9		0.6				1.5			
65	3.1		1.1	0.7			5.0			
70	0.7		2.6	0.6	0.6		4.4			
75	0.7		1.9				2.5			
80	0.7	0.7	1.1				2.5			
85	0.7	0.7	2.8				4.2			
90	1.5	0.6	1.7	0.6			4.4			
95	0.7	0.6	0.7				1.9			
100			0.6				0.6			
105										
110			0.6				0.6			
115										
120										
125										
130			0.6				0.6			
135										
140										
145										
150										
175										
200										
225								0.6		
250										
275										
Total	21.4	5.8	35.5	11.2	0.6	0.9	75.4			
Dead P		0.6	0.7					1.2		
Dead U										
Live U			0.9							0.9
Basal Area (m2/ha) at 5 Levels										
12.5 +	21.4	5.8	35.5	11.2	0.6	0.9	75.4	1.2		
17.5 +	21.4	5.8	33.6	11.2	0.6	0.9	73.5	1.2		
22.5 +	20.7	5.2	32.3	10.0	0.6	0.9	69.7	0.6		
27.5 +	20.7	3.8	28.1	8.7	0.6	0.9	62.9	0.6		
32.5 +	18.3	3.2	25.8	8.0	0.6		55.8	0.6		

*** 1 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Cutting Permit Basal Area Table (m2/ha)

Average Line Method | Grades: MOF Computerized | FIZ: C | 10-Sep-2018 06:40:59PM
TS'ELXWEYEQW | Computerized Decay | PSYU: Dewdney (Chilliwack) | Filename: tsc-2018-04-a75807-cp-14.ccp
Licence Number: A75807 CP: 14 | Computerized Waste | Region: 1 - South Coast | Compiled by: IFS
Project: 2018-04 | Computerized Breakage | District: 01 - Chilliwack | Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

[Partial : 1.4]

	F	C	H	B	Y	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Min DBH cm (I)	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20	1.7	1.8	3.5				7.0	1.8		
25		3.5	8.8				12.3			
30	4.0	1.8	2.3				8.1			
35	3.5	1.8					5.3			
40	1.8		5.8				7.5			
45	5.3						5.3			
50										
55										
60										
65	5.8						5.8			
70	1.8						1.8			
75	1.8						1.8			
80	1.8						1.8			
85	1.8	1.8					3.5			
90	4.0						4.0			
95	1.8						1.8			
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	34.9	10.5	20.3				65.7			
Dead P			1.8					1.8		
Dead U										
Live U										
			Basal Area (m2/ha) at 5 Levels							
12.5 +	34.9	10.5	20.3				65.7	1.8		
17.5 +	34.9	10.5	20.3				65.7	1.8		
22.5 +	33.1	8.8	16.8				58.7			
27.5 +	33.1	5.3	8.1				46.4			
32.5 +	29.1	3.5	5.8				38.4			

*** 1 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Block Basal Area Table (m2/ha)

Average Line Method | Grades: MOF Computerized | FIZ: C | 10-Sep-2018 06:40:59PM
TS'ELXWEYEQW | Computerized Decay | PSYU: Dewdney (Chilliwack) | Filename: tsc-2018-04-a75807-cp-14.ccp
Licence Number: A75807 CP: 14 | Computerized Waste | Region: 1 - South Coast | Compiled by: IFS
Project: 2018-04 | Computerized Breakage | District: 01 - Chilliwack | Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

Block : (I) - 11A:LB11A, Plots in Block: 6, TUs: [All Treatment Units : 5.8]

	F	C	H	B	Y	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (I)	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										1.9
15			3.7				3.7	2.8		
20										
25			4.7				4.7			
30	4.7		1.9			1.9	8.4			
35										
40	6.5		2.8				9.4	2.8		
45	1.9						1.9	2.8		
50	5.7						5.7			
55	14.1						14.1			
60	4.7						4.7			
65	1.9						1.9			
70										
75										
80										
85										
90										
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	39.4		13.1			1.9	54.3			
Dead P	8.5							8.5		
Dead U										
Live U			1.9							1.9
			Basal Area (m2/ha) at 5 Levels							
12.5 +	39.4		13.1			1.9	54.3	8.5		
17.5 +	39.4		9.4			1.9	50.6	5.7		
22.5 +	39.4		9.4			1.9	50.6	5.7		
27.5 +	39.4		4.7			1.9	45.9	5.7		
32.5 +	34.7		2.8				37.5	5.7		

*** 1 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Block Basal Area Table (m2/ha)

Average Line Method | Grades: MOF Computerized | FIZ: C | 10-Sep-2018 06:40:59PM
TS'ELXWEYEQW | Computerized Decay | PSYU: Dewdney (Chilliwack) | Filename: tsc-2018-04-a75807-cp-14.ccp
Licence Number: A75807 CP: 14 | Computerized Waste | Region: 1 - South Coast | Compiled by: IFS
Project: 2018-04 | Computerized Breakage | District: 01 - Chilliwack | Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

Block : (I) - 11A:LB11A, Plots in Block: 6, TUs: [ground : 3.5]

	F	C	H	B	Y	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (I)	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15								4.7		
20										
25			4.7				4.7			
30	4.7						4.7			
35										
40	4.7		4.7				9.4	4.7		
45								4.7		
50	9.4						9.4			
55	14.1						14.1			
60	4.7						4.7			
65										
70										
75										
80										
85										
90										
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	37.5		9.4				46.9			
Dead P	14.1							14.1		
Dead U										
Live U										
			Basal Area (m2/ha) at 5 Levels							
12.5 +	37.5		9.4				46.9	14.1		
17.5 +	37.5		9.4				46.9	9.4		
22.5 +	37.5		9.4				46.9	9.4		
27.5 +	37.5		4.7				42.2	9.4		
32.5 +	32.8		4.7				37.5	9.4		

*** 1 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Block Basal Area Table (m2/ha)

Average Line Method | Grades: MOF Computerized | FIZ: C | 10-Sep-2018 06:40:59PM
TS'ELXWEYEQW | Computerized Decay | PSYU: Dewdney (Chilliwack) | Filename: tsc-2018-04-a75807-cp-14.ccp
Licence Number: A75807 CP: 14 | Computerized Waste | Region: 1 - South Coast | Compiled by: IFS
Project: 2018-04 | Computerized Breakage | District: 01 - Chilliwack | Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

Block : (I) - 11A:LB11A, Plots in Block: 6, TUs: [cable : 2.3]

	F	C	H	B	Y	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (I)	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										4.7
15			9.4				9.4			
20										
25			4.7				4.7			
30	4.7		4.7			4.7	14.1			
35										
40	9.4						9.4			
45	4.7						4.7			
50										
55	14.1						14.1			
60	4.7						4.7			
65	4.7						4.7			
70										
75										
80										
85										
90										
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	42.2		18.8			4.7	65.6			
Dead P										
Dead U										
Live U			4.7							4.7

Basal Area (m2/ha) at 5 Levels

12.5 +	42.2	18.8	4.7	65.6	
17.5 +	42.2	9.4	4.7	56.3	
22.5 +	42.2	9.4	4.7	56.3	
27.5 +	42.2	4.7	4.7	51.6	
32.5 +	37.5			37.5	

*** 1 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Block Basal Area Table (m2/ha)

Average Line Method | Grades: MOF Computerized | FIZ: C | 10-Sep-2018 06:40:59PM
TS'ELXWEYEQW | Computerized Decay | PSYU: Dewdney (Chilliwack) | Filename: tsc-2018-04-a75807-cp-14.ccp
Licence Number: A75807 CP: 14 | Computerized Waste | Region: 1 - South Coast | Compiled by: IFS
Project: 2018-04 | Computerized Breakage | District: 01 - Chilliwack | Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

Block : (I) - P2B:MP2B, Plots in Block: 7, TUs: [All Treatment Units : 5.8]

	F	C	H	B	Y	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (I)	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20	1.8	1.8	3.5				7.0	1.8		
25		3.5	8.8				12.3			
30	4.0	1.7	2.3				8.1			
35	3.5	1.8					5.3			
40	1.8		5.8				7.5			
45	5.3						5.3			
50										
55										
60										
65	5.8						5.8			
70	1.8						1.8			
75	1.7						1.7			
80	1.8						1.8			
85	1.8	1.8					3.5			
90	4.0						4.0			
95	1.7						1.7			
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	34.9	10.5	20.3				65.7			
Dead P			1.8					1.8		
Dead U										
Live U										
			Basal Area (m2/ha) at 5 Levels							
12.5 +	34.9	10.5	20.3				65.7	1.8		
17.5 +	34.9	10.5	20.3				65.7	1.8		
22.5 +	33.1	8.8	16.8				58.7			
27.5 +	33.1	5.3	8.1				46.4			
32.5 +	29.1	3.5	5.8				38.4			

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Block Basal Area Table (m2/ha)

Average Line Method | Grades: MOF Computerized | FIZ: C | 10-Sep-2018 06:40:59PM
TS'ELXWEYEQW | Computerized Decay | PSYU: Dewdney (Chilliwack) | Filename: tsc-2018-04-a75807-cp-14.ccp
Licence Number: A75807 CP: 14 | Computerized Waste | Region: 1 - South Coast | Compiled by: IFS
Project: 2018-04 | Computerized Breakage | District: 01 - Chilliwack | Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

Block : (I) - P2B:MP2B, Plots in Block: 7, TUs: [cable : 4.4]

	F	C	H	B	Y	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (I)	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20	1.8	1.8	3.5				7.0	1.8		
25		3.5	8.8				12.3			
30	4.0	1.7	2.3				8.1			
35	3.5	1.8					5.3			
40	1.8		5.8				7.5			
45	5.3						5.3			
50										
55										
60										
65	5.8						5.8			
70	1.8						1.8			
75	1.7						1.7			
80	1.8						1.8			
85	1.8	1.8					3.5			
90	4.0						4.0			
95	1.8						1.8			
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	34.9	10.5	20.3				65.7			
Dead P			1.8					1.8		
Dead U										
Live U										
			Basal Area (m2/ha) at 5 Levels							
12.5 +	34.9	10.5	20.3				65.7	1.8		
17.5 +	34.9	10.5	20.3				65.7	1.8		
22.5 +	33.1	8.8	16.8				58.7			
27.5 +	33.1	5.3	8.1				46.4			
32.5 +	29.1	3.5	5.8				38.4			

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Block Basal Area Table (m2/ha)

Average Line Method | Grades: MOF Computerized | FIZ: C | 10-Sep-2018 06:40:59PM
TS'ELXWEYEQW | Computerized Decay | PSYU: Dewdney (Chilliwack) | Filename: tsc-2018-04-a75807-cp-14.ccp
Licence Number: A75807 CP: 14 | Computerized Waste | Region: 1 - South Coast | Compiled by: IFS
Project: 2018-04 | Computerized Breakage | District: 01 - Chilliwack | Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

Block : (I) - P2B:MP2B, Plots in Block: 7, TUs: [Partial : 1.4]

	F	C	H	B	Y	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (I)	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20	1.7	1.8	3.5				7.0	1.8		
25		3.5	8.8				12.3			
30	4.0	1.8	2.3				8.1			
35	3.5	1.8					5.3			
40	1.8		5.8				7.5			
45	5.3						5.3			
50										
55										
60										
65	5.8						5.8			
70	1.8						1.8			
75	1.8						1.8			
80	1.8						1.8			
85	1.8	1.8					3.5			
90	4.0						4.0			
95	1.8						1.8			
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	34.9	10.5	20.3				65.7			
Dead P			1.8					1.8		
Dead U										
Live U										
			Basal Area (m2/ha) at 5 Levels							
12.5 +	34.9	10.5	20.3				65.7	1.8		
17.5 +	34.9	10.5	20.3				65.7	1.8		
22.5 +	33.1	8.8	16.8				58.7			
27.5 +	33.1	5.3	8.1				46.4			
32.5 +	29.1	3.5	5.8				38.4			

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Block Basal Area Table (m2/ha)

Average Line Method | Grades: MOF Computerized | FIZ: C | 10-Sep-2018 06:40:59PM
TS'ELXWEYEQW | Computerized Decay | PSYU: Dewdney (Chilliwack) | Filename: tsc-2018-04-a75807-cp-14.ccp
Licence Number: A75807 CP: 14 | Computerized Waste | Region: 1 - South Coast | Compiled by: IFS
Project: 2018-04 | Computerized Breakage | District: 01 - Chilliwack | Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

Block : (M) - PF1:PF1, Plots in Block: 12, TUs: [All Treatment Units : 13.3]

	F	C	H	B	Y	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20				2.7			2.7			
25				3.0			3.0			
30			1.3	1.7			3.0			
35			1.7	3.0			4.7			
40			1.3				1.3			
45			4.7	3.0			7.7			
50			4.0	5.7			9.7			
55			10.0	2.7			12.7			
60			1.3				1.3			
65			2.7	1.7			4.4			
70			6.0	1.3	1.3		8.7			
75			4.4				4.4			
80		1.7	2.7				4.4			
85			6.7				6.7			
90		1.3	4.0	1.3			6.7			
95		1.3	1.7				3.0			
100			1.3				1.3			
105										
110			1.3				1.3			
115										
120										
125										
130			1.3				1.3			
135										
140										
145										
150										
175										
200										
225								1.3		
250										
275										
Total		4.4	56.5	26.1	1.3		88.3			
Dead P		1.3						1.3		
Dead U										
Live U										
			Basal Area (m2/ha) at 5 Levels							
12.5 +		4.4	56.5	26.1	1.3		88.3	1.3		
17.5 +		4.4	56.5	26.1	1.3		88.3	1.3		
22.5 +		4.4	56.5	23.5	1.3		85.7	1.3		
27.5 +		4.4	56.5	20.4	1.3		82.6	1.3		
32.5 +		4.4	55.2	18.8	1.3		79.6	1.3		

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Block Basal Area Table (m2/ha)

Average Line Method | Grades: MOF Computerized | FIZ: C | 10-Sep-2018 06:40:59PM
TS'ELXWEYEQW | Computerized Decay | PSYU: Dewdney (Chilliwack) | Filename: tsc-2018-04-a75807-cp-14.ccp
Licence Number: A75807 CP: 14 | Computerized Waste | Region: 1 - South Coast | Compiled by: IFS
Project: 2018-04 | Computerized Breakage | District: 01 - Chilliwack | Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

Block : (M) - PF1:PF1, Plots in Block: 12, TUs: [ground : 8.3]

	F	C	H	B	Y	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20				2.7			2.7			
25				3.0			3.0			
30			1.3	1.7			3.0			
35			1.7	3.0			4.7			
40			1.3				1.3			
45			4.7	3.0			7.7			
50			4.0	5.7			9.7			
55			10.0	2.7			12.7			
60			1.3				1.3			
65			2.7	1.7			4.4			
70			6.0	1.3	1.3		8.7			
75			4.4				4.4			
80		1.7	2.7				4.4			
85			6.7				6.7			
90		1.3	4.0	1.3			6.7			
95		1.3	1.7				3.0			
100			1.3				1.3			
105										
110			1.3				1.3			
115										
120										
125										
130			1.3				1.3			
135										
140										
145										
150										
175										
200										
225								1.3		
250										
275										
Total		4.4	56.5	26.1	1.3		88.3			
Dead P		1.3						1.3		
Dead U										
Live U										
			Basal Area (m2/ha) at 5 Levels							
12.5 +		4.4	56.5	26.1	1.3		88.3	1.3		
17.5 +		4.4	56.5	26.1	1.3		88.3	1.3		
22.5 +		4.4	56.5	23.5	1.3		85.7	1.3		
27.5 +		4.4	56.5	20.4	1.3		82.6	1.3		
32.5 +		4.4	55.2	18.8	1.3		79.6	1.3		

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Block Basal Area Table (m2/ha)

Average Line Method | Grades: MOF Computerized | FIZ: C | 10-Sep-2018 06:40:59PM
TS'ELXWEYEQW | Computerized Decay | PSYU: Dewdney (Chilliwack) | Filename: tsc-2018-04-a75807-cp-14.ccp
Licence Number: A75807 CP: 14 | Computerized Waste | Region: 1 - South Coast | Compiled by: IFS
Project: 2018-04 | Computerized Breakage | District: 01 - Chilliwack | Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

Block : (M) - PF1:PF1, Plots in Block: 12, TUs: [cable : 5.0]

	F	C	H	B	Y	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20				2.7			2.7			
25				3.0			3.0			
30			1.3	1.7			3.0			
35			1.7	3.0			4.7			
40			1.3				1.3			
45			4.7	3.0			7.7			
50			4.0	5.7			9.7			
55			10.0	2.7			12.7			
60			1.3				1.3			
65			2.7	1.7			4.4			
70			6.0	1.3	1.3		8.7			
75			4.4				4.4			
80		1.7	2.7				4.4			
85			6.7				6.7			
90		1.3	4.0	1.3			6.7			
95		1.3	1.7				3.0			
100			1.3				1.3			
105										
110			1.3				1.3			
115										
120										
125										
130			1.3				1.3			
135										
140										
145										
150										
175										
200										
225								1.3		
250										
275										
Total		4.4	56.5	26.1	1.3		88.3			
Dead P		1.3						1.3		
Dead U										
Live U										
			Basal Area (m2/ha) at 5 Levels							
12.5 +		4.4	56.5	26.1	1.3		88.3	1.3		
17.5 +		4.4	56.5	26.1	1.3		88.3	1.3		
22.5 +		4.4	56.5	23.5	1.3		85.7	1.3		
27.5 +		4.4	56.5	20.4	1.3		82.6	1.3		
32.5 +		4.4	55.2	18.8	1.3		79.6	1.3		

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Type Basal Area Table (m2/ha)

Average Line Method
TS'ELXWEYEQW
Licence Number: A75807 CP: 14
Project: 2018-04

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: C
PSYU: Dewdney (Chilliwack)
Region: 1 - South Coast
District: 01 - Chilliwack

10-Sep-2018 06:40:59PM
Filename: tsc-2018-04-a75807-cp-14.ccp
Compiled by: IFS
Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

Type 1 (M):HwBa 946, Plots in Type: 12, TUs: [All Treatment Units : 13.3]

	F	C	H	B	Y	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20				2.7			2.7			
25				3.0			3.0			
30			1.3	1.7			3.0			
35			1.7	3.0			4.7			
40			1.3				1.3			
45			4.7	3.0			7.7			
50			4.0	5.7			9.7			
55			10.0	2.7			12.7			
60			1.3				1.3			
65			2.7	1.7			4.4			
70			6.0	1.3	1.3		8.7			
75			4.4				4.4			
80		1.7	2.7				4.4			
85			6.7				6.7			
90		1.3	4.0	1.3			6.7			
95		1.3	1.7				3.0			
100			1.3				1.3			
105										
110			1.3				1.3			
115										
120										
125										
130			1.3				1.3			
135										
140										
145										
150										
175										
200										
225								1.3		
250										
275										
Total		4.4	56.5	26.1	1.3		88.3			
Dead P		1.3						1.3		
Dead U										
Live U										
			Basal Area (m2/ha) at 5 Levels							
12.5 +		4.4	56.5	26.1	1.3		88.3	1.3		
17.5 +		4.4	56.5	26.1	1.3		88.3	1.3		
22.5 +		4.4	56.5	23.5	1.3		85.7	1.3		
27.5 +		4.4	56.5	20.4	1.3		82.6	1.3		
32.5 +		4.4	55.2	18.8	1.3		79.6	1.3		

*** 1 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Type Basal Area Table (m2/ha)

Average Line Method
TS'ELXWEYEQW
Licence Number: A75807 CP: 14
Project: 2018-04

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: C
PSYU: Dewdney (Chilliwack)
Region: 1 - South Coast
District: 01 - Chilliwack

10-Sep-2018 06:40:59PM
Filename: tsc-2018-04-a75807-cp-14.ccp
Compiled by: IFS
Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

Type 1 (M):HwBa 946, Plots in Type: 12, TUs: [ground : 8.3]

	F	C	H	B	Y	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20				2.7			2.7			
25				3.0			3.0			
30			1.3	1.7			3.0			
35			1.7	3.0			4.7			
40			1.3				1.3			
45			4.7	3.0			7.7			
50			4.0	5.7			9.7			
55			10.0	2.7			12.7			
60			1.3				1.3			
65			2.7	1.7			4.4			
70			6.0	1.3	1.3		8.7			
75			4.4				4.4			
80		1.7	2.7				4.4			
85			6.7				6.7			
90		1.3	4.0	1.3			6.7			
95		1.3	1.7				3.0			
100			1.3				1.3			
105										
110			1.3				1.3			
115										
120										
125										
130			1.3				1.3			
135										
140										
145										
150										
175										
200										
225								1.3		
250										
275										
Total		4.4	56.5	26.1	1.3		88.3			
Dead P		1.3						1.3		
Dead U										
Live U										
			Basal Area (m2/ha) at 5 Levels							
12.5 +		4.4	56.5	26.1	1.3		88.3	1.3		
17.5 +		4.4	56.5	26.1	1.3		88.3	1.3		
22.5 +		4.4	56.5	23.5	1.3		85.7	1.3		
27.5 +		4.4	56.5	20.4	1.3		82.6	1.3		
32.5 +		4.4	55.2	18.8	1.3		79.6	1.3		

*** 1 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Type Basal Area Table (m2/ha)

Average Line Method
TS'ELXWEYEQW
Licence Number: A75807 CP: 14
Project: 2018-04

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: C
PSYU: Dewdney (Chilliwack)
Region: 1 - South Coast
District: 01 - Chilliwack

10-Sep-2018 06:40:59PM
Filename: tsc-2018-04-a75807-cp-14.ccp
Compiled by: IFS
Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

Type 1 (M):HwBa 946, Plots in Type: 12, TUs: [cable : 5.0]

DBH Class	F	C	H	B	Y	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
5										
10										
15										
20				2.7			2.7			
25				3.0			3.0			
30			1.3	1.7			3.0			
35			1.7	3.0			4.7			
40			1.3				1.3			
45			4.7	3.0			7.7			
50			4.0	5.7			9.7			
55			10.0	2.7			12.7			
60			1.3				1.3			
65			2.7	1.7			4.4			
70			6.0	1.3	1.3		8.7			
75			4.4				4.4			
80		1.7	2.7				4.4			
85			6.7				6.7			
90		1.3	4.0	1.3			6.7			
95		1.3	1.7				3.0			
100			1.3				1.3			
105										
110			1.3				1.3			
115										
120										
125										
130			1.3				1.3			
135										
140										
145										
150										
175										
200										
225								1.3		
250										
275										
Total		4.4	56.5	26.1	1.3		88.3			
Dead P		1.3						1.3		
Dead U										
Live U										
			Basal Area (m2/ha) at 5 Levels							
12.5 +		4.4	56.5	26.1	1.3		88.3	1.3		
17.5 +		4.4	56.5	26.1	1.3		88.3	1.3		
22.5 +		4.4	56.5	23.5	1.3		85.7	1.3		
27.5 +		4.4	56.5	20.4	1.3		82.6	1.3		
32.5 +		4.4	55.2	18.8	1.3		79.6	1.3		

*** 1 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Type Basal Area Table (m2/ha)

Average Line Method
TS'ELXWEYEQW
Licence Number: A75807 CP: 14
Project: 2018-04

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: C
PSYU: Dewdney (Chilliwack)
Region: 1 - South Coast
District: 01 - Chilliwack

10-Sep-2018 06:40:59PM
Filename: tsc-2018-04-a75807-cp-14.ccp
Compiled by: IFS
Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

Type 2 (I):FH 6+, Plots in Type: 3, TUs: [ground : 3.5]

	F	C	H	B	Y	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (I)	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15								4.7		
20										
25			4.7				4.7			
30	4.7						4.7			
35										
40	4.7		4.7				9.4	4.7		
45								4.7		
50	9.4						9.4			
55	14.1						14.1			
60	4.7						4.7			
65										
70										
75										
80										
85										
90										
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	37.5		9.4				46.9			
Dead P	14.1							14.1		
Dead U										
Live U										
			Basal Area (m2/ha) at 5 Levels							
12.5 +	37.5		9.4				46.9	14.1		
17.5 +	37.5		9.4				46.9	9.4		
22.5 +	37.5		9.4				46.9	9.4		
27.5 +	37.5		4.7				42.2	9.4		
32.5 +	32.8		4.7				37.5	9.4		

*** 1 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Type Basal Area Table (m2/ha)

Average Line Method
TS'ELXWEYEQW
Licence Number: A75807 CP: 14
Project: 2018-04

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: C
PSYU: Dewdney (Chilliwack)
Region: 1 - South Coast
District: 01 - Chilliwack

10-Sep-2018 06:40:59PM
Filename: tsc-2018-04-a75807-cp-14.ccp
Compiled by: IFS
Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

Type 3 (I):FH(D) 6+, Plots in Type: 3, TUs: [cable : 2.3]

	F	C	H	B	Y	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (I)	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										4.7
15			9.4				9.4			
20										
25			4.7				4.7			
30	4.7		4.7			4.7	14.1			
35										
40	9.4						9.4			
45	4.7						4.7			
50										
55	14.1						14.1			
60	4.7						4.7			
65	4.7						4.7			
70										
75										
80										
85										
90										
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	42.2		18.8			4.7	65.6			
Dead P										
Dead U										
Live U			4.7							4.7
			Basal Area (m2/ha) at 5 Levels							
12.5 +	42.2		18.8			4.7	65.6			
17.5 +	42.2		9.4			4.7	56.3			
22.5 +	42.2		9.4			4.7	56.3			
27.5 +	42.2		4.7			4.7	51.6			
32.5 +	37.5						37.5			

*** 1 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Type Basal Area Table (m2/ha)

Average Line Method | Grades: MOF Computerized | FIZ: C | 10-Sep-2018 06:40:59PM
TS'ELXWEYEQW | Computerized Decay | PSYU: Dewdney (Chilliwack) | Filename: tsc-2018-04-a75807-cp-14.ccp
Licence Number: A75807 CP: 14 | Computerized Waste | Region: 1 - South Coast | Compiled by: IFS
Project: 2018-04 | Computerized Breakage | District: 01 - Chilliwack | Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

Type 6 (I):FH(C) 6+, Plots in Type: 7, TUs: [All Treatment Units : 5.8]

	F	C	H	B	Y	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (I)	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20	1.8	1.8	3.5				7.0	1.8		
25		3.5	8.8				12.3			
30	4.0	1.7	2.3				8.1			
35	3.5	1.8					5.3			
40	1.8		5.8				7.5			
45	5.3						5.3			
50										
55										
60										
65	5.8						5.8			
70	1.8						1.8			
75	1.7						1.7			
80	1.8						1.8			
85	1.8	1.8					3.5			
90	4.0						4.0			
95	1.7						1.7			
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	34.9	10.5	20.3				65.7			
Dead P			1.8					1.8		
Dead U										
Live U										
			Basal Area (m2/ha) at 5 Levels							
12.5 +	34.9	10.5	20.3				65.7	1.8		
17.5 +	34.9	10.5	20.3				65.7	1.8		
22.5 +	33.1	8.8	16.8				58.7			
27.5 +	33.1	5.3	8.1				46.4			
32.5 +	29.1	3.5	5.8				38.4			

*** 1 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Type Basal Area Table (m2/ha)

Average Line Method
TS'ELXWEYEQW
Licence Number: A75807 CP: 14
Project: 2018-04

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: C
PSYU: Dewdney (Chilliwack)
Region: 1 - South Coast
District: 01 - Chilliwack

10-Sep-2018 06:40:59PM
Filename: tsc-2018-04-a75807-cp-14.ccp
Compiled by: IFS
Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

Type 6 (I):FH(C) 6+, Plots in Type: 7, TUs: [cable : 4.4]

	F	C	H	B	Y	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (I)	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20	1.8	1.8	3.5				7.0	1.8		
25		3.5	8.8				12.3			
30	4.0	1.7	2.3				8.1			
35	3.5	1.8					5.3			
40	1.8		5.8				7.5			
45	5.3						5.3			
50										
55										
60										
65	5.8						5.8			
70	1.8						1.8			
75	1.7						1.7			
80	1.8						1.8			
85	1.8	1.8					3.5			
90	4.0						4.0			
95	1.8						1.8			
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	34.9	10.5	20.3				65.7			
Dead P			1.8					1.8		
Dead U										
Live U										
			Basal Area (m2/ha) at 5 Levels							
12.5 +	34.9	10.5	20.3				65.7	1.8		
17.5 +	34.9	10.5	20.3				65.7	1.8		
22.5 +	33.1	8.8	16.8				58.7			
27.5 +	33.1	5.3	8.1				46.4			
32.5 +	29.1	3.5	5.8				38.4			

*** 1 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Type Basal Area Table (m2/ha)

Average Line Method
TS'ELXWEYEQW
Licence Number: A75807 CP: 14
Project: 2018-04

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: C
PSYU: Dewdney (Chilliwack)
Region: 1 - South Coast
District: 01 - Chilliwack

10-Sep-2018 06:40:59PM
Filename: tsc-2018-04-a75807-cp-14.ccp
Compiled by: IFS
Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

Type 6 (I):FH(C) 6+, Plots in Type: 7, TUs: [Partial : 1.4]

	F	C	H	B	Y	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (I)	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20	1.7	1.8	3.5				7.0	1.8		
25		3.5	8.8				12.3			
30	4.0	1.8	2.3				8.1			
35	3.5	1.8					5.3			
40	1.8		5.8				7.5			
45	5.3						5.3			
50										
55										
60										
65	5.8						5.8			
70	1.8						1.8			
75	1.8						1.8			
80	1.8						1.8			
85	1.8	1.8					3.5			
90	4.0						4.0			
95	1.8						1.8			
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	34.9	10.5	20.3				65.7			
Dead P			1.8					1.8		
Dead U										
Live U										
			Basal Area (m2/ha) at 5 Levels							
12.5 +	34.9	10.5	20.3				65.7	1.8		
17.5 +	34.9	10.5	20.3				65.7	1.8		
22.5 +	33.1	8.8	16.8				58.7			
27.5 +	33.1	5.3	8.1				46.4			
32.5 +	29.1	3.5	5.8				38.4			

*** 1 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Plot Summary

Average Line Method
TS'ELXWEYEQW
Licence Number: A75807 CP: 14
Project: 2018-04

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: C
PSYU: Dewdney (Chilliwack)
Region: 1 - South Coast
District: 01 - Chilliwack

10-Sep-2018 06:40:59PM
Filename: tsc-2018-04-a75807-cp-14.ccp
Compiled by: IFS
Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

Utilization Levels:	Minimum DBH	Top Diameter	Stump Height
Mature Blocks: (cm)	17.5	15.0	30
Immature Blocks:(cm)	12.0	10.0	30

Standard Log Length:(m) 10.00

Forest Type	Block	Strip	Plot #	Plot Size	Slope %	Species	# of Stems	Stems / Ha	Avg Diam	Gross Merch	Less Decay	Less DB	Less DWB	Cruise Date	Loss Ref No. YI	Loss Ref No. OI	Loss Ref No. M
1-HwBa 946	PF1	2	2	16.000F	46	Balsam	2	491.62	28.79	265.07	200.84	184.94	149.93				499
						All Sp.	2	491.62	28.79	265.07	200.84	184.94	149.93	1807			
		2	3	20.250F	52	W.R. Cedar	1	42.38	78.00	119.04	87.85	79.52	68.92				212
						Hemlock	3	335.23	48.03	552.63	375.81	342.66	231.05				1799
						All Sp.	4	377.61	52.26	671.67	463.67	422.17	299.97	1807			
		2	4	20.250F	21	Balsam	2	236.28	46.72	510.04	416.00	385.40	338.26				499
						Hemlock	1	29.75	93.10	311.10	240.48	221.81	169.86				1799
						All Sp.	3	266.03	53.92	821.14	656.48	607.22	508.12	1807			
		3	3	20.250F	62	Balsam	3	836.82	30.40	628.18	609.86	574.35	566.30				499
						Hemlock	2	265.86	44.04	369.06	331.96	309.81	296.29				399
						All Sp.	5	1102.68	34.19	997.24	941.82	884.17	862.59	1807			
		3	4	20.250F	46	Balsam	1	57.44	67.00	280.28	188.63	171.81	123.32				499
						Hemlock	3	191.90	63.49	725.18	620.64	577.13	513.48				1799
						All Sp.	4	249.33	64.31	1005.45	809.26	748.94	636.80	1807			
		3	5	16.000F	39	Balsam	2	113.72	59.86	434.26	348.00	321.95	281.28				499
						Hemlock	3	220.90	52.60	519.88	418.42	387.22	325.75				1799
						All Sp.	5	334.61	55.17	954.15	766.42	709.17	607.03	1807			
		4	2	16.000F	34	W.R. Cedar	3	52.16	108.24	406.78	325.20	296.73	259.32				212
						G-Shatt	1	4.41	215.00	138.84	88.58	78.86	55.40				212
						Hemlock	3	118.98	71.67	499.64	459.91	429.93	415.35				1799
						Y. Cedar	1	44.58	67.60	155.59	133.49	122.60	117.62				610
						All Sp.	7	215.72	81.31	1062.01	918.60	849.26	792.29	1807			
		4	3	16.000F	50	Balsam	1	519.64	19.80	78.56	78.41	74.48	74.40				499
						Hemlock	8	314.52	71.98	1360.97	1124.45	1042.79	893.63				399
						E-Down	1	82.81	49.60	166.92	113.01	102.99	69.27				399
						All Sp.	9	834.15	46.88	1439.54	1202.86	1117.27	968.03	1807			
		4	5	16.000F	36	Balsam	1	26.13	88.30	243.51	200.65	186.04	169.24				499
						Hemlock	3	294.27	45.57	542.60	484.31	453.60	418.72			1702	1799
						All Sp.	4	320.40	50.43	786.11	684.96	639.64	587.96	1807			
		4	6	16.000F	46	Hemlock	8	445.73	60.47	1475.71	1111.06	1022.52	798.48				1799
						All Sp.	8	445.73	60.47	1475.71	1111.06	1022.52	798.48	1807			
		4	7	16.000F	37	Balsam	3	268.05	47.75	603.60	518.86	482.65	440.97				499
						Hemlock	3	151.36	63.54	585.89	511.14	475.99	436.11				1799
						All Sp.	6	419.41	53.98	1189.49	1030.00	958.63	877.09	1807			
		5	2	16.000F	40	Balsam	3	501.77	34.90	455.30	383.49	356.17	318.17				499
						Hemlock	3	146.61	64.56	537.60	412.01	379.76	293.75				399
						All Sp.	6	648.38	43.42	992.90	795.50	735.93	611.92	1807			

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Plot Summary

Average Line Method
TS'ELXWEYEQW
Licence Number: A75807 CP: 14
Project: 2018-04

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: C
PSYU: Dewdney (Chilliwack)
Region: 1 - South Coast
District: 01 - Chilliwack

10-Sep-2018 06:40:59PM
Filename: tsc-2018-04-a75807-cp-14.ccp
Compiled by: IFS
Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00   IFS build 6204

Utilization Levels:	Minimum DBH	Top Diameter	Stump Height
Mature Blocks: (cm)	17.5	15.0	30
Immature Blocks:(cm)	12.0	10.0	30

Standard Log Length:(m) 10.00

Forest Type	Block	Strip	Plot #	Plot Size	Slope %	Species	# of Stems	Stems / Ha	Avg Diam	Gross Merch	Less Decay	Less DB	Less DWB	Cruise Date	Loss YI	Ref OI	No. M
2-FH 6+	11A	2	2	14.063F	52	Doug-Fir	4	997.95	26.79	666.85	666.85	640.17	640.17		101		
						E-Down	1	764.90	15.30	84.51	84.51	81.13	81.13		101		
						All Sp.	4	997.95	26.79	666.85	666.85	640.17	640.17	1708			
		3	2	14.063F	65	Doug-Fir	4	334.71	46.26	661.37	661.37	634.91	634.91		101		
						E-Down	1	95.06	43.40	157.64	157.64	151.33	151.33		101		
						Hemlock	1	115.34	39.40	132.92	132.92	127.60	127.60		301		
						All Sp.	5	450.05	44.60	794.29	794.29	762.52	762.52	1708			
		4	2	14.063F	62	Doug-Fir	3	338.37	39.84	518.33	518.33	497.59	497.59		101		
						Hemlock	1	324.23	23.50	168.37	168.37	161.64	161.64		301		
						All Sp.	4	662.60	32.88	686.70	686.70	659.23	659.23	1708			
3-FH(D) 6+	11A	4	3	14.063F	63	Doug-Fir	3	232.15	48.10	529.09	529.09	507.92	507.92		101		
						All Sp.	3	232.15	48.10	529.09	529.09	507.92	507.92	1708			
		5	3	14.063F	58	Alder	1	202.99	29.70	173.55	171.30	162.62	162.62				1210
						Doug-Fir	3	419.01	35.81	502.52	502.52	482.42	482.42		101		
						Hemlock	4	2522.95	16.85	478.67	478.67	459.52	459.52		301		
						All Sp.	8	3144.95	21.34	1154.74	1152.49	1104.56	1104.56	1708			
		5	4	14.063F	63	Doug-Fir	3	153.61	59.14	553.61	553.61	531.46	531.46		101		
						Hemlock	1	1222.97	12.10						301		
						All Sp.	4	1376.58	22.81	553.61	553.61	531.46	531.46	1708			
6-FH(C) 6+	P2B	2	2	12.250F	64	W.R. Cedar	2	304.80	31.99	235.97	197.67	183.06	171.40			202	212
						Doug-Fir	4	137.20	67.43	603.39	546.61	516.44	490.20				111
						Hemlock	1	245.61	25.20	120.43	119.23	114.41	114.41			302	
						All Sp.	7	687.61	39.85	959.80	863.51	813.91	776.01	1506			
		2	3	12.250F	45	W.R. Cedar	1	115.80	36.70	133.36	133.36	126.69	126.69		201		
						Doug-Fir	3	89.15	72.45	504.22	487.65	462.44	457.94				111
						Hemlock	4	1175.02	23.04	569.92	569.92	547.12	547.12		301		
						E-Down	1	316.48	22.20	134.60	134.60	129.21	129.21		301		
						All Sp.	8	1379.97	30.07	1207.50	1190.92	1136.25	1131.74	1506			
		3	2	12.250F	72	W.R. Cedar	1	204.75	27.60	115.18	115.18	109.42	109.42		201		
						Doug-Fir	2	56.51	74.30	339.69	328.66	311.67	307.60				111
						All Sp.	3	261.26	42.32	454.87	443.83	421.09	417.01	1506			
		3	3	12.250F	48	Doug-Fir	4	700.84	29.84	579.54	579.54	556.36	556.36		101		
						Hemlock	3	927.89	22.46	422.34	422.34	405.45	405.45		301		
						All Sp.	7	1628.73	25.89	1001.88	1001.88	961.81	961.81	1506			
		3	4	12.250F	34	W.R. Cedar	2	592.97	22.94	205.04	205.04	194.79	194.79		201		
						Hemlock	2	193.99	40.10	312.49	312.49	299.99	299.99		301		
						All Sp.	4	786.96	28.16	517.53	517.53	494.78	494.78	1506			
		4	2	12.250F	48	Doug-Fir	3	312.26	38.71	480.34	480.34	461.12	461.12		101		
						All Sp.	3	312.26	38.71	480.34	480.34	461.12	461.12	1506			

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Plot Summary

Average Line Method
TS'ELXWEYEQW
Licence Number: A75807 CP: 14
Project: 2018-04

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: C
PSYU: Dewdney (Chilliwack)
Region: 1 - South Coast
District: 01 - Chilliwack

10-Sep-2018 06:40:59PM
Filename: tsc-2018-04-a75807-cp-14.ccp
Compiled by: IFS
Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00   IFS build 6204

Utilization Levels:	Minimum DBH	Top Diameter	Stump Height
Mature Blocks: (cm)	17.5	15.0	30
Immature Blocks:(cm)	12.0	10.0	30
Standard Log Length:(m)	10.00		

Forest Type	Block	Strip	Plot #	Plot Size	Slope %	Species	# of Stems	Stems / Ha	Avg Diam	Gross Merch	Less Decay	Less DB	Less DWB	Cruise Date	Loss YI	Ref OI	No. M
6-FH(C) 6+	P2B	4	4	16.000F	44	Doug-Fir	3	266.60	47.88	649.30	642.29	614.13	611.50		101		111
						Hemlock	2	339.19	34.66	497.16	497.16	477.27	477.27		301		
						All Sp.	5	605.79	41.01	1146.45	1139.45	1091.40	1088.77	1506			

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.