

# TS'ELXWEYEQW

A75807 - CP# 14

Paleface Creek  
Block #: LB11A, MP2B, and PF1

## **SUMMARY OF VOLUMES (loss factors)** L E A V E   T R E E   R E P O R T

10-Sep-2018 06:41:38PM

Cruised by: DUNHAM AND ASSOCIATES  
Compiled by: IFS



## **Industrial Forestry Service Ltd. - Cruise Compilation Disclaimer**

This compilation report was prepared by Industrial Forestry Service Ltd. (IFS) solely for the purpose of TS'ELXWEYEQW, and is based on the cruise data supplied to IFS by the client or its contractor. IFS is not responsible for any errors in this report resulting from errors in the cruise data including sampling errors, errors in quantities of measurement, measurement errors, or errors in qualities of measurement.

IFS's liability for any errors in the compilation report not attributable to the data are limited to the fee paid to IFS for the compilation and preparation of the report. In no event does IFS accept any liability for loss of profits or other indirect or consequential damages.

Generally, the liability of the client's cruising contractor is limited to the fee paid to the contractor for completion of the cruise and management of the data. This understanding should be included in the contract between the client and its contractor.

|                                |  |                          |                                   |  |                                        |                        |  |  |
|--------------------------------|--|--------------------------|-----------------------------------|--|----------------------------------------|------------------------|--|--|
| *** FOR APPRAISAL PURPOSES *** |  |                          | L E A V E   T R E E   R E P O R T |  |                                        | CP 1, p3               |  |  |
|                                |  |                          | Cutting Permit Summary            |  |                                        | 10-Sep-2018 06:41:38PM |  |  |
| Average Line Method            |  | Grades: MOF Computerized | FIZ: C                            |  | Filename: tsc-2018-04-a75807-cp-14.ccp |                        |  |  |
| TS'ELXWEYEQW                   |  | Computerized Decay       | PSYU: Dewdney (Chilliwack)        |  | Compiled by: IFS                       |                        |  |  |
| Licence Number: A75807 CP: 14  |  | Computerized Waste       | Region: 1 - South Coast           |  | Cruised by: DUNHAM AND ASSOCIATES      |                        |  |  |
| Project: 2018-04               |  | Computerized Breakage    | District: 01 - Chilliwack         |  | Version: 2018.00 IFS build 6204        |                        |  |  |

Net Area: [All Treatment Units : 24.9 ]  
Gross Area: [ R/W Removed : 1.9 ][ Retention : 1.0 ][ Exst R/W : 0.1 ][ Grand Total : 27.9 ]

|                             |        | Total | Conifer | Decid | F     | C     | H     | B    | Y     | D    |
|-----------------------------|--------|-------|---------|-------|-------|-------|-------|------|-------|------|
| <b>Utilization Limits</b>   |        |       |         |       |       |       |       |      |       |      |
| Min DBH                     | cm (M) |       |         |       | 17.5  | 17.5  | 17.5  | 17.5 | 17.5  | 17.5 |
| Stump Ht                    | cm (M) |       |         |       | 30.0  | 30.0  | 30.0  | 30.0 | 30.0  | 30.0 |
| Top Dia                     | cm (M) |       |         |       | 15.0  | 15.0  | 15.0  | 15.0 | 15.0  | 15.0 |
| Min DBH                     | cm (I) |       |         |       | 12.0  | 12.0  | 12.0  | 12.0 | 12.0  | 12.0 |
| Stump Ht                    | cm (I) |       |         |       | 30.0  | 30.0  | 30.0  | 30.0 | 30.0  | 30.0 |
| Top Dia                     | cm (I) |       |         |       | 10.0  | 10.0  | 10.0  | 10.0 | 10.0  | 10.0 |
| Log Len                     | m      |       |         |       | 10.0  | 10.0  | 10.0  | 10.0 | 10.0  | 10.0 |
| <b>Volume and Size Data</b> |        |       |         |       |       |       |       |      |       |      |
| Gross Merchantable          | m3     | 450   | 450     |       | 191   | 42    | 147   |      | 69    |      |
| Net Merchantable            | m3     | 399   | 399     |       | 175   | 31    | 142   |      | 52    |      |
| Net Merch - All             | m3/ha  | 16    | 16      |       | 7     | 1     | 6     |      | 2     |      |
| Distribution                | %      | 100   | 100     |       | 44    | 8     | 35    |      | 13    |      |
| Decay                       | %      | 5     | 5       |       | 3     | 15    | 0     |      | 14    |      |
| Waste                       | %      | 1     | 1       |       | 1     | 5     |       |      | 3     |      |
| Waste(billing)              | %      | 2     | 2       |       | 1     | 7     |       |      | 4     |      |
| Breakage                    | %      | 5     | 5       |       | 4     | 6     | 4     |      | 7     |      |
| Total Cull (DWB)            | %      | 11    | 11      |       | 9     | 27    | 4     |      | 24    |      |
| Basal Area / Ha             | m2/ha  | 1.5   | 1.5     |       | 0.6   | 0.2   | 0.5   |      | 0.3   |      |
| Net VBAR                    | m3/m2  | 0.230 | 0.230   |       | 0.201 | 0.117 | 0.258 |      | 1.571 |      |
| Stems/Ha (Live & DP)        |        | 16.1  | 16.1    |       | 4.8   | 2.2   | 8.3   |      | 0.8   |      |
| Avg DBH (Live & DP)         | cm     | 34.8  | 34.8    |       | 40.1  | 31.3  | 26.8  |      | 67.6  |      |
| Snags/Ha                    |        |       |         |       |       |       |       |      |       |      |
| Avg Snag DBH                | cm     |       |         |       |       |       |       |      |       |      |
| Gross Merch Vol/Tree        | m3     | 1.12  | 1.12    |       | 1.61  | 0.77  | 0.71  |      | 3.49  |      |
| Net Merch Vol/Tree          | m3     | 1.00  | 1.00    |       | 1.47  | 0.56  | 0.68  |      | 2.64  |      |
| Avg Weight Total Ht         | m      | 35.7  | 35.7    |       | 41.7  | 32.7  | 32.9  |      | 27.5  |      |
| Avg Weight Merch Ht         | m      | 29.8  | 29.8    |       | 36.3  | 26.0  | 25.4  |      | 22.5  |      |
| Avg 10.0 m Log Net          | m3     | 0.41  | 0.41    |       | 0.52  | 0.29  | 0.29  |      | 0.96  |      |
| Avg 10.0 m Log Gross        | m3     | 0.44  | 0.44    |       | 0.54  | 0.36  | 0.29  |      | 1.16  |      |
| Avg # of 10.0 m Logs/Tree   |        | 2.58  | 2.58    |       | 2.98  | 2.15  | 2.43  |      | 3.00  |      |
| Net Immature                | %      | 65.5  | 65.5    |       | 59.3  | 52.4  | 100.0 |      |       |      |
| Net 2nd Growth              | %      |       | 65.5    |       |       |       |       |      |       |      |
| Average Slope               | %      | 49    |         |       |       |       |       |      |       |      |
| <b>Algorithm Grades %</b>   |        |       |         |       |       |       |       |      |       |      |
| #2 Lum/#1 Lum               | F      | 1     | 1       |       | 3     |       |       |      |       |      |
| #2 Sawlog                   | H      | 21    | 21      |       | 23    | 26    |       |      | 69    |      |
| #3 Sawlog                   | I      | 3     | 3       |       | 6     | 8     |       |      |       |      |
| #4 Sawlog                   | J      | 50    | 50      |       | 50    | 13    | 72    |      |       |      |
| #4 Shingle                  | M      |       |         |       |       | 5     |       |      |       |      |
| #5 Utility                  | U      | 24    | 24      |       | 17    | 42    | 28    |      | 29    |      |
| #6 Utility                  | X      | 1     | 1       |       | 1     | 6     |       |      |       |      |
| #7 Chipper                  | Y      |       |         |       |       |       |       |      | 2     |      |
| <b>Statistical Summary</b>  |        |       |         |       |       |       |       |      |       |      |
| Coeff. of Variation         | %      | 115.5 | 115.5   |       | 134.0 | 295.8 | 198.6 |      | 500.0 |      |
| Two Standard Error          | %      | 48.0  | 48.0    |       | 55.8  | 123.1 | 82.6  |      | 208.0 |      |
| Number and Type of Plots    | MP =   | 25    |         |       |       |       |       |      |       |      |
| Number of Potential Trees   |        | 127   |         |       |       |       |       |      |       |      |
| Plots/Ha                    |        | 1.0   |         |       |       |       |       |      |       |      |
| Cruised Trees/Plot          |        | 5.1   |         |       |       |       |       |      |       |      |

|                                |  |  |                                   |  |  |                                   |  |  |
|--------------------------------|--|--|-----------------------------------|--|--|-----------------------------------|--|--|
| *** FOR APPRAISAL PURPOSES *** |  |  | L E A V E   T R E E   R E P O R T |  |  | CP 2, p4                          |  |  |
|                                |  |  | Cutting Permit Summary            |  |  | 10-Sep-2018 06:41:38PM            |  |  |
| Average Line Method            |  |  | Grades: MOF Computerized          |  |  | FIZ: C                            |  |  |
| TS'ELXWEYEQW                   |  |  | Computerized Decay                |  |  | PSYU: Dewdney (Chilliwack)        |  |  |
| Licence Number: A75807 CP: 14  |  |  | Computerized Waste                |  |  | Region: 1 - South Coast           |  |  |
| Project: 2018-04               |  |  | Computerized Breakage             |  |  | District: 01 - Chilliwack         |  |  |
|                                |  |  |                                   |  |  | Compiled by: IFS                  |  |  |
|                                |  |  |                                   |  |  | Cruised by: DUNHAM AND ASSOCIATES |  |  |
|                                |  |  |                                   |  |  | Version: 2018.00 IFS build 6204   |  |  |

Net Area: [ ground : 11.8 ]

|                             |        | Total | Conifer | Decid | F     | C     | H     | B    | Y     | D    |
|-----------------------------|--------|-------|---------|-------|-------|-------|-------|------|-------|------|
| <b>Utilization Limits</b>   |        |       |         |       |       |       |       |      |       |      |
| Min DBH                     | cm (M) |       |         |       | 17.5  | 17.5  | 17.5  | 17.5 | 17.5  | 17.5 |
| Stump Ht                    | cm (M) |       |         |       | 30.0  | 30.0  | 30.0  | 30.0 | 30.0  | 30.0 |
| Top Dia                     | cm (M) |       |         |       | 15.0  | 15.0  | 15.0  | 15.0 | 15.0  | 15.0 |
| Min DBH                     | cm (I) |       |         |       | 12.0  | 12.0  | 12.0  | 12.0 | 12.0  | 12.0 |
| Stump Ht                    | cm (I) |       |         |       | 30.0  | 30.0  | 30.0  | 30.0 | 30.0  | 30.0 |
| Top Dia                     | cm (I) |       |         |       | 10.0  | 10.0  | 10.0  | 10.0 | 10.0  | 10.0 |
| Log Len                     | m      |       |         |       | 10.0  | 10.0  | 10.0  | 10.0 | 10.0  | 10.0 |
| <b>Volume and Size Data</b> |        |       |         |       |       |       |       |      |       |      |
| Gross Merchantable          | m3     | 43    | 43      |       |       |       |       |      | 43    |      |
| Net Merchantable            | m3     | 33    | 33      |       |       |       |       |      | 33    |      |
| Net Merch - All             | m3/ha  | 3     | 3       |       |       |       |       |      | 3     |      |
| Distribution                | %      | 100   | 100     |       |       |       |       |      | 100   |      |
| Decay                       | %      | 14    | 14      |       |       |       |       |      | 14    |      |
| Waste                       | %      | 3     | 3       |       |       |       |       |      | 3     |      |
| Waste(billing)              | %      | 4     | 4       |       |       |       |       |      | 4     |      |
| Breakage                    | %      | 7     | 7       |       |       |       |       |      | 7     |      |
| Total Cull (DWB)            | %      | 24    | 24      |       |       |       |       |      | 24    |      |
| Basal Area / Ha             | m2/ha  | 0.4   | 0.4     |       |       |       |       |      | 0.4   |      |
| Net VBAR                    | m3/m2  | 0.230 | 0.230   |       | 0.201 | 0.117 | 0.258 |      | 1.571 |      |
| Stems/Ha (Live & DP)        |        | 1.0   | 1.0     |       |       |       |       |      | 1.0   |      |
| Avg DBH (Live & DP)         | cm     | 67.6  | 67.6    |       |       |       |       |      | 67.6  |      |
| Snags/Ha                    |        |       |         |       |       |       |       |      |       |      |
| Avg Snag DBH                | cm     |       |         |       |       |       |       |      |       |      |
| Gross Merch Vol/Tree        | m3     | 3.49  | 3.49    |       |       |       |       |      | 3.49  |      |
| Net Merch Vol/Tree          | m3     | 2.64  | 2.64    |       |       |       |       |      | 2.64  |      |
| Avg Weight Total Ht         | m      | 27.5  | 27.5    |       |       |       |       |      | 27.5  |      |
| Avg Weight Merch Ht         | m      | 22.5  | 22.5    |       |       |       |       |      | 22.5  |      |
| Avg 10.0 m Log Net          | m3     | 0.96  | 0.96    |       |       |       |       |      | 0.96  |      |
| Avg 10.0 m Log Gross        | m3     | 1.16  | 1.16    |       |       |       |       |      | 1.16  |      |
| Avg # of 10.0 m Logs/Tree   |        | 3.00  | 3.00    |       |       |       |       |      | 3.00  |      |
| Net Immature                | %      |       |         |       |       |       |       |      |       |      |
| Net 2nd Growth              | %      |       |         |       |       |       |       |      |       |      |
| Average Slope               | %      | 49    |         |       |       |       |       |      |       |      |
| <b>Algorithm Grades %</b>   |        |       |         |       |       |       |       |      |       |      |
| #2 Sawlog                   | H      | 69    | 69      |       |       |       |       |      | 69    |      |
| #3 Sawlog                   | I      |       |         |       |       |       |       |      |       |      |
| #4 Sawlog                   | J      |       |         |       |       |       |       |      |       |      |
| #4 Shingle                  | M      |       |         |       |       |       |       |      |       |      |
| #5 Utility                  | U      | 29    | 29      |       |       |       |       |      | 29    |      |
| #6 Utility                  | X      |       |         |       |       |       |       |      |       |      |
| #7 Chipper                  | Y      | 2     | 2       |       |       |       |       |      | 2     |      |
| <b>Statistical Summary</b>  |        |       |         |       |       |       |       |      |       |      |
| Coeff. of Variation         | %      | 115.5 | 115.5   |       | 134.0 | 295.8 | 198.6 |      | 500.0 |      |
| Two Standard Error          | %      | 48.0  | 48.0    |       | 55.8  | 123.1 | 82.6  |      | 208.0 |      |
| Number and Type of Plots    | MP =   | 25    |         |       |       |       |       |      |       |      |
| Number of Potential Trees   |        | 127   |         |       |       |       |       |      |       |      |
| Plots/Ha                    |        | 1.0   |         |       |       |       |       |      |       |      |
| Cruised Trees/Plot          |        | 5.1   |         |       |       |       |       |      |       |      |

|                                |  |  |                                   |  |  |                                   |  |  |
|--------------------------------|--|--|-----------------------------------|--|--|-----------------------------------|--|--|
| *** FOR APPRAISAL PURPOSES *** |  |  | L E A V E   T R E E   R E P O R T |  |  | CP 3, p5                          |  |  |
|                                |  |  | Cutting Permit Summary            |  |  | 10-Sep-2018 06:41:38PM            |  |  |
| Average Line Method            |  |  | Grades: MOF Computerized          |  |  | FIZ: C                            |  |  |
| TS'ELXWEYEQW                   |  |  | Computerized Decay                |  |  | PSYU: Dewdney (Chilliwack)        |  |  |
| Licence Number: A75807 CP: 14  |  |  | Computerized Waste                |  |  | Region: 1 - South Coast           |  |  |
| Project: 2018-04               |  |  | Computerized Breakage             |  |  | District: 01 - Chilliwack         |  |  |
|                                |  |  |                                   |  |  | Compiled by: IFS                  |  |  |
|                                |  |  |                                   |  |  | Cruised by: DUNHAM AND ASSOCIATES |  |  |
|                                |  |  |                                   |  |  | Version: 2018.00 IFS build 6204   |  |  |

Net Area: [ cable : 11.7 ]

|                             |        | Total | Conifer | Decid | F     | C     | H     | B    | Y     | D    |
|-----------------------------|--------|-------|---------|-------|-------|-------|-------|------|-------|------|
| <b>Utilization Limits</b>   |        |       |         |       |       |       |       |      |       |      |
| Min DBH                     | cm (M) |       |         |       | 17.5  | 17.5  | 17.5  | 17.5 | 17.5  | 17.5 |
| Stump Ht                    | cm (M) |       |         |       | 30.0  | 30.0  | 30.0  | 30.0 | 30.0  | 30.0 |
| Top Dia                     | cm (M) |       |         |       | 15.0  | 15.0  | 15.0  | 15.0 | 15.0  | 15.0 |
| Min DBH                     | cm (I) |       |         |       | 12.0  | 12.0  | 12.0  | 12.0 | 12.0  | 12.0 |
| Stump Ht                    | cm (I) |       |         |       | 30.0  | 30.0  | 30.0  | 30.0 | 30.0  | 30.0 |
| Top Dia                     | cm (I) |       |         |       | 10.0  | 10.0  | 10.0  | 10.0 | 10.0  | 10.0 |
| Log Len                     | m      |       |         |       | 10.0  | 10.0  | 10.0  | 10.0 | 10.0  | 10.0 |
| <b>Volume and Size Data</b> |        |       |         |       |       |       |       |      |       |      |
| Gross Merchantable          | m3     | 26    | 26      |       |       |       |       |      | 26    |      |
| Net Merchantable            | m3     | 20    | 20      |       |       |       |       |      | 20    |      |
| Net Merch - All             | m3/ha  | 2     | 2       |       |       |       |       |      | 2     |      |
| Distribution                | %      | 100   | 100     |       |       |       |       |      | 100   |      |
| Decay                       | %      | 14    | 14      |       |       |       |       |      | 14    |      |
| Waste                       | %      | 3     | 3       |       |       |       |       |      | 3     |      |
| Waste(billing)              | %      | 4     | 4       |       |       |       |       |      | 4     |      |
| Breakage                    | %      | 7     | 7       |       |       |       |       |      | 7     |      |
| Total Cull (DWB)            | %      | 24    | 24      |       |       |       |       |      | 24    |      |
| Basal Area / Ha             | m2/ha  | 0.2   | 0.2     |       |       |       |       |      | 0.2   |      |
| Net VBAR                    | m3/m2  | 0.230 | 0.230   |       | 0.201 | 0.117 | 0.258 |      | 1.571 |      |
| Stems/Ha (Live & DP)        |        | 0.6   | 0.6     |       |       |       |       |      | 0.6   |      |
| Avg DBH (Live & DP)         | cm     | 67.6  | 67.6    |       |       |       |       |      | 67.6  |      |
| Snags/Ha                    |        |       |         |       |       |       |       |      |       |      |
| Avg Snag DBH                | cm     |       |         |       |       |       |       |      |       |      |
| Gross Merch Vol/Tree        | m3     | 3.49  | 3.49    |       |       |       |       |      | 3.49  |      |
| Net Merch Vol/Tree          | m3     | 2.64  | 2.64    |       |       |       |       |      | 2.64  |      |
| Avg Weight Total Ht         | m      | 27.5  | 27.5    |       |       |       |       |      | 27.5  |      |
| Avg Weight Merch Ht         | m      | 22.5  | 22.5    |       |       |       |       |      | 22.5  |      |
| Avg 10.0 m Log Net          | m3     | 0.96  | 0.96    |       |       |       |       |      | 0.96  |      |
| Avg 10.0 m Log Gross        | m3     | 1.16  | 1.16    |       |       |       |       |      | 1.16  |      |
| Avg # of 10.0 m Logs/Tree   |        | 3.00  | 3.00    |       |       |       |       |      | 3.00  |      |
| Net Immature                | %      |       |         |       |       |       |       |      |       |      |
| Net 2nd Growth              | %      |       |         |       |       |       |       |      |       |      |
| Average Slope               | %      | 49    |         |       |       |       |       |      |       |      |
| <b>Algorithm Grades %</b>   |        |       |         |       |       |       |       |      |       |      |
| #2 Lum/#1 Lum               | F      |       |         |       |       |       |       |      |       |      |
| #2 Sawlog                   | H      | 69    | 69      |       |       |       |       |      | 69    |      |
| #3 Sawlog                   | I      |       |         |       |       |       |       |      |       |      |
| #4 Sawlog                   | J      |       |         |       |       |       |       |      |       |      |
| #4 Shingle                  | M      |       |         |       |       |       |       |      |       |      |
| #5 Utility                  | U      | 29    | 29      |       |       |       |       |      | 29    |      |
| #6 Utility                  | X      |       |         |       |       |       |       |      |       |      |
| #7 Chipper                  | Y      | 2     | 2       |       |       |       |       |      | 2     |      |
| <b>Statistical Summary</b>  |        |       |         |       |       |       |       |      |       |      |
| Coeff. of Variation         | %      | 115.5 | 115.5   |       | 134.0 | 295.8 | 198.6 |      | 500.0 |      |
| Two Standard Error          | %      | 48.0  | 48.0    |       | 55.8  | 123.1 | 82.6  |      | 208.0 |      |
| Number and Type of Plots    | MP =   | 25    |         |       |       |       |       |      |       |      |
| Number of Potential Trees   |        | 127   |         |       |       |       |       |      |       |      |
| Plots/Ha                    |        | 1.0   |         |       |       |       |       |      |       |      |
| Cruised Trees/Plot          |        | 5.1   |         |       |       |       |       |      |       |      |

|                                |  |  |                                   |  |  |                                   |  |  |
|--------------------------------|--|--|-----------------------------------|--|--|-----------------------------------|--|--|
| *** FOR APPRAISAL PURPOSES *** |  |  | L E A V E   T R E E   R E P O R T |  |  | CP 4, p6                          |  |  |
|                                |  |  | Cutting Permit Summary            |  |  | 10-Sep-2018 06:41:38PM            |  |  |
| Average Line Method            |  |  | Grades: MOF Computerized          |  |  | FIZ: C                            |  |  |
| TS'ELXWEYEQW                   |  |  | Computerized Decay                |  |  | PSYU: Dewdney (Chilliwack)        |  |  |
| Licence Number: A75807 CP: 14  |  |  | Computerized Waste                |  |  | Region: 1 - South Coast           |  |  |
| Project: 2018-04               |  |  | Computerized Breakage             |  |  | District: 01 - Chilliwack         |  |  |
|                                |  |  |                                   |  |  | Compiled by: IFS                  |  |  |
|                                |  |  |                                   |  |  | Cruised by: DUNHAM AND ASSOCIATES |  |  |
|                                |  |  |                                   |  |  | Version: 2018.00 IFS build 6204   |  |  |

Net Area: [ Partial : 1.4 ]

|                             |         | Total | Conifer | Decid | F     | C     | H     | B    | Y    | D    |
|-----------------------------|---------|-------|---------|-------|-------|-------|-------|------|------|------|
| <b>Utilization Limits</b>   |         |       |         |       |       |       |       |      |      |      |
| Min DBH                     | cm (M)  |       |         |       | 17.5  | 17.5  | 17.5  | 17.5 | 17.5 | 17.5 |
| Stump Ht                    | cm (M)  |       |         |       | 30.0  | 30.0  | 30.0  | 30.0 | 30.0 | 30.0 |
| Top Dia                     | cm (M)  |       |         |       | 15.0  | 15.0  | 15.0  | 15.0 | 15.0 | 15.0 |
| Min DBH                     | cm (I)  |       |         |       | 12.0  | 12.0  | 12.0  | 12.0 | 12.0 | 12.0 |
| Stump Ht                    | cm (I)  |       |         |       | 30.0  | 30.0  | 30.0  | 30.0 | 30.0 | 30.0 |
| Top Dia                     | cm (I)  |       |         |       | 10.0  | 10.0  | 10.0  | 10.0 | 10.0 | 10.0 |
| Log Len                     | m       |       |         |       | 10.0  | 10.0  | 10.0  | 10.0 | 10.0 | 10.0 |
| <b>Volume and Size Data</b> |         |       |         |       |       |       |       |      |      |      |
| Gross Merchantable          | m3      | 381   | 381     |       | 191   | 42    | 147   |      |      |      |
| Net Merchantable            | m3      | 347   | 347     |       | 175   | 31    | 142   |      |      |      |
| Net Merch - All             | m3/ha   | 248   | 248     |       | 125   | 22    | 101   |      |      |      |
| Distribution                | %       | 100   | 100     |       | 50    | 9     | 41    |      |      |      |
| Decay                       | %       | 3     | 3       |       | 3     | 15    | 0     |      |      |      |
| Waste                       | %       | 1     | 1       |       | 1     | 5     |       |      |      |      |
| Waste(billing)              | %       | 1     | 1       |       | 1     | 7     |       |      |      |      |
| Breakage                    | %       | 4     | 4       |       | 4     | 6     | 4     |      |      |      |
| Total Cull (DWB)            | %       | 9     | 9       |       | 9     | 27    | 4     |      |      |      |
| Basal Area / Ha             | m2/ha   | 22.0  | 22.0    |       | 10.7  | 3.0   | 8.3   |      |      |      |
| Net VBAR                    | m3/m2   | 0.230 | 0.230   |       | 0.201 | 0.117 | 0.258 |      |      |      |
| Stems/Ha (Live & DP)        |         | 271.5 | 271.5   |       | 84.9  | 38.7  | 148.0 |      |      |      |
| Avg DBH (Live & DP)         | cm      | 32.1  | 32.1    |       | 40.1  | 31.3  | 26.8  |      |      |      |
| Snags/Ha                    |         |       |         |       |       |       |       |      |      |      |
| Avg Snag DBH                | cm      |       |         |       |       |       |       |      |      |      |
| Gross Merch Vol/Tree        | m3      | 1.00  | 1.00    |       | 1.61  | 0.77  | 0.71  |      |      |      |
| Net Merch Vol/Tree          | m3      | 0.91  | 0.91    |       | 1.47  | 0.56  | 0.68  |      |      |      |
| Avg Weight Total Ht         | m       | 37.2  | 37.2    |       | 41.7  | 32.7  | 32.9  |      |      |      |
| Avg Weight Merch Ht         | m       | 31.0  | 31.0    |       | 36.3  | 26.0  | 25.4  |      |      |      |
| Avg 10.0 m Log Net          | m3      | 0.37  | 0.37    |       | 0.52  | 0.29  | 0.29  |      |      |      |
| Avg 10.0 m Log Gross        | m3      | 0.39  | 0.39    |       | 0.54  | 0.36  | 0.29  |      |      |      |
| Avg # of 10.0 m Logs/Tree   |         | 2.56  | 2.56    |       | 2.98  | 2.15  | 2.43  |      |      |      |
| Net Immature                | %       | 75.3  | 75.3    |       | 59.3  | 52.4  | 100.0 |      |      |      |
| Net 2nd Growth              | %       |       | 75.3    |       |       |       |       |      |      |      |
| Average Slope               | %       | 49    |         |       |       |       |       |      |      |      |
| <b>Algorithm Grades %</b>   |         |       |         |       |       |       |       |      |      |      |
| #2 Lum/#1 Lum               | F       | 2     | 2       |       | 3     |       |       |      |      |      |
| #2 Sawlog                   | H       | 14    | 14      |       | 23    | 26    |       |      |      |      |
| #3 Sawlog                   | I       | 4     | 4       |       | 6     | 8     |       |      |      |      |
| #4 Sawlog                   | J       | 55    | 55      |       | 50    | 13    | 72    |      |      |      |
| #4 Shingle                  | M       |       |         |       |       | 5     |       |      |      |      |
| #5 Utility                  | U       | 24    | 24      |       | 17    | 42    | 28    |      |      |      |
| #6 Utility                  | X       | 1     | 1       |       | 1     | 6     |       |      |      |      |
| #7 Chipper                  | Y       |       |         |       |       |       |       |      |      |      |
| <b>Statistical Summary</b>  |         |       |         |       |       |       |       |      |      |      |
| Coeff. of Variation         | %       | 115.5 | 115.5   |       | 134.0 | 295.8 | 198.6 |      |      |      |
| Two Standard Error          | %       | 48.0  | 48.0    |       | 55.8  | 123.1 | 82.6  |      |      |      |
| Number and Type of Plots    | MP = 25 |       |         |       |       |       |       |      |      |      |
| Number of Potential Trees   |         | 127   |         |       |       |       |       |      |      |      |
| Plots/Ha                    |         | 1.0   |         |       |       |       |       |      |      |      |
| Cruised Trees/Plot          |         | 5.1   |         |       |       |       |       |      |      |      |

Net Area: Block : (I) - 11A:LB11A, Plots in Block: 6, TUs: [All Treatment Units : 5.8 ]  
Gross Area: [ R/W Removed : 0.5 ][ Exst R/W : 0.1 ][ Grand Total : 6.4 ]

|                                                           |        | Total | Conifer | Decid | F    | C    | H    | B    | Y    | D    |
|-----------------------------------------------------------|--------|-------|---------|-------|------|------|------|------|------|------|
| Utilization Limits                                        |        |       |         |       |      |      |      |      |      |      |
| Min DBH                                                   | cm (I) |       |         |       | 12.0 | 12.0 | 12.0 | 12.0 | 12.0 | 12.0 |
| Stump Ht                                                  | cm (I) |       |         |       | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 |
| Top Dia                                                   | cm (I) |       |         |       | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 |
| Log Len                                                   | m      |       |         |       | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 |
| Volume and Size Data                                      |        |       |         |       |      |      |      |      |      |      |
| Gross Merchantable                                        | m3     |       |         |       |      |      |      |      |      |      |
| Net Merchantable                                          | m3     |       |         |       |      |      |      |      |      |      |
| Net Merch - All                                           | m3/ha  |       |         |       |      |      |      |      |      |      |
| Distribution                                              | %      |       |         |       |      |      |      |      |      |      |
| Decay                                                     | %      |       |         |       |      |      |      |      |      |      |
| Waste                                                     | %      |       |         |       |      |      |      |      |      |      |
| Waste(billing)                                            | %      |       |         |       |      |      |      |      |      |      |
| Breakage                                                  | %      |       |         |       |      |      |      |      |      |      |
| Total Cull (DWB)                                          | %      |       |         |       |      |      |      |      |      |      |
| Basal Area / Ha                                           | m2/ha  |       |         |       |      |      |      |      |      |      |
| Net VBAR                                                  | m3/m2  |       |         |       |      |      |      |      |      |      |
| Stems/Ha (Live & DP)                                      |        |       |         |       |      |      |      |      |      |      |
| Avg DBH (Live & DP)                                       | cm     |       |         |       |      |      |      |      |      |      |
| Snags/Ha                                                  |        |       |         |       |      |      |      |      |      |      |
| Avg Snag DBH                                              | cm     |       |         |       |      |      |      |      |      |      |
| Gross Merch Vol/Tree                                      | m3     |       |         |       |      |      |      |      |      |      |
| Net Merch Vol/Tree                                        | m3     |       |         |       |      |      |      |      |      |      |
| Avg Weight Total Ht                                       | m      |       |         |       |      |      |      |      |      |      |
| Avg Weight Merch Ht                                       | m      |       |         |       |      |      |      |      |      |      |
| Avg 10.0 m Log Net                                        | m3     |       |         |       |      |      |      |      |      |      |
| Avg 10.0 m Log Gross                                      | m3     |       |         |       |      |      |      |      |      |      |
| Avg # of 10.0 m Logs/Tree                                 |        |       |         |       |      |      |      |      |      |      |
| Net Immature                                              | %      |       |         |       |      |      |      |      |      |      |
| Net 2nd Growth                                            | %      |       |         |       |      |      |      |      |      |      |
| Average Slope                                             | %      | 60    |         |       |      |      |      |      |      |      |
| Algorithm Grades %                                        |        |       |         |       |      |      |      |      |      |      |
| #2 Sawlog                                                 | H      |       |         |       |      |      |      |      |      |      |
| #3 Sawlog                                                 | I      |       |         |       |      |      |      |      |      |      |
| #4 Sawlog                                                 | J      |       |         |       |      |      |      |      |      |      |
| #5 Utility                                                | U      |       |         |       |      |      |      |      |      |      |
| #6 Utility                                                | X      |       |         |       |      |      |      |      |      |      |
| #7 Chipper                                                | Y      |       |         |       |      |      |      |      |      |      |
| Statistical Summary                                       |        |       |         |       |      |      |      |      |      |      |
| Coeff. of Variation                                       | %      |       |         |       |      |      |      |      |      |      |
| Two Standard Error                                        | %      |       |         |       |      |      |      |      |      |      |
| Number and Type of Plots                                  | MP = 6 |       |         |       |      |      |      |      |      |      |
| Number of Potential Trees                                 | 27     |       |         |       |      |      |      |      |      |      |
| Plots/Ha                                                  | 1.0    |       |         |       |      |      |      |      |      |      |
| Cruised Trees/Plot                                        | 4.7    |       |         |       |      |      |      |      |      |      |
| Slope % Statistics                                        |        |       |         |       |      |      |      |      |      |      |
| Min= 52, Max= 65, CV=7.9, Std Error of Mean=1.9, 2SE%=8.3 |        |       |         |       |      |      |      |      |      |      |

Net Area: Block : (I) - 11A:LB11A, Plots in Block: 6, TUs: [ ground : 3.5 ]

|                           |          | Total   | Conifer                | Decid    | F    | C    | H    | B    | Y    | D    |
|---------------------------|----------|---------|------------------------|----------|------|------|------|------|------|------|
| Utilization Limits        |          |         |                        |          |      |      |      |      |      |      |
| Min DBH                   | cm (I)   |         |                        |          | 12.0 | 12.0 | 12.0 | 12.0 | 12.0 | 12.0 |
| Stump Ht                  | cm (I)   |         |                        |          | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 |
| Top Dia                   | cm (I)   |         |                        |          | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 |
| Log Len                   | m        |         |                        |          | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 |
| Volume and Size Data      |          |         |                        |          |      |      |      |      |      |      |
| Gross Merchantable        | m3       |         |                        |          |      |      |      |      |      |      |
| Net Merchantable          | m3       |         |                        |          |      |      |      |      |      |      |
| Net Merch - All           | m3/ha    |         |                        |          |      |      |      |      |      |      |
| Distribution              | %        |         |                        |          |      |      |      |      |      |      |
| Decay                     | %        |         |                        |          |      |      |      |      |      |      |
| Waste                     | %        |         |                        |          |      |      |      |      |      |      |
| Waste(billing)            | %        |         |                        |          |      |      |      |      |      |      |
| Breakage                  | %        |         |                        |          |      |      |      |      |      |      |
| Total Cull (DWB)          | %        |         |                        |          |      |      |      |      |      |      |
| Basal Area / Ha           | m2/ha    |         |                        |          |      |      |      |      |      |      |
| Net VBAR                  | m3/m2    |         |                        |          |      |      |      |      |      |      |
| Stems/Ha (Live & DP)      |          |         |                        |          |      |      |      |      |      |      |
| Avg DBH (Live & DP)       | cm       |         |                        |          |      |      |      |      |      |      |
| Snags/Ha                  |          |         |                        |          |      |      |      |      |      |      |
| Avg Snag DBH              | cm       |         |                        |          |      |      |      |      |      |      |
| Gross Merch Vol/Tree      | m3       |         |                        |          |      |      |      |      |      |      |
| Net Merch Vol/Tree        | m3       |         |                        |          |      |      |      |      |      |      |
| Avg Weight Total Ht       | m        |         |                        |          |      |      |      |      |      |      |
| Avg Weight Merch Ht       | m        |         |                        |          |      |      |      |      |      |      |
| Avg 10.0 m Log Net        | m3       |         |                        |          |      |      |      |      |      |      |
| Avg 10.0 m Log Gross      | m3       |         |                        |          |      |      |      |      |      |      |
| Avg # of 10.0 m Logs/Tree |          |         |                        |          |      |      |      |      |      |      |
| Net Immature              | %        |         |                        |          |      |      |      |      |      |      |
| Net 2nd Growth            | %        |         |                        |          |      |      |      |      |      |      |
| Average Slope             | %        | 60      |                        |          |      |      |      |      |      |      |
| Algorithm Grades %        |          |         |                        |          |      |      |      |      |      |      |
| #2 Sawlog                 | H        |         |                        |          |      |      |      |      |      |      |
| #4 Sawlog                 | J        |         |                        |          |      |      |      |      |      |      |
| #5 Utility                | U        |         |                        |          |      |      |      |      |      |      |
| #6 Utility                | X        |         |                        |          |      |      |      |      |      |      |
| Statistical Summary       |          |         |                        |          |      |      |      |      |      |      |
| Coeff. of Variation       | %        |         |                        |          |      |      |      |      |      |      |
| Two Standard Error        | %        |         |                        |          |      |      |      |      |      |      |
| Number and Type of Plots  | MP =     | 6       |                        |          |      |      |      |      |      |      |
| Number of Potential Trees |          | 27      |                        |          |      |      |      |      |      |      |
| Plots/Ha                  |          | 1.0     |                        |          |      |      |      |      |      |      |
| Cruised Trees/Plot        |          | 4.7     |                        |          |      |      |      |      |      |      |
| Slope % Statistics        |          |         |                        |          |      |      |      |      |      |      |
| Min= 52,                  | Max= 65, | CV=7.9, | Std Error of Mean=1.9, | 2SE%=8.3 |      |      |      |      |      |      |

Net Area: Block : (I) - 11A:LB11A, Plots in Block: 6, TUs: [ cable : 2.3 ]

|                                                           |        | Total | Conifer | Decid | F    | C    | H    | B    | Y    | D    |
|-----------------------------------------------------------|--------|-------|---------|-------|------|------|------|------|------|------|
| Utilization Limits                                        |        |       |         |       |      |      |      |      |      |      |
| Min DBH                                                   | cm (I) |       |         |       | 12.0 | 12.0 | 12.0 | 12.0 | 12.0 | 12.0 |
| Stump Ht                                                  | cm (I) |       |         |       | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 |
| Top Dia                                                   | cm (I) |       |         |       | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 |
| Log Len                                                   | m      |       |         |       | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 |
| Volume and Size Data                                      |        |       |         |       |      |      |      |      |      |      |
| Gross Merchantable                                        | m3     |       |         |       |      |      |      |      |      |      |
| Net Merchantable                                          | m3     |       |         |       |      |      |      |      |      |      |
| Net Merch - All                                           | m3/ha  |       |         |       |      |      |      |      |      |      |
| Distribution                                              | %      |       |         |       |      |      |      |      |      |      |
| Decay                                                     | %      |       |         |       |      |      |      |      |      |      |
| Waste                                                     | %      |       |         |       |      |      |      |      |      |      |
| Waste(billing)                                            | %      |       |         |       |      |      |      |      |      |      |
| Breakage                                                  | %      |       |         |       |      |      |      |      |      |      |
| Total Cull (DWB)                                          | %      |       |         |       |      |      |      |      |      |      |
| Basal Area / Ha                                           | m2/ha  |       |         |       |      |      |      |      |      |      |
| Net VBAR                                                  | m3/m2  |       |         |       |      |      |      |      |      |      |
| Stems/Ha (Live & DP)                                      |        |       |         |       |      |      |      |      |      |      |
| Avg DBH (Live & DP)                                       | cm     |       |         |       |      |      |      |      |      |      |
| Snags/Ha                                                  |        |       |         |       |      |      |      |      |      |      |
| Avg Snag DBH                                              | cm     |       |         |       |      |      |      |      |      |      |
| Gross Merch Vol/Tree                                      | m3     |       |         |       |      |      |      |      |      |      |
| Net Merch Vol/Tree                                        | m3     |       |         |       |      |      |      |      |      |      |
| Avg Weight Total Ht                                       | m      |       |         |       |      |      |      |      |      |      |
| Avg Weight Merch Ht                                       | m      |       |         |       |      |      |      |      |      |      |
| Avg 10.0 m Log Net                                        | m3     |       |         |       |      |      |      |      |      |      |
| Avg 10.0 m Log Gross                                      | m3     |       |         |       |      |      |      |      |      |      |
| Avg # of 10.0 m Logs/Tree                                 |        |       |         |       |      |      |      |      |      |      |
| Net Immature                                              | %      |       |         |       |      |      |      |      |      |      |
| Net 2nd Growth                                            | %      |       |         |       |      |      |      |      |      |      |
| Average Slope                                             | %      | 60    |         |       |      |      |      |      |      |      |
| Algorithm Grades %                                        |        |       |         |       |      |      |      |      |      |      |
| #2 Sawlog                                                 | H      |       |         |       |      |      |      |      |      |      |
| #3 Sawlog                                                 | I      |       |         |       |      |      |      |      |      |      |
| #4 Sawlog                                                 | J      |       |         |       |      |      |      |      |      |      |
| #5 Utility                                                | U      |       |         |       |      |      |      |      |      |      |
| #6 Utility                                                | X      |       |         |       |      |      |      |      |      |      |
| #7 Chipper                                                | Y      |       |         |       |      |      |      |      |      |      |
| Statistical Summary                                       |        |       |         |       |      |      |      |      |      |      |
| Coeff. of Variation                                       | %      |       |         |       |      |      |      |      |      |      |
| Two Standard Error                                        | %      |       |         |       |      |      |      |      |      |      |
| Number and Type of Plots                                  | MP =   | 6     |         |       |      |      |      |      |      |      |
| Number of Potential Trees                                 |        | 27    |         |       |      |      |      |      |      |      |
| Plots/Ha                                                  |        | 1.0   |         |       |      |      |      |      |      |      |
| Cruised Trees/Plot                                        |        | 4.7   |         |       |      |      |      |      |      |      |
| Slope % Statistics                                        |        |       |         |       |      |      |      |      |      |      |
| Min= 52, Max= 65, CV=7.9, Std Error of Mean=1.9, 2SE%=8.3 |        |       |         |       |      |      |      |      |      |      |

Net Area: Block : (I) - P2B:MP2B, Plots in Block: 7, TUs: [All Treatment Units : 5.8 ]  
Gross Area: [ R/W Removed : 1.1 ][ Retention : 0.6 ][ Grand Total : 7.5 ]

|                                                             |        | Total | Conifer | Decid | F     | C     | H     | B    | Y    | D    |
|-------------------------------------------------------------|--------|-------|---------|-------|-------|-------|-------|------|------|------|
| Utilization Limits                                          |        |       |         |       |       |       |       |      |      |      |
| Min DBH                                                     | cm (I) |       |         |       | 12.0  | 12.0  | 12.0  | 12.0 | 12.0 | 12.0 |
| Stump Ht                                                    | cm (I) |       |         |       | 30.0  | 30.0  | 30.0  | 30.0 | 30.0 | 30.0 |
| Top Dia                                                     | cm (I) |       |         |       | 10.0  | 10.0  | 10.0  | 10.0 | 10.0 | 10.0 |
| Log Len                                                     | m      |       |         |       | 10.0  | 10.0  | 10.0  | 10.0 | 10.0 | 10.0 |
| Volume and Size Data                                        |        |       |         |       |       |       |       |      |      |      |
| Gross Merchantable                                          | m3     | 381   | 381     |       | 191   | 42    | 147   |      |      |      |
| Net Merchantable                                            | m3     | 347   | 347     |       | 175   | 31    | 142   |      |      |      |
| Net Merch - All                                             | m3/ha  | 60    | 60      |       | 30    | 5     | 24    |      |      |      |
| Distribution                                                | %      | 100   | 100     |       | 50    | 9     | 41    |      |      |      |
| Decay                                                       | %      | 3     | 3       |       | 3     | 15    | 0     |      |      |      |
| Waste                                                       | %      | 1     | 1       |       | 1     | 5     |       |      |      |      |
| Waste(billing)                                              | %      | 1     | 1       |       | 1     | 7     |       |      |      |      |
| Breakage                                                    | %      | 4     | 4       |       | 4     | 6     | 4     |      |      |      |
| Total Cull (DWB)                                            | %      | 9     | 9       |       | 9     | 27    | 4     |      |      |      |
| Basal Area / Ha                                             | m2/ha  | 5.3   | 5.3     |       | 2.6   | 0.7   | 2.0   |      |      |      |
| Net VBAR                                                    | m3/m2  | 0.887 | 0.887   |       | 0.865 | 0.502 | 1.106 |      |      |      |
| Stems/Ha (Live & DP)                                        |        | 65.5  | 65.5    |       | 20.5  | 9.3   | 35.7  |      |      |      |
| Avg DBH (Live & DP)                                         | cm     | 32.1  | 32.1    |       | 40.1  | 31.3  | 26.8  |      |      |      |
| Snags/Ha                                                    |        |       |         |       |       |       |       |      |      |      |
| Avg Snag DBH                                                | cm     |       |         |       |       |       |       |      |      |      |
| Gross Merch Vol/Tree                                        | m3     | 1.00  | 1.00    |       | 1.61  | 0.77  | 0.71  |      |      |      |
| Net Merch Vol/Tree                                          | m3     | 0.91  | 0.91    |       | 1.47  | 0.56  | 0.68  |      |      |      |
| Avg Weight Total Ht                                         | m      | 37.2  | 37.2    |       | 41.7  | 32.7  | 32.9  |      |      |      |
| Avg Weight Merch Ht                                         | m      | 31.0  | 31.0    |       | 36.3  | 26.0  | 25.4  |      |      |      |
| Avg 10.0 m Log Net                                          | m3     | 0.37  | 0.37    |       | 0.52  | 0.29  | 0.29  |      |      |      |
| Avg 10.0 m Log Gross                                        | m3     | 0.39  | 0.39    |       | 0.54  | 0.36  | 0.29  |      |      |      |
| Avg # of 10.0 m Logs/Tree                                   |        | 2.56  | 2.56    |       | 2.98  | 2.15  | 2.43  |      |      |      |
| Net Immature                                                | %      | 75.3  | 75.3    |       | 59.3  | 52.4  | 100.0 |      |      |      |
| Net 2nd Growth                                              | %      |       | 75.3    |       |       |       |       |      |      |      |
| Average Slope                                               | %      | 51    |         |       |       |       |       |      |      |      |
| Algorithm Grades %                                          |        |       |         |       |       |       |       |      |      |      |
| #2 Lum/#1 Lum                                               | F      | 2     | 2       |       | 3     |       |       |      |      |      |
| #2 Sawlog                                                   | H      | 14    | 14      |       | 23    | 26    |       |      |      |      |
| #3 Sawlog                                                   | I      | 4     | 4       |       | 6     | 8     |       |      |      |      |
| #4 Sawlog                                                   | J      | 55    | 55      |       | 50    | 13    | 72    |      |      |      |
| #4 Shingle                                                  | M      |       |         |       |       | 5     |       |      |      |      |
| #5 Utility                                                  | U      | 24    | 24      |       | 17    | 42    | 28    |      |      |      |
| #6 Utility                                                  | X      | 1     | 1       |       | 1     | 6     |       |      |      |      |
| #7 Chipper                                                  | Y      |       |         |       |       |       |       |      |      |      |
| Statistical Summary                                         |        |       |         |       |       |       |       |      |      |      |
| Coeff. of Variation                                         | %      | 58.0  | 58.0    |       | 70.9  | 156.5 | 105.1 |      |      |      |
| Two Standard Error                                          | %      | 53.6  | 53.6    |       | 65.6  | 144.8 | 97.2  |      |      |      |
| Number and Type of Plots                                    | MP =   | 7     |         |       |       |       |       |      |      |      |
| Number of Potential Trees                                   |        | 37    |         |       |       |       |       |      |      |      |
| Plots/Ha                                                    |        | 1.2   |         |       |       |       |       |      |      |      |
| Cruised Trees/Plot                                          |        | 5.3   |         |       |       |       |       |      |      |      |
| Slope % Statistics                                          |        |       |         |       |       |       |       |      |      |      |
| Min= 34, Max= 72, CV=25.5, Std Error of Mean=4.9, 2SE%=23.6 |        |       |         |       |       |       |       |      |      |      |

Net Area: Block : (I) - P2B:MP2B, Plots in Block: 7, TUs: [ cable : 4.4 ]

|                           |          | Total    | Conifer                | Decid     | F     | C     | H     | B    | Y    | D    |
|---------------------------|----------|----------|------------------------|-----------|-------|-------|-------|------|------|------|
| Utilization Limits        |          |          |                        |           |       |       |       |      |      |      |
| Min DBH                   | cm (I)   |          |                        |           | 12.0  | 12.0  | 12.0  | 12.0 | 12.0 | 12.0 |
| Stump Ht                  | cm (I)   |          |                        |           | 30.0  | 30.0  | 30.0  | 30.0 | 30.0 | 30.0 |
| Top Dia                   | cm (I)   |          |                        |           | 10.0  | 10.0  | 10.0  | 10.0 | 10.0 | 10.0 |
| Log Len                   | m        |          |                        |           | 10.0  | 10.0  | 10.0  | 10.0 | 10.0 | 10.0 |
| Volume and Size Data      |          |          |                        |           |       |       |       |      |      |      |
| Gross Merchantable        | m3       |          |                        |           |       |       |       |      |      |      |
| Net Merchantable          | m3       |          |                        |           |       |       |       |      |      |      |
| Net Merch - All           | m3/ha    |          |                        |           |       |       |       |      |      |      |
| Distribution              | %        |          |                        |           |       |       |       |      |      |      |
| Decay                     | %        |          |                        |           |       |       |       |      |      |      |
| Waste                     | %        |          |                        |           |       |       |       |      |      |      |
| Waste(billing)            | %        |          |                        |           |       |       |       |      |      |      |
| Breakage                  | %        |          |                        |           |       |       |       |      |      |      |
| Total Cull (DWB)          | %        |          |                        |           |       |       |       |      |      |      |
| Basal Area / Ha           | m2/ha    |          |                        |           |       |       |       |      |      |      |
| Net VBAR                  | m3/m2    | 0.887    | 0.887                  |           | 0.865 | 0.502 | 1.106 |      |      |      |
| Stems/Ha (Live & DP)      |          |          |                        |           |       |       |       |      |      |      |
| Avg DBH (Live & DP)       | cm       |          |                        |           |       |       |       |      |      |      |
| Snags/Ha                  |          |          |                        |           |       |       |       |      |      |      |
| Avg Snag DBH              | cm       |          |                        |           |       |       |       |      |      |      |
| Gross Merch Vol/Tree      | m3       |          |                        |           |       |       |       |      |      |      |
| Net Merch Vol/Tree        | m3       |          |                        |           |       |       |       |      |      |      |
| Avg Weight Total Ht       | m        |          |                        |           |       |       |       |      |      |      |
| Avg Weight Merch Ht       | m        |          |                        |           |       |       |       |      |      |      |
| Avg 10.0 m Log Net        | m3       |          |                        |           |       |       |       |      |      |      |
| Avg 10.0 m Log Gross      | m3       |          |                        |           |       |       |       |      |      |      |
| Avg # of 10.0 m Logs/Tree |          |          |                        |           |       |       |       |      |      |      |
| Net Immature              | %        |          |                        |           |       |       |       |      |      |      |
| Net 2nd Growth            | %        |          |                        |           |       |       |       |      |      |      |
| Average Slope             | %        | 51       |                        |           |       |       |       |      |      |      |
| Algorithm Grades %        |          |          |                        |           |       |       |       |      |      |      |
| #2 Lum/#1 Lum             | F        |          |                        |           |       |       |       |      |      |      |
| #2 Sawlog                 | H        |          |                        |           |       |       |       |      |      |      |
| #3 Sawlog                 | I        |          |                        |           |       |       |       |      |      |      |
| #4 Sawlog                 | J        |          |                        |           |       |       |       |      |      |      |
| #4 Shingle                | M        |          |                        |           |       |       |       |      |      |      |
| #5 Utility                | U        |          |                        |           |       |       |       |      |      |      |
| #6 Utility                | X        |          |                        |           |       |       |       |      |      |      |
| #7 Chipper                | Y        |          |                        |           |       |       |       |      |      |      |
| Statistical Summary       |          |          |                        |           |       |       |       |      |      |      |
| Coeff. of Variation       | %        | 58.0     | 58.0                   |           | 70.9  | 156.5 | 105.1 |      |      |      |
| Two Standard Error        | %        | 53.6     | 53.6                   |           | 65.6  | 144.8 | 97.2  |      |      |      |
| Number and Type of Plots  | MP =     | 7        |                        |           |       |       |       |      |      |      |
| Number of Potential Trees |          | 37       |                        |           |       |       |       |      |      |      |
| Plots/Ha                  |          | 1.2      |                        |           |       |       |       |      |      |      |
| Cruised Trees/Plot        |          | 5.3      |                        |           |       |       |       |      |      |      |
| Slope % Statistics        |          |          |                        |           |       |       |       |      |      |      |
| Min= 34,                  | Max= 72, | CV=25.5, | Std Error of Mean=4.9, | 2SE%=23.6 |       |       |       |      |      |      |

|                                |  |  |                                   |  |  |                                        |  |
|--------------------------------|--|--|-----------------------------------|--|--|----------------------------------------|--|
| *** FOR APPRAISAL PURPOSES *** |  |  | L E A V E   T R E E   R E P O R T |  |  | BS 6, p12                              |  |
|                                |  |  | Block Summary                     |  |  | 10-Sep-2018 06:41:38PM                 |  |
| Average Line Method            |  |  | Grades: MOF Computerized          |  |  | Filename: tsc-2018-04-a75807-cp-14.ccp |  |
| TS'ELXWEYEQW                   |  |  | Computerized Decay                |  |  | Compiled by: IFS                       |  |
| Licence Number: A75807 CP: 14  |  |  | Computerized Waste                |  |  | Cruised by: DUNHAM AND ASSOCIATES      |  |
| Project: 2018-04               |  |  | Computerized Breakage             |  |  | Version: 2018.00 IFS build 6204        |  |

Net Area: Block : (I) - P2B:MP2B, Plots in Block: 7, TUs: [ Partial : 1.4 ]

|                                                             |        | Total | Conifer | Decid | F     | C     | H     | B    | Y    | D    |
|-------------------------------------------------------------|--------|-------|---------|-------|-------|-------|-------|------|------|------|
| <b>Utilization Limits</b>                                   |        |       |         |       |       |       |       |      |      |      |
| Min DBH                                                     | cm (I) |       |         |       | 12.0  | 12.0  | 12.0  | 12.0 | 12.0 | 12.0 |
| Stump Ht                                                    | cm (I) |       |         |       | 30.0  | 30.0  | 30.0  | 30.0 | 30.0 | 30.0 |
| Top Dia                                                     | cm (I) |       |         |       | 10.0  | 10.0  | 10.0  | 10.0 | 10.0 | 10.0 |
| Log Len                                                     | m      |       |         |       | 10.0  | 10.0  | 10.0  | 10.0 | 10.0 | 10.0 |
| <b>Volume and Size Data</b>                                 |        |       |         |       |       |       |       |      |      |      |
| Gross Merchantable                                          | m3     | 381   | 381     |       | 191   | 42    | 147   |      |      |      |
| Net Merchantable                                            | m3     | 347   | 347     |       | 175   | 31    | 142   |      |      |      |
| Net Merch - All                                             | m3/ha  | 248   | 248     |       | 125   | 22    | 101   |      |      |      |
| Distribution                                                | %      | 100   | 100     |       | 50    | 9     | 41    |      |      |      |
| Decay                                                       | %      | 3     | 3       |       | 3     | 15    | 0     |      |      |      |
| Waste                                                       | %      | 1     | 1       |       | 1     | 5     |       |      |      |      |
| Waste(billing)                                              | %      | 1     | 1       |       | 1     | 7     |       |      |      |      |
| Breakage                                                    | %      | 4     | 4       |       | 4     | 6     | 4     |      |      |      |
| Total Cull (DWB)                                            | %      | 9     | 9       |       | 9     | 27    | 4     |      |      |      |
| Basal Area / Ha                                             | m2/ha  | 22.0  | 22.0    |       | 10.7  | 3.0   | 8.3   |      |      |      |
| Net VBAR                                                    | m3/m2  | 0.887 | 0.887   |       | 0.865 | 0.502 | 1.106 |      |      |      |
| Stems/Ha (Live & DP)                                        |        | 271.5 | 271.5   |       | 84.9  | 38.7  | 148.0 |      |      |      |
| Avg DBH (Live & DP)                                         | cm     | 32.1  | 32.1    |       | 40.1  | 31.3  | 26.8  |      |      |      |
| Snags/Ha                                                    |        |       |         |       |       |       |       |      |      |      |
| Avg Snag DBH                                                | cm     |       |         |       |       |       |       |      |      |      |
| Gross Merch Vol/Tree                                        | m3     | 1.00  | 1.00    |       | 1.61  | 0.77  | 0.71  |      |      |      |
| Net Merch Vol/Tree                                          | m3     | 0.91  | 0.91    |       | 1.47  | 0.56  | 0.68  |      |      |      |
| Avg Weight Total Ht                                         | m      | 37.2  | 37.2    |       | 41.7  | 32.7  | 32.9  |      |      |      |
| Avg Weight Merch Ht                                         | m      | 31.0  | 31.0    |       | 36.3  | 26.0  | 25.4  |      |      |      |
| Avg 10.0 m Log Net                                          | m3     | 0.37  | 0.37    |       | 0.52  | 0.29  | 0.29  |      |      |      |
| Avg 10.0 m Log Gross                                        | m3     | 0.39  | 0.39    |       | 0.54  | 0.36  | 0.29  |      |      |      |
| Avg # of 10.0 m Logs/Tree                                   |        | 2.56  | 2.56    |       | 2.98  | 2.15  | 2.43  |      |      |      |
| Net Immature                                                | %      | 75.3  | 75.3    |       | 59.3  | 52.4  | 100.0 |      |      |      |
| Net 2nd Growth                                              | %      |       | 75.3    |       |       |       |       |      |      |      |
| Average Slope                                               | %      | 51    |         |       |       |       |       |      |      |      |
| <b>Algorithm Grades %</b>                                   |        |       |         |       |       |       |       |      |      |      |
| #2 Lum/#1 Lum                                               | F      | 2     | 2       |       | 3     |       |       |      |      |      |
| #2 Sawlog                                                   | H      | 14    | 14      |       | 23    | 26    |       |      |      |      |
| #3 Sawlog                                                   | I      | 4     | 4       |       | 6     | 8     |       |      |      |      |
| #4 Sawlog                                                   | J      | 55    | 55      |       | 50    | 13    | 72    |      |      |      |
| #4 Shingle                                                  | M      |       |         |       |       | 5     |       |      |      |      |
| #5 Utility                                                  | U      | 24    | 24      |       | 17    | 42    | 28    |      |      |      |
| #6 Utility                                                  | X      | 1     | 1       |       | 1     | 6     |       |      |      |      |
| #7 Chipper                                                  | Y      |       |         |       |       |       |       |      |      |      |
| <b>Statistical Summary</b>                                  |        |       |         |       |       |       |       |      |      |      |
| Coeff. of Variation                                         | %      | 58.0  | 58.0    |       | 70.9  | 156.5 | 105.1 |      |      |      |
| Two Standard Error                                          | %      | 53.6  | 53.6    |       | 65.6  | 144.8 | 97.2  |      |      |      |
| Number and Type of Plots                                    | MP =   | 7     |         |       |       |       |       |      |      |      |
| Number of Potential Trees                                   |        | 37    |         |       |       |       |       |      |      |      |
| Plots/Ha                                                    |        | 1.2   |         |       |       |       |       |      |      |      |
| Cruised Trees/Plot                                          |        | 5.3   |         |       |       |       |       |      |      |      |
| <b>Slope % Statistics</b>                                   |        |       |         |       |       |       |       |      |      |      |
| Min= 34, Max= 72, CV=25.5, Std Error of Mean=4.9, 2SE%=23.6 |        |       |         |       |       |       |       |      |      |      |

Net Area: Block : (M) - PF1:PF1, Plots in Block: 12, TUs: [All Treatment Units : 13.3 ]  
Gross Area: [ R/W Removed : 0.3 ][ Retention : 0.4 ][ Grand Total : 14.0 ]

|                                                             |        | Total   | Conifer | Decid | F    | C    | H    | B    | Y     | D    |
|-------------------------------------------------------------|--------|---------|---------|-------|------|------|------|------|-------|------|
| Utilization Limits                                          |        |         |         |       |      |      |      |      |       |      |
| Min DBH                                                     | cm (M) |         |         |       | 17.5 | 17.5 | 17.5 | 17.5 | 17.5  | 17.5 |
| Stump Ht                                                    | cm (M) |         |         |       | 30.0 | 30.0 | 30.0 | 30.0 | 30.0  | 30.0 |
| Top Dia                                                     | cm (M) |         |         |       | 15.0 | 15.0 | 15.0 | 15.0 | 15.0  | 15.0 |
| Log Len                                                     | m      |         |         |       | 10.0 | 10.0 | 10.0 | 10.0 | 10.0  | 10.0 |
| Volume and Size Data                                        |        |         |         |       |      |      |      |      |       |      |
| Gross Merchantable                                          | m3     | 69      | 69      |       |      |      |      |      | 69    |      |
| Net Merchantable                                            | m3     | 52      | 52      |       |      |      |      |      | 52    |      |
| Net Merch - All                                             | m3/ha  | 4       | 4       |       |      |      |      |      | 4     |      |
| Distribution                                                | %      | 100     | 100     |       |      |      |      |      | 100   |      |
| Decay                                                       | %      | 14      | 14      |       |      |      |      |      | 14    |      |
| Waste                                                       | %      | 3       | 3       |       |      |      |      |      | 3     |      |
| Waste(billing)                                              | %      | 4       | 4       |       |      |      |      |      | 4     |      |
| Breakage                                                    | %      | 7       | 7       |       |      |      |      |      | 7     |      |
| Total Cull (DWB)                                            | %      | 24      | 24      |       |      |      |      |      | 24    |      |
| Basal Area / Ha                                             | m2/ha  | 0.5     | 0.5     |       |      |      |      |      | 0.5   |      |
| Net VBAR                                                    | m3/m2  | 0.044   | 0.044   |       |      |      |      |      | 2.941 |      |
| Stems/Ha (Live & DP)                                        |        | 1.5     | 1.5     |       |      |      |      |      | 1.5   |      |
| Avg DBH (Live & DP)                                         | cm     | 67.6    | 67.6    |       |      |      |      |      | 67.6  |      |
| Snags/Ha                                                    |        |         |         |       |      |      |      |      |       |      |
| Avg Snag DBH                                                | cm     |         |         |       |      |      |      |      |       |      |
| Gross Merch Vol/Tree                                        | m3     | 3.49    | 3.49    |       |      |      |      |      | 3.49  |      |
| Net Merch Vol/Tree                                          | m3     | 2.64    | 2.64    |       |      |      |      |      | 2.64  |      |
| Avg Weight Total Ht                                         | m      | 27.5    | 27.5    |       |      |      |      |      | 27.5  |      |
| Avg Weight Merch Ht                                         | m      | 22.5    | 22.5    |       |      |      |      |      | 22.5  |      |
| Avg 10.0 m Log Net                                          | m3     | 0.96    | 0.96    |       |      |      |      |      | 0.96  |      |
| Avg 10.0 m Log Gross                                        | m3     | 1.16    | 1.16    |       |      |      |      |      | 1.16  |      |
| Avg # of 10.0 m Logs/Tree                                   |        | 3.00    | 3.00    |       |      |      |      |      | 3.00  |      |
| Net Immature                                                | %      |         |         |       |      |      |      |      |       |      |
| Net 2nd Growth                                              | %      |         |         |       |      |      |      |      |       |      |
| Average Slope                                               | %      | 42      |         |       |      |      |      |      |       |      |
| Algorithm Grades %                                          |        |         |         |       |      |      |      |      |       |      |
| #2 Sawlog                                                   | H      | 69      | 69      |       |      |      |      |      | 69    |      |
| #3 Sawlog                                                   | I      |         |         |       |      |      |      |      |       |      |
| #4 Sawlog                                                   | J      |         |         |       |      |      |      |      |       |      |
| #4 Shingle                                                  | M      |         |         |       |      |      |      |      |       |      |
| #5 Utility                                                  | U      | 29      | 29      |       |      |      |      |      | 29    |      |
| #6 Utility                                                  | X      |         |         |       |      |      |      |      |       |      |
| #7 Chipper                                                  | Y      | 2       | 2       |       |      |      |      |      | 2     |      |
| Statistical Summary                                         |        |         |         |       |      |      |      |      |       |      |
| Coeff. of Variation                                         | %      | 346.4   | 346.4   |       |      |      |      |      | 346.4 |      |
| Two Standard Error                                          | %      | 220.1   | 220.1   |       |      |      |      |      | 220.1 |      |
| Number and Type of Plots                                    |        | MP = 12 |         |       |      |      |      |      |       |      |
| Number of Potential Trees                                   |        | 63      |         |       |      |      |      |      |       |      |
| Plots/Ha                                                    |        | 0.9     |         |       |      |      |      |      |       |      |
| Cruised Trees/Plot                                          |        | 5.3     |         |       |      |      |      |      |       |      |
| Slope % Statistics                                          |        |         |         |       |      |      |      |      |       |      |
| Min= 21, Max= 62, CV=24.5, Std Error of Mean=3.0, 2SE%=15.6 |        |         |         |       |      |      |      |      |       |      |

Net Area: Block : (M) - PF1:PF1, Plots in Block: 12, TUs: [ ground : 8.3 ]

|                                                             |        | Total   | Conifer | Decid | F    | C    | H    | B    | Y     | D    |
|-------------------------------------------------------------|--------|---------|---------|-------|------|------|------|------|-------|------|
| Utilization Limits                                          |        |         |         |       |      |      |      |      |       |      |
| Min DBH                                                     | cm (M) |         |         |       | 17.5 | 17.5 | 17.5 | 17.5 | 17.5  | 17.5 |
| Stump Ht                                                    | cm (M) |         |         |       | 30.0 | 30.0 | 30.0 | 30.0 | 30.0  | 30.0 |
| Top Dia                                                     | cm (M) |         |         |       | 15.0 | 15.0 | 15.0 | 15.0 | 15.0  | 15.0 |
| Log Len                                                     | m      |         |         |       | 10.0 | 10.0 | 10.0 | 10.0 | 10.0  | 10.0 |
| Volume and Size Data                                        |        |         |         |       |      |      |      |      |       |      |
| Gross Merchantable                                          | m3     | 43      | 43      |       |      |      |      |      | 43    |      |
| Net Merchantable                                            | m3     | 33      | 33      |       |      |      |      |      | 33    |      |
| Net Merch - All                                             | m3/ha  | 4       | 4       |       |      |      |      |      | 4     |      |
| Distribution                                                | %      | 100     | 100     |       |      |      |      |      | 100   |      |
| Decay                                                       | %      | 14      | 14      |       |      |      |      |      | 14    |      |
| Waste                                                       | %      | 3       | 3       |       |      |      |      |      | 3     |      |
| Waste(billing)                                              | %      | 4       | 4       |       |      |      |      |      | 4     |      |
| Breakage                                                    | %      | 7       | 7       |       |      |      |      |      | 7     |      |
| Total Cull (DWB)                                            | %      | 24      | 24      |       |      |      |      |      | 24    |      |
| Basal Area / Ha                                             | m2/ha  | 0.5     | 0.5     |       |      |      |      |      | 0.5   |      |
| Net VBAR                                                    | m3/m2  | 0.044   | 0.044   |       |      |      |      |      | 2.941 |      |
| Stems/Ha (Live & DP)                                        |        | 1.5     | 1.5     |       |      |      |      |      | 1.5   |      |
| Avg DBH (Live & DP)                                         | cm     | 67.6    | 67.6    |       |      |      |      |      | 67.6  |      |
| Snags/Ha                                                    |        |         |         |       |      |      |      |      |       |      |
| Avg Snag DBH                                                | cm     |         |         |       |      |      |      |      |       |      |
| Gross Merch Vol/Tree                                        | m3     | 3.49    | 3.49    |       |      |      |      |      | 3.49  |      |
| Net Merch Vol/Tree                                          | m3     | 2.64    | 2.64    |       |      |      |      |      | 2.64  |      |
| Avg Weight Total Ht                                         | m      | 27.5    | 27.5    |       |      |      |      |      | 27.5  |      |
| Avg Weight Merch Ht                                         | m      | 22.5    | 22.5    |       |      |      |      |      | 22.5  |      |
| Avg 10.0 m Log Net                                          | m3     | 0.96    | 0.96    |       |      |      |      |      | 0.96  |      |
| Avg 10.0 m Log Gross                                        | m3     | 1.16    | 1.16    |       |      |      |      |      | 1.16  |      |
| Avg # of 10.0 m Logs/Tree                                   |        | 3.00    | 3.00    |       |      |      |      |      | 3.00  |      |
| Net Immature                                                | %      |         |         |       |      |      |      |      |       |      |
| Net 2nd Growth                                              | %      |         |         |       |      |      |      |      |       |      |
| Average Slope                                               | %      | 42      |         |       |      |      |      |      |       |      |
| Algorithm Grades %                                          |        |         |         |       |      |      |      |      |       |      |
| #2 Sawlog                                                   | H      | 69      | 69      |       |      |      |      |      | 69    |      |
| #3 Sawlog                                                   | I      |         |         |       |      |      |      |      |       |      |
| #4 Sawlog                                                   | J      |         |         |       |      |      |      |      |       |      |
| #4 Shingle                                                  | M      |         |         |       |      |      |      |      |       |      |
| #5 Utility                                                  | U      | 29      | 29      |       |      |      |      |      | 29    |      |
| #6 Utility                                                  | X      |         |         |       |      |      |      |      |       |      |
| #7 Chipper                                                  | Y      | 2       | 2       |       |      |      |      |      | 2     |      |
| Statistical Summary                                         |        |         |         |       |      |      |      |      |       |      |
| Coeff. of Variation                                         | %      | 346.4   | 346.4   |       |      |      |      |      | 346.4 |      |
| Two Standard Error                                          | %      | 220.1   | 220.1   |       |      |      |      |      | 220.1 |      |
| Number and Type of Plots                                    |        | MP = 12 |         |       |      |      |      |      |       |      |
| Number of Potential Trees                                   |        | 63      |         |       |      |      |      |      |       |      |
| Plots/Ha                                                    |        | 0.9     |         |       |      |      |      |      |       |      |
| Cruised Trees/Plot                                          |        | 5.3     |         |       |      |      |      |      |       |      |
| Slope % Statistics                                          |        |         |         |       |      |      |      |      |       |      |
| Min= 21, Max= 62, CV=24.5, Std Error of Mean=3.0, 2SE%=15.6 |        |         |         |       |      |      |      |      |       |      |

Net Area: Block : (M) - PF1:PF1, Plots in Block: 12, TUs: [ cable : 5.0 ]

|                                                             |        | Total   | Conifer | Decid | F    | C    | H    | B    | Y     | D    |
|-------------------------------------------------------------|--------|---------|---------|-------|------|------|------|------|-------|------|
| Utilization Limits                                          |        |         |         |       |      |      |      |      |       |      |
| Min DBH                                                     | cm (M) |         |         |       | 17.5 | 17.5 | 17.5 | 17.5 | 17.5  | 17.5 |
| Stump Ht                                                    | cm (M) |         |         |       | 30.0 | 30.0 | 30.0 | 30.0 | 30.0  | 30.0 |
| Top Dia                                                     | cm (M) |         |         |       | 15.0 | 15.0 | 15.0 | 15.0 | 15.0  | 15.0 |
| Log Len                                                     | m      |         |         |       | 10.0 | 10.0 | 10.0 | 10.0 | 10.0  | 10.0 |
| Volume and Size Data                                        |        |         |         |       |      |      |      |      |       |      |
| Gross Merchantable                                          | m3     | 26      | 26      |       |      |      |      |      | 26    |      |
| Net Merchantable                                            | m3     | 20      | 20      |       |      |      |      |      | 20    |      |
| Net Merch - All                                             | m3/ha  | 4       | 4       |       |      |      |      |      | 4     |      |
| Distribution                                                | %      | 100     | 100     |       |      |      |      |      | 100   |      |
| Decay                                                       | %      | 14      | 14      |       |      |      |      |      | 14    |      |
| Waste                                                       | %      | 3       | 3       |       |      |      |      |      | 3     |      |
| Waste(billing)                                              | %      | 4       | 4       |       |      |      |      |      | 4     |      |
| Breakage                                                    | %      | 7       | 7       |       |      |      |      |      | 7     |      |
| Total Cull (DWB)                                            | %      | 24      | 24      |       |      |      |      |      | 24    |      |
| Basal Area / Ha                                             | m2/ha  | 0.5     | 0.5     |       |      |      |      |      | 0.5   |      |
| Net VBAR                                                    | m3/m2  | 0.044   | 0.044   |       |      |      |      |      | 2.941 |      |
| Stems/Ha (Live & DP)                                        |        | 1.5     | 1.5     |       |      |      |      |      | 1.5   |      |
| Avg DBH (Live & DP)                                         | cm     | 67.6    | 67.6    |       |      |      |      |      | 67.6  |      |
| Snags/Ha                                                    |        |         |         |       |      |      |      |      |       |      |
| Avg Snag DBH                                                | cm     |         |         |       |      |      |      |      |       |      |
| Gross Merch Vol/Tree                                        | m3     | 3.49    | 3.49    |       |      |      |      |      | 3.49  |      |
| Net Merch Vol/Tree                                          | m3     | 2.64    | 2.64    |       |      |      |      |      | 2.64  |      |
| Avg Weight Total Ht                                         | m      | 27.5    | 27.5    |       |      |      |      |      | 27.5  |      |
| Avg Weight Merch Ht                                         | m      | 22.5    | 22.5    |       |      |      |      |      | 22.5  |      |
| Avg 10.0 m Log Net                                          | m3     | 0.96    | 0.96    |       |      |      |      |      | 0.96  |      |
| Avg 10.0 m Log Gross                                        | m3     | 1.16    | 1.16    |       |      |      |      |      | 1.16  |      |
| Avg # of 10.0 m Logs/Tree                                   |        | 3.00    | 3.00    |       |      |      |      |      | 3.00  |      |
| Net Immature                                                | %      |         |         |       |      |      |      |      |       |      |
| Net 2nd Growth                                              | %      |         |         |       |      |      |      |      |       |      |
| Average Slope                                               | %      | 42      |         |       |      |      |      |      |       |      |
| Algorithm Grades %                                          |        |         |         |       |      |      |      |      |       |      |
| #2 Sawlog                                                   | H      | 69      | 69      |       |      |      |      |      | 69    |      |
| #3 Sawlog                                                   | I      |         |         |       |      |      |      |      |       |      |
| #4 Sawlog                                                   | J      |         |         |       |      |      |      |      |       |      |
| #4 Shingle                                                  | M      |         |         |       |      |      |      |      |       |      |
| #5 Utility                                                  | U      | 29      | 29      |       |      |      |      |      | 29    |      |
| #6 Utility                                                  | X      |         |         |       |      |      |      |      |       |      |
| #7 Chipper                                                  | Y      | 2       | 2       |       |      |      |      |      | 2     |      |
| Statistical Summary                                         |        |         |         |       |      |      |      |      |       |      |
| Coeff. of Variation                                         | %      | 346.4   | 346.4   |       |      |      |      |      | 346.4 |      |
| Two Standard Error                                          | %      | 220.1   | 220.1   |       |      |      |      |      | 220.1 |      |
| Number and Type of Plots                                    |        | MP = 12 |         |       |      |      |      |      |       |      |
| Number of Potential Trees                                   |        | 63      |         |       |      |      |      |      |       |      |
| Plots/Ha                                                    |        | 0.9     |         |       |      |      |      |      |       |      |
| Cruised Trees/Plot                                          |        | 5.3     |         |       |      |      |      |      |       |      |
| Slope % Statistics                                          |        |         |         |       |      |      |      |      |       |      |
| Min= 21, Max= 62, CV=24.5, Std Error of Mean=3.0, 2SE%=15.6 |        |         |         |       |      |      |      |      |       |      |

Net Area: Type 1 (M):HwBa 946, Plots in Type: 12, TUs: [All Treatment Units : 13.3 ]

|                           |        | Total   | Conifer | Decid | F    | C    | H    | B    | Y     | D    |
|---------------------------|--------|---------|---------|-------|------|------|------|------|-------|------|
| Utilization Limits        |        |         |         |       |      |      |      |      |       |      |
| Min DBH                   | cm (M) |         |         |       | 17.5 | 17.5 | 17.5 | 17.5 | 17.5  | 17.5 |
| Stump Ht                  | cm (M) |         |         |       | 30.0 | 30.0 | 30.0 | 30.0 | 30.0  | 30.0 |
| Top Dia                   | cm (M) |         |         |       | 15.0 | 15.0 | 15.0 | 15.0 | 15.0  | 15.0 |
| Log Len                   | m      |         |         |       | 10.0 | 10.0 | 10.0 | 10.0 | 10.0  | 10.0 |
| Volume and Size Data      |        |         |         |       |      |      |      |      |       |      |
| Gross Merchantable        | m3     | 69      | 69      |       |      |      |      |      | 69    |      |
| Net Merchantable          | m3     | 52      | 52      |       |      |      |      |      | 52    |      |
| Net Merch - All           | m3/ha  | 4       | 4       |       |      |      |      |      | 4     |      |
| Distribution              | %      | 100     | 100     |       |      |      |      |      | 100   |      |
| Decay                     | %      | 14      | 14      |       |      |      |      |      | 14    |      |
| Waste                     | %      | 3       | 3       |       |      |      |      |      | 3     |      |
| Waste(billing)            | %      | 4       | 4       |       |      |      |      |      | 4     |      |
| Breakage                  | %      | 7       | 7       |       |      |      |      |      | 7     |      |
| Total Cull (DWB)          | %      | 24      | 24      |       |      |      |      |      | 24    |      |
| Basal Area / Ha           | m2/ha  | 0.5     | 0.5     |       |      |      |      |      | 0.5   |      |
| Net VBAR                  | m3/m2  | 0.044   | 0.044   |       |      |      |      |      | 2.941 |      |
| Stems/Ha (Live & DP)      |        | 1.5     | 1.5     |       |      |      |      |      | 1.5   |      |
| Avg DBH (Live & DP)       | cm     | 67.6    | 67.6    |       |      |      |      |      | 67.6  |      |
| Snags/Ha                  |        |         |         |       |      |      |      |      |       |      |
| Avg Snag DBH              | cm     |         |         |       |      |      |      |      |       |      |
| Gross Merch Vol/Tree      | m3     | 3.49    | 3.49    |       |      |      |      |      | 3.49  |      |
| Net Merch Vol/Tree        | m3     | 2.64    | 2.64    |       |      |      |      |      | 2.64  |      |
| Avg Weight Total Ht       | m      | 27.5    | 27.5    |       |      |      |      |      | 27.5  |      |
| Avg Weight Merch Ht       | m      | 22.5    | 22.5    |       |      |      |      |      | 22.5  |      |
| Avg 10.0 m Log Net        | m3     | 0.96    | 0.96    |       |      |      |      |      | 0.96  |      |
| Avg 10.0 m Log Gross      | m3     | 1.16    | 1.16    |       |      |      |      |      | 1.16  |      |
| Avg # of 10.0 m Logs/Tree |        | 3.00    | 3.00    |       |      |      |      |      | 3.00  |      |
| Net Immature              | %      |         |         |       |      |      |      |      |       |      |
| Net 2nd Growth            | %      |         |         |       |      |      |      |      |       |      |
| Algorithm Grades %        |        |         |         |       |      |      |      |      |       |      |
| #2 Sawlog                 | H      | 69      | 69      |       |      |      |      |      | 69    |      |
| #3 Sawlog                 | I      |         |         |       |      |      |      |      |       |      |
| #4 Sawlog                 | J      |         |         |       |      |      |      |      |       |      |
| #4 Shingle                | M      |         |         |       |      |      |      |      |       |      |
| #5 Utility                | U      | 29      | 29      |       |      |      |      |      | 29    |      |
| #6 Utility                | X      |         |         |       |      |      |      |      |       |      |
| #7 Chipper                | Y      | 2       | 2       |       |      |      |      |      | 2     |      |
| Statistical Summary       |        |         |         |       |      |      |      |      |       |      |
| Coeff. of Variation       | %      | 346.4   | 346.4   |       |      |      |      |      | 346.4 |      |
| Two Standard Error        | %      | 220.1   | 220.1   |       |      |      |      |      | 220.1 |      |
| Number and Type of Plots  |        | MP = 12 |         |       |      |      |      |      |       |      |
| Number of Potential Trees |        | 63      |         |       |      |      |      |      |       |      |
| Plots/Ha                  |        | 0.9     |         |       |      |      |      |      |       |      |
| Cruised Trees/Plot        |        | 5.3     |         |       |      |      |      |      |       |      |

Net Area: Type 1 (M):HwBa 946, Plots in Type: 12, TUs: [ ground : 8.3 ]

|                           |        | Total   | Conifer | Decid | F    | C    | H    | B    | Y     | D    |
|---------------------------|--------|---------|---------|-------|------|------|------|------|-------|------|
| Utilization Limits        |        |         |         |       |      |      |      |      |       |      |
| Min DBH                   | cm (M) |         |         |       | 17.5 | 17.5 | 17.5 | 17.5 | 17.5  | 17.5 |
| Stump Ht                  | cm (M) |         |         |       | 30.0 | 30.0 | 30.0 | 30.0 | 30.0  | 30.0 |
| Top Dia                   | cm (M) |         |         |       | 15.0 | 15.0 | 15.0 | 15.0 | 15.0  | 15.0 |
| Log Len                   | m      |         |         |       | 10.0 | 10.0 | 10.0 | 10.0 | 10.0  | 10.0 |
| Volume and Size Data      |        |         |         |       |      |      |      |      |       |      |
| Gross Merchantable        | m3     | 43      | 43      |       |      |      |      |      | 43    |      |
| Net Merchantable          | m3     | 33      | 33      |       |      |      |      |      | 33    |      |
| Net Merch - All           | m3/ha  | 4       | 4       |       |      |      |      |      | 4     |      |
| Distribution              | %      | 100     | 100     |       |      |      |      |      | 100   |      |
| Decay                     | %      | 14      | 14      |       |      |      |      |      | 14    |      |
| Waste                     | %      | 3       | 3       |       |      |      |      |      | 3     |      |
| Waste(billing)            | %      | 4       | 4       |       |      |      |      |      | 4     |      |
| Breakage                  | %      | 7       | 7       |       |      |      |      |      | 7     |      |
| Total Cull (DWB)          | %      | 24      | 24      |       |      |      |      |      | 24    |      |
| Basal Area / Ha           | m2/ha  | 0.5     | 0.5     |       |      |      |      |      | 0.5   |      |
| Net VBAR                  | m3/m2  | 0.044   | 0.044   |       |      |      |      |      | 2.941 |      |
| Stems/Ha (Live & DP)      |        | 1.5     | 1.5     |       |      |      |      |      | 1.5   |      |
| Avg DBH (Live & DP)       | cm     | 67.6    | 67.6    |       |      |      |      |      | 67.6  |      |
| Snags/Ha                  |        |         |         |       |      |      |      |      |       |      |
| Avg Snag DBH              | cm     |         |         |       |      |      |      |      |       |      |
| Gross Merch Vol/Tree      | m3     | 3.49    | 3.49    |       |      |      |      |      | 3.49  |      |
| Net Merch Vol/Tree        | m3     | 2.64    | 2.64    |       |      |      |      |      | 2.64  |      |
| Avg Weight Total Ht       | m      | 27.5    | 27.5    |       |      |      |      |      | 27.5  |      |
| Avg Weight Merch Ht       | m      | 22.5    | 22.5    |       |      |      |      |      | 22.5  |      |
| Avg 10.0 m Log Net        | m3     | 0.96    | 0.96    |       |      |      |      |      | 0.96  |      |
| Avg 10.0 m Log Gross      | m3     | 1.16    | 1.16    |       |      |      |      |      | 1.16  |      |
| Avg # of 10.0 m Logs/Tree |        | 3.00    | 3.00    |       |      |      |      |      | 3.00  |      |
| Net Immature              | %      |         |         |       |      |      |      |      |       |      |
| Net 2nd Growth            | %      |         |         |       |      |      |      |      |       |      |
| Algorithm Grades %        |        |         |         |       |      |      |      |      |       |      |
| #2 Sawlog                 | H      | 69      | 69      |       |      |      |      |      | 69    |      |
| #3 Sawlog                 | I      |         |         |       |      |      |      |      |       |      |
| #4 Sawlog                 | J      |         |         |       |      |      |      |      |       |      |
| #4 Shingle                | M      |         |         |       |      |      |      |      |       |      |
| #5 Utility                | U      | 29      | 29      |       |      |      |      |      | 29    |      |
| #6 Utility                | X      |         |         |       |      |      |      |      |       |      |
| #7 Chipper                | Y      | 2       | 2       |       |      |      |      |      | 2     |      |
| Statistical Summary       |        |         |         |       |      |      |      |      |       |      |
| Coeff. of Variation       | %      | 346.4   | 346.4   |       |      |      |      |      | 346.4 |      |
| Two Standard Error        | %      | 220.1   | 220.1   |       |      |      |      |      | 220.1 |      |
| Number and Type of Plots  |        | MP = 12 |         |       |      |      |      |      |       |      |
| Number of Potential Trees |        | 63      |         |       |      |      |      |      |       |      |
| Plots/Ha                  |        | 0.9     |         |       |      |      |      |      |       |      |
| Cruised Trees/Plot        |        | 5.3     |         |       |      |      |      |      |       |      |

Net Area: Type 1 (M):HwBa 946, Plots in Type: 12, TUs: [ cable : 5.0 ]

|                           |        | Total   | Conifer | Decid | F    | C    | H    | B    | Y     | D    |
|---------------------------|--------|---------|---------|-------|------|------|------|------|-------|------|
| Utilization Limits        |        |         |         |       |      |      |      |      |       |      |
| Min DBH                   | cm (M) |         |         |       | 17.5 | 17.5 | 17.5 | 17.5 | 17.5  | 17.5 |
| Stump Ht                  | cm (M) |         |         |       | 30.0 | 30.0 | 30.0 | 30.0 | 30.0  | 30.0 |
| Top Dia                   | cm (M) |         |         |       | 15.0 | 15.0 | 15.0 | 15.0 | 15.0  | 15.0 |
| Log Len                   | m      |         |         |       | 10.0 | 10.0 | 10.0 | 10.0 | 10.0  | 10.0 |
| Volume and Size Data      |        |         |         |       |      |      |      |      |       |      |
| Gross Merchantable        | m3     | 26      | 26      |       |      |      |      |      | 26    |      |
| Net Merchantable          | m3     | 20      | 20      |       |      |      |      |      | 20    |      |
| Net Merch - All           | m3/ha  | 4       | 4       |       |      |      |      |      | 4     |      |
| Distribution              | %      | 100     | 100     |       |      |      |      |      | 100   |      |
| Decay                     | %      | 14      | 14      |       |      |      |      |      | 14    |      |
| Waste                     | %      | 3       | 3       |       |      |      |      |      | 3     |      |
| Waste(billing)            | %      | 4       | 4       |       |      |      |      |      | 4     |      |
| Breakage                  | %      | 7       | 7       |       |      |      |      |      | 7     |      |
| Total Cull (DWB)          | %      | 24      | 24      |       |      |      |      |      | 24    |      |
| Basal Area / Ha           | m2/ha  | 0.5     | 0.5     |       |      |      |      |      | 0.5   |      |
| Net VBAR                  | m3/m2  | 0.044   | 0.044   |       |      |      |      |      | 2.941 |      |
| Stems/Ha (Live & DP)      |        | 1.5     | 1.5     |       |      |      |      |      | 1.5   |      |
| Avg DBH (Live & DP)       | cm     | 67.6    | 67.6    |       |      |      |      |      | 67.6  |      |
| Snags/Ha                  |        |         |         |       |      |      |      |      |       |      |
| Avg Snag DBH              | cm     |         |         |       |      |      |      |      |       |      |
| Gross Merch Vol/Tree      | m3     | 3.49    | 3.49    |       |      |      |      |      | 3.49  |      |
| Net Merch Vol/Tree        | m3     | 2.64    | 2.64    |       |      |      |      |      | 2.64  |      |
| Avg Weight Total Ht       | m      | 27.5    | 27.5    |       |      |      |      |      | 27.5  |      |
| Avg Weight Merch Ht       | m      | 22.5    | 22.5    |       |      |      |      |      | 22.5  |      |
| Avg 10.0 m Log Net        | m3     | 0.96    | 0.96    |       |      |      |      |      | 0.96  |      |
| Avg 10.0 m Log Gross      | m3     | 1.16    | 1.16    |       |      |      |      |      | 1.16  |      |
| Avg # of 10.0 m Logs/Tree |        | 3.00    | 3.00    |       |      |      |      |      | 3.00  |      |
| Net Immature              | %      |         |         |       |      |      |      |      |       |      |
| Net 2nd Growth            | %      |         |         |       |      |      |      |      |       |      |
| Algorithm Grades %        |        |         |         |       |      |      |      |      |       |      |
| #2 Sawlog                 | H      | 69      | 69      |       |      |      |      |      | 69    |      |
| #3 Sawlog                 | I      |         |         |       |      |      |      |      |       |      |
| #4 Sawlog                 | J      |         |         |       |      |      |      |      |       |      |
| #4 Shingle                | M      |         |         |       |      |      |      |      |       |      |
| #5 Utility                | U      | 29      | 29      |       |      |      |      |      | 29    |      |
| #6 Utility                | X      |         |         |       |      |      |      |      |       |      |
| #7 Chipper                | Y      | 2       | 2       |       |      |      |      |      | 2     |      |
| Statistical Summary       |        |         |         |       |      |      |      |      |       |      |
| Coeff. of Variation       | %      | 346.4   | 346.4   |       |      |      |      |      | 346.4 |      |
| Two Standard Error        | %      | 220.1   | 220.1   |       |      |      |      |      | 220.1 |      |
| Number and Type of Plots  |        | MP = 12 |         |       |      |      |      |      |       |      |
| Number of Potential Trees |        | 63      |         |       |      |      |      |      |       |      |
| Plots/Ha                  |        | 0.9     |         |       |      |      |      |      |       |      |
| Cruised Trees/Plot        |        | 5.3     |         |       |      |      |      |      |       |      |

Net Area: Type 2 (I):FH 6+, Plots in Type: 3, TUs: [ ground : 3.5 ]

|                           |        | Total | Conifer | Decid | F    | C    | H    | B    | Y    | D    |
|---------------------------|--------|-------|---------|-------|------|------|------|------|------|------|
| Utilization Limits        |        |       |         |       |      |      |      |      |      |      |
| Min DBH                   | cm (I) |       |         |       | 12.0 | 12.0 | 12.0 | 12.0 | 12.0 | 12.0 |
| Stump Ht                  | cm (I) |       |         |       | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 |
| Top Dia                   | cm (I) |       |         |       | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 |
| Log Len                   | m      |       |         |       | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 |
| Volume and Size Data      |        |       |         |       |      |      |      |      |      |      |
| Gross Merchantable        | m3     |       |         |       |      |      |      |      |      |      |
| Net Merchantable          | m3     |       |         |       |      |      |      |      |      |      |
| Net Merch - All           | m3/ha  |       |         |       |      |      |      |      |      |      |
| Distribution              | %      |       |         |       |      |      |      |      |      |      |
| Decay                     | %      |       |         |       |      |      |      |      |      |      |
| Waste                     | %      |       |         |       |      |      |      |      |      |      |
| Waste(billing)            | %      |       |         |       |      |      |      |      |      |      |
| Breakage                  | %      |       |         |       |      |      |      |      |      |      |
| Total Cull (DWB)          | %      |       |         |       |      |      |      |      |      |      |
| Basal Area / Ha           | m2/ha  |       |         |       |      |      |      |      |      |      |
| Net VBAR                  | m3/m2  |       |         |       |      |      |      |      |      |      |
| Stems/Ha (Live & DP)      |        |       |         |       |      |      |      |      |      |      |
| Avg DBH (Live & DP)       | cm     |       |         |       |      |      |      |      |      |      |
| Snags/Ha                  |        |       |         |       |      |      |      |      |      |      |
| Avg Snag DBH              | cm     |       |         |       |      |      |      |      |      |      |
| Gross Merch Vol/Tree      | m3     |       |         |       |      |      |      |      |      |      |
| Net Merch Vol/Tree        | m3     |       |         |       |      |      |      |      |      |      |
| Avg Weight Total Ht       | m      |       |         |       |      |      |      |      |      |      |
| Avg Weight Merch Ht       | m      |       |         |       |      |      |      |      |      |      |
| Avg 10.0 m Log Net        | m3     |       |         |       |      |      |      |      |      |      |
| Avg 10.0 m Log Gross      | m3     |       |         |       |      |      |      |      |      |      |
| Avg # of 10.0 m Logs/Tree |        |       |         |       |      |      |      |      |      |      |
| Net Immature              | %      |       |         |       |      |      |      |      |      |      |
| Net 2nd Growth            | %      |       |         |       |      |      |      |      |      |      |
| Algorithm Grades %        |        |       |         |       |      |      |      |      |      |      |
| #2 Sawlog                 | H      |       |         |       |      |      |      |      |      |      |
| #4 Sawlog                 | J      |       |         |       |      |      |      |      |      |      |
| #5 Utility                | U      |       |         |       |      |      |      |      |      |      |
| #6 Utility                | X      |       |         |       |      |      |      |      |      |      |
| Statistical Summary       |        |       |         |       |      |      |      |      |      |      |
| Coeff. of Variation       | %      |       |         |       |      |      |      |      |      |      |
| Two Standard Error        | %      |       |         |       |      |      |      |      |      |      |
| Number and Type of Plots  |        | MP =  | 3       |       |      |      |      |      |      |      |
| Number of Potential Trees |        |       | 13      |       |      |      |      |      |      |      |
| Plots/Ha                  |        |       | 0.9     |       |      |      |      |      |      |      |
| Cruised Trees/Plot        |        |       | 4.3     |       |      |      |      |      |      |      |

Net Area: Type 3 (I):FH(D) 6+, Plots in Type: 3, TUs: [ cable : 2.3 ]

|                           |        | Total | Conifer | Decid | F    | C    | H    | B    | Y    | D    |
|---------------------------|--------|-------|---------|-------|------|------|------|------|------|------|
| Utilization Limits        |        |       |         |       |      |      |      |      |      |      |
| Min DBH                   | cm (I) |       |         |       | 12.0 | 12.0 | 12.0 | 12.0 | 12.0 | 12.0 |
| Stump Ht                  | cm (I) |       |         |       | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 |
| Top Dia                   | cm (I) |       |         |       | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 |
| Log Len                   | m      |       |         |       | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 |
| Volume and Size Data      |        |       |         |       |      |      |      |      |      |      |
| Gross Merchantable        | m3     |       |         |       |      |      |      |      |      |      |
| Net Merchantable          | m3     |       |         |       |      |      |      |      |      |      |
| Net Merch - All           | m3/ha  |       |         |       |      |      |      |      |      |      |
| Distribution              | %      |       |         |       |      |      |      |      |      |      |
| Decay                     | %      |       |         |       |      |      |      |      |      |      |
| Waste                     | %      |       |         |       |      |      |      |      |      |      |
| Waste(billing)            | %      |       |         |       |      |      |      |      |      |      |
| Breakage                  | %      |       |         |       |      |      |      |      |      |      |
| Total Cull (DWB)          | %      |       |         |       |      |      |      |      |      |      |
| Basal Area / Ha           | m2/ha  |       |         |       |      |      |      |      |      |      |
| Net VBAR                  | m3/m2  |       |         |       |      |      |      |      |      |      |
| Stems/Ha (Live & DP)      |        |       |         |       |      |      |      |      |      |      |
| Avg DBH (Live & DP)       | cm     |       |         |       |      |      |      |      |      |      |
| Snags/Ha                  |        |       |         |       |      |      |      |      |      |      |
| Avg Snag DBH              | cm     |       |         |       |      |      |      |      |      |      |
| Gross Merch Vol/Tree      | m3     |       |         |       |      |      |      |      |      |      |
| Net Merch Vol/Tree        | m3     |       |         |       |      |      |      |      |      |      |
| Avg Weight Total Ht       | m      |       |         |       |      |      |      |      |      |      |
| Avg Weight Merch Ht       | m      |       |         |       |      |      |      |      |      |      |
| Avg 10.0 m Log Net        | m3     |       |         |       |      |      |      |      |      |      |
| Avg 10.0 m Log Gross      | m3     |       |         |       |      |      |      |      |      |      |
| Avg # of 10.0 m Logs/Tree |        |       |         |       |      |      |      |      |      |      |
| Net Immature              | %      |       |         |       |      |      |      |      |      |      |
| Net 2nd Growth            | %      |       |         |       |      |      |      |      |      |      |
| Algorithm Grades %        |        |       |         |       |      |      |      |      |      |      |
| #2 Sawlog                 | H      |       |         |       |      |      |      |      |      |      |
| #3 Sawlog                 | I      |       |         |       |      |      |      |      |      |      |
| #4 Sawlog                 | J      |       |         |       |      |      |      |      |      |      |
| #5 Utility                | U      |       |         |       |      |      |      |      |      |      |
| #6 Utility                | X      |       |         |       |      |      |      |      |      |      |
| #7 Chipper                | Y      |       |         |       |      |      |      |      |      |      |
| Statistical Summary       |        |       |         |       |      |      |      |      |      |      |
| Coeff. of Variation       | %      |       |         |       |      |      |      |      |      |      |
| Two Standard Error        | %      |       |         |       |      |      |      |      |      |      |
| Number and Type of Plots  | MP =   | 3     |         |       |      |      |      |      |      |      |
| Number of Potential Trees |        | 14    |         |       |      |      |      |      |      |      |
| Plots/Ha                  |        | 1.3   |         |       |      |      |      |      |      |      |
| Cruised Trees/Plot        |        | 5.0   |         |       |      |      |      |      |      |      |

Net Area: Type 6 (I):FH(C) 6+, Plots in Type: 7, TUs: [All Treatment Units : 5.8 ]

|                           |        | Total | Conifer | Decid | F     | C     | H     | B    | Y    | D    |
|---------------------------|--------|-------|---------|-------|-------|-------|-------|------|------|------|
| Utilization Limits        |        |       |         |       |       |       |       |      |      |      |
| Min DBH                   | cm (I) |       |         |       | 12.0  | 12.0  | 12.0  | 12.0 | 12.0 | 12.0 |
| Stump Ht                  | cm (I) |       |         |       | 30.0  | 30.0  | 30.0  | 30.0 | 30.0 | 30.0 |
| Top Dia                   | cm (I) |       |         |       | 10.0  | 10.0  | 10.0  | 10.0 | 10.0 | 10.0 |
| Log Len                   | m      |       |         |       | 10.0  | 10.0  | 10.0  | 10.0 | 10.0 | 10.0 |
| Volume and Size Data      |        |       |         |       |       |       |       |      |      |      |
| Gross Merchantable        | m3     | 381   | 381     |       | 191   | 42    | 147   |      |      |      |
| Net Merchantable          | m3     | 347   | 347     |       | 175   | 31    | 142   |      |      |      |
| Net Merch - All           | m3/ha  | 60    | 60      |       | 30    | 5     | 24    |      |      |      |
| Distribution              | %      | 100   | 100     |       | 50    | 9     | 41    |      |      |      |
| Decay                     | %      | 3     | 3       |       | 3     | 15    | 0     |      |      |      |
| Waste                     | %      | 1     | 1       |       | 1     | 5     |       |      |      |      |
| Waste(billing)            | %      | 1     | 1       |       | 1     | 7     |       |      |      |      |
| Breakage                  | %      | 4     | 4       |       | 4     | 6     | 4     |      |      |      |
| Total Cull (DWB)          | %      | 9     | 9       |       | 9     | 27    | 4     |      |      |      |
| Basal Area / Ha           | m2/ha  | 5.3   | 5.3     |       | 2.6   | 0.7   | 2.0   |      |      |      |
| Net VBAR                  | m3/m2  | 0.887 | 0.887   |       | 0.865 | 0.502 | 1.106 |      |      |      |
| Stems/Ha (Live & DP)      |        | 65.5  | 65.5    |       | 20.5  | 9.3   | 35.7  |      |      |      |
| Avg DBH (Live & DP)       | cm     | 32.1  | 32.1    |       | 40.1  | 31.3  | 26.8  |      |      |      |
| Snags/Ha                  |        |       |         |       |       |       |       |      |      |      |
| Avg Snag DBH              | cm     |       |         |       |       |       |       |      |      |      |
| Gross Merch Vol/Tree      | m3     | 1.00  | 1.00    |       | 1.61  | 0.77  | 0.71  |      |      |      |
| Net Merch Vol/Tree        | m3     | 0.91  | 0.91    |       | 1.47  | 0.56  | 0.68  |      |      |      |
| Avg Weight Total Ht       | m      | 37.2  | 37.2    |       | 41.7  | 32.7  | 32.9  |      |      |      |
| Avg Weight Merch Ht       | m      | 31.0  | 31.0    |       | 36.3  | 26.0  | 25.4  |      |      |      |
| Avg 10.0 m Log Net        | m3     | 0.37  | 0.37    |       | 0.52  | 0.29  | 0.29  |      |      |      |
| Avg 10.0 m Log Gross      | m3     | 0.39  | 0.39    |       | 0.54  | 0.36  | 0.29  |      |      |      |
| Avg # of 10.0 m Logs/Tree |        | 2.56  | 2.56    |       | 2.98  | 2.15  | 2.43  |      |      |      |
| Net Immature              | %      | 75.3  | 75.3    |       | 59.3  | 52.4  | 100.0 |      |      |      |
| Net 2nd Growth            | %      |       | 75.3    |       |       |       |       |      |      |      |
| Algorithm Grades %        |        |       |         |       |       |       |       |      |      |      |
| #2 Lum/#1 Lum             | F      | 2     | 2       |       | 3     |       |       |      |      |      |
| #2 Sawlog                 | H      | 14    | 14      |       | 23    | 26    |       |      |      |      |
| #3 Sawlog                 | I      | 4     | 4       |       | 6     | 8     |       |      |      |      |
| #4 Sawlog                 | J      | 55    | 55      |       | 50    | 13    | 72    |      |      |      |
| #4 Shingle                | M      |       |         |       |       | 5     |       |      |      |      |
| #5 Utility                | U      | 24    | 24      |       | 17    | 42    | 28    |      |      |      |
| #6 Utility                | X      | 1     | 1       |       | 1     | 6     |       |      |      |      |
| #7 Chipper                | Y      |       |         |       |       |       |       |      |      |      |
| Statistical Summary       |        |       |         |       |       |       |       |      |      |      |
| Coeff. of Variation       | %      | 58.0  | 58.0    |       | 70.9  | 156.5 | 105.1 |      |      |      |
| Two Standard Error        | %      | 53.6  | 53.6    |       | 65.6  | 144.8 | 97.2  |      |      |      |
| Number and Type of Plots  | MP =   | 7     |         |       |       |       |       |      |      |      |
| Number of Potential Trees |        | 37    |         |       |       |       |       |      |      |      |
| Plots/Ha                  |        | 1.2   |         |       |       |       |       |      |      |      |
| Cruised Trees/Plot        |        | 5.3   |         |       |       |       |       |      |      |      |

Net Area: Type 6   (I):FH(C) 6+, Plots in Type: 7, TUs: [ cable : 4.4   ]

|                           |        | Total | Conifer | Decid | F     | C     | H     | B    | Y    | D    |
|---------------------------|--------|-------|---------|-------|-------|-------|-------|------|------|------|
| Utilization Limits        |        |       |         |       |       |       |       |      |      |      |
| Min DBH                   | cm (I) |       |         |       | 12.0  | 12.0  | 12.0  | 12.0 | 12.0 | 12.0 |
| Stump Ht                  | cm (I) |       |         |       | 30.0  | 30.0  | 30.0  | 30.0 | 30.0 | 30.0 |
| Top Dia                   | cm (I) |       |         |       | 10.0  | 10.0  | 10.0  | 10.0 | 10.0 | 10.0 |
| Log Len                   | m      |       |         |       | 10.0  | 10.0  | 10.0  | 10.0 | 10.0 | 10.0 |
| Volume and Size Data      |        |       |         |       |       |       |       |      |      |      |
| Gross Merchantable        | m3     |       |         |       |       |       |       |      |      |      |
| Net Merchantable          | m3     |       |         |       |       |       |       |      |      |      |
| Net Merch - All           | m3/ha  |       |         |       |       |       |       |      |      |      |
| Distribution              | %      |       |         |       |       |       |       |      |      |      |
| Decay                     | %      |       |         |       |       |       |       |      |      |      |
| Waste                     | %      |       |         |       |       |       |       |      |      |      |
| Waste(billing)            | %      |       |         |       |       |       |       |      |      |      |
| Breakage                  | %      |       |         |       |       |       |       |      |      |      |
| Total Cull (DWB)          | %      |       |         |       |       |       |       |      |      |      |
| Basal Area / Ha           | m2/ha  |       |         |       |       |       |       |      |      |      |
| Net VBAR                  | m3/m2  | 0.887 | 0.887   |       | 0.865 | 0.502 | 1.106 |      |      |      |
| Stems/Ha (Live & DP)      |        |       |         |       |       |       |       |      |      |      |
| Avg DBH (Live & DP)       | cm     |       |         |       |       |       |       |      |      |      |
| Snags/Ha                  |        |       |         |       |       |       |       |      |      |      |
| Avg Snag DBH              | cm     |       |         |       |       |       |       |      |      |      |
| Gross Merch Vol/Tree      | m3     |       |         |       |       |       |       |      |      |      |
| Net Merch Vol/Tree        | m3     |       |         |       |       |       |       |      |      |      |
| Avg Weight Total Ht       | m      |       |         |       |       |       |       |      |      |      |
| Avg Weight Merch Ht       | m      |       |         |       |       |       |       |      |      |      |
| Avg 10.0 m Log Net        | m3     |       |         |       |       |       |       |      |      |      |
| Avg 10.0 m Log Gross      | m3     |       |         |       |       |       |       |      |      |      |
| Avg # of 10.0 m Logs/Tree |        |       |         |       |       |       |       |      |      |      |
| Net Immature              | %      |       |         |       |       |       |       |      |      |      |
| Net 2nd Growth            | %      |       |         |       |       |       |       |      |      |      |
| Algorithm Grades %        |        |       |         |       |       |       |       |      |      |      |
| #2 Lum/#1 Lum             | F      |       |         |       |       |       |       |      |      |      |
| #2 Sawlog                 | H      |       |         |       |       |       |       |      |      |      |
| #3 Sawlog                 | I      |       |         |       |       |       |       |      |      |      |
| #4 Sawlog                 | J      |       |         |       |       |       |       |      |      |      |
| #4 Shingle                | M      |       |         |       |       |       |       |      |      |      |
| #5 Utility                | U      |       |         |       |       |       |       |      |      |      |
| #6 Utility                | X      |       |         |       |       |       |       |      |      |      |
| #7 Chipper                | Y      |       |         |       |       |       |       |      |      |      |
| Statistical Summary       |        |       |         |       |       |       |       |      |      |      |
| Coeff. of Variation       | %      | 58.0  | 58.0    |       | 70.9  | 156.5 | 105.1 |      |      |      |
| Two Standard Error        | %      | 53.6  | 53.6    |       | 65.6  | 144.8 | 97.2  |      |      |      |
| Number and Type of Plots  | MP =   | 7     |         |       |       |       |       |      |      |      |
| Number of Potential Trees |        | 37    |         |       |       |       |       |      |      |      |
| Plots/Ha                  |        | 1.2   |         |       |       |       |       |      |      |      |
| Cruised Trees/Plot        |        | 5.3   |         |       |       |       |       |      |      |      |

Net Area: Type 6 (I):FH(C) 6+, Plots in Type: 7, TUs: [ Partial : 1.4 ]

|                           |        | Total | Conifer | Decid | F     | C     | H     | B    | Y    | D    |
|---------------------------|--------|-------|---------|-------|-------|-------|-------|------|------|------|
| Utilization Limits        |        |       |         |       |       |       |       |      |      |      |
| Min DBH                   | cm (I) |       |         |       | 12.0  | 12.0  | 12.0  | 12.0 | 12.0 | 12.0 |
| Stump Ht                  | cm (I) |       |         |       | 30.0  | 30.0  | 30.0  | 30.0 | 30.0 | 30.0 |
| Top Dia                   | cm (I) |       |         |       | 10.0  | 10.0  | 10.0  | 10.0 | 10.0 | 10.0 |
| Log Len                   | m      |       |         |       | 10.0  | 10.0  | 10.0  | 10.0 | 10.0 | 10.0 |
| Volume and Size Data      |        |       |         |       |       |       |       |      |      |      |
| Gross Merchantable        | m3     | 381   | 381     |       | 191   | 42    | 147   |      |      |      |
| Net Merchantable          | m3     | 347   | 347     |       | 175   | 31    | 142   |      |      |      |
| Net Merch - All           | m3/ha  | 248   | 248     |       | 125   | 22    | 101   |      |      |      |
| Distribution              | %      | 100   | 100     |       | 50    | 9     | 41    |      |      |      |
| Decay                     | %      | 3     | 3       |       | 3     | 15    | 0     |      |      |      |
| Waste                     | %      | 1     | 1       |       | 1     | 5     |       |      |      |      |
| Waste(billing)            | %      | 1     | 1       |       | 1     | 7     |       |      |      |      |
| Breakage                  | %      | 4     | 4       |       | 4     | 6     | 4     |      |      |      |
| Total Cull (DWB)          | %      | 9     | 9       |       | 9     | 27    | 4     |      |      |      |
| Basal Area / Ha           | m2/ha  | 22.0  | 22.0    |       | 10.7  | 3.0   | 8.3   |      |      |      |
| Net VBAR                  | m3/m2  | 0.887 | 0.887   |       | 0.865 | 0.502 | 1.106 |      |      |      |
| Stems/Ha (Live & DP)      |        | 271.5 | 271.5   |       | 84.9  | 38.7  | 148.0 |      |      |      |
| Avg DBH (Live & DP)       | cm     | 32.1  | 32.1    |       | 40.1  | 31.3  | 26.8  |      |      |      |
| Snags/Ha                  |        |       |         |       |       |       |       |      |      |      |
| Avg Snag DBH              | cm     |       |         |       |       |       |       |      |      |      |
| Gross Merch Vol/Tree      | m3     | 1.00  | 1.00    |       | 1.61  | 0.77  | 0.71  |      |      |      |
| Net Merch Vol/Tree        | m3     | 0.91  | 0.91    |       | 1.47  | 0.56  | 0.68  |      |      |      |
| Avg Weight Total Ht       | m      | 37.2  | 37.2    |       | 41.7  | 32.7  | 32.9  |      |      |      |
| Avg Weight Merch Ht       | m      | 31.0  | 31.0    |       | 36.3  | 26.0  | 25.4  |      |      |      |
| Avg 10.0 m Log Net        | m3     | 0.37  | 0.37    |       | 0.52  | 0.29  | 0.29  |      |      |      |
| Avg 10.0 m Log Gross      | m3     | 0.39  | 0.39    |       | 0.54  | 0.36  | 0.29  |      |      |      |
| Avg # of 10.0 m Logs/Tree |        | 2.56  | 2.56    |       | 2.98  | 2.15  | 2.43  |      |      |      |
| Net Immature              | %      | 75.3  | 75.3    |       | 59.3  | 52.4  | 100.0 |      |      |      |
| Net 2nd Growth            | %      |       | 75.3    |       |       |       |       |      |      |      |
| Algorithm Grades %        |        |       |         |       |       |       |       |      |      |      |
| #2 Lum/#1 Lum             | F      | 2     | 2       |       | 3     |       |       |      |      |      |
| #2 Sawlog                 | H      | 14    | 14      |       | 23    | 26    |       |      |      |      |
| #3 Sawlog                 | I      | 4     | 4       |       | 6     | 8     |       |      |      |      |
| #4 Sawlog                 | J      | 55    | 55      |       | 50    | 13    | 72    |      |      |      |
| #4 Shingle                | M      |       |         |       |       | 5     |       |      |      |      |
| #5 Utility                | U      | 24    | 24      |       | 17    | 42    | 28    |      |      |      |
| #6 Utility                | X      | 1     | 1       |       | 1     | 6     |       |      |      |      |
| #7 Chipper                | Y      |       |         |       |       |       |       |      |      |      |
| Statistical Summary       |        |       |         |       |       |       |       |      |      |      |
| Coeff. of Variation       | %      | 58.0  | 58.0    |       | 70.9  | 156.5 | 105.1 |      |      |      |
| Two Standard Error        | %      | 53.6  | 53.6    |       | 65.6  | 144.8 | 97.2  |      |      |      |
| Number and Type of Plots  | MP =   | 7     |         |       |       |       |       |      |      |      |
| Number of Potential Trees |        | 37    |         |       |       |       |       |      |      |      |
| Plots/Ha                  |        | 1.2   |         |       |       |       |       |      |      |      |
| Cruised Trees/Plot        |        | 5.3   |         |       |       |       |       |      |      |      |

[All Treatment Units : 24.9 ]

|                              |        | F    | C    | H    | B    | Y    | D    | Total | DP   | DU   | LU   |
|------------------------------|--------|------|------|------|------|------|------|-------|------|------|------|
| Utilization Limits           |        |      |      |      |      |      |      |       |      |      |      |
| Min DBH                      | cm (M) | 17.5 | 17.5 | 17.5 | 17.5 | 17.5 | 17.5 | 17.5  | 17.5 | 17.5 | 17.5 |
| Stump Ht                     | cm (M) | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0  | 30.0 | 30.0 | 30.0 |
| Top Dia                      | cm (M) | 15.0 | 15.0 | 15.0 | 15.0 | 15.0 | 15.0 | 15.0  | 15.0 | 15.0 | 15.0 |
| Min DBH                      | cm (I) | 12.0 | 12.0 | 12.0 | 12.0 | 12.0 | 12.0 | 12.0  | 12.0 | 12.0 | 12.0 |
| Stump Ht                     | cm (I) | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0  | 30.0 | 30.0 | 30.0 |
| Top Dia                      | cm (I) | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0  | 10.0 | 10.0 | 10.0 |
| Log Len                      | m      | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0  | 10.0 | 10.0 | 10.0 |
| DBH                          |        |      |      |      |      |      |      |       |      |      |      |
| Class                        |        |      |      |      |      |      |      |       |      |      |      |
| 5                            |        |      |      |      |      |      |      |       |      |      |      |
| 10                           |        |      |      |      |      |      |      |       |      |      |      |
| 15                           |        |      |      |      |      |      |      |       |      |      |      |
| 20                           |        | 1.0  | 1.3  | 4.3  |      |      |      | 6.6   |      |      |      |
| 25                           |        |      | 0.5  | 1.5  |      |      |      | 2.0   |      |      |      |
| 30                           |        | 1.5  | 0.2  | 1.2  |      |      |      | 2.9   |      |      |      |
| 35                           |        | 1.1  |      |      |      |      |      | 1.1   |      |      |      |
| 40                           |        | 0.5  |      | 1.3  |      |      |      | 1.8   |      |      |      |
| 45                           |        | 0.3  |      |      |      |      |      | 0.3   |      |      |      |
| 50                           |        |      |      |      |      |      |      |       |      |      |      |
| 55                           |        |      |      |      |      |      |      |       |      |      |      |
| 60                           |        |      |      |      |      |      |      |       |      |      |      |
| 65                           |        | 0.1  |      |      |      |      |      | 0.1   |      |      |      |
| 70                           |        | 0.1  |      |      |      | 0.8  |      | 0.9   |      |      |      |
| 75                           |        |      |      |      |      |      |      |       |      |      |      |
| 80                           |        | 0.1  |      |      |      |      |      | 0.1   |      |      |      |
| 85                           |        |      | 0.2  |      |      |      |      | 0.2   |      |      |      |
| 90                           |        | 0.1  |      |      |      |      |      | 0.1   |      |      |      |
| 95                           |        | 0.1  |      |      |      |      |      | 0.1   |      |      |      |
| 100                          |        |      |      |      |      |      |      |       |      |      |      |
| 105                          |        |      |      |      |      |      |      |       |      |      |      |
| 110                          |        |      |      |      |      |      |      |       |      |      |      |
| 115                          |        |      |      |      |      |      |      |       |      |      |      |
| 120                          |        |      |      |      |      |      |      |       |      |      |      |
| 125                          |        |      |      |      |      |      |      |       |      |      |      |
| 130                          |        |      |      |      |      |      |      |       |      |      |      |
| 135                          |        |      |      |      |      |      |      |       |      |      |      |
| 140                          |        |      |      |      |      |      |      |       |      |      |      |
| 145                          |        |      |      |      |      |      |      |       |      |      |      |
| 150                          |        |      |      |      |      |      |      |       |      |      |      |
| 175                          |        |      |      |      |      |      |      |       |      |      |      |
| 200                          |        |      |      |      |      |      |      |       |      |      |      |
| 225                          |        |      |      |      |      |      |      |       |      |      |      |
| 250                          |        |      |      |      |      |      |      |       |      |      |      |
| 275                          |        |      |      |      |      |      |      |       |      |      |      |
| Total                        |        | 4.8  | 2.2  | 8.3  |      | 0.8  |      | 16.1  |      |      |      |
| Dead P                       |        |      |      |      |      |      |      |       |      |      |      |
| Dead U                       |        |      |      |      |      |      |      |       |      |      |      |
| Live U                       |        |      |      |      |      |      |      |       |      |      |      |
| Average DBH (cm) at 5 Levels |        |      |      |      |      |      |      |       |      |      |      |
| 12.5 +                       |        | 40.1 | 31.3 | 26.8 |      | 67.6 |      | 34.8  |      |      |      |
| 17.5 +                       |        | 40.1 | 31.3 | 26.8 |      | 67.6 |      | 34.8  |      |      |      |
| 22.5 +                       |        | 43.8 | 42.1 | 32.2 |      | 67.6 |      | 41.9  |      |      |      |
| 27.5 +                       |        | 43.8 | 59.4 | 35.9 |      | 67.6 |      | 45.4  |      |      |      |
| 32.5 +                       |        | 49.9 | 83.5 | 39.7 |      | 67.6 |      | 52.5  |      |      |      |

[ ground : 11.8 ]

|                              |        | F    | C    | H    | B    | Y    | D    | Total | DP   | DU   | LU   |
|------------------------------|--------|------|------|------|------|------|------|-------|------|------|------|
| Utilization Limits           |        |      |      |      |      |      |      |       |      |      |      |
| Min DBH                      | cm (M) | 17.5 | 17.5 | 17.5 | 17.5 | 17.5 | 17.5 | 17.5  | 17.5 | 17.5 | 17.5 |
| Stump Ht                     | cm (M) | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0  | 30.0 | 30.0 | 30.0 |
| Top Dia                      | cm (M) | 15.0 | 15.0 | 15.0 | 15.0 | 15.0 | 15.0 | 15.0  | 15.0 | 15.0 | 15.0 |
| Min DBH                      | cm (I) | 12.0 | 12.0 | 12.0 | 12.0 | 12.0 | 12.0 | 12.0  | 12.0 | 12.0 | 12.0 |
| Stump Ht                     | cm (I) | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0  | 30.0 | 30.0 | 30.0 |
| Top Dia                      | cm (I) | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0  | 10.0 | 10.0 | 10.0 |
| Log Len                      | m      | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0  | 10.0 | 10.0 | 10.0 |
| DBH                          |        |      |      |      |      |      |      |       |      |      |      |
| Class                        |        |      |      |      |      |      |      |       |      |      |      |
| 5                            |        |      |      |      |      |      |      |       |      |      |      |
| 10                           |        |      |      |      |      |      |      |       |      |      |      |
| 15                           |        |      |      |      |      |      |      |       |      |      |      |
| 20                           |        |      |      |      |      |      |      |       |      |      |      |
| 25                           |        |      |      |      |      |      |      |       |      |      |      |
| 30                           |        |      |      |      |      |      |      |       |      |      |      |
| 35                           |        |      |      |      |      |      |      |       |      |      |      |
| 40                           |        |      |      |      |      |      |      |       |      |      |      |
| 45                           |        |      |      |      |      |      |      |       |      |      |      |
| 50                           |        |      |      |      |      |      |      |       |      |      |      |
| 55                           |        |      |      |      |      |      |      |       |      |      |      |
| 60                           |        |      |      |      |      |      |      |       |      |      |      |
| 65                           |        |      |      |      |      |      |      |       |      |      |      |
| 70                           |        |      |      |      |      |      |      |       |      |      |      |
| 75                           |        |      |      |      |      |      |      |       |      |      |      |
| 80                           |        |      |      |      |      |      |      |       |      |      |      |
| 85                           |        |      |      |      |      |      |      |       |      |      |      |
| 90                           |        |      |      |      |      |      |      |       |      |      |      |
| 95                           |        |      |      |      |      |      |      |       |      |      |      |
| 100                          |        |      |      |      |      |      |      |       |      |      |      |
| 105                          |        |      |      |      |      |      |      |       |      |      |      |
| 110                          |        |      |      |      |      |      |      |       |      |      |      |
| 115                          |        |      |      |      |      |      |      |       |      |      |      |
| 120                          |        |      |      |      |      |      |      |       |      |      |      |
| 125                          |        |      |      |      |      |      |      |       |      |      |      |
| 130                          |        |      |      |      |      |      |      |       |      |      |      |
| 135                          |        |      |      |      |      |      |      |       |      |      |      |
| 140                          |        |      |      |      |      |      |      |       |      |      |      |
| 145                          |        |      |      |      |      |      |      |       |      |      |      |
| 150                          |        |      |      |      |      |      |      |       |      |      |      |
| 175                          |        |      |      |      |      |      |      |       |      |      |      |
| 200                          |        |      |      |      |      |      |      |       |      |      |      |
| 225                          |        |      |      |      |      |      |      |       |      |      |      |
| 250                          |        |      |      |      |      |      |      |       |      |      |      |
| 275                          |        |      |      |      |      |      |      |       |      |      |      |
| Total                        |        |      |      |      |      |      |      |       |      |      |      |
| Dead P                       |        |      |      |      |      |      |      |       |      |      |      |
| Dead U                       |        |      |      |      |      |      |      |       |      |      |      |
| Live U                       |        |      |      |      |      |      |      |       |      |      |      |
| Average DBH (cm) at 5 Levels |        |      |      |      |      |      |      |       |      |      |      |
| 12.5 +                       |        |      |      |      |      |      |      |       |      |      |      |
| 17.5 +                       |        |      |      |      |      |      |      |       |      |      |      |
| 22.5 +                       |        |      |      |      |      |      |      |       |      |      |      |
| 27.5 +                       |        |      |      |      |      |      |      |       |      |      |      |
| 32.5 +                       |        |      |      |      |      |      |      |       |      |      |      |

[ cable : 11.7 ]

|                              |        | F    | C    | H    | B    | Y    | D    | Total | DP   | DU   | LU   |
|------------------------------|--------|------|------|------|------|------|------|-------|------|------|------|
| Utilization Limits           |        |      |      |      |      |      |      |       |      |      |      |
| Min DBH                      | cm (M) | 17.5 | 17.5 | 17.5 | 17.5 | 17.5 | 17.5 | 17.5  | 17.5 | 17.5 | 17.5 |
| Stump Ht                     | cm (M) | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0  | 30.0 | 30.0 | 30.0 |
| Top Dia                      | cm (M) | 15.0 | 15.0 | 15.0 | 15.0 | 15.0 | 15.0 | 15.0  | 15.0 | 15.0 | 15.0 |
| Min DBH                      | cm (I) | 12.0 | 12.0 | 12.0 | 12.0 | 12.0 | 12.0 | 12.0  | 12.0 | 12.0 | 12.0 |
| Stump Ht                     | cm (I) | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0  | 30.0 | 30.0 | 30.0 |
| Top Dia                      | cm (I) | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0  | 10.0 | 10.0 | 10.0 |
| Log Len                      | m      | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0  | 10.0 | 10.0 | 10.0 |
| DBH                          |        |      |      |      |      |      |      |       |      |      |      |
| Class                        |        |      |      |      |      |      |      |       |      |      |      |
| 5                            |        |      |      |      |      |      |      |       |      |      |      |
| 10                           |        |      |      |      |      |      |      |       |      |      |      |
| 15                           |        |      |      |      |      |      |      |       |      |      |      |
| 20                           |        |      |      |      |      |      |      |       |      |      |      |
| 25                           |        |      |      |      |      |      |      |       |      |      |      |
| 30                           |        |      |      |      |      |      |      |       |      |      |      |
| 35                           |        |      |      |      |      |      |      |       |      |      |      |
| 40                           |        |      |      |      |      |      |      |       |      |      |      |
| 45                           |        |      |      |      |      |      |      |       |      |      |      |
| 50                           |        |      |      |      |      |      |      |       |      |      |      |
| 55                           |        |      |      |      |      |      |      |       |      |      |      |
| 60                           |        |      |      |      |      |      |      |       |      |      |      |
| 65                           |        |      |      |      |      |      |      |       |      |      |      |
| 70                           |        |      |      |      |      |      |      |       |      |      |      |
| 75                           |        |      |      |      |      |      |      |       |      |      |      |
| 80                           |        |      |      |      |      |      |      |       |      |      |      |
| 85                           |        |      |      |      |      |      |      |       |      |      |      |
| 90                           |        |      |      |      |      |      |      |       |      |      |      |
| 95                           |        |      |      |      |      |      |      |       |      |      |      |
| 100                          |        |      |      |      |      |      |      |       |      |      |      |
| 105                          |        |      |      |      |      |      |      |       |      |      |      |
| 110                          |        |      |      |      |      |      |      |       |      |      |      |
| 115                          |        |      |      |      |      |      |      |       |      |      |      |
| 120                          |        |      |      |      |      |      |      |       |      |      |      |
| 125                          |        |      |      |      |      |      |      |       |      |      |      |
| 130                          |        |      |      |      |      |      |      |       |      |      |      |
| 135                          |        |      |      |      |      |      |      |       |      |      |      |
| 140                          |        |      |      |      |      |      |      |       |      |      |      |
| 145                          |        |      |      |      |      |      |      |       |      |      |      |
| 150                          |        |      |      |      |      |      |      |       |      |      |      |
| 175                          |        |      |      |      |      |      |      |       |      |      |      |
| 200                          |        |      |      |      |      |      |      |       |      |      |      |
| 225                          |        |      |      |      |      |      |      |       |      |      |      |
| 250                          |        |      |      |      |      |      |      |       |      |      |      |
| 275                          |        |      |      |      |      |      |      |       |      |      |      |
| Total                        |        |      |      |      |      |      |      |       |      |      |      |
| Dead P                       |        |      |      |      |      |      |      |       |      |      |      |
| Dead U                       |        |      |      |      |      |      |      |       |      |      |      |
| Live U                       |        |      |      |      |      |      |      |       |      |      |      |
| Average DBH (cm) at 5 Levels |        |      |      |      |      |      |      |       |      |      |      |
| 12.5 +                       |        |      |      |      |      |      |      |       |      |      |      |
| 17.5 +                       |        |      |      |      |      |      |      |       |      |      |      |
| 22.5 +                       |        |      |      |      |      |      |      |       |      |      |      |
| 27.5 +                       |        |      |      |      |      |      |      |       |      |      |      |
| 32.5 +                       |        |      |      |      |      |      |      |       |      |      |      |

[ Partial : 1.4 ]

|                              |        | F    | C    | H     | B    | Y    | D    | Total | DP   | DU   | LU   |
|------------------------------|--------|------|------|-------|------|------|------|-------|------|------|------|
| Utilization Limits           |        |      |      |       |      |      |      |       |      |      |      |
| Min DBH                      | cm (M) | 17.5 | 17.5 | 17.5  | 17.5 | 17.5 | 17.5 | 17.5  | 17.5 | 17.5 | 17.5 |
| Stump Ht                     | cm (M) | 30.0 | 30.0 | 30.0  | 30.0 | 30.0 | 30.0 | 30.0  | 30.0 | 30.0 | 30.0 |
| Top Dia                      | cm (M) | 15.0 | 15.0 | 15.0  | 15.0 | 15.0 | 15.0 | 15.0  | 15.0 | 15.0 | 15.0 |
| Min DBH                      | cm (I) | 12.0 | 12.0 | 12.0  | 12.0 | 12.0 | 12.0 | 12.0  | 12.0 | 12.0 | 12.0 |
| Stump Ht                     | cm (I) | 30.0 | 30.0 | 30.0  | 30.0 | 30.0 | 30.0 | 30.0  | 30.0 | 30.0 | 30.0 |
| Top Dia                      | cm (I) | 10.0 | 10.0 | 10.0  | 10.0 | 10.0 | 10.0 | 10.0  | 10.0 | 10.0 | 10.0 |
| Log Len                      | m      | 10.0 | 10.0 | 10.0  | 10.0 | 10.0 | 10.0 | 10.0  | 10.0 | 10.0 | 10.0 |
| DBH                          |        |      |      |       |      |      |      |       |      |      |      |
| Class                        |        |      |      |       |      |      |      |       |      |      |      |
| 5                            |        |      |      |       |      |      |      |       |      |      |      |
| 10                           |        |      |      |       |      |      |      |       |      |      |      |
| 15                           |        |      |      |       |      |      |      |       |      |      |      |
| 20                           |        | 17.8 | 22.9 | 77.1  |      |      |      | 117.8 |      |      |      |
| 25                           |        |      | 9.5  | 25.9  |      |      |      | 35.4  |      |      |      |
| 30                           |        | 25.8 | 3.5  | 22.1  |      |      |      | 51.5  |      |      |      |
| 35                           |        | 19.3 |      |       |      |      |      | 19.3  |      |      |      |
| 40                           |        | 8.6  |      | 22.9  |      |      |      | 31.5  |      |      |      |
| 45                           |        | 4.9  |      |       |      |      |      | 4.9   |      |      |      |
| 50                           |        |      |      |       |      |      |      |       |      |      |      |
| 55                           |        |      |      |       |      |      |      |       |      |      |      |
| 60                           |        |      |      |       |      |      |      |       |      |      |      |
| 65                           |        | 1.4  |      |       |      |      |      | 1.4   |      |      |      |
| 70                           |        | 2.1  |      |       |      |      |      | 2.1   |      |      |      |
| 75                           |        |      |      |       |      |      |      |       |      |      |      |
| 80                           |        | 1.4  |      |       |      |      |      | 1.4   |      |      |      |
| 85                           |        |      | 2.8  |       |      |      |      | 2.8   |      |      |      |
| 90                           |        | 2.1  |      |       |      |      |      | 2.1   |      |      |      |
| 95                           |        | 1.4  |      |       |      |      |      | 1.4   |      |      |      |
| 100                          |        |      |      |       |      |      |      |       |      |      |      |
| 105                          |        |      |      |       |      |      |      |       |      |      |      |
| 110                          |        |      |      |       |      |      |      |       |      |      |      |
| 115                          |        |      |      |       |      |      |      |       |      |      |      |
| 120                          |        |      |      |       |      |      |      |       |      |      |      |
| 125                          |        |      |      |       |      |      |      |       |      |      |      |
| 130                          |        |      |      |       |      |      |      |       |      |      |      |
| 135                          |        |      |      |       |      |      |      |       |      |      |      |
| 140                          |        |      |      |       |      |      |      |       |      |      |      |
| 145                          |        |      |      |       |      |      |      |       |      |      |      |
| 150                          |        |      |      |       |      |      |      |       |      |      |      |
| 175                          |        |      |      |       |      |      |      |       |      |      |      |
| 200                          |        |      |      |       |      |      |      |       |      |      |      |
| 225                          |        |      |      |       |      |      |      |       |      |      |      |
| 250                          |        |      |      |       |      |      |      |       |      |      |      |
| 275                          |        |      |      |       |      |      |      |       |      |      |      |
| Total                        |        | 84.9 | 38.7 | 148.0 |      |      |      | 271.5 |      |      |      |
| Dead P                       |        |      |      |       |      |      |      |       |      |      |      |
| Dead U                       |        |      |      |       |      |      |      |       |      |      |      |
| Live U                       |        |      |      |       |      |      |      |       |      |      |      |
| Average DBH (cm) at 5 Levels |        |      |      |       |      |      |      |       |      |      |      |
| 12.5 +                       |        | 40.1 | 31.3 | 26.8  |      |      |      | 32.1  |      |      |      |
| 17.5 +                       |        | 40.1 | 31.3 | 26.8  |      |      |      | 32.1  |      |      |      |
| 22.5 +                       |        | 43.8 | 42.1 | 32.2  |      |      |      | 38.7  |      |      |      |
| 27.5 +                       |        | 43.8 | 59.4 | 35.9  |      |      |      | 42.0  |      |      |      |
| 32.5 +                       |        | 49.9 | 83.5 | 39.7  |      |      |      | 48.7  |      |      |      |



**Block Stand Table (stems/ha)**

Average Line Method  
TS'ELXWEYEQW  
Licence Number: A75807 CP: 14  
Project: 2018-04

Grades: MOF Computerized  
Computerized Decay  
Computerized Waste  
Computerized Breakage

FIZ: C  
PSYU: Dewdney (Chilliwack)  
Region: 1 - South Coast  
District: 01 - Chilliwack

```
10-Sep-2018 06:41:38PM
Filename: tsc-2018-04-a75807-cp-14.ccp
Compiled by: IFS
Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204
```

Block : (I) - 11A:LB11A, Plots in Block: 6, TUs: [ ground : 3.5 ]

[illegible]

**Block Stand Table (stems/ha)**

Average Line Method  
TS'ELXWEYEQW  
Licence Number: A75807 CP: 14  
Project: 2018-04

Grades: MOF Computerized  
Computerized Decay  
Computerized Waste  
Computerized Breakage

FIZ: C  
PSYU: Dewdney (Chilliwack)  
Region: 1 - South Coast  
District: 01 - Chilliwack

```
10-Sep-2018 06:41:38PM
Filename: tsc-2018-04-a75807-cp-14.ccp
Compiled by: IFS
Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204
```

Block : (I) - 11A:LB11A, Plots in Block: 6, TUs: [ cable : 2.3 ]

[illegible]

**Block Stand Table (stems/ha)**

## Average Line Method

TS' ELXWEYEQW

Licence Number: A75807 CP: 14

Project: 2018-04

Grades: MOF Computerized

## Computerized Decay

Computerized Waste

## Computerized Breakage

FIZ: C

PSYU: Dewdney (Chilliwack)

Region: 1 - South Coast

District: 01 - Chilliwack

10-Sep-2018 06:41:38PM

Filename: tsc-2018-04-a75807-cp-14.ccp

Compiled by: IFS

Cruised by: DUNHAM AND ASSOCIATES

Version: 2018.00    IFS build 6204

Block : (I) - P2B:MP2B, Plots in Block: 7, TUs: [All Treatment Units : 5.8 ]

|                    |        |  | F                            | C    | H    | B    | Y    | D    | Total | DP   | DU   | LU |
|--------------------|--------|--|------------------------------|------|------|------|------|------|-------|------|------|----|
| Utilization Limits |        |  |                              |      |      |      |      |      |       |      |      |    |
| Min DBH            | cm (I) |  | 12.0                         | 12.0 | 12.0 | 12.0 | 12.0 | 12.0 | 12.0  | 12.0 | 12.0 |    |
| Stump Ht           | cm (I) |  | 30.0                         | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0  | 30.0 | 30.0 |    |
| Top Dia            | cm (I) |  | 10.0                         | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0  | 10.0 | 10.0 |    |
| Log Len            | m      |  | 10.0                         | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0  | 10.0 | 10.0 |    |
| DBH                |        |  |                              |      |      |      |      |      |       |      |      |    |
| Class              |        |  |                              |      |      |      |      |      |       |      |      |    |
| 5                  |        |  |                              |      |      |      |      |      |       |      |      |    |
| 10                 |        |  |                              |      |      |      |      |      |       |      |      |    |
| 15                 |        |  |                              |      |      |      |      |      |       |      |      |    |
| 20                 |        |  | 4.3                          | 5.5  | 18.6 |      |      |      | 28.4  |      |      |    |
| 25                 |        |  |                              | 2.3  | 6.2  |      |      |      | 8.5   |      |      |    |
| 30                 |        |  | 6.2                          | 0.8  | 5.3  |      |      |      | 12.4  |      |      |    |
| 35                 |        |  | 4.7                          |      |      |      |      |      | 4.7   |      |      |    |
| 40                 |        |  | 2.1                          |      | 5.5  |      |      |      | 7.6   |      |      |    |
| 45                 |        |  | 1.2                          |      |      |      |      |      | 1.2   |      |      |    |
| 50                 |        |  |                              |      |      |      |      |      |       |      |      |    |
| 55                 |        |  |                              |      |      |      |      |      |       |      |      |    |
| 60                 |        |  |                              |      |      |      |      |      |       |      |      |    |
| 65                 |        |  | 0.3                          |      |      |      |      |      | 0.3   |      |      |    |
| 70                 |        |  | 0.5                          |      |      |      |      |      | 0.5   |      |      |    |
| 75                 |        |  |                              |      |      |      |      |      |       |      |      |    |
| 80                 |        |  | 0.3                          |      |      |      |      |      | 0.3   |      |      |    |
| 85                 |        |  |                              | 0.7  |      |      |      |      | 0.7   |      |      |    |
| 90                 |        |  | 0.5                          |      |      |      |      |      | 0.5   |      |      |    |
| 95                 |        |  | 0.3                          |      |      |      |      |      | 0.3   |      |      |    |
| 100                |        |  |                              |      |      |      |      |      |       |      |      |    |
| 105                |        |  |                              |      |      |      |      |      |       |      |      |    |
| 110                |        |  |                              |      |      |      |      |      |       |      |      |    |
| 115                |        |  |                              |      |      |      |      |      |       |      |      |    |
| 120                |        |  |                              |      |      |      |      |      |       |      |      |    |
| 125                |        |  |                              |      |      |      |      |      |       |      |      |    |
| 130                |        |  |                              |      |      |      |      |      |       |      |      |    |
| 135                |        |  |                              |      |      |      |      |      |       |      |      |    |
| 140                |        |  |                              |      |      |      |      |      |       |      |      |    |
| 145                |        |  |                              |      |      |      |      |      |       |      |      |    |
| 150                |        |  |                              |      |      |      |      |      |       |      |      |    |
| 175                |        |  |                              |      |      |      |      |      |       |      |      |    |
| 200                |        |  |                              |      |      |      |      |      |       |      |      |    |
| 225                |        |  |                              |      |      |      |      |      |       |      |      |    |
| 250                |        |  |                              |      |      |      |      |      |       |      |      |    |
| 275                |        |  |                              |      |      |      |      |      |       |      |      |    |
| Total              |        |  | 20.5                         | 9.3  | 35.7 |      |      |      | 65.5  |      |      |    |
| Dead P             |        |  |                              |      |      |      |      |      |       |      |      |    |
| Dead U             |        |  |                              |      |      |      |      |      |       |      |      |    |
| Live U             |        |  |                              |      |      |      |      |      |       |      |      |    |
|                    |        |  | Average DBH (cm) at 5 Levels |      |      |      |      |      |       |      |      |    |
| 12.5 +             |        |  | 40.1                         | 31.3 | 26.8 |      |      |      | 32.1  |      |      |    |
| 17.5 +             |        |  | 40.1                         | 31.3 | 26.8 |      |      |      | 32.1  |      |      |    |
| 22.5 +             |        |  | 43.8                         | 42.1 | 32.2 |      |      |      | 38.7  |      |      |    |
| 27.5 +             |        |  | 43.8                         | 59.4 | 35.9 |      |      |      | 42.0  |      |      |    |
| 32.5 +             |        |  | 49.9                         | 83.5 | 39.7 |      |      |      | 48.7  |      |      |    |



|                                |  |  |                                   |  |  |                                   |  |  |
|--------------------------------|--|--|-----------------------------------|--|--|-----------------------------------|--|--|
| *** FOR APPRAISAL PURPOSES *** |  |  | L E A V E   T R E E   R E P O R T |  |  | BSTND 6, p33                      |  |  |
|                                |  |  | Block Stand Table (stems/ha)      |  |  | 10-Sep-2018 06:41:38PM            |  |  |
| Average Line Method            |  |  | Grades: MOF Computerized          |  |  | FIZ: C                            |  |  |
| TS'ELXWEYEQW                   |  |  | Computerized Decay                |  |  | PSYU: Dewdney (Chilliwack)        |  |  |
| Licence Number: A75807 CP: 14  |  |  | Computerized Waste                |  |  | Region: 1 - South Coast           |  |  |
| Project: 2018-04               |  |  | Computerized Breakage             |  |  | District: 01 - Chilliwack         |  |  |
|                                |  |  |                                   |  |  | Cruised by: DUNHAM AND ASSOCIATES |  |  |
|                                |  |  |                                   |  |  | Version: 2018.00 IFS build 6204   |  |  |

Block : (I) - P2B:MP2B, Plots in Block: 7,    TUs: [ Partial : 1.4    ]

|                              |        | F    | C    | H     | B    | Y    | D    | Total | DP   | DU   | LU   |
|------------------------------|--------|------|------|-------|------|------|------|-------|------|------|------|
| <b>Utilization Limits</b>    |        |      |      |       |      |      |      |       |      |      |      |
| Min DBH                      | cm (I) | 12.0 | 12.0 | 12.0  | 12.0 | 12.0 | 12.0 | 12.0  | 12.0 | 12.0 | 12.0 |
| Stump Ht                     | cm (I) | 30.0 | 30.0 | 30.0  | 30.0 | 30.0 | 30.0 | 30.0  | 30.0 | 30.0 | 30.0 |
| Top Dia                      | cm (I) | 10.0 | 10.0 | 10.0  | 10.0 | 10.0 | 10.0 | 10.0  | 10.0 | 10.0 | 10.0 |
| Log Len                      | m      | 10.0 | 10.0 | 10.0  | 10.0 | 10.0 | 10.0 | 10.0  | 10.0 | 10.0 | 10.0 |
| DBH                          |        |      |      |       |      |      |      |       |      |      |      |
| Class                        |        |      |      |       |      |      |      |       |      |      |      |
| 5                            |        |      |      |       |      |      |      |       |      |      |      |
| 10                           |        |      |      |       |      |      |      |       |      |      |      |
| 15                           |        |      |      |       |      |      |      |       |      |      |      |
| 20                           |        |      |      |       |      |      |      |       |      |      |      |
|                              |        | 17.8 | 22.9 | 77.1  |      |      |      | 117.8 |      |      |      |
| 25                           |        |      |      |       |      |      |      |       |      |      |      |
|                              |        |      | 9.5  | 25.9  |      |      |      | 35.4  |      |      |      |
| 30                           |        |      |      |       |      |      |      |       |      |      |      |
|                              |        | 25.8 | 3.5  | 22.1  |      |      |      | 51.5  |      |      |      |
| 35                           |        |      |      |       |      |      |      |       |      |      |      |
|                              |        | 19.3 |      |       |      |      |      | 19.3  |      |      |      |
| 40                           |        |      |      |       |      |      |      |       |      |      |      |
|                              |        | 8.6  |      | 22.9  |      |      |      | 31.5  |      |      |      |
| 45                           |        |      |      |       |      |      |      |       |      |      |      |
|                              |        | 4.9  |      |       |      |      |      | 4.9   |      |      |      |
| 50                           |        |      |      |       |      |      |      |       |      |      |      |
| 55                           |        |      |      |       |      |      |      |       |      |      |      |
| 60                           |        |      |      |       |      |      |      |       |      |      |      |
| 65                           |        |      |      |       |      |      |      |       |      |      |      |
|                              |        | 1.4  |      |       |      |      |      | 1.4   |      |      |      |
| 70                           |        |      |      |       |      |      |      |       |      |      |      |
|                              |        | 2.1  |      |       |      |      |      | 2.1   |      |      |      |
| 75                           |        |      |      |       |      |      |      |       |      |      |      |
| 80                           |        |      |      |       |      |      |      |       |      |      |      |
|                              |        | 1.4  |      |       |      |      |      | 1.4   |      |      |      |
| 85                           |        |      |      |       |      |      |      |       |      |      |      |
|                              |        |      | 2.8  |       |      |      |      | 2.8   |      |      |      |
| 90                           |        |      |      |       |      |      |      |       |      |      |      |
|                              |        | 2.1  |      |       |      |      |      | 2.1   |      |      |      |
| 95                           |        |      |      |       |      |      |      |       |      |      |      |
|                              |        | 1.4  |      |       |      |      |      | 1.4   |      |      |      |
| 100                          |        |      |      |       |      |      |      |       |      |      |      |
| 105                          |        |      |      |       |      |      |      |       |      |      |      |
| 110                          |        |      |      |       |      |      |      |       |      |      |      |
| 115                          |        |      |      |       |      |      |      |       |      |      |      |
| 120                          |        |      |      |       |      |      |      |       |      |      |      |
| 125                          |        |      |      |       |      |      |      |       |      |      |      |
| 130                          |        |      |      |       |      |      |      |       |      |      |      |
| 135                          |        |      |      |       |      |      |      |       |      |      |      |
| 140                          |        |      |      |       |      |      |      |       |      |      |      |
| 145                          |        |      |      |       |      |      |      |       |      |      |      |
| 150                          |        |      |      |       |      |      |      |       |      |      |      |
| 175                          |        |      |      |       |      |      |      |       |      |      |      |
| 200                          |        |      |      |       |      |      |      |       |      |      |      |
| 225                          |        |      |      |       |      |      |      |       |      |      |      |
| 250                          |        |      |      |       |      |      |      |       |      |      |      |
| 275                          |        |      |      |       |      |      |      |       |      |      |      |
| Total                        |        | 84.9 | 38.7 | 148.0 |      |      |      | 271.5 |      |      |      |
| Dead P                       |        |      |      |       |      |      |      |       |      |      |      |
| Dead U                       |        |      |      |       |      |      |      |       |      |      |      |
| Live U                       |        |      |      |       |      |      |      |       |      |      |      |
| Average DBH (cm) at 5 Levels |        |      |      |       |      |      |      |       |      |      |      |
| 12.5 +                       |        | 40.1 | 31.3 | 26.8  |      |      |      | 32.1  |      |      |      |
| 17.5 +                       |        | 40.1 | 31.3 | 26.8  |      |      |      | 32.1  |      |      |      |
| 22.5 +                       |        | 43.8 | 42.1 | 32.2  |      |      |      | 38.7  |      |      |      |
| 27.5 +                       |        | 43.8 | 59.4 | 35.9  |      |      |      | 42.0  |      |      |      |
| 32.5 +                       |        | 49.9 | 83.5 | 39.7  |      |      |      | 48.7  |      |      |      |

Block : (M) - PF1:PF1, Plots in Block: 12,    TUs: [All Treatment Units : 13.3    ]

| Utilization Limits           |        |      |      |      |      |      |      |      |      |      |      |
|------------------------------|--------|------|------|------|------|------|------|------|------|------|------|
| Min DBH                      | cm (M) | 17.5 | 17.5 | 17.5 | 17.5 | 17.5 | 17.5 | 17.5 | 17.5 | 17.5 | 17.5 |
| Stump Ht                     | cm (M) | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 |
| Top Dia                      | cm (M) | 15.0 | 15.0 | 15.0 | 15.0 | 15.0 | 15.0 | 15.0 | 15.0 | 15.0 | 15.0 |
| Log Len                      | m      | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 |
| DBH                          |        |      |      |      |      |      |      |      |      |      |      |
| Class                        |        |      |      |      |      |      |      |      |      |      |      |
| 5                            |        |      |      |      |      |      |      |      |      |      |      |
| 10                           |        |      |      |      |      |      |      |      |      |      |      |
| 15                           |        |      |      |      |      |      |      |      |      |      |      |
| 20                           |        |      |      |      |      |      |      |      |      |      |      |
| 25                           |        |      |      |      |      |      |      |      |      |      |      |
| 30                           |        |      |      |      |      |      |      |      |      |      |      |
| 35                           |        |      |      |      |      |      |      |      |      |      |      |
| 40                           |        |      |      |      |      |      |      |      |      |      |      |
| 45                           |        |      |      |      |      |      |      |      |      |      |      |
| 50                           |        |      |      |      |      |      |      |      |      |      |      |
| 55                           |        |      |      |      |      |      |      |      |      |      |      |
| 60                           |        |      |      |      |      |      |      |      |      |      |      |
| 65                           |        |      |      |      |      |      |      |      |      |      |      |
| 70                           |        |      |      |      |      |      |      |      |      |      |      |
| 75                           |        |      |      |      |      |      |      |      |      |      |      |
| 80                           |        |      |      |      |      |      |      |      |      |      |      |
| 85                           |        |      |      |      |      |      |      |      |      |      |      |
| 90                           |        |      |      |      |      |      |      |      |      |      |      |
| 95                           |        |      |      |      |      |      |      |      |      |      |      |
| 100                          |        |      |      |      |      |      |      |      |      |      |      |
| 105                          |        |      |      |      |      |      |      |      |      |      |      |
| 110                          |        |      |      |      |      |      |      |      |      |      |      |
| 115                          |        |      |      |      |      |      |      |      |      |      |      |
| 120                          |        |      |      |      |      |      |      |      |      |      |      |
| 125                          |        |      |      |      |      |      |      |      |      |      |      |
| 130                          |        |      |      |      |      |      |      |      |      |      |      |
| 135                          |        |      |      |      |      |      |      |      |      |      |      |
| 140                          |        |      |      |      |      |      |      |      |      |      |      |
| 145                          |        |      |      |      |      |      |      |      |      |      |      |
| 150                          |        |      |      |      |      |      |      |      |      |      |      |
| 175                          |        |      |      |      |      |      |      |      |      |      |      |
| 200                          |        |      |      |      |      |      |      |      |      |      |      |
| 225                          |        |      |      |      |      |      |      |      |      |      |      |
| 250                          |        |      |      |      |      |      |      |      |      |      |      |
| 275                          |        |      |      |      |      |      |      |      |      |      |      |
| Total                        |        |      |      |      |      |      |      |      |      |      |      |
| Dead P                       |        |      |      |      |      |      |      |      |      |      |      |
| Dead U                       |        |      |      |      |      |      |      |      |      |      |      |
| Live U                       |        |      |      |      |      |      |      |      |      |      |      |
| Average DBH (cm) at 5 Levels |        |      |      |      |      |      |      |      |      |      |      |
| 12.5 +                       |        |      |      |      |      |      |      |      |      |      |      |
| 17.5 +                       |        |      |      |      |      |      |      |      |      |      |      |
| 22.5 +                       |        |      |      |      |      |      |      |      |      |      |      |
| 27.5 +                       |        |      |      |      |      |      |      |      |      |      |      |
| 32.5 +                       |        |      |      |      |      |      |      |      |      |      |      |

Block : (M) - PF1:PF1, Plots in Block: 12,   TUs: [ ground : 8.3   ]

| Utilization Limits           |        |      |      |      |      |      |      |      |      |      |      |
|------------------------------|--------|------|------|------|------|------|------|------|------|------|------|
| Min DBH                      | cm (M) | 17.5 | 17.5 | 17.5 | 17.5 | 17.5 | 17.5 | 17.5 | 17.5 | 17.5 | 17.5 |
| Stump Ht                     | cm (M) | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 |
| Top Dia                      | cm (M) | 15.0 | 15.0 | 15.0 | 15.0 | 15.0 | 15.0 | 15.0 | 15.0 | 15.0 | 15.0 |
| Log Len                      | m      | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 |
| DBH                          |        |      |      |      |      |      |      |      |      |      |      |
| Class                        |        |      |      |      |      |      |      |      |      |      |      |
| 5                            |        |      |      |      |      |      |      |      |      |      |      |
| 10                           |        |      |      |      |      |      |      |      |      |      |      |
| 15                           |        |      |      |      |      |      |      |      |      |      |      |
| 20                           |        |      |      |      |      |      |      |      |      |      |      |
| 25                           |        |      |      |      |      |      |      |      |      |      |      |
| 30                           |        |      |      |      |      |      |      |      |      |      |      |
| 35                           |        |      |      |      |      |      |      |      |      |      |      |
| 40                           |        |      |      |      |      |      |      |      |      |      |      |
| 45                           |        |      |      |      |      |      |      |      |      |      |      |
| 50                           |        |      |      |      |      |      |      |      |      |      |      |
| 55                           |        |      |      |      |      |      |      |      |      |      |      |
| 60                           |        |      |      |      |      |      |      |      |      |      |      |
| 65                           |        |      |      |      |      |      |      |      |      |      |      |
| 70                           |        |      |      |      |      | 1.5  |      | 1.5  |      |      |      |
| 75                           |        |      |      |      |      |      |      |      |      |      |      |
| 80                           |        |      |      |      |      |      |      |      |      |      |      |
| 85                           |        |      |      |      |      |      |      |      |      |      |      |
| 90                           |        |      |      |      |      |      |      |      |      |      |      |
| 95                           |        |      |      |      |      |      |      |      |      |      |      |
| 100                          |        |      |      |      |      |      |      |      |      |      |      |
| 105                          |        |      |      |      |      |      |      |      |      |      |      |
| 110                          |        |      |      |      |      |      |      |      |      |      |      |
| 115                          |        |      |      |      |      |      |      |      |      |      |      |
| 120                          |        |      |      |      |      |      |      |      |      |      |      |
| 125                          |        |      |      |      |      |      |      |      |      |      |      |
| 130                          |        |      |      |      |      |      |      |      |      |      |      |
| 135                          |        |      |      |      |      |      |      |      |      |      |      |
| 140                          |        |      |      |      |      |      |      |      |      |      |      |
| 145                          |        |      |      |      |      |      |      |      |      |      |      |
| 150                          |        |      |      |      |      |      |      |      |      |      |      |
| 175                          |        |      |      |      |      |      |      |      |      |      |      |
| 200                          |        |      |      |      |      |      |      |      |      |      |      |
| 225                          |        |      |      |      |      |      |      |      |      |      |      |
| 250                          |        |      |      |      |      |      |      |      |      |      |      |
| 275                          |        |      |      |      |      |      |      |      |      |      |      |
| Total                        |        |      |      |      |      | 1.5  |      | 1.5  |      |      |      |
| Dead P                       |        |      |      |      |      |      |      |      |      |      |      |
| Dead U                       |        |      |      |      |      |      |      |      |      |      |      |
| Live U                       |        |      |      |      |      |      |      |      |      |      |      |
| Average DBH (cm) at 5 Levels |        |      |      |      |      |      |      |      |      |      |      |
| 12.5 +                       |        |      |      |      |      | 67.6 |      | 67.6 |      |      |      |
| 17.5 +                       |        |      |      |      |      | 67.6 |      | 67.6 |      |      |      |
| 22.5 +                       |        |      |      |      |      | 67.6 |      | 67.6 |      |      |      |
| 27.5 +                       |        |      |      |      |      | 67.6 |      | 67.6 |      |      |      |
| 32.5 +                       |        |      |      |      |      | 67.6 |      | 67.6 |      |      |      |

Block : (M) - PF1:PF1, Plots in Block: 12,   TUs: [ cable : 5.0   ]

| Utilization Limits           |        |      |      |      |      |      |      |      |      |      |      |
|------------------------------|--------|------|------|------|------|------|------|------|------|------|------|
| Min DBH                      | cm (M) | 17.5 | 17.5 | 17.5 | 17.5 | 17.5 | 17.5 | 17.5 | 17.5 | 17.5 | 17.5 |
| Stump Ht                     | cm (M) | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 |
| Top Dia                      | cm (M) | 15.0 | 15.0 | 15.0 | 15.0 | 15.0 | 15.0 | 15.0 | 15.0 | 15.0 | 15.0 |
| Log Len                      | m      | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 |
| DBH                          |        |      |      |      |      |      |      |      |      |      |      |
| Class                        |        |      |      |      |      |      |      |      |      |      |      |
| 5                            |        |      |      |      |      |      |      |      |      |      |      |
| 10                           |        |      |      |      |      |      |      |      |      |      |      |
| 15                           |        |      |      |      |      |      |      |      |      |      |      |
| 20                           |        |      |      |      |      |      |      |      |      |      |      |
| 25                           |        |      |      |      |      |      |      |      |      |      |      |
| 30                           |        |      |      |      |      |      |      |      |      |      |      |
| 35                           |        |      |      |      |      |      |      |      |      |      |      |
| 40                           |        |      |      |      |      |      |      |      |      |      |      |
| 45                           |        |      |      |      |      |      |      |      |      |      |      |
| 50                           |        |      |      |      |      |      |      |      |      |      |      |
| 55                           |        |      |      |      |      |      |      |      |      |      |      |
| 60                           |        |      |      |      |      |      |      |      |      |      |      |
| 65                           |        |      |      |      |      |      |      |      |      |      |      |
| 70                           |        |      |      |      |      | 1.5  |      | 1.5  |      |      |      |
| 75                           |        |      |      |      |      |      |      |      |      |      |      |
| 80                           |        |      |      |      |      |      |      |      |      |      |      |
| 85                           |        |      |      |      |      |      |      |      |      |      |      |
| 90                           |        |      |      |      |      |      |      |      |      |      |      |
| 95                           |        |      |      |      |      |      |      |      |      |      |      |
| 100                          |        |      |      |      |      |      |      |      |      |      |      |
| 105                          |        |      |      |      |      |      |      |      |      |      |      |
| 110                          |        |      |      |      |      |      |      |      |      |      |      |
| 115                          |        |      |      |      |      |      |      |      |      |      |      |
| 120                          |        |      |      |      |      |      |      |      |      |      |      |
| 125                          |        |      |      |      |      |      |      |      |      |      |      |
| 130                          |        |      |      |      |      |      |      |      |      |      |      |
| 135                          |        |      |      |      |      |      |      |      |      |      |      |
| 140                          |        |      |      |      |      |      |      |      |      |      |      |
| 145                          |        |      |      |      |      |      |      |      |      |      |      |
| 150                          |        |      |      |      |      |      |      |      |      |      |      |
| 175                          |        |      |      |      |      |      |      |      |      |      |      |
| 200                          |        |      |      |      |      |      |      |      |      |      |      |
| 225                          |        |      |      |      |      |      |      |      |      |      |      |
| 250                          |        |      |      |      |      |      |      |      |      |      |      |
| 275                          |        |      |      |      |      |      |      |      |      |      |      |
| Total                        |        |      |      |      |      | 1.5  |      | 1.5  |      |      |      |
| Dead P                       |        |      |      |      |      |      |      |      |      |      |      |
| Dead U                       |        |      |      |      |      |      |      |      |      |      |      |
| Live U                       |        |      |      |      |      |      |      |      |      |      |      |
| Average DBH (cm) at 5 Levels |        |      |      |      |      |      |      |      |      |      |      |
| 12.5 +                       |        |      |      |      |      | 67.6 |      | 67.6 |      |      |      |
| 17.5 +                       |        |      |      |      |      | 67.6 |      | 67.6 |      |      |      |
| 22.5 +                       |        |      |      |      |      | 67.6 |      | 67.6 |      |      |      |
| 27.5 +                       |        |      |      |      |      | 67.6 |      | 67.6 |      |      |      |
| 32.5 +                       |        |      |      |      |      | 67.6 |      | 67.6 |      |      |      |

Type 1   (M):HwBa 946, Plots in Type: 12, TUs: [All Treatment Units : 13.3   ]

|                              |        | F    | C    | H    | B    | Y    | D    | Total | DP   | DU   | LU   |
|------------------------------|--------|------|------|------|------|------|------|-------|------|------|------|
| Utilization Limits           |        |      |      |      |      |      |      |       |      |      |      |
| Min DBH                      | cm (M) | 17.5 | 17.5 | 17.5 | 17.5 | 17.5 | 17.5 | 17.5  | 17.5 | 17.5 | 17.5 |
| Stump Ht                     | cm (M) | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0  | 30.0 | 30.0 | 30.0 |
| Top Dia                      | cm (M) | 15.0 | 15.0 | 15.0 | 15.0 | 15.0 | 15.0 | 15.0  | 15.0 | 15.0 | 15.0 |
| Log Len                      | m      | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0  | 10.0 | 10.0 | 10.0 |
| DBH                          |        |      |      |      |      |      |      |       |      |      |      |
| Class                        |        |      |      |      |      |      |      |       |      |      |      |
| 5                            |        |      |      |      |      |      |      |       |      |      |      |
| 10                           |        |      |      |      |      |      |      |       |      |      |      |
| 15                           |        |      |      |      |      |      |      |       |      |      |      |
| 20                           |        |      |      |      |      |      |      |       |      |      |      |
| 25                           |        |      |      |      |      |      |      |       |      |      |      |
| 30                           |        |      |      |      |      |      |      |       |      |      |      |
| 35                           |        |      |      |      |      |      |      |       |      |      |      |
| 40                           |        |      |      |      |      |      |      |       |      |      |      |
| 45                           |        |      |      |      |      |      |      |       |      |      |      |
| 50                           |        |      |      |      |      |      |      |       |      |      |      |
| 55                           |        |      |      |      |      |      |      |       |      |      |      |
| 60                           |        |      |      |      |      |      |      |       |      |      |      |
| 65                           |        |      |      |      |      |      |      |       |      |      |      |
| 70                           |        |      |      |      |      |      |      |       |      |      |      |
| 75                           |        |      |      |      |      |      |      |       |      |      |      |
| 80                           |        |      |      |      |      |      |      |       |      |      |      |
| 85                           |        |      |      |      |      |      |      |       |      |      |      |
| 90                           |        |      |      |      |      |      |      |       |      |      |      |
| 95                           |        |      |      |      |      |      |      |       |      |      |      |
| 100                          |        |      |      |      |      |      |      |       |      |      |      |
| 105                          |        |      |      |      |      |      |      |       |      |      |      |
| 110                          |        |      |      |      |      |      |      |       |      |      |      |
| 115                          |        |      |      |      |      |      |      |       |      |      |      |
| 120                          |        |      |      |      |      |      |      |       |      |      |      |
| 125                          |        |      |      |      |      |      |      |       |      |      |      |
| 130                          |        |      |      |      |      |      |      |       |      |      |      |
| 135                          |        |      |      |      |      |      |      |       |      |      |      |
| 140                          |        |      |      |      |      |      |      |       |      |      |      |
| 145                          |        |      |      |      |      |      |      |       |      |      |      |
| 150                          |        |      |      |      |      |      |      |       |      |      |      |
| 175                          |        |      |      |      |      |      |      |       |      |      |      |
| 200                          |        |      |      |      |      |      |      |       |      |      |      |
| 225                          |        |      |      |      |      |      |      |       |      |      |      |
| 250                          |        |      |      |      |      |      |      |       |      |      |      |
| 275                          |        |      |      |      |      |      |      |       |      |      |      |
| Total                        |        |      |      |      |      |      |      |       |      |      |      |
| Dead P                       |        |      |      |      |      |      |      |       |      |      |      |
| Dead U                       |        |      |      |      |      |      |      |       |      |      |      |
| Live U                       |        |      |      |      |      |      |      |       |      |      |      |
| Average DBH (cm) at 5 Levels |        |      |      |      |      |      |      |       |      |      |      |
| 12.5 +                       |        |      |      |      |      |      |      |       |      |      |      |
| 17.5 +                       |        |      |      |      |      |      |      |       |      |      |      |
| 22.5 +                       |        |      |      |      |      |      |      |       |      |      |      |
| 27.5 +                       |        |      |      |      |      |      |      |       |      |      |      |
| 32.5 +                       |        |      |      |      |      |      |      |       |      |      |      |

Type 1 (M):HwBa 946, Plots in Type: 12, TUs: [ ground : 8.3 ]

| Utilization Limits           |        |      |      |      |      |      |      |      |      |      |      |
|------------------------------|--------|------|------|------|------|------|------|------|------|------|------|
| Min DBH                      | cm (M) | 17.5 | 17.5 | 17.5 | 17.5 | 17.5 | 17.5 | 17.5 | 17.5 | 17.5 | 17.5 |
| Stump Ht                     | cm (M) | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 |
| Top Dia                      | cm (M) | 15.0 | 15.0 | 15.0 | 15.0 | 15.0 | 15.0 | 15.0 | 15.0 | 15.0 | 15.0 |
| Log Len                      | m      | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 |
| DBH                          |        |      |      |      |      |      |      |      |      |      |      |
| Class                        |        |      |      |      |      |      |      |      |      |      |      |
| 5                            |        |      |      |      |      |      |      |      |      |      |      |
| 10                           |        |      |      |      |      |      |      |      |      |      |      |
| 15                           |        |      |      |      |      |      |      |      |      |      |      |
| 20                           |        |      |      |      |      |      |      |      |      |      |      |
| 25                           |        |      |      |      |      |      |      |      |      |      |      |
| 30                           |        |      |      |      |      |      |      |      |      |      |      |
| 35                           |        |      |      |      |      |      |      |      |      |      |      |
| 40                           |        |      |      |      |      |      |      |      |      |      |      |
| 45                           |        |      |      |      |      |      |      |      |      |      |      |
| 50                           |        |      |      |      |      |      |      |      |      |      |      |
| 55                           |        |      |      |      |      |      |      |      |      |      |      |
| 60                           |        |      |      |      |      |      |      |      |      |      |      |
| 65                           |        |      |      |      |      |      |      |      |      |      |      |
| 70                           |        |      |      |      |      | 1.5  |      | 1.5  |      |      |      |
| 75                           |        |      |      |      |      |      |      |      |      |      |      |
| 80                           |        |      |      |      |      |      |      |      |      |      |      |
| 85                           |        |      |      |      |      |      |      |      |      |      |      |
| 90                           |        |      |      |      |      |      |      |      |      |      |      |
| 95                           |        |      |      |      |      |      |      |      |      |      |      |
| 100                          |        |      |      |      |      |      |      |      |      |      |      |
| 105                          |        |      |      |      |      |      |      |      |      |      |      |
| 110                          |        |      |      |      |      |      |      |      |      |      |      |
| 115                          |        |      |      |      |      |      |      |      |      |      |      |
| 120                          |        |      |      |      |      |      |      |      |      |      |      |
| 125                          |        |      |      |      |      |      |      |      |      |      |      |
| 130                          |        |      |      |      |      |      |      |      |      |      |      |
| 135                          |        |      |      |      |      |      |      |      |      |      |      |
| 140                          |        |      |      |      |      |      |      |      |      |      |      |
| 145                          |        |      |      |      |      |      |      |      |      |      |      |
| 150                          |        |      |      |      |      |      |      |      |      |      |      |
| 175                          |        |      |      |      |      |      |      |      |      |      |      |
| 200                          |        |      |      |      |      |      |      |      |      |      |      |
| 225                          |        |      |      |      |      |      |      |      |      |      |      |
| 250                          |        |      |      |      |      |      |      |      |      |      |      |
| 275                          |        |      |      |      |      |      |      |      |      |      |      |
| Total                        |        |      |      |      |      | 1.5  |      | 1.5  |      |      |      |
| Dead P                       |        |      |      |      |      |      |      |      |      |      |      |
| Dead U                       |        |      |      |      |      |      |      |      |      |      |      |
| Live U                       |        |      |      |      |      |      |      |      |      |      |      |
| Average DBH (cm) at 5 Levels |        |      |      |      |      |      |      |      |      |      |      |
| 12.5 +                       |        |      |      |      |      | 67.6 |      | 67.6 |      |      |      |
| 17.5 +                       |        |      |      |      |      | 67.6 |      | 67.6 |      |      |      |
| 22.5 +                       |        |      |      |      |      | 67.6 |      | 67.6 |      |      |      |
| 27.5 +                       |        |      |      |      |      | 67.6 |      | 67.6 |      |      |      |
| 32.5 +                       |        |      |      |      |      | 67.6 |      | 67.6 |      |      |      |

## Type Stand Table (stems/ha)

Average Line Method  
TS'ELXWEYEQW  
Licence Number: A75807 CP: 14  
Project: 2018-04

Grades: MOF Computerized  
Computerized Decay  
Computerized Waste  
Computerized Breakage

FIZ: C  
PSYU: Dewdney (Chilliwack)  
Region: 1 - South Coast  
District: 01 - Chilliwack

10-Sep-2018 06:41:38PM  
Filename: tsc-2018-04-a75807-cp-14.ccp  
Compiled by: IFS  
Cruised by: DUNHAM AND ASSOCIATES  
Version: 2018.00 IFS build 6204

Type 1 (M):HwBa 946, Plots in Type: 12, TUs: [ cable : 5.0 ]

|                              |        |  | F    | C    | H    | B    | Y    | D    | Total | DP   | DU   | LU   |
|------------------------------|--------|--|------|------|------|------|------|------|-------|------|------|------|
| Utilization Limits           |        |  |      |      |      |      |      |      |       |      |      |      |
| Min DBH                      | cm (M) |  | 17.5 | 17.5 | 17.5 | 17.5 | 17.5 | 17.5 | 17.5  | 17.5 | 17.5 | 17.5 |
| Stump Ht                     | cm (M) |  | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0  | 30.0 | 30.0 | 30.0 |
| Top Dia                      | cm (M) |  | 15.0 | 15.0 | 15.0 | 15.0 | 15.0 | 15.0 | 15.0  | 15.0 | 15.0 | 15.0 |
| Log Len                      | m      |  | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0  | 10.0 | 10.0 | 10.0 |
| DBH Class                    |        |  |      |      |      |      |      |      |       |      |      |      |
| 5                            |        |  |      |      |      |      |      |      |       |      |      |      |
| 10                           |        |  |      |      |      |      |      |      |       |      |      |      |
| 15                           |        |  |      |      |      |      |      |      |       |      |      |      |
| 20                           |        |  |      |      |      |      |      |      |       |      |      |      |
| 25                           |        |  |      |      |      |      |      |      |       |      |      |      |
| 30                           |        |  |      |      |      |      |      |      |       |      |      |      |
| 35                           |        |  |      |      |      |      |      |      |       |      |      |      |
| 40                           |        |  |      |      |      |      |      |      |       |      |      |      |
| 45                           |        |  |      |      |      |      |      |      |       |      |      |      |
| 50                           |        |  |      |      |      |      |      |      |       |      |      |      |
| 55                           |        |  |      |      |      |      |      |      |       |      |      |      |
| 60                           |        |  |      |      |      |      |      |      |       |      |      |      |
| 65                           |        |  |      |      |      |      |      |      |       |      |      |      |
| 70                           |        |  |      |      |      | 1.5  |      | 1.5  |       |      |      |      |
| 75                           |        |  |      |      |      |      |      |      |       |      |      |      |
| 80                           |        |  |      |      |      |      |      |      |       |      |      |      |
| 85                           |        |  |      |      |      |      |      |      |       |      |      |      |
| 90                           |        |  |      |      |      |      |      |      |       |      |      |      |
| 95                           |        |  |      |      |      |      |      |      |       |      |      |      |
| 100                          |        |  |      |      |      |      |      |      |       |      |      |      |
| 105                          |        |  |      |      |      |      |      |      |       |      |      |      |
| 110                          |        |  |      |      |      |      |      |      |       |      |      |      |
| 115                          |        |  |      |      |      |      |      |      |       |      |      |      |
| 120                          |        |  |      |      |      |      |      |      |       |      |      |      |
| 125                          |        |  |      |      |      |      |      |      |       |      |      |      |
| 130                          |        |  |      |      |      |      |      |      |       |      |      |      |
| 135                          |        |  |      |      |      |      |      |      |       |      |      |      |
| 140                          |        |  |      |      |      |      |      |      |       |      |      |      |
| 145                          |        |  |      |      |      |      |      |      |       |      |      |      |
| 150                          |        |  |      |      |      |      |      |      |       |      |      |      |
| 175                          |        |  |      |      |      |      |      |      |       |      |      |      |
| 200                          |        |  |      |      |      |      |      |      |       |      |      |      |
| 225                          |        |  |      |      |      |      |      |      |       |      |      |      |
| 250                          |        |  |      |      |      |      |      |      |       |      |      |      |
| 275                          |        |  |      |      |      |      |      |      |       |      |      |      |
| Total                        |        |  |      |      |      | 1.5  |      | 1.5  |       |      |      |      |
| Dead P                       |        |  |      |      |      |      |      |      |       |      |      |      |
| Dead U                       |        |  |      |      |      |      |      |      |       |      |      |      |
| Live U                       |        |  |      |      |      |      |      |      |       |      |      |      |
| Average DBH (cm) at 5 Levels |        |  |      |      |      |      |      |      |       |      |      |      |
| 12.5 +                       |        |  |      |      |      | 67.6 |      | 67.6 |       |      |      |      |
| 17.5 +                       |        |  |      |      |      | 67.6 |      | 67.6 |       |      |      |      |
| 22.5 +                       |        |  |      |      |      | 67.6 |      | 67.6 |       |      |      |      |
| 27.5 +                       |        |  |      |      |      | 67.6 |      | 67.6 |       |      |      |      |
| 32.5 +                       |        |  |      |      |      | 67.6 |      | 67.6 |       |      |      |      |





Type 6   (I):FH(C) 6+, Plots in Type: 7, TUs: [All Treatment Units : 5.8   ]

|                              |        | F    | C    | H    | B    | Y    | D    | Total | DP   | DU   | LU   |
|------------------------------|--------|------|------|------|------|------|------|-------|------|------|------|
| Utilization Limits           |        |      |      |      |      |      |      |       |      |      |      |
| Min DBH                      | cm (I) | 12.0 | 12.0 | 12.0 | 12.0 | 12.0 | 12.0 | 12.0  | 12.0 | 12.0 | 12.0 |
| Stump Ht                     | cm (I) | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0  | 30.0 | 30.0 | 30.0 |
| Top Dia                      | cm (I) | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0  | 10.0 | 10.0 | 10.0 |
| Log Len                      | m      | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0  | 10.0 | 10.0 | 10.0 |
| DBH Class                    |        |      |      |      |      |      |      |       |      |      |      |
| 5                            |        |      |      |      |      |      |      |       |      |      |      |
| 10                           |        |      |      |      |      |      |      |       |      |      |      |
| 15                           |        |      |      |      |      |      |      |       |      |      |      |
| 20                           |        |      |      |      |      |      |      |       |      |      |      |
|                              |        | 4.3  | 5.5  | 18.6 |      |      |      | 28.4  |      |      |      |
| 25                           |        |      |      |      |      |      |      |       |      |      |      |
|                              |        |      | 2.3  | 6.2  |      |      |      | 8.5   |      |      |      |
| 30                           |        |      |      |      |      |      |      |       |      |      |      |
|                              |        | 6.2  | 0.8  | 5.3  |      |      |      | 12.4  |      |      |      |
| 35                           |        |      |      |      |      |      |      |       |      |      |      |
|                              |        | 4.7  |      |      |      |      |      | 4.7   |      |      |      |
| 40                           |        |      |      |      |      |      |      |       |      |      |      |
|                              |        | 2.1  |      | 5.5  |      |      |      | 7.6   |      |      |      |
| 45                           |        |      |      |      |      |      |      |       |      |      |      |
|                              |        | 1.2  |      |      |      |      |      | 1.2   |      |      |      |
| 50                           |        |      |      |      |      |      |      |       |      |      |      |
| 55                           |        |      |      |      |      |      |      |       |      |      |      |
| 60                           |        |      |      |      |      |      |      |       |      |      |      |
| 65                           |        |      |      |      |      |      |      |       |      |      |      |
|                              |        | 0.3  |      |      |      |      |      | 0.3   |      |      |      |
| 70                           |        |      |      |      |      |      |      |       |      |      |      |
|                              |        | 0.5  |      |      |      |      |      | 0.5   |      |      |      |
| 75                           |        |      |      |      |      |      |      |       |      |      |      |
| 80                           |        |      |      |      |      |      |      |       |      |      |      |
|                              |        | 0.3  |      |      |      |      |      | 0.3   |      |      |      |
| 85                           |        |      |      |      |      |      |      |       |      |      |      |
|                              |        |      | 0.7  |      |      |      |      | 0.7   |      |      |      |
| 90                           |        |      |      |      |      |      |      |       |      |      |      |
|                              |        | 0.5  |      |      |      |      |      | 0.5   |      |      |      |
| 95                           |        |      |      |      |      |      |      |       |      |      |      |
|                              |        | 0.3  |      |      |      |      |      | 0.3   |      |      |      |
| 100                          |        |      |      |      |      |      |      |       |      |      |      |
| 105                          |        |      |      |      |      |      |      |       |      |      |      |
| 110                          |        |      |      |      |      |      |      |       |      |      |      |
| 115                          |        |      |      |      |      |      |      |       |      |      |      |
| 120                          |        |      |      |      |      |      |      |       |      |      |      |
| 125                          |        |      |      |      |      |      |      |       |      |      |      |
| 130                          |        |      |      |      |      |      |      |       |      |      |      |
| 135                          |        |      |      |      |      |      |      |       |      |      |      |
| 140                          |        |      |      |      |      |      |      |       |      |      |      |
| 145                          |        |      |      |      |      |      |      |       |      |      |      |
| 150                          |        |      |      |      |      |      |      |       |      |      |      |
| 175                          |        |      |      |      |      |      |      |       |      |      |      |
| 200                          |        |      |      |      |      |      |      |       |      |      |      |
| 225                          |        |      |      |      |      |      |      |       |      |      |      |
| 250                          |        |      |      |      |      |      |      |       |      |      |      |
| 275                          |        |      |      |      |      |      |      |       |      |      |      |
| Total                        |        | 20.5 | 9.3  | 35.7 |      |      |      | 65.5  |      |      |      |
| Dead P                       |        |      |      |      |      |      |      |       |      |      |      |
| Dead U                       |        |      |      |      |      |      |      |       |      |      |      |
| Live U                       |        |      |      |      |      |      |      |       |      |      |      |
| Average DBH (cm) at 5 Levels |        |      |      |      |      |      |      |       |      |      |      |
| 12.5 +                       |        | 40.1 | 31.3 | 26.8 |      |      |      | 32.1  |      |      |      |
| 17.5 +                       |        | 40.1 | 31.3 | 26.8 |      |      |      | 32.1  |      |      |      |
| 22.5 +                       |        | 43.8 | 42.1 | 32.2 |      |      |      | 38.7  |      |      |      |
| 27.5 +                       |        | 43.8 | 59.4 | 35.9 |      |      |      | 42.0  |      |      |      |
| 32.5 +                       |        | 49.9 | 83.5 | 39.7 |      |      |      | 48.7  |      |      |      |

## Type Stand Table (stems/ha)

Average Line Method  
TS'ELXWEYEQW  
Licence Number: A75807 CP: 14  
Project: 2018-04

Grades: MOF Computerized  
Computerized Decay  
Computerized Waste  
Computerized Breakage

FIZ: C  
PSYU: Dewdney (Chilliwack)  
Region: 1 - South Coast  
District: 01 - Chilliwack

```
10-Sep-2018 06:41:38PM
Filename: tsc-2018-04-a75807-cp-14.ccp
Compiled by: IFS
Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204
```

Type 6 (I):FH(C) 6+, Plots in Type: 7, TUs: [ cable : 4.4 ]

[illegible]

Type 6 (I):FH(C) 6+, Plots in Type: 7, TUs: [ Partial : 1.4 ]

|                              |        | F    | C    | H     | B    | Y    | D    | Total | DP   | DU   | LU   |
|------------------------------|--------|------|------|-------|------|------|------|-------|------|------|------|
| <b>Utilization Limits</b>    |        |      |      |       |      |      |      |       |      |      |      |
| Min DBH                      | cm (I) | 12.0 | 12.0 | 12.0  | 12.0 | 12.0 | 12.0 | 12.0  | 12.0 | 12.0 | 12.0 |
| Stump Ht                     | cm (I) | 30.0 | 30.0 | 30.0  | 30.0 | 30.0 | 30.0 | 30.0  | 30.0 | 30.0 | 30.0 |
| Top Dia                      | cm (I) | 10.0 | 10.0 | 10.0  | 10.0 | 10.0 | 10.0 | 10.0  | 10.0 | 10.0 | 10.0 |
| Log Len                      | m      | 10.0 | 10.0 | 10.0  | 10.0 | 10.0 | 10.0 | 10.0  | 10.0 | 10.0 | 10.0 |
| DBH Class                    |        |      |      |       |      |      |      |       |      |      |      |
| 5                            |        |      |      |       |      |      |      |       |      |      |      |
| 10                           |        |      |      |       |      |      |      |       |      |      |      |
| 15                           |        |      |      |       |      |      |      |       |      |      |      |
| 20                           |        |      |      |       |      |      |      |       |      |      |      |
|                              |        | 17.8 | 22.9 | 77.1  |      |      |      | 117.8 |      |      |      |
| 25                           |        |      |      |       |      |      |      |       |      |      |      |
|                              |        |      | 9.5  | 25.9  |      |      |      | 35.4  |      |      |      |
| 30                           |        |      |      |       |      |      |      |       |      |      |      |
|                              |        | 25.8 | 3.5  | 22.1  |      |      |      | 51.5  |      |      |      |
| 35                           |        |      |      |       |      |      |      |       |      |      |      |
|                              |        | 19.3 |      |       |      |      |      | 19.3  |      |      |      |
| 40                           |        |      |      |       |      |      |      |       |      |      |      |
|                              |        | 8.6  |      | 22.9  |      |      |      | 31.5  |      |      |      |
| 45                           |        |      |      |       |      |      |      |       |      |      |      |
|                              |        | 4.9  |      |       |      |      |      | 4.9   |      |      |      |
| 50                           |        |      |      |       |      |      |      |       |      |      |      |
| 55                           |        |      |      |       |      |      |      |       |      |      |      |
| 60                           |        |      |      |       |      |      |      |       |      |      |      |
| 65                           |        |      |      |       |      |      |      |       |      |      |      |
|                              |        | 1.4  |      |       |      |      |      | 1.4   |      |      |      |
| 70                           |        |      |      |       |      |      |      |       |      |      |      |
|                              |        | 2.1  |      |       |      |      |      | 2.1   |      |      |      |
| 75                           |        |      |      |       |      |      |      |       |      |      |      |
| 80                           |        |      |      |       |      |      |      |       |      |      |      |
|                              |        | 1.4  |      |       |      |      |      | 1.4   |      |      |      |
| 85                           |        |      |      |       |      |      |      |       |      |      |      |
|                              |        |      | 2.8  |       |      |      |      | 2.8   |      |      |      |
| 90                           |        |      |      |       |      |      |      |       |      |      |      |
|                              |        | 2.1  |      |       |      |      |      | 2.1   |      |      |      |
| 95                           |        |      |      |       |      |      |      |       |      |      |      |
|                              |        | 1.4  |      |       |      |      |      | 1.4   |      |      |      |
| 100                          |        |      |      |       |      |      |      |       |      |      |      |
| 105                          |        |      |      |       |      |      |      |       |      |      |      |
| 110                          |        |      |      |       |      |      |      |       |      |      |      |
| 115                          |        |      |      |       |      |      |      |       |      |      |      |
| 120                          |        |      |      |       |      |      |      |       |      |      |      |
| 125                          |        |      |      |       |      |      |      |       |      |      |      |
| 130                          |        |      |      |       |      |      |      |       |      |      |      |
| 135                          |        |      |      |       |      |      |      |       |      |      |      |
| 140                          |        |      |      |       |      |      |      |       |      |      |      |
| 145                          |        |      |      |       |      |      |      |       |      |      |      |
| 150                          |        |      |      |       |      |      |      |       |      |      |      |
| 175                          |        |      |      |       |      |      |      |       |      |      |      |
| 200                          |        |      |      |       |      |      |      |       |      |      |      |
| 225                          |        |      |      |       |      |      |      |       |      |      |      |
| 250                          |        |      |      |       |      |      |      |       |      |      |      |
| 275                          |        |      |      |       |      |      |      |       |      |      |      |
| Total                        |        | 84.9 | 38.7 | 148.0 |      |      |      | 271.5 |      |      |      |
| Dead P                       |        |      |      |       |      |      |      |       |      |      |      |
| Dead U                       |        |      |      |       |      |      |      |       |      |      |      |
| Live U                       |        |      |      |       |      |      |      |       |      |      |      |
| Average DBH (cm) at 5 Levels |        |      |      |       |      |      |      |       |      |      |      |
| 12.5 +                       |        | 40.1 | 31.3 | 26.8  |      |      |      | 32.1  |      |      |      |
| 17.5 +                       |        | 40.1 | 31.3 | 26.8  |      |      |      | 32.1  |      |      |      |
| 22.5 +                       |        | 43.8 | 42.1 | 32.2  |      |      |      | 38.7  |      |      |      |
| 27.5 +                       |        | 43.8 | 59.4 | 35.9  |      |      |      | 42.0  |      |      |      |
| 32.5 +                       |        | 49.9 | 83.5 | 39.7  |      |      |      | 48.7  |      |      |      |

[All Treatment Units : 24.9   ]

|                             |        | F    | C    | H    | B    | Y    | D    | Total | DP   | DU   | LU   |
|-----------------------------|--------|------|------|------|------|------|------|-------|------|------|------|
| <b>Utilization Limits</b>   |        |      |      |      |      |      |      |       |      |      |      |
| Min DBH                     | cm (M) | 17.5 | 17.5 | 17.5 | 17.5 | 17.5 | 17.5 | 17.5  | 17.5 | 17.5 | 17.5 |
| Stump Ht                    | cm (M) | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0  | 30.0 | 30.0 | 30.0 |
| Top Dia                     | cm (M) | 15.0 | 15.0 | 15.0 | 15.0 | 15.0 | 15.0 | 15.0  | 15.0 | 15.0 | 15.0 |
| Min DBH                     | cm (I) | 12.0 | 12.0 | 12.0 | 12.0 | 12.0 | 12.0 | 12.0  | 12.0 | 12.0 | 12.0 |
| Stump Ht                    | cm (I) | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0  | 30.0 | 30.0 | 30.0 |
| Top Dia                     | cm (I) | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0  | 10.0 | 10.0 | 10.0 |
| Log Len                     | m      | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0  | 10.0 | 10.0 | 10.0 |
| DBH                         |        |      |      |      |      |      |      |       |      |      |      |
| Class                       |        |      |      |      |      |      |      |       |      |      |      |
| 5                           |        |      |      |      |      |      |      |       |      |      |      |
| 10                          |        |      |      |      |      |      |      |       |      |      |      |
| 15                          |        |      |      |      |      |      |      |       |      |      |      |
| 20                          |        |      |      |      |      |      |      |       |      |      |      |
|                             |        | 0.4  | 0.3  | 1.4  |      |      |      | 2.1   |      |      |      |
| 25                          |        |      |      |      |      |      |      |       |      |      |      |
|                             |        |      | 0.2  | 0.8  |      |      |      | 1.0   |      |      |      |
| 30                          |        |      |      |      |      |      |      |       |      |      |      |
|                             |        | 1.4  | 0.1  | 1.4  |      |      |      | 2.8   |      |      |      |
| 35                          |        |      |      |      |      |      |      |       |      |      |      |
|                             |        | 1.2  |      |      |      |      |      | 1.2   |      |      |      |
| 40                          |        |      |      |      |      |      |      |       |      |      |      |
|                             |        | 0.7  |      | 2.2  |      |      |      | 2.9   |      |      |      |
| 45                          |        |      |      |      |      |      |      |       |      |      |      |
|                             |        | 0.6  |      |      |      |      |      | 0.6   |      |      |      |
| 50                          |        |      |      |      |      |      |      |       |      |      |      |
| 55                          |        |      |      |      |      |      |      |       |      |      |      |
| 60                          |        |      |      |      |      |      |      |       |      |      |      |
| 65                          |        |      |      |      |      |      |      |       |      |      |      |
|                             |        | 0.3  |      |      |      |      |      | 0.3   |      |      |      |
| 70                          |        |      |      |      |      |      |      |       |      |      |      |
|                             |        | 0.6  |      |      |      | 2.1  |      | 2.7   |      |      |      |
| 75                          |        |      |      |      |      |      |      |       |      |      |      |
| 80                          |        |      |      |      |      |      |      |       |      |      |      |
|                             |        | 0.1  |      |      |      |      |      | 0.1   |      |      |      |
| 85                          |        |      |      |      |      |      |      |       |      |      |      |
|                             |        |      | 0.6  |      |      |      |      | 0.6   |      |      |      |
| 90                          |        |      |      |      |      |      |      |       |      |      |      |
|                             |        | 1.0  |      |      |      |      |      | 1.0   |      |      |      |
| 95                          |        |      |      |      |      |      |      |       |      |      |      |
|                             |        | 0.8  |      |      |      |      |      | 0.8   |      |      |      |
| 100                         |        |      |      |      |      |      |      |       |      |      |      |
| 105                         |        |      |      |      |      |      |      |       |      |      |      |
| 110                         |        |      |      |      |      |      |      |       |      |      |      |
| 115                         |        |      |      |      |      |      |      |       |      |      |      |
| 120                         |        |      |      |      |      |      |      |       |      |      |      |
| 125                         |        |      |      |      |      |      |      |       |      |      |      |
| 130                         |        |      |      |      |      |      |      |       |      |      |      |
| 135                         |        |      |      |      |      |      |      |       |      |      |      |
| 140                         |        |      |      |      |      |      |      |       |      |      |      |
| 145                         |        |      |      |      |      |      |      |       |      |      |      |
| 150                         |        |      |      |      |      |      |      |       |      |      |      |
| 175                         |        |      |      |      |      |      |      |       |      |      |      |
| 200                         |        |      |      |      |      |      |      |       |      |      |      |
| 225                         |        |      |      |      |      |      |      |       |      |      |      |
| 250                         |        |      |      |      |      |      |      |       |      |      |      |
| 275                         |        |      |      |      |      |      |      |       |      |      |      |
| Total                       |        | 7.0  | 1.2  | 5.7  |      | 2.1  |      | 16.0  |      |      |      |
| Dead P                      |        |      |      |      |      |      |      |       |      |      |      |
| Volume (m3/ha) for 7 Levels |        |      |      |      |      |      |      |       |      |      |      |
| 17.5 +                      |        | 7.0  | 1.2  | 5.7  |      | 2.1  |      | 16.0  |      |      |      |
| 22.5 +                      |        | 6.7  | 0.9  | 4.3  |      | 2.1  |      | 14.0  |      |      |      |
| 27.5 +                      |        | 6.7  | 0.7  | 3.5  |      | 2.1  |      | 13.0  |      |      |      |
| 32.5 +                      |        | 5.3  | 0.6  | 2.2  |      | 2.1  |      | 10.2  |      |      |      |
| 37.5 +                      |        | 4.1  | 0.6  | 2.2  |      | 2.1  |      | 9.0   |      |      |      |
| 42.5 +                      |        | 3.4  | 0.6  |      |      | 2.1  |      | 6.1   |      |      |      |
| 47.5 +                      |        | 2.8  | 0.6  |      |      | 2.1  |      | 5.5   |      |      |      |

[ ground : 11.8 ]

|                             |        | F    | C    | H    | B    | Y    | D    | Total | DP   | DU   | LU   |
|-----------------------------|--------|------|------|------|------|------|------|-------|------|------|------|
| Utilization Limits          |        |      |      |      |      |      |      |       |      |      |      |
| Min DBH                     | cm (M) | 17.5 | 17.5 | 17.5 | 17.5 | 17.5 | 17.5 | 17.5  | 17.5 | 17.5 | 17.5 |
| Stump Ht                    | cm (M) | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0  | 30.0 | 30.0 | 30.0 |
| Top Dia                     | cm (M) | 15.0 | 15.0 | 15.0 | 15.0 | 15.0 | 15.0 | 15.0  | 15.0 | 15.0 | 15.0 |
| Min DBH                     | cm (I) | 12.0 | 12.0 | 12.0 | 12.0 | 12.0 | 12.0 | 12.0  | 12.0 | 12.0 | 12.0 |
| Stump Ht                    | cm (I) | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0  | 30.0 | 30.0 | 30.0 |
| Top Dia                     | cm (I) | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0  | 10.0 | 10.0 | 10.0 |
| Log Len                     | m      | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0  | 10.0 | 10.0 | 10.0 |
| DBH                         |        |      |      |      |      |      |      |       |      |      |      |
| Class                       |        |      |      |      |      |      |      |       |      |      |      |
| 5                           |        |      |      |      |      |      |      |       |      |      |      |
| 10                          |        |      |      |      |      |      |      |       |      |      |      |
| 15                          |        |      |      |      |      |      |      |       |      |      |      |
| 20                          |        |      |      |      |      |      |      |       |      |      |      |
| 25                          |        |      |      |      |      |      |      |       |      |      |      |
| 30                          |        |      |      |      |      |      |      |       |      |      |      |
| 35                          |        |      |      |      |      |      |      |       |      |      |      |
| 40                          |        |      |      |      |      |      |      |       |      |      |      |
| 45                          |        |      |      |      |      |      |      |       |      |      |      |
| 50                          |        |      |      |      |      |      |      |       |      |      |      |
| 55                          |        |      |      |      |      |      |      |       |      |      |      |
| 60                          |        |      |      |      |      |      |      |       |      |      |      |
| 65                          |        |      |      |      |      |      |      |       |      |      |      |
| 70                          |        |      |      |      |      |      |      |       |      |      |      |
| 75                          |        |      |      |      |      |      |      |       |      |      |      |
| 80                          |        |      |      |      |      |      |      |       |      |      |      |
| 85                          |        |      |      |      |      |      |      |       |      |      |      |
| 90                          |        |      |      |      |      |      |      |       |      |      |      |
| 95                          |        |      |      |      |      |      |      |       |      |      |      |
| 100                         |        |      |      |      |      |      |      |       |      |      |      |
| 105                         |        |      |      |      |      |      |      |       |      |      |      |
| 110                         |        |      |      |      |      |      |      |       |      |      |      |
| 115                         |        |      |      |      |      |      |      |       |      |      |      |
| 120                         |        |      |      |      |      |      |      |       |      |      |      |
| 125                         |        |      |      |      |      |      |      |       |      |      |      |
| 130                         |        |      |      |      |      |      |      |       |      |      |      |
| 135                         |        |      |      |      |      |      |      |       |      |      |      |
| 140                         |        |      |      |      |      |      |      |       |      |      |      |
| 145                         |        |      |      |      |      |      |      |       |      |      |      |
| 150                         |        |      |      |      |      |      |      |       |      |      |      |
| 175                         |        |      |      |      |      |      |      |       |      |      |      |
| 200                         |        |      |      |      |      |      |      |       |      |      |      |
| 225                         |        |      |      |      |      |      |      |       |      |      |      |
| 250                         |        |      |      |      |      |      |      |       |      |      |      |
| 275                         |        |      |      |      |      |      |      |       |      |      |      |
| Total                       |        |      |      |      |      |      |      |       |      |      |      |
| Dead P                      |        |      |      |      |      |      |      |       |      |      |      |
| Volume (m3/ha) for 7 Levels |        |      |      |      |      |      |      |       |      |      |      |
| 17.5 +                      |        |      |      |      |      |      |      |       |      |      |      |
| 22.5 +                      |        |      |      |      |      |      |      |       |      |      |      |
| 27.5 +                      |        |      |      |      |      |      |      |       |      |      |      |
| 32.5 +                      |        |      |      |      |      |      |      |       |      |      |      |
| 37.5 +                      |        |      |      |      |      |      |      |       |      |      |      |
| 42.5 +                      |        |      |      |      |      |      |      |       |      |      |      |
| 47.5 +                      |        |      |      |      |      |      |      |       |      |      |      |

[ cable : 11.7 ]

|                             |        | F    | C    | H    | B    | Y    | D    | Total | DP   | DU   | LU   |
|-----------------------------|--------|------|------|------|------|------|------|-------|------|------|------|
| Utilization Limits          |        |      |      |      |      |      |      |       |      |      |      |
| Min DBH                     | cm (M) | 17.5 | 17.5 | 17.5 | 17.5 | 17.5 | 17.5 | 17.5  | 17.5 | 17.5 | 17.5 |
| Stump Ht                    | cm (M) | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0  | 30.0 | 30.0 | 30.0 |
| Top Dia                     | cm (M) | 15.0 | 15.0 | 15.0 | 15.0 | 15.0 | 15.0 | 15.0  | 15.0 | 15.0 | 15.0 |
| Min DBH                     | cm (I) | 12.0 | 12.0 | 12.0 | 12.0 | 12.0 | 12.0 | 12.0  | 12.0 | 12.0 | 12.0 |
| Stump Ht                    | cm (I) | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0  | 30.0 | 30.0 | 30.0 |
| Top Dia                     | cm (I) | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0  | 10.0 | 10.0 | 10.0 |
| Log Len                     | m      | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0  | 10.0 | 10.0 | 10.0 |
| DBH                         |        |      |      |      |      |      |      |       |      |      |      |
| Class                       |        |      |      |      |      |      |      |       |      |      |      |
| 5                           |        |      |      |      |      |      |      |       |      |      |      |
| 10                          |        |      |      |      |      |      |      |       |      |      |      |
| 15                          |        |      |      |      |      |      |      |       |      |      |      |
| 20                          |        |      |      |      |      |      |      |       |      |      |      |
| 25                          |        |      |      |      |      |      |      |       |      |      |      |
| 30                          |        |      |      |      |      |      |      |       |      |      |      |
| 35                          |        |      |      |      |      |      |      |       |      |      |      |
| 40                          |        |      |      |      |      |      |      |       |      |      |      |
| 45                          |        |      |      |      |      |      |      |       |      |      |      |
| 50                          |        |      |      |      |      |      |      |       |      |      |      |
| 55                          |        |      |      |      |      |      |      |       |      |      |      |
| 60                          |        |      |      |      |      |      |      |       |      |      |      |
| 65                          |        |      |      |      |      |      |      |       |      |      |      |
| 70                          |        |      |      |      |      |      |      |       |      |      |      |
| 75                          |        |      |      |      |      |      |      |       |      |      |      |
| 80                          |        |      |      |      |      |      |      |       |      |      |      |
| 85                          |        |      |      |      |      |      |      |       |      |      |      |
| 90                          |        |      |      |      |      |      |      |       |      |      |      |
| 95                          |        |      |      |      |      |      |      |       |      |      |      |
| 100                         |        |      |      |      |      |      |      |       |      |      |      |
| 105                         |        |      |      |      |      |      |      |       |      |      |      |
| 110                         |        |      |      |      |      |      |      |       |      |      |      |
| 115                         |        |      |      |      |      |      |      |       |      |      |      |
| 120                         |        |      |      |      |      |      |      |       |      |      |      |
| 125                         |        |      |      |      |      |      |      |       |      |      |      |
| 130                         |        |      |      |      |      |      |      |       |      |      |      |
| 135                         |        |      |      |      |      |      |      |       |      |      |      |
| 140                         |        |      |      |      |      |      |      |       |      |      |      |
| 145                         |        |      |      |      |      |      |      |       |      |      |      |
| 150                         |        |      |      |      |      |      |      |       |      |      |      |
| 175                         |        |      |      |      |      |      |      |       |      |      |      |
| 200                         |        |      |      |      |      |      |      |       |      |      |      |
| 225                         |        |      |      |      |      |      |      |       |      |      |      |
| 250                         |        |      |      |      |      |      |      |       |      |      |      |
| 275                         |        |      |      |      |      |      |      |       |      |      |      |
| Total                       |        |      |      |      |      |      |      |       |      |      |      |
| Dead P                      |        |      |      |      |      |      |      |       |      |      |      |
| Volume (m3/ha) for 7 Levels |        |      |      |      |      |      |      |       |      |      |      |
| 17.5 +                      |        |      |      |      |      |      |      |       |      |      |      |
| 22.5 +                      |        |      |      |      |      |      |      |       |      |      |      |
| 27.5 +                      |        |      |      |      |      |      |      |       |      |      |      |
| 32.5 +                      |        |      |      |      |      |      |      |       |      |      |      |
| 37.5 +                      |        |      |      |      |      |      |      |       |      |      |      |
| 42.5 +                      |        |      |      |      |      |      |      |       |      |      |      |
| 47.5 +                      |        |      |      |      |      |      |      |       |      |      |      |

[ Partial : 1.4 ]

|                             |        | F     | C    | H     | B    | Y    | D    | Total | DP   | DU   | LU   |
|-----------------------------|--------|-------|------|-------|------|------|------|-------|------|------|------|
| Utilization Limits          |        |       |      |       |      |      |      |       |      |      |      |
| Min DBH                     | cm (M) | 17.5  | 17.5 | 17.5  | 17.5 | 17.5 | 17.5 | 17.5  | 17.5 | 17.5 | 17.5 |
| Stump Ht                    | cm (M) | 30.0  | 30.0 | 30.0  | 30.0 | 30.0 | 30.0 | 30.0  | 30.0 | 30.0 | 30.0 |
| Top Dia                     | cm (M) | 15.0  | 15.0 | 15.0  | 15.0 | 15.0 | 15.0 | 15.0  | 15.0 | 15.0 | 15.0 |
| Min DBH                     | cm (I) | 12.0  | 12.0 | 12.0  | 12.0 | 12.0 | 12.0 | 12.0  | 12.0 | 12.0 | 12.0 |
| Stump Ht                    | cm (I) | 30.0  | 30.0 | 30.0  | 30.0 | 30.0 | 30.0 | 30.0  | 30.0 | 30.0 | 30.0 |
| Top Dia                     | cm (I) | 10.0  | 10.0 | 10.0  | 10.0 | 10.0 | 10.0 | 10.0  | 10.0 | 10.0 | 10.0 |
| Log Len                     | m      | 10.0  | 10.0 | 10.0  | 10.0 | 10.0 | 10.0 | 10.0  | 10.0 | 10.0 | 10.0 |
| DBH                         |        |       |      |       |      |      |      |       |      |      |      |
| Class                       |        |       |      |       |      |      |      |       |      |      |      |
| 5                           |        |       |      |       |      |      |      |       |      |      |      |
| 10                          |        |       |      |       |      |      |      |       |      |      |      |
| 15                          |        |       |      |       |      |      |      |       |      |      |      |
| 20                          |        | 6.4   | 6.1  | 24.2  |      |      |      | 36.7  |      |      |      |
| 25                          |        |       | 3.5  | 14.1  |      |      |      | 17.6  |      |      |      |
| 30                          |        | 24.1  | 1.9  | 24.3  |      |      |      | 50.2  |      |      |      |
| 35                          |        | 21.1  |      |       |      |      |      | 21.1  |      |      |      |
| 40                          |        | 12.7  | 38.6 |       |      |      |      | 51.2  |      |      |      |
| 45                          |        | 10.5  |      |       |      |      |      | 10.5  |      |      |      |
| 50                          |        |       |      |       |      |      |      |       |      |      |      |
| 55                          |        |       |      |       |      |      |      |       |      |      |      |
| 60                          |        |       |      |       |      |      |      |       |      |      |      |
| 65                          |        | 5.8   |      |       |      |      |      | 5.8   |      |      |      |
| 70                          |        | 10.3  |      |       |      |      |      | 10.3  |      |      |      |
| 75                          |        |       |      |       |      |      |      |       |      |      |      |
| 80                          |        | 2.6   |      |       |      |      |      | 2.6   |      |      |      |
| 85                          |        |       | 10.4 |       |      |      | 10.4 |       |      |      |      |
| 90                          |        | 17.2  |      |       |      |      |      | 17.2  |      |      |      |
| 95                          |        | 14.2  |      |       |      |      |      | 14.2  |      |      |      |
| 100                         |        |       |      |       |      |      |      |       |      |      |      |
| 105                         |        |       |      |       |      |      |      |       |      |      |      |
| 110                         |        |       |      |       |      |      |      |       |      |      |      |
| 115                         |        |       |      |       |      |      |      |       |      |      |      |
| 120                         |        |       |      |       |      |      |      |       |      |      |      |
| 125                         |        |       |      |       |      |      |      |       |      |      |      |
| 130                         |        |       |      |       |      |      |      |       |      |      |      |
| 135                         |        |       |      |       |      |      |      |       |      |      |      |
| 140                         |        |       |      |       |      |      |      |       |      |      |      |
| 145                         |        |       |      |       |      |      |      |       |      |      |      |
| 150                         |        |       |      |       |      |      |      |       |      |      |      |
| 175                         |        |       |      |       |      |      |      |       |      |      |      |
| 200                         |        |       |      |       |      |      |      |       |      |      |      |
| 225                         |        |       |      |       |      |      |      |       |      |      |      |
| 250                         |        |       |      |       |      |      |      |       |      |      |      |
| 275                         |        |       |      |       |      |      |      |       |      |      |      |
| Total                       |        | 124.9 | 21.8 | 101.1 |      |      |      | 247.8 |      |      |      |
| Dead P                      |        |       |      |       |      |      |      |       |      |      |      |
| Volume (m3/ha) for 7 Levels |        |       |      |       |      |      |      |       |      |      |      |
| 17.5 +                      |        | 124.9 | 21.8 | 101.1 |      |      |      | 247.8 |      |      |      |
| 22.5 +                      |        | 118.4 | 15.7 | 76.9  |      |      |      | 211.1 |      |      |      |
| 27.5 +                      |        | 118.4 | 12.3 | 62.8  |      |      |      | 193.5 |      |      |      |
| 32.5 +                      |        | 94.3  | 10.4 | 38.6  |      |      |      | 143.3 |      |      |      |
| 37.5 +                      |        | 73.3  | 10.4 | 38.6  |      |      |      | 122.2 |      |      |      |
| 42.5 +                      |        | 60.6  | 10.4 |       |      |      | 71.0 |       |      |      |      |
| 47.5 +                      |        | 50.1  | 10.4 |       |      |      | 60.5 |       |      |      |      |



Average Line Method  
TS'ELXWEYEQW  
Licence Number: A75807 CP: 14  
Project: 2018-04

|                          |                            |
|--------------------------|----------------------------|
| Grades: MOF Computerized | FIZ: C                     |
| Computerized Decay       | PSYU: Dewdney (Chilliwack) |
| Computerized Waste       | Region: 1 - South Coast    |
| Computerized Breakeage   | District: 01 - Chilliwack  |

```
10-Sep-2018 06:41:38PM
Filename: tsc-2018-04-a75807-cp-14.ccp
Compiled by: IFS
Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204
```

Block : (I) - 11A:LB11A, Plots in Block: 6, TUs: [ ground : 3.5 ]

[illegible]

\*\*\* 1 tree(s) changed to tree class 6:because only log was less then 3.00 m \*\*\*  
 FLAGS: Leave Tree Report, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,  
 CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.



|                                |  |  |                                   |  |  |                                        |  |  |
|--------------------------------|--|--|-----------------------------------|--|--|----------------------------------------|--|--|
| *** FOR APPRAISAL PURPOSES *** |  |  | L E A V E   T R E E   R E P O R T |  |  | BSTCK 4, p52                           |  |  |
|                                |  |  | Block Stock Table (m3/ha)         |  |  | 10-Sep-2018 06:41:38PM                 |  |  |
| Average Line Method            |  |  | Grades: MOF Computerized          |  |  | Filename: tsc-2018-04-a75807-cp-14.ccp |  |  |
| TS'ELXWEYEQW                   |  |  | Computerized Decay                |  |  | Compiled by: IFS                       |  |  |
| Licence Number: A75807 CP: 14  |  |  | Computerized Waste                |  |  | Cruised by: DUNHAM AND ASSOCIATES      |  |  |
| Project: 2018-04               |  |  | Computerized Breakage             |  |  | Version: 2018.00 IFS build 6204        |  |  |

Block : (I) - P2B:MP2B, Plots in Block: 7, TUs: [All Treatment Units : 5.8 ]

|                             |        | F    | C    | H    | B    | Y    | D    | Total | DP   | DU   | LU   |
|-----------------------------|--------|------|------|------|------|------|------|-------|------|------|------|
| <b>Utilization Limits</b>   |        |      |      |      |      |      |      |       |      |      |      |
| Min DBH                     | cm (I) | 12.0 | 12.0 | 12.0 | 12.0 | 12.0 | 12.0 | 12.0  | 12.0 | 12.0 | 12.0 |
| Stump Ht                    | cm (I) | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0  | 30.0 | 30.0 | 30.0 |
| Top Dia                     | cm (I) | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0  | 10.0 | 10.0 | 10.0 |
| Log Len                     | m      | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0  | 10.0 | 10.0 | 10.0 |
| DBH                         |        |      |      |      |      |      |      |       |      |      |      |
| Class                       |        |      |      |      |      |      |      |       |      |      |      |
| 5                           |        |      |      |      |      |      |      |       |      |      |      |
| 10                          |        |      |      |      |      |      |      |       |      |      |      |
| 15                          |        |      |      |      |      |      |      |       |      |      |      |
| 20                          |        |      |      |      |      |      |      |       |      |      |      |
|                             |        | 1.6  | 1.5  | 5.8  |      |      |      | 8.9   |      |      |      |
| 25                          |        |      |      |      |      |      |      |       |      |      |      |
|                             |        |      | 0.8  | 3.4  |      |      |      | 4.2   |      |      |      |
| 30                          |        |      |      |      |      |      |      |       |      |      |      |
|                             |        | 5.8  | 0.5  | 5.9  |      |      |      | 12.1  |      |      |      |
| 35                          |        |      |      |      |      |      |      |       |      |      |      |
|                             |        | 5.1  |      |      |      |      |      | 5.1   |      |      |      |
| 40                          |        |      |      |      |      |      |      |       |      |      |      |
|                             |        | 3.1  |      | 9.3  |      |      |      | 12.4  |      |      |      |
| 45                          |        |      |      |      |      |      |      |       |      |      |      |
|                             |        | 2.5  |      |      |      |      |      | 2.5   |      |      |      |
| 50                          |        |      |      |      |      |      |      |       |      |      |      |
| 55                          |        |      |      |      |      |      |      |       |      |      |      |
| 60                          |        |      |      |      |      |      |      |       |      |      |      |
| 65                          |        |      |      |      |      |      |      |       |      |      |      |
|                             |        | 1.4  |      |      |      |      |      | 1.4   |      |      |      |
| 70                          |        |      |      |      |      |      |      |       |      |      |      |
|                             |        | 2.5  |      |      |      |      |      | 2.5   |      |      |      |
| 75                          |        |      |      |      |      |      |      |       |      |      |      |
| 80                          |        |      |      |      |      |      |      |       |      |      |      |
|                             |        | 0.6  |      |      |      |      |      | 0.6   |      |      |      |
| 85                          |        |      |      |      |      |      |      |       |      |      |      |
|                             |        |      | 2.5  |      |      |      |      | 2.5   |      |      |      |
| 90                          |        |      |      |      |      |      |      |       |      |      |      |
|                             |        | 4.2  |      |      |      |      |      | 4.2   |      |      |      |
| 95                          |        |      |      |      |      |      |      |       |      |      |      |
|                             |        | 3.4  |      |      |      |      |      | 3.4   |      |      |      |
| 100                         |        |      |      |      |      |      |      |       |      |      |      |
| 105                         |        |      |      |      |      |      |      |       |      |      |      |
| 110                         |        |      |      |      |      |      |      |       |      |      |      |
| 115                         |        |      |      |      |      |      |      |       |      |      |      |
| 120                         |        |      |      |      |      |      |      |       |      |      |      |
| 125                         |        |      |      |      |      |      |      |       |      |      |      |
| 130                         |        |      |      |      |      |      |      |       |      |      |      |
| 135                         |        |      |      |      |      |      |      |       |      |      |      |
| 140                         |        |      |      |      |      |      |      |       |      |      |      |
| 145                         |        |      |      |      |      |      |      |       |      |      |      |
| 150                         |        |      |      |      |      |      |      |       |      |      |      |
| 175                         |        |      |      |      |      |      |      |       |      |      |      |
| 200                         |        |      |      |      |      |      |      |       |      |      |      |
| 225                         |        |      |      |      |      |      |      |       |      |      |      |
| 250                         |        |      |      |      |      |      |      |       |      |      |      |
| 275                         |        |      |      |      |      |      |      |       |      |      |      |
| Total                       |        | 30.1 | 5.3  | 24.4 |      |      |      | 59.8  |      |      |      |
| Dead P                      |        |      |      |      |      |      |      |       |      |      |      |
| Volume (m3/ha) for 7 Levels |        |      |      |      |      |      |      |       |      |      |      |
| 17.5 +                      |        | 30.1 | 5.3  | 24.4 |      |      |      | 59.8  |      |      |      |
| 22.5 +                      |        | 28.6 | 3.8  | 18.6 |      |      |      | 50.9  |      |      |      |
| 27.5 +                      |        | 28.6 | 3.0  | 15.2 |      |      |      | 46.7  |      |      |      |
| 32.5 +                      |        | 22.8 | 2.5  | 9.3  |      |      |      | 34.6  |      |      |      |
| 37.5 +                      |        | 17.7 | 2.5  | 9.3  |      |      |      | 29.5  |      |      |      |
| 42.5 +                      |        | 14.6 | 2.5  |      |      |      |      | 17.1  |      |      |      |
| 47.5 +                      |        | 12.1 | 2.5  |      |      |      |      | 14.6  |      |      |      |

### Block Stock Table (m3/ha)

Average Line Method  
TS'ELXWEYEQW  
Licence Number: A75807 CP: 14  
Project: 2018-04

Grades: MOF Computerized  
Computerized Decay  
Computerized Waste  
Computerized Breakage

FIZ: C  
PSYU: Dewdney (Chilliwack)  
Region: 1 - South Coast  
District: 01 - Chilliwack

10-Sep-2018 06:41:38PM  
 Filename: tsc-2018-04-a75807-cp-14.ccp  
 Compiled by: IFS  
 Cruised by: DUNHAM AND ASSOCIATES  
 Version: 2018.00 IFS build 6204

Block : (I) - P2B:MP2B, Plots in Block: 7, TUs: [ cable : 4.4 ]

|                             |        | F    | C    | H    | B    | Y    | D    | Total | DP   | DU   | LU   |
|-----------------------------|--------|------|------|------|------|------|------|-------|------|------|------|
| Utilization Limits          |        |      |      |      |      |      |      |       |      |      |      |
| Min DBH                     | cm (I) | 12.0 | 12.0 | 12.0 | 12.0 | 12.0 | 12.0 | 12.0  | 12.0 | 12.0 | 12.0 |
| Stump Ht                    | cm (I) | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0  | 30.0 | 30.0 | 30.0 |
| Top Dia                     | cm (I) | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0  | 10.0 | 10.0 | 10.0 |
| Log Len                     | m      | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0  | 10.0 | 10.0 | 10.0 |
| DBH                         |        |      |      |      |      |      |      |       |      |      |      |
| Class                       |        |      |      |      |      |      |      |       |      |      |      |
| 5                           |        |      |      |      |      |      |      |       |      |      |      |
| 10                          |        |      |      |      |      |      |      |       |      |      |      |
| 15                          |        |      |      |      |      |      |      |       |      |      |      |
| 20                          |        |      |      |      |      |      |      |       |      |      |      |
| 25                          |        |      |      |      |      |      |      |       |      |      |      |
| 30                          |        |      |      |      |      |      |      |       |      |      |      |
| 35                          |        |      |      |      |      |      |      |       |      |      |      |
| 40                          |        |      |      |      |      |      |      |       |      |      |      |
| 45                          |        |      |      |      |      |      |      |       |      |      |      |
| 50                          |        |      |      |      |      |      |      |       |      |      |      |
| 55                          |        |      |      |      |      |      |      |       |      |      |      |
| 60                          |        |      |      |      |      |      |      |       |      |      |      |
| 65                          |        |      |      |      |      |      |      |       |      |      |      |
| 70                          |        |      |      |      |      |      |      |       |      |      |      |
| 75                          |        |      |      |      |      |      |      |       |      |      |      |
| 80                          |        |      |      |      |      |      |      |       |      |      |      |
| 85                          |        |      |      |      |      |      |      |       |      |      |      |
| 90                          |        |      |      |      |      |      |      |       |      |      |      |
| 95                          |        |      |      |      |      |      |      |       |      |      |      |
| 100                         |        |      |      |      |      |      |      |       |      |      |      |
| 105                         |        |      |      |      |      |      |      |       |      |      |      |
| 110                         |        |      |      |      |      |      |      |       |      |      |      |
| 115                         |        |      |      |      |      |      |      |       |      |      |      |
| 120                         |        |      |      |      |      |      |      |       |      |      |      |
| 125                         |        |      |      |      |      |      |      |       |      |      |      |
| 130                         |        |      |      |      |      |      |      |       |      |      |      |
| 135                         |        |      |      |      |      |      |      |       |      |      |      |
| 140                         |        |      |      |      |      |      |      |       |      |      |      |
| 145                         |        |      |      |      |      |      |      |       |      |      |      |
| 150                         |        |      |      |      |      |      |      |       |      |      |      |
| 175                         |        |      |      |      |      |      |      |       |      |      |      |
| 200                         |        |      |      |      |      |      |      |       |      |      |      |
| 225                         |        |      |      |      |      |      |      |       |      |      |      |
| 250                         |        |      |      |      |      |      |      |       |      |      |      |
| 275                         |        |      |      |      |      |      |      |       |      |      |      |
| Total                       |        |      |      |      |      |      |      |       |      |      |      |
| Dead P                      |        |      |      |      |      |      |      |       |      |      |      |
| Volume (m3/ha) for 7 Levels |        |      |      |      |      |      |      |       |      |      |      |
| 17.5 +                      |        |      |      |      |      |      |      |       |      |      |      |
| 22.5 +                      |        |      |      |      |      |      |      |       |      |      |      |
| 27.5 +                      |        |      |      |      |      |      |      |       |      |      |      |
| 32.5 +                      |        |      |      |      |      |      |      |       |      |      |      |
| 37.5 +                      |        |      |      |      |      |      |      |       |      |      |      |
| 42.5 +                      |        |      |      |      |      |      |      |       |      |      |      |
| 47.5 +                      |        |      |      |      |      |      |      |       |      |      |      |

|                                |  |  |                                   |  |  |                                        |  |  |
|--------------------------------|--|--|-----------------------------------|--|--|----------------------------------------|--|--|
| *** FOR APPRAISAL PURPOSES *** |  |  | L E A V E   T R E E   R E P O R T |  |  | BSTCK 6, p54                           |  |  |
|                                |  |  | Block Stock Table (m3/ha)         |  |  | 10-Sep-2018 06:41:38PM                 |  |  |
| Average Line Method            |  |  | Grades: MOF Computerized          |  |  | Filename: tsc-2018-04-a75807-cp-14.ccp |  |  |
| TS'ELXWEYEQW                   |  |  | Computerized Decay                |  |  | Compiled by: IFS                       |  |  |
| Licence Number: A75807 CP: 14  |  |  | Computerized Waste                |  |  | Cruised by: DUNHAM AND ASSOCIATES      |  |  |
| Project: 2018-04               |  |  | Computerized Breakage             |  |  | Version: 2018.00 IFS build 6204        |  |  |

Block : (I) - P2B:MP2B, Plots in Block: 7,    TUs: [ Partial : 1.4    ]

|                             |        | F     | C    | H     | B    | Y    | D    | Total | DP   | DU   | LU   |
|-----------------------------|--------|-------|------|-------|------|------|------|-------|------|------|------|
| <b>Utilization Limits</b>   |        |       |      |       |      |      |      |       |      |      |      |
| Min DBH                     | cm (I) | 12.0  | 12.0 | 12.0  | 12.0 | 12.0 | 12.0 | 12.0  | 12.0 | 12.0 | 12.0 |
| Stump Ht                    | cm (I) | 30.0  | 30.0 | 30.0  | 30.0 | 30.0 | 30.0 | 30.0  | 30.0 | 30.0 | 30.0 |
| Top Dia                     | cm (I) | 10.0  | 10.0 | 10.0  | 10.0 | 10.0 | 10.0 | 10.0  | 10.0 | 10.0 | 10.0 |
| Log Len                     | m      | 10.0  | 10.0 | 10.0  | 10.0 | 10.0 | 10.0 | 10.0  | 10.0 | 10.0 | 10.0 |
| DBH                         |        |       |      |       |      |      |      |       |      |      |      |
| Class                       |        |       |      |       |      |      |      |       |      |      |      |
| 5                           |        |       |      |       |      |      |      |       |      |      |      |
| 10                          |        |       |      |       |      |      |      |       |      |      |      |
| 15                          |        |       |      |       |      |      |      |       |      |      |      |
| 20                          |        |       |      |       |      |      |      |       |      |      |      |
|                             |        | 6.4   | 6.1  | 24.2  |      |      |      | 36.7  |      |      |      |
| 25                          |        |       |      |       |      |      |      |       |      |      |      |
|                             |        |       | 3.5  | 14.1  |      |      |      | 17.6  |      |      |      |
| 30                          |        |       |      |       |      |      |      |       |      |      |      |
|                             |        | 24.1  | 1.9  | 24.3  |      |      |      | 50.2  |      |      |      |
| 35                          |        |       |      |       |      |      |      |       |      |      |      |
|                             |        | 21.1  |      |       |      |      |      | 21.1  |      |      |      |
| 40                          |        |       |      |       |      |      |      |       |      |      |      |
|                             |        | 12.7  |      | 38.6  |      |      |      | 51.2  |      |      |      |
| 45                          |        |       |      |       |      |      |      |       |      |      |      |
|                             |        | 10.5  |      |       |      |      |      | 10.5  |      |      |      |
| 50                          |        |       |      |       |      |      |      |       |      |      |      |
| 55                          |        |       |      |       |      |      |      |       |      |      |      |
| 60                          |        |       |      |       |      |      |      |       |      |      |      |
| 65                          |        |       |      |       |      |      |      |       |      |      |      |
|                             |        | 5.8   |      |       |      |      |      | 5.8   |      |      |      |
| 70                          |        |       |      |       |      |      |      |       |      |      |      |
|                             |        | 10.3  |      |       |      |      |      | 10.3  |      |      |      |
| 75                          |        |       |      |       |      |      |      |       |      |      |      |
| 80                          |        |       |      |       |      |      |      |       |      |      |      |
|                             |        | 2.6   |      |       |      |      |      | 2.6   |      |      |      |
| 85                          |        |       |      |       |      |      |      |       |      |      |      |
|                             |        |       | 10.4 |       |      |      |      | 10.4  |      |      |      |
| 90                          |        |       |      |       |      |      |      |       |      |      |      |
|                             |        | 17.2  |      |       |      |      |      | 17.2  |      |      |      |
| 95                          |        |       |      |       |      |      |      |       |      |      |      |
|                             |        | 14.2  |      |       |      |      |      | 14.2  |      |      |      |
| 100                         |        |       |      |       |      |      |      |       |      |      |      |
| 105                         |        |       |      |       |      |      |      |       |      |      |      |
| 110                         |        |       |      |       |      |      |      |       |      |      |      |
| 115                         |        |       |      |       |      |      |      |       |      |      |      |
| 120                         |        |       |      |       |      |      |      |       |      |      |      |
| 125                         |        |       |      |       |      |      |      |       |      |      |      |
| 130                         |        |       |      |       |      |      |      |       |      |      |      |
| 135                         |        |       |      |       |      |      |      |       |      |      |      |
| 140                         |        |       |      |       |      |      |      |       |      |      |      |
| 145                         |        |       |      |       |      |      |      |       |      |      |      |
| 150                         |        |       |      |       |      |      |      |       |      |      |      |
| 175                         |        |       |      |       |      |      |      |       |      |      |      |
| 200                         |        |       |      |       |      |      |      |       |      |      |      |
| 225                         |        |       |      |       |      |      |      |       |      |      |      |
| 250                         |        |       |      |       |      |      |      |       |      |      |      |
| 275                         |        |       |      |       |      |      |      |       |      |      |      |
| Total                       |        | 124.9 | 21.8 | 101.1 |      |      |      | 247.8 |      |      |      |
| Dead P                      |        |       |      |       |      |      |      |       |      |      |      |
| Volume (m3/ha) for 7 Levels |        |       |      |       |      |      |      |       |      |      |      |
| 17.5 +                      |        | 124.9 | 21.8 | 101.1 |      |      |      | 247.8 |      |      |      |
| 22.5 +                      |        | 118.4 | 15.7 | 76.9  |      |      |      | 211.1 |      |      |      |
| 27.5 +                      |        | 118.4 | 12.3 | 62.8  |      |      |      | 193.5 |      |      |      |
| 32.5 +                      |        | 94.3  | 10.4 | 38.6  |      |      |      | 143.3 |      |      |      |
| 37.5 +                      |        | 73.3  | 10.4 | 38.6  |      |      |      | 122.2 |      |      |      |
| 42.5 +                      |        | 60.6  | 10.4 |       |      |      |      | 71.0  |      |      |      |
| 47.5 +                      |        | 50.1  | 10.4 |       |      |      |      | 60.5  |      |      |      |

Block : (M) - PF1:PF1, Plots in Block: 12, TUs: [All Treatment Units : 13.3 ]

| Utilization Limits          |        |      |      |      |      |      |      |      |      |      |      |
|-----------------------------|--------|------|------|------|------|------|------|------|------|------|------|
| Min DBH                     | cm (M) | 17.5 | 17.5 | 17.5 | 17.5 | 17.5 | 17.5 | 17.5 | 17.5 | 17.5 | 17.5 |
| Stump Ht                    | cm (M) | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 |
| Top Dia                     | cm (M) | 15.0 | 15.0 | 15.0 | 15.0 | 15.0 | 15.0 | 15.0 | 15.0 | 15.0 | 15.0 |
| Log Len                     | m      | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 |
| DBH                         |        |      |      |      |      |      |      |      |      |      |      |
| Class                       |        |      |      |      |      |      |      |      |      |      |      |
| 5                           |        |      |      |      |      |      |      |      |      |      |      |
| 10                          |        |      |      |      |      |      |      |      |      |      |      |
| 15                          |        |      |      |      |      |      |      |      |      |      |      |
| 20                          |        |      |      |      |      |      |      |      |      |      |      |
| 25                          |        |      |      |      |      |      |      |      |      |      |      |
| 30                          |        |      |      |      |      |      |      |      |      |      |      |
| 35                          |        |      |      |      |      |      |      |      |      |      |      |
| 40                          |        |      |      |      |      |      |      |      |      |      |      |
| 45                          |        |      |      |      |      |      |      |      |      |      |      |
| 50                          |        |      |      |      |      |      |      |      |      |      |      |
| 55                          |        |      |      |      |      |      |      |      |      |      |      |
| 60                          |        |      |      |      |      |      |      |      |      |      |      |
| 65                          |        |      |      |      |      |      |      |      |      |      |      |
| 70                          |        |      |      |      |      |      |      |      |      |      |      |
| 75                          |        |      |      |      |      |      |      |      |      |      |      |
| 80                          |        |      |      |      |      |      |      |      |      |      |      |
| 85                          |        |      |      |      |      |      |      |      |      |      |      |
| 90                          |        |      |      |      |      |      |      |      |      |      |      |
| 95                          |        |      |      |      |      |      |      |      |      |      |      |
| 100                         |        |      |      |      |      |      |      |      |      |      |      |
| 105                         |        |      |      |      |      |      |      |      |      |      |      |
| 110                         |        |      |      |      |      |      |      |      |      |      |      |
| 115                         |        |      |      |      |      |      |      |      |      |      |      |
| 120                         |        |      |      |      |      |      |      |      |      |      |      |
| 125                         |        |      |      |      |      |      |      |      |      |      |      |
| 130                         |        |      |      |      |      |      |      |      |      |      |      |
| 135                         |        |      |      |      |      |      |      |      |      |      |      |
| 140                         |        |      |      |      |      |      |      |      |      |      |      |
| 145                         |        |      |      |      |      |      |      |      |      |      |      |
| 150                         |        |      |      |      |      |      |      |      |      |      |      |
| 175                         |        |      |      |      |      |      |      |      |      |      |      |
| 200                         |        |      |      |      |      |      |      |      |      |      |      |
| 225                         |        |      |      |      |      |      |      |      |      |      |      |
| 250                         |        |      |      |      |      |      |      |      |      |      |      |
| 275                         |        |      |      |      |      |      |      |      |      |      |      |
| Total                       |        |      |      |      |      |      |      |      |      |      |      |
| Dead P                      |        |      |      |      |      |      |      |      |      |      |      |
| Volume (m3/ha) for 7 Levels |        |      |      |      |      |      |      |      |      |      |      |
| 17.5 +                      |        |      |      |      |      |      |      |      |      |      |      |
| 22.5 +                      |        |      |      |      |      |      |      |      |      |      |      |
| 27.5 +                      |        |      |      |      |      |      |      |      |      |      |      |
| 32.5 +                      |        |      |      |      |      |      |      |      |      |      |      |
| 37.5 +                      |        |      |      |      |      |      |      |      |      |      |      |
| 42.5 +                      |        |      |      |      |      |      |      |      |      |      |      |
| 47.5 +                      |        |      |      |      |      |      |      |      |      |      |      |

Block : (M) - PF1:PF1, Plots in Block: 12,    TUs: [ ground : 8.3    ]

|                             |        | F    | C    | H    | B    | Y    | D    | Total | DP   | DU   | LU   |
|-----------------------------|--------|------|------|------|------|------|------|-------|------|------|------|
| Utilization Limits          |        |      |      |      |      |      |      |       |      |      |      |
| Min DBH                     | cm (M) | 17.5 | 17.5 | 17.5 | 17.5 | 17.5 | 17.5 | 17.5  | 17.5 | 17.5 | 17.5 |
| Stump Ht                    | cm (M) | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0  | 30.0 | 30.0 | 30.0 |
| Top Dia                     | cm (M) | 15.0 | 15.0 | 15.0 | 15.0 | 15.0 | 15.0 | 15.0  | 15.0 | 15.0 | 15.0 |
| Log Len                     | m      | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0  | 10.0 | 10.0 | 10.0 |
| DBH                         |        |      |      |      |      |      |      |       |      |      |      |
| Class                       |        |      |      |      |      |      |      |       |      |      |      |
| 5                           |        |      |      |      |      |      |      |       |      |      |      |
| 10                          |        |      |      |      |      |      |      |       |      |      |      |
| 15                          |        |      |      |      |      |      |      |       |      |      |      |
| 20                          |        |      |      |      |      |      |      |       |      |      |      |
| 25                          |        |      |      |      |      |      |      |       |      |      |      |
| 30                          |        |      |      |      |      |      |      |       |      |      |      |
| 35                          |        |      |      |      |      |      |      |       |      |      |      |
| 40                          |        |      |      |      |      |      |      |       |      |      |      |
| 45                          |        |      |      |      |      |      |      |       |      |      |      |
| 50                          |        |      |      |      |      |      |      |       |      |      |      |
| 55                          |        |      |      |      |      |      |      |       |      |      |      |
| 60                          |        |      |      |      |      |      |      |       |      |      |      |
| 65                          |        |      |      |      |      |      |      |       |      |      |      |
| 70                          |        |      |      |      |      | 3.9  | 3.9  |       |      |      |      |
| 75                          |        |      |      |      |      |      |      |       |      |      |      |
| 80                          |        |      |      |      |      |      |      |       |      |      |      |
| 85                          |        |      |      |      |      |      |      |       |      |      |      |
| 90                          |        |      |      |      |      |      |      |       |      |      |      |
| 95                          |        |      |      |      |      |      |      |       |      |      |      |
| 100                         |        |      |      |      |      |      |      |       |      |      |      |
| 105                         |        |      |      |      |      |      |      |       |      |      |      |
| 110                         |        |      |      |      |      |      |      |       |      |      |      |
| 115                         |        |      |      |      |      |      |      |       |      |      |      |
| 120                         |        |      |      |      |      |      |      |       |      |      |      |
| 125                         |        |      |      |      |      |      |      |       |      |      |      |
| 130                         |        |      |      |      |      |      |      |       |      |      |      |
| 135                         |        |      |      |      |      |      |      |       |      |      |      |
| 140                         |        |      |      |      |      |      |      |       |      |      |      |
| 145                         |        |      |      |      |      |      |      |       |      |      |      |
| 150                         |        |      |      |      |      |      |      |       |      |      |      |
| 175                         |        |      |      |      |      |      |      |       |      |      |      |
| 200                         |        |      |      |      |      |      |      |       |      |      |      |
| 225                         |        |      |      |      |      |      |      |       |      |      |      |
| 250                         |        |      |      |      |      |      |      |       |      |      |      |
| 275                         |        |      |      |      |      |      |      |       |      |      |      |
| Total                       |        |      |      |      |      | 3.9  | 3.9  |       |      |      |      |
| Dead P                      |        |      |      |      |      |      |      |       |      |      |      |
| Volume (m3/ha) for 7 Levels |        |      |      |      |      |      |      |       |      |      |      |
| 17.5 +                      |        |      |      |      |      | 3.9  | 3.9  |       |      |      |      |
| 22.5 +                      |        |      |      |      |      | 3.9  | 3.9  |       |      |      |      |
| 27.5 +                      |        |      |      |      |      | 3.9  | 3.9  |       |      |      |      |
| 32.5 +                      |        |      |      |      |      | 3.9  | 3.9  |       |      |      |      |
| 37.5 +                      |        |      |      |      |      | 3.9  | 3.9  |       |      |      |      |
| 42.5 +                      |        |      |      |      |      | 3.9  | 3.9  |       |      |      |      |
| 47.5 +                      |        |      |      |      |      | 3.9  | 3.9  |       |      |      |      |

Block : (M) - PF1:PF1, Plots in Block: 12, TUs: [ cable : 5.0 ]

| Utilization Limits          |        |      |      |      |      |      |      |      |      |      |      |
|-----------------------------|--------|------|------|------|------|------|------|------|------|------|------|
| Min DBH                     | cm (M) | 17.5 | 17.5 | 17.5 | 17.5 | 17.5 | 17.5 | 17.5 | 17.5 | 17.5 | 17.5 |
| Stump Ht                    | cm (M) | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 |
| Top Dia                     | cm (M) | 15.0 | 15.0 | 15.0 | 15.0 | 15.0 | 15.0 | 15.0 | 15.0 | 15.0 | 15.0 |
| Log Len                     | m      | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 |
| DBH                         |        |      |      |      |      |      |      |      |      |      |      |
| Class                       |        |      |      |      |      |      |      |      |      |      |      |
| 5                           |        |      |      |      |      |      |      |      |      |      |      |
| 10                          |        |      |      |      |      |      |      |      |      |      |      |
| 15                          |        |      |      |      |      |      |      |      |      |      |      |
| 20                          |        |      |      |      |      |      |      |      |      |      |      |
| 25                          |        |      |      |      |      |      |      |      |      |      |      |
| 30                          |        |      |      |      |      |      |      |      |      |      |      |
| 35                          |        |      |      |      |      |      |      |      |      |      |      |
| 40                          |        |      |      |      |      |      |      |      |      |      |      |
| 45                          |        |      |      |      |      |      |      |      |      |      |      |
| 50                          |        |      |      |      |      |      |      |      |      |      |      |
| 55                          |        |      |      |      |      |      |      |      |      |      |      |
| 60                          |        |      |      |      |      |      |      |      |      |      |      |
| 65                          |        |      |      |      |      |      |      |      |      |      |      |
| 70                          |        |      |      |      |      |      |      |      |      |      |      |
| 75                          |        |      |      |      |      |      |      |      |      |      |      |
| 80                          |        |      |      |      |      |      |      |      |      |      |      |
| 85                          |        |      |      |      |      |      |      |      |      |      |      |
| 90                          |        |      |      |      |      |      |      |      |      |      |      |
| 95                          |        |      |      |      |      |      |      |      |      |      |      |
| 100                         |        |      |      |      |      |      |      |      |      |      |      |
| 105                         |        |      |      |      |      |      |      |      |      |      |      |
| 110                         |        |      |      |      |      |      |      |      |      |      |      |
| 115                         |        |      |      |      |      |      |      |      |      |      |      |
| 120                         |        |      |      |      |      |      |      |      |      |      |      |
| 125                         |        |      |      |      |      |      |      |      |      |      |      |
| 130                         |        |      |      |      |      |      |      |      |      |      |      |
| 135                         |        |      |      |      |      |      |      |      |      |      |      |
| 140                         |        |      |      |      |      |      |      |      |      |      |      |
| 145                         |        |      |      |      |      |      |      |      |      |      |      |
| 150                         |        |      |      |      |      |      |      |      |      |      |      |
| 175                         |        |      |      |      |      |      |      |      |      |      |      |
| 200                         |        |      |      |      |      |      |      |      |      |      |      |
| 225                         |        |      |      |      |      |      |      |      |      |      |      |
| 250                         |        |      |      |      |      |      |      |      |      |      |      |
| 275                         |        |      |      |      |      |      |      |      |      |      |      |
| Total                       |        |      |      |      |      |      |      |      |      |      |      |
| Dead P                      |        |      |      |      |      |      |      |      |      |      |      |
| Volume (m3/ha) for 7 Levels |        |      |      |      |      |      |      |      |      |      |      |
| 17.5 +                      |        |      |      |      |      |      |      |      |      |      |      |
| 22.5 +                      |        |      |      |      |      |      |      |      |      |      |      |
| 27.5 +                      |        |      |      |      |      |      |      |      |      |      |      |
| 32.5 +                      |        |      |      |      |      |      |      |      |      |      |      |
| 37.5 +                      |        |      |      |      |      |      |      |      |      |      |      |
| 42.5 +                      |        |      |      |      |      |      |      |      |      |      |      |
| 47.5 +                      |        |      |      |      |      |      |      |      |      |      |      |

Type 1 (M):HwBa 946, Plots in Type: 12, TUs: [All Treatment Units : 13.3 ]

| Utilization Limits          |        |      |      |      |      |      |      |      |      |      |      |
|-----------------------------|--------|------|------|------|------|------|------|------|------|------|------|
| Min DBH                     | cm (M) | 17.5 | 17.5 | 17.5 | 17.5 | 17.5 | 17.5 | 17.5 | 17.5 | 17.5 | 17.5 |
| Stump Ht                    | cm (M) | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 |
| Top Dia                     | cm (M) | 15.0 | 15.0 | 15.0 | 15.0 | 15.0 | 15.0 | 15.0 | 15.0 | 15.0 | 15.0 |
| Log Len                     | m      | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 |
| DBH                         |        |      |      |      |      |      |      |      |      |      |      |
| Class                       |        |      |      |      |      |      |      |      |      |      |      |
| 5                           |        |      |      |      |      |      |      |      |      |      |      |
| 10                          |        |      |      |      |      |      |      |      |      |      |      |
| 15                          |        |      |      |      |      |      |      |      |      |      |      |
| 20                          |        |      |      |      |      |      |      |      |      |      |      |
| 25                          |        |      |      |      |      |      |      |      |      |      |      |
| 30                          |        |      |      |      |      |      |      |      |      |      |      |
| 35                          |        |      |      |      |      |      |      |      |      |      |      |
| 40                          |        |      |      |      |      |      |      |      |      |      |      |
| 45                          |        |      |      |      |      |      |      |      |      |      |      |
| 50                          |        |      |      |      |      |      |      |      |      |      |      |
| 55                          |        |      |      |      |      |      |      |      |      |      |      |
| 60                          |        |      |      |      |      |      |      |      |      |      |      |
| 65                          |        |      |      |      |      |      |      |      |      |      |      |
| 70                          |        |      |      |      |      |      |      |      |      |      |      |
| 75                          |        |      |      |      |      |      |      |      |      |      |      |
| 80                          |        |      |      |      |      |      |      |      |      |      |      |
| 85                          |        |      |      |      |      |      |      |      |      |      |      |
| 90                          |        |      |      |      |      |      |      |      |      |      |      |
| 95                          |        |      |      |      |      |      |      |      |      |      |      |
| 100                         |        |      |      |      |      |      |      |      |      |      |      |
| 105                         |        |      |      |      |      |      |      |      |      |      |      |
| 110                         |        |      |      |      |      |      |      |      |      |      |      |
| 115                         |        |      |      |      |      |      |      |      |      |      |      |
| 120                         |        |      |      |      |      |      |      |      |      |      |      |
| 125                         |        |      |      |      |      |      |      |      |      |      |      |
| 130                         |        |      |      |      |      |      |      |      |      |      |      |
| 135                         |        |      |      |      |      |      |      |      |      |      |      |
| 140                         |        |      |      |      |      |      |      |      |      |      |      |
| 145                         |        |      |      |      |      |      |      |      |      |      |      |
| 150                         |        |      |      |      |      |      |      |      |      |      |      |
| 175                         |        |      |      |      |      |      |      |      |      |      |      |
| 200                         |        |      |      |      |      |      |      |      |      |      |      |
| 225                         |        |      |      |      |      |      |      |      |      |      |      |
| 250                         |        |      |      |      |      |      |      |      |      |      |      |
| 275                         |        |      |      |      |      |      |      |      |      |      |      |
| Total                       |        |      |      |      |      |      |      |      |      |      |      |
| Dead P                      |        |      |      |      |      |      |      |      |      |      |      |
| Volume (m3/ha) for 7 Levels |        |      |      |      |      |      |      |      |      |      |      |
| 17.5 +                      |        |      |      |      |      |      |      |      |      |      |      |
| 22.5 +                      |        |      |      |      |      |      |      |      |      |      |      |
| 27.5 +                      |        |      |      |      |      |      |      |      |      |      |      |
| 32.5 +                      |        |      |      |      |      |      |      |      |      |      |      |
| 37.5 +                      |        |      |      |      |      |      |      |      |      |      |      |
| 42.5 +                      |        |      |      |      |      |      |      |      |      |      |      |
| 47.5 +                      |        |      |      |      |      |      |      |      |      |      |      |

Type 1 (M):HwBa 946, Plots in Type: 12, TUs: [ ground : 8.3 ]

| Utilization Limits          |        |      |      |      |      |      |      |      |      |      |      |
|-----------------------------|--------|------|------|------|------|------|------|------|------|------|------|
| Min DBH                     | cm (M) | 17.5 | 17.5 | 17.5 | 17.5 | 17.5 | 17.5 | 17.5 | 17.5 | 17.5 | 17.5 |
| Stump Ht                    | cm (M) | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 |
| Top Dia                     | cm (M) | 15.0 | 15.0 | 15.0 | 15.0 | 15.0 | 15.0 | 15.0 | 15.0 | 15.0 | 15.0 |
| Log Len                     | m      | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 |
| DBH                         |        |      |      |      |      |      |      |      |      |      |      |
| Class                       |        |      |      |      |      |      |      |      |      |      |      |
| 5                           |        |      |      |      |      |      |      |      |      |      |      |
| 10                          |        |      |      |      |      |      |      |      |      |      |      |
| 15                          |        |      |      |      |      |      |      |      |      |      |      |
| 20                          |        |      |      |      |      |      |      |      |      |      |      |
| 25                          |        |      |      |      |      |      |      |      |      |      |      |
| 30                          |        |      |      |      |      |      |      |      |      |      |      |
| 35                          |        |      |      |      |      |      |      |      |      |      |      |
| 40                          |        |      |      |      |      |      |      |      |      |      |      |
| 45                          |        |      |      |      |      |      |      |      |      |      |      |
| 50                          |        |      |      |      |      |      |      |      |      |      |      |
| 55                          |        |      |      |      |      |      |      |      |      |      |      |
| 60                          |        |      |      |      |      |      |      |      |      |      |      |
| 65                          |        |      |      |      |      |      |      |      |      |      |      |
| 70                          |        |      |      |      |      |      |      |      |      |      |      |
| 75                          |        |      |      |      |      |      |      |      |      |      |      |
| 80                          |        |      |      |      |      |      |      |      |      |      |      |
| 85                          |        |      |      |      |      |      |      |      |      |      |      |
| 90                          |        |      |      |      |      |      |      |      |      |      |      |
| 95                          |        |      |      |      |      |      |      |      |      |      |      |
| 100                         |        |      |      |      |      |      |      |      |      |      |      |
| 105                         |        |      |      |      |      |      |      |      |      |      |      |
| 110                         |        |      |      |      |      |      |      |      |      |      |      |
| 115                         |        |      |      |      |      |      |      |      |      |      |      |
| 120                         |        |      |      |      |      |      |      |      |      |      |      |
| 125                         |        |      |      |      |      |      |      |      |      |      |      |
| 130                         |        |      |      |      |      |      |      |      |      |      |      |
| 135                         |        |      |      |      |      |      |      |      |      |      |      |
| 140                         |        |      |      |      |      |      |      |      |      |      |      |
| 145                         |        |      |      |      |      |      |      |      |      |      |      |
| 150                         |        |      |      |      |      |      |      |      |      |      |      |
| 175                         |        |      |      |      |      |      |      |      |      |      |      |
| 200                         |        |      |      |      |      |      |      |      |      |      |      |
| 225                         |        |      |      |      |      |      |      |      |      |      |      |
| 250                         |        |      |      |      |      |      |      |      |      |      |      |
| 275                         |        |      |      |      |      |      |      |      |      |      |      |
| Total                       |        |      |      |      |      |      |      |      |      |      |      |
| Dead P                      |        |      |      |      |      |      |      |      |      |      |      |
| Volume (m3/ha) for 7 Levels |        |      |      |      |      |      |      |      |      |      |      |
| 17.5 +                      |        |      |      |      |      |      |      |      |      |      |      |
| 22.5 +                      |        |      |      |      |      |      |      |      |      |      |      |
| 27.5 +                      |        |      |      |      |      |      |      |      |      |      |      |
| 32.5 +                      |        |      |      |      |      |      |      |      |      |      |      |
| 37.5 +                      |        |      |      |      |      |      |      |      |      |      |      |
| 42.5 +                      |        |      |      |      |      |      |      |      |      |      |      |
| 47.5 +                      |        |      |      |      |      |      |      |      |      |      |      |

Type 1 (M):HwBa 946, Plots in Type: 12, TUs: [ cable : 5.0 ]

| Utilization Limits          |        |      |      |      |      |      |      |      |      |      |      |
|-----------------------------|--------|------|------|------|------|------|------|------|------|------|------|
| Min DBH                     | cm (M) | 17.5 | 17.5 | 17.5 | 17.5 | 17.5 | 17.5 | 17.5 | 17.5 | 17.5 | 17.5 |
| Stump Ht                    | cm (M) | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 |
| Top Dia                     | cm (M) | 15.0 | 15.0 | 15.0 | 15.0 | 15.0 | 15.0 | 15.0 | 15.0 | 15.0 | 15.0 |
| Log Len                     | m      | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 |
| DBH                         |        |      |      |      |      |      |      |      |      |      |      |
| Class                       |        |      |      |      |      |      |      |      |      |      |      |
| 5                           |        |      |      |      |      |      |      |      |      |      |      |
| 10                          |        |      |      |      |      |      |      |      |      |      |      |
| 15                          |        |      |      |      |      |      |      |      |      |      |      |
| 20                          |        |      |      |      |      |      |      |      |      |      |      |
| 25                          |        |      |      |      |      |      |      |      |      |      |      |
| 30                          |        |      |      |      |      |      |      |      |      |      |      |
| 35                          |        |      |      |      |      |      |      |      |      |      |      |
| 40                          |        |      |      |      |      |      |      |      |      |      |      |
| 45                          |        |      |      |      |      |      |      |      |      |      |      |
| 50                          |        |      |      |      |      |      |      |      |      |      |      |
| 55                          |        |      |      |      |      |      |      |      |      |      |      |
| 60                          |        |      |      |      |      |      |      |      |      |      |      |
| 65                          |        |      |      |      |      |      |      |      |      |      |      |
| 70                          |        |      |      |      |      |      |      |      |      |      |      |
| 75                          |        |      |      |      |      |      |      |      |      |      |      |
| 80                          |        |      |      |      |      |      |      |      |      |      |      |
| 85                          |        |      |      |      |      |      |      |      |      |      |      |
| 90                          |        |      |      |      |      |      |      |      |      |      |      |
| 95                          |        |      |      |      |      |      |      |      |      |      |      |
| 100                         |        |      |      |      |      |      |      |      |      |      |      |
| 105                         |        |      |      |      |      |      |      |      |      |      |      |
| 110                         |        |      |      |      |      |      |      |      |      |      |      |
| 115                         |        |      |      |      |      |      |      |      |      |      |      |
| 120                         |        |      |      |      |      |      |      |      |      |      |      |
| 125                         |        |      |      |      |      |      |      |      |      |      |      |
| 130                         |        |      |      |      |      |      |      |      |      |      |      |
| 135                         |        |      |      |      |      |      |      |      |      |      |      |
| 140                         |        |      |      |      |      |      |      |      |      |      |      |
| 145                         |        |      |      |      |      |      |      |      |      |      |      |
| 150                         |        |      |      |      |      |      |      |      |      |      |      |
| 175                         |        |      |      |      |      |      |      |      |      |      |      |
| 200                         |        |      |      |      |      |      |      |      |      |      |      |
| 225                         |        |      |      |      |      |      |      |      |      |      |      |
| 250                         |        |      |      |      |      |      |      |      |      |      |      |
| 275                         |        |      |      |      |      |      |      |      |      |      |      |
| Total                       |        |      |      |      |      |      |      |      |      |      |      |
| Dead P                      |        |      |      |      |      |      |      |      |      |      |      |
| Volume (m3/ha) for 7 Levels |        |      |      |      |      |      |      |      |      |      |      |
| 17.5 +                      |        |      |      |      |      |      |      |      |      |      |      |
| 22.5 +                      |        |      |      |      |      |      |      |      |      |      |      |
| 27.5 +                      |        |      |      |      |      |      |      |      |      |      |      |
| 32.5 +                      |        |      |      |      |      |      |      |      |      |      |      |
| 37.5 +                      |        |      |      |      |      |      |      |      |      |      |      |
| 42.5 +                      |        |      |      |      |      |      |      |      |      |      |      |
| 47.5 +                      |        |      |      |      |      |      |      |      |      |      |      |





## Type Stock Table (m3/ha)

Average Line Method  
TS'ELXWEYEQW  
Licence Number: A75807 CP: 14  
Project: 2018-04

Grades: MOF Computerized  
Computerized Decay  
Computerized Waste  
Computerized Breakage

FIZ: C  
PSYU: Dewdney (Chilliwack)  
Region: 1 - South Coast  
District: 01 - Chilliwack

```
10-Sep-2018 06:41:38PM
Filename: tsc-2018-04-a75807-cp-14.ccp
Compiled by: IFS
Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204
```

Type 6 (I):FH(C) 6+, Plots in Type: 7, TUs: [All Treatment Units : 5.8 ]

|                             |        | F    | C    | H    | B    | Y    | D    | Total | DP   | DU   | LU   |
|-----------------------------|--------|------|------|------|------|------|------|-------|------|------|------|
| Utilization Limits          |        |      |      |      |      |      |      |       |      |      |      |
| Min DBH                     | cm (I) | 12.0 | 12.0 | 12.0 | 12.0 | 12.0 | 12.0 | 12.0  | 12.0 | 12.0 | 12.0 |
| Stump Ht                    | cm (I) | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0  | 30.0 | 30.0 | 30.0 |
| Top Dia                     | cm (I) | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0  | 10.0 | 10.0 | 10.0 |
| Log Len                     | m      | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0  | 10.0 | 10.0 | 10.0 |
| DBH Class                   |        |      |      |      |      |      |      |       |      |      |      |
| 5                           |        |      |      |      |      |      |      |       |      |      |      |
| 10                          |        |      |      |      |      |      |      |       |      |      |      |
| 15                          |        |      |      |      |      |      |      |       |      |      |      |
| 20                          |        | 1.6  | 1.5  | 5.8  |      |      |      | 8.9   |      |      |      |
| 25                          |        |      | 0.8  | 3.4  |      |      |      | 4.2   |      |      |      |
| 30                          |        | 5.8  | 0.5  | 5.9  |      |      |      | 12.1  |      |      |      |
| 35                          |        | 5.1  |      |      |      |      |      | 5.1   |      |      |      |
| 40                          |        | 3.1  |      | 9.3  |      |      |      | 12.4  |      |      |      |
| 45                          |        | 2.5  |      |      |      |      |      | 2.5   |      |      |      |
| 50                          |        |      |      |      |      |      |      |       |      |      |      |
| 55                          |        |      |      |      |      |      |      |       |      |      |      |
| 60                          |        |      |      |      |      |      |      |       |      |      |      |
| 65                          |        | 1.4  |      |      |      |      |      | 1.4   |      |      |      |
| 70                          |        | 2.5  |      |      |      |      |      | 2.5   |      |      |      |
| 75                          |        |      |      |      |      |      |      |       |      |      |      |
| 80                          |        | 0.6  |      |      |      |      |      | 0.6   |      |      |      |
| 85                          |        |      | 2.5  |      |      |      |      | 2.5   |      |      |      |
| 90                          |        | 4.2  |      |      |      |      |      | 4.2   |      |      |      |
| 95                          |        | 3.4  |      |      |      |      |      | 3.4   |      |      |      |
| 100                         |        |      |      |      |      |      |      |       |      |      |      |
| 105                         |        |      |      |      |      |      |      |       |      |      |      |
| 110                         |        |      |      |      |      |      |      |       |      |      |      |
| 115                         |        |      |      |      |      |      |      |       |      |      |      |
| 120                         |        |      |      |      |      |      |      |       |      |      |      |
| 125                         |        |      |      |      |      |      |      |       |      |      |      |
| 130                         |        |      |      |      |      |      |      |       |      |      |      |
| 135                         |        |      |      |      |      |      |      |       |      |      |      |
| 140                         |        |      |      |      |      |      |      |       |      |      |      |
| 145                         |        |      |      |      |      |      |      |       |      |      |      |
| 150                         |        |      |      |      |      |      |      |       |      |      |      |
| 175                         |        |      |      |      |      |      |      |       |      |      |      |
| 200                         |        |      |      |      |      |      |      |       |      |      |      |
| 225                         |        |      |      |      |      |      |      |       |      |      |      |
| 250                         |        |      |      |      |      |      |      |       |      |      |      |
| 275                         |        |      |      |      |      |      |      |       |      |      |      |
| Total Dead P                |        | 30.1 | 5.3  | 24.4 |      |      |      | 59.8  |      |      |      |
| Volume (m3/ha) for 7 Levels |        |      |      |      |      |      |      |       |      |      |      |
| 17.5 +                      |        | 30.1 | 5.3  | 24.4 |      |      |      | 59.8  |      |      |      |
| 22.5 +                      |        | 28.6 | 3.8  | 18.6 |      |      |      | 50.9  |      |      |      |
| 27.5 +                      |        | 28.6 | 3.0  | 15.2 |      |      |      | 46.7  |      |      |      |
| 32.5 +                      |        | 22.8 | 2.5  | 9.3  |      |      |      | 34.6  |      |      |      |
| 37.5 +                      |        | 17.7 | 2.5  | 9.3  |      |      |      | 29.5  |      |      |      |
| 42.5 +                      |        | 14.6 | 2.5  |      |      |      |      | 17.1  |      |      |      |
| 47.5 +                      |        | 12.1 | 2.5  |      |      |      |      | 14.6  |      |      |      |



Type 6   (I):FH(C) 6+, Plots in Type: 7, TUs: [ Partial : 1.4   ]

|                    |        |  | F                           | C    | H     | B    | Y    | D    | Total | DP   | DU   | LU   |
|--------------------|--------|--|-----------------------------|------|-------|------|------|------|-------|------|------|------|
| Utilization Limits |        |  |                             |      |       |      |      |      |       |      |      |      |
| Min DBH            | cm (I) |  | 12.0                        | 12.0 | 12.0  | 12.0 | 12.0 | 12.0 | 12.0  | 12.0 | 12.0 | 12.0 |
| Stump Ht           | cm (I) |  | 30.0                        | 30.0 | 30.0  | 30.0 | 30.0 | 30.0 | 30.0  | 30.0 | 30.0 | 30.0 |
| Top Dia            | cm (I) |  | 10.0                        | 10.0 | 10.0  | 10.0 | 10.0 | 10.0 | 10.0  | 10.0 | 10.0 | 10.0 |
| Log Len            | m      |  | 10.0                        | 10.0 | 10.0  | 10.0 | 10.0 | 10.0 | 10.0  | 10.0 | 10.0 | 10.0 |
| DBH                |        |  |                             |      |       |      |      |      |       |      |      |      |
| Class              |        |  |                             |      |       |      |      |      |       |      |      |      |
| 5                  |        |  |                             |      |       |      |      |      |       |      |      |      |
| 10                 |        |  |                             |      |       |      |      |      |       |      |      |      |
| 15                 |        |  |                             |      |       |      |      |      |       |      |      |      |
| 20                 |        |  | 6.4                         | 6.1  | 24.2  |      |      |      | 36.7  |      |      |      |
| 25                 |        |  |                             | 3.5  | 14.1  |      |      |      | 17.6  |      |      |      |
| 30                 |        |  | 24.1                        | 1.9  | 24.3  |      |      |      | 50.2  |      |      |      |
| 35                 |        |  | 21.1                        |      |       |      |      |      | 21.1  |      |      |      |
| 40                 |        |  | 12.7                        |      | 38.6  |      |      |      | 51.2  |      |      |      |
| 45                 |        |  | 10.5                        |      |       |      |      |      | 10.5  |      |      |      |
| 50                 |        |  |                             |      |       |      |      |      |       |      |      |      |
| 55                 |        |  |                             |      |       |      |      |      |       |      |      |      |
| 60                 |        |  |                             |      |       |      |      |      |       |      |      |      |
| 65                 |        |  | 5.8                         |      |       |      |      |      | 5.8   |      |      |      |
| 70                 |        |  | 10.3                        |      |       |      |      |      | 10.3  |      |      |      |
| 75                 |        |  |                             |      |       |      |      |      |       |      |      |      |
| 80                 |        |  | 2.6                         |      |       |      |      |      | 2.6   |      |      |      |
| 85                 |        |  |                             | 10.4 |       |      |      |      | 10.4  |      |      |      |
| 90                 |        |  | 17.2                        |      |       |      |      |      | 17.2  |      |      |      |
| 95                 |        |  | 14.2                        |      |       |      |      |      | 14.2  |      |      |      |
| 100                |        |  |                             |      |       |      |      |      |       |      |      |      |
| 105                |        |  |                             |      |       |      |      |      |       |      |      |      |
| 110                |        |  |                             |      |       |      |      |      |       |      |      |      |
| 115                |        |  |                             |      |       |      |      |      |       |      |      |      |
| 120                |        |  |                             |      |       |      |      |      |       |      |      |      |
| 125                |        |  |                             |      |       |      |      |      |       |      |      |      |
| 130                |        |  |                             |      |       |      |      |      |       |      |      |      |
| 135                |        |  |                             |      |       |      |      |      |       |      |      |      |
| 140                |        |  |                             |      |       |      |      |      |       |      |      |      |
| 145                |        |  |                             |      |       |      |      |      |       |      |      |      |
| 150                |        |  |                             |      |       |      |      |      |       |      |      |      |
| 175                |        |  |                             |      |       |      |      |      |       |      |      |      |
| 200                |        |  |                             |      |       |      |      |      |       |      |      |      |
| 225                |        |  |                             |      |       |      |      |      |       |      |      |      |
| 250                |        |  |                             |      |       |      |      |      |       |      |      |      |
| 275                |        |  |                             |      |       |      |      |      |       |      |      |      |
| Total              |        |  | 124.9                       | 21.8 | 101.1 |      |      |      | 247.8 |      |      |      |
| Dead P             |        |  |                             |      |       |      |      |      |       |      |      |      |
|                    |        |  | Volume (m3/ha) for 7 Levels |      |       |      |      |      |       |      |      |      |
| 17.5 +             |        |  | 124.9                       | 21.8 | 101.1 |      |      |      | 247.8 |      |      |      |
| 22.5 +             |        |  | 118.4                       | 15.7 | 76.9  |      |      |      | 211.1 |      |      |      |
| 27.5 +             |        |  | 118.4                       | 12.3 | 62.8  |      |      |      | 193.5 |      |      |      |
| 32.5 +             |        |  | 94.3                        | 10.4 | 38.6  |      |      |      | 143.3 |      |      |      |
| 37.5 +             |        |  | 73.3                        | 10.4 | 38.6  |      |      |      | 122.2 |      |      |      |
| 42.5 +             |        |  | 60.6                        | 10.4 |       |      |      |      | 71.0  |      |      |      |
| 47.5 +             |        |  | 50.1                        | 10.4 |       |      |      |      | 60.5  |      |      |      |

[All Treatment Units : 24.9 ]

|                                |        | F    | C    | H    | B    | Y    | D    | Total | DP   | DU   | LU   |
|--------------------------------|--------|------|------|------|------|------|------|-------|------|------|------|
| Utilization Limits             |        |      |      |      |      |      |      |       |      |      |      |
| Min DBH                        | cm (M) | 17.5 | 17.5 | 17.5 | 17.5 | 17.5 | 17.5 | 17.5  | 17.5 | 17.5 | 17.5 |
| Stump Ht                       | cm (M) | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0  | 30.0 | 30.0 | 30.0 |
| Top Dia                        | cm (M) | 15.0 | 15.0 | 15.0 | 15.0 | 15.0 | 15.0 | 15.0  | 15.0 | 15.0 | 15.0 |
| Min DBH                        | cm (I) | 12.0 | 12.0 | 12.0 | 12.0 | 12.0 | 12.0 | 12.0  | 12.0 | 12.0 | 12.0 |
| Stump Ht                       | cm (I) | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0  | 30.0 | 30.0 | 30.0 |
| Top Dia                        | cm (I) | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0  | 10.0 | 10.0 | 10.0 |
| Log Len                        | m      | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0  | 10.0 | 10.0 | 10.0 |
| DBH                            |        |      |      |      |      |      |      |       |      |      |      |
| Class                          |        |      |      |      |      |      |      |       |      |      |      |
| 5                              |        |      |      |      |      |      |      |       |      |      |      |
| 10                             |        |      |      |      |      |      |      |       |      |      |      |
| 15                             |        |      |      |      |      |      |      |       |      |      |      |
| 20                             |        | 0.0  | 0.0  | 0.1  |      |      |      | 0.2   |      |      |      |
| 25                             |        |      | 0.0  | 0.1  |      |      |      | 0.1   |      |      |      |
| 30                             |        | 0.1  | 0.0  | 0.1  |      |      |      | 0.2   |      |      |      |
| 35                             |        | 0.1  |      |      |      |      |      | 0.1   |      |      |      |
| 40                             |        | 0.1  |      | 0.2  |      |      |      | 0.2   |      |      |      |
| 45                             |        | 0.0  |      |      |      |      |      | 0.0   |      |      |      |
| 50                             |        |      |      |      |      |      |      |       |      |      |      |
| 55                             |        |      |      |      |      |      |      |       |      |      |      |
| 60                             |        |      |      |      |      |      |      |       |      |      |      |
| 65                             |        | 0.0  |      |      |      |      |      | 0.0   |      |      |      |
| 70                             |        | 0.0  |      |      |      | 0.3  |      | 0.3   |      |      |      |
| 75                             |        |      |      |      |      |      |      |       |      |      |      |
| 80                             |        | 0.0  |      |      |      |      |      | 0.0   |      |      |      |
| 85                             |        |      | 0.1  |      |      |      |      | 0.1   |      |      |      |
| 90                             |        | 0.1  |      |      |      |      |      | 0.1   |      |      |      |
| 95                             |        | 0.1  |      |      |      |      |      | 0.1   |      |      |      |
| 100                            |        |      |      |      |      |      |      |       |      |      |      |
| 105                            |        |      |      |      |      |      |      |       |      |      |      |
| 110                            |        |      |      |      |      |      |      |       |      |      |      |
| 115                            |        |      |      |      |      |      |      |       |      |      |      |
| 120                            |        |      |      |      |      |      |      |       |      |      |      |
| 125                            |        |      |      |      |      |      |      |       |      |      |      |
| 130                            |        |      |      |      |      |      |      |       |      |      |      |
| 135                            |        |      |      |      |      |      |      |       |      |      |      |
| 140                            |        |      |      |      |      |      |      |       |      |      |      |
| 145                            |        |      |      |      |      |      |      |       |      |      |      |
| 150                            |        |      |      |      |      |      |      |       |      |      |      |
| 175                            |        |      |      |      |      |      |      |       |      |      |      |
| 200                            |        |      |      |      |      |      |      |       |      |      |      |
| 225                            |        |      |      |      |      |      |      |       |      |      |      |
| 250                            |        |      |      |      |      |      |      |       |      |      |      |
| 275                            |        |      |      |      |      |      |      |       |      |      |      |
| Total                          |        | 0.6  | 0.2  | 0.5  |      | 0.3  |      | 1.5   |      |      |      |
| Dead P                         |        |      |      |      |      |      |      |       |      |      |      |
| Dead U                         |        |      |      |      |      |      |      |       |      |      |      |
| Live U                         |        |      |      |      |      |      |      |       |      |      |      |
| Basal Area (m2/ha) at 5 Levels |        |      |      |      |      |      |      |       |      |      |      |
| 12.5 +                         |        | 0.6  | 0.2  | 0.5  |      | 0.3  |      | 1.5   |      |      |      |
| 17.5 +                         |        | 0.6  | 0.2  | 0.5  |      | 0.3  |      | 1.5   |      |      |      |
| 22.5 +                         |        | 0.6  | 0.1  | 0.3  |      | 0.3  |      | 1.3   |      |      |      |
| 27.5 +                         |        | 0.6  | 0.1  | 0.3  |      | 0.3  |      | 1.2   |      |      |      |
| 32.5 +                         |        | 0.5  | 0.1  | 0.2  |      | 0.3  |      | 1.0   |      |      |      |

[ ground : 11.8 ]

|                                |        | F    | C    | H    | B    | Y    | D    | Total | DP   | DU   | LU   |
|--------------------------------|--------|------|------|------|------|------|------|-------|------|------|------|
| Utilization Limits             |        |      |      |      |      |      |      |       |      |      |      |
| Min DBH                        | cm (M) | 17.5 | 17.5 | 17.5 | 17.5 | 17.5 | 17.5 | 17.5  | 17.5 | 17.5 | 17.5 |
| Stump Ht                       | cm (M) | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0  | 30.0 | 30.0 | 30.0 |
| Top Dia                        | cm (M) | 15.0 | 15.0 | 15.0 | 15.0 | 15.0 | 15.0 | 15.0  | 15.0 | 15.0 | 15.0 |
| Min DBH                        | cm (I) | 12.0 | 12.0 | 12.0 | 12.0 | 12.0 | 12.0 | 12.0  | 12.0 | 12.0 | 12.0 |
| Stump Ht                       | cm (I) | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0  | 30.0 | 30.0 | 30.0 |
| Top Dia                        | cm (I) | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0  | 10.0 | 10.0 | 10.0 |
| Log Len                        | m      | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0  | 10.0 | 10.0 | 10.0 |
| DBH                            |        |      |      |      |      |      |      |       |      |      |      |
| Class                          |        |      |      |      |      |      |      |       |      |      |      |
| 5                              |        |      |      |      |      |      |      |       |      |      |      |
| 10                             |        |      |      |      |      |      |      |       |      |      |      |
| 15                             |        |      |      |      |      |      |      |       |      |      |      |
| 20                             |        |      |      |      |      |      |      |       |      |      |      |
| 25                             |        |      |      |      |      |      |      |       |      |      |      |
| 30                             |        |      |      |      |      |      |      |       |      |      |      |
| 35                             |        |      |      |      |      |      |      |       |      |      |      |
| 40                             |        |      |      |      |      |      |      |       |      |      |      |
| 45                             |        |      |      |      |      |      |      |       |      |      |      |
| 50                             |        |      |      |      |      |      |      |       |      |      |      |
| 55                             |        |      |      |      |      |      |      |       |      |      |      |
| 60                             |        |      |      |      |      |      |      |       |      |      |      |
| 65                             |        |      |      |      |      |      |      |       |      |      |      |
| 70                             |        |      |      |      |      |      |      |       |      |      |      |
| 75                             |        |      |      |      |      |      |      |       |      |      |      |
| 80                             |        |      |      |      |      |      |      |       |      |      |      |
| 85                             |        |      |      |      |      |      |      |       |      |      |      |
| 90                             |        |      |      |      |      |      |      |       |      |      |      |
| 95                             |        |      |      |      |      |      |      |       |      |      |      |
| 100                            |        |      |      |      |      |      |      |       |      |      |      |
| 105                            |        |      |      |      |      |      |      |       |      |      |      |
| 110                            |        |      |      |      |      |      |      |       |      |      |      |
| 115                            |        |      |      |      |      |      |      |       |      |      |      |
| 120                            |        |      |      |      |      |      |      |       |      |      |      |
| 125                            |        |      |      |      |      |      |      |       |      |      |      |
| 130                            |        |      |      |      |      |      |      |       |      |      |      |
| 135                            |        |      |      |      |      |      |      |       |      |      |      |
| 140                            |        |      |      |      |      |      |      |       |      |      |      |
| 145                            |        |      |      |      |      |      |      |       |      |      |      |
| 150                            |        |      |      |      |      |      |      |       |      |      |      |
| 175                            |        |      |      |      |      |      |      |       |      |      |      |
| 200                            |        |      |      |      |      |      |      |       |      |      |      |
| 225                            |        |      |      |      |      |      |      |       |      |      |      |
| 250                            |        |      |      |      |      |      |      |       |      |      |      |
| 275                            |        |      |      |      |      |      |      |       |      |      |      |
| Total                          |        |      |      |      |      |      |      |       |      |      |      |
| Dead P                         |        |      |      |      |      |      |      |       |      |      |      |
| Dead U                         |        |      |      |      |      |      |      |       |      |      |      |
| Live U                         |        |      |      |      |      |      |      |       |      |      |      |
| Basal Area (m2/ha) at 5 Levels |        |      |      |      |      |      |      |       |      |      |      |
| 12.5 +                         |        |      |      |      |      |      |      |       |      |      |      |
| 17.5 +                         |        |      |      |      |      |      |      |       |      |      |      |
| 22.5 +                         |        |      |      |      |      |      |      |       |      |      |      |
| 27.5 +                         |        |      |      |      |      |      |      |       |      |      |      |
| 32.5 +                         |        |      |      |      |      |      |      |       |      |      |      |

[ cable : 11.7 ]

|                                |        | F    | C    | H    | B    | Y    | D    | Total | DP   | DU   | LU   |
|--------------------------------|--------|------|------|------|------|------|------|-------|------|------|------|
| Utilization Limits             |        |      |      |      |      |      |      |       |      |      |      |
| Min DBH                        | cm (M) | 17.5 | 17.5 | 17.5 | 17.5 | 17.5 | 17.5 | 17.5  | 17.5 | 17.5 | 17.5 |
| Stump Ht                       | cm (M) | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0  | 30.0 | 30.0 | 30.0 |
| Top Dia                        | cm (M) | 15.0 | 15.0 | 15.0 | 15.0 | 15.0 | 15.0 | 15.0  | 15.0 | 15.0 | 15.0 |
| Min DBH                        | cm (I) | 12.0 | 12.0 | 12.0 | 12.0 | 12.0 | 12.0 | 12.0  | 12.0 | 12.0 | 12.0 |
| Stump Ht                       | cm (I) | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0  | 30.0 | 30.0 | 30.0 |
| Top Dia                        | cm (I) | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0  | 10.0 | 10.0 | 10.0 |
| Log Len                        | m      | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0  | 10.0 | 10.0 | 10.0 |
| DBH                            |        |      |      |      |      |      |      |       |      |      |      |
| Class                          |        |      |      |      |      |      |      |       |      |      |      |
| 5                              |        |      |      |      |      |      |      |       |      |      |      |
| 10                             |        |      |      |      |      |      |      |       |      |      |      |
| 15                             |        |      |      |      |      |      |      |       |      |      |      |
| 20                             |        |      |      |      |      |      |      |       |      |      |      |
| 25                             |        |      |      |      |      |      |      |       |      |      |      |
| 30                             |        |      |      |      |      |      |      |       |      |      |      |
| 35                             |        |      |      |      |      |      |      |       |      |      |      |
| 40                             |        |      |      |      |      |      |      |       |      |      |      |
| 45                             |        |      |      |      |      |      |      |       |      |      |      |
| 50                             |        |      |      |      |      |      |      |       |      |      |      |
| 55                             |        |      |      |      |      |      |      |       |      |      |      |
| 60                             |        |      |      |      |      |      |      |       |      |      |      |
| 65                             |        |      |      |      |      |      |      |       |      |      |      |
| 70                             |        |      |      |      |      |      |      |       |      |      |      |
| 75                             |        |      |      |      |      |      |      |       |      |      |      |
| 80                             |        |      |      |      |      |      |      |       |      |      |      |
| 85                             |        |      |      |      |      |      |      |       |      |      |      |
| 90                             |        |      |      |      |      |      |      |       |      |      |      |
| 95                             |        |      |      |      |      |      |      |       |      |      |      |
| 100                            |        |      |      |      |      |      |      |       |      |      |      |
| 105                            |        |      |      |      |      |      |      |       |      |      |      |
| 110                            |        |      |      |      |      |      |      |       |      |      |      |
| 115                            |        |      |      |      |      |      |      |       |      |      |      |
| 120                            |        |      |      |      |      |      |      |       |      |      |      |
| 125                            |        |      |      |      |      |      |      |       |      |      |      |
| 130                            |        |      |      |      |      |      |      |       |      |      |      |
| 135                            |        |      |      |      |      |      |      |       |      |      |      |
| 140                            |        |      |      |      |      |      |      |       |      |      |      |
| 145                            |        |      |      |      |      |      |      |       |      |      |      |
| 150                            |        |      |      |      |      |      |      |       |      |      |      |
| 175                            |        |      |      |      |      |      |      |       |      |      |      |
| 200                            |        |      |      |      |      |      |      |       |      |      |      |
| 225                            |        |      |      |      |      |      |      |       |      |      |      |
| 250                            |        |      |      |      |      |      |      |       |      |      |      |
| 275                            |        |      |      |      |      |      |      |       |      |      |      |
| Total                          |        |      |      |      |      |      |      |       |      |      |      |
| Dead P                         |        |      |      |      |      |      |      |       |      |      |      |
| Dead U                         |        |      |      |      |      |      |      |       |      |      |      |
| Live U                         |        |      |      |      |      |      |      |       |      |      |      |
| Basal Area (m2/ha) at 5 Levels |        |      |      |      |      |      |      |       |      |      |      |
| 12.5 +                         |        |      |      |      |      |      |      |       |      |      |      |
| 17.5 +                         |        |      |      |      |      |      |      |       |      |      |      |
| 22.5 +                         |        |      |      |      |      |      |      |       |      |      |      |
| 27.5 +                         |        |      |      |      |      |      |      |       |      |      |      |
| 32.5 +                         |        |      |      |      |      |      |      |       |      |      |      |

[ Partial : 1.4 ]

|                                |        | F    | C    | H    | B    | Y    | D    | Total | DP   | DU   | LU   |
|--------------------------------|--------|------|------|------|------|------|------|-------|------|------|------|
| <b>Utilization Limits</b>      |        |      |      |      |      |      |      |       |      |      |      |
| Min DBH                        | cm (M) | 17.5 | 17.5 | 17.5 | 17.5 | 17.5 | 17.5 | 17.5  | 17.5 | 17.5 | 17.5 |
| Stump Ht                       | cm (M) | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0  | 30.0 | 30.0 | 30.0 |
| Top Dia                        | cm (M) | 15.0 | 15.0 | 15.0 | 15.0 | 15.0 | 15.0 | 15.0  | 15.0 | 15.0 | 15.0 |
| Min DBH                        | cm (I) | 12.0 | 12.0 | 12.0 | 12.0 | 12.0 | 12.0 | 12.0  | 12.0 | 12.0 | 12.0 |
| Stump Ht                       | cm (I) | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0  | 30.0 | 30.0 | 30.0 |
| Top Dia                        | cm (I) | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0  | 10.0 | 10.0 | 10.0 |
| Log Len                        | m      | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0  | 10.0 | 10.0 | 10.0 |
| DBH                            |        |      |      |      |      |      |      |       |      |      |      |
| Class                          |        |      |      |      |      |      |      |       |      |      |      |
| 5                              |        |      |      |      |      |      |      |       |      |      |      |
| 10                             |        |      |      |      |      |      |      |       |      |      |      |
| 15                             |        |      |      |      |      |      |      |       |      |      |      |
| 20                             |        | 0.6  | 0.8  | 2.6  |      |      |      | 4.0   |      |      |      |
| 25                             |        |      | 0.5  | 1.2  |      |      |      | 1.7   |      |      |      |
| 30                             |        | 2.0  | 0.2  | 1.7  |      |      |      | 3.9   |      |      |      |
| 35                             |        | 1.8  |      |      |      |      |      | 1.8   |      |      |      |
| 40                             |        | 1.1  |      | 2.8  |      |      |      | 3.9   |      |      |      |
| 45                             |        | 0.8  |      |      |      |      |      | 0.8   |      |      |      |
| 50                             |        |      |      |      |      |      |      |       |      |      |      |
| 55                             |        |      |      |      |      |      |      |       |      |      |      |
| 60                             |        |      |      |      |      |      |      |       |      |      |      |
| 65                             |        | 0.5  |      |      |      |      |      | 0.5   |      |      |      |
| 70                             |        | 0.9  |      |      |      |      |      | 0.9   |      |      |      |
| 75                             |        |      |      |      |      |      |      |       |      |      |      |
| 80                             |        | 0.7  |      |      |      |      |      | 0.7   |      |      |      |
| 85                             |        |      | 1.5  |      |      |      |      | 1.5   |      |      |      |
| 90                             |        | 1.4  |      |      |      |      |      | 1.4   |      |      |      |
| 95                             |        | 1.0  |      |      |      |      |      | 1.0   |      |      |      |
| 100                            |        |      |      |      |      |      |      |       |      |      |      |
| 105                            |        |      |      |      |      |      |      |       |      |      |      |
| 110                            |        |      |      |      |      |      |      |       |      |      |      |
| 115                            |        |      |      |      |      |      |      |       |      |      |      |
| 120                            |        |      |      |      |      |      |      |       |      |      |      |
| 125                            |        |      |      |      |      |      |      |       |      |      |      |
| 130                            |        |      |      |      |      |      |      |       |      |      |      |
| 135                            |        |      |      |      |      |      |      |       |      |      |      |
| 140                            |        |      |      |      |      |      |      |       |      |      |      |
| 145                            |        |      |      |      |      |      |      |       |      |      |      |
| 150                            |        |      |      |      |      |      |      |       |      |      |      |
| 175                            |        |      |      |      |      |      |      |       |      |      |      |
| 200                            |        |      |      |      |      |      |      |       |      |      |      |
| 225                            |        |      |      |      |      |      |      |       |      |      |      |
| 250                            |        |      |      |      |      |      |      |       |      |      |      |
| 275                            |        |      |      |      |      |      |      |       |      |      |      |
| Total                          |        | 10.7 | 3.0  | 8.3  |      |      |      | 22.0  |      |      |      |
| Dead P                         |        |      |      |      |      |      |      |       |      |      |      |
| Dead U                         |        |      |      |      |      |      |      |       |      |      |      |
| Live U                         |        |      |      |      |      |      |      |       |      |      |      |
| Basal Area (m2/ha) at 5 Levels |        |      |      |      |      |      |      |       |      |      |      |
| 12.5 +                         |        | 10.7 | 3.0  | 8.3  |      |      |      | 22.0  |      |      |      |
| 17.5 +                         |        | 10.7 | 3.0  | 8.3  |      |      |      | 22.0  |      |      |      |
| 22.5 +                         |        | 10.1 | 2.2  | 5.8  |      |      |      | 18.1  |      |      |      |
| 27.5 +                         |        | 10.1 | 1.7  | 4.5  |      |      |      | 16.4  |      |      |      |
| 32.5 +                         |        | 8.1  | 1.5  | 2.8  |      |      |      | 12.4  |      |      |      |

Block : (I) - 11A:LB11A, Plots in Block: 6, TUs: [All Treatment Units : 5.8 ]

### Basal Area (m<sup>2</sup>/ha) at 5 Levels





### Block Basal Area Table (m2/ha)

```
Average Line Method
TS'ELXWEYEQW
Licence Number: A75807   CP: 14
Project: 2018-04
```

|                          |                            |
|--------------------------|----------------------------|
| Grades: MOF Computerized | FIZ: C                     |
| Computerized Decay       | PSYU: Dewdney (Chilliwack) |
| Computerized Waste       | Region: 1 - South Coast    |
| Computerized Breakage    | District: 01 - Chilliwack  |

10-Sep-2018 06:41:38PM  
 Filename: tsc-2018-04-a75807-cp-14.ccp  
 Compiled by: IFS  
 Cruised by: DUNHAM AND ASSOCIATES  
 Version: 2018.00 IFS build 6204

Block : (I) - P2B:MP2B, Plots in Block: 7, TUs: [All Treatment Units : 5.8 ]

|                                |        | F    | C    | H    | B    | Y    | D    | Total | DP   | DU   | LU   |
|--------------------------------|--------|------|------|------|------|------|------|-------|------|------|------|
| Utilization Limits             |        |      |      |      |      |      |      |       |      |      |      |
| Min DBH                        | cm (I) | 12.0 | 12.0 | 12.0 | 12.0 | 12.0 | 12.0 | 12.0  | 12.0 | 12.0 | 12.0 |
| Stump Ht                       | cm (I) | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0  | 30.0 | 30.0 | 30.0 |
| Top Dia                        | cm (I) | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0  | 10.0 | 10.0 | 10.0 |
| Log Len                        | m      | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0  | 10.0 | 10.0 | 10.0 |
| DBH Class                      |        |      |      |      |      |      |      |       |      |      |      |
| 5                              |        |      |      |      |      |      |      |       |      |      |      |
| 10                             |        |      |      |      |      |      |      |       |      |      |      |
| 15                             |        |      |      |      |      |      |      |       |      |      |      |
| 20                             |        |      |      |      |      |      |      |       |      |      |      |
| 25                             |        |      |      |      |      |      |      |       |      |      |      |
| 30                             |        |      |      |      |      |      |      |       |      |      |      |
| 35                             |        |      |      |      |      |      |      |       |      |      |      |
| 40                             |        |      |      |      |      |      |      |       |      |      |      |
| 45                             |        |      |      |      |      |      |      |       |      |      |      |
| 50                             |        |      |      |      |      |      |      |       |      |      |      |
| 55                             |        |      |      |      |      |      |      |       |      |      |      |
| 60                             |        |      |      |      |      |      |      |       |      |      |      |
| 65                             |        |      |      |      |      |      |      |       |      |      |      |
| 70                             |        |      |      |      |      |      |      |       |      |      |      |
| 75                             |        |      |      |      |      |      |      |       |      |      |      |
| 80                             |        |      |      |      |      |      |      |       |      |      |      |
| 85                             |        |      |      |      |      |      |      |       |      |      |      |
| 90                             |        |      |      |      |      |      |      |       |      |      |      |
| 95                             |        |      |      |      |      |      |      |       |      |      |      |
| 100                            |        |      |      |      |      |      |      |       |      |      |      |
| 105                            |        |      |      |      |      |      |      |       |      |      |      |
| 110                            |        |      |      |      |      |      |      |       |      |      |      |
| 115                            |        |      |      |      |      |      |      |       |      |      |      |
| 120                            |        |      |      |      |      |      |      |       |      |      |      |
| 125                            |        |      |      |      |      |      |      |       |      |      |      |
| 130                            |        |      |      |      |      |      |      |       |      |      |      |
| 135                            |        |      |      |      |      |      |      |       |      |      |      |
| 140                            |        |      |      |      |      |      |      |       |      |      |      |
| 145                            |        |      |      |      |      |      |      |       |      |      |      |
| 150                            |        |      |      |      |      |      |      |       |      |      |      |
| 175                            |        |      |      |      |      |      |      |       |      |      |      |
| 200                            |        |      |      |      |      |      |      |       |      |      |      |
| 225                            |        |      |      |      |      |      |      |       |      |      |      |
| 250                            |        |      |      |      |      |      |      |       |      |      |      |
| 275                            |        |      |      |      |      |      |      |       |      |      |      |
| Total                          |        | 2.6  | 0.7  | 2.0  | 5.3  |      |      |       |      |      |      |
| Dead P                         |        |      |      |      |      |      |      |       |      |      |      |
| Dead U                         |        |      |      |      |      |      |      |       |      |      |      |
| Live U                         |        |      |      |      |      |      |      |       |      |      |      |
| Basal Area (m2/ha) at 5 Levels |        |      |      |      |      |      |      |       |      |      |      |
| 12.5 +                         |        | 2.6  | 0.7  | 2.0  | 5.3  |      |      |       |      |      |      |
| 17.5 +                         |        | 2.6  | 0.7  | 2.0  | 5.3  |      |      |       |      |      |      |
| 22.5 +                         |        | 2.4  | 0.5  | 1.4  | 4.4  |      |      |       |      |      |      |
| 27.5 +                         |        | 2.4  | 0.4  | 1.1  | 4.0  |      |      |       |      |      |      |
| 32.5 +                         |        | 1.9  | 0.4  | 0.7  | 3.0  |      |      |       |      |      |      |

Block : (I) - P2B:MP2B, Plots in Block: 7,   TUs: [ cable : 4.4   ]

| Utilization Limits             |        |      |      |      |      |      |      |      |      |      |      |
|--------------------------------|--------|------|------|------|------|------|------|------|------|------|------|
| Min DBH                        | cm (I) | 12.0 | 12.0 | 12.0 | 12.0 | 12.0 | 12.0 | 12.0 | 12.0 | 12.0 | 12.0 |
| Stump Ht                       | cm (I) | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 |
| Top Dia                        | cm (I) | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 |
| Log Len                        | m      | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 |
| DBH                            |        |      |      |      |      |      |      |      |      |      |      |
| Class                          |        |      |      |      |      |      |      |      |      |      |      |
| 5                              |        |      |      |      |      |      |      |      |      |      |      |
| 10                             |        |      |      |      |      |      |      |      |      |      |      |
| 15                             |        |      |      |      |      |      |      |      |      |      |      |
| 20                             |        |      |      |      |      |      |      |      |      |      |      |
| 25                             |        |      |      |      |      |      |      |      |      |      |      |
| 30                             |        |      |      |      |      |      |      |      |      |      |      |
| 35                             |        |      |      |      |      |      |      |      |      |      |      |
| 40                             |        |      |      |      |      |      |      |      |      |      |      |
| 45                             |        |      |      |      |      |      |      |      |      |      |      |
| 50                             |        |      |      |      |      |      |      |      |      |      |      |
| 55                             |        |      |      |      |      |      |      |      |      |      |      |
| 60                             |        |      |      |      |      |      |      |      |      |      |      |
| 65                             |        |      |      |      |      |      |      |      |      |      |      |
| 70                             |        |      |      |      |      |      |      |      |      |      |      |
| 75                             |        |      |      |      |      |      |      |      |      |      |      |
| 80                             |        |      |      |      |      |      |      |      |      |      |      |
| 85                             |        |      |      |      |      |      |      |      |      |      |      |
| 90                             |        |      |      |      |      |      |      |      |      |      |      |
| 95                             |        |      |      |      |      |      |      |      |      |      |      |
| 100                            |        |      |      |      |      |      |      |      |      |      |      |
| 105                            |        |      |      |      |      |      |      |      |      |      |      |
| 110                            |        |      |      |      |      |      |      |      |      |      |      |
| 115                            |        |      |      |      |      |      |      |      |      |      |      |
| 120                            |        |      |      |      |      |      |      |      |      |      |      |
| 125                            |        |      |      |      |      |      |      |      |      |      |      |
| 130                            |        |      |      |      |      |      |      |      |      |      |      |
| 135                            |        |      |      |      |      |      |      |      |      |      |      |
| 140                            |        |      |      |      |      |      |      |      |      |      |      |
| 145                            |        |      |      |      |      |      |      |      |      |      |      |
| 150                            |        |      |      |      |      |      |      |      |      |      |      |
| 175                            |        |      |      |      |      |      |      |      |      |      |      |
| 200                            |        |      |      |      |      |      |      |      |      |      |      |
| 225                            |        |      |      |      |      |      |      |      |      |      |      |
| 250                            |        |      |      |      |      |      |      |      |      |      |      |
| 275                            |        |      |      |      |      |      |      |      |      |      |      |
| Total                          |        |      |      |      |      |      |      |      |      |      |      |
| Dead P                         |        |      |      |      |      |      |      |      |      |      |      |
| Dead U                         |        |      |      |      |      |      |      |      |      |      |      |
| Live U                         |        |      |      |      |      |      |      |      |      |      |      |
| Basal Area (m2/ha) at 5 Levels |        |      |      |      |      |      |      |      |      |      |      |
| 12.5 +                         |        |      |      |      |      |      |      |      |      |      |      |
| 17.5 +                         |        |      |      |      |      |      |      |      |      |      |      |
| 22.5 +                         |        |      |      |      |      |      |      |      |      |      |      |
| 27.5 +                         |        |      |      |      |      |      |      |      |      |      |      |
| 32.5 +                         |        |      |      |      |      |      |      |      |      |      |      |

## Block Basal Area Table (m2/ha)

Average Line Method  
TS'ELXWEYEQW  
Licence Number: A75807 CP: 14  
Project: 2018-04

Grades: MOF Computerized  
Computerized Decay  
Computerized Waste  
Computerized Breakage

FIZ: C  
PSYU: Dewdney (Chilliwack)  
Region: 1 - South Coast  
District: 01 - Chilliwack

```
10-Sep-2018 06:41:38PM
Filename: tsc-2018-04-a75807-cp-14.ccp
Compiled by: IFS
Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204
```

Block : (I) - P2B:MP2B, Plots in Block: 7, TUs: [ Partial : 1.4 ]

| Utilization Limits             |        |  | F    | C    | H    | B    | Y    | D    | Total | DP   | DU   | LU   |
|--------------------------------|--------|--|------|------|------|------|------|------|-------|------|------|------|
| Min DBH                        | cm (I) |  | 12.0 | 12.0 | 12.0 | 12.0 | 12.0 | 12.0 | 12.0  | 12.0 | 12.0 | 12.0 |
| Stump Ht                       | cm (I) |  | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0  | 30.0 | 30.0 | 30.0 |
| Top Dia                        | cm (I) |  | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0  | 10.0 | 10.0 | 10.0 |
| Log Len                        | m      |  | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0  | 10.0 | 10.0 | 10.0 |
| DBH                            |        |  |      |      |      |      |      |      |       |      |      |      |
| Class                          |        |  |      |      |      |      |      |      |       |      |      |      |
| 5                              |        |  |      |      |      |      |      |      |       |      |      |      |
| 10                             |        |  |      |      |      |      |      |      |       |      |      |      |
| 15                             |        |  |      |      |      |      |      |      |       |      |      |      |
| 20                             |        |  | 0.6  | 0.8  | 2.6  |      |      |      | 4.0   |      |      |      |
| 25                             |        |  |      | 0.5  | 1.2  |      |      |      | 1.7   |      |      |      |
| 30                             |        |  | 2.0  | 0.2  | 1.7  |      |      |      | 3.9   |      |      |      |
| 35                             |        |  | 1.8  |      |      |      |      |      | 1.8   |      |      |      |
| 40                             |        |  | 1.1  |      | 2.8  |      |      |      | 3.9   |      |      |      |
| 45                             |        |  | 0.8  |      |      |      |      |      | 0.8   |      |      |      |
| 50                             |        |  |      |      |      |      |      |      |       |      |      |      |
| 55                             |        |  |      |      |      |      |      |      |       |      |      |      |
| 60                             |        |  |      |      |      |      |      |      |       |      |      |      |
| 65                             |        |  | 0.5  |      |      |      |      |      | 0.5   |      |      |      |
| 70                             |        |  | 0.9  |      |      |      |      |      | 0.9   |      |      |      |
| 75                             |        |  |      |      |      |      |      |      |       |      |      |      |
| 80                             |        |  | 0.7  |      |      |      |      |      | 0.7   |      |      |      |
| 85                             |        |  |      | 1.5  |      |      |      |      | 1.5   |      |      |      |
| 90                             |        |  | 1.4  |      |      |      |      |      | 1.4   |      |      |      |
| 95                             |        |  | 1.0  |      |      |      |      |      | 1.0   |      |      |      |
| 100                            |        |  |      |      |      |      |      |      |       |      |      |      |
| 105                            |        |  |      |      |      |      |      |      |       |      |      |      |
| 110                            |        |  |      |      |      |      |      |      |       |      |      |      |
| 115                            |        |  |      |      |      |      |      |      |       |      |      |      |
| 120                            |        |  |      |      |      |      |      |      |       |      |      |      |
| 125                            |        |  |      |      |      |      |      |      |       |      |      |      |
| 130                            |        |  |      |      |      |      |      |      |       |      |      |      |
| 135                            |        |  |      |      |      |      |      |      |       |      |      |      |
| 140                            |        |  |      |      |      |      |      |      |       |      |      |      |
| 145                            |        |  |      |      |      |      |      |      |       |      |      |      |
| 150                            |        |  |      |      |      |      |      |      |       |      |      |      |
| 175                            |        |  |      |      |      |      |      |      |       |      |      |      |
| 200                            |        |  |      |      |      |      |      |      |       |      |      |      |
| 225                            |        |  |      |      |      |      |      |      |       |      |      |      |
| 250                            |        |  |      |      |      |      |      |      |       |      |      |      |
| 275                            |        |  |      |      |      |      |      |      |       |      |      |      |
| Total                          |        |  | 10.7 | 3.0  | 8.3  |      |      |      | 22.0  |      |      |      |
| Dead P                         |        |  |      |      |      |      |      |      |       |      |      |      |
| Dead U                         |        |  |      |      |      |      |      |      |       |      |      |      |
| Live U                         |        |  |      |      |      |      |      |      |       |      |      |      |
| Basal Area (m2/ha) at 5 Levels |        |  |      |      |      |      |      |      |       |      |      |      |
| 12.5 +                         |        |  | 10.7 | 3.0  | 8.3  |      |      |      | 22.0  |      |      |      |
| 17.5 +                         |        |  | 10.7 | 3.0  | 8.3  |      |      |      | 22.0  |      |      |      |
| 22.5 +                         |        |  | 10.1 | 2.2  | 5.8  |      |      |      | 18.1  |      |      |      |
| 27.5 +                         |        |  | 10.1 | 1.7  | 4.5  |      |      |      | 16.4  |      |      |      |
| 32.5 +                         |        |  | 8.1  | 1.5  | 2.8  |      |      |      | 12.4  |      |      |      |

Block : (M) - PF1:PF1, Plots in Block: 12, TUs: [All Treatment Units : 13.3 ]

| Utilization Limits             |        |      |      |      |      |      |      |      |      |      |      |
|--------------------------------|--------|------|------|------|------|------|------|------|------|------|------|
| Min DBH                        | cm (M) | 17.5 | 17.5 | 17.5 | 17.5 | 17.5 | 17.5 | 17.5 | 17.5 | 17.5 | 17.5 |
| Stump Ht                       | cm (M) | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 |
| Top Dia                        | cm (M) | 15.0 | 15.0 | 15.0 | 15.0 | 15.0 | 15.0 | 15.0 | 15.0 | 15.0 | 15.0 |
| Log Len                        | m      | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 |
| DBH                            |        |      |      |      |      |      |      |      |      |      |      |
| Class                          |        |      |      |      |      |      |      |      |      |      |      |
| 5                              |        |      |      |      |      |      |      |      |      |      |      |
| 10                             |        |      |      |      |      |      |      |      |      |      |      |
| 15                             |        |      |      |      |      |      |      |      |      |      |      |
| 20                             |        |      |      |      |      |      |      |      |      |      |      |
| 25                             |        |      |      |      |      |      |      |      |      |      |      |
| 30                             |        |      |      |      |      |      |      |      |      |      |      |
| 35                             |        |      |      |      |      |      |      |      |      |      |      |
| 40                             |        |      |      |      |      |      |      |      |      |      |      |
| 45                             |        |      |      |      |      |      |      |      |      |      |      |
| 50                             |        |      |      |      |      |      |      |      |      |      |      |
| 55                             |        |      |      |      |      |      |      |      |      |      |      |
| 60                             |        |      |      |      |      |      |      |      |      |      |      |
| 65                             |        |      |      |      |      |      |      |      |      |      |      |
| 70                             |        |      |      |      |      | 0.5  |      | 0.5  |      |      |      |
| 75                             |        |      |      |      |      |      |      |      |      |      |      |
| 80                             |        |      |      |      |      |      |      |      |      |      |      |
| 85                             |        |      |      |      |      |      |      |      |      |      |      |
| 90                             |        |      |      |      |      |      |      |      |      |      |      |
| 95                             |        |      |      |      |      |      |      |      |      |      |      |
| 100                            |        |      |      |      |      |      |      |      |      |      |      |
| 105                            |        |      |      |      |      |      |      |      |      |      |      |
| 110                            |        |      |      |      |      |      |      |      |      |      |      |
| 115                            |        |      |      |      |      |      |      |      |      |      |      |
| 120                            |        |      |      |      |      |      |      |      |      |      |      |
| 125                            |        |      |      |      |      |      |      |      |      |      |      |
| 130                            |        |      |      |      |      |      |      |      |      |      |      |
| 135                            |        |      |      |      |      |      |      |      |      |      |      |
| 140                            |        |      |      |      |      |      |      |      |      |      |      |
| 145                            |        |      |      |      |      |      |      |      |      |      |      |
| 150                            |        |      |      |      |      |      |      |      |      |      |      |
| 175                            |        |      |      |      |      |      |      |      |      |      |      |
| 200                            |        |      |      |      |      |      |      |      |      |      |      |
| 225                            |        |      |      |      |      |      |      |      |      |      |      |
| 250                            |        |      |      |      |      |      |      |      |      |      |      |
| 275                            |        |      |      |      |      |      |      |      |      |      |      |
| Total                          |        |      |      |      |      | 0.5  |      | 0.5  |      |      |      |
| Dead P                         |        |      |      |      |      |      |      |      |      |      |      |
| Dead U                         |        |      |      |      |      |      |      |      |      |      |      |
| Live U                         |        |      |      |      |      |      |      |      |      |      |      |
| Basal Area (m2/ha) at 5 Levels |        |      |      |      |      |      |      |      |      |      |      |
| 12.5 +                         |        |      |      |      |      | 0.5  |      | 0.5  |      |      |      |
| 17.5 +                         |        |      |      |      |      | 0.5  |      | 0.5  |      |      |      |
| 22.5 +                         |        |      |      |      |      | 0.5  |      | 0.5  |      |      |      |
| 27.5 +                         |        |      |      |      |      | 0.5  |      | 0.5  |      |      |      |
| 32.5 +                         |        |      |      |      |      | 0.5  |      | 0.5  |      |      |      |

Block : (M) - PF1:PF1, Plots in Block: 12,   TUs: [ ground : 8.3   ]

| Utilization Limits             |        |      |      |      |      |      |      |      |      |      |      |
|--------------------------------|--------|------|------|------|------|------|------|------|------|------|------|
| Min DBH                        | cm (M) | 17.5 | 17.5 | 17.5 | 17.5 | 17.5 | 17.5 | 17.5 | 17.5 | 17.5 | 17.5 |
| Stump Ht                       | cm (M) | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 |
| Top Dia                        | cm (M) | 15.0 | 15.0 | 15.0 | 15.0 | 15.0 | 15.0 | 15.0 | 15.0 | 15.0 | 15.0 |
| Log Len                        | m      | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 |
| DBH                            |        |      |      |      |      |      |      |      |      |      |      |
| Class                          |        |      |      |      |      |      |      |      |      |      |      |
| 5                              |        |      |      |      |      |      |      |      |      |      |      |
| 10                             |        |      |      |      |      |      |      |      |      |      |      |
| 15                             |        |      |      |      |      |      |      |      |      |      |      |
| 20                             |        |      |      |      |      |      |      |      |      |      |      |
| 25                             |        |      |      |      |      |      |      |      |      |      |      |
| 30                             |        |      |      |      |      |      |      |      |      |      |      |
| 35                             |        |      |      |      |      |      |      |      |      |      |      |
| 40                             |        |      |      |      |      |      |      |      |      |      |      |
| 45                             |        |      |      |      |      |      |      |      |      |      |      |
| 50                             |        |      |      |      |      |      |      |      |      |      |      |
| 55                             |        |      |      |      |      |      |      |      |      |      |      |
| 60                             |        |      |      |      |      |      |      |      |      |      |      |
| 65                             |        |      |      |      |      |      |      |      |      |      |      |
| 70                             |        |      |      |      |      |      |      |      |      |      |      |
| 75                             |        |      |      |      |      |      |      |      |      |      |      |
| 80                             |        |      |      |      |      |      |      |      |      |      |      |
| 85                             |        |      |      |      |      |      |      |      |      |      |      |
| 90                             |        |      |      |      |      |      |      |      |      |      |      |
| 95                             |        |      |      |      |      |      |      |      |      |      |      |
| 100                            |        |      |      |      |      |      |      |      |      |      |      |
| 105                            |        |      |      |      |      |      |      |      |      |      |      |
| 110                            |        |      |      |      |      |      |      |      |      |      |      |
| 115                            |        |      |      |      |      |      |      |      |      |      |      |
| 120                            |        |      |      |      |      |      |      |      |      |      |      |
| 125                            |        |      |      |      |      |      |      |      |      |      |      |
| 130                            |        |      |      |      |      |      |      |      |      |      |      |
| 135                            |        |      |      |      |      |      |      |      |      |      |      |
| 140                            |        |      |      |      |      |      |      |      |      |      |      |
| 145                            |        |      |      |      |      |      |      |      |      |      |      |
| 150                            |        |      |      |      |      |      |      |      |      |      |      |
| 175                            |        |      |      |      |      |      |      |      |      |      |      |
| 200                            |        |      |      |      |      |      |      |      |      |      |      |
| 225                            |        |      |      |      |      |      |      |      |      |      |      |
| 250                            |        |      |      |      |      |      |      |      |      |      |      |
| 275                            |        |      |      |      |      |      |      |      |      |      |      |
| Total                          |        |      |      |      |      |      |      |      |      |      |      |
| Dead P                         |        |      |      |      |      |      |      |      |      |      |      |
| Dead U                         |        |      |      |      |      |      |      |      |      |      |      |
| Live U                         |        |      |      |      |      |      |      |      |      |      |      |
| Basal Area (m2/ha) at 5 Levels |        |      |      |      |      |      |      |      |      |      |      |
| 12.5 +                         |        |      |      |      |      |      |      |      |      |      |      |
| 17.5 +                         |        |      |      |      |      |      |      |      |      |      |      |
| 22.5 +                         |        |      |      |      |      |      |      |      |      |      |      |
| 27.5 +                         |        |      |      |      |      |      |      |      |      |      |      |
| 32.5 +                         |        |      |      |      |      |      |      |      |      |      |      |

Block : (M) - PF1:PF1, Plots in Block: 12,   TUs: [ cable : 5.0   ]

|                    |        | F                              | C    | H    | B    | Y    | D    | Total | DP   | DU   | LU   |
|--------------------|--------|--------------------------------|------|------|------|------|------|-------|------|------|------|
| Utilization Limits |        |                                |      |      |      |      |      |       |      |      |      |
| Min DBH            | cm (M) | 17.5                           | 17.5 | 17.5 | 17.5 | 17.5 | 17.5 | 17.5  | 17.5 | 17.5 | 17.5 |
| Stump Ht           | cm (M) | 30.0                           | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0  | 30.0 | 30.0 | 30.0 |
| Top Dia            | cm (M) | 15.0                           | 15.0 | 15.0 | 15.0 | 15.0 | 15.0 | 15.0  | 15.0 | 15.0 | 15.0 |
| Log Len            | m      | 10.0                           | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0  | 10.0 | 10.0 | 10.0 |
| DBH                |        |                                |      |      |      |      |      |       |      |      |      |
| Class              |        |                                |      |      |      |      |      |       |      |      |      |
| 5                  |        |                                |      |      |      |      |      |       |      |      |      |
| 10                 |        |                                |      |      |      |      |      |       |      |      |      |
| 15                 |        |                                |      |      |      |      |      |       |      |      |      |
| 20                 |        |                                |      |      |      |      |      |       |      |      |      |
| 25                 |        |                                |      |      |      |      |      |       |      |      |      |
| 30                 |        |                                |      |      |      |      |      |       |      |      |      |
| 35                 |        |                                |      |      |      |      |      |       |      |      |      |
| 40                 |        |                                |      |      |      |      |      |       |      |      |      |
| 45                 |        |                                |      |      |      |      |      |       |      |      |      |
| 50                 |        |                                |      |      |      |      |      |       |      |      |      |
| 55                 |        |                                |      |      |      |      |      |       |      |      |      |
| 60                 |        |                                |      |      |      |      |      |       |      |      |      |
| 65                 |        |                                |      |      |      |      |      |       |      |      |      |
| 70                 |        |                                |      |      |      | 0.5  |      | 0.5   |      |      |      |
| 75                 |        |                                |      |      |      |      |      |       |      |      |      |
| 80                 |        |                                |      |      |      |      |      |       |      |      |      |
| 85                 |        |                                |      |      |      |      |      |       |      |      |      |
| 90                 |        |                                |      |      |      |      |      |       |      |      |      |
| 95                 |        |                                |      |      |      |      |      |       |      |      |      |
| 100                |        |                                |      |      |      |      |      |       |      |      |      |
| 105                |        |                                |      |      |      |      |      |       |      |      |      |
| 110                |        |                                |      |      |      |      |      |       |      |      |      |
| 115                |        |                                |      |      |      |      |      |       |      |      |      |
| 120                |        |                                |      |      |      |      |      |       |      |      |      |
| 125                |        |                                |      |      |      |      |      |       |      |      |      |
| 130                |        |                                |      |      |      |      |      |       |      |      |      |
| 135                |        |                                |      |      |      |      |      |       |      |      |      |
| 140                |        |                                |      |      |      |      |      |       |      |      |      |
| 145                |        |                                |      |      |      |      |      |       |      |      |      |
| 150                |        |                                |      |      |      |      |      |       |      |      |      |
| 175                |        |                                |      |      |      |      |      |       |      |      |      |
| 200                |        |                                |      |      |      |      |      |       |      |      |      |
| 225                |        |                                |      |      |      |      |      |       |      |      |      |
| 250                |        |                                |      |      |      |      |      |       |      |      |      |
| 275                |        |                                |      |      |      |      |      |       |      |      |      |
| Total              |        |                                |      |      |      | 0.5  |      | 0.5   |      |      |      |
| Dead P             |        |                                |      |      |      |      |      |       |      |      |      |
| Dead U             |        |                                |      |      |      |      |      |       |      |      |      |
| Live U             |        |                                |      |      |      |      |      |       |      |      |      |
|                    |        | Basal Area (m2/ha) at 5 Levels |      |      |      |      |      |       |      |      |      |
| 12.5 +             |        |                                |      |      |      | 0.5  |      | 0.5   |      |      |      |
| 17.5 +             |        |                                |      |      |      | 0.5  |      | 0.5   |      |      |      |
| 22.5 +             |        |                                |      |      |      | 0.5  |      | 0.5   |      |      |      |
| 27.5 +             |        |                                |      |      |      | 0.5  |      | 0.5   |      |      |      |
| 32.5 +             |        |                                |      |      |      | 0.5  |      | 0.5   |      |      |      |

Type 1 (M):HwBa 946, Plots in Type: 12, TUs: [All Treatment Units : 13.3 ]

### Basal Area (m<sup>2</sup>/ha) at 5 Levels

\*\*\* 1 tree(s) changed to tree class 6:because only log was less then 3.00 m \*\*\*  
 FLAGS: Leave Tree Report, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,  
 CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Type 1   (M):HwBa 946, Plots in Type: 12, TUs: [ ground : 8.3   ]

| Utilization Limits             |        |      |      |      |      |      |      |      |      |      |      |
|--------------------------------|--------|------|------|------|------|------|------|------|------|------|------|
| Min DBH                        | cm (M) | 17.5 | 17.5 | 17.5 | 17.5 | 17.5 | 17.5 | 17.5 | 17.5 | 17.5 | 17.5 |
| Stump Ht                       | cm (M) | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 |
| Top Dia                        | cm (M) | 15.0 | 15.0 | 15.0 | 15.0 | 15.0 | 15.0 | 15.0 | 15.0 | 15.0 | 15.0 |
| Log Len                        | m      | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 |
| DBH                            |        |      |      |      |      |      |      |      |      |      |      |
| Class                          |        |      |      |      |      |      |      |      |      |      |      |
| 5                              |        |      |      |      |      |      |      |      |      |      |      |
| 10                             |        |      |      |      |      |      |      |      |      |      |      |
| 15                             |        |      |      |      |      |      |      |      |      |      |      |
| 20                             |        |      |      |      |      |      |      |      |      |      |      |
| 25                             |        |      |      |      |      |      |      |      |      |      |      |
| 30                             |        |      |      |      |      |      |      |      |      |      |      |
| 35                             |        |      |      |      |      |      |      |      |      |      |      |
| 40                             |        |      |      |      |      |      |      |      |      |      |      |
| 45                             |        |      |      |      |      |      |      |      |      |      |      |
| 50                             |        |      |      |      |      |      |      |      |      |      |      |
| 55                             |        |      |      |      |      |      |      |      |      |      |      |
| 60                             |        |      |      |      |      |      |      |      |      |      |      |
| 65                             |        |      |      |      |      |      |      |      |      |      |      |
| 70                             |        |      |      |      |      |      |      |      |      |      |      |
| 75                             |        |      |      |      |      |      |      |      |      |      |      |
| 80                             |        |      |      |      |      |      |      |      |      |      |      |
| 85                             |        |      |      |      |      |      |      |      |      |      |      |
| 90                             |        |      |      |      |      |      |      |      |      |      |      |
| 95                             |        |      |      |      |      |      |      |      |      |      |      |
| 100                            |        |      |      |      |      |      |      |      |      |      |      |
| 105                            |        |      |      |      |      |      |      |      |      |      |      |
| 110                            |        |      |      |      |      |      |      |      |      |      |      |
| 115                            |        |      |      |      |      |      |      |      |      |      |      |
| 120                            |        |      |      |      |      |      |      |      |      |      |      |
| 125                            |        |      |      |      |      |      |      |      |      |      |      |
| 130                            |        |      |      |      |      |      |      |      |      |      |      |
| 135                            |        |      |      |      |      |      |      |      |      |      |      |
| 140                            |        |      |      |      |      |      |      |      |      |      |      |
| 145                            |        |      |      |      |      |      |      |      |      |      |      |
| 150                            |        |      |      |      |      |      |      |      |      |      |      |
| 175                            |        |      |      |      |      |      |      |      |      |      |      |
| 200                            |        |      |      |      |      |      |      |      |      |      |      |
| 225                            |        |      |      |      |      |      |      |      |      |      |      |
| 250                            |        |      |      |      |      |      |      |      |      |      |      |
| 275                            |        |      |      |      |      |      |      |      |      |      |      |
| Total                          |        |      |      |      |      |      |      |      |      |      |      |
| Dead P                         |        |      |      |      |      |      |      |      |      |      |      |
| Dead U                         |        |      |      |      |      |      |      |      |      |      |      |
| Live U                         |        |      |      |      |      |      |      |      |      |      |      |
| Basal Area (m2/ha) at 5 Levels |        |      |      |      |      |      |      |      |      |      |      |
| 12.5 +                         |        |      |      |      |      |      |      |      |      |      |      |
| 17.5 +                         |        |      |      |      |      |      |      |      |      |      |      |
| 22.5 +                         |        |      |      |      |      |      |      |      |      |      |      |
| 27.5 +                         |        |      |      |      |      |      |      |      |      |      |      |
| 32.5 +                         |        |      |      |      |      |      |      |      |      |      |      |

Type 1   (M):HwBa 946, Plots in Type: 12, TUs: [ cable : 5.0   ]

| Utilization Limits             |        |      |      |      |      |      |      |      |      |      |      |
|--------------------------------|--------|------|------|------|------|------|------|------|------|------|------|
| Min DBH                        | cm (M) | 17.5 | 17.5 | 17.5 | 17.5 | 17.5 | 17.5 | 17.5 | 17.5 | 17.5 | 17.5 |
| Stump Ht                       | cm (M) | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 |
| Top Dia                        | cm (M) | 15.0 | 15.0 | 15.0 | 15.0 | 15.0 | 15.0 | 15.0 | 15.0 | 15.0 | 15.0 |
| Log Len                        | m      | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 |
| DBH                            |        |      |      |      |      |      |      |      |      |      |      |
| Class                          |        |      |      |      |      |      |      |      |      |      |      |
| 5                              |        |      |      |      |      |      |      |      |      |      |      |
| 10                             |        |      |      |      |      |      |      |      |      |      |      |
| 15                             |        |      |      |      |      |      |      |      |      |      |      |
| 20                             |        |      |      |      |      |      |      |      |      |      |      |
| 25                             |        |      |      |      |      |      |      |      |      |      |      |
| 30                             |        |      |      |      |      |      |      |      |      |      |      |
| 35                             |        |      |      |      |      |      |      |      |      |      |      |
| 40                             |        |      |      |      |      |      |      |      |      |      |      |
| 45                             |        |      |      |      |      |      |      |      |      |      |      |
| 50                             |        |      |      |      |      |      |      |      |      |      |      |
| 55                             |        |      |      |      |      |      |      |      |      |      |      |
| 60                             |        |      |      |      |      |      |      |      |      |      |      |
| 65                             |        |      |      |      |      |      |      |      |      |      |      |
| 70                             |        |      |      |      |      |      |      |      |      |      |      |
| 75                             |        |      |      |      |      |      |      |      |      |      |      |
| 80                             |        |      |      |      |      |      |      |      |      |      |      |
| 85                             |        |      |      |      |      |      |      |      |      |      |      |
| 90                             |        |      |      |      |      |      |      |      |      |      |      |
| 95                             |        |      |      |      |      |      |      |      |      |      |      |
| 100                            |        |      |      |      |      |      |      |      |      |      |      |
| 105                            |        |      |      |      |      |      |      |      |      |      |      |
| 110                            |        |      |      |      |      |      |      |      |      |      |      |
| 115                            |        |      |      |      |      |      |      |      |      |      |      |
| 120                            |        |      |      |      |      |      |      |      |      |      |      |
| 125                            |        |      |      |      |      |      |      |      |      |      |      |
| 130                            |        |      |      |      |      |      |      |      |      |      |      |
| 135                            |        |      |      |      |      |      |      |      |      |      |      |
| 140                            |        |      |      |      |      |      |      |      |      |      |      |
| 145                            |        |      |      |      |      |      |      |      |      |      |      |
| 150                            |        |      |      |      |      |      |      |      |      |      |      |
| 175                            |        |      |      |      |      |      |      |      |      |      |      |
| 200                            |        |      |      |      |      |      |      |      |      |      |      |
| 225                            |        |      |      |      |      |      |      |      |      |      |      |
| 250                            |        |      |      |      |      |      |      |      |      |      |      |
| 275                            |        |      |      |      |      |      |      |      |      |      |      |
| Total                          |        |      |      |      |      |      |      |      |      |      |      |
| Dead P                         |        |      |      |      |      |      |      |      |      |      |      |
| Dead U                         |        |      |      |      |      |      |      |      |      |      |      |
| Live U                         |        |      |      |      |      |      |      |      |      |      |      |
| Basal Area (m2/ha) at 5 Levels |        |      |      |      |      |      |      |      |      |      |      |
| 12.5 +                         |        |      |      |      |      |      |      |      |      |      |      |
| 17.5 +                         |        |      |      |      |      |      |      |      |      |      |      |
| 22.5 +                         |        |      |      |      |      |      |      |      |      |      |      |
| 27.5 +                         |        |      |      |      |      |      |      |      |      |      |      |
| 32.5 +                         |        |      |      |      |      |      |      |      |      |      |      |





Type 6   (I):FH(C) 6+, Plots in Type: 7, TUs: [All Treatment Units : 5.8   ]

|                    |        |  | F                              | C    | H    | B    | Y    | D    | Total | DP   | DU   | LU   |
|--------------------|--------|--|--------------------------------|------|------|------|------|------|-------|------|------|------|
| Utilization Limits |        |  |                                |      |      |      |      |      |       |      |      |      |
| Min DBH            | cm (I) |  | 12.0                           | 12.0 | 12.0 | 12.0 | 12.0 | 12.0 | 12.0  | 12.0 | 12.0 | 12.0 |
| Stump Ht           | cm (I) |  | 30.0                           | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0  | 30.0 | 30.0 | 30.0 |
| Top Dia            | cm (I) |  | 10.0                           | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0  | 10.0 | 10.0 | 10.0 |
| Log Len            | m      |  | 10.0                           | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0  | 10.0 | 10.0 | 10.0 |
| DBH Class          |        |  |                                |      |      |      |      |      |       |      |      |      |
| 5                  |        |  |                                |      |      |      |      |      |       |      |      |      |
| 10                 |        |  |                                |      |      |      |      |      |       |      |      |      |
| 15                 |        |  |                                |      |      |      |      |      |       |      |      |      |
| 20                 |        |  | 0.2                            | 0.2  | 0.6  |      |      |      | 1.0   |      |      |      |
| 25                 |        |  |                                | 0.1  | 0.3  |      |      |      | 0.4   |      |      |      |
| 30                 |        |  | 0.5                            | 0.1  | 0.4  |      |      |      | 1.0   |      |      |      |
| 35                 |        |  | 0.4                            |      |      |      |      |      | 0.4   |      |      |      |
| 40                 |        |  | 0.3                            |      | 0.7  |      |      |      | 0.9   |      |      |      |
| 45                 |        |  | 0.2                            |      |      |      |      |      | 0.2   |      |      |      |
| 50                 |        |  |                                |      |      |      |      |      |       |      |      |      |
| 55                 |        |  |                                |      |      |      |      |      |       |      |      |      |
| 60                 |        |  |                                |      |      |      |      |      |       |      |      |      |
| 65                 |        |  | 0.1                            |      |      |      |      |      | 0.1   |      |      |      |
| 70                 |        |  | 0.2                            |      |      |      |      |      | 0.2   |      |      |      |
| 75                 |        |  |                                |      |      |      |      |      |       |      |      |      |
| 80                 |        |  | 0.2                            |      |      |      |      |      | 0.2   |      |      |      |
| 85                 |        |  |                                | 0.4  |      |      |      |      | 0.4   |      |      |      |
| 90                 |        |  | 0.3                            |      |      |      |      |      | 0.3   |      |      |      |
| 95                 |        |  | 0.2                            |      |      |      |      |      | 0.2   |      |      |      |
| 100                |        |  |                                |      |      |      |      |      |       |      |      |      |
| 105                |        |  |                                |      |      |      |      |      |       |      |      |      |
| 110                |        |  |                                |      |      |      |      |      |       |      |      |      |
| 115                |        |  |                                |      |      |      |      |      |       |      |      |      |
| 120                |        |  |                                |      |      |      |      |      |       |      |      |      |
| 125                |        |  |                                |      |      |      |      |      |       |      |      |      |
| 130                |        |  |                                |      |      |      |      |      |       |      |      |      |
| 135                |        |  |                                |      |      |      |      |      |       |      |      |      |
| 140                |        |  |                                |      |      |      |      |      |       |      |      |      |
| 145                |        |  |                                |      |      |      |      |      |       |      |      |      |
| 150                |        |  |                                |      |      |      |      |      |       |      |      |      |
| 175                |        |  |                                |      |      |      |      |      |       |      |      |      |
| 200                |        |  |                                |      |      |      |      |      |       |      |      |      |
| 225                |        |  |                                |      |      |      |      |      |       |      |      |      |
| 250                |        |  |                                |      |      |      |      |      |       |      |      |      |
| 275                |        |  |                                |      |      |      |      |      |       |      |      |      |
| Total              |        |  | 2.6                            | 0.7  | 2.0  |      |      |      | 5.3   |      |      |      |
| Dead P             |        |  |                                |      |      |      |      |      |       |      |      |      |
| Dead U             |        |  |                                |      |      |      |      |      |       |      |      |      |
| Live U             |        |  |                                |      |      |      |      |      |       |      |      |      |
|                    |        |  | Basal Area (m2/ha) at 5 Levels |      |      |      |      |      |       |      |      |      |
| 12.5 +             |        |  | 2.6                            | 0.7  | 2.0  |      |      |      | 5.3   |      |      |      |
| 17.5 +             |        |  | 2.6                            | 0.7  | 2.0  |      |      |      | 5.3   |      |      |      |
| 22.5 +             |        |  | 2.4                            | 0.5  | 1.4  |      |      |      | 4.4   |      |      |      |
| 27.5 +             |        |  | 2.4                            | 0.4  | 1.1  |      |      |      | 4.0   |      |      |      |
| 32.5 +             |        |  | 1.9                            | 0.4  | 0.7  |      |      |      | 3.0   |      |      |      |

Average Line Method  
TS'ELXWEYEQW  
Licence Number: A75807 CP: 14  
Project: 2018-04

Grades: MOF Computerized  
Computerized Decay  
Computerized Waste  
Computerized Breakage

## Type Basal Area Table (m2/ha)

FIZ: C  
PSYU: Dewdney (Chilliwack)  
Region: 1 - South Coast  
District: 01 - Chilliwack

```
10-Sep-2018 06:41:38PM
Filename: tsc-2018-04-a75807-cp-14.ccp
Compiled by: IFS
Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204
```

Type 6 (I):FH(C) 6+, Plots in Type: 7, TUs: [ cable : 4.4 ]

[illegible]

## Type Basal Area Table (m2/ha)

## Average Line Method

Grades: MOF Computerized

FIZ: C

10-Sep-2018 06:41:38PM

TS'ELXWEYEQW

## Computerized Decay

PSYU: Dewdney (Chilliwack)

Filename: tsc-2018-04-a75807-cp-14.ccp

Licence Number: A75807 CP: 14

## Computerized Waste

Region: 1 - South Coast

Compiled by: IFS

Project: 2018-04

## Computerized Breakage

District: 01 - Chilliwack

Cruised by: DUNHAM AND ASSOCIATES

Version: 2018.00    IFS build 6204

Type 6 (I):FH(C) 6+, Plots in Type: 7, TUs: [ Partial : 1.4 ]

| Utilization Limits |        | F                              | C    | H    | B    | Y    | D    | Total | DP   | DU   | LU   |
|--------------------|--------|--------------------------------|------|------|------|------|------|-------|------|------|------|
| Min DBH            | cm (I) | 12.0                           | 12.0 | 12.0 | 12.0 | 12.0 | 12.0 | 12.0  | 12.0 | 12.0 | 12.0 |
| Stump Ht           | cm (I) | 30.0                           | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0  | 30.0 | 30.0 | 30.0 |
| Top Dia            | cm (I) | 10.0                           | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0  | 10.0 | 10.0 | 10.0 |
| Log Len            | m      | 10.0                           | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0  | 10.0 | 10.0 | 10.0 |
| DBH Class          |        |                                |      |      |      |      |      |       |      |      |      |
| 5                  |        |                                |      |      |      |      |      |       |      |      |      |
| 10                 |        |                                |      |      |      |      |      |       |      |      |      |
| 15                 |        |                                |      |      |      |      |      |       |      |      |      |
| 20                 |        | 0.6                            | 0.8  | 2.6  |      |      |      | 4.0   |      |      |      |
| 25                 |        |                                | 0.5  | 1.2  |      |      |      | 1.7   |      |      |      |
| 30                 |        | 2.0                            | 0.2  | 1.7  |      |      |      | 3.9   |      |      |      |
| 35                 |        | 1.8                            |      |      |      |      |      | 1.8   |      |      |      |
| 40                 |        | 1.1                            |      | 2.8  |      |      |      | 3.9   |      |      |      |
| 45                 |        | 0.8                            |      |      |      |      |      | 0.8   |      |      |      |
| 50                 |        |                                |      |      |      |      |      |       |      |      |      |
| 55                 |        |                                |      |      |      |      |      |       |      |      |      |
| 60                 |        |                                |      |      |      |      |      |       |      |      |      |
| 65                 |        | 0.5                            |      |      |      |      |      | 0.5   |      |      |      |
| 70                 |        | 0.9                            |      |      |      |      |      | 0.9   |      |      |      |
| 75                 |        |                                |      |      |      |      |      |       |      |      |      |
| 80                 |        | 0.7                            |      |      |      |      |      | 0.7   |      |      |      |
| 85                 |        |                                | 1.5  |      |      |      |      | 1.5   |      |      |      |
| 90                 |        | 1.4                            |      |      |      |      |      | 1.4   |      |      |      |
| 95                 |        | 1.0                            |      |      |      |      |      | 1.0   |      |      |      |
| 100                |        |                                |      |      |      |      |      |       |      |      |      |
| 105                |        |                                |      |      |      |      |      |       |      |      |      |
| 110                |        |                                |      |      |      |      |      |       |      |      |      |
| 115                |        |                                |      |      |      |      |      |       |      |      |      |
| 120                |        |                                |      |      |      |      |      |       |      |      |      |
| 125                |        |                                |      |      |      |      |      |       |      |      |      |
| 130                |        |                                |      |      |      |      |      |       |      |      |      |
| 135                |        |                                |      |      |      |      |      |       |      |      |      |
| 140                |        |                                |      |      |      |      |      |       |      |      |      |
| 145                |        |                                |      |      |      |      |      |       |      |      |      |
| 150                |        |                                |      |      |      |      |      |       |      |      |      |
| 175                |        |                                |      |      |      |      |      |       |      |      |      |
| 200                |        |                                |      |      |      |      |      |       |      |      |      |
| 225                |        |                                |      |      |      |      |      |       |      |      |      |
| 250                |        |                                |      |      |      |      |      |       |      |      |      |
| 275                |        |                                |      |      |      |      |      |       |      |      |      |
| Total              |        | 10.7                           | 3.0  | 8.3  |      |      |      | 22.0  |      |      |      |
| Dead P             |        |                                |      |      |      |      |      |       |      |      |      |
| Dead U             |        |                                |      |      |      |      |      |       |      |      |      |
| Live U             |        |                                |      |      |      |      |      |       |      |      |      |
|                    |        | Basal Area (m2/ha) at 5 Levels |      |      |      |      |      |       |      |      |      |
| 12.5 +             |        | 10.7                           | 3.0  | 8.3  |      |      |      | 22.0  |      |      |      |
| 17.5 +             |        | 10.7                           | 3.0  | 8.3  |      |      |      | 22.0  |      |      |      |
| 22.5 +             |        | 10.1                           | 2.2  | 5.8  |      |      |      | 18.1  |      |      |      |
| 27.5 +             |        | 10.1                           | 1.7  | 4.5  |      |      |      | 16.4  |      |      |      |
| 32.5 +             |        | 8.1                            | 1.5  | 2.8  |      |      |      | 12.4  |      |      |      |

\*\*\* 1 tree(s) changed to tree class 6:because only log was less then 3.00 m \*\*\*  
 FLAGS: Leave Tree Report, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,  
 CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.