TS’ELXWEYEQW

A75807 - CP# 14

Paleface Creek
Block #: LB11A, MP2B, and PF1

SUMMARY OF VOLUMES (loss factors)
P E R C E N T R E D U C T I O N A P P L I E D

10-Sep-2018 06:41:59PM

Cruised by: DUNHAM AND ASSOCIATES
Compiled by: IFS

Industrial Forestry Service Ltd. - Cruise Compilation Disclaimer

This compilation report was prepared by Industrial Forestry Service Ltd. (IFS) solely for the purpose of TS'ELXWEYEQW, and is based on the cruise data supplied to IFS by the client or its contractor. IFS is not responsible for any errors in this report resulting from errors in the cruise data including sampling errors, errors in quantities of measurement, measurement errors, or errors in qualities of measurement.

IFS's liability for any errors in the compilation report not attributable to the data are limited to the fee paid to IFS for the compilation and preparation of the report. In no event does IFS accept any liability for loss of profits or other indirect or consequential damages.

Generally, the liability of the client's cruising contractor is limited to the fee paid to the contractor for completion of the cruise and management of the data. This understanding should be included in the contract between the client and its contractor.

Map Area Statement Report

Average Line Method	Grades: MOF Computerized	FIZ: C	10-Sep-2018 06:41:59PM
TS'ELXWEYEQW	Computerized Decay	PSYU: Dewdney (Chilliwack)	Filename: tsc-2018-04-a75807-cp-14.ccp
Licence Number: A75807 CP: 14	Computerized Waste	Region: 1 - South Coast	Compiled by: IFS
Project: 2018-04	Computerized Breakage	District: 01 - Chilliwack	Cruised by: DUNHAM AND ASSOCIATES
			Version: 2018.00 IFS build 6204

Card A Cruise Identity

Licence #	: A75807	Cutting Permit #	: 14
Number of Blocks	: 3	Forest Region	: South Coast
Forest District	: Chilliwack	Type	: PSYU
Unit No	: Dewdney (Chilliwack)	Tenure	: Forest Licence (COAST)
Quota	: Prop./Mngd.PSYU,TFL,or SSA	Sale Type	: None
Elevation	: 1	Co-ordinates Zone	: Unknown
East	: 0	North	: 0
Total Merch Area	: 24.90	Report Type	: *** FOR APPRAISAL PURPOSES ***
Locality	: Paleface Creek		

Card B Compilation Standard

Damage	: Damage	Selective	: Compile All Trees
Double Sampling	: Measure Plots Only	Special Compilation	: No Special Compilation
Species Compilation	: Exceptions Not Used	Type of Compilation	: Coastal

Compilation Standard	Mature	Immature
DBH Limit	17.50	12.00
Stump Height	30	30
Top Diameter	15.00	10.00

Card C Type Description

Type	Description	A	Silvicultural Treatment Units B	C
1	HwBa 946	8.3	5.0	
2	FH 6+	3.5		
3	FH(D) 6+		2.3	
6	FH(C) 6+		4.4	1.4

Card D Block Description

Block	Description	Maturity	Type	A	Silvicultural Treatment Units B	C
11A	LB11A	I	2	3.5		
			3		2.3	
P2B	MP2B	I	6		4.4	1.4
PF1	PF1	M	1	8.3	5.0	

Card F Harvesting Description

Harvest Method	Harvest Description	Type	A	Silvicultural Treatment Units B	C
CC	Cable - Clearcut	1		5.0	
		3		2.3	
		6		4.4	1.4
SC	Ground Systems - Clearcut	1	8.3		
		2	3.5		

Card G Treatment Unit Description

Treatment Unit	Description
A	ground
B	cable
C	Partial

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Percent Reductions Applied

Average Line Method
TS'ELXWEYEQW
Licence Number: A75807 CP: 14
Project: 2018-04

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: C
PSYU: Dewdney (Chilliwack)
Region: 1 - South Coast
District: 01 - Chilliwack

10-Sep-2018 06:41:59PM
Filename: tsc-2018-04-a75807-cp-14.ccp
Compiled by: IFS
Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

Criteria					DBH Class																														
					10		20		30		40		50		60		70		80		90		100		110		120		130		140		150		200		250	
Spcs	Type	TU	Class	Block	Damage	15		25		35		45		55		65		75		85		95	105		115		125		135		145		175		225		275	
C	6	C	L		0	0	44	13	12	0	0	0	0	0	0	0	0	0	0	88	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CY	1	-	L		40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40
F	6	C	L		0	0	37	0	50	51	61	16	0	0	0	8	49	0	38	0	34	58	0	0	0	0	0	0	0	0	0	0	0	0	0	0
H	6	C	L		0	0	73	14	75	0	49	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Appraisal Summary Report

10-Sep-2018 06:41:59PM

Average Line Method
TS'ELXWEYEQW
Licence Number: A75807 CP: 14
Project: 2018-04
Location : Paleface Creek

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage
No Of Blocks : 3

FIZ: C
PSYU: Dewdney (Chilliwack)
Region: 1 - South Coast
District: 01 - Chilliwack

Filename: tsc-2018-04-a75807-cp-14.ccp
Compiled by: IFS
Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

Utilization Levels:	Minimum DBH	Top Diameter	Stump Height
Mature Blocks: (cm)	17.5	15.0	30
Immature Blocks:(cm)	12.0	10.0	30
Standard Log Length:(m)	10.00		

Net Area: [All Treatment Units : 24.9]

All Method Summary

Algorithm Grades % Species Code	Description	F	H	I	J	M	U	X	Y	Net Volume (m3) All	Live	DP	Net Volume / ha All	Live	DP
BA	Balsam		10	14	54		3	7	12	2729	2729	0	109.581	109.581	0.000
CE	Cedar		18	2	27	1	48	3	1	832	771	61	33.424	30.958	2.466
CY	Y. Cedar		69				29		2	78	78	0	3.141	3.141	0.000
FI	Doug-Fir	1	18	3	63		12	3		5450	5009	441	218.884	201.158	17.727
HE	Hemlock		16	14	30		28	11	1	7388	7281	107	296.705	292.405	4.300
AL	Alder								100	125	125	0	5.007	5.007	0.000
	Total									16602	15992	610	666.743	642.251	24.492

Harvesting Method Summaries

Harvest Method	Net Volume	Net Vol /10m Log	Net Vol /Hectare	Hem+ Bal%	Partial Cut%	Slope%	Down Tree%	Heavy Fire%
CC	8903	0.45	679.610	53	96	53	2	0
SC	7699	0.59	652.459	70	100	44	5	0
Conventional Methods	16602	0.51	666.743	61	98	49	3	0
All Methods	16602	0.51	666.743	61	98		3	0

Cutting Authority

See pre reduction compilation for statistics

Plots/Ha	1.0
Cruised Trees/Plot	5.1
Net 2nd Growth-Conifer %	41.9
Net 2nd Growth-Conifer (m3)	6904
Net Immature by Block %	11A: 97% P2B: 71% PF1: 1%
Non Heli Select Conifer (m3/ha)	661.74
Heli Select Total (decimal)	0.00
Heli+Skyline Total (decimal)	0.00
Piece Size - Conifer (m3/10m log)	0.51
Cruise Date (yy-mm):	15-06

Plots: 25 # <= 5yrs: 25 # > 5yrs: 0 # > 10yrs: 0 # no date: 0

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

All Method Summary

Average Line Method | Grades: MOF Computerized | FIZ: C | 10-Sep-2018 06:41:59PM
TS'ELXWEYEQW | Computerized Decay | PSYU: Dewdney (Chilliwack) | Filename: tsc-2018-04-a75807-cp-14.ccp
Licence Number: A75807 CP: 14 | Computerized Waste | Region: 1 - South Coast | Compiled by: IFS
Project: 2018-04 | Computerized Breakage | District: 01 - Chilliwack | Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

[All Treatment Units : 24.9]

		Total	Conifer	Decid	F	C	H	B	Y	D
Utilization Limits										
Min DBH cm (M)					17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					15.0	15.0	15.0	15.0	15.0	15.0
Min DBH cm (I)					12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)					10.0	10.0	10.0	10.0	10.0	10.0
Log Len m					10.0	10.0	10.0	10.0	10.0	10.0
Volume and Size Data										
Gross Merchantable	m3	21475	21342	133	5794	1112	10454	3878	103	133
Net Merchantable	m3	16602	16477	125	5450	832	7388	2729	78	125
Net Merch - All	m3/ha	666.743	661.736	5.007	218.884	33.424	296.705	109.581	3.141	5.007
Net Merch - Live	m3/ha	642.251	637.244	5.007	201.158	30.958	292.405	109.581	3.141	5.007
Net Merch - DP	m3/ha	24.492	24.492		17.727	2.466	4.300			
Decay	%	11	11	1	1	14	15	16	14	1
Waste(billing)	%	8	8		1	7	13	11	4	
Total Cull (DWB)	%	23	23	6	6	25	29	30	24	6
Net Merch Vol/Tree	m3	1.05	1.05	0.80	1.46	0.79	1.00	0.81	2.64	0.80
Avg 10.0 m Log Net	m3	0.51	0.51	0.28	0.54	0.39	0.52	0.46	0.96	0.28
Useless Dead/Living	%	6	6				11			
Net Second Growth	%		41.9		79.2	49.8	29.4			
All Burn Volume	%									
Heavy Fire Volume	%									
Blowdown Volume	%	3	3		5	7	2			
Insect Volume	%									

Algorithm Grades %

#2 Lum/#1 Lum	F				1					
#2 Sawlog	H	16	16		18	18	16	10	69	
#3 Sawlog	I	9	10		3	2	14	14		
#4 Sawlog	J	45	44		63	27	30	54		
#4 Shingle	M					1				
#5 Utility	U	20	20		12	48	28	3	29	
#6 Utility	X	7	7		3	3	11	7		
#7 Chipper	Y	3	3	100		1	1	12	2	100

*** 1 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

All Method Summary

Average Line Method | Grades: MOF Computerized | FIZ: C | 10-Sep-2018 06:41:59PM
TS'ELXWEYEQW | Computerized Decay | PSYU: Dewdney (Chilliwack) | Filename: tsc-2018-04-a75807-cp-14.ccp
Licence Number: A75807 CP: 14 | Computerized Waste | Region: 1 - South Coast | Compiled by: IFS
Project: 2018-04 | Computerized Breakage | District: 01 - Chilliwack | Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

[ground : 11.8]

		Total	Conifer	Decid	F	C	H	B	Y	D
Utilization Limits										
Min DBH cm (M)					17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					15.0	15.0	15.0	15.0	15.0	15.0
Min DBH cm (I)					12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)					10.0	10.0	10.0	10.0	10.0	10.0
Log Len m					10.0	10.0	10.0	10.0	10.0	10.0
Volume and Size Data										
Gross Merchantable	m3	10528	10528		2154	364	5525	2420	65	
Net Merchantable	m3	7699	7699		2068	227	3652	1703	49	
Net Merch - All	m3/ha	652.459	652.459		175.265	19.240	309.512	144.305	4.137	
Net Merch - Live	m3/ha	611.805	611.805		137.858	15.993	309.512	144.305	4.137	
Net Merch - DP	m3/ha	40.654	40.654		37.407	3.247				
Decay	%	14	14			21	17	16	14	
Waste(billing)	%	11	11			15	16	11	4	
Total Cull (DWB)	%	27	27		4	38	34	30	24	
Net Merch Vol/Tree	m3	1.20	1.20		1.06	3.47	1.62	0.81	2.64	
Avg 10.0 m Log Net	m3	0.59	0.59		0.46	1.64	0.78	0.46	0.96	
Useless Dead/Living	%									
Net Second Growth	%		32.0		100.0		10.9			
All Burn Volume	%									
Heavy Fire Volume	%									
Blowdown Volume	%	5	5		13	17	1			
Insect Volume	%									
Algorithm Grades %										
#2 Sawlog	H	16	16		9	34	20	10	69	
#3 Sawlog	I	11	11			2	17	14		
#4 Sawlog	J	42	42		78		21	54		
#4 Shingle	M					2				
#5 Utility	U	18	18		6	61	29	3	29	
#6 Utility	X	9	9		7		11	7		
#7 Chipper	Y	4	4			1	2	12	2	

*** 1 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

All Method Summary

Average Line Method | Grades: MOF Computerized | FIZ: C | 10-Sep-2018 06:41:59PM
TS'ELXWEYEQW | Computerized Decay | PSYU: Dewdney (Chilliwack) | Filename: tsc-2018-04-a75807-cp-14.ccp
Licence Number: A75807 CP: 14 | Computerized Waste | Region: 1 - South Coast | Compiled by: IFS
Project: 2018-04 | Computerized Breakage | District: 01 - Chilliwack | Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

[cable : 11.7]

		Total	Conifer	Decid	F	C	H	B	Y	D
Utilization Limits										
Min DBH cm (M)					17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					15.0	15.0	15.0	15.0	15.0	15.0
Min DBH cm (I)					12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)					10.0	10.0	10.0	10.0	10.0	10.0
Log Len m					10.0	10.0	10.0	10.0	10.0	10.0
Volume and Size Data										
Gross Merchantable	m3	10174	10041	133	3199	653	4692	1458	39	133
Net Merchantable	m3	8184	8059	125	2980	515	3508	1026	29	125
Net Merch - All	m3/ha	699.452	688.795	10.656	254.698	44.047	299.864	87.673	2.513	10.656
Net Merch - Live	m3/ha	690.537	679.881	10.656	254.698	42.074	292.922	87.673	2.513	10.656
Net Merch - DP	m3/ha	8.915	8.915			1.973	6.942			
Decay	%	9	9	1	2	11	12	16	14	1
Waste(billing)	%	6	6		1	5	10	11	4	
Total Cull (DWB)	%	20	20	6	7	21	25	30	24	6
Net Merch Vol/Tree	m3	0.95	0.95	0.80	1.86	0.64	0.73	0.81	2.64	0.80
Avg 10.0 m Log Net	m3	0.45	0.46	0.28	0.59	0.32	0.41	0.46	0.96	0.28
Useless Dead/Living	%	10	10				16			
Net Second Growth	%		48.9		69.3	63.4	44.1			
All Burn Volume	%									
Heavy Fire Volume	%									
Blowdown Volume	%	2	2			4	3			
Insect Volume	%									

Algorithm Grades %

#2 Lum/#1 Lum	F	1	1		2					
#2 Sawlog	H	16	16		22	15	13	10	69	
#3 Sawlog	I	8	8		5	2	11	14		
#4 Sawlog	J	44	46		55	34	37	54		
#4 Shingle	M					2				
#5 Utility	U	21	21		15	43	28	3	29	
#6 Utility	X	6	6		1	4	10	7		
#7 Chipper	Y	4	2	100			1	12	2	100

*** 1 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

All Method Summary

Average Line Method | Grades: MOF Computerized | FIZ: C | 10-Sep-2018 06:41:59PM
TS'ELXWEYEQW | Computerized Decay | PSYU: Dewdney (Chilliwack) | Filename: tsc-2018-04-a75807-cp-14.ccp
Licence Number: A75807 CP: 14 | Computerized Waste | Region: 1 - South Coast | Compiled by: IFS
Project: 2018-04 | Computerized Breakage | District: 01 - Chilliwack | Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

[Partial : 1.4]

		Total	Conifer	Decid	F	C	H	B	Y	D
Utilization Limits										
Min DBH cm (M)					17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					15.0	15.0	15.0	15.0	15.0	15.0
Min DBH cm (I)					12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)					10.0	10.0	10.0	10.0	10.0	10.0
Log Len m					10.0	10.0	10.0	10.0	10.0	10.0
Volume and Size Data										
Gross Merchantable	m3	773	773		440	96	237			
Net Merchantable	m3	719	719		402	90	227			
Net Merch - All	m3/ha	513.789	513.789		287.236	64.199	162.354			
Net Merch - Live	m3/ha	495.330	495.330		287.236	64.199	143.895			
Net Merch - DP	m3/ha	18.459	18.459				18.459			
Decay	%	2	2		3	1	0			
Waste(billing)	%	1	1		1	0				
Total Cull (DWB)	%	7	7		9	7	4			
Net Merch Vol/Tree	m3	0.96	0.96		2.08	0.47	0.62			
Avg 10.0 m Log Net	m3	0.39	0.39		0.66	0.24	0.27			
Useless Dead/Living	%									
Net Second Growth	%		69.2		45.4	97.8	100.0			
All Burn Volume	%									
Heavy Fire Volume	%									
Blowdown Volume	%	4	4				11			
Insect Volume	%									
Algorithm Grades %										
#2 Lum/#1 Lum	F	1	1		3					
#2 Sawlog	H	19	19		33	1				
#3 Sawlog	I	3	3		6					
#4 Sawlog	J	51	51		41	58	64			
#4 Shingle	M									
#5 Utility	U	21	21		16	35	23			
#6 Utility	X	5	5		1	6	12			
#7 Chipper	Y						1			

*** 1 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Harvest Method Summary

Average Line Method
TS'ELXWEYEQW
Licence Number: A75807 CP: 14
Project: 2018-04

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: C
PSYU: Dewdney (Chilliwack)
Region: 1 - South Coast
District: 01 - Chilliwack

10-Sep-2018 06:41:59PM
Filename: tsc-2018-04-a75807-cp-14.ccp
Compiled by: IFS
Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

Harvest Method : CC - Cable - Clearcut [All Treatment Units : 13.1]

		Total	Conifer	Decid	F	C	H	B	Y	D
Utilization Limits										
Min DBH cm (M)					17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					15.0	15.0	15.0	15.0	15.0	15.0
Min DBH cm (I)					12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)					10.0	10.0	10.0	10.0	10.0	10.0
Log Len m					10.0	10.0	10.0	10.0	10.0	10.0
Volume and Size Data										
Gross Merchantable	m3	10947	10814	133	3639	749	4929	1458	39	133
Net Merchantable	m3	8903	8778	125	3382	605	3736	1026	29	125
Net Merch - All	m3/ha	679.610	670.092	9.517	258.175	46.201	285.168	78.304	2.245	9.517
Net Merch - Live	m3/ha	669.675	660.158	9.517	258.175	44.439	276.995	78.304	2.245	9.517
Net Merch - DP	m3/ha	9.935	9.935			1.762	8.173			
Decay	%	9	9	1	2	10	12	16	14	1
Waste(billing)	%	6	6		1	5	9	11	4	
Total Cull (DWB)	%	19	19	6	7	19	24	30	24	6
Net Merch Vol/Tree	m3	0.95	0.95	0.80	1.89	0.61	0.72	0.81	2.64	0.80
Avg 10.0 m Log Net	m3	0.45	0.45	0.28	0.60	0.30	0.39	0.46	0.96	0.28
Useless Dead/Living	%	9	9				15			
Net Second Growth	%		50.6		66.5	68.5	47.5			
All Burn Volume	%									
Heavy Fire Volume	%									
Blowdown Volume	%	2	2			4	4			
Insect Volume	%									
% Average Slope		53								
Algorithm Grades %										
#2 Lum/#1 Lum	F	1	1		2					
#2 Sawlog	H	16	16		24	13	12	10	69	
#3 Sawlog	I	8	8		5	2	10	14		
#4 Sawlog	J	45	46		53	37	39	54		
#4 Shingle	M					1				
#5 Utility	U	21	21		15	42	28	3	29	
#6 Utility	X	6	6		1	5	10	7		
#7 Chipper	Y	3	2	100			1	12	2	100

*** 1 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Harvest Method Summary

Average Line Method
TS'ELXWEYEQW
Licence Number: A75807 CP: 14
Project: 2018-04

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: C
PSYU: Dewdney (Chilliwack)
Region: 1 - South Coast
District: 01 - Chilliwack

10-Sep-2018 06:41:59PM
Filename: tsc-2018-04-a75807-cp-14.ccp
Compiled by: IFS
Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

Harvest Method : CC - Cable - Clearcut [cable : 11.7]

		Total	Conifer	Decid	F	C	H	B	Y	D
Utilization Limits										
Min DBH cm (M)					17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					15.0	15.0	15.0	15.0	15.0	15.0
Min DBH cm (I)					12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)					10.0	10.0	10.0	10.0	10.0	10.0
Log Len m					10.0	10.0	10.0	10.0	10.0	10.0
Volume and Size Data										
Gross Merchantable	m3	10174	10041	133	3199	653	4692	1458	39	133
Net Merchantable	m3	8184	8059	125	2980	515	3508	1026	29	125
Net Merch - All	m3/ha	699.451	688.795	10.656	254.698	44.047	299.864	87.673	2.513	10.656
Net Merch - Live	m3/ha	690.537	679.881	10.656	254.698	42.074	292.922	87.673	2.513	10.656
Net Merch - DP	m3/ha	8.915	8.915			1.973	6.942			
Decay	%	9	9	1	2	11	12	16	14	1
Waste(billing)	%	6	6		1	5	10	11	4	
Total Cull (DWB)	%	20	20	6	7	21	25	30	24	6
Net Merch Vol/Tree	m3	0.95	0.95	0.80	1.86	0.64	0.73	0.81	2.64	0.80
Avg 10.0 m Log Net	m3	0.45	0.46	0.28	0.59	0.32	0.41	0.46	0.96	0.28
Useless Dead/Living	%	10	10				16			
Net Second Growth	%		48.9		69.3	63.4	44.1			
All Burn Volume	%									
Heavy Fire Volume	%									
Blowdown Volume	%	2	2			4	3			
Insect Volume	%									
Algorithm Grades %										
#2 Lum/#1 Lum	F	1	1		2					
#2 Sawlog	H	16	16		22	15	13	10	69	
#3 Sawlog	I	8	8		5	2	11	14		
#4 Sawlog	J	44	46		55	34	37	54		
#4 Shingle	M					2				
#5 Utility	U	21	21		15	43	28	3	29	
#6 Utility	X	6	6		1	4	10	7		
#7 Chipper	Y	4	2	100			1	12	2	100

*** 1 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Harvest Method Summary

Average Line Method
TS'ELXWEYEQW
Licence Number: A75807 CP: 14
Project: 2018-04

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: C
PSYU: Dewdney (Chilliwack)
Region: 1 - South Coast
District: 01 - Chilliwack

10-Sep-2018 06:41:59PM
Filename: tsc-2018-04-a75807-cp-14.ccp
Compiled by: IFS
Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

Harvest Method : CC - Cable - Clearcut [Partial : 1.4]

		Total	Conifer	Decid	F	C	H	B	Y	D
Utilization Limits										
Min DBH cm (M)					17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					15.0	15.0	15.0	15.0	15.0	15.0
Min DBH cm (I)					12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)					10.0	10.0	10.0	10.0	10.0	10.0
Log Len m					10.0	10.0	10.0	10.0	10.0	10.0
Volume and Size Data										
Gross Merchantable	m3	773	773		440	96	237			
Net Merchantable	m3	719	719		402	90	227			
Net Merch - All	m3/ha	513.789	513.789		287.236	64.199	162.354			
Net Merch - Live	m3/ha	495.330	495.330		287.236	64.199	143.895			
Net Merch - DP	m3/ha	18.459	18.459				18.459			
Decay	%	2	2		3	1	0			
Waste(billing)	%	1	1		1	0				
Total Cull (DWB)	%	7	7		9	7	4			
Net Merch Vol/Tree	m3	0.96	0.96		2.08	0.47	0.62			
Avg 10.0 m Log Net	m3	0.39	0.39		0.66	0.24	0.27			
Useless Dead/Living	%									
Net Second Growth	%		69.2		45.4	97.8	100.0			
All Burn Volume	%									
Heavy Fire Volume	%									
Blowdown Volume	%	4	4				11			
Insect Volume	%									
Algorithm Grades %										
#2 Lum/#1 Lum	F	1	1		3					
#2 Sawlog	H	19	19		33	1				
#3 Sawlog	I	3	3		6					
#4 Sawlog	J	51	51		41	58	64			
#4 Shingle	M									
#5 Utility	U	21	21		16	35	23			
#6 Utility	X	5	5		1	6	12			
#7 Chipper	Y						1			

*** 1 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Harvest Method Summary

Average Line Method
TS'ELXWEYEQW
Licence Number: A75807 CP: 14
Project: 2018-04

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: C
PSYU: Dewdney (Chilliwack)
Region: 1 - South Coast
District: 01 - Chilliwack

10-Sep-2018 06:41:59PM
Filename: tsc-2018-04-a75807-cp-14.ccp
Compiled by: IFS
Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

Harvest Method : SC - Ground Systems - Clearcut[All Treatment Units : 11.8]

		Total	Conifer	Decid	F	C	H	B	Y	D
Utilization Limits										
Min DBH cm (M)					17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					15.0	15.0	15.0	15.0	15.0	15.0
Min DBH cm (I)					12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)					10.0	10.0	10.0	10.0	10.0	10.0
Log Len m					10.0	10.0	10.0	10.0	10.0	10.0
Volume and Size Data										
Gross Merchantable	m3	10528	10528		2154	364	5525	2420	65	
Net Merchantable	m3	7699	7699		2068	227	3652	1703	49	
Net Merch - All	m3/ha	652.459	652.459		175.265	19.240	309.512	144.305	4.137	
Net Merch - Live	m3/ha	611.805	611.805		137.858	15.993	309.512	144.305	4.137	
Net Merch - DP	m3/ha	40.654	40.654		37.407	3.247				
Decay	%	14	14			21	17	16	14	
Waste(billing)	%	11	11			15	16	11	4	
Total Cull (DWB)	%	27	27		4	38	34	30	24	
Net Merch Vol/Tree	m3	1.20	1.20		1.06	3.47	1.62	0.81	2.64	
Avg 10.0 m Log Net	m3	0.59	0.59		0.46	1.64	0.78	0.46	0.96	
Useless Dead/Living	%									
Net Second Growth	%		32.0		100.0		10.9			
All Burn Volume	%									
Heavy Fire Volume	%									
Blowdown Volume	%	5	5		13	17	1			
Insect Volume	%									
% Average Slope		44								
Algorithm Grades %										
#2 Sawlog	H	16	16		9	34	20	10	69	
#3 Sawlog	I	11	11			2	17	14		
#4 Sawlog	J	42	42		78		21	54		
#4 Shingle	M					2				
#5 Utility	U	18	18		6	61	29	3	29	
#6 Utility	X	9	9		7		11	7		
#7 Chipper	Y	4	4			1	2	12	2	

*** 1 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Cutting Permit Summary

Average Line Method
TS'ELXWEYEQW
Licence Number: A75807 CP: 14
Project: 2018-04

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: C
PSYU: Dewdney (Chilliwack)
Region: 1 - South Coast
District: 01 - Chilliwack

10-Sep-2018 06:41:59PM
Filename: tsc-2018-04-a75807-cp-14.ccp
Compiled by: IFS
Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

Net Area: [All Treatment Units : 24.9]
Gross Area: [R/W Removed : 1.9][Retention : 1.0][Exst R/W : 0.1][Grand Total : 27.9]

		Total	Conifer	Decid	F	C	H	B	Y	D
Utilization Limits										
Min DBH cm (M)					17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					15.0	15.0	15.0	15.0	15.0	15.0
Min DBH cm (I)					12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)					10.0	10.0	10.0	10.0	10.0	10.0
Log Len m					10.0	10.0	10.0	10.0	10.0	10.0
Volume and Size Data										
Gross Merchantable	m3	21475	21342	133	5794	1112	10454	3878	103	133
Net Merchantable	m3	16602	16477	125	5450	832	7388	2729	78	125
Net Merch - All	m3/ha	667	662	5	219	33	297	110	3	5
Distribution	%	100	99	1	33	5	45	16	0	1
Decay	%	11	11	1	1	14	15	16	14	1
Waste	%	6	6		0	5	9	8	3	
Waste(billing)	%	8	8		1	7	13	11	4	
Breakage	%	5	5	5	4	6	6	6	7	5
Total Cull (DWB)	%	23	23	6	6	25	29	30	24	6
Basal Area / Ha	m2/ha	76.7	76.3	0.4	18.7	5.3	37.9	14.0	0.4	0.4
Net VBAR	m3/m2	8.815	8.810	1.068	5.274	4.361	8.497	4.194	2.356	1.068
Stems/Ha (Live & DP)		633.9	627.7	6.3	150.3	42.6	297.8	135.8	1.2	6.3
Avg DBH (Live & DP)	cm	39.3	39.3	29.7	39.8	39.9	40.3	36.2	67.6	29.7
Snags/Ha		37.7	37.7				37.7			
Avg Snag DBH	cm	12.1	12.1				12.1			
Gross Merch Vol/Tree	m3	1.36	1.37	0.85	1.55	1.05	1.41	1.15	3.49	0.85
Net Merch Vol/Tree	m3	1.05	1.05	0.80	1.46	0.79	1.00	0.81	2.64	0.80
Avg Weight Total Ht	m	33.5	33.5	29.2	40.7	29.4	31.6	29.7	27.5	29.2
Avg Weight Merch Ht	m	27.6	27.6	22.5	35.6	23.0	24.7	23.2	22.5	22.5
Avg 10.0 m Log Net	m3	0.51	0.51	0.28	0.54	0.39	0.52	0.46	0.96	0.28
Avg 10.0 m Log Gross	m3	0.61	0.62	0.28	0.55	0.49	0.69	0.60	1.16	0.28
Avg # of 10.0 m Logs/Tree		2.22	2.21	3.00	2.81	2.15	2.05	1.90	3.00	3.00
Net Immature	%	41.6	41.9		79.2	49.8	29.4			
Net 2nd Growth	%		41.9							
Average Slope	%	49								
Algorithm Grades %										
#2 Lum/#1 Lum	F				1					
#2 Sawlog	H	16	16		18	18	16	10	69	
#3 Sawlog	I	9	10		3	2	14	14		
#4 Sawlog	J	45	44		63	27	30	54		
#4 Shingle	M					1				
#5 Utility	U	20	20		12	48	28	3	29	
#6 Utility	X	7	7		3	3	11	7		
#7 Chipper	Y	3	3	100		1	1	12	2	100
Statistical Summary										
Coeff. of Variation	%	36.1	35.1	500.0	40.8	203.2	76.5	130.2	500.0	500.0
Two Standard Error	%	15.0	14.6	208.0	17.0	84.5	31.8	54.2	208.0	208.0
Number and Type of Plots		MP = 25								
Number of Potential Trees		127								
Plots/Ha		1.0								
Cruised Trees/Plot		5.1								

*** 1 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Cutting Permit Summary

Average Line Method
TS'ELXWEYEQW
Licence Number: A75807 CP: 14
Project: 2018-04

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: C
PSYU: Dewdney (Chilliwack)
Region: 1 - South Coast
District: 01 - Chilliwack

10-Sep-2018 06:41:59PM
Filename: tsc-2018-04-a75807-cp-14.ccp
Compiled by: IFS
Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

Net Area: [ground : 11.8]

		Total	Conifer	Decid	F	C	H	B	Y	D
Utilization Limits										
Min DBH cm (M)					17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					15.0	15.0	15.0	15.0	15.0	15.0
Min DBH cm (I)					12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)					10.0	10.0	10.0	10.0	10.0	10.0
Log Len m					10.0	10.0	10.0	10.0	10.0	10.0
Volume and Size Data										
Gross Merchantable	m3	10528	10528		2154	364	5525	2420	65	
Net Merchantable	m3	7699	7699		2068	227	3652	1703	49	
Net Merch - All	m3/ha	652	652		175	19	310	144	4	
Distribution	%	100	100		27	3	47	22	1	
Decay	%	14	14			21	17	16	14	
Waste	%	8	8			9	11	8	3	
Waste(billing)	%	11	11			15	16	11	4	
Breakage	%	6	6		4	7	6	6	7	
Total Cull (DWB)	%	27	27		4	38	34	30	24	
Basal Area / Ha	m2/ha	80.8	80.8		15.3	4.0	42.5	18.4	0.6	
Net VBAR	m3/m2	8.815	8.810		5.274	4.361	8.497	4.194	2.356	
Stems/Ha (Live & DP)		542.1	542.1		165.2	5.5	190.9	178.9	1.6	
Avg DBH (Live & DP)	cm	43.6	43.6		34.3	95.9	53.3	36.2	67.6	
Snags/Ha										
Avg Snag DBH	cm									
Gross Merch Vol/Tree	m3	1.65	1.65		1.11	5.56	2.45	1.15	3.49	
Net Merch Vol/Tree	m3	1.20	1.20		1.06	3.47	1.62	0.81	2.64	
Avg Weight Total Ht	m	32.6	32.6		38.6	31.6	31.6	29.7	27.5	
Avg Weight Merch Ht	m	26.5	26.5		33.3	25.7	24.9	23.2	22.5	
Avg 10.0 m Log Net	m3	0.59	0.59		0.46	1.64	0.78	0.46	0.96	
Avg 10.0 m Log Gross	m3	0.76	0.76		0.46	2.36	1.09	0.60	1.16	
Avg # of 10.0 m Logs/Tree		2.18	2.18		2.38	2.35	2.25	1.90	3.00	
Net Immature	%	32.0	32.0		100.0		10.9			
Net 2nd Growth	%		32.0							
Average Slope	%	49								
Algorithm Grades %										
#2 Sawlog	H	16	16		9	34	20	10	69	
#3 Sawlog	I	11	11			2	17	14		
#4 Sawlog	J	42	42		78		21	54		
#4 Shingle	M					2				
#5 Utility	U	18	18		6	61	29	3	29	
#6 Utility	X	9	9		7		11	7		
#7 Chipper	Y	4	4			1	2	12	2	
Statistical Summary										
Coeff. of Variation	%	36.1	35.1		40.8	203.2	76.5	130.2	500.0	
Two Standard Error	%	15.0	14.6		17.0	84.5	31.8	54.2	208.0	
Number and Type of Plots		MP = 25								
Number of Potential Trees		127								
Plots/Ha		1.0								
Cruised Trees/Plot		5.1								

*** 1 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Cutting Permit Summary

Average Line Method
TS'ELXWEYEQW
Licence Number: A75807 CP: 14
Project: 2018-04

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: C
PSYU: Dewdney (Chilliwack)
Region: 1 - South Coast
District: 01 - Chilliwack

10-Sep-2018 06:41:59PM
Filename: tsc-2018-04-a75807-cp-14.ccp
Compiled by: IFS
Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

Net Area: [cable : 11.7]

		Total	Conifer	Decid	F	C	H	B	Y	D
Utilization Limits										
Min DBH cm (M)					17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					15.0	15.0	15.0	15.0	15.0	15.0
Min DBH cm (I)					12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)					10.0	10.0	10.0	10.0	10.0	10.0
Log Len m					10.0	10.0	10.0	10.0	10.0	10.0
Volume and Size Data										
Gross Merchantable	m3	10174	10041	133	3199	653	4692	1458	39	133
Net Merchantable	m3	8184	8059	125	2980	515	3508	1026	29	125
Net Merch - All	m3/ha	699	689	11	255	44	300	88	3	11
Distribution	%	100	98	2	36	6	43	13	0	2
Decay	%	9	9	1	2	11	12	16	14	1
Waste	%	5	5		1	4	8	8	3	
Waste(billing)	%	6	6		1	5	10	11	4	
Breakage	%	5	5	5	4	6	5	6	7	5
Total Cull (DWB)	%	20	20	6	7	21	25	30	24	6
Basal Area / Ha	m2/ha	76.4	75.4	0.9	21.4	6.4	36.1	11.2	0.3	0.9
Net VBAR	m3/m2	8.815	8.810	1.068	5.274	4.361	8.497	4.194	2.356	1.068
Stems/Ha (Live & DP)		738.1	724.8	13.3	136.7	68.8	409.7	108.7	1.0	13.3
Avg DBH (Live & DP)	cm	36.3	36.4	29.7	44.7	34.4	33.5	36.2	67.6	29.7
Snags/Ha		80.1	80.1				80.1			
Avg Snag DBH	cm	12.1	12.1				12.1			
Gross Merch Vol/Tree	m3	1.18	1.18	0.85	2.00	0.81	0.98	1.15	3.49	0.85
Net Merch Vol/Tree	m3	0.95	0.95	0.80	1.86	0.64	0.73	0.81	2.64	0.80
Avg Weight Total Ht	m	34.2	34.2	29.2	41.8	28.8	31.5	29.7	27.5	29.2
Avg Weight Merch Ht	m	28.3	28.4	22.5	36.7	22.3	24.6	23.2	22.5	22.5
Avg 10.0 m Log Net	m3	0.45	0.46	0.28	0.59	0.32	0.41	0.46	0.96	0.28
Avg 10.0 m Log Gross	m3	0.53	0.54	0.28	0.61	0.38	0.51	0.60	1.16	0.28
Avg # of 10.0 m Logs/Tree		2.22	2.20	3.00	3.28	2.14	1.93	1.90	3.00	3.00
Net Immature	%	48.2	48.9		69.3	63.4	44.1			
Net 2nd Growth	%		48.9							
Average Slope	%	49								
Algorithm Grades %										
#2 Lum/#1 Lum	F	1	1		2					
#2 Sawlog	H	16	16		22	15	13	10	69	
#3 Sawlog	I	8	8		5	2	11	14		
#4 Sawlog	J	44	46		55	34	37	54		
#4 Shingle	M					2				
#5 Utility	U	21	21		15	43	28	3	29	
#6 Utility	X	6	6		1	4	10	7		
#7 Chipper	Y	4	2	100			1	12	2	100
Statistical Summary										
Coeff. of Variation	%	36.1	35.1	500.0	40.8	203.2	76.5	130.2	500.0	500.0
Two Standard Error	%	15.0	14.6	208.0	17.0	84.5	31.8	54.2	208.0	208.0
Number and Type of Plots		MP = 25								
Number of Potential Trees		127								
Plots/Ha		1.0								
Cruised Trees/Plot		5.1								

*** 1 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Cutting Permit Summary

Average Line Method
TS'ELXWEYEQW
Licence Number: A75807 CP: 14
Project: 2018-04

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: C
PSYU: Dewdney (Chilliwack)
Region: 1 - South Coast
District: 01 - Chilliwack

10-Sep-2018 06:41:59PM
Filename: tsc-2018-04-a75807-cp-14.ccp
Compiled by: IFS
Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

Net Area: [Partial : 1.4]

		Total	Conifer	Decid	F	C	H	B	Y	D
Utilization Limits										
Min DBH cm (M)					17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					15.0	15.0	15.0	15.0	15.0	15.0
Min DBH cm (I)					12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)					10.0	10.0	10.0	10.0	10.0	10.0
Log Len m					10.0	10.0	10.0	10.0	10.0	10.0
Volume and Size Data										
Gross Merchantable	m3	773	773		440	96	237			
Net Merchantable	m3	719	719		402	90	227			
Net Merch - All	m3/ha	514	514		287	64	162			
Distribution	%	100	100		56	12	32			
Decay	%	2	2		3	1	0			
Waste	%	1	1		1	0				
Waste(billing)	%	1	1		1	0				
Breakage	%	4	4		5	5	4			
Total Cull (DWB)	%	7	7		9	7	4			
Basal Area / Ha	m2/ha	45.4	45.4		24.1	7.5	13.7			
Net VBAR	m3/m2	8.815	8.810		5.274	4.361	8.497			
Stems/Ha (Live & DP)		537.4	537.4		138.4	135.3	263.7			
Avg DBH (Live & DP)	cm	32.8	32.8		47.1	26.6	25.8			
Snags/Ha										
Avg Snag DBH	cm									
Gross Merch Vol/Tree	m3	1.03	1.03		2.27	0.51	0.64			
Net Merch Vol/Tree	m3	0.96	0.96		2.08	0.47	0.62			
Avg Weight Total Ht	m	37.3	37.3		43.3	25.2	31.6			
Avg Weight Merch Ht	m	31.4	31.4		38.5	18.9	23.7			
Avg 10.0 m Log Net	m3	0.39	0.39		0.66	0.24	0.27			
Avg 10.0 m Log Gross	m3	0.40	0.40		0.69	0.24	0.27			
Avg # of 10.0 m Logs/Tree		2.55	2.55		3.29	2.13	2.38			
Net Immature	%	69.2	69.2		45.4	97.8	100.0			
Net 2nd Growth	%		69.2							
Average Slope	%	49								
Algorithm Grades %										
#2 Lum/#1 Lum	F	1	1		3					
#2 Sawlog	H	19	19		33	1				
#3 Sawlog	I	3	3		6					
#4 Sawlog	J	51	51		41	58	64			
#4 Shingle	M									
#5 Utility	U	21	21		16	35	23			
#6 Utility	X	5	5		1	6	12			
#7 Chipper	Y						1			
Statistical Summary										
Coeff. of Variation	%	36.1	35.1		40.8	203.2	76.5			
Two Standard Error	%	15.0	14.6		17.0	84.5	31.8			
Number and Type of Plots		MP = 25								
Number of Potential Trees		127								
Plots/Ha		1.0								
Cruised Trees/Plot		5.1								

*** 1 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Block Summary

Average Line Method
TS'ELXWEYEQW
Licence Number: A75807 CP: 14
Project: 2018-04

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: C
PSYU: Dewdney (Chilliwack)
Region: 1 - South Coast
District: 01 - Chilliwack

10-Sep-2018 06:41:59PM
Filename: tsc-2018-04-a75807-cp-14.ccp
Compiled by: IFS
Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

Net Area: Block : (I) - 11A:LB11A, Plots in Block: 6, TUs: [All Treatment Units : 5.8]
Gross Area: [R/W Removed : 0.5][Exst R/W : 0.1][Grand Total : 6.4]

		Total	Conifer	Decid	F	C	H	B	Y	D
Utilization Limits										
Min DBH cm (I)					12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)					10.0	10.0	10.0	10.0	10.0	10.0
Log Len m					10.0	10.0	10.0	10.0	10.0	10.0
Volume and Size Data										
Gross Merchantable	m3	4221	4088	133	3370		718			133
Net Merchantable	m3	4049	3925	125	3235		690			125
Net Merch - All	m3/ha	698	677	21	558		119			21
Distribution	%	100	97	3	80		17			3
Decay	%	0		1						1
Waste	%									
Waste(billing)	%									
Breakage	%	4	4	5	4		4			5
Total Cull (DWB)	%	4	4	6	4		4			6
Basal Area / Ha	m2/ha	62.8	60.9	1.9	47.8		13.1			1.9
Net VBAR	m3/m2	11.124	11.104	4.586	11.683		9.445			4.586
Stems/Ha (Live & DP)		891.2	864.4	26.8	442.5		421.9			26.8
Avg DBH (Live & DP)	cm	30.0	30.0	29.7	37.1		19.9			29.7
Snags/Ha		161.7	161.7				161.7			
Avg Snag DBH	cm	12.1	12.1				12.1			
Gross Merch Vol/Tree	m3	0.82	0.82	0.85	1.31		0.29			0.85
Net Merch Vol/Tree	m3	0.78	0.78	0.80	1.26		0.28			0.80
Avg Weight Total Ht	m	36.7	36.9	29.2	39.1		27.5			29.2
Avg Weight Merch Ht	m	31.3	31.5	22.5	33.9		20.5			22.5
Avg 10.0 m Log Net	m3	0.39	0.40	0.28	0.50		0.20			0.28
Avg 10.0 m Log Gross	m3	0.39	0.40	0.28	0.50		0.20			0.28
Avg # of 10.0 m Logs/Tree		2.08	2.05	3.00	2.63		1.43			3.00
Net Immature	%	96.9	100.0		100.0		100.0			
Net 2nd Growth	%		100.0							
Average Slope	%	60								
Algorithm Grades %										
#2 Sawlog	H	7	8		9					
#3 Sawlog	I	1	1		1					
#4 Sawlog	J	71	73		76		62			
#5 Utility	U	13	13		9		34			
#6 Utility	X	5	5		5		4			
#7 Chipper	Y	3		100						100
Statistical Summary										
Coeff. of Variation	%	28.3	21.9	244.9	12.6		139.3			244.9
Two Standard Error	%	32.1	24.8	277.6	14.3		157.8			277.6
Number and Type of Plots		MP = 6								
Number of Potential Trees		27								
Plots/Ha		1.0								
Cruised Trees/Plot		4.7								

Slope % Statistics

Min= 52, Max= 65, CV=7.9, Std Error of Mean=1.9, 2SE%=8.3

*** 1 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Block Summary

Average Line Method | Grades: MOF Computerized | FIZ: C | 10-Sep-2018 06:41:59PM
TS'ELXWEYEQW | Computerized Decay | PSYU: Dewdney (Chilliwack) | Filename: tsc-2018-04-a75807-cp-14.ccp
Licence Number: A75807 CP: 14 | Computerized Waste | Region: 1 - South Coast | Compiled by: IFS
Project: 2018-04 | Computerized Breakage | District: 01 - Chilliwack | Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

Net Area: Block : (I) - 11A:LB11A, Plots in Block: 6, TUs: [ground : 3.5]

		Total	Conifer	Decid	F	C	H	B	Y	D
Utilization Limits										
Min DBH cm (I)					12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)					10.0	10.0	10.0	10.0	10.0	10.0
Log Len m					10.0	10.0	10.0	10.0	10.0	10.0
Volume and Size Data										
Gross Merchantable	m3	2506	2506		2154		352			
Net Merchantable	m3	2406	2406		2068		337			
Net Merch - All	m3/ha	687	687		591		96			
Distribution	%	100	100		86		14			
Decay	%									
Waste	%									
Waste(billing)	%									
Breakage	%	4	4		4		4			
Total Cull (DWB)	%	4	4		4		4			
Basal Area / Ha	m2/ha	60.9	60.9		51.6		9.4			
Net VBAR	m3/m2	11.124	11.104		11.683		9.445			
Stems/Ha (Live & DP)		703.5	703.5		557.0		146.5			
Avg DBH (Live & DP)	cm	33.2	33.2		34.3		28.5			
Snags/Ha										
Avg Snag DBH	cm									
Gross Merch Vol/Tree	m3	1.02	1.02		1.11		0.69			
Net Merch Vol/Tree	m3	0.98	0.98		1.06		0.66			
Avg Weight Total Ht	m	37.1	37.1		38.6		27.8			
Avg Weight Merch Ht	m	31.6	31.6		33.3		20.7			
Avg 10.0 m Log Net	m3	0.44	0.44		0.46		0.34			
Avg 10.0 m Log Gross	m3	0.44	0.44		0.46		0.34			
Avg # of 10.0 m Logs/Tree		2.30	2.30		2.38		2.00			
Net Immature	%	100.0	100.0		100.0		100.0			
Net 2nd Growth	%		100.0							
Average Slope	%	60								
Algorithm Grades %										
#2 Sawlog	H	7	7		9					
#4 Sawlog	J	77	77		78		66			
#5 Utility	U	10	10		6		34			
#6 Utility	X	6	6		7					
Statistical Summary										
Coeff. of Variation	%	28.3	21.9		12.6		139.3			
Two Standard Error	%	32.1	24.8		14.3		157.8			
Number and Type of Plots		MP = 6								
Number of Potential Trees		27								
Plots/Ha		1.0								
Cruised Trees/Plot		4.7								
Slope % Statistics										

Min= 52, Max= 65, CV=7.9, Std Error of Mean=1.9, 2SE%=8.3

*** 1 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Block Summary

Average Line Method
TS'ELXWEYEQW
Licence Number: A75807 CP: 14
Project: 2018-04

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: C
PSYU: Dewdney (Chilliwack)
Region: 1 - South Coast
District: 01 - Chilliwack

10-Sep-2018 06:41:59PM
Filename: tsc-2018-04-a75807-cp-14.ccp
Compiled by: IFS
Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

Net Area: Block : (I) - 11A:LB11A, Plots in Block: 6, TUs: [cable : 2.3]

		Total	Conifer	Decid	F	C	H	B	Y	D
Utilization Limits										
Min DBH cm (I)					12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)					10.0	10.0	10.0	10.0	10.0	10.0
Log Len m					10.0	10.0	10.0	10.0	10.0	10.0
Volume and Size Data										
Gross Merchantable	m3	1715	1582	133	1215		367			133
Net Merchantable	m3	1644	1519	125	1167		352			125
Net Merch - All	m3/ha	715	660	54	507		153			54
Distribution	%	100	92	8	71		21			8
Decay	%	0		1						1
Waste	%									
Waste(billing)	%									
Breakage	%	4	4	5	4		4			5
Total Cull (DWB)	%	4	4	6	4		4			6
Basal Area / Ha	m2/ha	65.6	60.9	4.7	42.2		18.8			4.7
Net VBAR	m3/m2	11.124	11.104	4.586	11.683		9.445			4.586
Stems/Ha (Live & DP)		1176.9	1109.2	67.7	268.3		841.0			67.7
Avg DBH (Live & DP)	cm	26.6	26.4	29.7	44.7		16.8			29.7
Snags/Ha		407.7	407.7				407.7			
Avg Snag DBH	cm	12.1	12.1				12.1			
Gross Merch Vol/Tree	m3	0.63	0.62	0.85	1.97		0.19			0.85
Net Merch Vol/Tree	m3	0.61	0.60	0.80	1.89		0.18			0.80
Avg Weight Total Ht	m	36.2	36.7	29.2	40.0		27.3			29.2
Avg Weight Merch Ht	m	30.8	31.5	22.5	34.8		20.3			22.5
Avg 10.0 m Log Net	m3	0.34	0.34	0.28	0.57		0.15			0.28
Avg 10.0 m Log Gross	m3	0.34	0.34	0.28	0.57		0.15			0.28
Avg # of 10.0 m Logs/Tree		1.87	1.81	3.00	3.45		1.28			3.00
Net Immature	%	92.4	100.0		100.0		100.0			
Net 2nd Growth	%		100.0							
Average Slope	%	60								
Algorithm Grades %										
#2 Sawlog	H	7	8		10					
#3 Sawlog	I	3	3		4					
#4 Sawlog	J	63	69		72		58			
#5 Utility	U	16	17		13		34			
#6 Utility	X	3	3		1		8			
#7 Chipper	Y	8		100						100
Statistical Summary										
Coeff. of Variation	%	28.3	21.9	244.9	12.6		139.3			244.9
Two Standard Error	%	32.1	24.8	277.6	14.3		157.8			277.6
Number and Type of Plots		MP = 6								
Number of Potential Trees		27								
Plots/Ha		1.0								
Cruised Trees/Plot		4.7								

Slope % Statistics

Min= 52, Max= 65, CV=7.9, Std Error of Mean=1.9, 2SE%=8.3

*** 1 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Block Summary

Average Line Method
TS'ELXWEYEQW
Licence Number: A75807 CP: 14
Project: 2018-04

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: C
PSYU: Dewdney (Chilliwack)
Region: 1 - South Coast
District: 01 - Chilliwack

10-Sep-2018 06:41:59PM
Filename: tsc-2018-04-a75807-cp-14.ccp
Compiled by: IFS
Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

Net Area: Block : (I) - P2B:MP2B, Plots in Block: 7, TUs: [All Treatment Units : 5.8]
Gross Area: [R/W Removed : 1.1][Retention : 0.6][Grand Total : 7.5]

		Total	Conifer	Decid	F	C	H	B	Y	D
Utilization Limits										
Min DBH cm (I)					12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)					10.0	10.0	10.0	10.0	10.0	10.0
Log Len m					10.0	10.0	10.0	10.0	10.0	10.0
Volume and Size Data										
Gross Merchantable	m3	4399	4399		2424	530	1445			
Net Merchantable	m3	4070	4070		2215	468	1387			
Net Merch - All	m3/ha	702	702		382	81	239			
Distribution	%	100	100		54	12	34			
Decay	%	2	2		3	5	0			
Waste	%	1	1		1	1				
Waste(billing)	%	1	1		1	2				
Breakage	%	4	4		5	5	4			
Total Cull (DWB)	%	7	7		9	12	4			
Basal Area / Ha	m2/ha	62.1	62.1		32.3	9.8	20.1			
Net VBAR	m3/m2	10.408	10.408		10.958	7.692	10.831			
Stems/Ha (Live & DP)		743.4	743.4		202.7	164.7	376.0			
Avg DBH (Live & DP)	cm	32.6	32.6		45.0	27.5	26.1			
Snags/Ha										
Avg Snag DBH	cm									
Gross Merch Vol/Tree	m3	1.02	1.02		2.06	0.55	0.66			
Net Merch Vol/Tree	m3	0.94	0.94		1.88	0.49	0.64			
Avg Weight Total Ht	m	37.3	37.3		42.9	27.0	32.0			
Avg Weight Merch Ht	m	31.3	31.3		38.0	20.5	24.3			
Avg 10.0 m Log Net	m3	0.39	0.39		0.62	0.24	0.28			
Avg 10.0 m Log Gross	m3	0.40	0.40		0.65	0.26	0.28			
Avg # of 10.0 m Logs/Tree		2.55	2.55		3.19	2.13	2.39			
Net Immature	%	70.8	70.8		48.8	88.5	100.0			
Net 2nd Growth	%		70.8							
Average Slope	%	51								
Algorithm Grades %										
#2 Lum/#1 Lum	F	1	1		3					
#2 Sawlog	H	18	18		31	6				
#3 Sawlog	I	3	3		6	2				
#4 Sawlog	J	53	53		43	49	67			
#4 Shingle	M					1				
#5 Utility	U	21	21		16	36	25			
#6 Utility	X	4	4		1	6	8			
#7 Chipper	Y									
Statistical Summary										
Coeff. of Variation	%	39.9	39.9		49.2	97.7	86.2			
Two Standard Error	%	36.9	36.9		45.5	90.4	79.8			
Number and Type of Plots		MP = 7								
Number of Potential Trees		37								
Plots/Ha		1.2								
Cruised Trees/Plot		5.3								

Slope % Statistics

Min= 34, Max= 72, CV=25.5, Std Error of Mean=4.9, 2SE%=23.6

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Block Summary

Average Line Method	Grades: MOF Computerized	FIZ: C	10-Sep-2018 06:41:59PM
TS'ELXWEYEQW	Computerized Decay	PSYU: Dewdney (Chilliwack)	Filename: tsc-2018-04-a75807-cp-14.ccp
Licence Number: A75807 CP: 14	Computerized Waste	Region: 1 - South Coast	Compiled by: IFS
Project: 2018-04	Computerized Breakage	District: 01 - Chilliwack	Cruised by: DUNHAM AND ASSOCIATES
			Version: 2018.00 IFS build 6204

Net Area: Block : (I) - P2B:MP2B, Plots in Block: 7, TUs: [cable : 4.4]

		Total	Conifer	Decid	F	C	H	B	Y	D
Utilization Limits										
Min DBH cm (I)					12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)					10.0	10.0	10.0	10.0	10.0	10.0
Log Len m					10.0	10.0	10.0	10.0	10.0	10.0
Volume and Size Data										
Gross Merchantable	m3	3626	3626		1984	433	1208			
Net Merchantable	m3	3351	3351		1813	379	1159			
Net Merch - All	m3/ha	762	762		412	86	263			
Distribution	%	100	100		54	11	35			
Decay	%	2	2		3	6	0			
Waste	%	1	1		1	2				
Waste(billing)	%	1	1		1	2				
Breakage	%	4	4		5	5	4			
Total Cull (DWB)	%	8	8		9	13	4			
Basal Area / Ha	m2/ha	67.4	67.4		34.9	10.5	22.1			
Net VBAR	m3/m2	10.408	10.408		10.958	7.692	10.831			
Stems/Ha (Live & DP)		808.9	808.9		223.2	174.0	411.7			
Avg DBH (Live & DP)	cm	32.6	32.6		44.6	27.7	26.1			
Snags/Ha										
Avg Snag DBH	cm									
Gross Merch Vol/Tree	m3	1.02	1.02		2.02	0.57	0.67			
Net Merch Vol/Tree	m3	0.94	0.94		1.85	0.49	0.64			
Avg Weight Total Ht	m	37.3	37.3		42.8	27.5	32.1			
Avg Weight Merch Ht	m	31.3	31.3		37.8	20.9	24.4			
Avg 10.0 m Log Net	m3	0.39	0.39		0.61	0.25	0.28			
Avg 10.0 m Log Gross	m3	0.40	0.40		0.64	0.27	0.28			
Avg # of 10.0 m Logs/Tree		2.55	2.55		3.17	2.13	2.40			
Net Immature	%	71.2	71.2		49.6	86.3	100.0			
Net 2nd Growth	%		71.2							
Average Slope	%	51								
Algorithm Grades %										
#2 Lum/#1 Lum	F	1	1		3					
#2 Sawlog	H	17	17		30	8				
#3 Sawlog	I	3	3		6	2				
#4 Sawlog	J	53	53		44	46	68			
#4 Shingle	M					2				
#5 Utility	U	22	22		16	36	25			
#6 Utility	X	4	4		1	6	7			
#7 Chipper	Y									
Statistical Summary										
Coeff. of Variation	%	39.9	39.9		49.2	97.7	86.2			
Two Standard Error	%	36.9	36.9		45.5	90.4	79.8			
Number and Type of Plots		MP = 7								
Number of Potential Trees		37								
Plots/Ha		1.2								
Cruised Trees/Plot		5.3								

Slope % Statistics

Min= 34, Max= 72, CV=25.5, Std Error of Mean=4.9, 2SE%=23.6

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Block Summary

Average Line Method
TS'ELXWEYEQW
Licence Number: A75807 CP: 14
Project: 2018-04

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: C
PSYU: Dewdney (Chilliwack)
Region: 1 - South Coast
District: 01 - Chilliwack

10-Sep-2018 06:41:59PM
Filename: tsc-2018-04-a75807-cp-14.ccp
Compiled by: IFS
Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

Net Area: Block : (I) - P2B:MP2B, Plots in Block: 7, TUs: [Partial : 1.4]

		Total	Conifer	Decid	F	C	H	B	Y	D
Utilization Limits										
Min DBH cm (I)					12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)					10.0	10.0	10.0	10.0	10.0	10.0
Log Len m					10.0	10.0	10.0	10.0	10.0	10.0
Volume and Size Data										
Gross Merchantable	m3	773	773		440	96	237			
Net Merchantable	m3	719	719		402	90	227			
Net Merch - All	m3/ha	514	514		287	64	162			
Distribution	%	100	100		56	12	32			
Decay	%	2	2		3	1	0			
Waste	%	1	1		1	0				
Waste(billing)	%	1	1		1	0				
Breakage	%	4	4		5	5	4			
Total Cull (DWB)	%	7	7		9	7	4			
Basal Area / Ha	m2/ha	45.4	45.4		24.1	7.5	13.7			
Net VBAR	m3/m2	10.408	10.408		10.958	7.692	10.831			
Stems/Ha (Live & DP)		537.4	537.4		138.4	135.3	263.7			
Avg DBH (Live & DP)	cm	32.8	32.8		47.1	26.6	25.8			
Snags/Ha										
Avg Snag DBH	cm									
Gross Merch Vol/Tree	m3	1.03	1.03		2.27	0.51	0.64			
Net Merch Vol/Tree	m3	0.96	0.96		2.08	0.47	0.62			
Avg Weight Total Ht	m	37.3	37.3		43.3	25.2	31.6			
Avg Weight Merch Ht	m	31.4	31.4		38.5	18.9	23.7			
Avg 10.0 m Log Net	m3	0.39	0.39		0.66	0.24	0.27			
Avg 10.0 m Log Gross	m3	0.40	0.40		0.69	0.24	0.27			
Avg # of 10.0 m Logs/Tree		2.55	2.55		3.29	2.13	2.38			
Net Immature	%	69.2	69.2		45.4	97.8	100.0			
Net 2nd Growth	%		69.2							
Average Slope	%	51								
Algorithm Grades %										
#2 Lum/#1 Lum	F	1	1		3					
#2 Sawlog	H	19	19		33	1				
#3 Sawlog	I	3	3		6					
#4 Sawlog	J	51	51		41	58	64			
#4 Shingle	M									
#5 Utility	U	21	21		16	35	23			
#6 Utility	X	5	5		1	6	12			
#7 Chipper	Y						1			
Statistical Summary										
Coeff. of Variation	%	39.9	39.9		49.2	97.7	86.2			
Two Standard Error	%	36.9	36.9		45.5	90.4	79.8			
Number and Type of Plots		MP = 7								
Number of Potential Trees		37								
Plots/Ha		1.2								
Cruised Trees/Plot		5.3								

Slope % Statistics

Min= 34, Max= 72, CV=25.5, Std Error of Mean=4.9, 2SE%=23.6

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Block Summary

Average Line Method | Grades: MOF Computerized | FIZ: C | 10-Sep-2018 06:41:59PM
TS'ELXWEYEQW | Computerized Decay | PSYU: Dewdney (Chilliwack) | Filename: tsc-2018-04-a75807-cp-14.ccp
Licence Number: A75807 CP: 14 | Computerized Waste | Region: 1 - South Coast | Compiled by: IFS
Project: 2018-04 | Computerized Breakage | District: 01 - Chilliwack | Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

Net Area: Block : (M) - PF1:PF1, Plots in Block: 12, TUs: [All Treatment Units : 13.3]
Gross Area: [R/W Removed : 0.3][Retention : 0.4][Grand Total : 14.0]

		Total	Conifer	Decid	F	C	H	B	Y	D
Utilization Limits										
Min DBH cm (M)					17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					15.0	15.0	15.0	15.0	15.0	15.0
Log Len m					10.0	10.0	10.0	10.0	10.0	10.0
Volume and Size Data										
Gross Merchantable	m3	12855	12855			583	8291	3878	103	
Net Merchantable	m3	8482	8482			364	5312	2729	78	
Net Merch - All	m3/ha	638	638			27	399	205	6	
Distribution	%	100	100			4	63	32	1	
Decay	%	18	18			21	19	16	14	
Waste	%	10	10			9	11	8	3	
Waste(billing)	%	15	15			15	18	11	4	
Breakage	%	6	6			7	6	6	7	
Total Cull (DWB)	%	34	34			38	36	30	24	
Basal Area / Ha	m2/ha	89.1	89.1			5.7	56.5	26.1	0.8	
Net VBAR	m3/m2	7.113	7.113			4.809	7.066	7.853	4.411	
Stems/Ha (Live & DP)		474.0	474.0			7.9	209.6	254.3	2.2	
Avg DBH (Live & DP)	cm	48.9	48.9			95.9	58.6	36.2	67.6	
Snags/Ha										
Avg Snag DBH	cm									
Gross Merch Vol/Tree	m3	2.04	2.04			5.56	2.97	1.15	3.49	
Net Merch Vol/Tree	m3	1.35	1.35			3.47	1.91	0.81	2.64	
Avg Weight Total Ht	m	31.2	31.2			31.6	31.9	29.7	27.5	
Avg Weight Merch Ht	m	24.6	24.6			25.7	25.3	23.2	22.5	
Avg 10.0 m Log Net	m3	0.70	0.70			1.64	0.90	0.46	0.96	
Avg 10.0 m Log Gross	m3	0.97	0.97			2.36	1.28	0.60	1.16	
Avg # of 10.0 m Logs/Tree		2.10	2.10			2.35	2.33	1.90	3.00	
Net Immature	%	1.1	1.1				1.8			
Net 2nd Growth	%		1.1							
Average Slope	%	42								
Algorithm Grades %										
#2 Sawlog	H	19	19			34	22	10	69	
#3 Sawlog	I	16	16			2	19	14		
#4 Sawlog	J	28	28				16	54		
#4 Shingle	M					2				
#5 Utility	U	22	22			61	29	3	29	
#6 Utility	X	10	10				12	7		
#7 Chipper	Y	5	5			1	2	12	2	
Statistical Summary										
Coeff. of Variation	%	37.4	37.4			276.7	62.5	90.2	346.4	
Two Standard Error	%	23.8	23.8			175.8	39.7	57.3	220.1	
Number and Type of Plots		MP = 12								
Number of Potential Trees		63								
Plots/Ha		0.9								
Cruised Trees/Plot		5.3								

Slope % Statistics

Min= 21, Max= 62, CV=24.5, Std Error of Mean=3.0, 2SE%=15.6

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Block Summary

Average Line Method | Grades: MOF Computerized | FIZ: C | 10-Sep-2018 06:41:59PM
TS'ELXWEYEQW | Computerized Decay | PSYU: Dewdney (Chilliwack) | Filename: tsc-2018-04-a75807-cp-14.ccp
Licence Number: A75807 CP: 14 | Computerized Waste | Region: 1 - South Coast | Compiled by: IFS
Project: 2018-04 | Computerized Breakage | District: 01 - Chilliwack | Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

Net Area: Block : (M) - PF1:PF1, Plots in Block: 12, TUs: [ground : 8.3]

		Total	Conifer	Decid	F	C	H	B	Y	D
Utilization Limits										
Min DBH cm (M)					17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					15.0	15.0	15.0	15.0	15.0	15.0
Log Len m					10.0	10.0	10.0	10.0	10.0	10.0
Volume and Size Data										
Gross Merchantable	m3	8022	8022			364	5174	2420	65	
Net Merchantable	m3	5293	5293			227	3315	1703	49	
Net Merch - All	m3/ha	638	638			27	399	205	6	
Distribution	%	100	100			4	63	32	1	
Decay	%	18	18			21	19	16	14	
Waste	%	10	10			9	11	8	3	
Waste(billing)	%	15	15			15	18	11	4	
Breakage	%	6	6			7	6	6	7	
Total Cull (DWB)	%	34	34			38	36	30	24	
Basal Area / Ha	m2/ha	89.1	89.1			5.7	56.5	26.1	0.8	
Net VBAR	m3/m2	7.113	7.113			4.809	7.066	7.853	4.411	
Stems/Ha (Live & DP)		474.0	474.0			7.9	209.6	254.3	2.2	
Avg DBH (Live & DP)	cm	48.9	48.9			95.9	58.6	36.2	67.6	
Snags/Ha										
Avg Snag DBH	cm									
Gross Merch Vol/Tree	m3	2.04	2.04			5.56	2.97	1.15	3.49	
Net Merch Vol/Tree	m3	1.35	1.35			3.47	1.91	0.81	2.64	
Avg Weight Total Ht	m	31.2	31.2			31.6	31.9	29.7	27.5	
Avg Weight Merch Ht	m	24.6	24.6			25.7	25.3	23.2	22.5	
Avg 10.0 m Log Net	m3	0.70	0.70			1.64	0.90	0.46	0.96	
Avg 10.0 m Log Gross	m3	0.97	0.97			2.36	1.28	0.60	1.16	
Avg # of 10.0 m Logs/Tree		2.10	2.10			2.35	2.33	1.90	3.00	
Net Immature	%	1.1	1.1				1.8			
Net 2nd Growth	%		1.1							
Average Slope	%	42								
Algorithm Grades %										
#2 Sawlog	H	19	19			34	22	10	69	
#3 Sawlog	I	16	16			2	19	14		
#4 Sawlog	J	28	28				16	54		
#4 Shingle	M					2				
#5 Utility	U	22	22			61	29	3	29	
#6 Utility	X	10	10				12	7		
#7 Chipper	Y	5	5			1	2	12	2	
Statistical Summary										
Coeff. of Variation	%	37.4	37.4			276.7	62.5	90.2	346.4	
Two Standard Error	%	23.8	23.8			175.8	39.7	57.3	220.1	
Number and Type of Plots		MP = 12								
Number of Potential Trees		63								
Plots/Ha		0.9								
Cruised Trees/Plot		5.3								

Slope % Statistics

Min= 21, Max= 62, CV=24.5, Std Error of Mean=3.0, 2SE%=15.6

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Block Summary

Average Line Method | Grades: MOF Computerized | FIZ: C | 10-Sep-2018 06:41:59PM
TS'ELXWEYEQW | Computerized Decay | PSYU: Dewdney (Chilliwack) | Filename: tsc-2018-04-a75807-cp-14.ccp
Licence Number: A75807 CP: 14 | Computerized Waste | Region: 1 - South Coast | Compiled by: IFS
Project: 2018-04 | Computerized Breakage | District: 01 - Chilliwack | Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

Net Area: Block : (M) - PF1:PF1, Plots in Block: 12, TUs: [cable : 5.0]

		Total	Conifer	Decid	F	C	H	B	Y	D
Utilization Limits										
Min DBH cm (M)					17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					15.0	15.0	15.0	15.0	15.0	15.0
Log Len m					10.0	10.0	10.0	10.0	10.0	10.0
Volume and Size Data										
Gross Merchantable	m3	4833	4833			219	3117	1458	39	
Net Merchantable	m3	3189	3189			137	1997	1026	29	
Net Merch - All	m3/ha	638	638			27	399	205	6	
Distribution	%	100	100			4	63	32	1	
Decay	%	18	18			21	19	16	14	
Waste	%	10	10			9	11	8	3	
Waste(billing)	%	15	15			15	18	11	4	
Breakage	%	6	6			7	6	6	7	
Total Cull (DWB)	%	34	34			38	36	30	24	
Basal Area / Ha	m2/ha	89.1	89.1			5.7	56.5	26.1	0.8	
Net VBAR	m3/m2	7.113	7.113			4.809	7.066	7.853	4.411	
Stems/Ha (Live & DP)		474.0	474.0			7.9	209.6	254.3	2.2	
Avg DBH (Live & DP)	cm	48.9	48.9			95.9	58.6	36.2	67.6	
Snags/Ha										
Avg Snag DBH	cm									
Gross Merch Vol/Tree	m3	2.04	2.04			5.56	2.97	1.15	3.49	
Net Merch Vol/Tree	m3	1.35	1.35			3.47	1.91	0.81	2.64	
Avg Weight Total Ht	m	31.2	31.2			31.6	31.9	29.7	27.5	
Avg Weight Merch Ht	m	24.6	24.6			25.7	25.3	23.2	22.5	
Avg 10.0 m Log Net	m3	0.70	0.70			1.64	0.90	0.46	0.96	
Avg 10.0 m Log Gross	m3	0.97	0.97			2.36	1.28	0.60	1.16	
Avg # of 10.0 m Logs/Tree		2.10	2.10			2.35	2.33	1.90	3.00	
Net Immature	%	1.1	1.1				1.8			
Net 2nd Growth	%		1.1							
Average Slope	%	42								
Algorithm Grades %										
#2 Sawlog	H	19	19			34	22	10	69	
#3 Sawlog	I	16	16			2	19	14		
#4 Sawlog	J	28	28				16	54		
#4 Shingle	M					2				
#5 Utility	U	22	22			61	29	3	29	
#6 Utility	X	10	10				12	7		
#7 Chipper	Y	5	5			1	2	12	2	
Statistical Summary										
Coeff. of Variation	%	37.4	37.4			276.7	62.5	90.2	346.4	
Two Standard Error	%	23.8	23.8			175.8	39.7	57.3	220.1	
Number and Type of Plots		MP = 12								
Number of Potential Trees		63								
Plots/Ha		0.9								
Cruised Trees/Plot		5.3								

Slope % Statistics

Min= 21, Max= 62, CV=24.5, Std Error of Mean=3.0, 2SE%=15.6

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Type Summary

Average Line Method
TS'ELXWEYEQW
Licence Number: A75807 CP: 14
Project: 2018-04

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: C
PSYU: Dewdney (Chilliwack)
Region: 1 - South Coast
District: 01 - Chilliwack

10-Sep-2018 06:41:59PM
Filename: tsc-2018-04-a75807-cp-14.ccp
Compiled by: IFS
Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

Net Area: Type 1 (M):HwBa 946, Plots in Type: 12, TUs: [All Treatment Units : 13.3]

		Total	Conifer	Decid	F	C	H	B	Y	D
Utilization Limits										
Min DBH cm (M)					17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					15.0	15.0	15.0	15.0	15.0	15.0
Log Len m					10.0	10.0	10.0	10.0	10.0	10.0
Volume and Size Data										
Gross Merchantable	m3	12855	12855			583	8291	3878	103	
Net Merchantable	m3	8482	8482			364	5312	2729	78	
Net Merch - All	m3/ha	638	638			27	399	205	6	
Distribution	%	100	100			4	63	32	1	
Decay	%	18	18			21	19	16	14	
Waste	%	10	10			9	11	8	3	
Waste(billing)	%	15	15			15	18	11	4	
Breakage	%	6	6			7	6	6	7	
Total Cull (DWB)	%	34	34			38	36	30	24	
Basal Area / Ha	m2/ha	89.1	89.1			5.7	56.5	26.1	0.8	
Net VBAR	m3/m2	7.113	7.113			4.809	7.066	7.853	4.411	
Stems/Ha (Live & DP)		474.0	474.0			7.9	209.6	254.3	2.2	
Avg DBH (Live & DP)	cm	48.9	48.9			95.9	58.6	36.2	67.6	
Snags/Ha										
Avg Snag DBH	cm									
Gross Merch Vol/Tree	m3	2.04	2.04			5.56	2.97	1.15	3.49	
Net Merch Vol/Tree	m3	1.35	1.35			3.47	1.91	0.81	2.64	
Avg Weight Total Ht	m	31.2	31.2			31.6	31.9	29.7	27.5	
Avg Weight Merch Ht	m	24.6	24.6			25.7	25.3	23.2	22.5	
Avg 10.0 m Log Net	m3	0.70	0.70			1.64	0.90	0.46	0.96	
Avg 10.0 m Log Gross	m3	0.97	0.97			2.36	1.28	0.60	1.16	
Avg # of 10.0 m Logs/Tree		2.10	2.10			2.35	2.33	1.90	3.00	
Net Immature	%	1.1	1.1				1.8			
Net 2nd Growth	%		1.1							
Algorithm Grades %										
#2 Sawlog	H	19	19			34	22	10	69	
#3 Sawlog	I	16	16			2	19	14		
#4 Sawlog	J	28	28				16	54		
#4 Shingle	M					2				
#5 Utility	U	22	22			61	29	3	29	
#6 Utility	X	10	10				12	7		
#7 Chipper	Y	5	5			1	2	12	2	
Statistical Summary										
Coeff. of Variation	%	37.4	37.4			276.7	62.5	90.2	346.4	
Two Standard Error	%	23.8	23.8			175.8	39.7	57.3	220.1	
Number and Type of Plots		MP = 12								
Number of Potential Trees		63								
Plots/Ha		0.9								
Cruised Trees/Plot		5.3								

*** 1 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Type Summary

Average Line Method
TS'ELXWEYEQW
Licence Number: A75807 CP: 14
Project: 2018-04

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: C
PSYU: Dewdney (Chilliwack)
Region: 1 - South Coast
District: 01 - Chilliwack

10-Sep-2018 06:41:59PM
Filename: tsc-2018-04-a75807-cp-14.ccp
Compiled by: IFS
Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

Net Area: Type 1 (M):HwBa 946, Plots in Type: 12, TUs: [ground : 8.3]

		Total	Conifer	Decid	F	C	H	B	Y	D
Utilization Limits										
Min DBH cm (M)					17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					15.0	15.0	15.0	15.0	15.0	15.0
Log Len m					10.0	10.0	10.0	10.0	10.0	10.0
Volume and Size Data										
Gross Merchantable	m3	8022	8022			364	5174	2420	65	
Net Merchantable	m3	5293	5293			227	3315	1703	49	
Net Merch - All	m3/ha	638	638			27	399	205	6	
Distribution	%	100	100			4	63	32	1	
Decay	%	18	18			21	19	16	14	
Waste	%	10	10			9	11	8	3	
Waste(billing)	%	15	15			15	18	11	4	
Breakage	%	6	6			7	6	6	7	
Total Cull (DWB)	%	34	34			38	36	30	24	
Basal Area / Ha	m2/ha	89.1	89.1			5.7	56.5	26.1	0.8	
Net VBAR	m3/m2	7.113	7.113			4.809	7.066	7.853	4.411	
Stems/Ha (Live & DP)		474.0	474.0			7.9	209.6	254.3	2.2	
Avg DBH (Live & DP)	cm	48.9	48.9			95.9	58.6	36.2	67.6	
Snags/Ha										
Avg Snag DBH	cm									
Gross Merch Vol/Tree	m3	2.04	2.04			5.56	2.97	1.15	3.49	
Net Merch Vol/Tree	m3	1.35	1.35			3.47	1.91	0.81	2.64	
Avg Weight Total Ht	m	31.2	31.2			31.6	31.9	29.7	27.5	
Avg Weight Merch Ht	m	24.6	24.6			25.7	25.3	23.2	22.5	
Avg 10.0 m Log Net	m3	0.70	0.70			1.64	0.90	0.46	0.96	
Avg 10.0 m Log Gross	m3	0.97	0.97			2.36	1.28	0.60	1.16	
Avg # of 10.0 m Logs/Tree		2.10	2.10			2.35	2.33	1.90	3.00	
Net Immature	%	1.1	1.1				1.8			
Net 2nd Growth	%		1.1							
Algorithm Grades %										
#2 Sawlog	H	19	19			34	22	10	69	
#3 Sawlog	I	16	16			2	19	14		
#4 Sawlog	J	28	28				16	54		
#4 Shingle	M					2				
#5 Utility	U	22	22			61	29	3	29	
#6 Utility	X	10	10				12	7		
#7 Chipper	Y	5	5			1	2	12	2	
Statistical Summary										
Coeff. of Variation	%	37.4	37.4			276.7	62.5	90.2	346.4	
Two Standard Error	%	23.8	23.8			175.8	39.7	57.3	220.1	
Number and Type of Plots		MP = 12								
Number of Potential Trees		63								
Plots/Ha		0.9								
Cruised Trees/Plot		5.3								

*** 1 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Type Summary

Average Line Method
TS'ELXWEYEQW
Licence Number: A75807 CP: 14
Project: 2018-04

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: C
PSYU: Dewdney (Chilliwack)
Region: 1 - South Coast
District: 01 - Chilliwack

10-Sep-2018 06:41:59PM
Filename: tsc-2018-04-a75807-cp-14.ccp
Compiled by: IFS
Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

Net Area: Type 1 (M):HwBa 946, Plots in Type: 12, TUs: [cable : 5.0]

		Total	Conifer	Decid	F	C	H	B	Y	D
Utilization Limits										
Min DBH cm (M)					17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					15.0	15.0	15.0	15.0	15.0	15.0
Log Len m					10.0	10.0	10.0	10.0	10.0	10.0
Volume and Size Data										
Gross Merchantable	m3	4833	4833			219	3117	1458	39	
Net Merchantable	m3	3189	3189			137	1997	1026	29	
Net Merch - All	m3/ha	638	638			27	399	205	6	
Distribution	%	100	100			4	63	32	1	
Decay	%	18	18			21	19	16	14	
Waste	%	10	10			9	11	8	3	
Waste(billing)	%	15	15			15	18	11	4	
Breakage	%	6	6			7	6	6	7	
Total Cull (DWB)	%	34	34			38	36	30	24	
Basal Area / Ha	m2/ha	89.1	89.1			5.7	56.5	26.1	0.8	
Net VBAR	m3/m2	7.113	7.113			4.809	7.066	7.853	4.411	
Stems/Ha (Live & DP)		474.0	474.0			7.9	209.6	254.3	2.2	
Avg DBH (Live & DP)	cm	48.9	48.9			95.9	58.6	36.2	67.6	
Snags/Ha										
Avg Snag DBH	cm									
Gross Merch Vol/Tree	m3	2.04	2.04			5.56	2.97	1.15	3.49	
Net Merch Vol/Tree	m3	1.35	1.35			3.47	1.91	0.81	2.64	
Avg Weight Total Ht	m	31.2	31.2			31.6	31.9	29.7	27.5	
Avg Weight Merch Ht	m	24.6	24.6			25.7	25.3	23.2	22.5	
Avg 10.0 m Log Net	m3	0.70	0.70			1.64	0.90	0.46	0.96	
Avg 10.0 m Log Gross	m3	0.97	0.97			2.36	1.28	0.60	1.16	
Avg # of 10.0 m Logs/Tree		2.10	2.10			2.35	2.33	1.90	3.00	
Net Immature	%	1.1	1.1				1.8			
Net 2nd Growth	%		1.1							
Algorithm Grades %										
#2 Sawlog	H	19	19			34	22	10	69	
#3 Sawlog	I	16	16			2	19	14		
#4 Sawlog	J	28	28				16	54		
#4 Shingle	M					2				
#5 Utility	U	22	22			61	29	3	29	
#6 Utility	X	10	10				12	7		
#7 Chipper	Y	5	5			1	2	12	2	
Statistical Summary										
Coeff. of Variation	%	37.4	37.4			276.7	62.5	90.2	346.4	
Two Standard Error	%	23.8	23.8			175.8	39.7	57.3	220.1	
Number and Type of Plots		MP = 12								
Number of Potential Trees		63								
Plots/Ha		0.9								
Cruised Trees/Plot		5.3								

*** 1 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Type Summary

Average Line Method | Grades: MOF Computerized | FIZ: C | 10-Sep-2018 06:41:59PM
TS'ELXWEYEQW | Computerized Decay | PSYU: Dewdney (Chilliwack) | Filename: tsc-2018-04-a75807-cp-14.ccp
Licence Number: A75807 CP: 14 | Computerized Waste | Region: 1 - South Coast | Compiled by: IFS
Project: 2018-04 | Computerized Breakage | District: 01 - Chilliwack | Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

Net Area: Type 2 (I):FH 6+, Plots in Type: 3, TUs: [ground : 3.5]

		Total	Conifer	Decid	F	C	H	B	Y	D
Utilization Limits										
Min DBH cm (I)					12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)					10.0	10.0	10.0	10.0	10.0	10.0
Log Len m					10.0	10.0	10.0	10.0	10.0	10.0
Volume and Size Data										
Gross Merchantable	m3	2506	2506		2154		352			
Net Merchantable	m3	2406	2406		2068		337			
Net Merch - All	m3/ha	687	687		591		96			
Distribution	%	100	100		86		14			
Decay	%									
Waste	%									
Waste(billing)	%									
Breakage	%	4	4		4		4			
Total Cull (DWB)	%	4	4		4		4			
Basal Area / Ha	m2/ha	60.9	60.9		51.6		9.4			
Net VBAR	m3/m2	11.278	11.278		11.459		10.284			
Stems/Ha (Live & DP)		703.5	703.5		557.0		146.5			
Avg DBH (Live & DP)	cm	33.2	33.2		34.3		28.5			
Snags/Ha										
Avg Snag DBH	cm									
Gross Merch Vol/Tree	m3	1.02	1.02		1.11		0.69			
Net Merch Vol/Tree	m3	0.98	0.98		1.06		0.66			
Avg Weight Total Ht	m	37.1	37.1		38.6		27.8			
Avg Weight Merch Ht	m	31.6	31.6		33.3		20.7			
Avg 10.0 m Log Net	m3	0.44	0.44		0.46		0.34			
Avg 10.0 m Log Gross	m3	0.44	0.44		0.46		0.34			
Avg # of 10.0 m Logs/Tree		2.30	2.30		2.38		2.00			
Net Immature	%	100.0	100.0		100.0		100.0			
Net 2nd Growth	%		100.0							
Algorithm Grades %										
#2 Sawlog	H	7	7		9					
#4 Sawlog	J	77	77		78		66			
#5 Utility	U	10	10		6		34			
#6 Utility	X	6	6		7					
Statistical Summary										
Coeff. of Variation	%	9.6	9.6		13.7		88.4			
Two Standard Error	%	23.8	23.8		34.0		219.6			
Number and Type of Plots		MP = 3								
Number of Potential Trees		13								
Plots/Ha		0.9								
Cruised Trees/Plot		4.3								

*** 1 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Type Summary

Average Line Method
TS'ELXWEYEQW
Licence Number: A75807 CP: 14
Project: 2018-04

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: C
PSYU: Dewdney (Chilliwack)
Region: 1 - South Coast
District: 01 - Chilliwack

10-Sep-2018 06:41:59PM
Filename: tsc-2018-04-a75807-cp-14.ccp
Compiled by: IFS
Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

Net Area: Type 3 (I):FH(D) 6+, Plots in Type: 3, TUs: [cable : 2.3]

		Total	Conifer	Decid	F	C	H	B	Y	D
Utilization Limits										
Min DBH cm (I)					12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)					10.0	10.0	10.0	10.0	10.0	10.0
Log Len m					10.0	10.0	10.0	10.0	10.0	10.0
Volume and Size Data										
Gross Merchantable	m3	1715	1582	133	1215		367			133
Net Merchantable	m3	1644	1519	125	1167		352			125
Net Merch - All	m3/ha	715	660	54	507		153			54
Distribution	%	100	92	8	71		21			8
Decay	%	0		1						1
Waste	%									
Waste(billing)	%									
Breakage	%	4	4	5	4		4			5
Total Cull (DWB)	%	4	4	6	4		4			6
Basal Area / Ha	m2/ha	65.6	60.9	4.7	42.2		18.8			4.7
Net VBAR	m3/m2	10.890	10.838	11.564	12.024		8.169			11.564
Stems/Ha (Live & DP)		1176.9	1109.2	67.7	268.3		841.0			67.7
Avg DBH (Live & DP)	cm	26.6	26.4	29.7	44.7		16.8			29.7
Snags/Ha		407.7	407.7				407.7			
Avg Snag DBH	cm	12.1	12.1				12.1			
Gross Merch Vol/Tree	m3	0.63	0.62	0.85	1.97		0.19			0.85
Net Merch Vol/Tree	m3	0.61	0.60	0.80	1.89		0.18			0.80
Avg Weight Total Ht	m	36.2	36.7	29.2	40.0		27.3			29.2
Avg Weight Merch Ht	m	30.8	31.5	22.5	34.8		20.3			22.5
Avg 10.0 m Log Net	m3	0.34	0.34	0.28	0.57		0.15			0.28
Avg 10.0 m Log Gross	m3	0.34	0.34	0.28	0.57		0.15			0.28
Avg # of 10.0 m Logs/Tree		1.87	1.81	3.00	3.45		1.28			3.00
Net Immature	%	92.4	100.0		100.0		100.0			
Net 2nd Growth	%		100.0							
Algorithm Grades %										
#2 Sawlog	H	7	8		10					
#3 Sawlog	I	3	3		4					
#4 Sawlog	J	63	69		72		58			
#5 Utility	U	16	17		13		34			
#6 Utility	X	3	3		1		8			
#7 Chipper	Y	8		100						100
Statistical Summary										
Coeff. of Variation	%	47.3	37.0	173.2	4.8		173.2			173.2
Two Standard Error	%	117.5	91.8	430.3	12.0		430.3			430.3
Number and Type of Plots		MP = 3								
Number of Potential Trees		14								
Plots/Ha		1.3								
Cruised Trees/Plot		5.0								

*** 1 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Type Summary

Average Line Method
TS'ELXWEYEQW
Licence Number: A75807 CP: 14
Project: 2018-04

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: C
PSYU: Dewdney (Chilliwack)
Region: 1 - South Coast
District: 01 - Chilliwack

10-Sep-2018 06:41:59PM
Filename: tsc-2018-04-a75807-cp-14.ccp
Compiled by: IFS
Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

Net Area: Type 6 (I):FH(C) 6+, Plots in Type: 7, TUs: [All Treatment Units : 5.8]

		Total	Conifer	Decid	F	C	H	B	Y	D
Utilization Limits										
Min DBH cm (I)					12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)					10.0	10.0	10.0	10.0	10.0	10.0
Log Len m					10.0	10.0	10.0	10.0	10.0	10.0
Volume and Size Data										
Gross Merchantable	m3	4399	4399		2424	530	1445			
Net Merchantable	m3	4070	4070		2215	468	1387			
Net Merch - All	m3/ha	702	702		382	81	239			
Distribution	%	100	100		54	12	34			
Decay	%	2	2		3	5	0			
Waste	%	1	1		1	1				
Waste(billing)	%	1	1		1	2				
Breakage	%	4	4		5	5	4			
Total Cull (DWB)	%	7	7		9	12	4			
Basal Area / Ha	m2/ha	62.1	62.1		32.3	9.8	20.1			
Net VBAR	m3/m2	10.408	10.408		10.958	7.692	10.831			
Stems/Ha (Live & DP)		743.4	743.4		202.7	164.7	376.0			
Avg DBH (Live & DP)	cm	32.6	32.6		45.0	27.5	26.1			
Snags/Ha										
Avg Snag DBH	cm									
Gross Merch Vol/Tree	m3	1.02	1.02		2.06	0.55	0.66			
Net Merch Vol/Tree	m3	0.94	0.94		1.88	0.49	0.64			
Avg Weight Total Ht	m	37.3	37.3		42.9	27.0	32.0			
Avg Weight Merch Ht	m	31.3	31.3		38.0	20.5	24.3			
Avg 10.0 m Log Net	m3	0.39	0.39		0.62	0.24	0.28			
Avg 10.0 m Log Gross	m3	0.40	0.40		0.65	0.26	0.28			
Avg # of 10.0 m Logs/Tree		2.55	2.55		3.19	2.13	2.39			
Net Immature	%	70.8	70.8		48.8	88.5	100.0			
Net 2nd Growth	%		70.8							
Algorithm Grades %										
#2 Lum/#1 Lum	F	1	1		3					
#2 Sawlog	H	18	18		31	6				
#3 Sawlog	I	3	3		6	2				
#4 Sawlog	J	53	53		43	49	67			
#4 Shingle	M					1				
#5 Utility	U	21	21		16	36	25			
#6 Utility	X	4	4		1	6	8			
#7 Chipper	Y									
Statistical Summary										
Coeff. of Variation	%	39.9	39.9		49.2	97.7	86.2			
Two Standard Error	%	36.9	36.9		45.5	90.4	79.8			
Number and Type of Plots		MP = 7								
Number of Potential Trees		37								
Plots/Ha		1.2								
Cruised Trees/Plot		5.3								

*** 1 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Type Summary

Average Line Method
TS'ELXWEYEQW
Licence Number: A75807 CP: 14
Project: 2018-04

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: C
PSYU: Dewdney (Chilliwack)
Region: 1 - South Coast
District: 01 - Chilliwack

10-Sep-2018 06:41:59PM
Filename: tsc-2018-04-a75807-cp-14.ccp
Compiled by: IFS
Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

Net Area: Type 6 (I):FH(C) 6+, Plots in Type: 7, TUs: [cable : 4.4]

		Total	Conifer	Decid	F	C	H	B	Y	D
Utilization Limits										
Min DBH cm (I)					12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)					10.0	10.0	10.0	10.0	10.0	10.0
Log Len m					10.0	10.0	10.0	10.0	10.0	10.0
Volume and Size Data										
Gross Merchantable	m3	3626	3626		1984	433	1208			
Net Merchantable	m3	3351	3351		1813	379	1159			
Net Merch - All	m3/ha	762	762		412	86	263			
Distribution	%	100	100		54	11	35			
Decay	%	2	2		3	6	0			
Waste	%	1	1		1	2				
Waste(billing)	%	1	1		1	2				
Breakage	%	4	4		5	5	4			
Total Cull (DWB)	%	8	8		9	13	4			
Basal Area / Ha	m2/ha	67.4	67.4		34.9	10.5	22.1			
Net VBAR	m3/m2	10.408	10.408		10.958	7.692	10.831			
Stems/Ha (Live & DP)		808.9	808.9		223.2	174.0	411.7			
Avg DBH (Live & DP)	cm	32.6	32.6		44.6	27.7	26.1			
Snags/Ha										
Avg Snag DBH	cm									
Gross Merch Vol/Tree	m3	1.02	1.02		2.02	0.57	0.67			
Net Merch Vol/Tree	m3	0.94	0.94		1.85	0.49	0.64			
Avg Weight Total Ht	m	37.3	37.3		42.8	27.5	32.1			
Avg Weight Merch Ht	m	31.3	31.3		37.8	20.9	24.4			
Avg 10.0 m Log Net	m3	0.39	0.39		0.61	0.25	0.28			
Avg 10.0 m Log Gross	m3	0.40	0.40		0.64	0.27	0.28			
Avg # of 10.0 m Logs/Tree		2.55	2.55		3.17	2.13	2.40			
Net Immature	%	71.2	71.2		49.6	86.3	100.0			
Net 2nd Growth	%		71.2							
Algorithm Grades %										
#2 Lum/#1 Lum	F	1	1		3					
#2 Sawlog	H	17	17		30	8				
#3 Sawlog	I	3	3		6	2				
#4 Sawlog	J	53	53		44	46	68			
#4 Shingle	M					2				
#5 Utility	U	22	22		16	36	25			
#6 Utility	X	4	4		1	6	7			
#7 Chipper	Y									
Statistical Summary										
Coeff. of Variation	%	39.9	39.9		49.2	97.7	86.2			
Two Standard Error	%	36.9	36.9		45.5	90.4	79.8			
Number and Type of Plots		MP = 7								
Number of Potential Trees		37								
Plots/Ha		1.2								
Cruised Trees/Plot		5.3								

*** 1 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Type Summary

Average Line Method
TS'ELXWEYEQW
Licence Number: A75807 CP: 14
Project: 2018-04

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: C
PSYU: Dewdney (Chilliwack)
Region: 1 - South Coast
District: 01 - Chilliwack

10-Sep-2018 06:41:59PM
Filename: tsc-2018-04-a75807-cp-14.ccp
Compiled by: IFS
Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

Net Area: Type 6 (I):FH(C) 6+, Plots in Type: 7, TUs: [Partial : 1.4]

		Total	Conifer	Decid	F	C	H	B	Y	D
Utilization Limits										
Min DBH cm (I)					12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)					10.0	10.0	10.0	10.0	10.0	10.0
Log Len m					10.0	10.0	10.0	10.0	10.0	10.0
Volume and Size Data										
Gross Merchantable	m3	773	773		440	96	237			
Net Merchantable	m3	719	719		402	90	227			
Net Merch - All	m3/ha	514	514		287	64	162			
Distribution	%	100	100		56	12	32			
Decay	%	2	2		3	1	0			
Waste	%	1	1		1	0				
Waste(billing)	%	1	1		1	0				
Breakage	%	4	4		5	5	4			
Total Cull (DWB)	%	7	7		9	7	4			
Basal Area / Ha	m2/ha	45.4	45.4		24.1	7.5	13.7			
Net VBAR	m3/m2	10.408	10.408		10.958	7.692	10.831			
Stems/Ha (Live & DP)		537.4	537.4		138.4	135.3	263.7			
Avg DBH (Live & DP)	cm	32.8	32.8		47.1	26.6	25.8			
Snags/Ha										
Avg Snag DBH	cm									
Gross Merch Vol/Tree	m3	1.03	1.03		2.27	0.51	0.64			
Net Merch Vol/Tree	m3	0.96	0.96		2.08	0.47	0.62			
Avg Weight Total Ht	m	37.3	37.3		43.3	25.2	31.6			
Avg Weight Merch Ht	m	31.4	31.4		38.5	18.9	23.7			
Avg 10.0 m Log Net	m3	0.39	0.39		0.66	0.24	0.27			
Avg 10.0 m Log Gross	m3	0.40	0.40		0.69	0.24	0.27			
Avg # of 10.0 m Logs/Tree		2.55	2.55		3.29	2.13	2.38			
Net Immature	%	69.2	69.2		45.4	97.8	100.0			
Net 2nd Growth	%		69.2							
Algorithm Grades %										
#2 Lum/#1 Lum	F	1	1		3					
#2 Sawlog	H	19	19		33	1				
#3 Sawlog	I	3	3		6					
#4 Sawlog	J	51	51		41	58	64			
#4 Shingle	M									
#5 Utility	U	21	21		16	35	23			
#6 Utility	X	5	5		1	6	12			
#7 Chipper	Y						1			
Statistical Summary										
Coeff. of Variation	%	39.9	39.9		49.2	97.7	86.2			
Two Standard Error	%	36.9	36.9		45.5	90.4	79.8			
Number and Type of Plots		MP = 7								
Number of Potential Trees		37								
Plots/Ha		1.2								
Cruised Trees/Plot		5.3								

*** 1 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Volume Statistical Analysis

10-Sep-2018 06:41:59PM

Average Line Method
TS'ELXWEYEQW
Licence Number: A75807 CP: 14
Project: 2018-04

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: C
PSYU: Dewdney (Chilliwack)
Region: 1 - South Coast
District: 01 - Chilliwack

Filename: tsc-2018-04-a75807-cp-14.ccp
Compiled by: IFS
Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

Utilization Levels:	Minimum DBH	Top Diameter	Stump Height
Mature Blocks: (cm)	17.5	15.0	30
Immature Blocks:(cm)	12.0	10.0	30
Standard Log Length:(m)	10.00		

Forest Type	Plots Cnt	Plots Mea	Plots Tot	Area ha	Net Volume m3/ha	Proportional Volume	Trees Cnt	Trees Mea	Trees Tot	Standard Deviation	Coeff. of Variation	Sampling Error 1 SE%	Sampling Error 2 SE%
1 :HwBa 946	0	12	12	13.3	637.8	0.51	0	63	63	238.7988	37.4	10.8	23.8
2 :FH 6+	0	3	3	3.5	687.3	0.14	0	13	13	65.8274	9.6	5.5	23.8
3 :FH(D) 6+	0	3	3	2.3	714.6	0.10	0	14	14	337.8786	47.3	27.3	117.5
6 :FH(C) 6+	0	7	7	5.8	701.8	0.25	0	37	37	279.7777	39.9	15.1	36.9
TOTAL	0	25	25	24.9	666.7		0	127	127		36.1	7.2	15.0

Number of live & dead potential trees sampled is 127
Number of dead useless trees sampled is 0
Number of live useless trees sampled is 1

The weighted sampling error is 15.0% at the 95% confidence level

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Basal Area Statistical Analysis

Average Line Method | Grades: MOF Computerized | FIZ: C | 10-Sep-2018 06:41:59PM
TS'ELXWEYEQW | Computerized Decay | PSYU: Dewdney (Chilliwack) | Filename: tsc-2018-04-a75807-cp-14.ccp
Licence Number: A75807 CP: 14 | Computerized Waste | Region: 1 - South Coast | Compiled by: IFS
Project: 2018-04 | Computerized Breakage | District: 01 - Chilliwack | Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

Utilization Levels:	Minimum DBH	Top Diameter	Stump Height
Mature Blocks: (cm)	17.5	15.0	30
Immature Blocks:(cm)	12.0	10.0	30
Standard Log Length:(m)	10.00		

Forest Type	Plots Cnt	Plots Mea	Plots Tot	Area ha	Basal Area m2/ha	Proportional Basal Area	Trees Cnt	Trees Mea	Trees Tot	Standard Deviation	Coeff. of Variation	Sampling Error 1 SE%	Sampling Error 2 SE%
1 :HwBa 946	0	12	12	13.3	89.1	0.62	0	63	63	30.0764	33.7	9.7	21.4
2 :FH 6+	0	3	3	3.5	60.9	0.11	0	13	13	8.1193	13.3	7.7	33.1
3 :FH(D) 6+	0	3	3	2.3	65.6	0.08	0	14	14	40.5964	61.9	35.7	153.7
6 :FH(C) 6+	0	7	7	5.8	62.1	0.19	0	37	37	23.7552	38.2	14.5	35.4
TOTAL	0	25	25	24.9	76.7		0	127	127		36.3	7.3	15.1

Number of live & dead potential trees sampled is 127
Number of dead useless trees sampled is 0
Number of live useless trees sampled is 1

The weighted sampling error is 15.1% at the 95% confidence level

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Cutting Permit Stand Table (stems/ha)

Average Line Method | Grades: MOF Computerized | FIZ: C | 10-Sep-2018 06:41:59PM
TS'ELXWEYEQW | Computerized Decay | PSYU: Dewdney (Chilliwack) | Filename: tsc-2018-04-a75807-cp-14.ccp
Licence Number: A75807 CP: 14 | Computerized Waste | Region: 1 - South Coast | Compiled by: IFS
Project: 2018-04 | Computerized Breakage | District: 01 - Chilliwack | Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

[All Treatment Units : 24.9]

	F	C	H	B	Y	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Min DBH cm (I)	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										37.7
15			61.7				61.7	35.8		
20	10.2	10.8	20.3	42.0			83.4	10.5		
25		16.5	66.8	28.7			112.0			
30	27.0	6.6	21.9	11.2		6.3	72.9			
35	7.7	3.9	9.8	16.4			37.7			
40	14.4		20.7				35.2	5.8		
45	9.4		16.2	10.8			36.5	4.5		
50	6.7		10.3	14.9			31.9			
55	14.5		22.8	6.1			43.4			
60	4.0		2.6				6.5			
65	5.2		4.3	2.6			12.0			
70	0.9		8.3	1.9	1.2		12.3			
75	0.9		5.3				6.2			
80	0.8	1.9	2.8				5.5			
85	0.8	0.6	6.5				7.8			
90	1.3	1.1	3.4	1.2			7.0			
95	0.5	1.0	1.3				2.8			
100			0.9				0.9			
105										
110			0.8				0.8			
115										
120										
125										
130			0.5				0.5			
135										
140										
145										
150										
175										
200										
225								0.2		
250										
275										
Total	104.2	42.4	287.3	135.8	1.2	6.3	577.1			
Dead P	46.1	0.2	10.5					56.9		
Dead U										
Live U			37.7							37.7
			Average DBH (cm) at 5 Levels							
12.5 +	45.2	37.2	40.8	36.2	67.6	29.7	40.3	26.3		
17.5 +	45.2	37.2	45.5	36.2	67.6	29.7	42.4	38.4		
22.5 +	47.0	41.4	47.2	41.2	67.6	29.7	45.4	49.6		
27.5 +	47.0	54.0	55.0	46.2	67.6	29.7	50.6	49.6		
32.5 +	52.3	67.8	58.5	48.6	67.6		55.2	49.6		

*** 1 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Cutting Permit Stand Table (stems/ha)

Average Line Method | Grades: MOF Computerized | FIZ: C | 10-Sep-2018 06:41:59PM
TS'ELXWEYEQW | Computerized Decay | PSYU: Dewdney (Chilliwack) | Filename: tsc-2018-04-a75807-cp-14.ccp
Licence Number: A75807 CP: 14 | Computerized Waste | Region: 1 - South Coast | Compiled by: IFS
Project: 2018-04 | Computerized Breakage | District: 01 - Chilliwack | Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

[ground : 11.8]

	F	C	H	B	Y	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Min DBH cm (I)	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15								75.6		
20				55.4			55.4			
25			32.1	37.8			69.8			
30	19.4		13.6	14.8			47.8			
35			12.8	21.5			34.4			
40	10.7		19.0				29.7	12.3		
45			21.3	14.3			35.6	9.4		
50	14.0		13.6	19.7			47.3			
55	18.6		30.0	8.1			56.6			
60	5.1		3.4				8.5			
65			5.7	3.4			9.0			
70			10.9	2.5	1.6		15.0			
75			7.0				7.0			
80		2.5	3.7				6.2			
85			8.6				8.6			
90		1.4	4.5	1.5			7.5			
95		1.4	1.7				3.1			
100			1.2				1.2			
105										
110			1.0				1.0			
115										
120										
125										
130			0.7				0.7			
135										
140										
145										
150										
175										
200										
225								0.3		
250										
275										
Total	67.9	5.3	190.9	178.9	1.6		444.5			
Dead P	97.3	0.3						97.6		
Dead U										
Live U										
			Average DBH (cm) at 5 Levels							
12.5 +	45.7	85.9	53.3	36.2	67.6		46.6	25.8		
17.5 +	45.7	85.9	53.3	36.2	67.6		46.6	46.4		
22.5 +	45.7	85.9	53.3	41.2	67.6		49.1	46.4		
27.5 +	45.7	85.9	57.4	46.2	67.6		52.9	46.4		
32.5 +	50.6	85.9	59.4	48.6	67.6		56.0	46.4		

*** 1 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Cutting Permit Stand Table (stems/ha)

Average Line Method | Grades: MOF Computerized | FIZ: C | 10-Sep-2018 06:41:59PM
TS'ELXWEYEQW | Computerized Decay | PSYU: Dewdney (Chilliwack) | Filename: tsc-2018-04-a75807-cp-14.ccp
Licence Number: A75807 CP: 14 | Computerized Waste | Region: 1 - South Coast | Compiled by: IFS
Project: 2018-04 | Computerized Breakage | District: 01 - Chilliwack | Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

[cable : 11.7]

	F	C	H	B	Y	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Min DBH cm (I)	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										80.1
15			131.3				131.3			
20	18.1	19.6	39.7	33.6			111.0	17.0		
25		27.5	90.9	23.0			141.3			
30	34.7	11.0	32.0	9.0		13.3	100.0			
35	14.2	6.2	7.8	13.1			41.3			
40	19.3		22.1				41.4			
45	17.0		13.0	8.7			38.6			
50			8.3	11.9			20.2			
55	12.2		18.2	4.9			35.3			
60	3.3		2.1				5.3			
65	9.1		3.4	2.0			14.6			
70	1.6		6.6	1.5	1.0		10.7			
75	1.4		4.2				5.7			
80	1.4	1.5	2.3				5.2			
85	1.2	1.2	5.2				7.6			
90	2.3	0.9	2.7	0.9			6.9			
95	0.9	0.8	1.1				2.8			
100			0.7				0.7			
105										
110			0.6				0.6			
115										
120										
125										
130			0.4				0.4			
135										
140										
145										
150										
175										
200										
225								0.2		
250										
275										
Total	136.7	68.7	392.7	108.7	1.0	13.3	721.0			
Dead P		0.2	17.0					17.2		
Dead U										
Live U			80.1							80.1
			Average DBH (cm) at 5 Levels							
12.5 +	44.7	32.8	33.9	36.2	67.6	29.7	36.4	30.2		
17.5 +	44.7	32.8	40.5	36.2	67.6	29.7	39.8	30.2		
22.5 +	47.2	36.5	43.1	41.2	67.6	29.7	43.0	215.0		
27.5 +	47.2	47.5	52.3	46.2	67.6	29.7	48.6	215.0		
32.5 +	52.7	61.7	57.6	48.6	67.6		54.6	215.0		

*** 1 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Cutting Permit Stand Table (stems/ha)

Average Line Method | Grades: MOF Computerized | FIZ: C | 10-Sep-2018 06:41:59PM
TS'ELXWEYEQW | Computerized Decay | PSYU: Dewdney (Chilliwack) | Filename: tsc-2018-04-a75807-cp-14.ccp
Licence Number: A75807 CP: 14 | Computerized Waste | Region: 1 - South Coast | Compiled by: IFS
Project: 2018-04 | Computerized Breakage | District: 01 - Chilliwack | Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

[Partial : 1.4]

	F	C	H	B	Y	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Min DBH cm (I)	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20	30.4	29.1	28.5				88.0	45.2		
25		63.6	158.8				222.4			
30	25.8	25.7	7.4				59.0			
35	18.5	16.5					35.1			
40	5.5		23.8				29.3			
45	25.8						25.8			
50										
55										
60										
65	15.8						15.8			
70	2.2						2.2			
75	3.7						3.7			
80	2.3						2.3			
85	3.2	0.4					3.6			
90	4.1						4.1			
95	1.0						1.0			
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	138.4	135.3	218.5				492.2			
Dead P			45.2					45.2		
Dead U										
Live U										
			Average DBH (cm) at 5 Levels							
12.5 +	47.1	26.6	26.4				33.6	22.2		
17.5 +	47.1	26.6	26.4				33.6	22.2		
22.5 +	52.1	28.0	27.2				35.8			
27.5 +	52.1	32.3	37.9				45.9			
32.5 +	57.1	38.4	39.7				51.8			

*** 1 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Block Stand Table (stems/ha)

Average Line Method | Grades: MOF Computerized | FIZ: C | 10-Sep-2018 06:41:59PM
TS'ELXWEYEQW | Computerized Decay | PSYU: Dewdney (Chilliwack) | Filename: tsc-2018-04-a75807-cp-14.ccp
Licence Number: A75807 CP: 14 | Computerized Waste | Region: 1 - South Coast | Compiled by: IFS
Project: 2018-04 | Computerized Breakage | District: 01 - Chilliwack | Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

Block : (I) - 11A:LB11A, Plots in Block: 6, TUs: [All Treatment Units : 5.8]

	F	C	H	B	Y	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (I)	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										161.7
15			264.8				264.8	153.9		
20										
25			108.4				108.4			
30	70.3		25.4			26.8	122.6			
35										
40	49.9		23.2				73.1	25.1		
45	11.0						11.0	19.1		
50	28.6						28.6			
55	62.4						62.4			
60	17.0						17.0			
65	5.3						5.3			
70										
75										
80										
85										
90										
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	244.4		421.9			26.8	693.2			
Dead P	198.1							198.1		
Dead U										
Live U			161.7							161.7
			Average DBH (cm) at 5 Levels							
12.5 +	45.3		19.9			29.7	31.6	23.4		
17.5 +	45.3		27.6			29.7	38.8	40.4		
22.5 +	45.3		27.6			29.7	38.8	40.4		
27.5 +	45.3		35.0			29.7	42.7	40.4		
32.5 +	50.4		39.4				49.2	40.4		

*** 1 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Block Stand Table (stems/ha)

Average Line Method | Grades: MOF Computerized | FIZ: C | 10-Sep-2018 06:41:59PM
TS'ELXWEYEQW | Computerized Decay | PSYU: Dewdney (Chilliwack) | Filename: tsc-2018-04-a75807-cp-14.ccp
Licence Number: A75807 CP: 14 | Computerized Waste | Region: 1 - South Coast | Compiled by: IFS
Project: 2018-04 | Computerized Breakage | District: 01 - Chilliwack | Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

Block : (I) - 11A:LB11A, Plots in Block: 6, TUs: [ground : 3.5]

	F	C	H	B	Y	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (I)	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15								255.0		
20										
25			108.1				108.1			
30	65.4						65.4			
35										
40	36.0		38.4				74.5	41.6		
45								31.7		
50	47.3						47.3			
55	62.7						62.7			
60	17.3						17.3			
65										
70										
75										
80										
85										
90										
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	228.8		146.5				375.3			
Dead P	328.2							328.2		
Dead U										
Live U										
			Average DBH (cm) at 5 Levels							
12.5 +	45.7		28.5				39.9	23.4		
17.5 +	45.7		28.5				39.9	40.4		
22.5 +	45.7		28.5				39.9	40.4		
27.5 +	45.7		39.4				44.8	40.4		
32.5 +	50.6		39.4				48.6	40.4		

*** 1 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Block Stand Table (stems/ha)

Average Line Method | Grades: MOF Computerized | FIZ: C | 10-Sep-2018 06:41:59PM
TS'ELXWEYEQW | Computerized Decay | PSYU: Dewdney (Chilliwack) | Filename: tsc-2018-04-a75807-cp-14.ccp
Licence Number: A75807 CP: 14 | Computerized Waste | Region: 1 - South Coast | Compiled by: IFS
Project: 2018-04 | Computerized Breakage | District: 01 - Chilliwack | Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

Block : (I) - 11A:LB11A, Plots in Block: 6, TUs: [cable : 2.3]

	F	C	H	B	Y	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (I)	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										407.7
15			667.8				667.8			
20										
25			109.0				109.0			
30	77.8		64.2			67.7	209.6			
35										
40	70.9						70.9			
45	27.7						27.7			
50										
55	62.0						62.0			
60	16.6						16.6			
65	13.3						13.3			
70										
75										
80										
85										
90										
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	268.3		841.0			67.7	1176.9			
Dead P										
Dead U										
Live U			407.7							407.7
			Average DBH (cm) at 5 Levels							
12.5 +	44.7		16.8			29.7	26.6			
17.5 +	44.7		26.3			29.7	37.5			
22.5 +	44.7		26.3			29.7	37.5			
27.5 +	44.7		30.5			29.7	40.5			
32.5 +	50.1						50.1			

*** 1 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Block Stand Table (stems/ha)

Average Line Method | Grades: MOF Computerized | FIZ: C | 10-Sep-2018 06:41:59PM
TS'ELXWEYEQW | Computerized Decay | PSYU: Dewdney (Chilliwack) | Filename: tsc-2018-04-a75807-cp-14.ccp
Licence Number: A75807 CP: 14 | Computerized Waste | Region: 1 - South Coast | Compiled by: IFS
Project: 2018-04 | Computerized Breakage | District: 01 - Chilliwack | Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

Block : (I) - P2B:MP2B, Plots in Block: 7, TUs: [All Treatment Units : 5.8]

	F	C	H	B	Y	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (I)	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20	43.9	46.5	87.0				177.4	45.2		
25		70.8	178.4				249.2			
30	45.4	28.4	24.2				98.0			
35	33.1	16.5					49.7			
40	12.1		41.1				53.2			
45	29.5						29.5			
50										
55										
60										
65	16.8						16.8			
70	3.8						3.8			
75	3.7						3.7			
80	3.3						3.3			
85	3.2	2.5					5.7			
90	5.7						5.7			
95	2.1						2.1			
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	202.7	164.7	330.7				698.2			
Dead P			45.2					45.2		
Dead U										
Live U										
			Average DBH (cm) at 5 Levels							
12.5 +	45.0	27.5	26.5				33.2	22.2		
17.5 +	45.0	27.5	26.5				33.2	22.2		
22.5 +	49.6	29.7	28.4				36.4			
27.5 +	49.6	36.0	36.9				44.6			
32.5 +	55.2	45.7	39.7				50.9			

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Block Stand Table (stems/ha)

Average Line Method | Grades: MOF Computerized | FIZ: C | 10-Sep-2018 06:41:59PM
TS'ELXWEYEQW | Computerized Decay | PSYU: Dewdney (Chilliwack) | Filename: tsc-2018-04-a75807-cp-14.ccp
Licence Number: A75807 CP: 14 | Computerized Waste | Region: 1 - South Coast | Compiled by: IFS
Project: 2018-04 | Computerized Breakage | District: 01 - Chilliwack | Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

Block : (I) - P2B:MP2B, Plots in Block: 7, TUs: [cable : 4.4]

	F	C	H	B	Y	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (I)	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20	48.2	52.0	105.6				205.8	45.2		
25		73.1	184.7				257.7			
30	51.7	29.3	29.5				110.4			
35	37.8	16.5					54.3			
40	14.1		46.7				60.8			
45	30.7						30.7			
50										
55										
60										
65	17.2						17.2			
70	4.3						4.3			
75	3.7						3.7			
80	3.7						3.7			
85	3.2	3.2					6.4			
90	6.2						6.2			
95	2.4						2.4			
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	223.2	174.0	366.5				763.7			
Dead P			45.2					45.2		
Dead U										
Live U										
			Average DBH (cm) at 5 Levels							
12.5 +	44.6	27.7	26.6				33.1	22.2		
17.5 +	44.6	27.7	26.6				33.1	22.2		
22.5 +	49.1	30.2	28.7				36.6			
27.5 +	49.1	36.9	36.7				44.4			
32.5 +	54.8	47.5	39.7				50.7			

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Block Stand Table (stems/ha)

Average Line Method | Grades: MOF Computerized | FIZ: C | 10-Sep-2018 06:41:59PM
TS'ELXWEYEQW | Computerized Decay | PSYU: Dewdney (Chilliwack) | Filename: tsc-2018-04-a75807-cp-14.ccp
Licence Number: A75807 CP: 14 | Computerized Waste | Region: 1 - South Coast | Compiled by: IFS
Project: 2018-04 | Computerized Breakage | District: 01 - Chilliwack | Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

Block : (I) - P2B:MP2B, Plots in Block: 7, TUs: [Partial : 1.4]

	F	C	H	B	Y	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (I)	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20	30.4	29.1	28.5				88.0	45.2		
25		63.6	158.8				222.4			
30	25.8	25.7	7.4				59.0			
35	18.5	16.5					35.1			
40	5.5		23.8				29.3			
45	25.8						25.8			
50										
55										
60										
65	15.8						15.8			
70	2.2						2.2			
75	3.7						3.7			
80	2.3						2.3			
85	3.2	0.4					3.6			
90	4.1						4.1			
95	1.0						1.0			
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	138.4	135.3	218.5				492.2			
Dead P			45.2					45.2		
Dead U										
Live U										
			Average DBH (cm) at 5 Levels							
12.5 +	47.1	26.6	26.4				33.6	22.2		
17.5 +	47.1	26.6	26.4				33.6	22.2		
22.5 +	52.1	28.0	27.2				35.8			
27.5 +	52.1	32.3	37.9				45.9			
32.5 +	57.1	38.4	39.7				51.8			

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Block Stand Table (stems/ha)

Average Line Method | Grades: MOF Computerized | FIZ: C | 10-Sep-2018 06:41:59PM
TS'ELXWEYEQW | Computerized Decay | PSYU: Dewdney (Chilliwack) | Filename: tsc-2018-04-a75807-cp-14.ccp
Licence Number: A75807 CP: 14 | Computerized Waste | Region: 1 - South Coast | Compiled by: IFS
Project: 2018-04 | Computerized Breakage | District: 01 - Chilliwack | Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

Block : (M) - PF1:PF1, Plots in Block: 12, TUs: [All Treatment Units : 13.3]

	F	C	H	B	Y	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20				78.7			78.7			
25				53.7			53.7			
30			19.4	21.0			40.4			
35			18.3	30.6			48.9			
40			10.8				10.8			
45			30.3	20.3			50.6			
50			19.4	27.9			47.3			
55			42.6	11.5			54.1			
60			4.8				4.8			
65			8.0	4.8			12.8			
70			15.6	3.5	2.2		21.3			
75			9.9				9.9			
80		3.5	5.3				8.8			
85			12.2				12.2			
90		2.1	6.4	2.2			10.7			
95		1.9	2.5				4.4			
100			1.7				1.7			
105										
110			1.4				1.4			
115										
120										
125										
130			1.0				1.0			
135										
140										
145										
150										
175										
200										
225								0.4		
250										
275										
Total		7.5	209.6	254.3	2.2		473.6			
Dead P		0.4						0.4		
Dead U										
Live U										
			Average DBH (cm) at 5 Levels							
12.5 +		85.9	58.6	36.2	67.6		48.6	215.0		
17.5 +		85.9	58.6	36.2	67.6		48.6	215.0		
22.5 +		85.9	58.6	41.2	67.6		52.4	215.0		
27.5 +		85.9	58.6	46.2	67.6		55.4	215.0		
32.5 +		85.9	60.8	48.6	67.6		57.9	215.0		

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Block Stand Table (stems/ha)

Average Line Method | Grades: MOF Computerized | FIZ: C | 10-Sep-2018 06:41:59PM
TS'ELXWEYEQW | Computerized Decay | PSYU: Dewdney (Chilliwack) | Filename: tsc-2018-04-a75807-cp-14.ccp
Licence Number: A75807 CP: 14 | Computerized Waste | Region: 1 - South Coast | Compiled by: IFS
Project: 2018-04 | Computerized Breakage | District: 01 - Chilliwack | Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

Block : (M) - PF1:PF1, Plots in Block: 12, TUs: [ground : 8.3]

DBH Class	F	C	H	B	Y	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
5										
10										
15										
20				78.7			78.7			
25				53.7			53.7			
30			19.4	21.0			40.4			
35			18.3	30.6			48.9			
40			10.8				10.8			
45			30.3	20.3			50.6			
50			19.4	27.9			47.3			
55			42.6	11.5			54.1			
60			4.8				4.8			
65			8.0	4.8			12.8			
70			15.6	3.5	2.2		21.3			
75			9.9				9.9			
80		3.5	5.3				8.8			
85			12.2				12.2			
90		2.1	6.4	2.2			10.7			
95		1.9	2.5				4.4			
100			1.7				1.7			
105										
110			1.4				1.4			
115										
120										
125										
130			1.0				1.0			
135										
140										
145										
150										
175										
200										
225								0.4		
250										
275										
Total		7.5	209.6	254.3	2.2		473.6			
Dead P		0.4						0.4		
Dead U										
Live U										
		Average DBH (cm) at 5 Levels								
12.5 +		85.9	58.6	36.2	67.6		48.6	215.0		
17.5 +		85.9	58.6	36.2	67.6		48.6	215.0		
22.5 +		85.9	58.6	41.2	67.6		52.4	215.0		
27.5 +		85.9	58.6	46.2	67.6		55.4	215.0		
32.5 +		85.9	60.8	48.6	67.6		57.9	215.0		

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Block Stand Table (stems/ha)

Average Line Method | Grades: MOF Computerized | FIZ: C | 10-Sep-2018 06:41:59PM
TS'ELXWEYEQW | Computerized Decay | PSYU: Dewdney (Chilliwack) | Filename: tsc-2018-04-a75807-cp-14.ccp
Licence Number: A75807 CP: 14 | Computerized Waste | Region: 1 - South Coast | Compiled by: IFS
Project: 2018-04 | Computerized Breakage | District: 01 - Chilliwack | Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

Block : (M) - PF1:PF1, Plots in Block: 12, TUs: [cable : 5.0]

	F	C	H	B	Y	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20				78.7			78.7			
25				53.7			53.7			
30			19.4	21.0			40.4			
35			18.3	30.6			48.9			
40			10.8				10.8			
45			30.3	20.3			50.6			
50			19.4	27.9			47.3			
55			42.6	11.5			54.1			
60			4.8				4.8			
65			8.0	4.8			12.8			
70			15.6	3.5	2.2		21.3			
75			9.9				9.9			
80		3.5	5.3				8.8			
85			12.2				12.2			
90		2.1	6.4	2.2			10.7			
95		1.9	2.5				4.4			
100			1.7				1.7			
105										
110			1.4				1.4			
115										
120										
125										
130			1.0				1.0			
135										
140										
145										
150										
175										
200										
225								0.4		
250										
275										
Total		7.5	209.6	254.3	2.2		473.6			
Dead P		0.4						0.4		
Dead U										
Live U										
			Average DBH (cm) at 5 Levels							
12.5 +		85.9	58.6	36.2	67.6		48.6	215.0		
17.5 +		85.9	58.6	36.2	67.6		48.6	215.0		
22.5 +		85.9	58.6	41.2	67.6		52.4	215.0		
27.5 +		85.9	58.6	46.2	67.6		55.4	215.0		
32.5 +		85.9	60.8	48.6	67.6		57.9	215.0		

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Type Stand Table (stems/ha)

Average Line Method | Grades: MOF Computerized | FIZ: C | 10-Sep-2018 06:41:59PM
TS'ELXWEYEQW | Computerized Decay | PSYU: Dewdney (Chilliwack) | Filename: tsc-2018-04-a75807-cp-14.ccp
Licence Number: A75807 CP: 14 | Computerized Waste | Region: 1 - South Coast | Compiled by: IFS
Project: 2018-04 | Computerized Breakage | District: 01 - Chilliwack | Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

Type 1 (M):HwBa 946, Plots in Type: 12, TUs: [All Treatment Units : 13.3]

	F	C	H	B	Y	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20				78.7			78.7			
25				53.7			53.7			
30			19.4	21.0			40.4			
35			18.3	30.6			48.9			
40			10.8				10.8			
45			30.3	20.3			50.6			
50			19.4	27.9			47.3			
55			42.6	11.5			54.1			
60			4.8				4.8			
65			8.0	4.8			12.8			
70			15.6	3.5	2.2		21.3			
75			9.9				9.9			
80		3.5	5.3				8.8			
85			12.2				12.2			
90		2.1	6.4	2.2			10.7			
95		1.9	2.5				4.4			
100			1.7				1.7			
105										
110			1.4				1.4			
115										
120										
125										
130			1.0				1.0			
135										
140										
145										
150										
175										
200										
225								0.4		
250										
275										
Total		7.5	209.6	254.3	2.2		473.6			
Dead P		0.4						0.4		
Dead U										
Live U										
		Average DBH (cm) at 5 Levels								
12.5 +		85.9	58.6	36.2	67.6		48.6	215.0		
17.5 +		85.9	58.6	36.2	67.6		48.6	215.0		
22.5 +		85.9	58.6	41.2	67.6		52.4	215.0		
27.5 +		85.9	58.6	46.2	67.6		55.4	215.0		
32.5 +		85.9	60.8	48.6	67.6		57.9	215.0		

*** 1 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Type Stand Table (stems/ha)

Average Line Method | Grades: MOF Computerized | FIZ: C | 10-Sep-2018 06:41:59PM
TS'ELXWEYEQW | Computerized Decay | PSYU: Dewdney (Chilliwack) | Filename: tsc-2018-04-a75807-cp-14.ccp
Licence Number: A75807 CP: 14 | Computerized Waste | Region: 1 - South Coast | Compiled by: IFS
Project: 2018-04 | Computerized Breakage | District: 01 - Chilliwack | Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

Type 1 (M):HwBa 946, Plots in Type: 12, TUs: [ground : 8.3]

DBH Class	F	C	H	B	Y	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
5										
10										
15										
20				78.7			78.7			
25				53.7			53.7			
30			19.4	21.0			40.4			
35			18.3	30.6			48.9			
40			10.8				10.8			
45			30.3	20.3			50.6			
50			19.4	27.9			47.3			
55			42.6	11.5			54.1			
60			4.8				4.8			
65			8.0	4.8			12.8			
70			15.6	3.5	2.2		21.3			
75			9.9				9.9			
80		3.5	5.3				8.8			
85			12.2				12.2			
90		2.1	6.4	2.2			10.7			
95		1.9	2.5				4.4			
100			1.7				1.7			
105										
110			1.4				1.4			
115										
120										
125										
130			1.0				1.0			
135										
140										
145										
150										
175										
200										
225								0.4		
250										
275										
Total		7.5	209.6	254.3	2.2		473.6			
Dead P		0.4						0.4		
Dead U										
Live U										
		Average DBH (cm) at 5 Levels								
12.5 +		85.9	58.6	36.2	67.6		48.6	215.0		
17.5 +		85.9	58.6	36.2	67.6		48.6	215.0		
22.5 +		85.9	58.6	41.2	67.6		52.4	215.0		
27.5 +		85.9	58.6	46.2	67.6		55.4	215.0		
32.5 +		85.9	60.8	48.6	67.6		57.9	215.0		

*** 1 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Type Stand Table (stems/ha)

Average Line Method | Grades: MOF Computerized | FIZ: C | 10-Sep-2018 06:41:59PM
TS'ELXWEYEQW | Computerized Decay | PSYU: Dewdney (Chilliwack) | Filename: tsc-2018-04-a75807-cp-14.ccp
Licence Number: A75807 CP: 14 | Computerized Waste | Region: 1 - South Coast | Compiled by: IFS
Project: 2018-04 | Computerized Breakage | District: 01 - Chilliwack | Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

Type 1 (M):HwBa 946, Plots in Type: 12, TUs: [cable : 5.0]

	F	C	H	B	Y	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20				78.7			78.7			
25				53.7			53.7			
30			19.4	21.0			40.4			
35			18.3	30.6			48.9			
40			10.8				10.8			
45			30.3	20.3			50.6			
50			19.4	27.9			47.3			
55			42.6	11.5			54.1			
60			4.8				4.8			
65			8.0	4.8			12.8			
70			15.6	3.5	2.2		21.3			
75			9.9				9.9			
80		3.5	5.3				8.8			
85			12.2				12.2			
90		2.1	6.4	2.2			10.7			
95		1.9	2.5				4.4			
100			1.7				1.7			
105										
110			1.4				1.4			
115										
120										
125										
130			1.0				1.0			
135										
140										
145										
150										
175										
200										
225								0.4		
250										
275										
Total		7.5	209.6	254.3	2.2		473.6			
Dead P		0.4						0.4		
Dead U										
Live U										
			Average DBH (cm) at 5 Levels							
12.5 +		85.9	58.6	36.2	67.6		48.6	215.0		
17.5 +		85.9	58.6	36.2	67.6		48.6	215.0		
22.5 +		85.9	58.6	41.2	67.6		52.4	215.0		
27.5 +		85.9	58.6	46.2	67.6		55.4	215.0		
32.5 +		85.9	60.8	48.6	67.6		57.9	215.0		

*** 1 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Type Stand Table (stems/ha)

Average Line Method | Grades: MOF Computerized | FIZ: C | 10-Sep-2018 06:41:59PM
TS'ELXWEYEQW | Computerized Decay | PSYU: Dewdney (Chilliwack) | Filename: tsc-2018-04-a75807-cp-14.ccp
Licence Number: A75807 CP: 14 | Computerized Waste | Region: 1 - South Coast | Compiled by: IFS
Project: 2018-04 | Computerized Breakage | District: 01 - Chilliwack | Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

Type 2 (I):FH 6+, Plots in Type: 3, TUs: [ground : 3.5]

	F	C	H	B	Y	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (I)	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15								255.0		
20										
25			108.1				108.1			
30	65.4						65.4			
35										
40	36.0		38.4				74.5	41.6		
45								31.7		
50	47.3						47.3			
55	62.7						62.7			
60	17.3						17.3			
65										
70										
75										
80										
85										
90										
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	228.8		146.5				375.3			
Dead P	328.2							328.2		
Dead U										
Live U										
			Average DBH (cm) at 5 Levels							
12.5 +	45.7		28.5				39.9	23.4		
17.5 +	45.7		28.5				39.9	40.4		
22.5 +	45.7		28.5				39.9	40.4		
27.5 +	45.7		39.4				44.8	40.4		
32.5 +	50.6		39.4				48.6	40.4		

*** 1 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Type Stand Table (stems/ha)

Average Line Method
TS'ELXWEYEQW
Licence Number: A75807 CP: 14
Project: 2018-04

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: C
PSYU: Dewdney (Chilliwack)
Region: 1 - South Coast
District: 01 - Chilliwack

10-Sep-2018 06:41:59PM
Filename: tsc-2018-04-a75807-cp-14.ccp
Compiled by: IFS
Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

Type 3 (I):FH(D) 6+, Plots in Type: 3, TUs: [cable : 2.3]

	F	C	H	B	Y	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (I)	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										407.7
15			667.8				667.8			
20										
25			109.0				109.0			
30	77.8		64.2			67.7	209.6			
35										
40	70.9						70.9			
45	27.7						27.7			
50										
55	62.0						62.0			
60	16.6						16.6			
65	13.3						13.3			
70										
75										
80										
85										
90										
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	268.3		841.0			67.7	1176.9			
Dead P										
Dead U										
Live U			407.7							407.7
			Average DBH (cm) at 5 Levels							
12.5 +	44.7		16.8			29.7	26.6			
17.5 +	44.7		26.3			29.7	37.5			
22.5 +	44.7		26.3			29.7	37.5			
27.5 +	44.7		30.5			29.7	40.5			
32.5 +	50.1						50.1			

*** 1 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Type Stand Table (stems/ha)

Average Line Method | Grades: MOF Computerized | FIZ: C | 10-Sep-2018 06:41:59PM
TS'ELXWEYEQW | Computerized Decay | PSYU: Dewdney (Chilliwack) | Filename: tsc-2018-04-a75807-cp-14.ccp
Licence Number: A75807 CP: 14 | Computerized Waste | Region: 1 - South Coast | Compiled by: IFS
Project: 2018-04 | Computerized Breakage | District: 01 - Chilliwack | Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

Type 6 (I):FH(C) 6+, Plots in Type: 7, TUs: [All Treatment Units : 5.8]

	F	C	H	B	Y	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (I)	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20	43.9	46.5	87.0				177.4	45.2		
25		70.8	178.4				249.2			
30	45.4	28.4	24.2				98.0			
35	33.1	16.5					49.7			
40	12.1		41.1				53.2			
45	29.5						29.5			
50										
55										
60										
65	16.8						16.8			
70	3.8						3.8			
75	3.7						3.7			
80	3.3						3.3			
85	3.2	2.5					5.7			
90	5.7						5.7			
95	2.1						2.1			
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	202.7	164.7	330.7				698.2			
Dead P			45.2					45.2		
Dead U										
Live U										
			Average DBH (cm) at 5 Levels							
12.5 +	45.0	27.5	26.5				33.2	22.2		
17.5 +	45.0	27.5	26.5				33.2	22.2		
22.5 +	49.6	29.7	28.4				36.4			
27.5 +	49.6	36.0	36.9				44.6			
32.5 +	55.2	45.7	39.7				50.9			

*** 1 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Type Stand Table (stems/ha)

Average Line Method | Grades: MOF Computerized | FIZ: C | 10-Sep-2018 06:41:59PM
TS'ELXWEYEQW | Computerized Decay | PSYU: Dewdney (Chilliwack) | Filename: tsc-2018-04-a75807-cp-14.ccp
Licence Number: A75807 CP: 14 | Computerized Waste | Region: 1 - South Coast | Compiled by: IFS
Project: 2018-04 | Computerized Breakage | District: 01 - Chilliwack | Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

Type 6 (I):FH(C) 6+, Plots in Type: 7, TUs: [cable : 4.4]

	F	C	H	B	Y	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (I)	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20	48.2	52.0	105.6				205.8	45.2		
25		73.1	184.7				257.7			
30	51.7	29.3	29.5				110.4			
35	37.8	16.5					54.3			
40	14.1		46.7				60.8			
45	30.7						30.7			
50										
55										
60										
65	17.2						17.2			
70	4.3						4.3			
75	3.7						3.7			
80	3.7						3.7			
85	3.2	3.2					6.4			
90	6.2						6.2			
95	2.4						2.4			
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	223.2	174.0	366.5				763.7			
Dead P			45.2					45.2		
Dead U										
Live U										
			Average DBH (cm) at 5 Levels							
12.5 +	44.6	27.7	26.6				33.1	22.2		
17.5 +	44.6	27.7	26.6				33.1	22.2		
22.5 +	49.1	30.2	28.7				36.6			
27.5 +	49.1	36.9	36.7				44.4			
32.5 +	54.8	47.5	39.7				50.7			

*** 1 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Type Stand Table (stems/ha)

Average Line Method | Grades: MOF Computerized | FIZ: C | 10-Sep-2018 06:41:59PM
TS'ELXWEYEQW | Computerized Decay | PSYU: Dewdney (Chilliwack) | Filename: tsc-2018-04-a75807-cp-14.ccp
Licence Number: A75807 CP: 14 | Computerized Waste | Region: 1 - South Coast | Compiled by: IFS
Project: 2018-04 | Computerized Breakage | District: 01 - Chilliwack | Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

Type 6 (I):FH(C) 6+, Plots in Type: 7, TUs: [Partial : 1.4]

	F	C	H	B	Y	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (I)	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20	30.4	29.1	28.5				88.0	45.2		
25		63.6	158.8				222.4			
30	25.8	25.7	7.4				59.0			
35	18.5	16.5					35.1			
40	5.5		23.8				29.3			
45	25.8						25.8			
50										
55										
60										
65	15.8						15.8			
70	2.2						2.2			
75	3.7						3.7			
80	2.3						2.3			
85	3.2	0.4					3.6			
90	4.1						4.1			
95	1.0						1.0			
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	138.4	135.3	218.5				492.2			
Dead P			45.2					45.2		
Dead U										
Live U										
			Average DBH (cm) at 5 Levels							
12.5 +	47.1	26.6	26.4				33.6	22.2		
17.5 +	47.1	26.6	26.4				33.6	22.2		
22.5 +	52.1	28.0	27.2				35.8			
27.5 +	52.1	32.3	37.9				45.9			
32.5 +	57.1	38.4	39.7				51.8			

*** 1 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Cutting Permit Stock Table (m3/ha)

Average Line Method | Grades: MOF Computerized | FIZ: C | 10-Sep-2018 06:41:59PM
TS'ELXWEYEQW | Computerized Decay | PSYU: Dewdney (Chilliwack) | Filename: tsc-2018-04-a75807-cp-14.ccp
Licence Number: A75807 CP: 14 | Computerized Waste | Region: 1 - South Coast | Compiled by: IFS
Project: 2018-04 | Computerized Breakage | District: 01 - Chilliwack | Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

[All Treatment Units : 24.9]

	F	C	H	B	Y	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Min DBH cm (I)	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15			3.4				3.4	3.8		
20	3.7	2.9	6.4	6.1			19.0	4.3		
25		6.0	34.9	11.6			52.5			
30	21.8	3.5	16.1	8.5		5.0	55.0			
35	8.4	4.2	7.6	15.3			35.5			
40	23.2		27.6				50.8	6.8		
45	20.0		13.0	12.6			45.7	7.1		
50	15.9		11.1	26.1			53.1			
55	41.5		42.4	7.6			91.6			
60	13.0		5.7				18.6			
65	21.9		8.3	5.5			35.7			
70	4.3		26.8	8.8	3.1		43.0			
75	5.3		15.8				21.1			
80	1.4	3.1	13.1				17.6			
85	4.8	2.2	28.2				35.1			
90	10.8	5.2	17.5	7.5			41.0			
95	4.9	3.9	7.6				16.3			
100			2.7				2.7			
105										
110			2.7				2.7			
115										
120										
125										
130			1.7				1.7			
135										
140										
145										
150										
175										
200										
225								2.5		
250										
275										
Total	201.2	31.0	292.4	109.6	3.1	5.0	642.3			
Dead P	17.7	2.5	4.3					24.5		
			Volume (m3/ha) for 7 Levels							
17.5 +	201.2	31.0	289.0	109.6	3.1	5.0	638.8	20.7		
22.5 +	197.5	28.1	282.6	103.5	3.1	5.0	619.8	16.4		
27.5 +	197.5	22.1	247.7	91.9	3.1	5.0	567.3	16.4		
32.5 +	175.6	18.5	231.6	83.4	3.1		512.3	16.4		
37.5 +	167.2	14.3	224.0	68.1	3.1		476.7	16.4		
42.5 +	144.0	14.3	196.4	68.1	3.1		425.9	9.6		
47.5 +	123.9	14.3	183.4	55.5	3.1		380.3	2.5		

*** 1 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Cutting Permit Stock Table (m3/ha)

Average Line Method | Grades: MOF Computerized | FIZ: C | 10-Sep-2018 06:41:59PM
TS'ELXWEYEQW | Computerized Decay | PSYU: Dewdney (Chilliwack) | Filename: tsc-2018-04-a75807-cp-14.ccp
Licence Number: A75807 CP: 14 | Computerized Waste | Region: 1 - South Coast | Compiled by: IFS
Project: 2018-04 | Computerized Breakage | District: 01 - Chilliwack | Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

[ground : 11.8]

	F	C	H	B	Y	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Min DBH cm (I)	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15								8.0		
20				8.0			8.0			
25			16.0	15.3			31.3			
30	15.6		5.1	11.2			31.9			
35			10.0	20.1			30.1			
40	19.4		19.8				39.2	14.4		
45			17.2	16.6			33.8	15.0		
50	33.6		14.6	34.3			82.5			
55	52.8		55.8	10.1			118.7			
60	16.4		7.5				23.9			
65			10.9	7.2			18.2			
70			35.2	11.5	4.1		50.9			
75			20.8				20.8			
80		4.0	17.3				21.3			
85			37.1				37.1			
90		6.9	23.0	9.9			39.8			
95		5.1	10.0				15.0			
100			3.6				3.6			
105										
110			3.6				3.6			
115										
120										
125										
130			2.2				2.2			
135										
140										
145										
150										
175										
200										
225								3.2		
250										
275										
Total	137.9	16.0	309.5	144.3	4.1		611.8			
Dead P	37.4	3.2						40.7		
			Volume (m3/ha) for 7 Levels							
17.5 +	137.9	16.0	309.5	144.3	4.1		611.8	32.6		
22.5 +	137.9	16.0	309.5	136.3	4.1		603.8	32.6		
27.5 +	137.9	16.0	293.5	121.0	4.1		572.5	32.6		
32.5 +	122.3	16.0	288.4	109.8	4.1		540.6	32.6		
37.5 +	122.3	16.0	278.4	89.7	4.1		510.5	32.6		
42.5 +	102.9	16.0	258.6	89.7	4.1		471.4	18.2		
47.5 +	102.9	16.0	241.5	73.1	4.1		437.6	3.2		

*** 1 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Cutting Permit Stock Table (m3/ha)

Average Line Method | Grades: MOF Computerized | FIZ: C | 10-Sep-2018 06:41:59PM
TS'ELXWEYEQW | Computerized Decay | PSYU: Dewdney (Chilliwack) | Filename: tsc-2018-04-a75807-cp-14.ccp
Licence Number: A75807 CP: 14 | Computerized Waste | Region: 1 - South Coast | Compiled by: IFS
Project: 2018-04 | Computerized Breakage | District: 01 - Chilliwack | Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

[cable : 11.7]

	F	C	H	B	Y	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Min DBH cm (I)	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15			7.3				7.3			
20	6.6	5.2	12.5	4.9			29.1	6.9		
25		10.0	47.8	9.3			67.1			
30	27.9	5.9	28.2	6.8		10.7	79.4			
35	15.5	6.8	6.1	12.2			40.6			
40	28.9		34.0				62.9			
45	36.0		10.4	10.1			56.5			
50			8.9	20.9			29.7			
55	35.0		33.9	6.1			75.1			
60	11.0		4.5				15.6			
65	38.7		6.6	4.4			49.7			
70	7.9		21.4	7.0	2.5		38.9			
75	8.6		12.6				21.2			
80	2.5	2.5	10.5				15.5			
85	7.8	4.4	22.5				34.7			
90	19.0	4.2	14.0	6.0			43.2			
95	9.2	3.1	6.0				18.3			
100			2.2				2.2			
105										
110			2.2				2.2			
115										
120										
125										
130			1.3				1.3			
135										
140										
145										
150										
175										
200										
225								2.0		
250										
275										
Total	254.7	42.1	292.9	87.7	2.5	10.7	690.5			
Dead P		2.0	6.9					8.9		
			Volume (m3/ha) for 7 Levels							
17.5 +	254.7	42.1	285.6	87.7	2.5	10.7	683.2	8.9		
22.5 +	248.1	36.8	273.2	82.8	2.5	10.7	654.1	2.0		
27.5 +	248.1	26.8	225.4	73.5	2.5	10.7	587.0	2.0		
32.5 +	220.3	21.0	197.2	66.7	2.5		507.6	2.0		
37.5 +	204.7	14.2	191.1	54.5	2.5		467.0	2.0		
42.5 +	175.8	14.2	157.1	54.5	2.5		404.1	2.0		
47.5 +	139.8	14.2	146.7	44.4	2.5		347.6	2.0		

*** 1 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Cutting Permit Stock Table (m3/ha)

Average Line Method | Grades: MOF Computerized | FIZ: C | 10-Sep-2018 06:41:59PM
TS'ELXWEYEQW | Computerized Decay | PSYU: Dewdney (Chilliwack) | Filename: tsc-2018-04-a75807-cp-14.ccp
Licence Number: A75807 CP: 14 | Computerized Waste | Region: 1 - South Coast | Compiled by: IFS
Project: 2018-04 | Computerized Breakage | District: 01 - Chilliwack | Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

[Partial : 1.4]

	F	C	H	B	Y	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Min DBH cm (I)	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20	11.0	7.8	8.9				27.7	18.5		
25		23.1	86.7				109.9			
30	24.1	13.8	8.1				45.9			
35	20.2	18.1					38.3			
40	8.1		40.1				48.2			
45	55.3						55.3			
50										
55										
60										
65	66.4						66.4			
70	10.8						10.8			
75	22.9						22.9			
80	4.2						4.2			
85	20.6	1.4					22.0			
90	33.4						33.4			
95	10.3						10.3			
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	287.2	64.2	143.9				495.3			
Dead P			18.5					18.5		
			Volume (m3/ha) for 7 Levels							
17.5 +	287.2	64.2	143.9				495.3	18.5		
22.5 +	276.3	56.4	135.0				467.6			
27.5 +	276.3	33.3	48.2				357.7			
32.5 +	252.2	19.5	40.1				311.8			
37.5 +	231.9	1.4	40.1				273.5			
42.5 +	223.8	1.4					225.3			
47.5 +	168.5	1.4					169.9			

*** 1 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Block Stock Table (m3/ha)

Average Line Method | Grades: MOF Computerized | FIZ: C | 10-Sep-2018 06:41:59PM
TS'ELXWEYEQW | Computerized Decay | PSYU: Dewdney (Chilliwack) | Filename: tsc-2018-04-a75807-cp-14.ccp
Licence Number: A75807 CP: 14 | Computerized Waste | Region: 1 - South Coast | Compiled by: IFS
Project: 2018-04 | Computerized Breakage | District: 01 - Chilliwack | Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

Block : (I) - 11A:LB11A, Plots in Block: 6, TUs: [All Treatment Units : 5.8]

	F	C	H	B	Y	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (I)	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15			14.7				14.7	16.3		
20										
25			52.4				52.4			
30	51.4		26.1			21.5	99.0			
35										
40	82.1		25.7				107.7	29.3		
45	22.6						22.6	30.4		
50	68.4						68.4			
55	178.2						178.2			
60	55.7						55.7			
65	23.3						23.3			
70										
75										
80										
85										
90										
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	481.6		118.9			21.5	622.0			
Dead P	76.1							76.1		
			Volume (m3/ha) for 7 Levels							
17.5 +	481.6		104.2			21.5	607.3	59.8		
22.5 +	481.6		104.2			21.5	607.3	59.8		
27.5 +	481.6		51.8			21.5	554.9	59.8		
32.5 +	430.2		25.7				455.9	59.8		
37.5 +	430.2		25.7				455.9	59.8		
42.5 +	348.2						348.2	30.4		
47.5 +	325.6						325.6			

*** 1 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Block Stock Table (m3/ha)

Average Line Method | Grades: MOF Computerized | FIZ: C | 10-Sep-2018 06:41:59PM
TS'ELXWEYEQW | Computerized Decay | PSYU: Dewdney (Chilliwack) | Filename: tsc-2018-04-a75807-cp-14.ccp
Licence Number: A75807 CP: 14 | Computerized Waste | Region: 1 - South Coast | Compiled by: IFS
Project: 2018-04 | Computerized Breakage | District: 01 - Chilliwack | Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

Block : (I) - 11A:LB11A, Plots in Block: 6, TUs: [ground : 3.5]

	F	C	H	B	Y	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (I)	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15								27.0		
20										
25			53.9				53.9			
30	52.5						52.5			
35										
40	65.4		42.5				107.9	48.6		
45								50.4		
50	113.4						113.4			
55	178.1						178.1			
60	55.4						55.4			
65										
70										
75										
80										
85										
90										
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	464.8		96.4				561.2			
Dead P	126.1							126.1		
			Volume (m3/ha) for 7 Levels							
17.5 +	464.8		96.4				561.2	99.1		
22.5 +	464.8		96.4				561.2	99.1		
27.5 +	464.8		42.5				507.3	99.1		
32.5 +	412.3		42.5				454.8	99.1		
37.5 +	412.3		42.5				454.8	99.1		
42.5 +	346.9						346.9	50.4		
47.5 +	346.9						346.9			

*** 1 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Block Stock Table (m3/ha)

Average Line Method | Grades: MOF Computerized | FIZ: C | 10-Sep-2018 06:41:59PM
TS'ELXWEYEQW | Computerized Decay | PSYU: Dewdney (Chilliwack) | Filename: tsc-2018-04-a75807-cp-14.ccp
Licence Number: A75807 CP: 14 | Computerized Waste | Region: 1 - South Coast | Compiled by: IFS
Project: 2018-04 | Computerized Breakage | District: 01 - Chilliwack | Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

Block : (I) - 11A:LB11A, Plots in Block: 6, TUs: [cable : 2.3]

	F	C	H	B	Y	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (I)	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15			37.1				37.1			
20										
25			50.2				50.2			
30	49.7		65.8			54.2	169.7			
35										
40	107.4						107.4			
45	57.0						57.0			
50										
55	178.3						178.3			
60	56.1						56.1			
65	58.8						58.8			
70										
75										
80										
85										
90										
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	507.3		153.2			54.2	714.6			
Dead P										
			Volume (m3/ha) for 7 Levels							
17.5 +	507.3		116.0			54.2	677.5			
22.5 +	507.3		116.0			54.2	677.5			
27.5 +	507.3		65.8			54.2	627.3			
32.5 +	457.6						457.6			
37.5 +	457.6						457.6			
42.5 +	350.1						350.1			
47.5 +	293.2						293.2			

*** 1 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Block Stock Table (m3/ha)

Average Line Method | Grades: MOF Computerized | FIZ: C | 10-Sep-2018 06:41:59PM
TS'ELXWEYEQW | Computerized Decay | PSYU: Dewdney (Chilliwack) | Filename: tsc-2018-04-a75807-cp-14.ccp
Licence Number: A75807 CP: 14 | Computerized Waste | Region: 1 - South Coast | Compiled by: IFS
Project: 2018-04 | Computerized Breakage | District: 01 - Chilliwack | Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

Block : (I) - P2B:MP2B, Plots in Block: 7, TUs: [All Treatment Units : 5.8]

	F	C	H	B	Y	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (I)	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20	15.9	12.4	27.3				55.6	18.5		
25		25.8	97.4				123.2			
30	42.3	15.2	26.5				84.0			
35	36.2	18.1					54.3			
40	17.7		69.4				87.1			
45	63.3						63.3			
50										
55										
60										
65	70.8						70.8			
70	18.6						18.6			
75	22.9						22.9			
80	6.1						6.1			
85	20.6	9.3					29.9			
90	46.5						46.5			
95	21.0						21.0			
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	382.0	80.8	220.6				683.3			
Dead P			18.5					18.5		
			Volume (m3/ha) for 7 Levels							
17.5 +	382.0	80.8	220.6				683.3	18.5		
22.5 +	366.1	68.3	193.3				627.7			
27.5 +	366.1	42.6	95.9				504.5			
32.5 +	323.7	27.4	69.4				420.5			
37.5 +	287.5	9.3	69.4				366.2			
42.5 +	269.8	9.3					279.1			
47.5 +	206.5	9.3					215.8			

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Block Stock Table (m3/ha)

Average Line Method | Grades: MOF Computerized | FIZ: C | 10-Sep-2018 06:41:59PM
TS'ELXWEYEQW | Computerized Decay | PSYU: Dewdney (Chilliwack) | Filename: tsc-2018-04-a75807-cp-14.ccp
Licence Number: A75807 CP: 14 | Computerized Waste | Region: 1 - South Coast | Compiled by: IFS
Project: 2018-04 | Computerized Breakage | District: 01 - Chilliwack | Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

Block : (I) - P2B:MP2B, Plots in Block: 7, TUs: [cable : 4.4]

	F	C	H	B	Y	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (I)	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20	17.4	13.9	33.1				64.5	18.5		
25		26.6	100.9				127.4			
30	48.2	15.6	32.3				96.1			
35	41.3	18.1					59.4			
40	20.7		78.7				99.4			
45	65.9						65.9			
50										
55										
60										
65	72.2						72.2			
70	21.1						21.1			
75	22.9						22.9			
80	6.8						6.8			
85	20.6	11.8					32.4			
90	50.7						50.7			
95	24.5						24.5			
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	412.1	86.0	245.0				743.1			
Dead P			18.5					18.5		
			Volume (m3/ha) for 7 Levels							
17.5 +	412.1	86.0	245.0				743.1	18.5		
22.5 +	394.7	72.1	211.9				678.7			
27.5 +	394.7	45.5	111.0				551.2			
32.5 +	346.5	29.9	78.7				455.1			
37.5 +	305.2	11.8	78.7				395.7			
42.5 +	284.5	11.8					296.3			
47.5 +	218.6	11.8					230.4			

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Block Stock Table (m3/ha)

Average Line Method | Grades: MOF Computerized | FIZ: C | 10-Sep-2018 06:41:59PM
TS'ELXWEYEQW | Computerized Decay | PSYU: Dewdney (Chilliwack) | Filename: tsc-2018-04-a75807-cp-14.ccp
Licence Number: A75807 CP: 14 | Computerized Waste | Region: 1 - South Coast | Compiled by: IFS
Project: 2018-04 | Computerized Breakage | District: 01 - Chilliwack | Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

Block : (I) - P2B:MP2B, Plots in Block: 7, TUs: [Partial : 1.4]

	F	C	H	B	Y	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (I)	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20	11.0	7.8	8.9				27.7	18.5		
25		23.1	86.7				109.9			
30	24.1	13.8	8.1				45.9			
35	20.2	18.1					38.3			
40	8.1		40.1				48.2			
45	55.3						55.3			
50										
55										
60										
65	66.4						66.4			
70	10.8						10.8			
75	22.9						22.9			
80	4.2						4.2			
85	20.6	1.4					22.0			
90	33.4						33.4			
95	10.3						10.3			
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	287.2	64.2	143.9				495.3			
Dead P			18.5					18.5		
			Volume (m3/ha) for 7 Levels							
17.5 +	287.2	64.2	143.9				495.3	18.5		
22.5 +	276.3	56.4	135.0				467.6			
27.5 +	276.3	33.3	48.2				357.7			
32.5 +	252.2	19.5	40.1				311.8			
37.5 +	231.9	1.4	40.1				273.5			
42.5 +	223.8	1.4					225.3			
47.5 +	168.5	1.4					169.9			

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Block Stock Table (m3/ha)

Average Line Method | Grades: MOF Computerized | FIZ: C | 10-Sep-2018 06:41:59PM
TS'ELXWEYEQW | Computerized Decay | PSYU: Dewdney (Chilliwack) | Filename: tsc-2018-04-a75807-cp-14.ccp
Licence Number: A75807 CP: 14 | Computerized Waste | Region: 1 - South Coast | Compiled by: IFS
Project: 2018-04 | Computerized Breakage | District: 01 - Chilliwack | Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

Block : (M) - PF1:PF1, Plots in Block: 12, TUs: [All Treatment Units : 13.3]

	F	C	H	B	Y	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20				11.4			11.4			
25				21.7			21.7			
30			7.3	15.9			23.2			
35			14.2	28.6			42.8			
40			10.2				10.2			
45			24.4	23.6			48.0			
50			20.7	48.8			69.5			
55			79.4	14.3			93.7			
60			10.6				10.6			
65			15.5	10.3			25.8			
70			50.1	16.4	5.9		72.4			
75			29.6				29.6			
80		5.7	24.6				30.3			
85			52.7				52.7			
90		9.8	32.7	14.1			56.5			
95		7.2	14.2				21.4			
100			5.1				5.1			
105										
110			5.1				5.1			
115										
120										
125										
130			3.1				3.1			
135										
140										
145										
150										
175										
200										
225								4.6		
250										
275										
Total		22.7	399.4	205.2	5.9		633.1			
Dead P		4.6						4.6		
			Volume (m3/ha) for 7 Levels							
17.5 +		22.7	399.4	205.2	5.9		633.1	4.6		
22.5 +		22.7	399.4	193.7	5.9		621.7	4.6		
27.5 +		22.7	399.4	172.0	5.9		600.0	4.6		
32.5 +		22.7	392.1	156.1	5.9		576.8	4.6		
37.5 +		22.7	377.9	127.5	5.9		534.0	4.6		
42.5 +		22.7	367.7	127.5	5.9		523.9	4.6		
47.5 +		22.7	343.3	103.9	5.9		475.8	4.6		

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Block Stock Table (m3/ha)

Average Line Method | Grades: MOF Computerized | FIZ: C | 10-Sep-2018 06:41:59PM
TS'ELXWEYEQW | Computerized Decay | PSYU: Dewdney (Chilliwack) | Filename: tsc-2018-04-a75807-cp-14.ccp
Licence Number: A75807 CP: 14 | Computerized Waste | Region: 1 - South Coast | Compiled by: IFS
Project: 2018-04 | Computerized Breakage | District: 01 - Chilliwack | Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

Block : (M) - PF1:PF1, Plots in Block: 12, TUs: [ground : 8.3]

	F	C	H	B	Y	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20				11.4			11.4			
25				21.7			21.7			
30			7.3	15.9			23.2			
35			14.2	28.6			42.8			
40			10.2				10.2			
45			24.4	23.6			48.0			
50			20.7	48.8			69.5			
55			79.4	14.3			93.7			
60			10.6				10.6			
65			15.5	10.3			25.8			
70			50.1	16.4	5.9		72.4			
75			29.6				29.6			
80		5.7	24.6				30.3			
85			52.7				52.7			
90		9.8	32.7	14.1			56.5			
95		7.2	14.2				21.4			
100			5.1				5.1			
105										
110			5.1				5.1			
115										
120										
125										
130			3.1				3.1			
135										
140										
145										
150										
175										
200										
225								4.6		
250										
275										
Total		22.7	399.4	205.2	5.9		633.1			
Dead P		4.6						4.6		
			Volume (m3/ha) for 7 Levels							
17.5 +		22.7	399.4	205.2	5.9		633.1	4.6		
22.5 +		22.7	399.4	193.7	5.9		621.7	4.6		
27.5 +		22.7	399.4	172.0	5.9		600.0	4.6		
32.5 +		22.7	392.1	156.1	5.9		576.8	4.6		
37.5 +		22.7	377.9	127.5	5.9		534.0	4.6		
42.5 +		22.7	367.7	127.5	5.9		523.9	4.6		
47.5 +		22.7	343.3	103.9	5.9		475.8	4.6		

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Block Stock Table (m3/ha)

Average Line Method | Grades: MOF Computerized | FIZ: C | 10-Sep-2018 06:41:59PM
TS'ELXWEYEQW | Computerized Decay | PSYU: Dewdney (Chilliwack) | Filename: tsc-2018-04-a75807-cp-14.ccp
Licence Number: A75807 CP: 14 | Computerized Waste | Region: 1 - South Coast | Compiled by: IFS
Project: 2018-04 | Computerized Breakage | District: 01 - Chilliwack | Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

Block : (M) - PF1:PF1, Plots in Block: 12, TUs: [cable : 5.0]

	F	C	H	B	Y	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20				11.4			11.4			
25				21.7			21.7			
30			7.3	15.9			23.2			
35			14.2	28.6			42.8			
40			10.2				10.2			
45			24.4	23.6			48.0			
50			20.7	48.8			69.5			
55			79.4	14.3			93.7			
60			10.6				10.6			
65			15.5	10.3			25.8			
70			50.1	16.4	5.9		72.4			
75			29.6				29.6			
80		5.7	24.6				30.3			
85			52.7				52.7			
90		9.8	32.7	14.1			56.5			
95		7.2	14.2				21.4			
100			5.1				5.1			
105										
110			5.1				5.1			
115										
120										
125										
130			3.1				3.1			
135										
140										
145										
150										
175										
200										
225								4.6		
250										
275										
Total		22.7	399.4	205.2	5.9		633.1			
Dead P		4.6						4.6		
			Volume (m3/ha) for 7 Levels							
17.5 +		22.7	399.4	205.2	5.9		633.1	4.6		
22.5 +		22.7	399.4	193.7	5.9		621.7	4.6		
27.5 +		22.7	399.4	172.0	5.9		600.0	4.6		
32.5 +		22.7	392.1	156.1	5.9		576.8	4.6		
37.5 +		22.7	377.9	127.5	5.9		534.0	4.6		
42.5 +		22.7	367.7	127.5	5.9		523.9	4.6		
47.5 +		22.7	343.3	103.9	5.9		475.8	4.6		

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Type Stock Table (m3/ha)

Average Line Method | Grades: MOF Computerized | FIZ: C | 10-Sep-2018 06:41:59PM
TS'ELXWEYEQW | Computerized Decay | PSYU: Dewdney (Chilliwack) | Filename: tsc-2018-04-a75807-cp-14.ccp
Licence Number: A75807 CP: 14 | Computerized Waste | Region: 1 - South Coast | Compiled by: IFS
Project: 2018-04 | Computerized Breakage | District: 01 - Chilliwack | Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

Type 1 (M):HwBa 946, Plots in Type: 12, TUs: [All Treatment Units : 13.3]

	F	C	H	B	Y	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20				11.4			11.4			
25				21.7			21.7			
30			7.3	15.9			23.2			
35			14.2	28.6			42.8			
40			10.2				10.2			
45			24.4	23.6			48.0			
50			20.7	48.8			69.5			
55			79.4	14.3			93.7			
60			10.6				10.6			
65			15.5	10.3			25.8			
70			50.1	16.4	5.9		72.4			
75			29.6				29.6			
80		5.7	24.6				30.3			
85			52.7				52.7			
90		9.8	32.7	14.1			56.5			
95		7.2	14.2				21.4			
100			5.1				5.1			
105										
110			5.1				5.1			
115										
120										
125										
130			3.1				3.1			
135										
140										
145										
150										
175										
200										
225								4.6		
250										
275										
Total		22.7	399.4	205.2	5.9		633.1			
Dead P		4.6						4.6		
			Volume (m3/ha) for 7 Levels							
17.5 +		22.7	399.4	205.2	5.9		633.1	4.6		
22.5 +		22.7	399.4	193.7	5.9		621.7	4.6		
27.5 +		22.7	399.4	172.0	5.9		600.0	4.6		
32.5 +		22.7	392.1	156.1	5.9		576.8	4.6		
37.5 +		22.7	377.9	127.5	5.9		534.0	4.6		
42.5 +		22.7	367.7	127.5	5.9		523.9	4.6		
47.5 +		22.7	343.3	103.9	5.9		475.8	4.6		

*** 1 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Type Stock Table (m3/ha)

Average Line Method | Grades: MOF Computerized | FIZ: C | 10-Sep-2018 06:41:59PM
TS'ELXWEYEQW | Computerized Decay | PSYU: Dewdney (Chilliwack) | Filename: tsc-2018-04-a75807-cp-14.ccp
Licence Number: A75807 CP: 14 | Computerized Waste | Region: 1 - South Coast | Compiled by: IFS
Project: 2018-04 | Computerized Breakage | District: 01 - Chilliwack | Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

Type 1 (M):HwBa 946, Plots in Type: 12, TUs: [ground : 8.3]

	F	C	H	B	Y	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20				11.4			11.4			
25				21.7			21.7			
30			7.3	15.9			23.2			
35			14.2	28.6			42.8			
40			10.2				10.2			
45			24.4	23.6			48.0			
50			20.7	48.8			69.5			
55			79.4	14.3			93.7			
60			10.6				10.6			
65			15.5	10.3			25.8			
70			50.1	16.4	5.9		72.4			
75			29.6				29.6			
80		5.7	24.6				30.3			
85			52.7				52.7			
90		9.8	32.7	14.1			56.5			
95		7.2	14.2				21.4			
100			5.1				5.1			
105										
110			5.1				5.1			
115										
120										
125										
130			3.1				3.1			
135										
140										
145										
150										
175										
200										
225								4.6		
250										
275										
Total		22.7	399.4	205.2	5.9		633.1			
Dead P		4.6						4.6		
			Volume (m3/ha) for 7 Levels							
17.5 +		22.7	399.4	205.2	5.9		633.1	4.6		
22.5 +		22.7	399.4	193.7	5.9		621.7	4.6		
27.5 +		22.7	399.4	172.0	5.9		600.0	4.6		
32.5 +		22.7	392.1	156.1	5.9		576.8	4.6		
37.5 +		22.7	377.9	127.5	5.9		534.0	4.6		
42.5 +		22.7	367.7	127.5	5.9		523.9	4.6		
47.5 +		22.7	343.3	103.9	5.9		475.8	4.6		

*** 1 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Type Stock Table (m3/ha)

Average Line Method | Grades: MOF Computerized | FIZ: C | 10-Sep-2018 06:41:59PM
TS'ELXWEYEQW | Computerized Decay | PSYU: Dewdney (Chilliwack) | Filename: tsc-2018-04-a75807-cp-14.ccp
Licence Number: A75807 CP: 14 | Computerized Waste | Region: 1 - South Coast | Compiled by: IFS
Project: 2018-04 | Computerized Breakage | District: 01 - Chilliwack | Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

Type 1 (M):HwBa 946, Plots in Type: 12, TUs: [cable : 5.0]

	F	C	H	B	Y	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20				11.4			11.4			
25				21.7			21.7			
30			7.3	15.9			23.2			
35			14.2	28.6			42.8			
40			10.2				10.2			
45			24.4	23.6			48.0			
50			20.7	48.8			69.5			
55			79.4	14.3			93.7			
60			10.6				10.6			
65			15.5	10.3			25.8			
70			50.1	16.4	5.9		72.4			
75			29.6				29.6			
80		5.7	24.6				30.3			
85			52.7				52.7			
90		9.8	32.7	14.1			56.5			
95		7.2	14.2				21.4			
100			5.1				5.1			
105										
110			5.1				5.1			
115										
120										
125										
130			3.1				3.1			
135										
140										
145										
150										
175										
200										
225								4.6		
250										
275										
Total		22.7	399.4	205.2	5.9		633.1			
Dead P		4.6						4.6		
			Volume (m3/ha) for 7 Levels							
17.5 +		22.7	399.4	205.2	5.9		633.1	4.6		
22.5 +		22.7	399.4	193.7	5.9		621.7	4.6		
27.5 +		22.7	399.4	172.0	5.9		600.0	4.6		
32.5 +		22.7	392.1	156.1	5.9		576.8	4.6		
37.5 +		22.7	377.9	127.5	5.9		534.0	4.6		
42.5 +		22.7	367.7	127.5	5.9		523.9	4.6		
47.5 +		22.7	343.3	103.9	5.9		475.8	4.6		

*** 1 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Type Stock Table (m3/ha)

Average Line Method | Grades: MOF Computerized | FIZ: C | 10-Sep-2018 06:41:59PM
TS'ELXWEYEQW | Computerized Decay | PSYU: Dewdney (Chilliwack) | Filename: tsc-2018-04-a75807-cp-14.ccp
Licence Number: A75807 CP: 14 | Computerized Waste | Region: 1 - South Coast | Compiled by: IFS
Project: 2018-04 | Computerized Breakage | District: 01 - Chilliwack | Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

Type 2 (I):FH 6+, Plots in Type: 3, TUs: [ground : 3.5]

	F	C	H	B	Y	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (I)	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15								27.0		
20										
25			53.9				53.9			
30	52.5						52.5			
35										
40	65.4		42.5				107.9	48.6		
45								50.4		
50	113.4						113.4			
55	178.1						178.1			
60	55.4						55.4			
65										
70										
75										
80										
85										
90										
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	464.8		96.4				561.2			
Dead P	126.1							126.1		
			Volume (m3/ha) for 7 Levels							
17.5 +	464.8		96.4				561.2	99.1		
22.5 +	464.8		96.4				561.2	99.1		
27.5 +	464.8		42.5				507.3	99.1		
32.5 +	412.3		42.5				454.8	99.1		
37.5 +	412.3		42.5				454.8	99.1		
42.5 +	346.9						346.9	50.4		
47.5 +	346.9						346.9			

*** 1 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Type Stock Table (m3/ha)

Average Line Method | Grades: MOF Computerized | FIZ: C | 10-Sep-2018 06:41:59PM
TS'ELXWEYEQW | Computerized Decay | PSYU: Dewdney (Chilliwack) | Filename: tsc-2018-04-a75807-cp-14.ccp
Licence Number: A75807 CP: 14 | Computerized Waste | Region: 1 - South Coast | Compiled by: IFS
Project: 2018-04 | Computerized Breakage | District: 01 - Chilliwack | Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

Type 3 (I):FH(D) 6+, Plots in Type: 3, TUs: [cable : 2.3]

	F	C	H	B	Y	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (I)	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15			37.1				37.1			
20										
25			50.2				50.2			
30	49.7		65.8			54.2	169.7			
35										
40	107.4						107.4			
45	57.0						57.0			
50										
55	178.3						178.3			
60	56.1						56.1			
65	58.8						58.8			
70										
75										
80										
85										
90										
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	507.3		153.2			54.2	714.6			
Dead P										
			Volume (m3/ha) for 7 Levels							
17.5 +	507.3		116.0			54.2	677.5			
22.5 +	507.3		116.0			54.2	677.5			
27.5 +	507.3		65.8			54.2	627.3			
32.5 +	457.6						457.6			
37.5 +	457.6						457.6			
42.5 +	350.1						350.1			
47.5 +	293.2						293.2			

*** 1 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Type Stock Table (m3/ha)

Average Line Method | Grades: MOF Computerized | FIZ: C | 10-Sep-2018 06:41:59PM
TS'ELXWEYEQW | Computerized Decay | PSYU: Dewdney (Chilliwack) | Filename: tsc-2018-04-a75807-cp-14.ccp
Licence Number: A75807 CP: 14 | Computerized Waste | Region: 1 - South Coast | Compiled by: IFS
Project: 2018-04 | Computerized Breakage | District: 01 - Chilliwack | Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

Type 6 (I):FH(C) 6+, Plots in Type: 7, TUs: [All Treatment Units : 5.8]

	F	C	H	B	Y	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (I)	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20	15.9	12.4	27.3				55.6	18.5		
25		25.8	97.4				123.2			
30	42.3	15.2	26.5				84.0			
35	36.2	18.1					54.3			
40	17.7		69.4				87.1			
45	63.3						63.3			
50										
55										
60										
65	70.8						70.8			
70	18.6						18.6			
75	22.9						22.9			
80	6.1						6.1			
85	20.6	9.3					29.9			
90	46.5						46.5			
95	21.0						21.0			
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	382.0	80.8	220.6				683.3			
Dead P			18.5					18.5		
			Volume (m3/ha) for 7 Levels							
17.5 +	382.0	80.8	220.6				683.3	18.5		
22.5 +	366.1	68.3	193.3				627.7			
27.5 +	366.1	42.6	95.9				504.5			
32.5 +	323.7	27.4	69.4				420.5			
37.5 +	287.5	9.3	69.4				366.2			
42.5 +	269.8	9.3					279.1			
47.5 +	206.5	9.3					215.8			

*** 1 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Type Stock Table (m3/ha)

Average Line Method | Grades: MOF Computerized | FIZ: C | 10-Sep-2018 06:41:59PM
TS'ELXWEYEQW | Computerized Decay | PSYU: Dewdney (Chilliwack) | Filename: tsc-2018-04-a75807-cp-14.ccp
Licence Number: A75807 CP: 14 | Computerized Waste | Region: 1 - South Coast | Compiled by: IFS
Project: 2018-04 | Computerized Breakage | District: 01 - Chilliwack | Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

Type 6 (I):FH(C) 6+, Plots in Type: 7, TUs: [cable : 4.4]

	F	C	H	B	Y	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (I)	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20	17.4	13.9	33.1				64.5	18.5		
25		26.6	100.9				127.4			
30	48.2	15.6	32.3				96.1			
35	41.3	18.1					59.4			
40	20.7		78.7				99.4			
45	65.9						65.9			
50										
55										
60										
65	72.2						72.2			
70	21.1						21.1			
75	22.9						22.9			
80	6.8						6.8			
85	20.6	11.8					32.4			
90	50.7						50.7			
95	24.5						24.5			
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	412.1	86.0	245.0				743.1			
Dead P			18.5					18.5		
			Volume (m3/ha) for 7 Levels							
17.5 +	412.1	86.0	245.0				743.1	18.5		
22.5 +	394.7	72.1	211.9				678.7			
27.5 +	394.7	45.5	111.0				551.2			
32.5 +	346.5	29.9	78.7				455.1			
37.5 +	305.2	11.8	78.7				395.7			
42.5 +	284.5	11.8					296.3			
47.5 +	218.6	11.8					230.4			

*** 1 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Type Stock Table (m3/ha)

Average Line Method | Grades: MOF Computerized | FIZ: C | 10-Sep-2018 06:41:59PM
TS'ELXWEYEQW | Computerized Decay | PSYU: Dewdney (Chilliwack) | Filename: tsc-2018-04-a75807-cp-14.ccp
Licence Number: A75807 CP: 14 | Computerized Waste | Region: 1 - South Coast | Compiled by: IFS
Project: 2018-04 | Computerized Breakage | District: 01 - Chilliwack | Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

Type 6 (I):FH(C) 6+, Plots in Type: 7, TUs: [Partial : 1.4]

	F	C	H	B	Y	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (I)	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20	11.0	7.8	8.9				27.7	18.5		
25		23.1	86.7				109.9			
30	24.1	13.8	8.1				45.9			
35	20.2	18.1					38.3			
40	8.1		40.1				48.2			
45	55.3						55.3			
50										
55										
60										
65	66.4						66.4			
70	10.8						10.8			
75	22.9						22.9			
80	4.2						4.2			
85	20.6	1.4					22.0			
90	33.4						33.4			
95	10.3						10.3			
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	287.2	64.2	143.9				495.3			
Dead P			18.5					18.5		
			Volume (m3/ha) for 7 Levels							
17.5 +	287.2	64.2	143.9				495.3	18.5		
22.5 +	276.3	56.4	135.0				467.6			
27.5 +	276.3	33.3	48.2				357.7			
32.5 +	252.2	19.5	40.1				311.8			
37.5 +	231.9	1.4	40.1				273.5			
42.5 +	223.8	1.4					225.3			
47.5 +	168.5	1.4					169.9			

*** 1 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Cutting Permit Basal Area Table (m2/ha)

Average Line Method | Grades: MOF Computerized | FIZ: C | 10-Sep-2018 06:41:59PM
TS'ELXWEYEQW | Computerized Decay | PSYU: Dewdney (Chilliwack) | Filename: tsc-2018-04-a75807-cp-14.ccp
Licence Number: A75807 CP: 14 | Computerized Waste | Region: 1 - South Coast | Compiled by: IFS
Project: 2018-04 | Computerized Breakage | District: 01 - Chilliwack | Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

[All Treatment Units : 24.9]

	F	C	H	B	Y	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Min DBH cm (I)	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										0.4
15			0.9				0.9	0.7		
20	0.4	0.4	0.7	1.4			2.8	0.4		
25		0.8	3.1	1.6			5.5			
30	1.9	0.4	1.6	0.9		0.4	5.2			
35	0.7	0.4	0.9	1.6			3.6			
40	1.9		2.6				4.4	0.7		
45	1.6		2.5	1.6			5.7	0.7		
50	1.3		2.1	3.0			6.5			
55	3.3		5.4	1.4			10.1			
60	1.1		0.7				1.8			
65	1.8		1.4	0.9			4.1			
70	0.4		3.2	0.7	0.4		4.7			
75	0.4		2.3				2.7			
80	0.4	0.9	1.4				2.7			
85	0.4	0.3	3.6				4.3			
90	0.9	0.7	2.1	0.7			4.4			
95	0.4	0.7	0.9				2.0			
100			0.7				0.7			
105										
110			0.7				0.7			
115										
120										
125										
130			0.7				0.7			
135										
140										
145										
150										
175										
200										
225								0.7		
250										
275										
Total	16.7	4.6	37.5	14.0	0.4	0.4	73.6			
Dead P	2.0	0.7	0.4					3.1		
Dead U										
Live U			0.4							0.4
Basal Area (m2/ha) at 5 Levels										
12.5 +	16.7	4.6	37.5	14.0	0.4	0.4	73.6	3.1		
17.5 +	16.7	4.6	36.6	14.0	0.4	0.4	72.7	2.4		
22.5 +	16.3	4.2	36.0	12.5	0.4	0.4	69.9	2.0		
27.5 +	16.3	3.5	32.9	10.9	0.4	0.4	64.4	2.0		
32.5 +	14.4	3.1	31.3	10.0	0.4		59.2	2.0		

*** 1 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Cutting Permit Basal Area Table (m2/ha)

Average Line Method | Grades: MOF Computerized | FIZ: C | 10-Sep-2018 06:41:59PM
TS'ELXWEYEQW | Computerized Decay | PSYU: Dewdney (Chilliwack) | Filename: tsc-2018-04-a75807-cp-14.ccp
Licence Number: A75807 CP: 14 | Computerized Waste | Region: 1 - South Coast | Compiled by: IFS
Project: 2018-04 | Computerized Breakage | District: 01 - Chilliwack | Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

[ground : 11.8]

	F	C	H	B	Y	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Min DBH cm (I)	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH										
Class										
5										
10										
15								1.4		
20				1.9			1.9			
25			1.4	2.1			3.5			
30	1.4		0.9	1.2			3.5			
35			1.2	2.1			3.3			
40	1.4		2.3				3.7	1.4		
45			3.3	2.1			5.4	1.4		
50	2.8		2.8	4.0			9.6			
55	4.2		7.1	1.9			13.1			
60	1.4		0.9				2.3			
65			1.9	1.2			3.1			
70			4.2	0.9	0.6		5.8			
75			3.1				3.1			
80		1.2	1.9				3.1			
85			4.7				4.7			
90		0.9	2.8	0.9			4.7			
95		0.9	1.2				2.1			
100			0.9				0.9			
105										
110			0.9				0.9			
115										
120										
125										
130			0.9				0.9			
135										
140										
145										
150										
175										
200										
225								0.9		
250										
275										
Total	11.1	3.1	42.5	18.4	0.6		75.7			
Dead P	4.2	0.9						5.1		
Dead U										
Live U										

Basal Area (m2/ha) at 5 Levels

12.5 +	11.1	3.1	42.5	18.4	0.6	75.7	5.1
17.5 +	11.1	3.1	42.5	18.4	0.6	75.7	3.7
22.5 +	11.1	3.1	42.5	16.5	0.6	73.8	3.7
27.5 +	11.1	3.1	41.1	14.4	0.6	70.3	3.7
32.5 +	9.7	3.1	40.2	13.2	0.6	66.8	3.7

*** 1 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Cutting Permit Basal Area Table (m2/ha)

Average Line Method | Grades: MOF Computerized | FIZ: C | 10-Sep-2018 06:41:59PM
TS'ELXWEYEQW | Computerized Decay | PSYU: Dewdney (Chilliwack) | Filename: tsc-2018-04-a75807-cp-14.ccp
Licence Number: A75807 CP: 14 | Computerized Waste | Region: 1 - South Coast | Compiled by: IFS
Project: 2018-04 | Computerized Breakage | District: 01 - Chilliwack | Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

[cable : 11.7]

	F	C	H	B	Y	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Min DBH cm (I)	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH										
Class										
5										
10										0.9
15			1.8				1.8			
20	0.7	0.7	1.3	1.1			3.8	0.7		
25		1.3	4.2	1.3			6.8			
30	2.4	0.7	2.4	0.7		0.9	7.1			
35	1.3	0.7	0.7	1.3			4.0			
40	2.5		2.7				5.2			
45	2.9		2.0	1.3			6.2			
50			1.7	2.4			4.1			
55	2.8		4.3	1.1			8.2			
60	0.9		0.6				1.5			
65	3.1		1.1	0.7			5.0			
70	0.7		2.6	0.6	0.3		4.2			
75	0.7		1.9				2.5			
80	0.7	0.7	1.1				2.5			
85	0.7	0.7	2.8				4.2			
90	1.5	0.6	1.7	0.6			4.4			
95	0.7	0.6	0.7				1.9			
100			0.6				0.6			
105										
110			0.6				0.6			
115										
120										
125										
130			0.6				0.6			
135										
140										
145										
150										
175										
200										
225								0.6		
250										
275										
Total	21.4	5.8	35.5	11.2	0.3	0.9	75.1			
Dead P		0.6	0.7					1.2		
Dead U										
Live U			0.9							0.9
			Basal Area (m2/ha) at 5 Levels							
12.5 +	21.4	5.8	35.5	11.2	0.3	0.9	75.1	1.2		
17.5 +	21.4	5.8	33.6	11.2	0.3	0.9	73.3	1.2		
22.5 +	20.7	5.2	32.3	10.0	0.3	0.9	69.5	0.6		
27.5 +	20.7	3.8	28.1	8.7	0.3	0.9	62.7	0.6		
32.5 +	18.3	3.2	25.8	8.0	0.3		55.6	0.6		

*** 1 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Cutting Permit Basal Area Table (m2/ha)

Average Line Method | Grades: MOF Computerized | FIZ: C | 10-Sep-2018 06:41:59PM
TS'ELXWEYEQW | Computerized Decay | PSYU: Dewdney (Chilliwack) | Filename: tsc-2018-04-a75807-cp-14.ccp
Licence Number: A75807 CP: 14 | Computerized Waste | Region: 1 - South Coast | Compiled by: IFS
Project: 2018-04 | Computerized Breakage | District: 01 - Chilliwack | Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

[Partial : 1.4]

	F	C	H	B	Y	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Min DBH cm (I)	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20	1.1	1.0	0.9				3.0	1.8		
25		3.0	7.5				10.6			
30	2.0	1.5	0.6				4.1			
35	1.7	1.8					3.5			
40	0.7		3.0				3.6			
45	4.4						4.4			
50										
55										
60										
65	5.3						5.3			
70	0.9						0.9			
75	1.8						1.8			
80	1.1						1.1			
85	1.8	0.2					2.0			
90	2.7						2.7			
95	0.7						0.7			
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	24.1	7.5	12.0				43.6			
Dead P			1.8					1.8		
Dead U										
Live U										

Basal Area (m2/ha) at 5 Levels

12.5 +	24.1	7.5	12.0				43.6	1.8		
17.5 +	24.1	7.5	12.0				43.6	1.8		
22.5 +	23.0	6.5	11.0				40.6			
27.5 +	23.0	3.5	3.5				30.0			
32.5 +	21.0	2.0	3.0				25.9			

*** 1 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Block Basal Area Table (m2/ha)

Average Line Method | Grades: MOF Computerized | FIZ: C | 10-Sep-2018 06:41:59PM
TS'ELXWEYEQW | Computerized Decay | PSYU: Dewdney (Chilliwack) | Filename: tsc-2018-04-a75807-cp-14.ccp
Licence Number: A75807 CP: 14 | Computerized Waste | Region: 1 - South Coast | Compiled by: IFS
Project: 2018-04 | Computerized Breakage | District: 01 - Chilliwack | Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

Block : (I) - 11A:LB11A, Plots in Block: 6, TUs: [All Treatment Units : 5.8]

	F	C	H	B	Y	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (I)	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										1.9
15			3.7				3.7	2.8		
20										
25			4.7				4.7			
30	4.7		1.9			1.9	8.4			
35										
40	6.5		2.8				9.4	2.8		
45	1.9						1.9	2.8		
50	5.7						5.7			
55	14.1						14.1			
60	4.7						4.7			
65	1.9						1.9			
70										
75										
80										
85										
90										
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	39.4		13.1			1.9	54.3			
Dead P	8.5							8.5		
Dead U										
Live U			1.9							1.9
			Basal Area (m2/ha) at 5 Levels							
12.5 +	39.4		13.1			1.9	54.3	8.5		
17.5 +	39.4		9.4			1.9	50.6	5.7		
22.5 +	39.4		9.4			1.9	50.6	5.7		
27.5 +	39.4		4.7			1.9	45.9	5.7		
32.5 +	34.7		2.8				37.5	5.7		

*** 1 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Block Basal Area Table (m2/ha)

Average Line Method | Grades: MOF Computerized | FIZ: C | 10-Sep-2018 06:41:59PM
TS'ELXWEYEQW | Computerized Decay | PSYU: Dewdney (Chilliwack) | Filename: tsc-2018-04-a75807-cp-14.ccp
Licence Number: A75807 CP: 14 | Computerized Waste | Region: 1 - South Coast | Compiled by: IFS
Project: 2018-04 | Computerized Breakage | District: 01 - Chilliwack | Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

Block : (I) - 11A:LB11A, Plots in Block: 6, TUs: [ground : 3.5]

	F	C	H	B	Y	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (I)	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15								4.7		
20										
25			4.7				4.7			
30	4.7						4.7			
35										
40	4.7		4.7				9.4	4.7		
45								4.7		
50	9.4						9.4			
55	14.1						14.1			
60	4.7						4.7			
65										
70										
75										
80										
85										
90										
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	37.5		9.4				46.9			
Dead P	14.1							14.1		
Dead U										
Live U										

Basal Area (m2/ha) at 5 Levels

12.5 +	37.5	9.4	46.9	14.1	
17.5 +	37.5	9.4	46.9	9.4	
22.5 +	37.5	9.4	46.9	9.4	
27.5 +	37.5	4.7	42.2	9.4	
32.5 +	32.8	4.7	37.5	9.4	

*** 1 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Block Basal Area Table (m2/ha)

Average Line Method | Grades: MOF Computerized | FIZ: C | 10-Sep-2018 06:41:59PM
TS'ELXWEYEQW | Computerized Decay | PSYU: Dewdney (Chilliwack) | Filename: tsc-2018-04-a75807-cp-14.ccp
Licence Number: A75807 CP: 14 | Computerized Waste | Region: 1 - South Coast | Compiled by: IFS
Project: 2018-04 | Computerized Breakage | District: 01 - Chilliwack | Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

Block : (I) - 11A:LB11A, Plots in Block: 6, TUs: [cable : 2.3]

	F	C	H	B	Y	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (I)	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										4.7
15			9.4				9.4			
20										
25			4.7				4.7			
30	4.7		4.7			4.7	14.1			
35										
40	9.4						9.4			
45	4.7						4.7			
50										
55	14.1						14.1			
60	4.7						4.7			
65	4.7						4.7			
70										
75										
80										
85										
90										
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	42.2		18.8			4.7	65.6			
Dead P										
Dead U										
Live U			4.7							4.7

Basal Area (m2/ha) at 5 Levels

12.5 +	42.2	18.8	4.7	65.6	
17.5 +	42.2	9.4	4.7	56.3	
22.5 +	42.2	9.4	4.7	56.3	
27.5 +	42.2	4.7	4.7	51.6	
32.5 +	37.5			37.5	

*** 1 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Block Basal Area Table (m2/ha)

Average Line Method | Grades: MOF Computerized | FIZ: C | 10-Sep-2018 06:41:59PM
TS'ELXWEYEQW | Computerized Decay | PSYU: Dewdney (Chilliwack) | Filename: tsc-2018-04-a75807-cp-14.ccp
Licence Number: A75807 CP: 14 | Computerized Waste | Region: 1 - South Coast | Compiled by: IFS
Project: 2018-04 | Computerized Breakage | District: 01 - Chilliwack | Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

Block : (I) - P2B:MP2B, Plots in Block: 7, TUs: [All Treatment Units : 5.8]

	F	C	H	B	Y	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (I)	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20	1.6	1.6	2.9				6.0	1.8		
25		3.4	8.5				11.8			
30	3.5	1.7	1.9				7.1			
35	3.1	1.8					4.8			
40	1.5		5.1				6.6			
45	5.0						5.0			
50										
55										
60										
65	5.7						5.7			
70	1.5						1.5			
75	1.7						1.7			
80	1.6						1.6			
85	1.8	1.4					3.1			
90	3.7						3.7			
95	1.5						1.5			
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	32.3	9.8	18.3				60.4			
Dead P			1.8					1.8		
Dead U										
Live U										
	Basal Area (m2/ha) at 5 Levels									
12.5 +	32.3	9.8	18.3				60.4	1.8		
17.5 +	32.3	9.8	18.3				60.4	1.8		
22.5 +	30.7	8.2	15.4				54.3			
27.5 +	30.7	4.8	7.0				42.5			
32.5 +	27.1	3.1	5.1				35.4			

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Block Basal Area Table (m2/ha)

Average Line Method | Grades: MOF Computerized | FIZ: C | 10-Sep-2018 06:41:59PM
TS'ELXWEYEQW | Computerized Decay | PSYU: Dewdney (Chilliwack) | Filename: tsc-2018-04-a75807-cp-14.ccp
Licence Number: A75807 CP: 14 | Computerized Waste | Region: 1 - South Coast | Compiled by: IFS
Project: 2018-04 | Computerized Breakage | District: 01 - Chilliwack | Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

Block : (I) - P2B:MP2B, Plots in Block: 7, TUs: [cable : 4.4]

	F	C	H	B	Y	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (I)	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20	1.8	1.8	3.5				7.0	1.8		
25		3.5	8.8				12.3			
30	4.0	1.7	2.3				8.1			
35	3.5	1.8					5.3			
40	1.8		5.8				7.5			
45	5.3						5.3			
50										
55										
60										
65	5.8						5.8			
70	1.8						1.8			
75	1.7						1.7			
80	1.8						1.8			
85	1.8	1.8					3.5			
90	4.0						4.0			
95	1.8						1.8			
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	34.9	10.5	20.3				65.7			
Dead P			1.8					1.8		
Dead U										
Live U										
	Basal Area (m2/ha) at 5 Levels									
12.5 +	34.9	10.5	20.3				65.7	1.8		
17.5 +	34.9	10.5	20.3				65.7	1.8		
22.5 +	33.1	8.8	16.8				58.7			
27.5 +	33.1	5.3	8.1				46.4			
32.5 +	29.1	3.5	5.8				38.4			

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Block Basal Area Table (m2/ha)

Average Line Method | Grades: MOF Computerized | FIZ: C | 10-Sep-2018 06:41:59PM
TS'ELXWEYEQW | Computerized Decay | PSYU: Dewdney (Chilliwack) | Filename: tsc-2018-04-a75807-cp-14.ccp
Licence Number: A75807 CP: 14 | Computerized Waste | Region: 1 - South Coast | Compiled by: IFS
Project: 2018-04 | Computerized Breakage | District: 01 - Chilliwack | Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

Block : (I) - P2B:MP2B, Plots in Block: 7, TUs: [Partial : 1.4]

	F	C	H	B	Y	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (I)	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20	1.1	1.0	0.9				3.0	1.8		
25		3.0	7.5				10.6			
30	2.0	1.5	0.6				4.1			
35	1.7	1.8					3.5			
40	0.7		3.0				3.6			
45	4.4						4.4			
50										
55										
60										
65	5.3						5.3			
70	0.9						0.9			
75	1.8						1.8			
80	1.1						1.1			
85	1.8	0.2					2.0			
90	2.7						2.7			
95	0.7						0.7			
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	24.1	7.5	12.0				43.6			
Dead P			1.8					1.8		
Dead U										
Live U										
			Basal Area (m2/ha) at 5 Levels							
12.5 +	24.1	7.5	12.0				43.6	1.8		
17.5 +	24.1	7.5	12.0				43.6	1.8		
22.5 +	23.0	6.5	11.0				40.6			
27.5 +	23.0	3.5	3.5				30.0			
32.5 +	21.0	2.0	3.0				25.9			

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Block Basal Area Table (m2/ha)

Average Line Method | Grades: MOF Computerized | FIZ: C | 10-Sep-2018 06:41:59PM
TS'ELXWEYEQW | Computerized Decay | PSYU: Dewdney (Chilliwack) | Filename: tsc-2018-04-a75807-cp-14.ccp
Licence Number: A75807 CP: 14 | Computerized Waste | Region: 1 - South Coast | Compiled by: IFS
Project: 2018-04 | Computerized Breakage | District: 01 - Chilliwack | Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

Block : (M) - PF1:PF1, Plots in Block: 12, TUs: [All Treatment Units : 13.3]

	F	C	H	B	Y	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20				2.7			2.7			
25				3.0			3.0			
30			1.3	1.7			3.0			
35			1.7	3.0			4.7			
40			1.3				1.3			
45			4.7	3.0			7.7			
50			4.0	5.7			9.7			
55			10.0	2.7			12.7			
60			1.3				1.3			
65			2.7	1.7			4.4			
70			6.0	1.3	0.8		8.2			
75			4.4				4.4			
80		1.7	2.7				4.4			
85			6.7				6.7			
90		1.3	4.0	1.3			6.7			
95		1.3	1.7				3.0			
100			1.3				1.3			
105										
110			1.3				1.3			
115										
120										
125										
130			1.3				1.3			
135										
140										
145										
150										
175										
200										
225								1.3		
250										
275										
Total		4.4	56.5	26.1	0.8		87.8			
Dead P		1.3						1.3		
Dead U										
Live U										
		Basal Area (m2/ha) at 5 Levels								
12.5 +		4.4	56.5	26.1	0.8		87.8	1.3		
17.5 +		4.4	56.5	26.1	0.8		87.8	1.3		
22.5 +		4.4	56.5	23.5	0.8		85.1	1.3		
27.5 +		4.4	56.5	20.4	0.8		82.1	1.3		
32.5 +		4.4	55.2	18.8	0.8		79.1	1.3		

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Block Basal Area Table (m2/ha)

Average Line Method | Grades: MOF Computerized | FIZ: C | 10-Sep-2018 06:41:59PM
TS'ELXWEYEQW | Computerized Decay | PSYU: Dewdney (Chilliwack) | Filename: tsc-2018-04-a75807-cp-14.ccp
Licence Number: A75807 CP: 14 | Computerized Waste | Region: 1 - South Coast | Compiled by: IFS
Project: 2018-04 | Computerized Breakage | District: 01 - Chilliwack | Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

Block : (M) - PF1:PF1, Plots in Block: 12, TUs: [ground : 8.3]

	F	C	H	B	Y	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20				2.7			2.7			
25				3.0			3.0			
30			1.3	1.7			3.0			
35			1.7	3.0			4.7			
40			1.3				1.3			
45			4.7	3.0			7.7			
50			4.0	5.7			9.7			
55			10.0	2.7			12.7			
60			1.3				1.3			
65			2.7	1.7			4.4			
70			6.0	1.3	0.8		8.2			
75			4.4				4.4			
80		1.7	2.7				4.4			
85			6.7				6.7			
90		1.3	4.0	1.3			6.7			
95		1.3	1.7				3.0			
100			1.3				1.3			
105										
110			1.3				1.3			
115										
120										
125										
130			1.3				1.3			
135										
140										
145										
150										
175										
200										
225								1.3		
250										
275										
Total		4.4	56.5	26.1	0.8		87.8			
Dead P		1.3						1.3		
Dead U										
Live U										
		Basal Area (m2/ha) at 5 Levels								
12.5 +		4.4	56.5	26.1	0.8		87.8	1.3		
17.5 +		4.4	56.5	26.1	0.8		87.8	1.3		
22.5 +		4.4	56.5	23.5	0.8		85.1	1.3		
27.5 +		4.4	56.5	20.4	0.8		82.1	1.3		
32.5 +		4.4	55.2	18.8	0.8		79.1	1.3		

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Block Basal Area Table (m2/ha)

Average Line Method | Grades: MOF Computerized | FIZ: C | 10-Sep-2018 06:41:59PM
TS'ELXWEYEQW | Computerized Decay | PSYU: Dewdney (Chilliwack) | Filename: tsc-2018-04-a75807-cp-14.ccp
Licence Number: A75807 CP: 14 | Computerized Waste | Region: 1 - South Coast | Compiled by: IFS
Project: 2018-04 | Computerized Breakage | District: 01 - Chilliwack | Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

Block : (M) - PF1:PF1, Plots in Block: 12, TUs: [cable : 5.0]

	F	C	H	B	Y	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20				2.7			2.7			
25				3.0			3.0			
30			1.3	1.7			3.0			
35			1.7	3.0			4.7			
40			1.3				1.3			
45			4.7	3.0			7.7			
50			4.0	5.7			9.7			
55			10.0	2.7			12.7			
60			1.3				1.3			
65			2.7	1.7			4.4			
70			6.0	1.3	0.8		8.2			
75			4.4				4.4			
80		1.7	2.7				4.4			
85			6.7				6.7			
90		1.3	4.0	1.3			6.7			
95		1.3	1.7				3.0			
100			1.3				1.3			
105										
110			1.3				1.3			
115										
120										
125										
130			1.3				1.3			
135										
140										
145										
150										
175										
200										
225								1.3		
250										
275										
Total		4.4	56.5	26.1	0.8		87.8			
Dead P		1.3						1.3		
Dead U										
Live U										
		Basal Area (m2/ha) at 5 Levels								
12.5 +		4.4	56.5	26.1	0.8		87.8	1.3		
17.5 +		4.4	56.5	26.1	0.8		87.8	1.3		
22.5 +		4.4	56.5	23.5	0.8		85.1	1.3		
27.5 +		4.4	56.5	20.4	0.8		82.1	1.3		
32.5 +		4.4	55.2	18.8	0.8		79.1	1.3		

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Type Basal Area Table (m2/ha)

Average Line Method | Grades: MOF Computerized | FIZ: C | 10-Sep-2018 06:41:59PM
TS'ELXWEYEQW | Computerized Decay | PSYU: Dewdney (Chilliwack) | Filename: tsc-2018-04-a75807-cp-14.ccp
Licence Number: A75807 CP: 14 | Computerized Waste | Region: 1 - South Coast | Compiled by: IFS
Project: 2018-04 | Computerized Breakage | District: 01 - Chilliwack | Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

Type 1 (M):HwBa 946, Plots in Type: 12, TUs: [All Treatment Units : 13.3]

	F	C	H	B	Y	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20				2.7			2.7			
25				3.0			3.0			
30			1.3	1.7			3.0			
35			1.7	3.0			4.7			
40			1.3				1.3			
45			4.7	3.0			7.7			
50			4.0	5.7			9.7			
55			10.0	2.7			12.7			
60			1.3				1.3			
65			2.7	1.7			4.4			
70			6.0	1.3	0.8		8.2			
75			4.4				4.4			
80		1.7	2.7				4.4			
85			6.7				6.7			
90		1.3	4.0	1.3			6.7			
95		1.3	1.7				3.0			
100			1.3				1.3			
105										
110			1.3				1.3			
115										
120										
125										
130			1.3				1.3			
135										
140										
145										
150										
175										
200										
225								1.3		
250										
275										
Total		4.4	56.5	26.1	0.8		87.8			
Dead P		1.3						1.3		
Dead U										
Live U										
		Basal Area (m2/ha) at 5 Levels								
12.5 +		4.4	56.5	26.1	0.8		87.8	1.3		
17.5 +		4.4	56.5	26.1	0.8		87.8	1.3		
22.5 +		4.4	56.5	23.5	0.8		85.1	1.3		
27.5 +		4.4	56.5	20.4	0.8		82.1	1.3		
32.5 +		4.4	55.2	18.8	0.8		79.1	1.3		

*** 1 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Type Basal Area Table (m2/ha)

Average Line Method | Grades: MOF Computerized | FIZ: C | 10-Sep-2018 06:41:59PM
TS'ELXWEYEQW | Computerized Decay | PSYU: Dewdney (Chilliwack) | Filename: tsc-2018-04-a75807-cp-14.ccp
Licence Number: A75807 CP: 14 | Computerized Waste | Region: 1 - South Coast | Compiled by: IFS
Project: 2018-04 | Computerized Breakage | District: 01 - Chilliwack | Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

Type 1 (M):HwBa 946, Plots in Type: 12, TUs: [ground : 8.3]

	F	C	H	B	Y	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20				2.7			2.7			
25				3.0			3.0			
30			1.3	1.7			3.0			
35			1.7	3.0			4.7			
40			1.3				1.3			
45			4.7	3.0			7.7			
50			4.0	5.7			9.7			
55			10.0	2.7			12.7			
60			1.3				1.3			
65			2.7	1.7			4.4			
70			6.0	1.3	0.8		8.2			
75			4.4				4.4			
80		1.7	2.7				4.4			
85			6.7				6.7			
90		1.3	4.0	1.3			6.7			
95		1.3	1.7				3.0			
100			1.3				1.3			
105										
110			1.3				1.3			
115										
120										
125										
130			1.3				1.3			
135										
140										
145										
150										
175										
200										
225								1.3		
250										
275										
Total		4.4	56.5	26.1	0.8		87.8			
Dead P		1.3						1.3		
Dead U										
Live U										
		Basal Area (m2/ha) at 5 Levels								
12.5 +		4.4	56.5	26.1	0.8		87.8	1.3		
17.5 +		4.4	56.5	26.1	0.8		87.8	1.3		
22.5 +		4.4	56.5	23.5	0.8		85.1	1.3		
27.5 +		4.4	56.5	20.4	0.8		82.1	1.3		
32.5 +		4.4	55.2	18.8	0.8		79.1	1.3		

*** 1 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Type Basal Area Table (m2/ha)

Average Line Method | Grades: MOF Computerized | FIZ: C | 10-Sep-2018 06:41:59PM
TS'ELXWEYEQW | Computerized Decay | PSYU: Dewdney (Chilliwack) | Filename: tsc-2018-04-a75807-cp-14.ccp
Licence Number: A75807 CP: 14 | Computerized Waste | Region: 1 - South Coast | Compiled by: IFS
Project: 2018-04 | Computerized Breakage | District: 01 - Chilliwack | Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

Type 1 (M):HwBa 946, Plots in Type: 12, TUs: [cable : 5.0]

	F	C	H	B	Y	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20				2.7			2.7			
25				3.0			3.0			
30			1.3	1.7			3.0			
35			1.7	3.0			4.7			
40			1.3				1.3			
45			4.7	3.0			7.7			
50			4.0	5.7			9.7			
55			10.0	2.7			12.7			
60			1.3				1.3			
65			2.7	1.7			4.4			
70			6.0	1.3	0.8		8.2			
75			4.4				4.4			
80		1.7	2.7				4.4			
85			6.7				6.7			
90		1.3	4.0	1.3			6.7			
95		1.3	1.7				3.0			
100			1.3				1.3			
105										
110			1.3				1.3			
115										
120										
125										
130			1.3				1.3			
135										
140										
145										
150										
175										
200										
225								1.3		
250										
275										
Total		4.4	56.5	26.1	0.8		87.8			
Dead P		1.3						1.3		
Dead U										
Live U										
			Basal Area (m2/ha) at 5 Levels							
12.5 +		4.4	56.5	26.1	0.8		87.8	1.3		
17.5 +		4.4	56.5	26.1	0.8		87.8	1.3		
22.5 +		4.4	56.5	23.5	0.8		85.1	1.3		
27.5 +		4.4	56.5	20.4	0.8		82.1	1.3		
32.5 +		4.4	55.2	18.8	0.8		79.1	1.3		

*** 1 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Type Basal Area Table (m2/ha)

Average Line Method | Grades: MOF Computerized | FIZ: C | 10-Sep-2018 06:41:59PM
TS'ELXWEYEQW | Computerized Decay | PSYU: Dewdney (Chilliwack) | Filename: tsc-2018-04-a75807-cp-14.ccp
Licence Number: A75807 CP: 14 | Computerized Waste | Region: 1 - South Coast | Compiled by: IFS
Project: 2018-04 | Computerized Breakage | District: 01 - Chilliwack | Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

Type 2 (I):FH 6+, Plots in Type: 3, TUs: [ground : 3.5]

	F	C	H	B	Y	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (I)	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15								4.7		
20										
25			4.7				4.7			
30	4.7						4.7			
35										
40	4.7		4.7				9.4	4.7		
45								4.7		
50	9.4						9.4			
55	14.1						14.1			
60	4.7						4.7			
65										
70										
75										
80										
85										
90										
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	37.5		9.4				46.9			
Dead P	14.1							14.1		
Dead U										
Live U										
			Basal Area (m2/ha) at 5 Levels							
12.5 +	37.5		9.4				46.9	14.1		
17.5 +	37.5		9.4				46.9	9.4		
22.5 +	37.5		9.4				46.9	9.4		
27.5 +	37.5		4.7				42.2	9.4		
32.5 +	32.8		4.7				37.5	9.4		

*** 1 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Type Basal Area Table (m2/ha)

Average Line Method | Grades: MOF Computerized | FIZ: C | 10-Sep-2018 06:41:59PM
TS'ELXWEYEQW | Computerized Decay | PSYU: Dewdney (Chilliwack) | Filename: tsc-2018-04-a75807-cp-14.ccp
Licence Number: A75807 CP: 14 | Computerized Waste | Region: 1 - South Coast | Compiled by: IFS
Project: 2018-04 | Computerized Breakage | District: 01 - Chilliwack | Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

Type 3 (I):FH(D) 6+, Plots in Type: 3, TUs: [cable : 2.3]

	F	C	H	B	Y	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (I)	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										4.7
15			9.4				9.4			
20										
25			4.7				4.7			
30	4.7		4.7			4.7	14.1			
35										
40	9.4						9.4			
45	4.7						4.7			
50										
55	14.1						14.1			
60	4.7						4.7			
65	4.7						4.7			
70										
75										
80										
85										
90										
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	42.2		18.8			4.7	65.6			
Dead P										
Dead U										
Live U			4.7							4.7
			Basal Area (m2/ha) at 5 Levels							
12.5 +	42.2		18.8			4.7	65.6			
17.5 +	42.2		9.4			4.7	56.3			
22.5 +	42.2		9.4			4.7	56.3			
27.5 +	42.2		4.7			4.7	51.6			
32.5 +	37.5						37.5			

*** 1 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Type Basal Area Table (m2/ha)

Average Line Method | Grades: MOF Computerized | FIZ: C | 10-Sep-2018 06:41:59PM
TS'ELXWEYEQW | Computerized Decay | PSYU: Dewdney (Chilliwack) | Filename: tsc-2018-04-a75807-cp-14.ccp
Licence Number: A75807 CP: 14 | Computerized Waste | Region: 1 - South Coast | Compiled by: IFS
Project: 2018-04 | Computerized Breakage | District: 01 - Chilliwack | Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

Type 6 (I):FH(C) 6+, Plots in Type: 7, TUs: [All Treatment Units : 5.8]

	F	C	H	B	Y	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (I)	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20	1.6	1.6	2.9				6.0	1.8		
25		3.4	8.5				11.8			
30	3.5	1.7	1.9				7.1			
35	3.1	1.8					4.8			
40	1.5		5.1				6.6			
45	5.0						5.0			
50										
55										
60										
65	5.7						5.7			
70	1.5						1.5			
75	1.7						1.7			
80	1.6						1.6			
85	1.8	1.4					3.1			
90	3.7						3.7			
95	1.5						1.5			
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	32.3	9.8	18.3				60.4			
Dead P			1.8					1.8		
Dead U										
Live U										
	Basal Area (m2/ha) at 5 Levels									
12.5 +	32.3	9.8	18.3				60.4	1.8		
17.5 +	32.3	9.8	18.3				60.4	1.8		
22.5 +	30.7	8.2	15.4				54.3			
27.5 +	30.7	4.8	7.0				42.5			
32.5 +	27.1	3.1	5.1				35.4			

*** 1 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Type Basal Area Table (m2/ha)

Average Line Method | Grades: MOF Computerized | FIZ: C | 10-Sep-2018 06:41:59PM
TS'ELXWEYEQW | Computerized Decay | PSYU: Dewdney (Chilliwack) | Filename: tsc-2018-04-a75807-cp-14.ccp
Licence Number: A75807 CP: 14 | Computerized Waste | Region: 1 - South Coast | Compiled by: IFS
Project: 2018-04 | Computerized Breakage | District: 01 - Chilliwack | Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

Type 6 (I):FH(C) 6+, Plots in Type: 7, TUs: [cable : 4.4]

	F	C	H	B	Y	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (I)	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20	1.8	1.8	3.5				7.0	1.8		
25		3.5	8.8				12.3			
30	4.0	1.7	2.3				8.1			
35	3.5	1.8					5.3			
40	1.8		5.8				7.5			
45	5.3						5.3			
50										
55										
60										
65	5.8						5.8			
70	1.8						1.8			
75	1.7						1.7			
80	1.8						1.8			
85	1.8	1.8					3.5			
90	4.0						4.0			
95	1.8						1.8			
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	34.9	10.5	20.3				65.7			
Dead P			1.8					1.8		
Dead U										
Live U										
			Basal Area (m2/ha) at 5 Levels							
12.5 +	34.9	10.5	20.3				65.7	1.8		
17.5 +	34.9	10.5	20.3				65.7	1.8		
22.5 +	33.1	8.8	16.8				58.7			
27.5 +	33.1	5.3	8.1				46.4			
32.5 +	29.1	3.5	5.8				38.4			

*** 1 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Type Basal Area Table (m2/ha)

Average Line Method | Grades: MOF Computerized | FIZ: C | 10-Sep-2018 06:41:59PM
TS'ELXWEYEQW | Computerized Decay | PSYU: Dewdney (Chilliwack) | Filename: tsc-2018-04-a75807-cp-14.ccp
Licence Number: A75807 CP: 14 | Computerized Waste | Region: 1 - South Coast | Compiled by: IFS
Project: 2018-04 | Computerized Breakage | District: 01 - Chilliwack | Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

Type 6 (I):FH(C) 6+, Plots in Type: 7, TUs: [Partial : 1.4]

	F	C	H	B	Y	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (I)	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20	1.1	1.0	0.9				3.0	1.8		
25		3.0	7.5				10.6			
30	2.0	1.5	0.6				4.1			
35	1.7	1.8					3.5			
40	0.7		3.0				3.6			
45	4.4						4.4			
50										
55										
60										
65	5.3						5.3			
70	0.9						0.9			
75	1.8						1.8			
80	1.1						1.1			
85	1.8	0.2					2.0			
90	2.7						2.7			
95	0.7						0.7			
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	24.1	7.5	12.0				43.6			
Dead P			1.8					1.8		
Dead U										
Live U										
		Basal Area (m2/ha) at 5 Levels								
12.5 +	24.1	7.5	12.0				43.6	1.8		
17.5 +	24.1	7.5	12.0				43.6	1.8		
22.5 +	23.0	6.5	11.0				40.6			
27.5 +	23.0	3.5	3.5				30.0			
32.5 +	21.0	2.0	3.0				25.9			

*** 1 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Plot Summary

Average Line Method
TS'ELXWEYEQW
Licence Number: A75807 CP: 14
Project: 2018-04

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: C
PSYU: Dewdney (Chilliwack)
Region: 1 - South Coast
District: 01 - Chilliwack

10-Sep-2018 06:41:59PM
Filename: tsc-2018-04-a75807-cp-14.ccp
Compiled by: IFS
Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

Utilization Levels:	Minimum DBH	Top Diameter	Stump Height
Mature Blocks: (cm)	17.5	15.0	30
Immature Blocks:(cm)	12.0	10.0	30

Standard Log Length:(m) 10.00

Forest Type	Block	Strip	Plot #	Plot Size	Slope %	Species	# of Stems	Stems / Ha	Avg Diam	Gross Merch	Less Decay	Less DB	Less DWB	Cruise Date	Loss YI	Loss OI	Ref No. M
1-HwBa 946	PF1	2	2	16.000F	46	Balsam	2	491.62	28.79	265.07	200.84	184.94	149.93				499
						All Sp.	2	491.62	28.79	265.07	200.84	184.94	149.93	1807			
		2	3	20.250F	52	W.R. Cedar	1	42.38	78.00	119.04	87.85	79.52	68.92				212
						Hemlock	3	335.23	48.03	552.63	375.81	342.66	231.05				1799
						All Sp.	4	377.61	52.26	671.67	463.67	422.17	299.97	1807			
		2	4	20.250F	21	Balsam	2	236.28	46.72	510.04	416.00	385.40	338.26				499
						Hemlock	1	29.75	93.10	311.10	240.48	221.81	169.86				1799
						All Sp.	3	266.03	53.92	821.14	656.48	607.22	508.12	1807			
		3	3	20.250F	62	Balsam	3	836.82	30.40	628.18	609.86	574.35	566.30				499
						Hemlock	2	265.86	44.04	369.06	331.96	309.81	296.29				399
						All Sp.	5	1102.68	34.19	997.24	941.82	884.17	862.59	1807			
		3	4	20.250F	46	Balsam	1	57.44	67.00	280.28	188.63	171.81	123.32				499
						Hemlock	3	191.90	63.49	725.18	620.64	577.13	513.48				1799
						All Sp.	4	249.33	64.31	1005.45	809.26	748.94	636.80	1807			
		3	5	16.000F	39	Balsam	2	113.72	59.86	434.26	348.00	321.95	281.28				499
						Hemlock	3	220.90	52.60	519.88	418.42	387.22	325.75				1799
						All Sp.	5	334.61	55.17	954.15	766.42	709.17	607.03	1807			
		4	2	16.000F	34	W.R. Cedar	3	52.16	108.24	406.78	325.20	296.73	259.32				212
						G-Shatt	1	4.41	215.00	138.84	88.58	78.86	55.40				212
						Hemlock	3	118.98	71.67	499.64	459.91	429.93	415.35				1799
						Y. Cedar	1	26.75	67.60	93.35	80.10	73.56	70.57				610
						All Sp.	7	197.89	82.43	999.77	865.20	800.22	745.24	1807			
		4	3	16.000F	50	Balsam	1	519.64	19.80	78.56	78.41	74.48	74.40				499
						Hemlock	8	314.52	71.98	1360.97	1124.45	1042.79	893.63				399
						E-Down	1	82.81	49.60	166.92	113.01	102.99	69.27				399
						All Sp.	9	834.15	46.88	1439.54	1202.86	1117.27	968.03	1807			
		4	5	16.000F	36	Balsam	1	26.13	88.30	243.51	200.65	186.04	169.24				499
						Hemlock	3	294.27	45.57	542.60	484.31	453.60	418.72			1702	1799
						All Sp.	4	320.40	50.43	786.11	684.96	639.64	587.96	1807			
		4	6	16.000F	46	Hemlock	8	445.73	60.47	1475.71	1111.06	1022.52	798.48				1799
						All Sp.	8	445.73	60.47	1475.71	1111.06	1022.52	798.48	1807			
		4	7	16.000F	37	Balsam	3	268.05	47.75	603.60	518.86	482.65	440.97				499
						Hemlock	3	151.36	63.54	585.89	511.14	475.99	436.11				1799
						All Sp.	6	419.41	53.98	1189.49	1030.00	958.63	877.09	1807			
		5	2	16.000F	40	Balsam	3	501.77	34.90	455.30	383.49	356.17	318.17				499
						Hemlock	3	146.61	64.56	537.60	412.01	379.76	293.75				399
						All Sp.	6	648.38	43.42	992.90	795.50	735.93	611.92	1807			

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Plot Summary

Average Line Method
TS'ELXWEYEQW
Licence Number: A75807 CP: 14
Project: 2018-04

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: C
PSYU: Dewdney (Chilliwack)
Region: 1 - South Coast
District: 01 - Chilliwack

10-Sep-2018 06:41:59PM
Filename: tsc-2018-04-a75807-cp-14.ccp
Compiled by: IFS
Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

Utilization Levels:	Minimum DBH	Top Diameter	Stump Height
Mature Blocks: (cm)	17.5	15.0	30
Immature Blocks:(cm)	12.0	10.0	30

Standard Log Length:(m) 10.00

Forest Type	Block	Strip	Plot #	Plot Size	Slope %	Species	# of Stems	Stems / Ha	Avg Diam	Gross Merch	Less Decay	Less DB	Less DWB	Cruise Date	Loss YI	Ref No. OI	Ref No. M
2-FH 6+	11A	2	2	14.063F	52	Doug-Fir	4	997.95	26.79	666.85	666.85	640.17	640.17		101		
						E-Down	1	764.90	15.30	84.51	84.51	81.13	81.13		101		
						All Sp.	4	997.95	26.79	666.85	666.85	640.17	640.17	1708			
		3	2	14.063F	65	Doug-Fir	4	334.71	46.26	661.37	661.37	634.91	634.91		101		
						E-Down	1	95.06	43.40	157.64	157.64	151.33	151.33		101		
						Hemlock	1	115.34	39.40	132.92	132.92	127.60	127.60		301		
						All Sp.	5	450.05	44.60	794.29	794.29	762.52	762.52	1708			
		4	2	14.063F	62	Doug-Fir	3	338.37	39.84	518.33	518.33	497.59	497.59		101		
						Hemlock	1	324.23	23.50	168.37	168.37	161.64	161.64		301		
						All Sp.	4	662.60	32.88	686.70	686.70	659.23	659.23	1708			
3-FH(D) 6+	11A	4	3	14.063F	63	Doug-Fir	3	232.15	48.10	529.09	529.09	507.92	507.92		101		
						All Sp.	3	232.15	48.10	529.09	529.09	507.92	507.92	1708			
		5	3	14.063F	58	Alder	1	202.99	29.70	173.55	171.30	162.62	162.62				1210
						Doug-Fir	3	419.01	35.81	502.52	502.52	482.42	482.42		101		
						Hemlock	4	2522.95	16.85	478.67	478.67	459.52	459.52		301		
						All Sp.	8	3144.95	21.34	1154.74	1152.49	1104.56	1104.56	1708			
		5	4	14.063F	63	Doug-Fir	3	153.61	59.14	553.61	553.61	531.46	531.46		101		
						Hemlock	1	1222.97	12.10						301		
						All Sp.	4	1376.58	22.81	553.61	553.61	531.46	531.46	1708			
6-FH(C) 6+	P2B	2	2	12.250F	64	W.R. Cedar	2	291.19	30.67	203.13	172.62	160.25	151.06			202	212
						Doug-Fir	4	130.60	67.26	572.47	520.26	491.64	467.54				111
						Hemlock	1	237.31	25.20	116.36	115.20	110.55	110.55			302	
						All Sp.	7	659.10	39.25	891.96	808.08	762.43	729.15	1506			
		2	3	12.250F	45	W.R. Cedar	1	115.80	36.70	133.36	133.36	126.69	126.69		201		
						Doug-Fir	3	85.41	71.78	471.68	456.16	432.57	428.43				111
						Hemlock	4	1091.57	23.17	538.02	538.02	516.50	516.50		301		
						E-Down	1	316.48	22.20	134.60	134.60	129.21	129.21		301		
						All Sp.	8	1292.78	30.24	1143.06	1127.53	1075.76	1071.62	1506			
		3	2	12.250F	72	W.R. Cedar	1	198.82	27.60	111.84	111.84	106.25	106.25		201		
						Doug-Fir	2	52.92	74.47	320.40	310.00	293.98	290.14				111
						All Sp.	3	251.74	42.04	432.24	421.84	400.23	396.39	1506			
		3	3	12.250F	48	Doug-Fir	4	623.58	29.66	508.84	508.84	488.49	488.49		101		
						Hemlock	3	845.68	22.55	390.87	390.87	375.23	375.23		301		
						All Sp.	7	1469.26	25.81	899.71	899.71	863.72	863.72	1506			
		3	4	12.250F	34	W.R. Cedar	2	547.12	23.04	190.93	190.93	181.39	181.39		201		
						Hemlock	2	171.05	40.10	275.53	275.53	264.51	264.51		301		
						All Sp.	4	718.17	28.06	466.46	466.46	445.90	445.90	1506			
		4	2	12.250F	48	Doug-Fir	3	286.44	39.06	449.61	449.61	431.62	431.62		101		
						All Sp.	3	286.44	39.06	449.61	449.61	431.62	431.62	1506			

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.

Plot Summary

Average Line Method
TS'ELXWEYEQW
Licence Number: A75807 CP: 14
Project: 2018-04

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: C
PSYU: Dewdney (Chilliwack)
Region: 1 - South Coast
District: 01 - Chilliwack

10-Sep-2018 06:41:59PM
Filename: tsc-2018-04-a75807-cp-14.ccp
Compiled by: IFS
Cruised by: DUNHAM AND ASSOCIATES
Version: 2018.00 IFS build 6204

Utilization Levels:	Minimum DBH	Top Diameter	Stump Height
Mature Blocks: (cm)	17.5	15.0	30
Immature Blocks:(cm)	12.0	10.0	30
Standard Log Length:(m)	10.00		

Forest Type	Block	Strip	Plot #	Plot Size	Slope %	Species	# of Stems	Stems / Ha	Avg Diam	Gross Merch	Less Decay	Less DB	Less DWB	Cruise Date	Loss YI	Loss OI	Ref No. M
6-FH(C) 6+	P2B	4	4	16.000F	44	Doug-Fir	3	240.22	48.54	602.46	596.03	569.92	567.51		101		111
						Hemlock	2	286.11	34.80	423.56	423.56	406.62	406.62		301		
						All Sp.	5	526.33	41.63	1026.02	1019.59	976.54	974.13	1506			

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage,

CruiseComp Copyright (c) 1996-2018, Industrial Forestry Service Ltd.