



Original ____ Amendment **#1** .

Date: November 14, 2020

TENURE

Licensee:	License No.:	Cutting Permit:	Blocks:
Husby Forest Products Ltd.	F.L. A16869	CP 227	COL406
Location:	Air Photos:	Mapsheet - Opening	Timber Mark:
Collison Point		103F079	FC4 227
Silviculture Field Work By:	Region:	District:	TSA / TSB:
K. Briggs, RFT	Vancouver	Queen Charlotte	25

Appendices & Attachments:

- SP Map
-

Reason for Amendment

- To remove 0.3 Ha from the NAR. This area was not harvested rather it was left as a management zone..
- Correct an error in the original Site Plan document regarding the Minimum Cedar requirements

Description of Amendment

- Removed area from the NAR to create management zone for CFIS features outside the falling boundary. This area has been removed entirely from the TAUP. The Area Breakdown tables have been changed.
- The original Site Plan calls for 150 SPH of cedar to be planted (4665 stems) post-harvest in the block. There was only 7% live SPH of cedar pre-harvest, therefore a per the FSP there is no requirement for cedar to be planted.

Prescription Approval

Licensee Acknowledgment of Commitment

R.P.F. Signature & Seal

Date



Date

AREA BREAKDOWN

N.A.R. Ecosystem & Critical Factors

SU	Total N.A.R.	Clearcut N.A.R.	Partial Cut N.A.R.	Eco-Type	Critical Factors - Remarks
1	16.7	16.7	0.0	CWH wh1 01 ₁₀₀	None
2	9.8	9.8	0.0	CWH wh1 04 ₁₀₀	High Water Table, reduce spacing to 1.5m.
Σ	26.5	26.5	0.0		

Area Summary

N.A.R.	26.5	Net area to be reforested.
W.T.R.A.	2.2	Wildlife Tree Patch = 7.1%
Retention	0.2	Variable Retention
NP nat	0.0	Natural non-productive area
PAS	1.9	= Plus 0.4% buffer to accommodate for unexpected turnouts and pits = 6.2%.
Total	30.8	Total Area Under Prescription

FREE GROWING STOCKING STANDARDS

ID #	SU	Regen Meth	Species & Free Grow Ht (cm)	Well Spaced (sph) TSS · MSS	Cedar (Total)	Min Dist (m)	Regen & Free Grow Years	Brush Ratio (%)
1060909	1	PLNT	Cw-120 Hw-200 Ss-300 Dr-400	900 · 500	N/A	2.0 (Dr/1.5)	6 · 20	150
1060913	2	PLNT	Cw-120 Yc-120 Hw-130 Plc-130 Ss-200 Dr-400	900 · 500		2.0 (Dr/1.5)	6 · 20	150

- ♦ Max. Density for all SU's is 10,000
- ♦ Post Spacing density range for all SU's is 800 – 3,000
- ♦ Cw (Yc) number shown is the total required for the SU, and may not be planted evenly throughout.
- ♦ Partial Harvest Area will use the Single Entry Dispersed Retention System method as per FSP.

All Stocking standards taken from the **2018 HFP Forest Stewardship Plan** – Approved November 2018.

This SP will be used according to the provincial seed transfer guidelines

