HUSBY FOREST PRODUCTS LTD.

A16869 - CP# 227

Block #: COL406, COL441, COL442, COL444, COL457, and TAR811

SUMMARY OF VOLUMES (loss factors)
FULL VOLUMES APPLIED

19-Aug-2019 01:40:39PM

Cruised by: ABACUS FOREST MANAGEMENT LTD.
Compiled by: Husby Forest Products Ltd.

Map Area Statement Report

Average Line Method | Grades: MOF Computerized | FIZ: A | 19-Aug-2019 01:40:39PM
HUSBY FOREST PRODUCTS LTD. | Computerized Decay | PSYU: Queen Charlotte | Filename: CP227.ccp
Licence Number: A16869 CP: 227 | Computerized Waste | Region: 2 - West Coast | Compiled by: Husby Forest Products Ltd.
Project: 1 | Computerized Breakage | District: 07 - Haida Gwaii | Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Card A Cruise Identity

Licence #	: A16869	Cutting Permit #	: 227
Number of Blocks	: 6	Forest Region	: West Coast
Forest District	: Haida Gwaii	Type	: PSYU
Unit No	: Queen Charlotte	Tenure	: Forest Licence (COAST)
Quota	: Prop./Mngd.PSYU,TFL,or SSA	Sale Type	: None
Elevation	: 0	Co-ordinates Zone	: Unknown
East	: 0	North	: 0
Total Merch Area	: 128.50	Report Type	: *** FOR APPRAISAL PURPOSES ***
Locality	:		

Card B Compilation Standard

Damage	: Damage	Selective	: Compile All Trees
Double Sampling	: Measure and Counts Plots	Special Compilation	: No Special Compilation
Species Compilation	: Exceptions Not Used	Type of Compilation	: Coastal

Compilation Standard	Mature	Immature
DBH Limit	17.50	12.00
Stump Height	30	30
Top Diameter	15.00	10.00

Card C Type Description

Type	Description	Silvicultural Treatment Units A
1	Hw331	4.3
2	SsHw341	22.4
3	CwHw(Plc)831	5.8
4	CwHw(Plc)821	3.7
5	CwHw(Plc)821	3.2
6	CwHw(Plc)821	12.8
7	CwHw(Plc)821	5.8
8	HwCw(Ss)831	2.7
9	HwCw(Ss)831	9.6
10	CwHw831	6.6
11	HwCw931	5.6
12	CwHwPlc931	2.5
13	CwHwPlc821	1.1
14	CwHw821	5.2
15	HwCw931	1.7
16	CwHwPlc821	1.7
17	CwHw(Plc)831	1.4
18	CwHw(Plc)831	5.8
19	HwCw(Plc)831	3.5
20	CwHw831	1.4
21	CwHw(Ss)831	5.1
22	CwHw(Ss)831	2.1
23	HwCw(Plc)831	1.2
24	CwHw831	1.0
25	CwHw(PlcYc)8	4.3
26	CwHw831	7.5
27	HwSsCw941	0.2
28	HwSsCw941	0.3

Card D Block Description

Block	Description	Maturity	Type	Silvicultural Treatment Units A

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Map Area Statement Report

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 227
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

19-Aug-2019 01:40:39PM
Filename: CP227.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Block	Description	Maturity	Silvicultural Treatment Units Type	A
406	COL406	I	1	4.3
			2	22.4
441	COL441	M	3	5.8
			4	3.7
			5	3.2
			6	12.8
			7	5.8
442	COL442	M	8	2.7
			9	9.6
			10	6.6
			11	5.6
			12	2.5
			13	1.1
			14	5.2
			15	1.7
			16	1.7
444	COL444	M	17	1.4
			18	5.8
			19	3.5
			20	1.4
			21	5.1
			22	2.1
			23	1.2
			24	1.0
457	COL457	M	25	4.3
			26	7.5
811	TAR811	M	27	0.2
			28	0.3

Card F Harvesting Description

Harvest Method	Harvest Description	Silvicultural Treatment Units Type	A
SC	Ground Systems - Clearcut	1	4.3
		2	22.4
		3	5.8
		4	3.7
		5	3.2
		6	12.8
		7	5.8
		8	2.7
		9	9.6
		10	6.6
		11	5.6
		12	2.5
		13	1.1
		14	5.2
		15	1.7
		16	1.7
		17	1.4
		18	5.8
		19	3.5
		20	1.4
		21	5.1
		22	2.1
		23	1.2
		24	1.0

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Map Area Statement Report

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 227
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

19-Aug-2019 01:40:39PM
Filename: CP227.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Harvest Method	Harvest Description	Type	Silvicultural Treatment Units A
SC	Ground Systems - Clearcut	25	4.3
		26	7.5
		27	0.2
		28	0.3

Card G Treatment Unit Description

Treatment Unit	Description
A	CLEARCUT

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Double Sampling Factors

Average Line Method | Grades: MOF Computerized | FIZ: A | 19-Aug-2019 01:40:39PM
HUSBY FOREST PRODUCTS LTD. | Computerized Decay | PSYU: Queen Charlotte | Filename: CP227.ccp
Licence Number: A16869 CP: 227 | Computerized Waste | Region: 2 - West Coast | Compiled by: Husby Forest Products Ltd.
Project: 1 | Computerized Breakage | District: 07 - Haida Gwaii | Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

	C	H	S	Y	PL	D
Utilization Limits						
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0
Min DBH cm (I)	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0
Type Factors						
Forest Types:						
1 :Hw331	1.0000	1.5000	1.0000	1.0000	1.0000	1.0000
2 :SsHw341	0.9130	0.9062	1.0208	1.0000	1.0000	1.0435
3 :CwHw(Plc)831	1.1250	3.0000	0.5625	1.0000	1.8750	1.0000
4 :CwHw(Plc)821	0.8000	1.1000	1.0000	1.0000	1.0000	1.0000
5 :CwHw(Plc)821	0.6667	1.1111	0.6667	1.0000	0.6667	1.0000
6 :CwHw(Plc)821	1.3222	0.8483	0.5625	1.0000	1.1250	1.0000
7 :CwHw(Plc)821	0.9744	1.0000	1.0000	1.0000	0.6667	1.0000
8 :HwCw(Ss)831	1.1111	1.0000	1.0000	1.0000	0.6667	1.0000
9 :HwCw(Ss)831	1.0000	1.7500	0.6364	1.0000	1.9091	1.0000
10:CwHw831	1.1852	0.9333	1.0000	1.0000	1.0000	1.0000
11:HwCw931	0.9500	0.7500	1.0000	1.0000	0.5000	1.0000
12:CwHwPlc931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
13:CwHwPlc821	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
14:CwHw821	0.7778	3.0000	0.3333	1.0000	0.8333	1.0000
15:HwCw931	0.9697	0.8889	1.0000	1.0000	0.6667	1.0000
16:CwHwPlc821	0.8889	0.6667	0.6667	1.0000	0.6667	1.0000
17:CwHw(Plc)831	0.9630	0.6667	1.0000	1.0000	1.0000	1.0000
18:CwHw(Plc)831	0.8750	1.0000	0.5000	0.5000	1.0000	1.0000
19:HwCw(Plc)831	0.8333	0.7500	0.7500	1.0000	1.5000	1.0000
20:CwHw831	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
21:CwHw(Ss)831	0.8500	2.0000	0.5000	0.5000	1.0000	1.0000
22:CwHw(Ss)831	1.1667	1.3333	0.6667	1.0000	0.6667	1.0000
23:HwCw(Plc)831	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
24:CwHw831	1.1111	0.6667	0.6667	1.0000	1.0000	1.0000
25:CwHw(PlcYc)8	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
26:CwHw831	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
27:HwSsCw941	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
28:HwSsCw941	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
Block Factors						
Block 406:						
Forest Types:						
1 :Hw331	1.0000	1.5000	1.0000	1.0000	1.0000	1.0000
2 :SsHw341	0.9130	0.9062	1.0208	1.0000	1.0000	1.0435
3 :CwHw(Plc)831	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
4 :CwHw(Plc)821	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
5 :CwHw(Plc)821	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
6 :CwHw(Plc)821	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
7 :CwHw(Plc)821	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
8 :HwCw(Ss)831	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
9 :HwCw(Ss)831	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
10:CwHw831	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
11:HwCw931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
12:CwHwPlc931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
13:CwHwPlc821	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
14:CwHw821	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
15:HwCw931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
16:CwHwPlc821	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
17:CwHw(Plc)831	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
18:CwHw(Plc)831	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000

Cruise Compiler (c) 1996-2019, Industrial Forestry Service Ltd.

Double Sampling Factors

Average Line Method | Grades: MOF Computerized | FIZ: A | 19-Aug-2019 01:40:39PM
HUSBY FOREST PRODUCTS LTD. | Computerized Decay | PSYU: Queen Charlotte | Filename: CP227.ccp
Licence Number: A16869 CP: 227 | Computerized Waste | Region: 2 - West Coast | Compiled by: Husby Forest Products Ltd.
Project: 1 | Computerized Breakage | District: 07 - Haida Gwaii | Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

	C	H	S	Y	PL	D
Utilization Limits						
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0
Min DBH cm (I)	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0
Block 406:						
21:CwHw(Ss)831	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
22:CwHw(Ss)831	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
23:HwCw(Plc)831	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
24:CwHw831	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
25:CwHw(PlcYc)8	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
26:CwHw831	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
27:HwSsCw941	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
28:HwSsCw941	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
Block 441:						
Forest Types:						
1 :Hw331	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
2 :SsHw341	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
3 :CwHw(Plc)831	1.1250	3.0000	0.5625	1.0000	1.8750	1.0000
4 :CwHw(Plc)821	0.8000	1.1000	1.0000	1.0000	1.0000	1.0000
5 :CwHw(Plc)821	0.6667	1.1111	0.6667	1.0000	0.6667	1.0000
6 :CwHw(Plc)821	1.3222	0.8483	0.5625	1.0000	1.1250	1.0000
7 :CwHw(Plc)821	0.9744	1.0000	1.0000	1.0000	0.6667	1.0000
8 :HwCw(Ss)831	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
9 :HwCw(Ss)831	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
10:CwHw831	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
11:HwCw931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
12:CwHwPlc931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
13:CwHwPlc821	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
14:CwHw821	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
15:HwCw931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
16:CwHwPlc821	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
17:CwHw(Plc)831	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
18:CwHw(Plc)831	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
19:HwCw(Plc)831	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
20:CwHw831	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
21:CwHw(Ss)831	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
22:CwHw(Ss)831	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
23:HwCw(Plc)831	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
24:CwHw831	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
25:CwHw(PlcYc)8	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
26:CwHw831	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
27:HwSsCw941	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
28:HwSsCw941	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
Block 442:						
Forest Types:						
1 :Hw331	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
2 :SsHw341	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
3 :CwHw(Plc)831	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
4 :CwHw(Plc)821	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
5 :CwHw(Plc)821	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
6 :CwHw(Plc)821	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
7 :CwHw(Plc)821	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
8 :HwCw(Ss)831	1.1111	1.0000	1.0000	1.0000	0.6667	1.0000
9 :HwCw(Ss)831	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
10:CwHw831	1.1852	0.9333	1.0000	1.0000	1.0000	1.0000
11:HwCw931	0.9500	0.7500	1.0000	1.0000	0.5000	1.0000

FLAGS: Cull Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage

Cruise Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Double Sampling Factors

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 227
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

19-Aug-2019 01:40:39PM
Filename: CP227.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

	C	H	S	Y	PL	D
Utilization Limits						
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0
Min DBH cm (I)	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0
Block 442:						
14:CwHw821	0.7778	3.0000	0.3333	1.0000	0.8333	1.0000
15:HwCw931	0.9697	0.8889	1.0000	1.0000	0.6667	1.0000
16:CwHwPlc821	0.8889	0.6667	0.6667	1.0000	0.6667	1.0000
17:CwHw(Plc)831	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
18:CwHw(Plc)831	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
19:HwCw(Plc)831	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
20:CwHw831	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
21:CwHw(Ss)831	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
22:CwHw(Ss)831	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
23:HwCw(Plc)831	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
24:CwHw831	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
25:CwHw(PlcYc)8	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
26:CwHw831	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
27:HwSsCw941	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
28:HwSsCw941	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
Block 444:						
Forest Types:						
1 :Hw331	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
2 :SsHw341	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
3 :CwHw(Plc)831	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
4 :CwHw(Plc)821	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
5 :CwHw(Plc)821	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
6 :CwHw(Plc)821	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
7 :CwHw(Plc)821	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
8 :HwCw(Ss)831	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
9 :HwCw(Ss)831	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
10:CwHw831	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
11:HwCw931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
12:CwHwPlc931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
13:CwHwPlc821	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
14:CwHw821	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
15:HwCw931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
16:CwHwPlc821	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
17:CwHw(Plc)831	0.9630	0.6667	1.0000	1.0000	1.0000	1.0000
18:CwHw(Plc)831	0.8750	1.0000	0.5000	0.5000	1.0000	1.0000
19:HwCw(Plc)831	0.8333	0.7500	0.7500	1.0000	1.5000	1.0000
20:CwHw831	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
21:CwHw(Ss)831	0.8500	2.0000	0.5000	0.5000	1.0000	1.0000
22:CwHw(Ss)831	1.1667	1.3333	0.6667	1.0000	0.6667	1.0000
23:HwCw(Plc)831	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
24:CwHw831	1.1111	0.6667	0.6667	1.0000	1.0000	1.0000
25:CwHw(PlcYc)8	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
26:CwHw831	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
27:HwSsCw941	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
28:HwSsCw941	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
Block 457:						
Forest Types:						
1 :Hw331	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
2 :SsHw341	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
3 :CwHw(Plc)831	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
4 :CwHw(Plc)821	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000

Double Sampling Factors

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 227
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

19-Aug-2019 01:40:39PM
Filename: CP227.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

	C	H	S	Y	PL	D
Utilization Limits						
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0
Min DBH cm (I)	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0
Block 457:						
7 :CwHw(Plc)821	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
8 :HwCw(Ss)831	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
9 :HwCw(Ss)831	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
10:CwHw831	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
11:HwCw931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
12:CwHwPlc931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
13:CwHwPlc821	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
14:CwHw821	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
15:HwCw931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
16:CwHwPlc821	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
17:CwHw(Plc)831	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
18:CwHw(Plc)831	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
19:HwCw(Plc)831	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
20:CwHw831	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
21:CwHw(Ss)831	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
22:CwHw(Ss)831	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
23:HwCw(Plc)831	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
24:CwHw831	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
25:CwHw(PlcYc)8	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
26:CwHw831	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
27:HwSsCw941	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
28:HwSsCw941	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
Block 811:						
Forest Types:						
1 :Hw331	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
2 :SsHw341	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
3 :CwHw(Plc)831	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
4 :CwHw(Plc)821	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
5 :CwHw(Plc)821	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
6 :CwHw(Plc)821	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
7 :CwHw(Plc)821	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
8 :HwCw(Ss)831	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
9 :HwCw(Ss)831	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
10:CwHw831	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
11:HwCw931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
12:CwHwPlc931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
13:CwHwPlc821	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
14:CwHw821	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
15:HwCw931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
16:CwHwPlc821	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
17:CwHw(Plc)831	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
18:CwHw(Plc)831	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
19:HwCw(Plc)831	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
20:CwHw831	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
21:CwHw(Ss)831	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
22:CwHw(Ss)831	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
23:HwCw(Plc)831	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
24:CwHw831	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
25:CwHw(PlcYc)8	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
26:CwHw831	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
27:HwSsCw941	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
28:HwSsCw941	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000

Cruise Compiler Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Double Sampling Factors

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 227
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

19-Aug-2019 01:40:39PM
Filename: CP227.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

	C	H	S	Y	PL	D
Utilization Limits						
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0
Min DBH cm (I)	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0
Method: SC: Ground Systems - Clearcut						
Forest Types:						
1 :Hw331	1.0000	1.5000	1.0000	1.0000	1.0000	1.0000
2 :SsHw341	0.9130	0.9062	1.0208	1.0000	1.0000	1.0435
3 :CwHw(Plc)831	1.1250	3.0000	0.5625	1.0000	1.8750	1.0000
4 :CwHw(Plc)821	0.8000	1.1000	1.0000	1.0000	1.0000	1.0000
5 :CwHw(Plc)821	0.6667	1.1111	0.6667	1.0000	0.6667	1.0000
6 :CwHw(Plc)821	1.3222	0.8483	0.5625	1.0000	1.1250	1.0000
7 :CwHw(Plc)821	0.9744	1.0000	1.0000	1.0000	0.6667	1.0000
8 :HwCw(Ss)831	1.1111	1.0000	1.0000	1.0000	0.6667	1.0000
9 :HwCw(Ss)831	1.0000	1.7500	0.6364	1.0000	1.9091	1.0000
10:CwHw831	1.1852	0.9333	1.0000	1.0000	1.0000	1.0000
11:HwCw931	0.9500	0.7500	1.0000	1.0000	0.5000	1.0000
12:CwHwPlc931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
13:CwHwPlc821	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
14:CwHw821	0.7778	3.0000	0.3333	1.0000	0.8333	1.0000
15:HwCw931	0.9697	0.8889	1.0000	1.0000	0.6667	1.0000
16:CwHwPlc821	0.8889	0.6667	0.6667	1.0000	0.6667	1.0000
17:CwHw(Plc)831	0.9630	0.6667	1.0000	1.0000	1.0000	1.0000
18:CwHw(Plc)831	0.8750	1.0000	0.5000	0.5000	1.0000	1.0000
19:HwCw(Plc)831	0.8333	0.7500	0.7500	1.0000	1.5000	1.0000
20:CwHw831	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
21:CwHw(Ss)831	0.8500	2.0000	0.5000	0.5000	1.0000	1.0000
22:CwHw(Ss)831	1.1667	1.3333	0.6667	1.0000	0.6667	1.0000
23:HwCw(Plc)831	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
24:CwHw831	1.1111	0.6667	0.6667	1.0000	1.0000	1.0000
25:CwHw(PlcYc)8	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
26:CwHw831	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
27:HwSsCw941	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
28:HwSsCw941	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Appraisal Summary Report

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 227
Project: 1
Location :

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage
No Of Blocks : 6

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

19-Aug-2019 01:40:39PM
Filename: CP227.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Utilization Levels:	Minimum DBH	Top Diameter	Stump Height
Mature Blocks: (cm)	17.5	15.0	30
Immature Blocks:(cm)	12.0	10.0	30
Standard Log Length:(m)	10.00		

Net Area: [All Treatment Units : 128.5]

All Method Summary

Algorithm Grades % Species Code	Description	D	E	F	G	H	I	J	M	U	X	Y	Net Volume (m3) All	Net Volume (m3) Live	Net Volume (m3) DP	Net Volume / ha All	Net Volume / ha Live	Net Volume / ha DP
CE	Cedar					16	2	36	1	30	7	8	23099	19209	3890	179.761	149.489	30.272
CY	Y. Cedar							78			22		368	286	82	2.866	2.230	0.636
HE	Hemlock					7	5	62		19	7		30792	30037	756	239.628	233.748	5.880
LO	L.P. Pine							94			5	1	4024	3953	71	31.316	30.762	0.554
SP	Spruce					30	12	40		13	5		15548	14472	1076	121.000	112.625	8.375
AL	Alder											100	2895	2522	373	22.527	19.623	2.904
	Conifer					14	5	52		20	6	3	73832	67958	5875	574.571	528.853	45.718
	Deciduous											100	2895	2522	373	22.527	19.623	2.904
	Total												76727	70479	6248	597.098	548.476	48.621

Harvesting Method Summaries

Harvest Method	Net Volume	Net Vol /10m Log	Net Vol /Hectare	Hem+ Bal%	Partial Cut%	Slope%	Down Tree%	Heavy Fire%
SC	76727	0.45	597.098	40		7	2	0
Conventional Methods	76727	0.45	597.098	40		7	2	0
All Methods	76727	0.45	597.098	40			2	0

Cutting Authority

95% Confidence Interval	8.4
Plots/Ha	1.2
Cruised Trees/Plot	4.6
Net 2nd Growth-Conifer %	41.4
Net 2nd Growth-Conifer (m3)	30597
Net Immature by Block %	406: 83% 441: 44% 442: 4% 444: 0% 457: 0% 811: 0%
Non Heli Select Conifer (m3/ha)	574.57
Heli Select Total (decimal)	0.00
Heli+Skyline Total (decimal)	0.00
Piece Size - Conifer (m3/10m log)	0.45
Cruise Date (yy-mm):	18-11

Plots: 149 # <= 5yrs: 149 # > 5yrs: 0 # > 10yrs: 0 # no date: 0

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

All Method Summary

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 227
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

19-Aug-2019 01:40:39PM
Filename: CP227.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

[All Treatment Units : 128.5]

		Total	Conifer	Decid	C	H	S	Y	PL	D
Utilization Limits										
Min DBH cm (M)					17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					15.0	15.0	15.0	15.0	15.0	15.0
Min DBH cm (I)					12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)					10.0	10.0	10.0	10.0	10.0	10.0
Log Len m					10.0	10.0	10.0	10.0	10.0	10.0
Volume and Size Data										
Gross Merchantable	m3	99414	96324	3091	41788	33633	16287	498	4118	3091
Net Merchantable	m3	76727	73832	2895	23099	30792	15548	368	4024	2895
Net Merch - All	m3/ha	597.098	574.571	22.527	179.761	239.628	121.000	2.866	31.316	22.527
Net Merch - Live	m3/ha	548.476	528.853	19.623	149.489	233.748	112.625	2.230	30.762	19.623
Net Merch - DP	m3/ha	48.621	45.718	2.904	30.272	5.880	8.375	0.636	0.554	2.904
Decay	%	12	13	1	26	3	0	6	0	1
Waste(billing)	%	6	6		18	1	0	0		
Total Cull (DWB)	%	23	23	6	45	8	5	26	2	6
Net Merch Vol/Tree	m3	0.68	0.68	0.74	0.67	0.58	1.12	0.60	0.56	0.74
Avg 10.0 m Log Net	m3	0.45	0.45	0.36	0.47	0.40	0.62	0.38	0.33	0.36
Useless Dead/Living	%	3	3		5	3				
Net Second Growth	%		41.4		9.0	50.6	75.6		29.6	
All Burn Volume	%	0	0		1			22		
Heavy Fire Volume	%	0	0		1			22		
Blowdown Volume	%	2	2		7					
Insect Volume	%									
Algorithm Grades %										
#1 Lum/#1 Prem	D									
#1 Lum/#2 Prem	E									
#2 Lum/#1 Lum	F									
#2 Lum/#2 Lum	G									
#2 Sawlog	H	14	14		16	7	30			
#3 Sawlog	I	5	5		2	5	12			
#4 Sawlog	J	50	52		36	62	40	78	94	
#4 Shingle	M				1					
#5 Utility	U	19	20		30	19	13			
#6 Utility	X	6	6		7	7	5	22	5	
#7 Chipper	Y	6	3	100	8				1	100

*** 1 tree(s) changed to tree class 4:10 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Harvest Method Summary

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 227
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

19-Aug-2019 01:40:39PM
Filename: CP227.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Harvest Method : SC - Ground Systems - Clearcut[All Treatment Units : 128.5]

		Total	Conifer	Decid	C	H	S	Y	PL	D
Utilization Limits										
Min DBH cm (M)					17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					15.0	15.0	15.0	15.0	15.0	15.0
Min DBH cm (I)					12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)					10.0	10.0	10.0	10.0	10.0	10.0
Log Len m					10.0	10.0	10.0	10.0	10.0	10.0
Volume and Size Data										
Gross Merchantable	m3	99414	96324	3091	41788	33633	16287	498	4118	3091
Net Merchantable	m3	76727	73832	2895	23099	30792	15548	368	4024	2895
Net Merch - All	m3/ha	597.098	574.571	22.527	179.761	239.628	121.000	2.866	31.316	22.527
Net Merch - Live	m3/ha	548.476	528.853	19.623	149.489	233.748	112.625	2.230	30.762	19.623
Net Merch - DP	m3/ha	48.621	45.718	2.904	30.272	5.880	8.375	0.636	0.554	2.904
Decay	%	12	13	1	26	3	0	6	0	1
Waste(billing)	%	6	6		18	1	0	0		
Total Cull (DWB)	%	23	23	6	45	8	5	26	2	6
Net Merch Vol/Tree	m3	0.68	0.68	0.74	0.67	0.58	1.12	0.60	0.56	0.74
Avg 10.0 m Log Net	m3	0.45	0.45	0.36	0.47	0.40	0.62	0.38	0.33	0.36
Useless Dead/Living	%	3	3		5	3				
Net Second Growth	%		41.4		9.0	50.6	75.6		29.6	
All Burn Volume	%	0	0		1			22		
Heavy Fire Volume	%	0	0		1			22		
Blowdown Volume	%	2	2		7					
Insect Volume	%									
% Average Slope		7								
Algorithm Grades %										
#1 Lum/#1 Prem	D									
#1 Lum/#2 Prem	E									
#2 Lum/#1 Lum	F									
#2 Lum/#2 Lum	G									
#2 Sawlog	H	14	14		16	7	30			
#3 Sawlog	I	5	5		2	5	12			
#4 Sawlog	J	50	52		36	62	40	78	94	
#4 Shingle	M				1					
#5 Utility	U	19	20		30	19	13			
#6 Utility	X	6	6		7	7	5	22	5	
#7 Chipper	Y	6	3	100	8				1	100

*** 1 tree(s) changed to tree class 4:10 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Cutting Permit Summary

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 227
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

19-Aug-2019 01:40:39PM
Filename: CP227.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Net Area: [CLEARCUT : 128.5]
Gross Area: [RP : 10.0][RES : 2.1][Grand Total : 140.6]

		Total	Conifer	Decid	C	H	S	Y	PL	D
Utilization Limits										
Min DBH cm (M)					17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					15.0	15.0	15.0	15.0	15.0	15.0
Min DBH cm (I)					12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)					10.0	10.0	10.0	10.0	10.0	10.0
Log Len m					10.0	10.0	10.0	10.0	10.0	10.0
Volume and Size Data										
Gross Merchantable	m3	99414	96324	3091	41788	33633	16287	498	4118	3091
Net Merchantable	m3	76727	73832	2895	23099	30792	15548	368	4024	2895
Net Merch - All	m3/ha	597	575	23	180	240	121	3	31	23
Distribution	%	100	96	4	30	40	20	0	5	4
Decay	%	12	13	1	26	3	0	6	0	1
Waste	%	4	5		10	1	0	0		
Waste(billing)	%	6	6		18	1	0	0		
Breakage	%	6	6	5	9	5	4	20	2	5
Total Cull (DWB)	%	23	23	6	45	8	5	26	2	6
Basal Area / Ha	m2/ha	88.7	86.6	2.1	43.6	27.7	11.1	0.4	3.8	2.1
Net VBAR	m3/m2	6.772	6.772	1.850	4.511	8.520	8.252	0.558	4.433	1.850
Stems/Ha (Live & DP)		878.6	848.4	30.3	268.4	411.4	108.1	4.7	55.7	30.3
Avg DBH (Live & DP)	cm	35.9	36.0	29.9	45.5	29.3	36.2	34.1	29.4	29.9
Snags/Ha		26.0	26.0		14.2	11.7				
Avg Snag DBH	cm	18.1	18.1		18.0	18.2				
Gross Merch Vol/Tree	m3	0.88	0.88	0.79	1.21	0.64	1.17	0.82	0.58	0.79
Net Merch Vol/Tree	m3	0.68	0.68	0.74	0.67	0.58	1.12	0.60	0.56	0.74
Avg Weight Total Ht	m	28.2	28.3	27.2	26.3	28.6	34.7	24.1	22.6	27.2
Avg Weight Merch Ht	m	22.1	22.1	20.9	19.8	21.6	29.5	16.6	14.9	20.9
Avg 10.0 m Log Net	m3	0.45	0.45	0.36	0.47	0.40	0.62	0.38	0.33	0.36
Avg 10.0 m Log Gross	m3	0.54	0.54	0.36	0.74	0.42	0.62	0.41	0.33	0.36
Avg # of 10.0 m Logs/Tree		1.64	1.63	2.19	1.64	1.53	1.88	2.00	1.72	2.19
Net Immature	%	38.0	39.5		6.4	48.5	74.2		29.6	
Net 2nd Growth	%		41.4							
Average Slope	%	7								
Algorithm Grades %										
#1 Lum/#1 Prem	D									
#1 Lum/#2 Prem	E									
#2 Lum/#1 Lum	F									
#2 Lum/#2 Lum	G									
#2 Sawlog	H	14	14		16	7	30			
#3 Sawlog	I	5	5		2	5	12			
#4 Sawlog	J	50	52		36	62	40	78	94	
#4 Shingle	M				1					
#5 Utility	U	19	20		30	19	13			
#6 Utility	X	6	6		7	7	5	22	5	
#7 Chipper	Y	6	3	100	8				1	100
Statistical Summary										
Coeff. of Variation	%	41.2	45.5	580.2	66.8	92.4	116.8	1039.2	208.0	580.2
Two Standard Error	%	8.4	9.2	117.9	13.6	18.8	23.7	211.2	42.3	117.9
Number and Type of Plots		MP = 93	CP = 56							
Number of Potential Trees		426								
Plots/Ha		1.2								
Cruised Trees/Plot		4.6								

*** 1 tree(s) changed to tree class 4:10 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Block Summary

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 227
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

19-Aug-2019 01:40:39PM
Filename: CP227.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Net Area: Block : (I) - 406:COL406, Plots in Block: 27, TUs: [CLEARCUT : 26.7]
Gross Area: [RP : 2.0][RES : 0.2][Grand Total : 28.9]

		Total	Conifer	Decid	C	H	S	Y	PL	D
Utilization Limits										
Min DBH cm (I)					12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)					10.0	10.0	10.0	10.0	10.0	10.0
Log Len m					10.0	10.0	10.0	10.0	10.0	10.0
Volume and Size Data										
Gross Merchantable	m3	26155	23064	3091	1214	9851	12000			3091
Net Merchantable	m3	24794	21899	2895	1022	9371	11506			2895
Net Merch - All	m3/ha	929	820	108	38	351	431			108
Distribution	%	100	88	12	4	38	46			12
Decay	%	1	1	1	8	1	0			1
Waste	%	0	0		2		0			
Waste(billing)	%	0	0		3		0			
Breakage	%	4	4	5	5	4	4			5
Total Cull (DWB)	%	5	5	6	16	5	4			6
Basal Area / Ha	m2/ha	85.9	75.7	10.2	5.1	31.3	39.3			10.2
Net VBAR	m3/m2	10.876	10.874	8.906	6.287	11.283	10.964			8.906
Stems/Ha (Live & DP)		1112.2	966.6	145.6	8.4	519.3	438.9			145.6
Avg DBH (Live & DP)	cm	31.4	31.6	29.9	88.0	27.7	33.8			29.9
Snags/Ha										
Avg Snag DBH	cm									
Gross Merch Vol/Tree	m3	0.88	0.89	0.79	5.42	0.71	1.02			0.79
Net Merch Vol/Tree	m3	0.83	0.85	0.74	4.56	0.68	0.98			0.74
Avg Weight Total Ht	m	33.4	34.2	27.2	33.5	33.9	34.6			27.2
Avg Weight Merch Ht	m	28.2	29.2	20.9	29.7	28.1	30.0			20.9
Avg 10.0 m Log Net	m3	0.47	0.49	0.36	1.51	0.40	0.55			0.36
Avg 10.0 m Log Gross	m3	0.47	0.49	0.36	1.69	0.40	0.56			0.36
Avg # of 10.0 m Logs/Tree		1.86	1.81	2.19	3.21	1.77	1.84			2.19
Net Immature	%	83.3	94.4		87.9	94.2	95.1			
Net 2nd Growth	%		94.4							
Average Slope	%	6								
Algorithm Grades %										
#2 Sawlog	H	23	26		65	18	30			
#3 Sawlog	I	9	10		10	11	10			
#4 Sawlog	J	38	44		12	49	41			
#5 Utility	U	14	16		10	20	13			
#6 Utility	X	4	4			2	6			
#7 Chipper	Y	12		100	3					100
Statistical Summary										
Coeff. of Variation	%	27.4	36.9	225.1	163.1	88.3	53.4			225.1
Two Standard Error	%	15.1	20.3	123.9	89.8	48.6	29.4			123.9
Number and Type of Plots		MP = 14	CP = 13							
Number of Potential Trees		60								
Plots/Ha		1.0								
Cruised Trees/Plot		4.3								

Slope % Statistics

Min= 4, Max= 16, CV=40.7, Std Error of Mean=0.5, 2SE%=16.1

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Block Summary

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 227
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

19-Aug-2019 01:40:39PM
Filename: CP227.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Net Area: Block : (M) - 441:COL441, Plots in Block: 37, TUs: [CLEARCUT : 31.3]
Gross Area: [RP : 2.6][RES : 0.9][Grand Total : 34.8]

		Total	Conifer	Decid	C	H	S	Y	PL	D
Utilization Limits										
Min DBH cm (M)					17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					15.0	15.0	15.0	15.0	15.0	15.0
Log Len m					10.0	10.0	10.0	10.0	10.0	10.0
Volume and Size Data										
Gross Merchantable	m3	22981	22981		10029	10597	1209		1147	
Net Merchantable	m3	17602	17602		5652	9681	1150		1119	
Net Merch - All	m3/ha	562	562		181	309	37		36	
Distribution	%	100	100		32	55	7		6	
Decay	%	13	13		27	4	0		0	
Waste	%	5	5		10	1	0			
Waste(billing)	%	6	6		18	1	0			
Breakage	%	5	5		7	5	4		2	
Total Cull (DWB)	%	23	23		44	9	5		2	
Basal Area / Ha	m2/ha	91.4	91.4		43.8	39.6	3.4		4.6	
Net VBAR	m3/m2	6.202	6.202		4.103	7.610	8.846		6.405	
Stems/Ha (Live & DP)		1025.1	1025.1		278.8	657.1	10.0		79.1	
Avg DBH (Live & DP)	cm	33.7	33.7		44.7	27.7	65.8		27.1	
Snags/Ha		28.5	28.5		28.5					
Avg Snag DBH	cm	18.2	18.2		18.2					
Gross Merch Vol/Tree	m3	0.72	0.72		1.15	0.52	3.85		0.46	
Net Merch Vol/Tree	m3	0.55	0.55		0.65	0.47	3.67		0.45	
Avg Weight Total Ht	m	26.2	26.2		25.8	26.3	34.1		21.9	
Avg Weight Merch Ht	m	19.1	19.1		19.5	18.3	28.2		14.0	
Avg 10.0 m Log Net	m3	0.41	0.41		0.47	0.36	1.43		0.30	
Avg 10.0 m Log Gross	m3	0.49	0.49		0.75	0.37	1.44		0.30	
Avg # of 10.0 m Logs/Tree		1.45	1.45		1.53	1.38	2.68		1.52	
Net Immature	%	44.1	44.1		3.2	61.2	52.3		93.6	
Net 2nd Growth	%		48.9							
Average Slope	%	9								
Algorithm Grades %										
#2 Sawlog	H	9	9		15	1	49			
#3 Sawlog	I	5	5		5	5	16			
#4 Sawlog	J	52	52		26	67	28		90	
#4 Shingle	M	1	1		3					
#5 Utility	U	19	19		34	14	7			
#6 Utility	X	10	10		7	13			9	
#7 Chipper	Y	4	4		10				1	
Statistical Summary										
Coeff. of Variation	%	40.2	40.2		51.6	63.1	187.1		147.9	
Two Standard Error	%	18.0	18.0		23.1	28.2	83.7		66.1	
Number and Type of Plots		MP = 20	CP = 17							
Number of Potential Trees		101								
Plots/Ha		1.2								
Cruised Trees/Plot		5.2								

Slope % Statistics

Min= 4, Max= 21, CV=52.3, Std Error of Mean=0.8, 2SE%=17.2

*** 1 tree(s) changed to tree class 4:7 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Block Summary

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 227
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

19-Aug-2019 01:40:39PM
Filename: CP227.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Net Area: Block : (M) - 442:COL442, Plots in Block: 42, TUs: [CLEARCUT : 36.7]
Gross Area: [RP : 2.8][RES : 0.2][Grand Total : 39.7]

		Total	Conifer	Decid	C	H	S	Y	PL	D
Utilization Limits										
Min DBH cm (M)					17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					15.0	15.0	15.0	15.0	15.0	15.0
Log Len m					10.0	10.0	10.0	10.0	10.0	10.0
Volume and Size Data										
Gross Merchantable	m3	28097	28097		15975	8329	1806		1986	
Net Merchantable	m3	20062	20062		8910	7514	1696		1942	
Net Merch - All	m3/ha	547	547		243	205	46		53	
Distribution	%	100	100		44	37	8		10	
Decay	%	15	15		25	4	1		0	
Waste	%	6	6		9	1	0			
Waste(billing)	%	8	8		17	1	0			
Breakage	%	8	8		10	5	5		2	
Total Cull (DWB)	%	29	29		44	10	6		2	
Basal Area / Ha	m2/ha	92.0	92.0		57.8	23.5	4.8		6.0	
Net VBAR	m3/m2	5.835	5.835		4.208	8.854	7.697		6.582	
Stems/Ha (Live & DP)		734.0	734.0		371.2	243.5	41.1		78.3	
Avg DBH (Live & DP)	cm	40.0	40.0		44.5	35.0	38.4		31.3	
Snags/Ha										
Avg Snag DBH	cm									
Gross Merch Vol/Tree	m3	1.04	1.04		1.17	0.93	1.20		0.69	
Net Merch Vol/Tree	m3	0.74	0.74		0.65	0.84	1.13		0.68	
Avg Weight Total Ht	m	26.8	26.8		26.3	27.7	30.9		23.3	
Avg Weight Merch Ht	m	19.7	19.7		19.5	20.2	23.3		15.7	
Avg 10.0 m Log Net	m3	0.48	0.48		0.48	0.52	0.64		0.34	
Avg 10.0 m Log Gross	m3	0.61	0.61		0.72	0.54	0.65		0.35	
Avg # of 10.0 m Logs/Tree		1.71	1.71		1.63	1.72	1.84		2.00	
Net Immature	%	3.6	3.6		4.4	2.5			7.4	
Net 2nd Growth	%		6.6							
Average Slope	%	5								
Algorithm Grades %										
#2 Sawlog	H	7	7		11	4	10			
#3 Sawlog	I	2	2		1		14			
#4 Sawlog	J	58	58		45	65	56		95	
#4 Shingle	M									
#5 Utility	U	24	24		29	26	18			
#6 Utility	X	6	6		7	5	2		4	
#7 Chipper	Y	3	3		7				1	
Statistical Summary										
Coeff. of Variation	%	46.4	46.4		65.4	82.3	179.0		183.9	
Two Standard Error	%	18.2	18.2		25.7	32.3	70.2		72.1	
Number and Type of Plots		MP = 26	CP = 16							
Number of Potential Trees		120								
Plots/Ha		1.1								
Cruised Trees/Plot		4.7								

Slope % Statistics

Min= 3, Max= 11, CV=35.3, Std Error of Mean=0.3, 2SE%=10.9

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Block Summary

Average Line Method | Grades: MOF Computerized | FIZ: A | 19-Aug-2019 01:40:39PM
HUSBY FOREST PRODUCTS LTD. | Computerized Decay | PSYU: Queen Charlotte | Filename: CP227.ccp
Licence Number: A16869 CP: 227 | Computerized Waste | Region: 2 - West Coast | Compiled by: Husby Forest Products Ltd.
Project: 1 | Computerized Breakage | District: 07 - Haida Gwaii | Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Net Area: Block : (M) - 444:COL444, Plots in Block: 29, TUs: [CLEARCUT : 21.5]
Gross Area: [RP : 2.1][Grand Total : 23.6]

		Total	Conifer	Decid	C	H	S	Y	PL	D
Utilization Limits										
Min DBH cm (M)					17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					15.0	15.0	15.0	15.0	15.0	15.0
Log Len m					10.0	10.0	10.0	10.0	10.0	10.0
Volume and Size Data										
Gross Merchantable	m3	13528	13528		7853	3193	998	498	986	
Net Merchantable	m3	9352	9352		4338	2742	940	368	963	
Net Merch - All	m3/ha	435	435		202	128	44	17	45	
Distribution	%	100	100		46	29	10	4	10	
Decay	%	17	17		26	7	1	6	0	
Waste	%	6	6		10	2	0	0		
Waste(billing)	%	9	9		18	2	0	0		
Breakage	%	8	8		9	5	5	20	2	
Total Cull (DWB)	%	31	31		45	14	6	26	2	
Basal Area / Ha	m2/ha	81.2	81.2		52.5	16.4	4.0	2.6	5.7	
Net VBAR	m3/m2	5.436	5.436		3.917	7.445	9.318	3.338	5.934	
Stems/Ha (Live & DP)		690.8	690.8		328.9	233.5	16.1	28.3	83.9	
Avg DBH (Live & DP)	cm	38.7	38.7		45.1	29.9	56.4	34.1	29.3	
Snags/Ha		43.6	43.6		43.6					
Avg Snag DBH	cm	17.8	17.8		17.8					
Gross Merch Vol/Tree	m3	0.91	0.91		1.11	0.64	2.88	0.82	0.55	
Net Merch Vol/Tree	m3	0.63	0.63		0.61	0.55	2.71	0.60	0.53	
Avg Weight Total Ht	m	25.6	25.6		24.4	27.4	34.7	24.1	22.0	
Avg Weight Merch Ht	m	18.8	18.8		17.9	19.0	28.3	16.6	14.4	
Avg 10.0 m Log Net	m3	0.43	0.43		0.43	0.39	1.11	0.38	0.35	
Avg 10.0 m Log Gross	m3	0.56	0.56		0.66	0.43	1.12	0.41	0.35	
Avg # of 10.0 m Logs/Tree		1.64	1.64		1.69	1.48	2.57	2.00	1.55	
Net Immature	%									
Net 2nd Growth	%									
Average Slope	%	8								
Algorithm Grades %										
#2 Sawlog	H	10	10		12		48			
#3 Sawlog	I	3	3			7	10			
#4 Sawlog	J	61	61		50	77	18	78	98	
#4 Shingle	M									
#5 Utility	U	18	18		26	11	21			
#6 Utility	X	3	3		2	3		22	2	
#7 Chipper	Y	5	5		10	2	3			
Statistical Summary										
Coeff. of Variation	%	51.0	51.0		61.9	97.2	236.6	469.7	160.6	
Two Standard Error	%	24.3	24.3		29.5	46.4	112.9	224.1	76.6	
Number and Type of Plots		MP = 19	CP = 10							
Number of Potential Trees		84								
Plots/Ha		1.3								
Cruised Trees/Plot		4.1								

Slope % Statistics

Min= 4, Max= 25, CV=53.5, Std Error of Mean=0.8, 2SE%=20.3

*** 1 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Block Summary

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 227
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

19-Aug-2019 01:40:39PM
Filename: CP227.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Net Area: Block : (M) - 457:COL457, Plots in Block: 12, TUs: [CLEARCUT : 11.8]
Gross Area: [RP : 0.5][RES : 0.8][Grand Total : 13.1]

		Total	Conifer	Decid	C	H	S	Y	PL	D
Utilization Limits										
Min DBH cm (M)					17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					15.0	15.0	15.0	15.0	15.0	15.0
Log Len m					10.0	10.0	10.0	10.0	10.0	10.0
Volume and Size Data										
Gross Merchantable	m3	8125	8125		6717	1408				
Net Merchantable	m3	4479	4479		3178	1301				
Net Merch - All	m3/ha	380	380		269	110				
Distribution	%	100	100		71	29				
Decay	%	27	27		33	2				
Waste	%	11	11		13	0				
Waste(billing)	%	20	20		27	0				
Breakage	%	7	7		7	5				
Total Cull (DWB)	%	45	45		53	8				
Basal Area / Ha	m2/ha	91.8	91.8		71.2	20.6				
Net VBAR	m3/m2	4.123	4.123		3.785	5.570				
Stems/Ha (Live & DP)		783.6	783.6		411.0	372.5				
Avg DBH (Live & DP)	cm	38.6	38.6		47.0	26.5				
Snags/Ha		127.8	127.8			127.8				
Avg Snag DBH	cm	18.2	18.2			18.2				
Gross Merch Vol/Tree	m3	0.88	0.88		1.38	0.32				
Net Merch Vol/Tree	m3	0.48	0.48		0.66	0.30				
Avg Weight Total Ht	m	26.2	26.2		27.9	18.8				
Avg Weight Merch Ht	m	19.0	19.0		21.1	12.1				
Avg 10.0 m Log Net	m3	0.38	0.38		0.43	0.28				
Avg 10.0 m Log Gross	m3	0.61	0.61		0.80	0.29				
Avg # of 10.0 m Logs/Tree		1.44	1.44		1.73	1.12				
Net Immature	%									
Net 2nd Growth	%									
Average Slope	%	10								
Algorithm Grades %										
#2 Sawlog	H	12	12		17					
#3 Sawlog	I	2	2		2					
#4 Sawlog	J	37	37		21	76				
#4 Shingle	M	1	1		1					
#5 Utility	U	30	30		36	16				
#6 Utility	X	14	14		17	8				
#7 Chipper	Y	4	4		6					
Statistical Summary										
Coeff. of Variation	%	50.6	50.6		55.0	87.0				
Two Standard Error	%	32.6	32.6		35.4	56.0				
Number and Type of Plots		MP = 12								
Number of Potential Trees		54								
Plots/Ha		1.0								
Cruised Trees/Plot		4.7								

Slope % Statistics

Min= 4, Max= 14, CV=32.7, Std Error of Mean=0.9, 2SE%=20.8

*** 2 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Block Summary

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 227
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

19-Aug-2019 01:40:39PM
Filename: CP227.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Net Area: Block : (M) - 811:TAR811, Plots in Block: 2, TUs: [CLEARCUT : 0.5]

		Total	Conifer	Decid	C	H	S	Y	PL	D
Utilization Limits										
Min DBH cm (M)					17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					15.0	15.0	15.0	15.0	15.0	15.0
Log Len m					10.0	10.0	10.0	10.0	10.0	10.0
Volume and Size Data										
Gross Merchantable	m3	529	529			254	275			
Net Merchantable	m3	439	439			183	256			
Net Merch - All	m3/ha	877	877			365	512			
Distribution	%	100	100			42	58			
Decay	%	8	8			16	2			
Waste	%	4	4			7	0			
Waste(billing)	%	4	4			10	0			
Breakage	%	5	5			5	5			
Total Cull (DWB)	%	17	17			28	7			
Basal Area / Ha	m2/ha	72.0	72.0			40.0	32.0			
Net VBAR	m3/m2	12.047	12.047			9.134	15.922			
Stems/Ha (Live & DP)		175.7	175.7			165.6	10.0			
Avg DBH (Live & DP)	cm	72.2	72.2			55.5	201.5			
Snags/Ha										
Avg Snag DBH	cm									
Gross Merch Vol/Tree	m3	6.02	6.02			3.07	54.84			
Net Merch Vol/Tree	m3	4.99	4.99			2.21	51.02			
Avg Weight Total Ht	m	52.7	52.7			40.5	64.2			
Avg Weight Merch Ht	m	47.3	47.3			32.8	58.9			
Avg 10.0 m Log Net	m3	2.11	2.11			1.03	8.96			
Avg 10.0 m Log Gross	m3	2.40	2.40			1.33	9.14			
Avg # of 10.0 m Logs/Tree		2.51	2.51			2.30	6.00			
Net Immature	%									
Net 2nd Growth	%									
Average Slope	%	33								
Algorithm Grades %										
#1 Lum/#1 Prem	D	20	20			37	7			
#1 Lum/#2 Prem	E	5	5				8			
#2 Lum/#1 Lum	F	3	3				6			
#2 Lum/#2 Lum	G	16	16				28			
#2 Sawlog	H	4	4			10				
#3 Sawlog	I	27	27				45			
#4 Sawlog	J	8	8			20				
#5 Utility	U	13	13			25	4			
#6 Utility	X	1	1			3				
#7 Chipper	Y	3	3			5	2			
Statistical Summary										
Coeff. of Variation	%									
Two Standard Error	%									
Number and Type of Plots		MP = 2								
Number of Potential Trees		7								
Plots/Ha		4.0								
Cruised Trees/Plot		3.5								

Slope % Statistics

Min= 27, Max= 42, CV=30.7, Std Error of Mean=7.5, 2SE%=276.2

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 227
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

Type Summary
FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

19-Aug-2019 01:40:39PM
Filename: CP227.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Net Area: Type 1 (I):Hw331, Plots in Type: 4, TUs: [CLEARCUT : 4.3]

		Total	Conifer	Decid	C	H	S	Y	PL	D
Utilization Limits										
Min DBH cm (I)					12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)					10.0	10.0	10.0	10.0	10.0	10.0
Log Len m					10.0	10.0	10.0	10.0	10.0	10.0
Volume and Size Data										
Gross Merchantable	m3	4574	4574			2087	2486			
Net Merchantable	m3	4378	4378			2004	2374			
Net Merch - All	m3/ha	1018	1018			466	552			
Distribution	%	100	100			46	54			
Decay	%	0	0				0			
Waste	%	0	0				0			
Waste(billing)	%	0	0				0			
Breakage	%	4	4			4	4			
Total Cull (DWB)	%	4	4			4	5			
Basal Area / Ha	m2/ha	85.0	85.0			45.0	40.0			
Net VBAR	m3/m2	12.324	12.324			10.356	13.800			
Stems/Ha (Live & DP)		824.4	824.4			674.5	149.9			
Avg DBH (Live & DP)	cm	36.2	36.2			29.1	58.3			
Snags/Ha										
Avg Snag DBH	cm									
Gross Merch Vol/Tree	m3	1.29	1.29			0.72	3.86			
Net Merch Vol/Tree	m3	1.23	1.23			0.69	3.68			
Avg Weight Total Ht	m	35.2	35.2			27.7	41.7			
Avg Weight Merch Ht	m	29.7	29.7			21.2	36.8			
Avg 10.0 m Log Net	m3	0.52	0.52			0.32	1.05			
Avg 10.0 m Log Gross	m3	0.52	0.52			0.32	1.05			
Avg # of 10.0 m Logs/Tree		2.49	2.49			2.22	3.68			
Net Immature	%	87.0	87.0			100.0	76.1			
Net 2nd Growth	%		87.0							
Algorithm Grades %										
#2 Sawlog	H	20	20				37			
#3 Sawlog	I	8	8				15			
#4 Sawlog	J	54	54			78	33			
#5 Utility	U	17	17			20	15			
#6 Utility	X	1	1			2				
Statistical Summary										
Coeff. of Variation	%	27.5	27.5			60.5	8.9			
Two Standard Error	%	38.3	38.3			65.7	20.0			
Number and Type of Plots		MP = 2	CP = 2							
Number of Potential Trees		7								
Plots/Ha		0.9								
Cruised Trees/Plot		4.3								

*** 1 tree(s) changed to tree class 4:10 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 227
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

Type Summary
FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

19-Aug-2019 01:40:39PM
Filename: CP227.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Net Area: Type 2 (I):SsHw341, Plots in Type: 23, TUs: [CLEARCUT : 22.4]

		Total	Conifer	Decid	C	H	S	Y	PL	D
Utilization Limits										
Min DBH cm (I)					12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)					10.0	10.0	10.0	10.0	10.0	10.0
Log Len m					10.0	10.0	10.0	10.0	10.0	10.0
Volume and Size Data										
Gross Merchantable	m3	21581	18491	3091	1214	7763	9513			3091
Net Merchantable	m3	20416	17522	2895	1022	7367	9133			2895
Net Merch - All	m3/ha	911	782	129	46	329	408			129
Distribution	%	100	86	14	5	36	45			14
Decay	%	1	1	1	8	1				1
Waste	%	0	0		2					
Waste(billing)	%	0	0		3					
Breakage	%	4	4	5	5	4	4			5
Total Cull (DWB)	%	5	5	6	16	5	4			6
Basal Area / Ha	m2/ha	86.1	73.9	12.2	6.1	28.7	39.1			12.2
Net VBAR	m3/m2	10.598	10.595	10.615	7.494	11.461	10.419			10.615
Stems/Ha (Live & DP)		1167.5	993.9	173.6	10.0	489.5	494.4			173.6
Avg DBH (Live & DP)	cm	30.6	30.8	29.9	88.0	27.3	31.7			29.9
Snags/Ha										
Avg Snag DBH	cm									
Gross Merch Vol/Tree	m3	0.83	0.83	0.79	5.42	0.71	0.86			0.79
Net Merch Vol/Tree	m3	0.78	0.79	0.74	4.56	0.67	0.82			0.74
Avg Weight Total Ht	m	33.0	34.0	27.2	33.5	35.5	32.9			27.2
Avg Weight Merch Ht	m	27.9	29.0	20.9	29.7	30.0	28.2			20.9
Avg 10.0 m Log Net	m3	0.46	0.48	0.36	1.51	0.43	0.49			0.36
Avg 10.0 m Log Gross	m3	0.46	0.49	0.36	1.69	0.43	0.49			0.36
Avg # of 10.0 m Logs/Tree		1.78	1.71	2.19	3.21	1.65	1.74			2.19
Net Immature	%	82.6	96.2		87.9	92.6	100.0			
Net 2nd Growth	%		96.2							
Algorithm Grades %										
#2 Sawlog	H	24	28		65	23	28			
#3 Sawlog	I	9	11		10	13	9			
#4 Sawlog	J	36	40		12	41	43			
#5 Utility	U	13	16		10	21	12			
#6 Utility	X	4	5			2	8			
#7 Chipper	Y	14		100	3					100
Statistical Summary										
Coeff. of Variation	%	31.3	47.3	301.0	183.2	120.0	85.2			301.0
Two Standard Error	%	17.7	24.8	124.8	90.4	61.2	37.2			124.8
Number and Type of Plots		MP = 12	CP = 11							
Number of Potential Trees		53								
Plots/Ha		1.0								
Cruised Trees/Plot		4.3								

*** 1 tree(s) changed to tree class 4:10 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 227
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

Type Summary
FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

19-Aug-2019 01:40:39PM
Filename: CP227.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Net Area: Type 3 (M):CwHw(Plc)831, Plots in Type: 8, TUs: [CLEARCUT : 5.8]

		Total	Conifer	Decid	C	H	S	Y	PL	D
Utilization Limits										
Min DBH cm (M)					17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					15.0	15.0	15.0	15.0	15.0	15.0
Log Len m					10.0	10.0	10.0	10.0	10.0	10.0
Volume and Size Data										
Gross Merchantable	m3	3918	3918		1504	1488	406		520	
Net Merchantable	m3	2895	2895		807	1195	386		507	
Net Merch - All	m3/ha	499	499		139	206	66		87	
Distribution	%	100	100		28	41	13		18	
Decay	%	16	16		29	12	1		0	
Waste	%	5	5		11	2	0			
Waste(billing)	%	7	7		20	3	0			
Breakage	%	5	5		7	5	5		2	
Total Cull (DWB)	%	26	26		46	20	5		3	
Basal Area / Ha	m2/ha	84.0	84.0		36.0	32.0	6.0		10.0	
Net VBAR	m3/m2	6.089	6.089		3.867	6.436	11.079		8.743	
Stems/Ha (Live & DP)		879.9	879.9		199.1	511.5	10.3		159.0	
Avg DBH (Live & DP)	cm	34.9	34.9		48.0	28.2	86.1		28.3	
Snags/Ha										
Avg Snag DBH	cm									
Gross Merch Vol/Tree	m3	0.77	0.77		1.30	0.50	6.79		0.56	
Net Merch Vol/Tree	m3	0.57	0.57		0.70	0.40	6.45		0.55	
Avg Weight Total Ht	m	26.2	26.2		26.3	24.8	36.2		23.0	
Avg Weight Merch Ht	m	19.7	19.7		19.8	18.1	30.8		14.7	
Avg 10.0 m Log Net	m3	0.45	0.45		0.58	0.39	2.00		0.28	
Avg 10.0 m Log Gross	m3	0.57	0.57		0.97	0.46	2.01		0.28	
Avg # of 10.0 m Logs/Tree		1.34	1.34		1.35	1.09	3.38		2.00	
Net Immature	%	30.3	30.3		22.4		49.1		100.0	
Net 2nd Growth	%		30.3							
Algorithm Grades %										
#2 Sawlog	H	11	11		12		59			
#3 Sawlog	I	4	4		8		15			
#4 Sawlog	J	22	22		22		15		80	
#4 Shingle	M	1	1		4					
#5 Utility	U	45	45		48	72	11			
#6 Utility	X	15	15			28			20	
#7 Chipper	Y	2	2		6					
Statistical Summary										
Coeff. of Variation	%	67.9	67.9		9.1	109.4	86.6		173.2	
Two Standard Error	%	46.0	46.0		11.0	38.8	128.9		77.2	
Number and Type of Plots		MP = 3	CP = 5							
Number of Potential Trees		11								
Plots/Ha		1.4								
Cruised Trees/Plot		5.3								

*** 1 tree(s) changed to tree class 4:10 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 227
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

Type Summary
FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

19-Aug-2019 01:40:39PM
Filename: CP227.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Net Area: Type 4 (M):CwHw(Plc)821, Plots in Type: 4, TUs: [CLEARCUT : 3.7]

		Total	Conifer	Decid	C	H	S	Y	PL	D
Utilization Limits										
Min DBH cm (M)					17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					15.0	15.0	15.0	15.0	15.0	15.0
Log Len m					10.0	10.0	10.0	10.0	10.0	10.0
Volume and Size Data										
Gross Merchantable	m3	3862	3862		1076	2357	429			
Net Merchantable	m3	3205	3205		553	2240	412			
Net Merch - All	m3/ha	866	866		150	605	111			
Distribution	%	100	100		17	70	13			
Decay	%	9	9		30	1				
Waste	%	3	3		11					
Waste(billing)	%	4	4		22					
Breakage	%	5	5		7	4	4			
Total Cull (DWB)	%	17	17		49	5	4			
Basal Area / Ha	m2/ha	106.3	106.3		40.5	55.7	10.1			
Net VBAR	m3/m2	7.618	7.618		3.692	10.870	10.995			
Stems/Ha (Live & DP)		640.7	640.7		122.0	498.4	20.3			
Avg DBH (Live & DP)	cm	46.0	46.0		65.0	37.7	79.7			
Snags/Ha										
Avg Snag DBH	cm									
Gross Merch Vol/Tree	m3	1.63	1.63		2.38	1.28	5.71			
Net Merch Vol/Tree	m3	1.35	1.35		1.23	1.21	5.49			
Avg Weight Total Ht	m	30.0	30.0		27.2	30.5	34.9			
Avg Weight Merch Ht	m	22.8	22.8		21.9	21.9	29.3			
Avg 10.0 m Log Net	m3	0.63	0.63		0.62	0.56	1.90			
Avg 10.0 m Log Gross	m3	0.71	0.71		1.06	0.56	1.90			
Avg # of 10.0 m Logs/Tree		2.28	2.28		2.24	2.26	3.00			
Net Immature	%	82.7	82.7			100.0	100.0			
Net 2nd Growth	%		82.7							
Algorithm Grades %										
#2 Sawlog	H	8	8				59			
#3 Sawlog	I	8	8		23		31			
#4 Sawlog	J	71	71		13	99				
#4 Shingle	M	2	2		13					
#5 Utility	U	4	4		15		10			
#6 Utility	X	1	1		1	1				
#7 Chipper	Y	6	6		35					
Statistical Summary										
Coeff. of Variation	%	16.4	16.4		99.3	37.1	141.4			
Two Standard Error	%	43.0	43.0		199.5	55.1	225.0			
Number and Type of Plots		MP = 2	CP = 2							
Number of Potential Trees		11								
Plots/Ha		1.1								
Cruised Trees/Plot		5.3								

*** 1 tree(s) changed to tree class 4:10 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 227
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

Type Summary
FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

19-Aug-2019 01:40:39PM
Filename: CP227.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Net Area: Type 5 (M):CwHw(Plc)821, Plots in Type: 3, TUs: [CLEARCUT : 3.2]

		Total	Conifer	Decid	C	H	S	Y	PL	D
Utilization Limits										
Min DBH cm (M)					17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					15.0	15.0	15.0	15.0	15.0	15.0
Log Len m					10.0	10.0	10.0	10.0	10.0	10.0
Volume and Size Data										
Gross Merchantable	m3	2306	2306		900	962	224		221	
Net Merchantable	m3	1683	1683		448	808	212		215	
Net Merch - All	m3/ha	526	526		140	252	66		67	
Distribution	%	100	100		27	48	13		13	
Decay	%	16	16		31	9	0		1	
Waste	%	6	6		12	2				
Waste(billing)	%	8	8		25	3				
Breakage	%	5	5		7	5	5		2	
Total Cull (DWB)	%	27	27		50	16	5		3	
Basal Area / Ha	m2/ha	81.0	81.0		33.8	33.7	6.7		6.8	
Net VBAR	m3/m2	6.297	6.297		4.151	7.481	9.817		9.958	
Stems/Ha (Live & DP)		688.2	688.2		69.8	533.9	38.3		46.3	
Avg DBH (Live & DP)	cm	38.7	38.7		78.5	28.4	47.4		43.1	
Snags/Ha										
Avg Snag DBH	cm									
Gross Merch Vol/Tree	m3	1.05	1.05		4.03	0.56	1.83		1.49	
Net Merch Vol/Tree	m3	0.76	0.76		2.01	0.47	1.73		1.45	
Avg Weight Total Ht	m	29.4	29.4		29.9	29.5	29.5		26.3	
Avg Weight Merch Ht	m	23.0	23.0		23.9	23.3	22.4		19.9	
Avg 10.0 m Log Net	m3	0.53	0.53		0.88	0.37	0.91		0.74	
Avg 10.0 m Log Gross	m3	0.67	0.67		1.54	0.42	0.92		0.75	
Avg # of 10.0 m Logs/Tree		1.55	1.55		2.62	1.34	2.00		2.00	
Net Immature	%	43.4	43.4			63.8			100.0	
Net 2nd Growth	%		56.0							
Algorithm Grades %										
#2 Sawlog	H	7	7		27					
#3 Sawlog	I	13	13		8	22				
#4 Sawlog	J	50	50			49	100		100	
#4 Shingle	M	1	1		5					
#5 Utility	U	22	22		58	14				
#6 Utility	X	7	7		1	15				
#7 Chipper	Y				1					
Statistical Summary										
Coeff. of Variation	%	33.0	33.0		83.7	109.5	141.4		141.4	
Two Standard Error	%	111.3	111.3		312.1	264.0	527.0		527.0	
Number and Type of Plots		MP = 2	CP = 1							
Number of Potential Trees		10								
Plots/Ha		0.9								
Cruised Trees/Plot		4.0								

*** 1 tree(s) changed to tree class 4:10 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 227
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

Type Summary
FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

19-Aug-2019 01:40:39PM
Filename: CP227.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Net Area: Type 6 (M):CwHw(Plc)821, Plots in Type: 16, TUs: [CLEARCUT : 12.8]

		Total	Conifer	Decid	C	H	S	Y	PL	D
Utilization Limits										
Min DBH cm (M)					17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					15.0	15.0	15.0	15.0	15.0	15.0
Log Len m					10.0	10.0	10.0	10.0	10.0	10.0
Volume and Size Data										
Gross Merchantable	m3	9280	9280		4569	4348	149		214	
Net Merchantable	m3	7120	7120		2694	4076	141		210	
Net Merch - All	m3/ha	556	556		210	318	11		16	
Distribution	%	100	100		38	57	2		3	
Decay	%	13	13		25	2	1			
Waste	%	5	5		9	0	0			
Waste(billing)	%	6	6		16	0	0			
Breakage	%	6	6		7	4	5		2	
Total Cull (DWB)	%	23	23		41	6	6		2	
Basal Area / Ha	m2/ha	94.6	94.6		47.8	43.3	1.0		2.5	
Net VBAR	m3/m2	6.234	6.234		4.405	7.352	10.979		6.471	
Stems/Ha (Live & DP)		1153.3	1153.3		257.1	828.7	4.4		63.1	
Avg DBH (Live & DP)	cm	32.3	32.3		48.6	25.8	53.8		22.6	
Snags/Ha										
Avg Snag DBH	cm									
Gross Merch Vol/Tree	m3	0.63	0.63		1.39	0.41	2.64		0.26	
Net Merch Vol/Tree	m3	0.48	0.48		0.82	0.38	2.50		0.26	
Avg Weight Total Ht	m	25.4	25.4		26.0	25.0	33.3		19.3	
Avg Weight Merch Ht	m	18.0	18.0		19.9	16.7	26.3		9.6	
Avg 10.0 m Log Net	m3	0.37	0.37		0.55	0.31	0.88		0.26	
Avg 10.0 m Log Gross	m3	0.46	0.46		0.83	0.31	0.88		0.26	
Avg # of 10.0 m Logs/Tree		1.38	1.38		1.68	1.31	3.00		1.00	
Net Immature	%	36.1	36.1			57.9			100.0	
Net 2nd Growth	%		40.5							
Algorithm Grades %										
#2 Sawlog	H	11	11		21	3	60			
#3 Sawlog	I	4	4		1	6				
#4 Sawlog	J	54	54		33	66	40		100	
#4 Shingle	M				1					
#5 Utility	U	19	19		35	9				
#6 Utility	X	10	10		4	15				
#7 Chipper	Y	2	2		5	1				
Statistical Summary										
Coeff. of Variation	%	65.4	65.4		69.7	81.7	300.0		300.0	
Two Standard Error	%	38.5	38.5		30.2	55.2	284.1		142.1	
Number and Type of Plots		MP = 9	CP = 7							
Number of Potential Trees		46								
Plots/Ha		1.3								
Cruised Trees/Plot		5.3								

*** 1 tree(s) changed to tree class 4:10 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 227
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

Type Summary
FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

19-Aug-2019 01:40:39PM
Filename: CP227.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Net Area: Type 7 (M):CwHw(Plc)821, Plots in Type: 6, TUs: [CLEARCUT : 5.8]

		Total	Conifer	Decid	C	H	S	Y	PL	D
Utilization Limits										
Min DBH cm (M)					17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					15.0	15.0	15.0	15.0	15.0	15.0
Log Len m					10.0	10.0	10.0	10.0	10.0	10.0
Volume and Size Data										
Gross Merchantable	m3	3614	3614		1981	1442			192	
Net Merchantable	m3	2699	2699		1149	1363			187	
Net Merch - All	m3/ha	465	465		198	235			32	
Distribution	%	100	100		43	51			7	
Decay	%	14	14		25	1			1	
Waste	%	5	5		10	0				
Waste(billing)	%	7	7		17	0				
Breakage	%	6	6		7	4			2	
Total Cull (DWB)	%	25	25		42	5			3	
Basal Area / Ha	m2/ha	88.0	88.0		50.7	32.0			5.3	
Net VBAR	m3/m2	5.290	5.290		3.910	7.344			6.048	
Stems/Ha (Live & DP)		1318.2	1318.2		621.5	593.4			103.3	
Avg DBH (Live & DP)	cm	29.2	29.2		32.2	26.2			25.6	
Snags/Ha		153.8	153.8		153.8					
Avg Snag DBH	cm	18.2	18.2		18.2					
Gross Merch Vol/Tree	m3	0.47	0.47		0.55	0.42			0.32	
Net Merch Vol/Tree	m3	0.35	0.35		0.32	0.40			0.31	
Avg Weight Total Ht	m	22.6	22.6		22.5	23.3			17.7	
Avg Weight Merch Ht	m	14.6	14.6		15.3	14.4			10.5	
Avg 10.0 m Log Net	m3	0.28	0.28		0.27	0.29			0.23	
Avg 10.0 m Log Gross	m3	0.35	0.35		0.42	0.30			0.23	
Avg # of 10.0 m Logs/Tree		1.36	1.36		1.30	1.41			1.37	
Net Immature	%	34.4	34.4			59.5			61.9	
Net 2nd Growth	%		46.4							
Algorithm Grades %										
#2 Sawlog	H	3	3		8					
#4 Sawlog	J	63	63		27	90			93	
#5 Utility	U	9	9		21					
#6 Utility	X	16	16		25	10				
#7 Chipper	Y	9	9		19				7	
Statistical Summary										
Coeff. of Variation	%	32.3	32.3		46.0	101.2			121.9	
Two Standard Error	%	37.7	37.7		50.9	106.4			196.7	
Number and Type of Plots		MP = 4	CP = 2							
Number of Potential Trees		23								
Plots/Ha		1.0								
Cruised Trees/Plot		5.7								

*** 1 tree(s) changed to tree class 4:10 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Type Summary

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 227
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

19-Aug-2019 01:40:39PM
Filename: CP227.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Net Area: Type 8 (M):HwCw(Ss)831, Plots in Type: 3, TUs: [CLEARCUT : 2.7]

		Total	Conifer	Decid	C	H	S	Y	PL	D
Utilization Limits										
Min DBH cm (M)					17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					15.0	15.0	15.0	15.0	15.0	15.0
Log Len m					10.0	10.0	10.0	10.0	10.0	10.0
Volume and Size Data										
Gross Merchantable	m3	2440	2440		1554	740			146	
Net Merchantable	m3	1901	1901		1064	694			143	
Net Merch - All	m3/ha	704	704		394	257			53	
Distribution	%	100	100		56	37			8	
Decay	%	12	12		18	1				
Waste	%	4	4		7	0				
Waste(billing)	%	5	5		10	0				
Breakage	%	6	6		6	5			2	
Total Cull (DWB)	%	22	22		32	6			2	
Basal Area / Ha	m2/ha	113.3	113.3		66.7	40.0			6.7	
Net VBAR	m3/m2	6.283	6.283		5.910	6.424			7.953	
Stems/Ha (Live & DP)		1337.2	1337.2		401.4	817.6			118.2	
Avg DBH (Live & DP)	cm	32.8	32.8		46.0	25.0			26.8	
Snags/Ha										
Avg Snag DBH	cm									
Gross Merch Vol/Tree	m3	0.68	0.68		1.43	0.34			0.46	
Net Merch Vol/Tree	m3	0.53	0.53		0.98	0.31			0.45	
Avg Weight Total Ht	m	25.9	25.9		27.7	23.7			21.3	
Avg Weight Merch Ht	m	18.5	18.5		20.3	16.6			13.0	
Avg 10.0 m Log Net	m3	0.37	0.37		0.48	0.30			0.23	
Avg 10.0 m Log Gross	m3	0.44	0.44		0.64	0.30			0.23	
Avg # of 10.0 m Logs/Tree		1.52	1.52		2.22	1.11			2.00	
Net Immature	%	38.1	38.1		36.7	27.6			100.0	
Net 2nd Growth	%		38.1							
Algorithm Grades %										
#4 Sawlog	J	69	69		84	42			86	
#5 Utility	U	25	25		13	48				
#6 Utility	X	5	5		3	10				
#7 Chipper	Y	1	1						14	
Statistical Summary										
Coeff. of Variation	%	26.6	26.6		37.6	63.5			141.4	
Two Standard Error	%	69.2	69.2		85.5	193.1			527.0	
Number and Type of Plots		MP = 2	CP = 1							
Number of Potential Trees		11								
Plots/Ha		1.1								
Cruised Trees/Plot		5.7								

*** 1 tree(s) changed to tree class 4:10 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 227
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

Type Summary
FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

19-Aug-2019 01:40:39PM
Filename: CP227.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Net Area: Type 9 (M):HwCw(Ss)831, Plots in Type: 11, TUs: [CLEARCUT : 9.6]

		Total	Conifer	Decid	C	H	S	Y	PL	D
Utilization Limits										
Min DBH cm (M)					17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					15.0	15.0	15.0	15.0	15.0	15.0
Log Len m					10.0	10.0	10.0	10.0	10.0	10.0
Volume and Size Data										
Gross Merchantable	m3	7181	7181		4445	2122	148		467	
Net Merchantable	m3	5136	5136		2574	1964	140		457	
Net Merch - All	m3/ha	535	535		268	205	15		48	
Distribution	%	100	100		50	38	3		9	
Decay	%	16	16		25	2	0			
Waste	%	6	6		10	0				
Waste(billing)	%	9	9		17	0				
Breakage	%	6	6		7	5	5		2	
Total Cull (DWB)	%	28	28		42	7	5		2	
Basal Area / Ha	m2/ha	87.3	87.3		60.0	20.0	1.8		5.5	
Net VBAR	m3/m2	5.612	5.612		4.469	10.230	8.018		8.734	
Stems/Ha (Live & DP)		725.5	725.5		397.3	227.9	36.5		63.8	
Avg DBH (Live & DP)	cm	39.1	39.1		43.8	33.4	25.2		33.0	
Snags/Ha										
Avg Snag DBH	cm									
Gross Merch Vol/Tree	m3	1.03	1.03		1.17	0.97	0.42		0.76	
Net Merch Vol/Tree	m3	0.74	0.74		0.67	0.90	0.40		0.75	
Avg Weight Total Ht	m	28.0	28.0		27.5	30.6	25.6		22.7	
Avg Weight Merch Ht	m	20.6	20.6		20.8	22.0	13.7		15.6	
Avg 10.0 m Log Net	m3	0.47	0.47		0.48	0.54	0.21		0.38	
Avg 10.0 m Log Gross	m3	0.61	0.61		0.74	0.55	0.21		0.38	
Avg # of 10.0 m Logs/Tree		1.69	1.69		1.57	1.77	2.00		2.00	
Net Immature	%									
Net 2nd Growth	%		11.6							
Algorithm Grades %										
#2 Sawlog	H	20	20		27	17				
#4 Sawlog	J	57	57		29	80	82		100	
#5 Utility	U	16	16		30	3				
#6 Utility	X	3	3		6		18			
#7 Chipper	Y	4	4		8					
Statistical Summary										
Coeff. of Variation	%	66.1	66.1		60.8	157.2	264.6		264.6	
Two Standard Error	%	40.1	40.1		43.1	61.3	279.3		93.1	
Number and Type of Plots		MP = 7	CP = 4							
Number of Potential Trees		27								
Plots/Ha		1.1								
Cruised Trees/Plot		4.4								

*** 1 tree(s) changed to tree class 4:10 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 227
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

Type Summary
FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

19-Aug-2019 01:40:39PM
Filename: CP227.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Net Area: Type 10 (M):CwHw831, Plots in Type: 6, TUs: [CLEARCUT : 6.6]

		Total	Conifer	Decid	C	H	S	Y	PL	D
Utilization Limits										
Min DBH cm (M)					17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					15.0	15.0	15.0	15.0	15.0	15.0
Log Len m					10.0	10.0	10.0	10.0	10.0	10.0
Volume and Size Data										
Gross Merchantable	m3	4592	4592		2427	1500	665			
Net Merchantable	m3	3246	3246		1375	1253	618			
Net Merch - All	m3/ha	492	492		208	190	94			
Distribution	%	100	100		42	39	19			
Decay	%	17	17		26	8	2			
Waste	%	6	6		10	3	0			
Waste(billing)	%	9	9		18	4	0			
Breakage	%	6	6		7	5	5			
Total Cull (DWB)	%	29	29		43	16	7			
Basal Area / Ha	m2/ha	86.7	86.7		53.3	23.3	10.0			
Net VBAR	m3/m2	5.910	5.910		3.908	8.135	9.360			
Stems/Ha (Live & DP)		519.2	519.2		267.6	178.3	73.2			
Avg DBH (Live & DP)	cm	46.1	46.1		50.4	40.8	41.7			
Snags/Ha										
Avg Snag DBH	cm									
Gross Merch Vol/Tree	m3	1.34	1.34		1.37	1.27	1.38			
Net Merch Vol/Tree	m3	0.95	0.95		0.78	1.06	1.28			
Avg Weight Total Ht	m	25.7	25.7		23.7	27.8	28.6			
Avg Weight Merch Ht	m	19.1	19.1		17.3	20.7	20.8			
Avg 10.0 m Log Net	m3	0.57	0.57		0.54	0.56	0.67			
Avg 10.0 m Log Gross	m3	0.74	0.74		0.85	0.63	0.69			
Avg # of 10.0 m Logs/Tree		1.81	1.81		1.62	2.02	2.00			
Net Immature	%									
Net 2nd Growth	%									
Algorithm Grades %										
#4 Sawlog	J	62	62		16	95	100			
#5 Utility	U	26	26		62					
#6 Utility	X	7	7		11	5				
#7 Chipper	Y	5	5		11					
Statistical Summary										
Coeff. of Variation	%	52.2	52.2		64.2	98.4	115.7			
Two Standard Error	%	59.1	59.1		57.9	115.8	121.6			
Number and Type of Plots		MP = 4	CP = 2							
Number of Potential Trees		16								
Plots/Ha		0.9								
Cruised Trees/Plot		4.3								

*** 1 tree(s) changed to tree class 4:10 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 227
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

Type Summary
FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

19-Aug-2019 01:40:39PM
Filename: CP227.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Net Area: Type 11 (M):HwCw931, Plots in Type: 6, TUs: [CLEARCUT : 5.6]

		Total	Conifer	Decid	C	H	S	Y	PL	D
Utilization Limits										
Min DBH cm (M)					17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					15.0	15.0	15.0	15.0	15.0	15.0
Log Len m					10.0	10.0	10.0	10.0	10.0	10.0
Volume and Size Data										
Gross Merchantable	m3	4137	4137		2425	1122	425		165	
Net Merchantable	m3	2447	2447		914	971	400		161	
Net Merch - All	m3/ha	437	437		163	173	71		29	
Distribution	%	100	100		37	40	16		7	
Decay	%	19	19		30	7	1		0	
Waste	%	7	7		11	2	0			
Waste(billing)	%	12	12		29	2	0			
Breakage	%	15	15		22	5	5		2	
Total Cull (DWB)	%	41	41		62	13	6		3	
Basal Area / Ha	m2/ha	93.3	93.3		63.3	20.0	6.7		3.3	
Net VBAR	m3/m2	4.988	4.988		2.578	8.674	10.713		8.614	
Stems/Ha (Live & DP)		468.7	468.7		161.5	268.0	13.2		26.0	
Avg DBH (Live & DP)	cm	50.4	50.4		70.7	30.8	80.1		40.4	
Snags/Ha										
Avg Snag DBH	cm									
Gross Merch Vol/Tree	m3	1.58	1.58		2.68	0.75	5.73		1.13	
Net Merch Vol/Tree	m3	0.93	0.93		1.01	0.65	5.40		1.10	
Avg Weight Total Ht	m	28.2	28.2		27.4	28.3	34.7		22.9	
Avg Weight Merch Ht	m	21.9	21.9		21.9	19.9	29.1		16.6	
Avg 10.0 m Log Net	m3	0.61	0.61		0.87	0.37	1.89		0.56	
Avg 10.0 m Log Gross	m3	0.83	0.83		1.48	0.40	1.91		0.57	
Avg # of 10.0 m Logs/Tree		1.89	1.89		1.82	1.87	3.00		2.00	
Net Immature	%									
Net 2nd Growth	%									
Algorithm Grades %										
#2 Sawlog	H	4	4		11					
#3 Sawlog	I	13	13		9		60			
#4 Sawlog	J	44	44		17	80			100	
#4 Shingle	M	2	2		5					
#5 Utility	U	24	24		46		40			
#6 Utility	X	9	9		3	19				
#7 Chipper	Y	4	4		9	1				
Statistical Summary										
Coeff. of Variation	%	72.3	72.3		64.4	146.7	173.2		173.2	
Two Standard Error	%	115.4	115.4		103.1	214.0	181.8		363.6	
Number and Type of Plots		MP = 3	CP = 3							
Number of Potential Trees		16								
Plots/Ha		1.1								
Cruised Trees/Plot		4.7								

*** 1 tree(s) changed to tree class 4:10 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 227
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

Type Summary
FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

19-Aug-2019 01:40:39PM
Filename: CP227.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Net Area: Type 12 (M):CwHwPlc931, Plots in Type: 2, TUs: [CLEARCUT : 2.5]

		Total	Conifer	Decid	C	H	S	Y	PL	D
Utilization Limits										
Min DBH cm (M)					17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					15.0	15.0	15.0	15.0	15.0	15.0
Log Len m					10.0	10.0	10.0	10.0	10.0	10.0
Volume and Size Data										
Gross Merchantable	m3	1617	1617		886	402	329			
Net Merchantable	m3	1087	1087		405	372	310			
Net Merch - All	m3/ha	435	435		162	149	124			
Distribution	%	100	100		37	34	29			
Decay	%	19	19		34	2	0			
Waste	%	8	8		14	0	0			
Waste(billing)	%	11	11		30	0	0			
Breakage	%	6	6		7	5	5			
Total Cull (DWB)	%	33	33		54	8	6			
Basal Area / Ha	m2/ha	70.0	70.0		40.0	20.0	10.0			
Net VBAR	m3/m2	6.210	6.210		4.046	7.436	12.414			
Stems/Ha (Live & DP)		409.0	409.0		100.1	275.6	33.3			
Avg DBH (Live & DP)	cm	46.7	46.7		71.3	30.4	61.8			
Snags/Ha										
Avg Snag DBH	cm									
Gross Merch Vol/Tree	m3	1.58	1.58		3.54	0.58	3.94			
Net Merch Vol/Tree	m3	1.06	1.06		1.62	0.54	3.72			
Avg Weight Total Ht	m	30.5	30.5		31.3	23.2	38.1			
Avg Weight Merch Ht	m	23.3	23.3		25.0	14.1	31.2			
Avg 10.0 m Log Net	m3	0.51	0.51		0.67	0.28	1.31			
Avg 10.0 m Log Gross	m3	0.70	0.70		1.28	0.29	1.31			
Avg # of 10.0 m Logs/Tree		2.27	2.27		2.78	2.00	3.00			
Net Immature	%									
Net 2nd Growth	%									
Algorithm Grades %										
#2 Sawlog	H	22	22		17		54			
#4 Sawlog	J	34	34		16	83				
#5 Utility	U	28	28		40		46			
#6 Utility	X	6	6		1	17				
#7 Chipper	Y	10	10		26					
Statistical Summary										
Coeff. of Variation	%	16.0	16.0		141.4	10.8	141.4			
Two Standard Error	%	143.4	143.4		1270.6	97.0	1270.6			
Number and Type of Plots		MP = 2								
Number of Potential Trees		7								
Plots/Ha		0.8								
Cruised Trees/Plot		3.5								

*** 1 tree(s) changed to tree class 4:10 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 227
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

Type Summary
FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

19-Aug-2019 01:40:39PM
Filename: CP227.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Net Area: Type 13 (M):CwHwPlc821, Plots in Type: 2, TUs: [CLEARCUT : 1.1]

		Total	Conifer	Decid	C	H	S	Y	PL	D
Utilization Limits										
Min DBH cm (M)					17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					15.0	15.0	15.0	15.0	15.0	15.0
Log Len m					10.0	10.0	10.0	10.0	10.0	10.0
Volume and Size Data										
Gross Merchantable	m3	702	702		298	300			104	
Net Merchantable	m3	483	483		111	270			102	
Net Merch - All	m3/ha	439	439		101	245			93	
Distribution	%	100	100		23	56			21	
Decay	%	16	16		33	4				
Waste	%	6	6		13	1				
Waste(billing)	%	8	8		35	1				
Breakage	%	10	10		17	5			2	
Total Cull (DWB)	%	31	31		63	10			2	
Basal Area / Ha	m2/ha	80.0	80.0		40.0	30.0			10.0	
Net VBAR	m3/m2	5.490	5.490		2.532	8.179			9.254	
Stems/Ha (Live & DP)		320.9	320.9		77.8	132.3			110.8	
Avg DBH (Live & DP)	cm	56.3	56.3		80.9	53.7			33.9	
Snags/Ha										
Avg Snag DBH	cm									
Gross Merch Vol/Tree	m3	1.99	1.99		3.48	2.06			0.85	
Net Merch Vol/Tree	m3	1.37	1.37		1.30	1.85			0.84	
Avg Weight Total Ht	m	24.9	24.9		25.1	25.0			23.9	
Avg Weight Merch Ht	m	18.9	18.9		19.8	19.0			16.7	
Avg 10.0 m Log Net	m3	0.77	0.77		0.88	0.98			0.43	
Avg 10.0 m Log Gross	m3	0.98	0.98		1.63	1.03			0.43	
Avg # of 10.0 m Logs/Tree		2.03	2.03		2.14	2.00			2.00	
Net Immature	%									
Net 2nd Growth	%									
Algorithm Grades %										
#2 Sawlog	H	6	6		28					
#4 Sawlog	J	48	48			49			100	
#5 Utility	U	43	43		60	51				
#7 Chipper	Y	3	3		12					
Statistical Summary										
Coeff. of Variation	%	18.9	18.9		55.9	42.6			141.4	
Two Standard Error	%	169.5	169.5		501.8	383.0			1270.6	
Number and Type of Plots		MP = 2								
Number of Potential Trees		8								
Plots/Ha		1.8								
Cruised Trees/Plot		4.0								

*** 1 tree(s) changed to tree class 4:10 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 227
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

Type Summary
FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

19-Aug-2019 01:40:39PM
Filename: CP227.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Net Area: Type 14 (M):CwHw821, Plots in Type: 6, TUs: [CLEARCUT : 5.2]

		Total	Conifer	Decid	C	H	S	Y	PL	D
Utilization Limits										
Min DBH cm (M)					17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					15.0	15.0	15.0	15.0	15.0	15.0
Log Len m					10.0	10.0	10.0	10.0	10.0	10.0
Volume and Size Data										
Gross Merchantable	m3	4314	4314		1872	1526	130		787	
Net Merchantable	m3	3729	3729		1418	1419	123		769	
Net Merch - All	m3/ha	717	717		273	273	24		148	
Distribution	%	100	100		38	38	3		21	
Decay	%	6	6		13	2	0		0	
Waste	%	2	2		4					
Waste(billing)	%	2	2		6					
Breakage	%	5	5		7	5	5		2	
Total Cull (DWB)	%	14	14		24	7	5		2	
Basal Area / Ha	m2/ha	96.7	96.7		46.7	30.0	3.3		16.7	
Net VBAR	m3/m2	6.901	6.901		5.842	9.095	7.118		8.873	
Stems/Ha (Live & DP)		1165.0	1165.0		695.5	106.5	76.2		286.9	
Avg DBH (Live & DP)	cm	32.5	32.5		29.2	59.9	23.6		27.2	
Snags/Ha										
Avg Snag DBH	cm									
Gross Merch Vol/Tree	m3	0.71	0.71		0.52	2.76	0.33		0.53	
Net Merch Vol/Tree	m3	0.62	0.62		0.39	2.56	0.31		0.52	
Avg Weight Total Ht	m	24.8	24.8		23.9	27.0	23.9		23.4	
Avg Weight Merch Ht	m	17.1	17.1		15.0	21.0	11.6		14.7	
Avg 10.0 m Log Net	m3	0.42	0.42		0.31	1.35	0.33		0.26	
Avg 10.0 m Log Gross	m3	0.46	0.46		0.38	1.38	0.33		0.26	
Avg # of 10.0 m Logs/Tree		1.56	1.56		1.38	2.00	1.00		2.00	
Net Immature	%									
Net 2nd Growth	%									
Algorithm Grades %										
#4 Sawlog	J	57	57		91		100		90	
#5 Utility	U	40	40		5	100				
#6 Utility	X	3	3		4				10	
#7 Chipper	Y									
Statistical Summary										
Coeff. of Variation	%	47.2	47.2		99.1	141.4	141.4		141.4	
Two Standard Error	%	49.5	49.5		134.1	49.5	445.3		178.1	
Number and Type of Plots		MP = 2	CP = 4							
Number of Potential Trees		10								
Plots/Ha		1.2								
Cruised Trees/Plot		4.8								

*** 1 tree(s) changed to tree class 4:10 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 227
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

Type Summary
FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

19-Aug-2019 01:40:39PM
Filename: CP227.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Net Area: Type 15 (M):HwCw931, Plots in Type: 3, TUs: [CLEARCUT : 1.7]

		Total	Conifer	Decid	C	H	S	Y	PL	D
Utilization Limits										
Min DBH cm (M)					17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					15.0	15.0	15.0	15.0	15.0	15.0
Log Len m					10.0	10.0	10.0	10.0	10.0	10.0
Volume and Size Data										
Gross Merchantable	m3	2098	2098		1469	513			116	
Net Merchantable	m3	1396	1396		808	475			113	
Net Merch - All	m3/ha	821	821		475	279			66	
Distribution	%	100	100		58	34			8	
Decay	%	18	18		25	2			1	
Waste	%	7	7		9	0				
Waste(billing)	%	10	10		17	0				
Breakage	%	9	9		10	5			2	
Total Cull (DWB)	%	33	33		45	7			3	
Basal Area / Ha	m2/ha	140.0	140.0		106.7	26.7			6.7	
Net VBAR	m3/m2	6.026	6.026		4.456	10.474			9.952	
Stems/Ha (Live & DP)		986.2	986.2		740.2	196.0			50.0	
Avg DBH (Live & DP)	cm	42.5	42.5		42.8	41.6			41.2	
Snags/Ha										
Avg Snag DBH	cm									
Gross Merch Vol/Tree	m3	1.25	1.25		1.17	1.54			1.36	
Net Merch Vol/Tree	m3	0.83	0.83		0.64	1.43			1.33	
Avg Weight Total Ht	m	27.0	27.0		26.1	29.9			26.1	
Avg Weight Merch Ht	m	19.9	19.9		19.1	21.9			19.5	
Avg 10.0 m Log Net	m3	0.47	0.47		0.40	0.65			0.68	
Avg 10.0 m Log Gross	m3	0.62	0.62		0.61	0.66			0.68	
Avg # of 10.0 m Logs/Tree		2.01	2.01		1.93	2.32			2.00	
Net Immature	%									
Net 2nd Growth	%									
Algorithm Grades %										
#2 Sawlog	H	3	3		6					
#4 Sawlog	J	80	80		66	98			100	
#5 Utility	U	6	6		10					
#6 Utility	X	6	6		10	2				
#7 Chipper	Y	5	5		8					
Statistical Summary										
Coeff. of Variation	%	13.0	13.0		29.0	37.7			141.4	
Two Standard Error	%	36.1	36.1		79.8	107.0			527.0	
Number and Type of Plots		MP = 2	CP = 1							
Number of Potential Trees		15								
Plots/Ha		1.8								
Cruised Trees/Plot		7.0								

*** 1 tree(s) changed to tree class 4:10 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 227
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

Type Summary
FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

19-Aug-2019 01:40:39PM
Filename: CP227.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Net Area: Type 16 (M):CwHwPlc821, Plots in Type: 3, TUs: [CLEARCUT : 1.7]

		Total	Conifer	Decid	C	H	S	Y	PL	D
Utilization Limits										
Min DBH cm (M)					17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					15.0	15.0	15.0	15.0	15.0	15.0
Log Len m					10.0	10.0	10.0	10.0	10.0	10.0
Volume and Size Data										
Gross Merchantable	m3	1016	1016		599	104	110		202	
Net Merchantable	m3	638	638		240	96	105		197	
Net Merch - All	m3/ha	375	375		141	57	62		116	
Distribution	%	100	100		38	15	16		31	
Decay	%	16	16		27	2	0		1	
Waste	%	7	7		11	0				
Waste(billing)	%	10	10		27	0				
Breakage	%	15	15		22	5	5		2	
Total Cull (DWB)	%	37	37		60	8	5		3	
Basal Area / Ha	m2/ha	80.0	80.0		53.3	6.7	6.7		13.3	
Net VBAR	m3/m2	5.101	5.101		2.651	8.497	9.232		8.688	
Stems/Ha (Live & DP)		706.6	706.6		495.0	82.9	70.9		57.8	
Avg DBH (Live & DP)	cm	38.0	38.0		37.0	32.0	34.6		54.2	
Snags/Ha										
Avg Snag DBH	cm									
Gross Merch Vol/Tree	m3	0.85	0.85		0.71	0.74	0.92		2.06	
Net Merch Vol/Tree	m3	0.53	0.53		0.29	0.68	0.87		2.00	
Avg Weight Total Ht	m	24.3	24.3		23.6	24.8	27.4		24.4	
Avg Weight Merch Ht	m	17.3	17.3		16.6	16.2	18.6		18.7	
Avg 10.0 m Log Net	m3	0.45	0.45		0.37	0.36	0.46		1.02	
Avg 10.0 m Log Gross	m3	0.59	0.59		0.59	0.37	0.46		1.03	
Avg # of 10.0 m Logs/Tree		1.44	1.44		1.20	2.00	2.00		2.00	
Net Immature	%									
Net 2nd Growth	%									
Algorithm Grades %										
#2 Sawlog	H	10	10		26					
#4 Sawlog	J	62	62			100	100		100	
#5 Utility	U	5	5		14					
#6 Utility	X	19	19		50					
#7 Chipper	Y	4	4		10					
Statistical Summary										
Coeff. of Variation	%	43.1	43.1		141.4	141.4	141.4		141.4	
Two Standard Error	%	176.4	176.4		395.3	527.0	527.0		527.0	
Number and Type of Plots		MP = 2	CP = 1							
Number of Potential Trees		10								
Plots/Ha		1.8								
Cruised Trees/Plot		4.0								

*** 1 tree(s) changed to tree class 4:10 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 227
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

Type Summary
FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

19-Aug-2019 01:40:39PM
Filename: CP227.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Net Area: Type 17 (M):CwHw(Plc)831, Plots in Type: 3, TUs: [CLEARCUT : 1.4]

		Total	Conifer	Decid	C	H	S	Y	PL	D
Utilization Limits										
Min DBH cm (M)					17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					15.0	15.0	15.0	15.0	15.0	15.0
Log Len m					10.0	10.0	10.0	10.0	10.0	10.0
Volume and Size Data										
Gross Merchantable	m3	946	946		834	113				
Net Merchantable	m3	484	484		381	102				
Net Merch - All	m3/ha	345	345		272	73				
Distribution	%	100	100		79	21				
Decay	%	30	30		34	3				
Waste	%	12	12		14	1				
Waste(billing)	%	24	24		30	1				
Breakage	%	7	7		7	5				
Total Cull (DWB)	%	49	49		54	9				
Basal Area / Ha	m2/ha	106.7	106.7		86.7	20.0				
Net VBAR	m3/m2	3.270	3.270		3.142	3.653				
Stems/Ha (Live & DP)		890.9	890.9		337.5	553.4				
Avg DBH (Live & DP)	cm	39.0	39.0		57.2	21.5				
Snags/Ha										
Avg Snag DBH	cm									
Gross Merch Vol/Tree	m3	0.76	0.76		1.76	0.15				
Net Merch Vol/Tree	m3	0.39	0.39		0.81	0.13				
Avg Weight Total Ht	m	22.5	22.5		23.9	14.7				
Avg Weight Merch Ht	m	16.0	16.0		18.0	6.1				
Avg 10.0 m Log Net	m3	0.34	0.34		0.52	0.14				
Avg 10.0 m Log Gross	m3	0.58	0.58		0.98	0.15				
Avg # of 10.0 m Logs/Tree		1.30	1.30		1.80	1.00				
Net Immature	%									
Net 2nd Growth	%									
Algorithm Grades %										
#4 Sawlog	J	25	25		12	76				
#5 Utility	U	42	42		53					
#6 Utility	X	6	6		1	24				
#7 Chipper	Y	27	27		34					
Statistical Summary										
Coeff. of Variation	%	20.2	20.2		82.9	141.4				
Two Standard Error	%	57.5	57.5		214.0	527.0				
Number and Type of Plots		MP = 2	CP = 1							
Number of Potential Trees		12								
Plots/Ha		2.1								
Cruised Trees/Plot		5.3								

*** 1 tree(s) changed to tree class 4:10 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 227
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

Type Summary
FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

19-Aug-2019 01:40:39PM
Filename: CP227.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Net Area: Type 18 (M):CwHw(Plc)831, Plots in Type: 6, TUs: [CLEARCUT : 5.8]

		Total	Conifer	Decid	C	H	S	Y	PL	D
Utilization Limits										
Min DBH cm (M)					17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					15.0	15.0	15.0	15.0	15.0	15.0
Log Len m					10.0	10.0	10.0	10.0	10.0	10.0
Volume and Size Data										
Gross Merchantable	m3	3461	3461		1776	788	227	363	306	
Net Merchantable	m3	2325	2325		1031	523	214	258	298	
Net Merch - All	m3/ha	401	401		178	90	37	44	51	
Distribution	%	100	100		44	22	9	11	13	
Decay	%	16	16		22	21	1	4	1	
Waste	%	6	6		8	7	0	0		
Waste(billing)	%	9	9		15	10	0	0		
Breakage	%	11	11		12	6	5	25	2	
Total Cull (DWB)	%	33	33		42	34	6	29	2	
Basal Area / Ha	m2/ha	76.7	76.7		46.7	13.3	3.3	6.7	6.7	
Net VBAR	m3/m2	5.439	5.439		3.809	6.762	11.077	6.674	7.717	
Stems/Ha (Live & DP)		626.5	626.5		476.2	18.2	10.2	85.9	36.1	
Avg DBH (Live & DP)	cm	39.5	39.5		35.3	96.7	64.6	31.4	48.5	
Snags/Ha										
Avg Snag DBH	cm									
Gross Merch Vol/Tree	m3	0.95	0.95		0.64	7.48	3.85	0.73	1.46	
Net Merch Vol/Tree	m3	0.64	0.64		0.37	4.96	3.63	0.52	1.43	
Avg Weight Total Ht	m	25.3	25.3		22.6	31.3	34.5	25.1	21.4	
Avg Weight Merch Ht	m	18.9	18.9		15.3	26.0	28.2	16.9	15.7	
Avg 10.0 m Log Net	m3	0.45	0.45		0.30	2.20	1.27	0.35	0.73	
Avg 10.0 m Log Gross	m3	0.58	0.58		0.43	3.04	1.28	0.36	0.73	
Avg # of 10.0 m Logs/Tree		1.65	1.65		1.50	2.46	3.00	2.00	2.00	
Net Immature	%									
Net 2nd Growth	%									
Algorithm Grades %										
#2 Sawlog	H	12	12		14		59			
#3 Sawlog	I	8	8			35				
#4 Sawlog	J	49	49		64			68	100	
#5 Utility	U	25	25		17	60	41			
#6 Utility	X	4	4		2			32		
#7 Chipper	Y	2	2		3	5				
Statistical Summary										
Coeff. of Variation	%	51.6	51.6		5.4	90.4	173.2	173.2	173.2	
Two Standard Error	%	81.4	81.4		49.5	98.7	363.6	363.6	181.8	
Number and Type of Plots		MP = 3	CP = 3							
Number of Potential Trees		14								
Plots/Ha		1.0								
Cruised Trees/Plot		3.8								

*** 1 tree(s) changed to tree class 4:10 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Type Summary

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 227
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

19-Aug-2019 01:40:39PM
Filename: CP227.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Net Area: Type 19 (M):HwCw(Plc)831, Plots in Type: 4, TUs: [CLEARCUT : 3.5]

		Total	Conifer	Decid	C	H	S	Y	PL	D
Utilization Limits										
Min DBH cm (M)					17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					15.0	15.0	15.0	15.0	15.0	15.0
Log Len m					10.0	10.0	10.0	10.0	10.0	10.0
Volume and Size Data										
Gross Merchantable	m3	2289	2289		1248	508	188		345	
Net Merchantable	m3	1840	1840		855	469	177		338	
Net Merch - All	m3/ha	526	526		244	134	51		97	
Distribution	%	100	100		46	26	10		18	
Decay	%	10	10		18	2	1			
Waste	%	3	3		6	0	0			
Waste(billing)	%	4	4		9	0	0			
Breakage	%	6	6		7	5	5		2	
Total Cull (DWB)	%	20	20		31	8	6		2	
Basal Area / Ha	m2/ha	80.0	80.0		50.0	15.0	5.0		10.0	
Net VBAR	m3/m2	6.471	6.471		4.885	8.941	10.134		9.663	
Stems/Ha (Live & DP)		924.4	924.4		509.5	250.0	15.5		149.3	
Avg DBH (Live & DP)	cm	33.2	33.2		35.3	27.6	64.0		29.2	
Snags/Ha		267.9	267.9		267.9					
Avg Snag DBH	cm	17.8	17.8		17.8					
Gross Merch Vol/Tree	m3	0.71	0.71		0.70	0.58	3.46		0.66	
Net Merch Vol/Tree	m3	0.57	0.57		0.48	0.54	3.26		0.65	
Avg Weight Total Ht	m	24.7	24.7		22.5	27.4	31.7		24.9	
Avg Weight Merch Ht	m	16.7	16.7		14.8	17.5	25.7		16.5	
Avg 10.0 m Log Net	m3	0.32	0.32		0.31	0.26	1.14		0.33	
Avg 10.0 m Log Gross	m3	0.37	0.37		0.41	0.27	1.15		0.33	
Avg # of 10.0 m Logs/Tree		1.90	1.90		1.71	2.16	3.00		2.00	
Net Immature	%									
Net 2nd Growth	%									
Algorithm Grades %										
#2 Sawlog	H	6	6				63			
#4 Sawlog	J	83	83		90	88			100	
#5 Utility	U	6	6		5		37			
#6 Utility	X	4	4		5	8				
#7 Chipper	Y	1	1			4				
Statistical Summary										
Coeff. of Variation	%	16.7	16.7		59.0	23.8	173.2		173.2	
Two Standard Error	%	31.8	31.8		112.8	58.4	367.4		183.7	
Number and Type of Plots		MP = 3	CP = 1							
Number of Potential Trees		14								
Plots/Ha		1.1								
Cruised Trees/Plot		4.3								

*** 1 tree(s) changed to tree class 4:10 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 227
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

Type Summary
FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

19-Aug-2019 01:40:39PM
Filename: CP227.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Net Area: Type 20 (M):CwHw831, Plots in Type: 2, TUs: [CLEARCUT : 1.4]

		Total	Conifer	Decid	C	H	S	Y	PL	D
Utilization Limits										
Min DBH cm (M)					17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					15.0	15.0	15.0	15.0	15.0	15.0
Log Len m					10.0	10.0	10.0	10.0	10.0	10.0
Volume and Size Data										
Gross Merchantable	m3	680	680		492	188				
Net Merchantable	m3	359	359		186	173				
Net Merch - All	m3/ha	256	256		133	124				
Distribution	%	100	100		52	48				
Decay	%	22	22		30	2				
Waste	%	9	9		12	1				
Waste(billing)	%	16	16		31	1				
Breakage	%	16	16		21	5				
Total Cull (DWB)	%	47	47		62	8				
Basal Area / Ha	m2/ha	70.0	70.0		50.0	20.0				
Net VBAR	m3/m2	3.663	3.663		2.658	6.178				
Stems/Ha (Live & DP)		596.4	596.4		175.7	420.6				
Avg DBH (Live & DP)	cm	38.7	38.7		60.2	24.6				
Snags/Ha										
Avg Snag DBH	cm									
Gross Merch Vol/Tree	m3	0.81	0.81		2.00	0.32				
Net Merch Vol/Tree	m3	0.43	0.43		0.76	0.29				
Avg Weight Total Ht	m	23.1	23.1		24.4	20.0				
Avg Weight Merch Ht	m	16.1	16.1		18.9	10.7				
Avg 10.0 m Log Net	m3	0.41	0.41		0.53	0.31				
Avg 10.0 m Log Gross	m3	0.60	0.60		0.90	0.32				
Avg # of 10.0 m Logs/Tree		1.36	1.36		2.23	1.00				
Net Immature	%									
Net 2nd Growth	%									
Algorithm Grades %										
#4 Sawlog	J	60	60		22	100				
#5 Utility	U	11	11		22					
#7 Chipper	Y	29	29		56					
Statistical Summary										
Coeff. of Variation	%	63.8	63.8		137.0	15.0				
Two Standard Error	%	572.9	572.9		1231.2	135.1				
Number and Type of Plots		MP = 2								
Number of Potential Trees		7								
Plots/Ha		1.4								
Cruised Trees/Plot		3.5								

*** 1 tree(s) changed to tree class 4:10 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Type Summary

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 227
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

19-Aug-2019 01:40:39PM
Filename: CP227.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Net Area: Type 21 (M):CwHw(Ss)831, Plots in Type: 6, TUs: [CLEARCUT : 5.1]

		Total	Conifer	Decid	C	H	S	Y	PL	D
Utilization Limits										
Min DBH cm (M)					17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					15.0	15.0	15.0	15.0	15.0	15.0
Log Len m					10.0	10.0	10.0	10.0	10.0	10.0
Volume and Size Data										
Gross Merchantable	m3	2712	2712		1729	458	180	135	210	
Net Merchantable	m3	1740	1740		833	421	170	110	205	
Net Merch - All	m3/ha	341	341		163	83	33	22	40	
Distribution	%	100	100		48	24	10	6	12	
Decay	%	20	20		30	2	0	11	1	
Waste	%	8	8		12	1		0		
Waste(billing)	%	12	12		25	1		0		
Breakage	%	8	8		10	5	5	7	2	
Total Cull (DWB)	%	36	36		52	8	5	18	3	
Basal Area / Ha	m2/ha	83.3	83.3		56.7	13.3	3.3	3.3	6.7	
Net VBAR	m3/m2	4.112	4.112		2.884	6.197	10.026	6.481	6.019	
Stems/Ha (Live & DP)		798.6	798.6		244.3	338.3	36.5	21.8	157.7	
Avg DBH (Live & DP)	cm	36.4	36.4		54.3	22.4	34.1	44.1	23.2	
Snags/Ha										
Avg Snag DBH	cm									
Gross Merch Vol/Tree	m3	0.67	0.67		1.39	0.27	0.97	1.21	0.26	
Net Merch Vol/Tree	m3	0.43	0.43		0.67	0.24	0.92	0.99	0.25	
Avg Weight Total Ht	m	21.5	21.5		21.2	21.3	29.6	21.2	17.9	
Avg Weight Merch Ht	m	14.1	14.1		15.4	10.1	20.1	15.8	9.0	
Avg 10.0 m Log Net	m3	0.39	0.39		0.54	0.26	0.48	0.54	0.26	
Avg 10.0 m Log Gross	m3	0.54	0.54		0.93	0.27	0.48	0.61	0.26	
Avg # of 10.0 m Logs/Tree		1.23	1.23		1.50	1.00	2.00	2.00	1.00	
Net Immature	%									
Net 2nd Growth	%									
Algorithm Grades %										
#4 Sawlog	J	77	77		51	100	100	100	100	
#5 Utility	U	17	17		36					
#6 Utility	X				1					
#7 Chipper	Y	6	6		12					
Statistical Summary										
Coeff. of Variation	%	30.2	30.2		76.3	173.2	173.2	173.2	173.2	
Two Standard Error	%	62.8	62.8		94.2	90.9	363.6	363.6	181.8	
Number and Type of Plots		MP = 3	CP = 3							
Number of Potential Trees		14								
Plots/Ha		1.2								
Cruised Trees/Plot		4.2								

*** 1 tree(s) changed to tree class 4:10 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Type Summary

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 227
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

19-Aug-2019 01:40:39PM
Filename: CP227.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Net Area: Type 22 (M):CwHw(Ss)831, Plots in Type: 3, TUs: [CLEARCUT : 2.1]

		Total	Conifer	Decid	C	H	S	Y	PL	D
Utilization Limits										
Min DBH cm (M)					17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					15.0	15.0	15.0	15.0	15.0	15.0
Log Len m					10.0	10.0	10.0	10.0	10.0	10.0
Volume and Size Data										
Gross Merchantable	m3	1956	1956		970	686	175		125	
Net Merchantable	m3	1592	1592		671	635	164		122	
Net Merch - All	m3/ha	758	758		319	303	78		58	
Distribution	%	100	100		42	40	10		8	
Decay	%	10	10		18	2	1			
Waste	%	3	3		6	0	0			
Waste(billing)	%	4	4		9	0	0			
Breakage	%	6	6		7	5	5		2	
Total Cull (DWB)	%	19	19		31	7	6		2	
Basal Area / Ha	m2/ha	86.7	86.7		46.7	26.7	6.7		6.7	
Net VBAR	m3/m2	8.816	8.816		6.842	11.347	11.741		8.720	
Stems/Ha (Live & DP)		480.3	480.3		129.3	216.0	7.5		127.5	
Avg DBH (Live & DP)	cm	47.9	47.9		67.8	39.6	106.2		25.8	
Snags/Ha										
Avg Snag DBH	cm									
Gross Merch Vol/Tree	m3	1.94	1.94		3.57	1.51	11.09		0.47	
Net Merch Vol/Tree	m3	1.58	1.58		2.47	1.40	10.40		0.46	
Avg Weight Total Ht	m	33.1	33.1		33.8	32.3	40.1		23.3	
Avg Weight Merch Ht	m	25.6	25.6		27.1	23.5	34.8		14.0	
Avg 10.0 m Log Net	m3	0.68	0.68		0.91	0.61	2.74		0.23	
Avg 10.0 m Log Gross	m3	0.78	0.78		1.19	0.62	2.77		0.23	
Avg # of 10.0 m Logs/Tree		2.49	2.49		3.00	2.43	4.00		2.00	
Net Immature	%									
Net 2nd Growth	%									
Algorithm Grades %										
#2 Sawlog	H	25	25		46		55			
#3 Sawlog	I	3	3				30			
#4 Sawlog	J	53	53		17	100			81	
#5 Utility	U	15	15		36					
#6 Utility	X	2	2		1				19	
#7 Chipper	Y	2	2				15			
Statistical Summary										
Coeff. of Variation	%	65.1	65.1		66.2	141.4	141.4		141.4	
Two Standard Error	%	150.8	150.8		141.1	263.5	527.0		527.0	
Number and Type of Plots		MP = 2	CP = 1							
Number of Potential Trees		8								
Plots/Ha		1.4								
Cruised Trees/Plot		4.3								

*** 1 tree(s) changed to tree class 4:10 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 227
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

Type Summary
FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

19-Aug-2019 01:40:39PM
Filename: CP227.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Net Area: Type 23 (M):HwCw(Plc)831, Plots in Type: 2, TUs: [CLEARCUT : 1.2]

		Total	Conifer	Decid	C	H	S	Y	PL	D
Utilization Limits										
Min DBH cm (M)					17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					15.0	15.0	15.0	15.0	15.0	15.0
Log Len m					10.0	10.0	10.0	10.0	10.0	10.0
Volume and Size Data										
Gross Merchantable	m3	1115	1115		569	393	154			
Net Merchantable	m3	777	777		269	363	145			
Net Merch - All	m3/ha	647	647		224	302	120			
Distribution	%	100	100		35	47	19			
Decay	%	18	18		33	2	1			
Waste	%	7	7		13	0	0			
Waste(billing)	%	10	10		27	0	0			
Breakage	%	6	6		7	5	5			
Total Cull (DWB)	%	30	30		53	8	6			
Basal Area / Ha	m2/ha	100.0	100.0		60.0	30.0	10.0			
Net VBAR	m3/m2	6.473	6.473		3.740	10.083	12.047			
Stems/Ha (Live & DP)		499.8	499.8		111.3	369.8	18.7			
Avg DBH (Live & DP)	cm	50.5	50.5		82.8	32.1	82.6			
Snags/Ha										
Avg Snag DBH	cm									
Gross Merch Vol/Tree	m3	1.86	1.86		4.26	0.88	6.86			
Net Merch Vol/Tree	m3	1.30	1.30		2.02	0.82	6.46			
Avg Weight Total Ht	m	30.6	30.6		29.3	29.5	39.0			
Avg Weight Merch Ht	m	23.7	23.7		23.5	20.1	33.2			
Avg 10.0 m Log Net	m3	0.60	0.60		0.94	0.38	1.70			
Avg 10.0 m Log Gross	m3	0.79	0.79		1.73	0.39	1.72			
Avg # of 10.0 m Logs/Tree		2.36	2.36		2.46	2.25	4.00			
Net Immature	%									
Net 2nd Growth	%									
Algorithm Grades %										
#2 Sawlog	H	19	19		25		54			
#3 Sawlog	I	6	6				31			
#4 Sawlog	J	43	43			92				
#5 Utility	U	20	20		51		14			
#6 Utility	X	3	3			6	1			
#7 Chipper	Y	9	9		24	2				
Statistical Summary										
Coeff. of Variation	%	57.2	57.2		101.5	141.4	141.4			
Two Standard Error	%	514.0	514.0		912.3	1270.6	1270.6			
Number and Type of Plots		MP =	2							
Number of Potential Trees		10								
Plots/Ha		1.7								
Cruised Trees/Plot		5.0								

*** 1 tree(s) changed to tree class 4:10 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 227
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

Type Summary
FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

19-Aug-2019 01:40:39PM
Filename: CP227.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Net Area: Type 24 (M):CwHw831, Plots in Type: 3, TUs: [CLEARCUT : 1.0]

		Total	Conifer	Decid	C	H	S	Y	PL	D
Utilization Limits										
Min DBH cm (M)					17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					15.0	15.0	15.0	15.0	15.0	15.0
Log Len m					10.0	10.0	10.0	10.0	10.0	10.0
Volume and Size Data										
Gross Merchantable	m3	369	369		236	59	74			
Net Merchantable	m3	236	236		111	55	69			
Net Merch - All	m3/ha	236	236		111	55	69			
Distribution	%	100	100		47	23	29			
Decay	%	22	22		33	2	1			
Waste	%	8	8		13	0	0			
Waste(billing)	%	13	13		27	0	0			
Breakage	%	6	6		7	5	5			
Total Cull (DWB)	%	36	36		53	7	6			
Basal Area / Ha	m2/ha	46.7	46.7		33.3	6.7	6.7			
Net VBAR	m3/m2	5.731	5.731		3.337	8.262	10.382			
Stems/Ha (Live & DP)		218.4	218.4		156.2	53.1	9.1			
Avg DBH (Live & DP)	cm	52.2	52.2		52.1	40.0	96.6			
Snags/Ha										
Avg Snag DBH	cm									
Gross Merch Vol/Tree	m3	1.69	1.69		1.51	1.12	8.10			
Net Merch Vol/Tree	m3	1.08	1.08		0.71	1.04	7.61			
Avg Weight Total Ht	m	26.4	26.4		24.4	24.0	35.0			
Avg Weight Merch Ht	m	21.0	21.0		18.4	17.0	29.9			
Avg 10.0 m Log Net	m3	0.56	0.56		0.39	0.55	2.67			
Avg 10.0 m Log Gross	m3	0.80	0.80		0.71	0.56	2.70			
Avg # of 10.0 m Logs/Tree		2.12	2.12		2.12	2.00	3.00			
Net Immature	%									
Net 2nd Growth	%									
Algorithm Grades %										
#2 Sawlog	H	18	18				61			
#3 Sawlog	I	9	9		18					
#4 Sawlog	J	50	50		58	100				
#4 Shingle	M	5	5		10					
#5 Utility	U	16	16		10		39			
#6 Utility	X	2	2		4					
Statistical Summary										
Coeff. of Variation	%	24.9	24.9		41.2	141.4	141.4			
Two Standard Error	%	75.5	75.5		92.7	527.0	527.0			
Number and Type of Plots		MP = 2	CP = 1							
Number of Potential Trees		5								
Plots/Ha		3.0								
Cruised Trees/Plot		2.3								

*** 1 tree(s) changed to tree class 4:10 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 227
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

Type Summary
FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

19-Aug-2019 01:40:39PM
Filename: CP227.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Net Area: Type 25 (M):CwHw(PlcYc)8, Plots in Type: 6, TUs: [CLEARCUT : 4.3]

		Total	Conifer	Decid	C	H	S	Y	PL	D
Utilization Limits										
Min DBH cm (M)					17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					15.0	15.0	15.0	15.0	15.0	15.0
Log Len m					10.0	10.0	10.0	10.0	10.0	10.0
Volume and Size Data										
Gross Merchantable	m3	2790	2790		2497	293				
Net Merchantable	m3	1400	1400		1129	271				
Net Merch - All	m3/ha	326	326		263	63				
Distribution	%	100	100		81	19				
Decay	%	31	31		34	2				
Waste	%	12	12		14	0				
Waste(billing)	%	24	24		30	0				
Breakage	%	7	7		7	5				
Total Cull (DWB)	%	50	50		55	7				
Basal Area / Ha	m2/ha	83.3	83.3		73.3	10.0				
Net VBAR	m3/m2	3.908	3.908		3.581	6.304				
Stems/Ha (Live & DP)		357.1	357.1		237.0	120.2				
Avg DBH (Live & DP)	cm	54.5	54.5		62.8	32.5				
Snags/Ha		129.5	129.5			129.5				
Avg Snag DBH	cm	18.1	18.1			18.1				
Gross Merch Vol/Tree	m3	1.82	1.82		2.45	0.57				
Net Merch Vol/Tree	m3	0.91	0.91		1.11	0.52				
Avg Weight Total Ht	m	27.7	27.7		28.6	20.4				
Avg Weight Merch Ht	m	21.0	21.0		22.2	14.2				
Avg 10.0 m Log Net	m3	0.53	0.53		0.54	0.50				
Avg 10.0 m Log Gross	m3	0.93	0.93		1.03	0.51				
Avg # of 10.0 m Logs/Tree		1.95	1.95		2.38	1.11				
Net Immature	%									
Net 2nd Growth	%									
Algorithm Grades %										
#2 Sawlog	H	14	14		17					
#3 Sawlog	I	5	5		7					
#4 Sawlog	J	31	31		26	54				
#4 Shingle	M	3	3		4					
#5 Utility	U	41	41		39	46				
#6 Utility	X	1	1		1					
#7 Chipper	Y	5	5		6					
Statistical Summary										
Coeff. of Variation	%	76.6	76.6		55.1	180.5				
Two Standard Error	%	80.4	80.4		57.8	189.5				
Number and Type of Plots		MP = 6								
Number of Potential Trees		25								
Plots/Ha		1.4								
Cruised Trees/Plot		4.3								

*** 1 tree(s) changed to tree class 4:10 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 227
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

Type Summary
FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

19-Aug-2019 01:40:39PM
Filename: CP227.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Net Area: Type 26 (M):CwHw831, Plots in Type: 6, TUs: [CLEARCUT : 7.5]

		Total	Conifer	Decid	C	H	S	Y	PL	D
Utilization Limits										
Min DBH cm (M)					17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					15.0	15.0	15.0	15.0	15.0	15.0
Log Len m					10.0	10.0	10.0	10.0	10.0	10.0
Volume and Size Data										
Gross Merchantable	m3	5335	5335		4219	1115				
Net Merchantable	m3	3079	3079		2049	1030				
Net Merch - All	m3/ha	410	410		273	137				
Distribution	%	100	100		67	33				
Decay	%	26	26		32	2				
Waste	%	10	10		13	0				
Waste(billing)	%	17	17		26	0				
Breakage	%	7	7		7	5				
Total Cull (DWB)	%	42	42		51	8				
Basal Area / Ha	m2/ha	96.7	96.7		70.0	26.7				
Net VBAR	m3/m2	4.246	4.246		3.902	5.149				
Stems/Ha (Live & DP)		1028.1	1028.1		510.9	517.2				
Avg DBH (Live & DP)	cm	34.6	34.6		41.8	25.6				
Snags/Ha		126.7	126.7			126.7				
Avg Snag DBH	cm	18.3	18.3			18.3				
Gross Merch Vol/Tree	m3	0.69	0.69		1.10	0.29				
Net Merch Vol/Tree	m3	0.40	0.40		0.53	0.27				
Avg Weight Total Ht	m	25.5	25.5		27.6	18.4				
Avg Weight Merch Ht	m	18.1	18.1		20.6	11.5				
Avg 10.0 m Log Net	m3	0.33	0.33		0.39	0.25				
Avg 10.0 m Log Gross	m3	0.52	0.52		0.71	0.26				
Avg # of 10.0 m Logs/Tree		1.34	1.34		1.56	1.12				
Net Immature	%									
Net 2nd Growth	%									
Algorithm Grades %										
#2 Sawlog	H	11	11		17					
#4 Sawlog	J	39	39		19	82				
#5 Utility	U	25	25		32	8				
#6 Utility	X	21	21		26	10				
#7 Chipper	Y	4	4		6					
Statistical Summary										
Coeff. of Variation	%	38.7	38.7		52.2	61.5				
Two Standard Error	%	40.6	40.6		54.8	64.6				
Number and Type of Plots		MP = 6								
Number of Potential Trees		29								
Plots/Ha		0.8								
Cruised Trees/Plot		5.0								

*** 1 tree(s) changed to tree class 4:10 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 227
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

Type Summary
FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

19-Aug-2019 01:40:39PM
Filename: CP227.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Net Area: Type 27 (M):HwSsCw941, Plots in Type: 1, TUs: [CLEARCUT : 0.2]

		Total	Conifer	Decid	C	H	S	Y	PL	D
Utilization Limits										
Min DBH cm (M)					17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					15.0	15.0	15.0	15.0	15.0	15.0
Log Len m					10.0	10.0	10.0	10.0	10.0	10.0
Volume and Size Data										
Gross Merchantable	m3	197	197			130	67			
Net Merchantable	m3	130	130			67	63			
Net Merch - All	m3/ha	650	650			337	313			
Distribution	%	100	100			52	48			
Decay	%	19	19			29	2			
Waste	%	9	9			14	0			
Waste(billing)	%	14	14			27	0			
Breakage	%	5	5			5	5			
Total Cull (DWB)	%	34	34			48	7			
Basal Area / Ha	m2/ha	60.0	60.0			40.0	20.0			
Net VBAR	m3/m2	10.834	10.834			8.432	15.638			
Stems/Ha (Live & DP)		44.7	44.7			34.7	9.9			
Avg DBH (Live & DP)	cm	130.8	130.8			121.1	160.0			
Snags/Ha										
Avg Snag DBH	cm									
Gross Merch Vol/Tree	m3	22.07	22.07			18.72	33.77			
Net Merch Vol/Tree	m3	14.56	14.56			9.72	31.44			
Avg Weight Total Ht	m	52.4	52.4			49.3	58.3			
Avg Weight Merch Ht	m	46.8	46.8			42.5	52.9			
Avg 10.0 m Log Net	m3	3.36	3.36			2.49	5.52			
Avg 10.0 m Log Gross	m3	4.71	4.71			4.34	5.63			
Avg # of 10.0 m Logs/Tree		4.69	4.69			4.31	6.00			
Net Immature	%									
Net 2nd Growth	%									
Algorithm Grades %										
#1 Lum/#1 Prem	D	22	22			42				
#2 Sawlog	H	15	15			28				
#3 Sawlog	I	45	45				96			
#5 Utility	U	9	9			17				
#7 Chipper	Y	9	9			13	4			
Statistical Summary										
Coeff. of Variation	%									
Two Standard Error	%									
Number and Type of Plots		MP = 1								
Number of Potential Trees		3								
Plots/Ha		5.0								
Cruised Trees/Plot		3.0								

*** 1 tree(s) changed to tree class 4:10 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 227
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

Type Summary
FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

19-Aug-2019 01:40:39PM
Filename: CP227.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Net Area: Type 28 (M):HwSsCw941, Plots in Type: 1, TUs: [CLEARCUT : 0.3]

		Total	Conifer	Decid	C	H	S	Y	PL	D
Utilization Limits										
Min DBH cm (M)					17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					15.0	15.0	15.0	15.0	15.0	15.0
Log Len m					10.0	10.0	10.0	10.0	10.0	10.0
Volume and Size Data										
Gross Merchantable	m3	332	332			124	208			
Net Merchantable	m3	309	309			115	193			
Net Merch - All	m3/ha	1029	1029			384	644			
Distribution	%	100	100			37	63			
Decay	%	2	2			2	2			
Waste	%	0	0			0	0			
Waste(billing)	%	0	0			0	0			
Breakage	%	5	5			5	5			
Total Cull (DWB)	%	7	7			7	7			
Basal Area / Ha	m2/ha	80.0	80.0			40.0	40.0			
Net VBAR	m3/m2	12.856	12.856			9.602	16.111			
Stems/Ha (Live & DP)		263.0	263.0			252.9	10.1			
Avg DBH (Live & DP)	cm	62.2	62.2			44.9	224.7			
Snags/Ha										
Avg Snag DBH	cm									
Gross Merch Vol/Tree	m3	4.21	4.21			1.64	68.70			
Net Merch Vol/Tree	m3	3.91	3.91			1.52	63.89			
Avg Weight Total Ht	m	53.0	53.0			31.5	66.1			
Avg Weight Merch Ht	m	47.6	47.6			25.4	60.8			
Avg 10.0 m Log Net	m3	1.82	1.82			0.76	11.22			
Avg 10.0 m Log Gross	m3	1.86	1.86			0.77	11.45			
Avg # of 10.0 m Logs/Tree		2.27	2.27			2.12	6.00			
Net Immature	%									
Net 2nd Growth	%									
Algorithm Grades %										
#1 Lum/#1 Prem	D	19	19			35	10			
#1 Lum/#2 Prem	E	7	7				10			
#2 Lum/#1 Lum	F	5	5				8			
#2 Lum/#2 Lum	G	23	23				38			
#3 Sawlog	I	17	17				28			
#4 Sawlog	J	12	12			31				
#5 Utility	U	14	14			29	5			
#6 Utility	X	2	2			5				
#7 Chipper	Y	1	1				1			
Statistical Summary										
Coeff. of Variation	%									
Two Standard Error	%									
Number and Type of Plots		MP = 1								
Number of Potential Trees		4								
Plots/Ha		3.3								
Cruised Trees/Plot		4.0								

*** 1 tree(s) changed to tree class 4:10 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Volume Statistical Analysis

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 227
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

19-Aug-2019 01:40:39PM
Filename: CP227.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Utilization Levels:	Minimum DBH	Top Diameter	Stump Height
Mature Blocks: (cm)	17.5	15.0	30
Immature Blocks:(cm)	12.0	10.0	30

Standard Log Length:(m) 10.00

Forest Type	Plots Cnt	Plots Mea	Plots Tot	Area ha	Net Volume m3/ha	Proportional Volume	Trees Cnt	Trees Mea	Trees Tot	Standard Deviation	Coeff. of Variation	Sampling Error 1 SE%	Sampling Error 2 SE%
1 :Hw331	2	2	4	4.3	1018.0	0.05	10	7	17	236.9437	27.5	12.0	38.3
2 :SsHw341	11	12	23	22.4	911.4	0.27	46	53	99	292.8689	31.3	8.5	17.7
3 :CwHw(Plc)831	5	3	8	5.8	499.1	0.03	31	11	42	242.6934	67.9	19.5	46.0
4 :CwHw(Plc)821	2	2	4	3.7	866.2	0.04	10	11	21	138.9815	16.4	13.5	43.0
5 :CwHw(Plc)821	1	2	3	3.2	526.1	0.03	2	10	12	210.2571	33.0	25.9	111.3
6 :CwHw(Plc)821	7	9	16	12.8	556.3	0.09	38	46	84	371.7868	65.4	18.0	38.5
7 :CwHw(Plc)821	2	4	6	5.8	465.4	0.04	10	23	33	157.3225	32.3	14.7	37.7
8 :HwCw(Ss)831	1	2	3	2.7	704.0	0.02	6	11	17	184.0565	26.6	16.1	69.2
9 :HwCw(Ss)831	4	7	11	9.6	535.0	0.05	21	27	48	286.0309	66.1	18.0	40.1
10 :CwHw831	2	4	6	6.6	491.8	0.04	10	16	26	246.7622	52.2	23.0	59.1
11 :HwCw931	3	3	6	5.6	436.9	0.04	12	16	28	384.7419	72.3	44.9	115.4
12 :CwHwPlc931	0	2	2	2.5	434.7	0.01	0	7	7	69.3757	16.0	11.3	143.4
13 :CwHwPlc821	0	2	2	1.1	439.2	0.01	0	8	8	82.8357	18.9	13.3	169.5
14 :CwHw821	4	2	6	5.2	717.1	0.05	19	10	29	325.7816	47.2	19.3	49.5
15 :HwCw931	1	2	3	1.7	820.9	0.02	6	15	21	117.0740	13.0	8.4	36.1
16 :CwHwPlc821	1	2	3	1.7	375.4	0.01	2	10	12	219.9857	43.1	41.0	176.4
17 :CwHw(Plc)831	1	2	3	1.4	345.4	0.01	4	12	16	79.3704	20.2	13.4	57.5
18 :CwHw(Plc)831	3	3	6	5.8	400.8	0.04	9	14	23	261.9977	51.6	31.7	81.4
19 :HwCw(Plc)831	1	3	4	3.5	525.7	0.03	2	14	16	100.6839	16.7	10.0	31.8
20 :CwHw831	0	2	2	1.4	256.4	0.00	0	7	7	163.5151	63.8	45.1	572.9
21 :CwHw(Ss)831	3	3	6	5.1	341.2	0.03	11	14	25	116.0627	30.2	24.4	62.8
22 :CwHw(Ss)831	1	2	3	2.1	758.3	0.02	5	8	13	459.3299	65.1	35.0	150.8
23 :HwCw(Plc)831	0	2	2	1.2	647.3	0.01	0	10	10	370.3054	57.2	40.5	514.0
24 :CwHw831	1	2	3	1.0	235.5	0.00	2	5	7	71.2634	24.9	17.6	75.5
25 :CwHw(PlcYc)8	0	6	6	4.3	325.7	0.02	0	25	25	249.6059	76.6	31.3	80.4
26 :CwHw831	0	6	6	7.5	410.5	0.04	0	29	29	158.7553	38.7	15.8	40.6
27 :HwSsCw941	0	1	1	0.2	650.0	0.00	0	3	3	0.0000		0.0	0.0
28 :HwSsCw941	0	1	1	0.3	1028.5	0.00	0	4	4	0.0000		0.0	0.0
TOTAL	56	93	149	128.5	597.1		256	426	682		41.2	4.3	8.4

Number of live & dead potential trees sampled is 426
Number of dead useless trees sampled is 1
Number of live useless trees sampled is 10
The measured weighted sampling error is 10.0% at the 95% confidence level
The weighted sampling error is 8.4% at the 95% confidence level

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Basal Area Statistical Analysis

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 227
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

19-Aug-2019 01:40:39PM
Filename: CP227.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Utilization Levels:	Minimum DBH	Top Diameter	Stump Height
Mature Blocks: (cm)	17.5	15.0	30
Immature Blocks:(cm)	12.0	10.0	30

Standard Log Length:(m) 10.00

Forest Type	Plots Cnt	Mea	Tot	Area ha	Basal Area m2/ha	Proportional Basal Area	Trees Cnt	Mea	Tot	Standard Deviation	Coeff. of Variation	Sampling Error 1 SE%	2 SE%
1 :Hw331	2	2	4	4.3	85.0	0.03	10	7	17	19.1485	22.5	11.3	35.8
2 :SsHw341	11	12	23	22.4	86.1	0.17	46	53	99	38.8165	45.1	9.4	19.5
3 :CwHw(Plc)831	5	3	8	5.8	84.0	0.04	31	11	42	55.2604	65.8	23.3	55.0
4 :CwHw(Plc)821	2	2	4	3.7	106.3	0.03	10	11	21	41.7464	39.3	19.6	62.5
5 :CwHw(Plc)821	1	2	3	3.2	81.0	0.02	2	10	12	53.5765	66.1	38.2	164.3
6 :CwHw(Plc)821	7	9	16	12.8	94.6	0.11	38	46	84	40.8968	43.2	10.8	23.0
7 :CwHw(Plc)821	2	4	6	5.8	88.0	0.04	10	23	33	24.2652	27.6	11.3	28.9
8 :HwCw(Ss)831	1	2	3	2.7	113.3	0.03	6	11	17	11.5470	10.2	5.9	25.3
9 :HwCw(Ss)831	4	7	11	9.6	87.3	0.07	21	27	48	46.7099	53.5	16.1	36.0
10 :CwHw831	2	4	6	6.6	86.7	0.05	10	16	26	24.2212	27.9	11.4	29.3
11 :HwCw931	3	3	6	5.6	93.3	0.05	12	16	28	43.2049	46.3	18.9	48.6
12 :CwHwPlc931	0	2	2	2.5	70.0	0.02	0	7	7	42.4264	60.6	42.9	544.5
13 :CwHwPlc821	0	2	2	1.1	80.0	0.01	0	8	8	0.0000		0.0	0.0
14 :CwHw821	4	2	6	5.2	96.7	0.04	19	10	29	32.0416	33.1	13.5	34.8
15 :HwCw931	1	2	3	1.7	140.0	0.02	6	15	21	20.0000	14.3	8.2	35.5
16 :CwHwPlc821	1	2	3	1.7	80.0	0.01	2	10	12	69.2820	86.6	50.0	215.2
17 :CwHw(Plc)831	1	2	3	1.4	106.7	0.01	4	12	16	30.5505	28.6	16.5	71.2
18 :CwHw(Plc)831	3	3	6	5.8	76.7	0.04	9	14	23	34.4480	44.9	18.3	47.2
19 :HwCw(Plc)831	1	3	4	3.5	80.0	0.02	2	14	16	32.6599	40.8	20.4	65.0
20 :CwHw831	0	2	2	1.4	70.0	0.01	0	7	7	42.4264	60.6	42.9	544.5
21 :CwHw(Ss)831	3	3	6	5.1	83.3	0.04	11	14	25	32.0416	38.4	15.7	40.4
22 :CwHw(Ss)831	1	2	3	2.1	86.7	0.02	5	8	13	41.6333	48.0	27.7	119.3
23 :HwCw(Plc)831	0	2	2	1.2	100.0	0.01	0	10	10	0.0000		0.0	0.0
24 :CwHw831	1	2	3	1.0	46.7	0.00	2	5	7	11.5470	24.7	14.3	61.5
25 :CwHw(PlcYc)8	0	6	6	4.3	83.3	0.03	0	25	25	49.6655	59.6	24.3	62.6
26 :CwHw831	0	6	6	7.5	96.7	0.06	0	29	29	38.8158	40.2	16.4	42.1
27 :HwSsCw941	0	1	1	0.2	60.0	0.00	0	3	3	0.0000		0.0	0.0
28 :HwSsCw941	0	1	1	0.3	80.0	0.00	0	4	4	0.0000		0.0	0.0
TOTAL	56	93	149	128.5	88.7		256	426	682		44.5	3.6	7.1

Number of live & dead potential trees sampled is 426
Number of dead useless trees sampled is 1
Number of live useless trees sampled is 10
The measured weighted sampling error is 8.7% at the 95% confidence level
The weighted sampling error is 7.1% at the 95% confidence level

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Cutting Permit Stand Table (stems/ha)

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 227
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

19-Aug-2019 01:40:39PM
Filename: CP227.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

[CLEARCUT : 128.5]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Min DBH cm (I)	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15		43.7	21.7				65.3	28.8		
20	8.7	124.6					133.3	51.6	6.9	19.0
25	50.5	79.6	12.0		28.7	10.6	181.5	28.4		
30	14.3	35.8			13.0	9.3	72.4	16.3		
35	16.4	29.7	5.6		5.7	3.0	60.4	24.5		
40	14.7	15.1	4.7	1.1	1.8	2.7	40.1	3.7		
45	8.6	14.4	4.7	0.9	1.2		29.7	3.6		
50	7.0	15.3	6.4		1.6		30.3	3.9		
55	14.3	4.7	9.2		0.8		29.0	1.3		
60	12.2	6.3	3.8				22.3	1.6		
65	5.4	2.0	1.7				9.2	1.3		
70	4.3						4.3	4.2		
75	9.3	0.6	1.0				10.9			
80	2.9	0.5	1.7				5.2	0.8		
85	3.0	0.5	0.2				3.7	0.4		
90	3.4	0.1					3.4	0.3		
95	1.8	0.4	0.1				2.3			
100	1.5	0.4	0.6				2.5			
105	0.4	0.0	0.1				0.5	0.1		
110	0.3						0.3	0.1		
115										
120	0.4						0.4			
125	0.2						0.2			
130										
135	0.2						0.2			
140										
145										
150		0.0	0.0				0.0			
175										
200										
225	0.1		0.0				0.2			
250										
275										
Total	179.9	373.8	73.6	2.0	52.7	25.6	707.6			
Dead P	88.5	37.6	34.6	2.8	2.9	4.7		171.0		
Dead U	6.9								6.9	
Live U	7.3	11.7								19.0
		Average DBH (cm) at 5 Levels								
12.5 +	49.2	29.8	41.6	42.7	29.7	30.1	37.0	30.7	18.2	18.1
17.5 +	49.2	31.3	48.8	42.7	29.7	30.1	38.6	32.8	18.2	18.1
22.5 +	50.2	36.5	48.8	42.7	29.7	30.1	42.1	38.0		
27.5 +	57.6	42.4	54.0	42.7	34.3	32.1	49.1	42.7		
32.5 +	60.3	46.4	54.0	42.7	39.8	36.8	53.4	46.7		

*** 1 tree(s) changed to tree class 4:10 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Cutting Permit Stock Table (m3/ha)

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 227
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

19-Aug-2019 01:40:39PM
Filename: CP227.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

[CLEARCUT : 128.5]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Min DBH cm (I)	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15		3.1	1.2				4.3	3.8		
20	1.1	16.8					17.9	6.3		
25	12.9	27.4	4.1		11.3	6.3	61.9	4.9		
30	6.6	21.2			7.5	6.2	41.5	5.6		
35	7.5	29.0	3.9		4.4	3.4	48.1	10.3		
40	9.2	20.9	6.9	1.4	2.1	3.8	44.2	1.6		
45	6.2	25.3	8.0	0.9	1.7		42.1	1.5		
50	5.7	35.3	14.5		2.3		57.8	2.7		
55	15.4	13.7	26.6		1.5		57.2	0.8		
60	15.4	18.4	14.2				48.0	1.5		
65	7.1	6.7	6.8				20.6	0.8		
70	6.9						6.9	4.6		
75	16.0	4.2	5.5				25.7			
80	6.0	4.3	10.3				20.5	1.7		
85	7.3	2.3	1.1				10.7	1.0		
90	8.6	0.6					9.2	0.7		
95	6.9	1.7	0.5				9.1			
100	4.1	2.4	5.9				12.4			
105	1.0	0.5	1.3				2.8	0.4		
110	1.3						1.3	0.4		
115										
120	1.8						1.8			
125	1.2						1.2			
130										
135	0.3						0.3			
140										
145										
150		0.0	0.5				0.5			
175										
200										
225	1.1		1.5				2.6			
250										
275										
Total	149.5	233.7	112.6	2.2	30.8	19.6	548.5			
Dead P	30.3	5.9	8.4	0.6	0.6	2.9		48.6		
			Volume (m3/ha) for 7 Levels							
17.5 +	149.5	230.6	111.5	2.2	30.8	19.6	544.2	44.8		
22.5 +	148.4	213.9	111.5	2.2	30.8	19.6	526.3	38.5		
27.5 +	135.5	186.4	107.4	2.2	19.5	13.4	464.4	33.6		
32.5 +	128.9	165.2	107.4	2.2	12.0	7.2	422.9	28.0		
37.5 +	121.4	136.3	103.5	2.2	7.7	3.8	374.8	17.7		
42.5 +	112.2	115.4	96.6	0.9	5.5		330.6	16.1		
47.5 +	106.0	90.1	88.6		3.9		288.5	14.6		

*** 1 tree(s) changed to tree class 4:10 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Cutting Permit Basal Area Table (m2/ha)

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 227
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

19-Aug-2019 01:40:39PM
Filename: CP227.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

[CLEARCUT : 128.5]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Min DBH cm (I)	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15		0.8	0.3				1.1	0.6		
20	0.3	3.8					4.1	1.7	0.2	0.5
25	2.5	3.8	0.6		1.4	0.6	8.9	1.4		
30	1.0	2.5			0.8	0.6	5.0	1.1		
35	1.6	2.8	0.5		0.5	0.3	5.7	2.3		
40	1.8	1.9	0.6	0.2	0.2	0.3	5.0	0.5		
45	1.4	2.3	0.8	0.1	0.2		4.7	0.5		
50	1.3	3.0	1.2		0.3		5.9	0.8		
55	3.4	1.2	2.2		0.2		6.9	0.3		
60	3.5	1.8	1.1				6.4	0.4		
65	1.8	0.7	0.6				3.1	0.4		
70	1.6						1.6	1.6		
75	4.1	0.3	0.4				4.8			
80	1.5	0.3	0.9				2.6	0.4		
85	1.7	0.3	0.1				2.0	0.2		
90	2.1	0.0					2.2	0.2		
95	1.3	0.3	0.1				1.6			
100	1.2	0.3	0.5				2.0			
105	0.3	0.0	0.1				0.4	0.1		
110	0.3						0.3	0.1		
115										
120	0.5						0.5			
125	0.2						0.2			
130										
135	0.3						0.3			
140										
145										
150		0.0	0.0				0.1			
175										
200										
225	0.6		0.1				0.6			
250										
275										
Total	34.2	26.1	10.0	0.3	3.7	1.8	76.1			
Dead P	9.4	1.5	1.1	0.2	0.1	0.3		12.6		
Dead U	0.2								0.2	
Live U	0.2	0.3								0.5
Basal Area (m2/ha) at 5 Levels										
12.5 +	34.2	26.1	10.0	0.3	3.7	1.8	76.1	12.6	0.2	0.5
17.5 +	34.2	25.3	9.7	0.3	3.7	1.8	75.0	12.0	0.2	0.5
22.5 +	33.9	21.5	9.7	0.3	3.7	1.8	70.9	10.3		
27.5 +	31.4	17.7	9.1	0.3	2.2	1.2	62.0	8.9		
32.5 +	30.4	15.2	9.1	0.3	1.4	0.6	57.0	7.8		

*** 1 tree(s) changed to tree class 4:10 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Block Stand Table (stems/ha)

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 227
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

19-Aug-2019 01:40:39PM
Filename: CP227.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Block : (I) - 406:COL406, Plots in Block: 27, TUs: [CLEARCUT : 26.7]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (I)	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15		210.1	104.3				314.4	138.8		
20		88.8					88.8			
25		76.1	30.0			51.0	157.1			
30		31.8				44.8	76.6	22.4		
35		51.5	15.4			14.4	81.3	15.9		
40			22.5			13.1	35.6			
45		16.7	18.1				34.8			
50		24.4	24.2				48.7			
55		10.2	42.3				52.5			
60		4.3	15.3				19.6			
65			4.1				4.1			
70										
75	3.0	2.7	3.3				9.0			
80		2.6	2.7				5.3			
85										
90	2.0						2.0			
95	1.8						1.8			
100	1.6		2.1				3.6			
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	8.4	519.3	284.2			123.2	935.1			
Dead P			154.7			22.4		177.1		
Dead U										
Live U										
			Average DBH (cm) at 5 Levels							
12.5 +	88.0	27.7	39.6			30.1	33.0	20.3		
17.5 +	88.0	33.7	48.7			30.1	39.2	31.0		
22.5 +	88.0	38.0	48.7			30.1	41.6	31.0		
27.5 +	88.0	43.4	52.2			32.1	46.8	31.0		
32.5 +	88.0	46.2	52.2			36.8	50.2	33.8		

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Block Stand Table (stems/ha)

Average Line Method | Grades: MOF Computerized | FIZ: A | 19-Aug-2019 01:40:39PM
HUSBY FOREST PRODUCTS LTD. | Computerized Decay | PSYU: Queen Charlotte | Filename: CP227.ccp
Licence Number: A16869 CP: 227 | Computerized Waste | Region: 2 - West Coast | Compiled by: Husby Forest Products Ltd.
Project: 1 | Computerized Breakage | District: 07 - Haida Gwaii | Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Block : (M) - 441:COL441, Plots in Block: 37, TUs: [CLEARCUT : 31.3]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20		233.3					233.3	151.1	28.5	
25	56.5	95.0			25.8		177.3	43.1		
30	15.7	84.9			36.5		137.1	15.8		
35		38.4					38.4	27.8		
40	14.5	15.9					30.4	5.7		
45		27.1	3.9		4.7		35.8	14.7		
50	19.2	14.7					33.9	4.7		
55	5.1	2.4	1.8				9.3			
60	5.9	4.5					10.3			
65	3.6	8.4					12.0			
70								6.5		
75	7.4		1.2				8.6			
80	4.0		2.4				6.4	1.4		
85	7.2	2.1					9.3	1.7		
90	2.5						2.5	1.1		
95	1.4						1.4			
100	2.8		0.7				3.6			
105										
110	1.0						1.0			
115										
120										
125	0.8						0.8			
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	147.6	526.7	10.0		67.0		751.3			
Dead P	131.1	130.5			12.1			273.7		
Dead U	28.5								28.5	
Live U										
		Average DBH (cm) at 5 Levels								
12.5 +	50.3	29.2	65.8		27.8		35.0	30.0	18.2	
17.5 +	50.3	29.2	65.8		27.8		35.0	30.0	18.2	
22.5 +	50.3	35.3	65.8		27.8		40.1	38.5		
27.5 +	61.2	39.4	65.8		30.6		46.3	44.4		
32.5 +	66.1	45.6	65.8		43.1		55.0	47.6		

*** 1 tree(s) changed to tree class 4:7 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Block Stand Table (stems/ha)

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 227
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

19-Aug-2019 01:40:39PM
Filename: CP227.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Block : (M) - 442:COL442, Plots in Block: 42, TUs: [CLEARCUT : 36.7]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20		53.4					53.4	11.0		
25	99.8	58.8	20.3		49.3		228.3	38.3		
30	29.5	15.0					44.4	17.8		
35	21.6	14.2	3.3		20.0		59.2	44.3		
40	20.3	31.4			6.3		58.0			
45	21.0	9.7					30.7			
50	2.5	19.8	4.7				27.0	4.6		
55	14.9	5.6			2.7		23.1			
60	23.2	15.1	2.3				40.5	5.5		
65	5.2						5.2	2.4		
70	9.0						9.0	3.8		
75	9.5						9.5			
80	1.2		2.0				3.2	1.5		
85	3.1						3.1			
90	3.3						3.3			
95	2.8						2.8			
100										
105	1.2						1.2			
110	0.3						0.3			
115										
120	1.4						1.4			
125										
130										
135	0.7						0.7			
140										
145										
150										
175										
200										
225	0.5						0.5			
250										
275										
Total	271.0	223.1	32.6		78.3		604.9			
Dead P	100.2	20.4	8.5					129.1		
Dead U										
Live U										
			Average DBH (cm) at 5 Levels							
12.5 +	47.2	35.3	38.8		31.3		40.8	35.7		
17.5 +	47.2	35.3	38.8		31.3		40.8	35.7		
22.5 +	47.2	39.1	38.8		31.3		42.3	36.8		
27.5 +	56.1	45.0	54.9		37.3		51.0	41.2		
32.5 +	60.0	46.8	54.9		37.3		53.5	44.0		

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Block Stand Table (stems/ha)

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 227
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

19-Aug-2019 01:40:39PM
Filename: CP227.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Block : (M) - 444:COL444, Plots in Block: 29, TUs: [CLEARCUT : 21.5]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20	52.2	105.6					157.7			43.6
25	49.2	83.3			49.9		182.4	16.6		
30	12.1				24.3		36.4			
35	61.0	17.3	8.7				87.0			
40	32.0	13.4		6.6			52.1			
45	15.6	9.1		5.2			29.8			
50	3.0				9.7		12.7			
55	34.0						34.0	8.1		
60	16.1						16.1			
65	14.1		5.3				19.4			
70	3.5						3.5	4.2		
75	13.0						13.0			
80	3.7						3.7			
85	1.0		1.0				2.1			
90	1.7						1.7			
95	1.5	2.6	0.4				4.6			
100	3.0	2.3					5.2			
105			0.7				0.7			
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	316.6	233.5	16.1	11.8	83.9		662.0			
Dead P	12.2			16.6				28.8		
Dead U										
Live U	43.6									43.6
			Average DBH (cm) at 5 Levels							
12.5 +	44.4	29.9	56.4	42.7	29.3		38.5	43.6		17.8
17.5 +	44.4	29.9	56.4	42.7	29.3		38.5	43.6		17.8
22.5 +	47.9	35.1	56.4	42.7	29.3		42.4	43.6		
27.5 +	51.6	49.1	56.4	42.7	35.8		49.8	59.4		
32.5 +	52.6	49.1	56.4	42.7	48.5		51.8	59.4		

*** 1 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Block Stand Table (stems/ha)

Average Line Method | Grades: MOF Computerized | FIZ: A | 19-Aug-2019 01:40:39PM
HUSBY FOREST PRODUCTS LTD. | Computerized Decay | PSYU: Queen Charlotte | Filename: CP227.ccp
Licence Number: A16869 CP: 227 | Computerized Waste | Region: 2 - West Coast | Compiled by: Husby Forest Products Ltd.
Project: 1 | Computerized Breakage | District: 07 - Haida Gwaii | Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Block : (M) - 457:COL457, Plots in Block: 12, TUs: [CLEARCUT : 11.8]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20		178.3					178.3	126.4		127.8
25		108.6					108.6	46.1		
30		46.7					46.7	29.8		
35		23.6					23.6	19.4		
40								25.5		
45										
50	11.7	10.7					22.4	16.1		
55	34.4	4.7					39.1			
60	16.2						16.2			
65	7.2						7.2	6.9		
70	12.3						12.3	9.1		
75	22.0						22.0			
80	11.1						11.1			
85	2.2						2.2			
90	12.1						12.1			
95										
100										
105								1.4		
110								1.3		
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	129.2	372.5					501.8			
Dead P	281.8							281.8		
Dead U										
Live U		127.8								127.8
		Average DBH (cm) at 5 Levels								
12.5 +	67.4	26.5					41.1	33.7		18.2
17.5 +	67.4	26.5					41.1	33.7		18.2
22.5 +	67.4	30.5					48.7	41.4		
27.5 +	67.4	36.1					57.0	46.8		
32.5 +	67.4	42.2					62.4	51.6		

*** 2 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Block Stand Table (stems/ha)

Average Line Method | Grades: MOF Computerized | FIZ: A | 19-Aug-2019 01:40:39PM
HUSBY FOREST PRODUCTS LTD. | Computerized Decay | PSYU: Queen Charlotte | Filename: CP227.ccp
Licence Number: A16869 CP: 227 | Computerized Waste | Region: 2 - West Coast | Compiled by: Husby Forest Products Ltd.
Project: 1 | Computerized Breakage | District: 07 - Haida Gwaii | Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Block : (M) - 811:TAR811, Plots in Block: 2, TUs: [CLEARCUT : 0.5]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20										
25										
30										
35		133.7					133.7			
40										
45										
50										
55										
60										
65										
70										
75										
80										
85										
90		18.0					18.0			
95										
100										
105		9.6					9.6			
110										
115										
120										
125										
130										
135										
140										
145										
150		4.3	4.0				8.3			
175										
200										
225			6.1				6.1			
250										
275										
Total		165.6	10.0				175.7			
Dead P										
Dead U										
Live U										
		Average DBH (cm) at 5 Levels								
12.5 +		55.5	201.5				72.2			
17.5 +		55.5	201.5				72.2			
22.5 +		55.5	201.5				72.2			
27.5 +		55.5	201.5				72.2			
32.5 +		55.5	201.5				72.2			

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Block Stock Table (m3/ha)

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 227
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

19-Aug-2019 01:40:39PM
Filename: CP227.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Block : (I) - 406:COL406, Plots in Block: 27, TUs: [CLEARCUT : 26.7]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (I)	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15		15.1	5.6				20.7	18.4		
20		17.5					17.5			
25		31.9	9.7			30.1	71.8			
30		26.2				29.9	56.1	14.0		
35		62.4	8.5			16.3	87.2	9.8		
40			33.2			18.2	51.3			
45		32.5	30.5				63.0			
50		68.1	58.7				126.8			
55		36.6	122.6				159.2			
60		19.4	56.5				76.0			
65			18.0				18.0			
70										
75	10.0	20.3	19.2				49.5			
80		20.9	18.9				39.8			
85										
90	10.4						10.4			
95	13.3						13.3			
100	4.6		21.3				25.9			
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	38.3	351.0	402.8			94.4	886.4			
Dead P			28.2			14.0		42.2		
			Volume (m3/ha) for 7 Levels							
17.5 +	38.3	335.9	397.2			94.4	865.8	23.7		
22.5 +	38.3	318.4	397.2			94.4	848.3	23.7		
27.5 +	38.3	286.4	387.5			64.3	776.5	23.7		
32.5 +	38.3	260.2	387.5			34.5	720.4	9.8		
37.5 +	38.3	197.8	379.0			18.2	633.2			
42.5 +	38.3	197.8	345.8				581.8			
47.5 +	38.3	165.3	315.3				518.8			

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Block Stock Table (m3/ha)

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 227
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

19-Aug-2019 01:40:39PM
Filename: CP227.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Block : (M) - 441:COL441, Plots in Block: 37, TUs: [CLEARCUT : 31.3]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20		23.7					23.7	18.5		
25	12.7	32.0			6.7		51.4	7.6		
30	4.6	49.2			19.9		73.7	2.8		
35		33.8					33.8	9.2		
40	12.3	17.2					29.6	1.7		
45		48.6	6.8		6.9		62.3	6.0		
50	14.3	30.9					45.2	2.3		
55	3.9	6.6	4.5				14.9			
60	8.3	13.5					21.8			
65	4.0	27.6					31.6			
70								9.2		
75	12.7		6.1				18.8			
80	8.8		13.2				22.0	2.8		
85	17.7	9.3					27.1	3.9		
90	8.8						8.8	2.9		
95	7.0						7.0			
100	8.7		6.3				15.0			
105										
110	4.0						4.0			
115										
120										
125	4.8						4.8			
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	132.7	292.5	36.7		33.5		495.4			
Dead P	47.9	16.8			2.3			67.0		
			Volume (m3/ha) for 7 Levels							
17.5 +	132.7	292.5	36.7		33.5		495.4	67.0		
22.5 +	132.7	268.8	36.7		33.5		471.7	48.5		
27.5 +	120.0	236.8	36.7		26.8		420.3	41.0		
32.5 +	115.3	187.6	36.7		6.9		346.6	38.2		
37.5 +	115.3	153.8	36.7		6.9		312.8	29.0		
42.5 +	103.0	136.6	36.7		6.9		283.2	27.3		
47.5 +	103.0	87.9	30.0				220.9	21.3		

*** 1 tree(s) changed to tree class 4:7 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Block Stock Table (m3/ha)

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 227
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

19-Aug-2019 01:40:39PM
Filename: CP227.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Block : (M) - 442:COL442, Plots in Block: 42, TUs: [CLEARCUT : 36.7]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20		5.2					5.2	1.8		
25	26.1	21.4	7.2		24.9		79.6	6.2		
30	15.8	6.3					22.1	3.4		
35	12.9	11.6	2.9		15.2		42.6	17.4		
40	9.9	47.9			7.5		65.3			
45	14.7	14.1					28.8			
50	2.9	41.0	8.0				52.0	3.4		
55	22.8	12.3			5.4		40.4			
60	31.6	38.7	8.5				78.7	5.4		
65	7.9						7.9	0.2		
70	16.7						16.7	3.8		
75	16.5						16.5			
80	1.8		10.9				12.7	3.5		
85	8.1						8.1			
90	3.5						3.5			
95	6.2						6.2			
100										
105	3.5						3.5			
110	1.1						1.1			
115										
120	6.2						6.2			
125										
130										
135	0.9						0.9			
140										
145										
150										
175										
200										
225	3.9						3.9			
250										
275										
Total	212.8	198.5	37.4		52.9		501.7			
Dead P	29.9	6.2	8.8					45.0		
			Volume (m3/ha) for 7 Levels							
17.5 +	212.8	198.5	37.4		52.9		501.7	45.0		
22.5 +	212.8	193.3	37.4		52.9		496.4	43.2		
27.5 +	186.7	171.9	30.2		28.1		416.9	37.0		
32.5 +	170.9	165.6	30.2		28.1		394.8	33.6		
37.5 +	158.0	154.0	27.4		12.8		352.2	16.3		
42.5 +	148.1	106.1	27.4		5.4		286.9	16.3		
47.5 +	133.4	92.0	27.4		5.4		258.1	16.3		

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Block Stock Table (m3/ha)

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 227
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

19-Aug-2019 01:40:39PM
Filename: CP227.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Block : (M) - 444:COL444, Plots in Block: 29, TUs: [CLEARCUT : 21.5]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20	6.5	22.4					29.0			
25	14.1	27.1			15.2		56.4	3.8		
30	5.5				15.7		21.2			
35	22.9	19.7	7.9				50.5			
40	20.1	17.8		8.2			46.1			
45	12.1	16.2		5.1			33.4			
50	1.6				13.9		15.5			
55	31.9						31.9	5.1		
60	18.7						18.7			
65	18.0		18.2				36.3			
70	3.9						3.9	0.4		
75	16.4						16.4			
80	8.5						8.5			
85	1.8		6.7				8.5			
90	4.2						4.2			
95	4.1	10.1	3.2				17.4			
100	5.9	14.3					20.2			
105			7.6				7.6			
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	196.2	127.6	43.7	13.3	44.8		425.7			
Dead P	5.5			3.8				9.3		
			Volume (m3/ha) for 7 Levels							
17.5 +	196.2	127.6	43.7	13.3	44.8		425.7	9.3		
22.5 +	189.7	105.1	43.7	13.3	44.8		396.7	9.3		
27.5 +	175.6	78.0	43.7	13.3	29.6		340.3	5.5		
32.5 +	170.1	78.0	43.7	13.3	13.9		319.0	5.5		
37.5 +	147.2	58.3	35.8	13.3	13.9		268.6	5.5		
42.5 +	127.2	40.6	35.8	5.1	13.9		222.5	5.5		
47.5 +	115.1	24.3	35.8		13.9		189.1	5.5		

*** 1 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Block Stock Table (m3/ha)

Average Line Method | Grades: MOF Computerized | FIZ: A | 19-Aug-2019 01:40:39PM
HUSBY FOREST PRODUCTS LTD. | Computerized Decay | PSYU: Queen Charlotte | Filename: CP227.ccp
Licence Number: A16869 CP: 227 | Computerized Waste | Region: 2 - West Coast | Compiled by: Husby Forest Products Ltd.
Project: 1 | Computerized Breakage | District: 07 - Haida Gwaii | Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Block : (M) - 457:COL457, Plots in Block: 12, TUs: [CLEARCUT : 11.8]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20		23.0					23.0	14.2		
25		25.3					25.3	7.3		
30		21.9					21.9	11.5		
35		8.9					8.9	11.2		
40								13.2		
45										
50	12.4	20.5					32.9	12.0		
55	28.5	10.6					39.2			
60	13.8						13.8			
65	9.6						9.6	8.2		
70	16.2						16.2	13.1		
75	36.6						36.6			
80	20.3						20.3			
85	3.6						3.6			
90	28.9						28.9			
95										
100										
105								4.4		
110								4.4		
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	169.9	110.2					280.2			
Dead P	99.4							99.4		
		Volume (m3/ha) for 7 Levels								
17.5 +	169.9	110.2					280.2	99.4		
22.5 +	169.9	87.3					257.2	85.2		
27.5 +	169.9	61.9					231.8	77.9		
32.5 +	169.9	40.1					210.0	66.4		
37.5 +	169.9	31.1					201.0	55.2		
42.5 +	169.9	31.1					201.0	42.0		
47.5 +	169.9	31.1					201.0	42.0		

*** 2 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Block Stock Table (m3/ha)

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 227
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

19-Aug-2019 01:40:39PM
Filename: CP227.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Block : (M) - 811:TAR811, Plots in Block: 2, TUs: [CLEARCUT : 0.5]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20										
25										
30										
35		82.0					82.0			
40										
45										
50										
55										
60										
65										
70										
75										
80										
85										
90		148.4					148.4			
95										
100										
105		125.8					125.8			
110										
115										
120										
125										
130										
135										
140										
145										
150		9.1	125.1				134.2			
175										
200										
225			386.7				386.7			
250										
275										
Total		365.3	511.8				877.1			
Dead P										
		Volume (m3/ha) for 7 Levels								
17.5 +		365.3	511.8				877.1			
22.5 +		365.3	511.8				877.1			
27.5 +		365.3	511.8				877.1			
32.5 +		365.3	511.8				877.1			
37.5 +		283.3	511.8				795.1			
42.5 +		283.3	511.8				795.1			
47.5 +		283.3	511.8				795.1			

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Block Basal Area Table (m2/ha)

Average Line Method | Grades: MOF Computerized | FIZ: A | 19-Aug-2019 01:40:39PM
HUSBY FOREST PRODUCTS LTD. | Computerized Decay | PSYU: Queen Charlotte | Filename: CP227.ccp
Licence Number: A16869 CP: 227 | Computerized Waste | Region: 2 - West Coast | Compiled by: Husby Forest Products Ltd.
Project: 1 | Computerized Breakage | District: 07 - Haida Gwaii | Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Block : (I) - 406:COL406, Plots in Block: 27, TUs: [CLEARCUT : 26.7]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (I)	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15		3.8	1.4				5.2	2.9		
20		2.5					2.5			
25		3.7	1.4			2.9	8.0			
30		2.4				2.9	5.3	1.5		
35		4.9	1.4			1.5	7.8	1.4		
40			2.9			1.5	4.3			
45		2.5	2.9				5.4			
50		5.1	4.6				9.7			
55		2.5	10.0				12.5			
60		1.3	4.5				5.7			
65			1.4				1.4			
70										
75	1.3	1.3	1.4				4.0			
80		1.3	1.4				2.7			
85										
90	1.3						1.3			
95	1.3						1.3			
100	1.3		1.6				2.9			
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	5.1	31.3	35.0			8.8	80.2			
Dead P			4.3			1.5		5.7		
Dead U										
Live U										
		Basal Area (m2/ha) at 5 Levels								
12.5 +	5.1	31.3	35.0			8.8	80.2	5.7		
17.5 +	5.1	27.5	33.6			8.8	74.9	2.9		
22.5 +	5.1	25.0	33.6			8.8	72.4	2.9		
27.5 +	5.1	21.3	32.1			5.8	64.4	2.9		
32.5 +	5.1	18.9	32.1			2.9	59.0	1.4		

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Block Basal Area Table (m2/ha)

Average Line Method | Grades: MOF Computerized | FIZ: A | 19-Aug-2019 01:40:39PM
HUSBY FOREST PRODUCTS LTD. | Computerized Decay | PSYU: Queen Charlotte | Filename: CP227.ccp
Licence Number: A16869 CP: 227 | Computerized Waste | Region: 2 - West Coast | Compiled by: Husby Forest Products Ltd.
Project: 1 | Computerized Breakage | District: 07 - Haida Gwaii | Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Block : (M) - 441:COL441, Plots in Block: 37, TUs: [CLEARCUT : 31.3]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20		6.6					6.6	5.1	0.7	
25	2.6	4.4			1.0		8.0	1.9		
30	1.0	5.7			2.3		9.0	1.0		
35		3.5					3.5	2.7		
40	1.9	2.0					3.9	0.7		
45		4.4	0.7		0.7		5.8	2.2		
50	3.6	2.7					6.3	1.0		
55	1.2	0.6	0.4				2.2			
60	1.7	1.2					2.9			
65	1.2	3.0					4.2			
70								2.5		
75	3.4		0.6				3.9			
80	2.1		1.2				3.3	0.7		
85	4.0	1.2					5.1	1.0		
90	1.7						1.7	0.7		
95	1.0						1.0			
100	2.2		0.6				2.8			
105										
110	1.0						1.0			
115										
120										
125	1.0						1.0			
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	29.4	35.2	3.4		4.1		72.1			
Dead P	14.5	4.4			0.5			19.3		
Dead U	0.7								0.7	
Live U										
		Basal Area (m2/ha) at 5 Levels								
12.5 +	29.4	35.2	3.4		4.1		72.1	19.3	0.7	
17.5 +	29.4	35.2	3.4		4.1		72.1	19.3	0.7	
22.5 +	29.4	28.7	3.4		4.1		65.5	14.2		
27.5 +	26.8	24.2	3.4		3.0		57.5	12.3		
32.5 +	25.8	18.5	3.4		0.7		48.5	11.3		

*** 1 tree(s) changed to tree class 4:7 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Block Basal Area Table (m2/ha)

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 227
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

19-Aug-2019 01:40:39PM
Filename: CP227.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Block : (M) - 442:COL442, Plots in Block: 42, TUs: [CLEARCUT : 36.7]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20		1.5					1.5	0.4		
25	5.1	2.8	0.9		2.9		11.7	1.9		
30	2.2	1.1					3.4	1.2		
35	2.0	1.3	0.3		1.7		5.4	4.1		
40	2.4	4.1			0.8		7.4			
45	3.3	1.5					4.8			
50	0.4	3.9	0.9				5.3	0.8		
55	3.6	1.3			0.6		5.6			
60	6.7	4.3	0.7				11.6	1.5		
65	1.7						1.7	0.8		
70	3.4						3.4	1.4		
75	4.1						4.1			
80	0.6		1.0				1.6	0.7		
85	1.7						1.7			
90	2.0						2.0			
95	2.0						2.0			
100										
105	1.1						1.1			
110	0.3						0.3			
115										
120	1.6						1.6			
125										
130										
135	1.0						1.0			
140										
145										
150										
175										
200										
225	1.9						1.9			
250										
275										
Total	47.4	21.9	3.9		6.0		79.1			
Dead P	10.4	1.6	0.9					12.9		
Dead U										
Live U										
	Basal Area (m2/ha) at 5 Levels									
12.5 +	47.4	21.9	3.9		6.0		79.1	12.9		
17.5 +	47.4	21.9	3.9		6.0		79.1	12.9		
22.5 +	47.4	20.4	3.9		6.0		77.6	12.5		
27.5 +	42.2	17.7	2.9		3.2		66.0	10.6		
32.5 +	40.0	16.5	2.9		3.2		62.6	9.4		

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Block Basal Area Table (m2/ha)

Average Line Method | Grades: MOF Computerized | FIZ: A | 19-Aug-2019 01:40:39PM
HUSBY FOREST PRODUCTS LTD. | Computerized Decay | PSYU: Queen Charlotte | Filename: CP227.ccp
Licence Number: A16869 CP: 227 | Computerized Waste | Region: 2 - West Coast | Compiled by: Husby Forest Products Ltd.
Project: 1 | Computerized Breakage | District: 07 - Haida Gwaii | Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Block : (M) - 444:COL444, Plots in Block: 29, TUs: [CLEARCUT : 21.5]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20	1.6	4.0					5.6			1.1
25	2.5	3.9			2.2		8.6	0.9		
30	0.9				1.6		2.5			
35	6.1	1.9	0.8				8.7			
40	3.9	1.7		0.9			6.4			
45	2.5	1.3		0.8			4.6			
50	0.6				1.8		2.4			
55	8.0						8.0	1.8		
60	4.4						4.4			
65	4.9		1.7				6.6			
70	1.3						1.3	1.6		
75	5.7						5.7			
80	1.8						1.8			
85	0.6		0.6				1.1			
90	1.1						1.1			
95	1.1	1.8	0.3				3.2			
100	2.2	1.8					4.0			
105			0.7				0.7			
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	49.1	16.4	4.0	1.7	5.7		76.9			
Dead P	3.4			0.9				4.3		
Dead U										
Live U	1.1									1.1
Basal Area (m2/ha) at 5 Levels										
12.5 +	49.1	16.4	4.0	1.7	5.7		76.9	4.3		1.1
17.5 +	49.1	16.4	4.0	1.7	5.7		76.9	4.3		1.1
22.5 +	47.6	12.4	4.0	1.7	5.7		71.3	4.3		
27.5 +	45.1	8.4	4.0	1.7	3.4		62.7	3.4		
32.5 +	44.2	8.4	4.0	1.7	1.8		60.1	3.4		

*** 1 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Block Basal Area Table (m2/ha)

Average Line Method | Grades: MOF Computerized | FIZ: A | 19-Aug-2019 01:40:39PM
HUSBY FOREST PRODUCTS LTD. | Computerized Decay | PSYU: Queen Charlotte | Filename: CP227.ccp
Licence Number: A16869 CP: 227 | Computerized Waste | Region: 2 - West Coast | Compiled by: Husby Forest Products Ltd.
Project: 1 | Computerized Breakage | District: 07 - Haida Gwaii | Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Block : (M) - 457:COL457, Plots in Block: 12, TUs: [CLEARCUT : 11.8]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20		6.4					6.4	4.2		3.3
25		5.5					5.5	2.1		
30		3.3					3.3	2.1		
35		2.1					2.1	2.1		
40								3.3		
45										
50	2.4	2.1					4.5	3.3		
55	7.9	1.2					9.1			
60	4.5						4.5			
65	2.4						2.4	2.1		
70	4.9						4.9	3.3		
75	9.7						9.7			
80	5.5						5.5			
85	1.2						1.2			
90	7.6						7.6			
95										
100										
105								1.2		
110								1.2		
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	46.1	20.6					66.7			
Dead P	25.1							25.1		
Dead U										
Live U		3.3								3.3
		Basal Area (m2/ha) at 5 Levels								
12.5 +	46.1	20.6					66.7	25.1		3.3
17.5 +	46.1	20.6					66.7	25.1		3.3
22.5 +	46.1	14.2					60.3	20.9		
27.5 +	46.1	8.8					54.9	18.8		
32.5 +	46.1	5.5					51.5	16.7		

*** 2 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Block Basal Area Table (m2/ha)

Average Line Method | Grades: MOF Computerized | FIZ: A | 19-Aug-2019 01:40:39PM
HUSBY FOREST PRODUCTS LTD. | Computerized Decay | PSYU: Queen Charlotte | Filename: CP227.ccp
Licence Number: A16869 CP: 227 | Computerized Waste | Region: 2 - West Coast | Compiled by: Husby Forest Products Ltd.
Project: 1 | Computerized Breakage | District: 07 - Haida Gwaii | Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Block : (M) - 811:TAR811, Plots in Block: 2, TUs: [CLEARCUT : 0.5]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20										
25										
30										
35		12.0					12.0			
40										
45										
50										
55										
60										
65										
70										
75										
80										
85										
90		12.0					12.0			
95										
100										
105		8.0					8.0			
110										
115										
120										
125										
130										
135										
140										
145										
150		8.0	8.0				16.0			
175										
200										
225			24.0				24.0			
250										
275										
Total		40.0	32.0				72.0			
Dead P										
Dead U										
Live U										
		Basal Area (m2/ha) at 5 Levels								
12.5 +		40.0	32.0				72.0			
17.5 +		40.0	32.0				72.0			
22.5 +		40.0	32.0				72.0			
27.5 +		40.0	32.0				72.0			
32.5 +		40.0	32.0				72.0			

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Type Stand Table (stems/ha)

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 227
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

19-Aug-2019 01:40:39PM
Filename: CP227.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Type 1 (I):Hw331, Plots in Type: 4, TUs: [CLEARCUT : 4.3]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (I)	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20										
25		328.8					328.8			
30		197.5					197.5			
35		148.2					148.2			
40										
45										
50			103.2				103.2			
55										
60			33.8				33.8			
65										
70										
75										
80										
85										
90										
95										
100			12.9				12.9			
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total		674.5	149.9				824.4			
Dead P										
Dead U										
Live U										
		Average DBH (cm) at 5 Levels								
12.5 +		29.1	58.3				36.2			
17.5 +		29.1	58.3				36.2			
22.5 +		29.1	58.3				36.2			
27.5 +		33.2	58.3				42.4			
32.5 +		35.9	58.3				48.5			

*** 1 tree(s) changed to tree class 4:10 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Type Stand Table (stems/ha)

Average Line Method | Grades: MOF Computerized | FIZ: A | 19-Aug-2019 01:40:39PM
HUSBY FOREST PRODUCTS LTD. | Computerized Decay | PSYU: Queen Charlotte | Filename: CP227.ccp
Licence Number: A16869 CP: 227 | Computerized Waste | Region: 2 - West Coast | Compiled by: Husby Forest Products Ltd.
Project: 1 | Computerized Breakage | District: 07 - Haida Gwaii | Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Type 2 (I):SsHw341, Plots in Type: 23, TUs: [CLEARCUT : 22.4]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (I)	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15		250.4	124.3				374.7	165.4		
20		105.8					105.8			
25		27.6	35.8			60.7	124.1			
30						53.4	53.4	26.7		
35		33.0	18.3			17.2	68.4	19.0		
40			26.8			15.6	42.4			
45		19.9	21.6				41.5			
50		29.1	9.1				38.2			
55		12.2	50.4				62.6			
60		5.2	11.7				16.9			
65			4.9				4.9			
70										
75	3.6	3.3	3.9				10.8			
80		3.1	3.2				6.3			
85										
90	2.4						2.4			
95	2.1						2.1			
100	1.9						1.9			
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	10.0	489.5	310.0			146.9	956.4			
Dead P			184.4			26.7		211.1		
Dead U										
Live U										
			Average DBH (cm) at 5 Levels							
12.5 +	88.0	27.3	37.4			30.1	32.5	20.3		
17.5 +	88.0	35.9	47.1			30.1	40.0	31.0		
22.5 +	88.0	45.0	47.1			30.1	43.3	31.0		
27.5 +	88.0	48.6	51.0			32.1	47.9	31.0		
32.5 +	88.0	48.6	51.0			36.8	50.5	33.8		

*** 1 tree(s) changed to tree class 4:10 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Type Stand Table (stems/ha)

Average Line Method | Grades: MOF Computerized | FIZ: A | 19-Aug-2019 01:40:39PM
HUSBY FOREST PRODUCTS LTD. | Computerized Decay | PSYU: Queen Charlotte | Filename: CP227.ccp
Licence Number: A16869 CP: 227 | Computerized Waste | Region: 2 - West Coast | Compiled by: Husby Forest Products Ltd.
Project: 1 | Computerized Breakage | District: 07 - Haida Gwaii | Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Type 3 (M):CwHw(Plc)831, Plots in Type: 8, TUs: [CLEARCUT : 5.8]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20								466.4		
25	145.7						145.7			
30					159.0		159.0			
35										
40										
45										
50										
55										
60										
65		45.1					45.1			
70								16.0		
75			6.4				6.4			
80	11.5						11.5			
85	10.6						10.6			
90										
95										
100	15.3		3.9				19.3			
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	183.1	45.1	10.3		159.0		397.5			
Dead P	16.0	466.4						482.4		
Dead U										
Live U										
			Average DBH (cm) at 5 Levels							
12.5 +	45.7	67.2	86.1		28.3		44.6	24.1		
17.5 +	45.7	67.2	86.1		28.3		44.6	24.1		
22.5 +	45.7	67.2	86.1		28.3		44.6	69.0		
27.5 +	90.4	67.2	86.1		28.3		53.2	69.0		
32.5 +	90.4	67.2	86.1				79.4	69.0		

*** 1 tree(s) changed to tree class 4:10 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Type Stand Table (stems/ha)

Average Line Method | Grades: MOF Computerized | FIZ: A | 19-Aug-2019 01:40:39PM
HUSBY FOREST PRODUCTS LTD. | Computerized Decay | PSYU: Queen Charlotte | Filename: CP227.ccp
Licence Number: A16869 CP: 227 | Computerized Waste | Region: 2 - West Coast | Compiled by: Husby Forest Products Ltd.
Project: 1 | Computerized Breakage | District: 07 - Haida Gwaii | Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Type 4 (M):CwHw(Plc)821, Plots in Type: 4, TUs: [CLEARCUT : 3.7]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20										
25										
30		172.2					172.2			
35		128.7					128.7			
40										
45		136.8					136.8	52.8		
50		60.8					60.8	39.5		
55										
60										
65										
70										
75										
80			20.3				20.3			
85								14.3		
90										
95										
100										
105										
110	8.8						8.8			
115										
120										
125	6.7						6.7			
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	15.4	498.4	20.3				534.1			
Dead P	106.6							106.6		
Dead U										
Live U										
		Average DBH (cm) at 5 Levels								
12.5 +	115.6	37.7	79.7				44.2	53.9		
17.5 +	115.6	37.7	79.7				44.2	53.9		
22.5 +	115.6	37.7	79.7				44.2	53.9		
27.5 +	115.6	37.7	79.7				44.2	53.9		
32.5 +	115.6	41.7	79.7				49.9	53.9		

*** 1 tree(s) changed to tree class 4:10 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Type Stand Table (stems/ha)

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 227
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

19-Aug-2019 01:40:39PM
Filename: CP227.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Type 5 (M):CwHw(Plc)821, Plots in Type: 3, TUs: [CLEARCUT : 3.2]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20		442.1					442.1			
25										
30										
35										
40										
45		71.1	38.3		46.3		155.6			
50										
55										
60										
65										
70								34.6		
75										
80								14.0		
85		20.7					20.7			
90	10.2						10.2	10.9		
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	10.2	533.9	38.3		46.3		628.6			
Dead P	59.6							59.6		
Dead U										
Live U										
			Average DBH (cm) at 5 Levels							
12.5 +	92.0	28.4	47.4		43.1		33.1	75.9		
17.5 +	92.0	28.4	47.4		43.1		33.1	75.9		
22.5 +	92.0	55.9	47.4		43.1		54.0	75.9		
27.5 +	92.0	55.9	47.4		43.1		54.0	75.9		
32.5 +	92.0	55.9	47.4		43.1		54.0	75.9		

*** 1 tree(s) changed to tree class 4:10 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Type Stand Table (stems/ha)

Average Line Method | Grades: MOF Computerized | FIZ: A | 19-Aug-2019 01:40:39PM
HUSBY FOREST PRODUCTS LTD. | Computerized Decay | PSYU: Queen Charlotte | Filename: CP227.ccp
Licence Number: A16869 CP: 227 | Computerized Waste | Region: 2 - West Coast | Compiled by: Husby Forest Products Ltd.
Project: 1 | Computerized Breakage | District: 07 - Haida Gwaii | Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Type 6 (M):CwHw(Plc)821, Plots in Type: 16, TUs: [CLEARCUT : 12.8]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20		388.9					388.9	107.7		
25		146.2			63.1		209.3			
30	38.4	82.3					120.8	38.7		
35		35.2					35.2	32.0		
40	35.6	24.2					59.8			
45		9.1					9.1	20.7		
50	27.9	18.3					46.2			
55	12.5	5.9	4.4				22.7			
60	7.8	10.9					18.7			
65	8.9						8.9			
70										
75	10.5						10.5			
80	4.5						4.5			
85	12.8						12.8			
90	3.6						3.6			
95	3.3						3.3			
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	165.7	721.0	4.4		63.1		954.2			
Dead P	91.4	107.7						199.1		
Dead U										
Live U										
		Average DBH (cm) at 5 Levels								
12.5 +	55.1	26.5	53.8		22.6		33.3	27.4		
17.5 +	55.1	26.5	53.8		22.6		33.3	27.4		
22.5 +	55.1	33.0	53.8		22.6		40.1	34.0		
27.5 +	55.1	38.1	53.8				47.0	34.0		
32.5 +	61.0	44.2	53.8				54.1	37.9		

*** 1 tree(s) changed to tree class 4:10 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Type Stand Table (stems/ha)

Average Line Method | Grades: MOF Computerized | FIZ: A | 19-Aug-2019 01:40:39PM
HUSBY FOREST PRODUCTS LTD. | Computerized Decay | PSYU: Queen Charlotte | Filename: CP227.ccp
Licence Number: A16869 CP: 227 | Computerized Waste | Region: 2 - West Coast | Compiled by: Husby Forest Products Ltd.
Project: 1 | Computerized Breakage | District: 07 - Haida Gwaii | Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Type 7 (M):CwHw(Plc)821, Plots in Type: 6, TUs: [CLEARCUT : 5.8]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20		157.2					157.2	111.5	153.8	
25	159.1	190.1					349.2	232.4		
30		166.5			38.0		204.4			
35		47.3					47.3	79.5		
40		32.3					32.3	31.0		
45										
50	42.0						42.0			
55										
60	14.5						14.5			
65										
70										
75	16.9						16.9			
80										
85										
90										
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	232.5	593.4			38.0		863.8			
Dead P	389.0				65.3			454.4		
Dead U	153.8								153.8	
Live U										
		Average DBH (cm) at 5 Levels								
12.5 +	38.7	26.2			29.9		30.2	27.0	18.2	
17.5 +	38.7	26.2			29.9		30.2	27.0	18.2	
22.5 +	38.7	28.6			29.9		32.3	28.7		
27.5 +	58.2	32.2			29.9		38.7	36.7		
32.5 +	58.2	35.8					47.8	36.7		

*** 1 tree(s) changed to tree class 4:10 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Type Stand Table (stems/ha)

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 227
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

19-Aug-2019 01:40:39PM
Filename: CP227.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Type 8 (M):HwCw(Ss)831, Plots in Type: 3, TUs: [CLEARCUT : 2.7]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20		726.2					726.2			
25					118.2		118.2			
30										
35	112.9						112.9			
40										
45	151.6						151.6			
50		50.5					50.5			
55	136.9	40.9					177.8			
60										
65										
70										
75										
80										
85										
90										
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	401.4	817.6			118.2		1337.2			
Dead P										
Dead U										
Live U										
		Average DBH (cm) at 5 Levels								
12.5 +	46.0	25.0			26.8		32.8			
17.5 +	46.0	25.0			26.8		32.8			
22.5 +	46.0	52.8			26.8		44.1			
27.5 +	46.0	52.8					47.3			
32.5 +	46.0	52.8					47.3			

*** 1 tree(s) changed to tree class 4:10 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Type Stand Table (stems/ha)

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 227
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

19-Aug-2019 01:40:39PM
Filename: CP227.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Type 9 (M):HwCw(Ss)831, Plots in Type: 11, TUs: [CLEARCUT : 9.6]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20										
25	61.6	113.3	36.5				211.4	59.1		
30								45.4		
35	33.8	54.4			63.8		152.0	33.2		
40	49.4	36.8					86.1			
45	17.7						17.7			
50		23.4					23.4			
55	11.1						11.1			
60	18.8						18.8			
65										
70	30.1						30.1			
75	26.5						26.5			
80								5.6		
85	4.9						4.9			
90										
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	254.0	227.9	36.5		63.8		582.1			
Dead P	143.3							143.3		
Dead U										
Live U										
			Average DBH (cm) at 5 Levels							
12.5 +	49.3	33.4	25.2		33.0		40.7	31.9		
17.5 +	49.3	33.4	25.2		33.0		40.7	31.9		
22.5 +	49.3	33.4	25.2		33.0		40.7	31.9		
27.5 +	55.0	40.8			33.0		47.7	36.0		
32.5 +	55.0	40.8			33.0		47.7	43.3		

*** 1 tree(s) changed to tree class 4:10 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Type Stand Table (stems/ha)

Average Line Method | Grades: MOF Computerized | FIZ: A | 19-Aug-2019 01:40:39PM
HUSBY FOREST PRODUCTS LTD. | Computerized Decay | PSYU: Queen Charlotte | Filename: CP227.ccp
Licence Number: A16869 CP: 227 | Computerized Waste | Region: 2 - West Coast | Compiled by: Husby Forest Products Ltd.
Project: 1 | Computerized Breakage | District: 07 - Haida Gwaii | Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Type 10 (M):CwHw831, Plots in Type: 6, TUs: [CLEARCUT : 6.6]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20										
25	102.7						102.7			
30		61.8					61.8			
35								111.5		
40		34.7					34.7			
45		30.7					30.7			
50		25.5	26.2				51.7	25.7		
55										
60	20.1						20.1	22.2		
65	17.2						17.2			
70								16.3		
75										
80										
85										
90	9.7						9.7			
95	8.0						8.0			
100										
105	6.9						6.9			
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	164.6	152.7	26.2				343.5			
Dead P	103.0	25.7	47.0					175.7		
Dead U										
Live U										
		Average DBH (cm) at 5 Levels								
12.5 +	52.4	39.5	49.3				46.9	44.6		
17.5 +	52.4	39.5	49.3				46.9	44.6		
22.5 +	52.4	39.5	49.3				46.9	44.6		
27.5 +	78.1	39.5	49.3				53.1	44.6		
32.5 +	78.1	44.3	49.3				58.8	44.6		

*** 1 tree(s) changed to tree class 4:10 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Type Stand Table (stems/ha)

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 227
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

19-Aug-2019 01:40:39PM
Filename: CP227.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Type 11 (M):HwCw931, Plots in Type: 6, TUs: [CLEARCUT : 5.6]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20										
25		95.6					95.6	103.5		
30										
35								72.7		
40		42.5			26.0		68.5			
45										
50		26.3					26.3			
55										
60	44.9						44.9			
65										
70										
75										
80			13.2				13.2			
85	11.6						11.6			
90	9.9						9.9			
95	9.2						9.2			
100										
105										
110										
115										
120	5.4						5.4			
125										
130										
135	4.4						4.4			
140										
145										
150										
175										
200										
225	3.2						3.2			
250										
275										
Total	88.8	164.4	13.2		26.0		292.5			
Dead P	72.7	103.5						176.2		
Dead U										
Live U										
			Average DBH (cm) at 5 Levels							
12.5 +	90.4	34.1	80.1		40.4		59.7	28.6		
17.5 +	90.4	34.1	80.1		40.4		59.7	28.6		
22.5 +	90.4	34.1	80.1		40.4		59.7	28.6		
27.5 +	90.4	43.0	80.1		40.4		70.6	33.3		
32.5 +	90.4	43.0	80.1		40.4		70.6	33.3		

*** 1 tree(s) changed to tree class 4:10 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Type Stand Table (stems/ha)

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 227
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

19-Aug-2019 01:40:39PM
Filename: CP227.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Type 12 (M):CwHwPlc931, Plots in Type: 2, TUs: [CLEARCUT : 2.5]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20										
25		213.9					213.9			
30										
35										
40										
45		61.8					61.8			
50										
55										
60	37.6		33.3				70.9			
65	30.8						30.8			
70										
75	22.5						22.5			
80										
85										
90										
95										
100										
105										
110										
115										
120	9.2						9.2			
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	100.1	275.6	33.3				409.0			
Dead P										
Dead U										
Live U										
		Average DBH (cm) at 5 Levels								
12.5 +	71.3	30.4	61.8				46.7			
17.5 +	71.3	30.4	61.8				46.7			
22.5 +	71.3	30.4	61.8				46.7			
27.5 +	71.3	45.4	61.8				62.6			
32.5 +	71.3	45.4	61.8				62.6			

*** 1 tree(s) changed to tree class 4:10 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Type Stand Table (stems/ha)

Average Line Method | Grades: MOF Computerized | FIZ: A | 19-Aug-2019 01:40:39PM
HUSBY FOREST PRODUCTS LTD. | Computerized Decay | PSYU: Queen Charlotte | Filename: CP227.ccp
Licence Number: A16869 CP: 227 | Computerized Waste | Region: 2 - West Coast | Compiled by: Husby Forest Products Ltd.
Project: 1 | Computerized Breakage | District: 07 - Haida Gwaii | Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Type 13 (M):CwHwPlc821, Plots in Type: 2, TUs: [CLEARCUT : 1.1]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20										
25										
30										
35					110.8		110.8			
40										
45										
50		47.3					47.3			
55		85.0					85.0			
60										
65										
70								27.4		
75										
80	39.5						39.5			
85										
90										
95										
100										
105										
110	11.0						11.0			
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	50.4	132.3			110.8		293.5			
Dead P	27.4							27.4		
Dead U										
Live U										
			Average DBH (cm) at 5 Levels							
12.5 +	87.0	53.7			33.9		55.1	68.2		
17.5 +	87.0	53.7			33.9		55.1	68.2		
22.5 +	87.0	53.7			33.9		55.1	68.2		
27.5 +	87.0	53.7			33.9		55.1	68.2		
32.5 +	87.0	53.7			33.9		55.1	68.2		

*** 1 tree(s) changed to tree class 4:10 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Type Stand Table (stems/ha)

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 227
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

19-Aug-2019 01:40:39PM
Filename: CP227.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Type 14 (M):CwHw821, Plots in Type: 6, TUs: [CLEARCUT : 5.2]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20										
25	460.3		76.2		286.9		823.4			
30	208.0						208.0			
35										
40										
45										
50										
55										
60	27.2	106.5					133.7			
65										
70										
75										
80										
85										
90										
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	695.5	106.5	76.2		286.9		1165.0			
Dead P										
Dead U										
Live U										
	Average DBH (cm) at 5 Levels									
12.5 +	29.2	59.9	23.6		27.2		32.5			
17.5 +	29.2	59.9	23.6		27.2		32.5			
22.5 +	29.2	59.9	23.6		27.2		32.5			
27.5 +	35.5	59.9					44.6			
32.5 +	60.3	59.9					60.0			

*** 1 tree(s) changed to tree class 4:10 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Type Stand Table (stems/ha)

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 227
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

19-Aug-2019 01:40:39PM
Filename: CP227.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Type 15 (M):HwCw931, Plots in Type: 3, TUs: [CLEARCUT : 1.7]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20										
25										
30								126.8		
35	96.9						96.9	96.3		
40	159.9	196.0			50.0		405.8			
45	112.0						112.0			
50	53.4						53.4			
55	41.3						41.3			
60								31.8		
65										
70										
75	21.8						21.8			
80										
85										
90										
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	485.2	196.0			50.0		731.2			
Dead P	255.0							255.0		
Dead U										
Live U										
			Average DBH (cm) at 5 Levels							
12.5 +	45.1	41.6			41.2		43.9	38.1		
17.5 +	45.1	41.6			41.2		43.9	38.1		
22.5 +	45.1	41.6			41.2		43.9	38.1		
27.5 +	45.1	41.6			41.2		43.9	38.1		
32.5 +	45.1	41.6			41.2		43.9	43.9		

*** 1 tree(s) changed to tree class 4:10 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Type Stand Table (stems/ha)

Average Line Method | Grades: MOF Computerized | FIZ: A | 19-Aug-2019 01:40:39PM
HUSBY FOREST PRODUCTS LTD. | Computerized Decay | PSYU: Queen Charlotte | Filename: CP227.ccp
Licence Number: A16869 CP: 227 | Computerized Waste | Region: 2 - West Coast | Compiled by: Husby Forest Products Ltd.
Project: 1 | Computerized Breakage | District: 07 - Haida Gwaii | Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Type 16 (M):CwHwPlc821, Plots in Type: 3, TUs: [CLEARCUT : 1.7]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20								238.1		
25								151.9		
30		82.9					82.9			
35			70.9				70.9			
40										
45										
50										
55					57.8		57.8			
60	29.5						29.5			
65								51.5		
70	24.0						24.0			
75										
80										
85										
90										
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	53.5	82.9	70.9		57.8		265.1			
Dead P	441.5							441.5		
Dead U										
Live U										
			Average DBH (cm) at 5 Levels							
12.5 +	65.0	32.0	34.6		54.2		46.2	32.0		
17.5 +	65.0	32.0	34.6		54.2		46.2	32.0		
22.5 +	65.0	32.0	34.6		54.2		46.2	40.9		
27.5 +	65.0	32.0	34.6		54.2		46.2	66.3		
32.5 +	65.0		34.6		54.2		51.4	66.3		

*** 1 tree(s) changed to tree class 4:10 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Type Stand Table (stems/ha)

Average Line Method | Grades: MOF Computerized | FIZ: A | 19-Aug-2019 01:40:39PM
HUSBY FOREST PRODUCTS LTD. | Computerized Decay | PSYU: Queen Charlotte | Filename: CP227.ccp
Licence Number: A16869 CP: 227 | Computerized Waste | Region: 2 - West Coast | Compiled by: Husby Forest Products Ltd.
Project: 1 | Computerized Breakage | District: 07 - Haida Gwaii | Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Type 17 (M):CwHw(Plc)831, Plots in Type: 3, TUs: [CLEARCUT : 1.4]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20		388.7					388.7			
25		164.7					164.7			
30										
35										
40	68.2						68.2			
45										
50	45.7						45.7			
55	40.4						40.4			
60	68.8						68.8			
65	114.4						114.4			
70										
75										
80										
85										
90										
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	337.5	553.4					890.9			
Dead P										
Dead U										
Live U										
		Average DBH (cm) at 5 Levels								
12.5 +	57.2	21.5					39.0			
17.5 +	57.2	21.5					39.0			
22.5 +	57.2	22.7					48.6			
27.5 +	57.2						57.2			
32.5 +	57.2						57.2			

*** 1 tree(s) changed to tree class 4:10 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Type Stand Table (stems/ha)

Average Line Method | Grades: MOF Computerized | FIZ: A | 19-Aug-2019 01:40:39PM
HUSBY FOREST PRODUCTS LTD. | Computerized Decay | PSYU: Queen Charlotte | Filename: CP227.ccp
Licence Number: A16869 CP: 227 | Computerized Waste | Region: 2 - West Coast | Compiled by: Husby Forest Products Ltd.
Project: 1 | Computerized Breakage | District: 07 - Haida Gwaii | Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Type 18 (M):CwHw(Plc)831, Plots in Type: 6, TUs: [CLEARCUT : 5.8]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20	193.3						193.3			
25	98.9						98.9	61.4		
30										
35	65.8						65.8			
40				24.5			24.5			
45	34.2						34.2			
50					36.1		36.1			
55	25.4						25.4			
60	43.1						43.1			
65			10.2				10.2			
70								15.6		
75										
80										
85										
90										
95		9.7					9.7			
100		8.4					8.4			
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	460.7	18.2	10.2	24.5	36.1		549.6			
Dead P	15.6			61.4				76.9		
Dead U										
Live U										
			Average DBH (cm) at 5 Levels							
12.5 +	33.6	96.7	64.6	41.6	48.5		39.5	39.0		
17.5 +	33.6	96.7	64.6	41.6	48.5		39.5	39.0		
22.5 +	40.8	96.7	64.6	41.6	48.5		46.9	39.0		
27.5 +	47.0	96.7	64.6	41.6	48.5		52.6	69.1		
32.5 +	47.0	96.7	64.6	41.6	48.5		52.6	69.1		

*** 1 tree(s) changed to tree class 4:10 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Type Stand Table (stems/ha)

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 227
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

19-Aug-2019 01:40:39PM
Filename: CP227.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Type 19 (M):HwCw(Plc)831, Plots in Type: 4, TUs: [CLEARCUT : 3.5]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20										267.9
25	138.5	209.6					348.1			
30	74.6				149.3		223.9			
35	105.4						105.4			
40	144.7	40.4					185.1			
45	39.0						39.0			
50										
55										
60										
65			15.5				15.5			
70										
75										
80										
85										
90										
95										
100	7.4						7.4			
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	509.5	250.0	15.5		149.3		924.4			
Dead P										
Dead U										
Live U	267.9									267.9
	Average DBH (cm) at 5 Levels									
12.5 +	35.3	27.6	64.0		29.2		33.2			17.8
17.5 +	35.3	27.6	64.0		29.2		33.2			17.8
22.5 +	35.3	27.6	64.0		29.2		33.2			
27.5 +	39.1	39.7	64.0		29.2		37.7			
32.5 +	40.9	39.7	64.0				42.0			

*** 1 tree(s) changed to tree class 4:10 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Type Stand Table (stems/ha)

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 227
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

19-Aug-2019 01:40:39PM
Filename: CP227.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Type 20 (M):CwHw831, Plots in Type: 2, TUs: [CLEARCUT : 1.4]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20										
25		420.6					420.6			
30										
35										
40										
45										
50										
55	39.7						39.7	87.2		
60										
65	28.5						28.5			
70										
75										
80	20.3						20.3			
85										
90										
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	88.6	420.6					509.2			
Dead P	87.2							87.2		
Dead U										
Live U										
		Average DBH (cm) at 5 Levels								
12.5 +	65.7	24.6					35.4	54.1		
17.5 +	65.7	24.6					35.4	54.1		
22.5 +	65.7	24.6					35.4	54.1		
27.5 +	65.7						65.7	54.1		
32.5 +	65.7						65.7	54.1		

*** 1 tree(s) changed to tree class 4:10 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Type Stand Table (stems/ha)

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 227
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

19-Aug-2019 01:40:39PM
Filename: CP227.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Type 21 (M):CwHw(Ss)831, Plots in Type: 6, TUs: [CLEARCUT : 5.1]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20		338.3					338.3			
25					157.7		157.7			
30										
35	110.1		36.5				146.6			
40										
45				21.8			21.8			
50										
55	73.2						73.2			
60										
65										
70	14.7						14.7			
75	38.8						38.8			
80										
85										
90										
95										
100	7.4						7.4			
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	244.3	338.3	36.5	21.8	157.7		798.6			
Dead P										
Dead U										
Live U										
			Average DBH (cm) at 5 Levels							
12.5 +	54.3	22.4	34.1	44.1	23.2		36.4			
17.5 +	54.3	22.4	34.1	44.1	23.2		36.4			
22.5 +	54.3		34.1	44.1	23.2		44.0			
27.5 +	54.3		34.1	44.1			51.6			
32.5 +	54.3		34.1	44.1			51.6			

*** 1 tree(s) changed to tree class 4:10 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Type Stand Table (stems/ha)

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 227
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

19-Aug-2019 01:40:39PM
Filename: CP227.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Type 22 (M):CwHw(Ss)831, Plots in Type: 3, TUs: [CLEARCUT : 2.1]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20										
25					127.5		127.5			
30										
35		123.3					123.3			
40										
45		92.7					92.7			
50										
55	46.4						46.4			
60										
65	33.0						33.0			
70										
75	26.1						26.1			
80	23.9						23.9			
85										
90										
95										
100										
105			7.5				7.5			
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	129.3	216.0	7.5		127.5		480.3			
Dead P										
Dead U										
Live U										
	Average DBH (cm) at 5 Levels									
12.5 +	67.8	39.6	106.2		25.8		47.9			
17.5 +	67.8	39.6	106.2		25.8		47.9			
22.5 +	67.8	39.6	106.2		25.8		47.9			
27.5 +	67.8	39.6	106.2				53.7			
32.5 +	67.8	39.6	106.2				53.7			

*** 1 tree(s) changed to tree class 4:10 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Type Stand Table (stems/ha)

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 227
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

19-Aug-2019 01:40:39PM
Filename: CP227.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Type 23 (M):HwCw(Plc)831, Plots in Type: 2, TUs: [CLEARCUT : 1.2]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20										
25		197.4					197.4			
30										
35		94.0					94.0			
40		78.4					78.4			
45										
50										
55										
60										
65	28.1						28.1			
70										
75	22.2						22.2			
80										
85	18.6		18.7				37.2			
90	15.0						15.0			
95	27.4						27.4			
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	111.3	369.8	18.7				499.8			
Dead P										
Dead U										
Live U										
		Average DBH (cm) at 5 Levels								
12.5 +	82.8	32.1	82.6				50.5			
17.5 +	82.8	32.1	82.6				50.5			
22.5 +	82.8	32.1	82.6				50.5			
27.5 +	82.8	38.4	82.6				61.6			
32.5 +	82.8	38.4	82.6				61.6			

*** 1 tree(s) changed to tree class 4:10 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Type Stand Table (stems/ha)

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 227
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

19-Aug-2019 01:40:39PM
Filename: CP227.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Type 24 (M):CwHw831, Plots in Type: 3, TUs: [CLEARCUT : 1.0]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20										
25										
30										
35										
40	87.1	53.1					140.2			
45										
50										
55								51.1		
60										
65										
70										
75										
80										
85										
90	18.0						18.0			
95			9.1				9.1			
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	105.1	53.1	9.1				167.2			
Dead P	51.1							51.1		
Dead U										
Live U										
		Average DBH (cm) at 5 Levels								
12.5 +	51.9	40.0	96.6				52.0	52.6		
17.5 +	51.9	40.0	96.6				52.0	52.6		
22.5 +	51.9	40.0	96.6				52.0	52.6		
27.5 +	51.9	40.0	96.6				52.0	52.6		
32.5 +	51.9	40.0	96.6				52.0	52.6		

*** 1 tree(s) changed to tree class 4:10 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Type Stand Table (stems/ha)

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 227
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

19-Aug-2019 01:40:39PM
Filename: CP227.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Type 25 (M):CwHw(PlcYc)8, Plots in Type: 6, TUs: [CLEARCUT : 4.3]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20										129.5
25		59.1					59.1			
30		48.1					48.1			
35										
40								25.7		
45										
50	32.1						32.1	17.0		
55	43.5	13.0					56.5			
60	23.1						23.1			
65	19.7						19.7			
70	33.9						33.9	8.9		
75	7.2						7.2			
80	7.0						7.0			
85	6.0						6.0			
90	5.5						5.5			
95										
100										
105								3.7		
110								3.5		
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	178.1	120.2					298.3			
Dead P	58.9							58.9		
Dead U										
Live U		129.5								129.5
		Average DBH (cm) at 5 Levels								
12.5 +	63.6	32.5					53.3	60.0		18.1
17.5 +	63.6	32.5					53.3	60.0		18.1
22.5 +	63.6	32.5					53.3	60.0		
27.5 +	63.6	37.3					58.1	60.0		
32.5 +	63.6	57.2					63.2	60.0		

*** 1 tree(s) changed to tree class 4:10 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Type Stand Table (stems/ha)

Average Line Method | Grades: MOF Computerized | FIZ: A | 19-Aug-2019 01:40:39PM
HUSBY FOREST PRODUCTS LTD. | Computerized Decay | PSYU: Queen Charlotte | Filename: CP227.ccp
Licence Number: A16869 CP: 227 | Computerized Waste | Region: 2 - West Coast | Compiled by: Husby Forest Products Ltd.
Project: 1 | Computerized Breakage | District: 07 - Haida Gwaii | Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Type 26 (M):CwHw831, Plots in Type: 6, TUs: [CLEARCUT : 7.5]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20		280.5					280.5	198.9		126.7
25		136.9					136.9	72.5		
30		45.9					45.9	46.8		
35		37.1					37.1	30.5		
40								25.4		
45										
50		16.8					16.8	15.6		
55	29.2						29.2			
60	12.2						12.2			
65								10.8		
70								9.2		
75	30.5						30.5			
80	13.4						13.4			
85										
90	15.8						15.8			
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	101.2	517.2					618.4			
Dead P	409.7							409.7		
Dead U										
Live U		126.7								126.7
		Average DBH (cm) at 5 Levels								
12.5 +	70.9	25.6					37.0	30.5		18.3
17.5 +	70.9	25.6					37.0	30.5		18.3
22.5 +	70.9	29.9					46.2	37.5		
27.5 +	70.9	35.7					56.3	42.9		
32.5 +	70.9	39.7					61.9	48.2		

*** 1 tree(s) changed to tree class 4:10 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Type Stand Table (stems/ha)

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 227
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

19-Aug-2019 01:40:39PM
Filename: CP227.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Type 27 (M):HwSsCw941, Plots in Type: 1, TUs: [CLEARCUT : 0.2]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20										
25										
30										
35										
40										
45										
50										
55										
60										
65										
70										
75										
80										
85										
90										
95										
100										
105		23.9					23.9			
110										
115										
120										
125										
130										
135										
140										
145										
150		10.8	9.9				20.7			
175										
200										
225										
250										
275										
Total		34.7	9.9				44.7			
Dead P										
Dead U										
Live U										
		Average DBH (cm) at 5 Levels								
12.5 +		121.1	160.0				130.8			
17.5 +		121.1	160.0				130.8			
22.5 +		121.1	160.0				130.8			
27.5 +		121.1	160.0				130.8			
32.5 +		121.1	160.0				130.8			

*** 1 tree(s) changed to tree class 4:10 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Type Stand Table (stems/ha)

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 227
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

19-Aug-2019 01:40:39PM
Filename: CP227.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Type 28 (M):HwSsCw941, Plots in Type: 1, TUs: [CLEARCUT : 0.3]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20										
25										
30										
35		222.9					222.9			
40										
45										
50										
55										
60										
65										
70										
75										
80										
85										
90		30.0					30.0			
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225			10.1				10.1			
250										
275										
Total		252.9	10.1				263.0			
Dead P										
Dead U										
Live U										
		Average DBH (cm) at 5 Levels								
12.5 +		44.9	224.7				62.2			
17.5 +		44.9	224.7				62.2			
22.5 +		44.9	224.7				62.2			
27.5 +		44.9	224.7				62.2			
32.5 +		44.9	224.7				62.2			

*** 1 tree(s) changed to tree class 4:10 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Type Stock Table (m3/ha)

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 227
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

19-Aug-2019 01:40:39PM
Filename: CP227.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Type 1 (I):Hw331, Plots in Type: 4, TUs: [CLEARCUT : 4.3]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (I)	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20										
25		133.4					133.4			
30		162.7					162.7			
35		169.9					169.9			
40										
45										
50			274.4				274.4			
55										
60			145.5				145.5			
65										
70										
75										
80										
85										
90										
95										
100			132.1				132.1			
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total		466.0	552.0				1018.0			
Dead P										
		Volume (m3/ha) for 7 Levels								
17.5 +		466.0	552.0				1018.0			
22.5 +		466.0	552.0				1018.0			
27.5 +		332.6	552.0				884.6			
32.5 +		169.9	552.0				721.9			
37.5 +			552.0				552.0			
42.5 +			552.0				552.0			
47.5 +			552.0				552.0			

*** 1 tree(s) changed to tree class 4:10 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Type Stock Table (m3/ha)

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 227
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

19-Aug-2019 01:40:39PM
Filename: CP227.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Type 2 (I):SsHw341, Plots in Type: 23, TUs: [CLEARCUT : 22.4]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (I)	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15		18.0	6.7				24.6	22.0		
20		20.9					20.9			
25		12.5	11.6			35.9	59.9			
30						35.6	35.6	16.7		
35		41.8	10.1			19.4	71.3	11.6		
40			39.6			21.6	61.2			
45		38.8	36.4				75.1			
50		81.1	17.3				98.4			
55		43.6	146.2				189.8			
60		23.2	39.5				62.6			
65			21.4				21.4			
70										
75	11.9	24.2	22.9				59.0			
80		24.9	22.6				47.4			
85										
90	12.4						12.4			
95	15.8						15.8			
100	5.5						5.5			
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	45.6	328.9	374.1			112.6	861.2			
Dead P			33.6			16.7		50.3		
			Volume (m3/ha) for 7 Levels							
17.5 +	45.6	310.9	367.5			112.6	836.6	28.3		
22.5 +	45.6	290.0	367.5			112.6	815.7	28.3		
27.5 +	45.6	277.6	355.9			76.7	755.7	28.3		
32.5 +	45.6	277.6	355.9			41.1	720.1	11.6		
37.5 +	45.6	235.8	345.8			21.6	648.8			
42.5 +	45.6	235.8	306.2				587.6			
47.5 +	45.6	197.0	269.8				512.4			

*** 1 tree(s) changed to tree class 4:10 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Type Stock Table (m3/ha)

Average Line Method | Grades: MOF Computerized | FIZ: A | 19-Aug-2019 01:40:39PM
HUSBY FOREST PRODUCTS LTD. | Computerized Decay | PSYU: Queen Charlotte | Filename: CP227.ccp
Licence Number: A16869 CP: 227 | Computerized Waste | Region: 2 - West Coast | Compiled by: Husby Forest Products Ltd.
Project: 1 | Computerized Breakage | District: 07 - Haida Gwaii | Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Type 3 (M):CwHw(Plc)831, Plots in Type: 8, TUs: [CLEARCUT : 5.8]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20								57.1		
25	31.2						31.2			
30					87.4		87.4			
35										
40										
45										
50										
55										
60										
65		148.8					148.8			
70								21.7		
75			32.7				32.7			
80	20.0						20.0			
85	19.5						19.5			
90										
95										
100	46.9		33.8				80.7			
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	117.6	148.8	66.5		87.4		420.3			
Dead P	21.7	57.1						78.8		
			Volume (m3/ha) for 7 Levels							
17.5 +	117.6	148.8	66.5		87.4		420.3	78.8		
22.5 +	117.6	148.8	66.5		87.4		420.3	21.7		
27.5 +	86.4	148.8	66.5		87.4		389.1	21.7		
32.5 +	86.4	148.8	66.5				301.7	21.7		
37.5 +	86.4	148.8	66.5				301.7	21.7		
42.5 +	86.4	148.8	66.5				301.7	21.7		
47.5 +	86.4	148.8	66.5				301.7	21.7		

*** 1 tree(s) changed to tree class 4:10 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Type Stock Table (m3/ha)

Average Line Method | Grades: MOF Computerized | FIZ: A | 19-Aug-2019 01:40:39PM
HUSBY FOREST PRODUCTS LTD. | Computerized Decay | PSYU: Queen Charlotte | Filename: CP227.ccp
Licence Number: A16869 CP: 227 | Computerized Waste | Region: 2 - West Coast | Compiled by: Husby Forest Products Ltd.
Project: 1 | Computerized Breakage | District: 07 - Haida Gwaii | Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Type 4 (M):CwHw(Plc)821, Plots in Type: 4, TUs: [CLEARCUT : 3.7]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20										
25										
30		118.9					118.9			
35		106.0					106.0			
40										
45		253.8					253.8	22.3		
50		126.5					126.5	19.8		
55										
60										
65										
70										
75										
80			111.3				111.3			
85								33.1		
90										
95										
100										
105										
110	33.5						33.5			
115										
120										
125	40.9						40.9			
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	74.4	605.3	111.3				791.0			
Dead P	75.2							75.2		
		Volume (m3/ha) for 7 Levels								
17.5 +	74.4	605.3	111.3				791.0	75.2		
22.5 +	74.4	605.3	111.3				791.0	75.2		
27.5 +	74.4	605.3	111.3				791.0	75.2		
32.5 +	74.4	486.4	111.3				672.1	75.2		
37.5 +	74.4	380.4	111.3				566.0	75.2		
42.5 +	74.4	380.4	111.3				566.0	75.2		
47.5 +	74.4	126.5	111.3				312.2	52.9		

*** 1 tree(s) changed to tree class 4:10 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Type Stock Table (m3/ha)

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 227
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

19-Aug-2019 01:40:39PM
Filename: CP227.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Type 5 (M):CwHw(Plc)821, Plots in Type: 3, TUs: [CLEARCUT : 3.2]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20		28.5					28.5			
25										
30										
35										
40										
45		132.6	66.3		67.2		266.0			
50										
55										
60										
65										
70								51.2		
75										
80								27.7		
85		91.4					91.4			
90	32.6						32.6	28.6		
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	32.6	252.5	66.3		67.2		418.6			
Dead P	107.5							107.5		
		Volume (m3/ha) for 7 Levels								
17.5 +	32.6	252.5	66.3		67.2		418.6	107.5		
22.5 +	32.6	224.0	66.3		67.2		390.1	107.5		
27.5 +	32.6	224.0	66.3		67.2		390.1	107.5		
32.5 +	32.6	224.0	66.3		67.2		390.1	107.5		
37.5 +	32.6	224.0	66.3		67.2		390.1	107.5		
42.5 +	32.6	224.0	66.3		67.2		390.1	107.5		
47.5 +	32.6	91.4					124.0	107.5		

*** 1 tree(s) changed to tree class 4:10 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Type Stock Table (m3/ha)

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 227
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

19-Aug-2019 01:40:39PM
Filename: CP227.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Type 6 (M):CwHw(Plc)821, Plots in Type: 16, TUs: [CLEARCUT : 12.8]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20		46.5					46.5	15.3		
25		54.2			16.4		70.6			
30	11.3	39.8					51.1	6.9		
35		35.9					35.9	9.7		
40	30.1	26.3					56.4			
45		12.4					12.4	8.2		
50	22.3	39.0					61.3			
55	9.4	16.1	11.0				36.5			
60	10.0	33.1					43.2			
65	9.8						9.8			
70										
75	15.1						15.1			
80	12.6						12.6			
85	34.6						34.6			
90	13.3						13.3			
95	17.1						17.1			
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	185.7	303.2	11.0		16.4		516.2			
Dead P	24.8	15.3						40.1		
			Volume (m3/ha) for 7 Levels							
17.5 +	185.7	303.2	11.0		16.4		516.2	40.1		
22.5 +	185.7	256.7	11.0		16.4		469.8	24.8		
27.5 +	185.7	202.5	11.0				399.1	24.8		
32.5 +	174.4	162.7	11.0				348.0	17.9		
37.5 +	174.4	126.8	11.0				312.2	8.2		
42.5 +	144.3	100.5	11.0				255.8	8.2		
47.5 +	144.3	88.2	11.0				243.4			

*** 1 tree(s) changed to tree class 4:10 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Type Stock Table (m3/ha)

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 227
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

19-Aug-2019 01:40:39PM
Filename: CP227.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Type 7 (M):CwHw(Plc)821, Plots in Type: 6, TUs: [CLEARCUT : 5.8]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20		9.5					9.5	8.8		
25	37.4	52.9					90.3	40.8		
30		101.8			20.0		121.8			
35		35.8					35.8	28.3		
40		35.1					35.1	9.3		
45										
50	27.8						27.8			
55										
60	22.5						22.5			
65										
70										
75	35.4						35.4			
80										
85										
90										
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	123.2	235.0			20.0		378.2			
Dead P	74.9				12.3			87.2		
			Volume (m3/ha) for 7 Levels							
17.5 +	123.2	235.0			20.0		378.2	87.2		
22.5 +	123.2	225.5			20.0		368.7	78.4		
27.5 +	85.8	172.7			20.0		278.4	37.6		
32.5 +	85.8	70.9					156.6	37.6		
37.5 +	85.8	35.1					120.8	9.3		
42.5 +	85.8						85.8			
47.5 +	85.8						85.8			

*** 1 tree(s) changed to tree class 4:10 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Type Stock Table (m3/ha)

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 227
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

19-Aug-2019 01:40:39PM
Filename: CP227.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Type 8 (M):HwCw(Ss)831, Plots in Type: 3, TUs: [CLEARCUT : 2.7]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20		70.8					70.8			
25					53.0		53.0			
30										
35	71.1						71.1			
40										
45	93.9						93.9			
50		88.3					88.3			
55	229.1	97.9					327.0			
60										
65										
70										
75										
80										
85										
90										
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	394.0	257.0			53.0		704.0			
Dead P										
			Volume (m3/ha) for 7 Levels							
17.5 +	394.0	257.0			53.0		704.0			
22.5 +	394.0	186.1			53.0		633.2			
27.5 +	394.0	186.1					580.1			
32.5 +	394.0	186.1					580.1			
37.5 +	323.0	186.1					509.1			
42.5 +	323.0	186.1					509.1			
47.5 +	229.1	186.1					415.2			

*** 1 tree(s) changed to tree class 4:10 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Type Stock Table (m3/ha)

Average Line Method | Grades: MOF Computerized | FIZ: A | 19-Aug-2019 01:40:39PM
HUSBY FOREST PRODUCTS LTD. | Computerized Decay | PSYU: Queen Charlotte | Filename: CP227.ccp
Licence Number: A16869 CP: 227 | Computerized Waste | Region: 2 - West Coast | Compiled by: Husby Forest Products Ltd.
Project: 1 | Computerized Breakage | District: 07 - Haida Gwaii | Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Type 9 (M):HwCw(Ss)831, Plots in Type: 11, TUs: [CLEARCUT : 9.6]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20										
25	15.7	36.4	14.6				66.6	7.8		
30								6.4		
35	19.1	44.3			47.6		111.0	7.5		
40	26.3	62.7					89.1			
45	17.7						17.7			
50		61.2					61.2			
55	9.9						9.9			
60	27.0						27.0			
65										
70	54.0						54.0			
75	48.5						48.5			
80								13.2		
85	15.0						15.0			
90										
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	233.2	204.6	14.6		47.6		500.1			
Dead P	34.9							34.9		
			Volume (m3/ha) for 7 Levels							
17.5 +	233.2	204.6	14.6		47.6		500.1	34.9		
22.5 +	233.2	204.6	14.6		47.6		500.1	34.9		
27.5 +	217.6	168.3			47.6		433.5	27.1		
32.5 +	217.6	168.3			47.6		433.5	20.7		
37.5 +	198.5	123.9					322.4	13.2		
42.5 +	172.2	61.2					233.4	13.2		
47.5 +	154.4	61.2					215.7	13.2		

*** 1 tree(s) changed to tree class 4:10 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Type Stock Table (m3/ha)

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 227
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

19-Aug-2019 01:40:39PM
Filename: CP227.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Type 10 (M):CwHw831, Plots in Type: 6, TUs: [CLEARCUT : 6.6]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20										
25	33.2						33.2			
30		20.3					20.3			
35								72.9		
40		52.0					52.0			
45		52.5					52.5			
50		45.8	44.6				90.4	19.1		
55										
60	31.7						31.7	18.9		
65	27.7						27.7			
70								20.5		
75										
80										
85										
90	16.6						16.6			
95	16.9						16.9			
100										
105	19.2						19.2			
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	145.2	170.7	44.6				360.5			
Dead P	63.2	19.1	49.0					131.4		
			Volume (m3/ha) for 7 Levels							
17.5 +	145.2	170.7	44.6				360.5	131.4		
22.5 +	145.2	170.7	44.6				360.5	131.4		
27.5 +	112.0	170.7	44.6				327.3	131.4		
32.5 +	112.0	150.3	44.6				306.9	131.4		
37.5 +	112.0	150.3	44.6				306.9	58.5		
42.5 +	112.0	98.3	44.6				254.9	58.5		
47.5 +	112.0	45.8	44.6				202.4	58.5		

*** 1 tree(s) changed to tree class 4:10 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Type Stock Table (m3/ha)

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 227
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

19-Aug-2019 01:40:39PM
Filename: CP227.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Type 11 (M):HwCw931, Plots in Type: 6, TUs: [CLEARCUT : 5.6]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20										
25		42.4					42.4	18.3		
30										
35								3.0		
40		60.3			28.7		89.0			
45										
50		52.5					52.5			
55										
60	56.6						56.6			
65										
70										
75										
80			71.4				71.4			
85	27.3						27.3			
90	3.2						3.2			
95	20.6						20.6			
100										
105										
110										
115										
120	21.4						21.4			
125										
130										
135	5.8						5.8			
140										
145										
150										
175										
200										
225	25.3						25.3			
250										
275										
Total	160.3	155.2	71.4		28.7		415.6			
Dead P	3.0	18.3						21.3		
			Volume (m3/ha) for 7 Levels							
17.5 +	160.3	155.2	71.4		28.7		415.6	21.3		
22.5 +	160.3	155.2	71.4		28.7		415.6	21.3		
27.5 +	160.3	112.8	71.4		28.7		373.2	3.0		
32.5 +	160.3	112.8	71.4		28.7		373.2	3.0		
37.5 +	160.3	112.8	71.4		28.7		373.2			
42.5 +	160.3	52.5	71.4				284.2			
47.5 +	160.3	52.5	71.4				284.2			

*** 1 tree(s) changed to tree class 4:10 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Type Stock Table (m3/ha)

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 227
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

19-Aug-2019 01:40:39PM
Filename: CP227.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Type 12 (M):CwHwPlc931, Plots in Type: 2, TUs: [CLEARCUT : 2.5]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20										
25		80.0					80.0			
30										
35										
40										
45		68.7					68.7			
50										
55										
60	39.6		124.1				163.8			
65	43.2						43.2			
70										
75	36.5						36.5			
80										
85										
90										
95										
100										
105										
110										
115										
120	42.5						42.5			
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	161.8	148.7	124.1				434.7			
Dead P										
			Volume (m3/ha) for 7 Levels							
17.5 +	161.8	148.7	124.1				434.7			
22.5 +	161.8	148.7	124.1				434.7			
27.5 +	161.8	68.7	124.1				354.7			
32.5 +	161.8	68.7	124.1				354.7			
37.5 +	161.8	68.7	124.1				354.7			
42.5 +	161.8	68.7	124.1				354.7			
47.5 +	161.8		124.1				286.0			

*** 1 tree(s) changed to tree class 4:10 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Type Stock Table (m3/ha)

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 227
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

19-Aug-2019 01:40:39PM
Filename: CP227.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Type 13 (M):CwHwPlc821, Plots in Type: 2, TUs: [CLEARCUT : 1.1]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20										
25										
30										
35					92.5		92.5			
40										
45										
50		75.9					75.9			
55		169.5					169.5			
60										
65										
70								3.0		
75										
80	61.4						61.4			
85										
90										
95										
100										
105										
110	36.8						36.8			
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	98.2	245.4			92.5		436.1			
Dead P	3.0							3.0		
			Volume (m3/ha) for 7 Levels							
17.5 +	98.2	245.4			92.5		436.1	3.0		
22.5 +	98.2	245.4			92.5		436.1	3.0		
27.5 +	98.2	245.4			92.5		436.1	3.0		
32.5 +	98.2	245.4			92.5		436.1	3.0		
37.5 +	98.2	245.4					343.6	3.0		
42.5 +	98.2	245.4					343.6	3.0		
47.5 +	98.2	245.4					343.6	3.0		

*** 1 tree(s) changed to tree class 4:10 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Type Stock Table (m3/ha)

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 227
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

19-Aug-2019 01:40:39PM
Filename: CP227.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Type 14 (M):CwHw821, Plots in Type: 6, TUs: [CLEARCUT : 5.2]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20										
25	113.1		23.7		147.9		284.7			
30	111.5						111.5			
35										
40										
45										
50										
55										
60	48.0	272.9					320.8			
65										
70										
75										
80										
85										
90										
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	272.6	272.9	23.7		147.9		717.1			
Dead P										
	Volume (m3/ha) for 7 Levels									
17.5 +	272.6	272.9	23.7		147.9		717.1			
22.5 +	272.6	272.9	23.7		147.9		717.1			
27.5 +	159.5	272.9					432.4			
32.5 +	48.0	272.9					320.8			
37.5 +	48.0	272.9					320.8			
42.5 +	48.0	272.9					320.8			
47.5 +	48.0	272.9					320.8			

*** 1 tree(s) changed to tree class 4:10 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Type Stock Table (m3/ha)

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 227
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

19-Aug-2019 01:40:39PM
Filename: CP227.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Type 15 (M):HwCw931, Plots in Type: 3, TUs: [CLEARCUT : 1.7]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20										
25										
30								36.6		
35	58.2						58.2	39.5		
40	65.4	279.3			66.3		411.1			
45	68.1						68.1			
50	63.4						63.4			
55	72.2						72.2			
60								43.1		
65										
70										
75	28.7						28.7			
80										
85										
90										
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	356.0	279.3			66.3		701.7			
Dead P	119.3							119.3		
			Volume (m3/ha) for 7 Levels							
17.5 +	356.0	279.3			66.3		701.7	119.3		
22.5 +	356.0	279.3			66.3		701.7	119.3		
27.5 +	356.0	279.3			66.3		701.7	119.3		
32.5 +	356.0	279.3			66.3		701.7	82.6		
37.5 +	297.8	279.3			66.3		643.5	43.1		
42.5 +	232.4						232.4	43.1		
47.5 +	164.3						164.3	43.1		

*** 1 tree(s) changed to tree class 4:10 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Type Stock Table (m3/ha)

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 227
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

19-Aug-2019 01:40:39PM
Filename: CP227.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Type 16 (M):CwHwPlc821, Plots in Type: 3, TUs: [CLEARCUT : 1.7]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20								39.0		
25								29.0		
30		56.6					56.6			
35			61.5				61.5			
40										
45										
50										
55					115.8		115.8			
60	14.2						14.2			
65								4.7		
70	54.6						54.6			
75										
80										
85										
90										
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	68.8	56.6	61.5		115.8		302.8			
Dead P	72.6							72.6		
			Volume (m3/ha) for 7 Levels							
17.5 +	68.8	56.6	61.5		115.8		302.8	72.6		
22.5 +	68.8	56.6	61.5		115.8		302.8	33.7		
27.5 +	68.8	56.6	61.5		115.8		302.8	4.7		
32.5 +	68.8		61.5		115.8		246.2	4.7		
37.5 +	68.8				115.8		184.6	4.7		
42.5 +	68.8				115.8		184.6	4.7		
47.5 +	68.8				115.8		184.6	4.7		

*** 1 tree(s) changed to tree class 4:10 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Type Stock Table (m3/ha)

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 227
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

19-Aug-2019 01:40:39PM
Filename: CP227.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Type 17 (M):CwHw(Plc)831, Plots in Type: 3, TUs: [CLEARCUT : 1.4]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20		43.5					43.5			
25		29.6					29.6			
30										
35										
40	31.9						31.9			
45										
50	24.5						24.5			
55	24.1						24.1			
60	57.4						57.4			
65	134.5						134.5			
70										
75										
80										
85										
90										
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	272.3	73.1					345.4			
Dead P										
		Volume (m3/ha) for 7 Levels								
17.5 +	272.3	73.1					345.4			
22.5 +	272.3	29.6					301.9			
27.5 +	272.3						272.3			
32.5 +	272.3						272.3			
37.5 +	272.3						272.3			
42.5 +	240.4						240.4			
47.5 +	240.4						240.4			

*** 1 tree(s) changed to tree class 4:10 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Type Stock Table (m3/ha)

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 227
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

19-Aug-2019 01:40:39PM
Filename: CP227.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Type 18 (M):CwHw(Plc)831, Plots in Type: 6, TUs: [CLEARCUT : 5.8]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20	24.3						24.3			
25	36.8						36.8	14.1		
30										
35	15.1						15.1			
40				30.4			30.4			
45	29.2						29.2			
50					51.4		51.4			
55	15.3						15.3			
60	55.4						55.4			
65			36.9				36.9			
70								1.6		
75										
80										
85										
90										
95		37.3					37.3			
100		52.9					52.9			
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	176.1	90.2	36.9	30.4	51.4		385.1			
Dead P	1.6			14.1				15.7		
			Volume (m3/ha) for 7 Levels							
17.5 +	176.1	90.2	36.9	30.4	51.4		385.1	15.7		
22.5 +	151.9	90.2	36.9	30.4	51.4		360.8	15.7		
27.5 +	115.0	90.2	36.9	30.4	51.4		324.0	1.6		
32.5 +	115.0	90.2	36.9	30.4	51.4		324.0	1.6		
37.5 +	99.9	90.2	36.9	30.4	51.4		308.8	1.6		
42.5 +	99.9	90.2	36.9		51.4		278.4	1.6		
47.5 +	70.7	90.2	36.9		51.4		249.2	1.6		

*** 1 tree(s) changed to tree class 4:10 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Type Stock Table (m3/ha)

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 227
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

19-Aug-2019 01:40:39PM
Filename: CP227.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Type 19 (M):HwCw(Plc)831, Plots in Type: 4, TUs: [CLEARCUT : 3.5]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20										
25	25.6	77.1					102.8			
30	33.8				96.6		130.4			
35	47.7						47.7			
40	99.3	57.0					156.2			
45	25.7						25.7			
50										
55										
60										
65			50.7				50.7			
70										
75										
80										
85										
90										
95										
100	12.2						12.2			
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	244.3	134.1	50.7		96.6		525.7			
Dead P										
			Volume (m3/ha) for 7 Levels							
17.5 +	244.3	134.1	50.7		96.6		525.7			
22.5 +	244.3	134.1	50.7		96.6		525.7			
27.5 +	218.6	57.0	50.7		96.6		422.9			
32.5 +	184.8	57.0	50.7				292.5			
37.5 +	137.1	57.0	50.7				244.8			
42.5 +	37.9		50.7				88.5			
47.5 +	12.2		50.7				62.8			

*** 1 tree(s) changed to tree class 4:10 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Type Stock Table (m3/ha)

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 227
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

19-Aug-2019 01:40:39PM
Filename: CP227.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Type 20 (M):CwHw831, Plots in Type: 2, TUs: [CLEARCUT : 1.4]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20										
25		123.6					123.6			
30										
35										
40										
45										
50										
55	68.3						68.3	58.1		
60										
65	2.1						2.1			
70										
75										
80	4.4						4.4			
85										
90										
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	74.8	123.6					198.4			
Dead P	58.1							58.1		
			Volume (m3/ha) for 7 Levels							
17.5 +	74.8	123.6					198.4	58.1		
22.5 +	74.8	123.6					198.4	58.1		
27.5 +	74.8						74.8	58.1		
32.5 +	74.8						74.8	58.1		
37.5 +	74.8						74.8	58.1		
42.5 +	74.8						74.8	58.1		
47.5 +	74.8						74.8	58.1		

*** 1 tree(s) changed to tree class 4:10 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Type Stock Table (m3/ha)

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 227
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

19-Aug-2019 01:40:39PM
Filename: CP227.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Type 21 (M):CwHw(Ss)831, Plots in Type: 6, TUs: [CLEARCUT : 5.1]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20		82.6					82.6			
25					40.1		40.1			
30										
35	46.4		33.4				79.8			
40										
45				21.6			21.6			
50										
55	56.7						56.7			
60										
65										
70	16.6						16.6			
75	27.0						27.0			
80										
85										
90										
95										
100	16.7						16.7			
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	163.4	82.6	33.4	21.6	40.1		341.2			
Dead P										
	Volume (m3/ha) for 7 Levels									
17.5 +	163.4	82.6	33.4	21.6	40.1		341.2			
22.5 +	163.4		33.4	21.6	40.1		258.6			
27.5 +	163.4		33.4	21.6			218.5			
32.5 +	163.4		33.4	21.6			218.5			
37.5 +	117.0			21.6			138.6			
42.5 +	117.0			21.6			138.6			
47.5 +	117.0						117.0			

*** 1 tree(s) changed to tree class 4:10 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Type Stock Table (m3/ha)

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 227
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

19-Aug-2019 01:40:39PM
Filename: CP227.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Type 22 (M):CwHw(Ss)831, Plots in Type: 3, TUs: [CLEARCUT : 2.1]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20										
25					58.1		58.1			
30										
35		136.4					136.4			
40										
45		166.2					166.2			
50										
55	84.9						84.9			
60										
65	74.0						74.0			
70										
75	76.7						76.7			
80	83.6						83.6			
85										
90										
95										
100										
105			78.3				78.3			
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	319.3	302.6	78.3		58.1		758.3			
Dead P										
			Volume (m3/ha) for 7 Levels							
17.5 +	319.3	302.6	78.3		58.1		758.3			
22.5 +	319.3	302.6	78.3		58.1		758.3			
27.5 +	319.3	302.6	78.3				700.2			
32.5 +	319.3	302.6	78.3				700.2			
37.5 +	319.3	166.2	78.3				563.8			
42.5 +	319.3	166.2	78.3				563.8			
47.5 +	319.3		78.3				397.6			

*** 1 tree(s) changed to tree class 4:10 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Type Stock Table (m3/ha)

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 227
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

19-Aug-2019 01:40:39PM
Filename: CP227.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Type 23 (M):HwCw(Plc)831, Plots in Type: 2, TUs: [CLEARCUT : 1.2]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20										
25		82.1					82.1			
30										
35		113.9					113.9			
40		106.5					106.5			
45										
50										
55										
60										
65	34.6						34.6			
70										
75	45.2						45.2			
80										
85	32.2		120.5				152.7			
90	38.3						38.3			
95	74.1						74.1			
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	224.4	302.5	120.5				647.3			
Dead P										
		Volume (m3/ha) for 7 Levels								
17.5 +	224.4	302.5	120.5				647.3			
22.5 +	224.4	302.5	120.5				647.3			
27.5 +	224.4	220.4	120.5				565.3			
32.5 +	224.4	220.4	120.5				565.3			
37.5 +	224.4	106.5	120.5				451.4			
42.5 +	224.4		120.5				344.8			
47.5 +	224.4		120.5				344.8			

*** 1 tree(s) changed to tree class 4:10 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Type Stock Table (m3/ha)

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 227
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

19-Aug-2019 01:40:39PM
Filename: CP227.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Type 24 (M):CwHw831, Plots in Type: 3, TUs: [CLEARCUT : 1.0]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20										
25										
30										
35										
40	39.4	55.1					94.5			
45										
50										
55								27.8		
60										
65										
70										
75										
80										
85										
90	44.1						44.1			
95			69.2				69.2			
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	83.5	55.1	69.2				207.8			
Dead P	27.8							27.8		
			Volume (m3/ha) for 7 Levels							
17.5 +	83.5	55.1	69.2				207.8	27.8		
22.5 +	83.5	55.1	69.2				207.8	27.8		
27.5 +	83.5	55.1	69.2				207.8	27.8		
32.5 +	83.5	55.1	69.2				207.8	27.8		
37.5 +	83.5	55.1	69.2				207.8	27.8		
42.5 +	44.1		69.2				113.3	27.8		
47.5 +	44.1		69.2				113.3	27.8		

*** 1 tree(s) changed to tree class 4:10 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Type Stock Table (m3/ha)

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 227
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

19-Aug-2019 01:40:39PM
Filename: CP227.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Type 25 (M):CwHw(PlcYc)8, Plots in Type: 6, TUs: [CLEARCUT : 4.3]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20										
25		16.1					16.1			
30		17.7					17.7			
35										
40								12.9		
45										
50	34.0						34.0	9.0		
55	34.5	29.2					63.7			
60	19.4						19.4			
65	26.3						26.3			
70	44.3						44.3	10.6		
75	11.9						11.9			
80	12.7						12.7			
85	9.9						9.9			
90	13.3						13.3			
95										
100										
105								12.0		
110								12.0		
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	206.1	63.0					269.2			
Dead P	56.5							56.5		
		Volume (m3/ha) for 7 Levels								
17.5 +	206.1	63.0					269.2	56.5		
22.5 +	206.1	63.0					269.2	56.5		
27.5 +	206.1	46.9					253.0	56.5		
32.5 +	206.1	29.2					235.3	56.5		
37.5 +	206.1	29.2					235.3	56.5		
42.5 +	206.1	29.2					235.3	43.6		
47.5 +	206.1	29.2					235.3	43.6		

*** 1 tree(s) changed to tree class 4:10 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Type Stock Table (m3/ha)

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 227
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

19-Aug-2019 01:40:39PM
Filename: CP227.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Type 26 (M):CwHw831, Plots in Type: 6, TUs: [CLEARCUT : 7.5]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20		36.2					36.2	22.4		
25		30.6					30.6	11.5		
30		24.3					24.3	18.1		
35		14.0					14.0	17.6		
40								13.3		
45										
50		32.2					32.2	13.7		
55	25.1						25.1			
60	10.7						10.7			
65								12.9		
70								14.5		
75	50.8						50.8			
80	24.7						24.7			
85										
90	37.8						37.8			
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	149.2	137.3					286.5			
Dead P	124.0							124.0		
		Volume (m3/ha) for 7 Levels								
17.5 +	149.2	137.3					286.5	124.0		
22.5 +	149.2	101.1					250.3	101.6		
27.5 +	149.2	70.5					219.7	90.1		
32.5 +	149.2	46.3					195.4	72.0		
37.5 +	149.2	32.2					181.4	54.5		
42.5 +	149.2	32.2					181.4	41.1		
47.5 +	149.2	32.2					181.4	41.1		

*** 1 tree(s) changed to tree class 4:10 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Type Stock Table (m3/ha)

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 227
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

19-Aug-2019 01:40:39PM
Filename: CP227.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Type 27 (M):HwSsCw941, Plots in Type: 1, TUs: [CLEARCUT : 0.2]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20										
25										
30										
35										
40										
45										
50										
55										
60										
65										
70										
75										
80										
85										
90										
95										
100										
105		314.5					314.5			
110										
115										
120										
125										
130										
135										
140										
145										
150		22.7	312.8				335.5			
175										
200										
225										
250										
275										
Total		337.3	312.8				650.0			
Dead P										
		Volume (m3/ha) for 7 Levels								
17.5 +		337.3	312.8				650.0			
22.5 +		337.3	312.8				650.0			
27.5 +		337.3	312.8				650.0			
32.5 +		337.3	312.8				650.0			
37.5 +		337.3	312.8				650.0			
42.5 +		337.3	312.8				650.0			
47.5 +		337.3	312.8				650.0			

*** 1 tree(s) changed to tree class 4:10 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Type Stock Table (m3/ha)

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 227
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

19-Aug-2019 01:40:39PM
Filename: CP227.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Type 28 (M):HwSsCw941, Plots in Type: 1, TUs: [CLEARCUT : 0.3]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20										
25										
30										
35		136.7					136.7			
40										
45										
50										
55										
60										
65										
70										
75										
80										
85										
90		247.4					247.4			
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225			644.4				644.4			
250										
275										
Total		384.1	644.4				1028.5			
Dead P										
		Volume (m3/ha) for 7 Levels								
17.5 +		384.1	644.4				1028.5			
22.5 +		384.1	644.4				1028.5			
27.5 +		384.1	644.4				1028.5			
32.5 +		384.1	644.4				1028.5			
37.5 +		247.4	644.4				891.8			
42.5 +		247.4	644.4				891.8			
47.5 +		247.4	644.4				891.8			

*** 1 tree(s) changed to tree class 4:10 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Type Basal Area Table (m2/ha)

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 227
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

19-Aug-2019 01:40:39PM
Filename: CP227.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Type 1 (I):Hw331, Plots in Type: 4, TUs: [CLEARCUT : 4.3]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (I)	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20										
25		15.0					15.0			
30		15.0					15.0			
35		15.0					15.0			
40										
45										
50			20.0				20.0			
55										
60			10.0				10.0			
65										
70										
75										
80										
85										
90										
95										
100			10.0				10.0			
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total		45.0	40.0				85.0			
Dead P										
Dead U										
Live U										

Basal Area (m2/ha) at 5 Levels

12.5 +	45.0	40.0	85.0	
17.5 +	45.0	40.0	85.0	
22.5 +	45.0	40.0	85.0	
27.5 +	30.0	40.0	70.0	
32.5 +	15.0	40.0	55.0	

*** 1 tree(s) changed to tree class 4:10 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Type Basal Area Table (m2/ha)

Average Line Method | Grades: MOF Computerized | FIZ: A | 19-Aug-2019 01:40:39PM
HUSBY FOREST PRODUCTS LTD. | Computerized Decay | PSYU: Queen Charlotte | Filename: CP227.ccp
Licence Number: A16869 CP: 227 | Computerized Waste | Region: 2 - West Coast | Compiled by: Husby Forest Products Ltd.
Project: 1 | Computerized Breakage | District: 07 - Haida Gwaii | Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Type 2 (I):SsHw341, Plots in Type: 23, TUs: [CLEARCUT : 22.4]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (I)	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15		4.5	1.7				6.2	3.4		
20		3.0					3.0			
25		1.5	1.7			3.5	6.7			
30						3.5	3.5	1.7		
35		3.0	1.7			1.7	6.5	1.7		
40			3.4			1.7	5.1			
45		3.0	3.4				6.4			
50		6.0	1.7				7.7			
55		3.0	11.9				14.9			
60		1.5	3.4				4.9			
65			1.7				1.7			
70										
75	1.5	1.5	1.7				4.7			
80		1.5	1.7				3.2			
85										
90	1.5						1.5			
95	1.5						1.5			
100	1.5						1.5			
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	6.1	28.7	34.0			10.4	79.2			
Dead P			5.1			1.7		6.8		
Dead U										
Live U										
		Basal Area (m2/ha) at 5 Levels								
12.5 +	6.1	28.7	34.0			10.4	79.2	6.8		
17.5 +	6.1	24.2	32.3			10.4	73.0	3.4		
22.5 +	6.1	21.1	32.3			10.4	70.0	3.4		
27.5 +	6.1	19.6	30.6			7.0	63.3	3.4		
32.5 +	6.1	19.6	30.6			3.5	59.8	1.7		

*** 1 tree(s) changed to tree class 4:10 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Type Basal Area Table (m2/ha)

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 227
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

19-Aug-2019 01:40:39PM
Filename: CP227.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Type 3 (M):CwHw(Plc)831, Plots in Type: 8, TUs: [CLEARCUT : 5.8]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20								16.0		
25	6.0						6.0			
30					10.0		10.0			
35										
40										
45										
50										
55										
60										
65		16.0					16.0			
70								6.0		
75			3.0				3.0			
80	6.0						6.0			
85	6.0						6.0			
90										
95										
100	12.0		3.0				15.0			
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	30.0	16.0	6.0		10.0		62.0			
Dead P	6.0	16.0						22.0		
Dead U										
Live U										
			Basal Area (m2/ha) at 5 Levels							
12.5 +	30.0	16.0	6.0		10.0		62.0	22.0		
17.5 +	30.0	16.0	6.0		10.0		62.0	22.0		
22.5 +	30.0	16.0	6.0		10.0		62.0	6.0		
27.5 +	24.0	16.0	6.0		10.0		56.0	6.0		
32.5 +	24.0	16.0	6.0				46.0	6.0		

*** 1 tree(s) changed to tree class 4:10 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Type Basal Area Table (m2/ha)

Average Line Method | Grades: MOF Computerized | FIZ: A | 19-Aug-2019 01:40:39PM
HUSBY FOREST PRODUCTS LTD. | Computerized Decay | PSYU: Queen Charlotte | Filename: CP227.ccp
Licence Number: A16869 CP: 227 | Computerized Waste | Region: 2 - West Coast | Compiled by: Husby Forest Products Ltd.
Project: 1 | Computerized Breakage | District: 07 - Haida Gwaii | Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Type 4 (M):CwHw(Plc)821, Plots in Type: 4, TUs: [CLEARCUT : 3.7]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20										
25										
30		11.1					11.1			
35		11.1					11.1			
40										
45		22.3					22.3	8.1		
50		11.1					11.1	8.1		
55										
60										
65										
70										
75										
80			10.1				10.1			
85								8.1		
90										
95										
100										
105										
110	8.1						8.1			
115										
120										
125	8.1						8.1			
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	16.2	55.7	10.1				82.0			
Dead P	24.3							24.3		
Dead U										
Live U										
		Basal Area (m2/ha) at 5 Levels								
12.5 +	16.2	55.7	10.1				82.0	24.3		
17.5 +	16.2	55.7	10.1				82.0	24.3		
22.5 +	16.2	55.7	10.1				82.0	24.3		
27.5 +	16.2	55.7	10.1				82.0	24.3		
32.5 +	16.2	44.6	10.1				70.9	24.3		

*** 1 tree(s) changed to tree class 4:10 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Type Basal Area Table (m2/ha)

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 227
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

19-Aug-2019 01:40:39PM
Filename: CP227.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Type 5 (M):CwHw(Plc)821, Plots in Type: 3, TUs: [CLEARCUT : 3.2]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20		11.3					11.3			
25										
30										
35										
40										
45		11.3	6.8		6.8		24.8			
50										
55										
60										
65										
70								13.5		
75										
80								6.8		
85		11.3					11.3			
90	6.8						6.8	6.8		
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	6.8	33.8	6.8		6.8		54.0			
Dead P	27.0							27.0		
Dead U										
Live U										
		Basal Area (m2/ha) at 5 Levels								
12.5 +	6.8	33.8	6.8		6.8		54.0	27.0		
17.5 +	6.8	33.8	6.8		6.8		54.0	27.0		
22.5 +	6.8	22.5	6.8		6.8		42.8	27.0		
27.5 +	6.8	22.5	6.8		6.8		42.8	27.0		
32.5 +	6.8	22.5	6.8		6.8		42.8	27.0		

*** 1 tree(s) changed to tree class 4:10 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Type Basal Area Table (m2/ha)

Average Line Method | Grades: MOF Computerized | FIZ: A | 19-Aug-2019 01:40:39PM
HUSBY FOREST PRODUCTS LTD. | Computerized Decay | PSYU: Queen Charlotte | Filename: CP227.ccp
Licence Number: A16869 CP: 227 | Computerized Waste | Region: 2 - West Coast | Compiled by: Husby Forest Products Ltd.
Project: 1 | Computerized Breakage | District: 07 - Haida Gwaii | Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Type 6 (M):CwHw(Plc)821, Plots in Type: 16, TUs: [CLEARCUT : 12.8]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20		11.5					11.5	3.4		
25		7.2			2.5		9.8			
30	2.4	5.3					7.7	2.4		
35		3.4					3.4	3.0		
40	4.7	3.0					7.7			
45		1.5					1.5	3.0		
50	5.3	3.4					8.7			
55	3.0	1.5	1.0				5.5			
60	2.4	3.0					5.4			
65	3.0						3.0			
70										
75	4.7						4.7			
80	2.4						2.4			
85	7.1						7.1			
90	2.4						2.4			
95	2.4						2.4			
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	39.5	39.9	1.0		2.5		82.9			
Dead P	8.3	3.4						11.7		
Dead U										
Live U										
		Basal Area (m2/ha) at 5 Levels								
12.5 +	39.5	39.9	1.0		2.5		82.9	11.7		
17.5 +	39.5	39.9	1.0		2.5		82.9	11.7		
22.5 +	39.5	28.4	1.0		2.5		71.5	8.3		
27.5 +	39.5	21.2	1.0				61.7	8.3		
32.5 +	37.1	15.9	1.0				54.0	5.9		

*** 1 tree(s) changed to tree class 4:10 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Type Basal Area Table (m2/ha)

Average Line Method | Grades: MOF Computerized | FIZ: A | 19-Aug-2019 01:40:39PM
HUSBY FOREST PRODUCTS LTD. | Computerized Decay | PSYU: Queen Charlotte | Filename: CP227.ccp
Licence Number: A16869 CP: 227 | Computerized Waste | Region: 2 - West Coast | Compiled by: Husby Forest Products Ltd.
Project: 1 | Computerized Breakage | District: 07 - Haida Gwaii | Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Type 7 (M):CwHw(Plc)821, Plots in Type: 6, TUs: [CLEARCUT : 5.8]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20		4.0					4.0	3.9	4.0	
25	7.8	8.0					15.8	10.5		
30		12.0			2.7		14.7			
35		4.0					4.0	7.8		
40		4.0					4.0	3.9		
45										
50	7.8						7.8			
55										
60	3.9						3.9			
65										
70										
75	7.8						7.8			
80										
85										
90										
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	27.3	32.0			2.7		61.9			
Dead P	23.4				2.7			26.1		
Dead U	4.0								4.0	
Live U										
		Basal Area (m2/ha) at 5 Levels								
12.5 +	27.3	32.0			2.7		61.9	26.1	4.0	
17.5 +	27.3	32.0			2.7		61.9	26.1	4.0	
22.5 +	27.3	28.0			2.7		57.9	22.2		
27.5 +	19.5	20.0			2.7		42.2	11.7		
32.5 +	19.5	8.0					27.5	11.7		

*** 1 tree(s) changed to tree class 4:10 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Type Basal Area Table (m2/ha)

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 227
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

19-Aug-2019 01:40:39PM
Filename: CP227.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Type 8 (M):HwCw(Ss)831, Plots in Type: 3, TUs: [CLEARCUT : 2.7]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20		20.0					20.0			
25					6.7		6.7			
30										
35	11.1						11.1			
40										
45	22.2						22.2			
50		10.0					10.0			
55	33.3	10.0					43.3			
60										
65										
70										
75										
80										
85										
90										
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	66.7	40.0			6.7		113.3			
Dead P										
Dead U										
Live U										

Basal Area (m2/ha) at 5 Levels

12.5 +	66.7	40.0			6.7		113.3			
17.5 +	66.7	40.0			6.7		113.3			
22.5 +	66.7	20.0			6.7		93.3			
27.5 +	66.7	20.0					86.7			
32.5 +	66.7	20.0					86.7			

*** 1 tree(s) changed to tree class 4:10 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Type Basal Area Table (m2/ha)

Average Line Method | Grades: MOF Computerized | FIZ: A | 19-Aug-2019 01:40:39PM
HUSBY FOREST PRODUCTS LTD. | Computerized Decay | PSYU: Queen Charlotte | Filename: CP227.ccp
Licence Number: A16869 CP: 227 | Computerized Waste | Region: 2 - West Coast | Compiled by: Husby Forest Products Ltd.
Project: 1 | Computerized Breakage | District: 07 - Haida Gwaii | Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Type 9 (M):HwCw(Ss)831, Plots in Type: 11, TUs: [CLEARCUT : 9.6]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20										
25	2.9	5.0	1.8				9.7	2.9		
30								2.9		
35	2.9	5.0			5.5		13.3	2.9		
40	5.7	5.0					10.7			
45	2.9						2.9			
50		5.0					5.0			
55	2.9						2.9			
60	5.7						5.7			
65										
70	11.4						11.4			
75	11.4						11.4			
80								2.9		
85	2.9						2.9			
90										
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	48.6	20.0	1.8		5.5		75.8			
Dead P	11.4							11.4		
Dead U										
Live U										
	Basal Area (m2/ha) at 5 Levels									
12.5 +	48.6	20.0	1.8		5.5		75.8	11.4		
17.5 +	48.6	20.0	1.8		5.5		75.8	11.4		
22.5 +	48.6	20.0	1.8		5.5		75.8	11.4		
27.5 +	45.7	15.0			5.5		66.2	8.6		
32.5 +	45.7	15.0			5.5		66.2	5.7		

*** 1 tree(s) changed to tree class 4:10 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Type Basal Area Table (m2/ha)

Average Line Method | Grades: MOF Computerized | FIZ: A | 19-Aug-2019 01:40:39PM
HUSBY FOREST PRODUCTS LTD. | Computerized Decay | PSYU: Queen Charlotte | Filename: CP227.ccp
Licence Number: A16869 CP: 227 | Computerized Waste | Region: 2 - West Coast | Compiled by: Husby Forest Products Ltd.
Project: 1 | Computerized Breakage | District: 07 - Haida Gwaii | Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Type 10 (M):CwHw831, Plots in Type: 6, TUs: [CLEARCUT : 6.6]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20										
25	5.9						5.9			
30		4.7					4.7			
35								10.9		
40		4.7					4.7			
45		4.7					4.7			
50		4.7	5.0				9.7	4.7		
55										
60	5.9						5.9	5.9		
65	5.9						5.9			
70								5.9		
75										
80										
85										
90	5.9						5.9			
95	5.9						5.9			
100										
105	5.9						5.9			
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	35.6	18.7	5.0				59.2			
Dead P	17.8	4.7	5.0					27.4		
Dead U										
Live U										
		Basal Area (m2/ha) at 5 Levels								
12.5 +	35.6	18.7	5.0				59.2	27.4		
17.5 +	35.6	18.7	5.0				59.2	27.4		
22.5 +	35.6	18.7	5.0				59.2	27.4		
27.5 +	29.6	18.7	5.0				53.3	27.4		
32.5 +	29.6	14.0	5.0				48.6	27.4		

*** 1 tree(s) changed to tree class 4:10 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Type Basal Area Table (m2/ha)

Average Line Method | Grades: MOF Computerized | FIZ: A | 19-Aug-2019 01:40:39PM
HUSBY FOREST PRODUCTS LTD. | Computerized Decay | PSYU: Queen Charlotte | Filename: CP227.ccp
Licence Number: A16869 CP: 227 | Computerized Waste | Region: 2 - West Coast | Compiled by: Husby Forest Products Ltd.
Project: 1 | Computerized Breakage | District: 07 - Haida Gwaii | Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Type 11 (M):HwCw931, Plots in Type: 6, TUs: [CLEARCUT : 5.6]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20										
25		5.0					5.0	5.0		
30										
35								6.3		
40		5.0			3.3		8.3			
45										
50		5.0					5.0			
55										
60	12.7						12.7			
65										
70										
75										
80			6.7				6.7			
85	6.3						6.3			
90	6.3						6.3			
95	6.3						6.3			
100										
105										
110										
115										
120	6.3						6.3			
125										
130										
135	6.3						6.3			
140										
145										
150										
175										
200										
225	12.7						12.7			
250										
275										
Total	57.0	15.0	6.7		3.3		82.0			
Dead P	6.3	5.0						11.3		
Dead U										
Live U										
	Basal Area (m2/ha) at 5 Levels									
12.5 +	57.0	15.0	6.7		3.3		82.0	11.3		
17.5 +	57.0	15.0	6.7		3.3		82.0	11.3		
22.5 +	57.0	15.0	6.7		3.3		82.0	11.3		
27.5 +	57.0	10.0	6.7		3.3		77.0	6.3		
32.5 +	57.0	10.0	6.7		3.3		77.0	6.3		

*** 1 tree(s) changed to tree class 4:10 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Type Basal Area Table (m2/ha)

Average Line Method | Grades: MOF Computerized | FIZ: A | 19-Aug-2019 01:40:39PM
HUSBY FOREST PRODUCTS LTD. | Computerized Decay | PSYU: Queen Charlotte | Filename: CP227.ccp
Licence Number: A16869 CP: 227 | Computerized Waste | Region: 2 - West Coast | Compiled by: Husby Forest Products Ltd.
Project: 1 | Computerized Breakage | District: 07 - Haida Gwaii | Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Type 12 (M):CwHwPlc931, Plots in Type: 2, TUs: [CLEARCUT : 2.5]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20										
25		10.0					10.0			
30										
35										
40										
45		10.0					10.0			
50										
55										
60	10.0		10.0				20.0			
65	10.0						10.0			
70										
75	10.0						10.0			
80										
85										
90										
95										
100										
105										
110										
115										
120	10.0						10.0			
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	40.0	20.0	10.0				70.0			
Dead P										
Dead U										
Live U										

Basal Area (m2/ha) at 5 Levels

12.5 +	40.0	20.0	10.0				70.0			
17.5 +	40.0	20.0	10.0				70.0			
22.5 +	40.0	20.0	10.0				70.0			
27.5 +	40.0	10.0	10.0				60.0			
32.5 +	40.0	10.0	10.0				60.0			

*** 1 tree(s) changed to tree class 4:10 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Type Basal Area Table (m2/ha)

Average Line Method | Grades: MOF Computerized | FIZ: A | 19-Aug-2019 01:40:39PM
HUSBY FOREST PRODUCTS LTD. | Computerized Decay | PSYU: Queen Charlotte | Filename: CP227.ccp
Licence Number: A16869 CP: 227 | Computerized Waste | Region: 2 - West Coast | Compiled by: Husby Forest Products Ltd.
Project: 1 | Computerized Breakage | District: 07 - Haida Gwaii | Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Type 13 (M):CwHwPlc821, Plots in Type: 2, TUs: [CLEARCUT : 1.1]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20										
25										
30										
35					10.0		10.0			
40										
45										
50		10.0					10.0			
55		20.0					20.0			
60										
65										
70								10.0		
75										
80	20.0						20.0			
85										
90										
95										
100										
105										
110	10.0						10.0			
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	30.0	30.0			10.0		70.0			
Dead P	10.0							10.0		
Dead U										
Live U										

Basal Area (m2/ha) at 5 Levels

12.5 +	30.0	30.0	10.0	70.0	10.0	
17.5 +	30.0	30.0	10.0	70.0	10.0	
22.5 +	30.0	30.0	10.0	70.0	10.0	
27.5 +	30.0	30.0	10.0	70.0	10.0	
32.5 +	30.0	30.0	10.0	70.0	10.0	

*** 1 tree(s) changed to tree class 4:10 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Type Basal Area Table (m2/ha)

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 227
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

19-Aug-2019 01:40:39PM
Filename: CP227.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Type 14 (M):CwHw821, Plots in Type: 6, TUs: [CLEARCUT : 5.2]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20										
25	23.3		3.3		16.7		43.3			
30	15.6						15.6			
35										
40										
45										
50										
55										
60	7.8	30.0					37.8			
65										
70										
75										
80										
85										
90										
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	46.7	30.0	3.3		16.7		96.7			
Dead P										
Dead U										
Live U										
	Basal Area (m2/ha) at 5 Levels									
12.5 +	46.7	30.0	3.3		16.7		96.7			
17.5 +	46.7	30.0	3.3		16.7		96.7			
22.5 +	46.7	30.0	3.3		16.7		96.7			
27.5 +	23.3	30.0					53.3			
32.5 +	7.8	30.0					37.8			

*** 1 tree(s) changed to tree class 4:10 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Type Basal Area Table (m2/ha)

Average Line Method | Grades: MOF Computerized | FIZ: A | 19-Aug-2019 01:40:39PM
HUSBY FOREST PRODUCTS LTD. | Computerized Decay | PSYU: Queen Charlotte | Filename: CP227.ccp
Licence Number: A16869 CP: 227 | Computerized Waste | Region: 2 - West Coast | Compiled by: Husby Forest Products Ltd.
Project: 1 | Computerized Breakage | District: 07 - Haida Gwaii | Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Type 15 (M):HwCw931, Plots in Type: 3, TUs: [CLEARCUT : 1.7]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20										
25										
30								9.7		
35	9.7						9.7	9.7		
40	19.4	26.7			6.7		52.7			
45	19.4						19.4			
50	9.7						9.7			
55	9.7						9.7			
60								9.7		
65										
70										
75	9.7						9.7			
80										
85										
90										
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	77.6	26.7			6.7		110.9			
Dead P	29.1							29.1		
Dead U										
Live U										
		Basal Area (m2/ha) at 5 Levels								
12.5 +	77.6	26.7			6.7		110.9	29.1		
17.5 +	77.6	26.7			6.7		110.9	29.1		
22.5 +	77.6	26.7			6.7		110.9	29.1		
27.5 +	77.6	26.7			6.7		110.9	29.1		
32.5 +	77.6	26.7			6.7		110.9	19.4		

*** 1 tree(s) changed to tree class 4:10 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Type Basal Area Table (m2/ha)

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 227
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

19-Aug-2019 01:40:39PM
Filename: CP227.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Type 16 (M):CwHwPlc821, Plots in Type: 3, TUs: [CLEARCUT : 1.7]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20								8.9		
25								8.9		
30		6.7					6.7			
35			6.7				6.7			
40										
45										
50										
55					13.3		13.3			
60	8.9						8.9			
65								17.8		
70	8.9						8.9			
75										
80										
85										
90										
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	17.8	6.7	6.7		13.3		44.4			
Dead P	35.6							35.6		
Dead U										
Live U										
	Basal Area (m2/ha) at 5 Levels									
12.5 +	17.8	6.7	6.7		13.3		44.4	35.6		
17.5 +	17.8	6.7	6.7		13.3		44.4	35.6		
22.5 +	17.8	6.7	6.7		13.3		44.4	26.7		
27.5 +	17.8	6.7	6.7		13.3		44.4	17.8		
32.5 +	17.8		6.7		13.3		37.8	17.8		

*** 1 tree(s) changed to tree class 4:10 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Type Basal Area Table (m2/ha)

Average Line Method | Grades: MOF Computerized | FIZ: A | 19-Aug-2019 01:40:39PM
HUSBY FOREST PRODUCTS LTD. | Computerized Decay | PSYU: Queen Charlotte | Filename: CP227.ccp
Licence Number: A16869 CP: 227 | Computerized Waste | Region: 2 - West Coast | Compiled by: Husby Forest Products Ltd.
Project: 1 | Computerized Breakage | District: 07 - Haida Gwaii | Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Type 17 (M):CwHw(Plc)831, Plots in Type: 3, TUs: [CLEARCUT : 1.4]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20		13.3					13.3			
25		6.7					6.7			
30										
35										
40	9.6						9.6			
45										
50	9.6						9.6			
55	9.6						9.6			
60	19.3						19.3			
65	38.5						38.5			
70										
75										
80										
85										
90										
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	86.7	20.0					106.7			
Dead P										
Dead U										
Live U										
		Basal Area (m2/ha) at 5 Levels								
12.5 +	86.7	20.0					106.7			
17.5 +	86.7	20.0					106.7			
22.5 +	86.7	6.7					93.3			
27.5 +	86.7						86.7			
32.5 +	86.7						86.7			

*** 1 tree(s) changed to tree class 4:10 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Type Basal Area Table (m2/ha)

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 227
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

19-Aug-2019 01:40:39PM
Filename: CP227.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Type 18 (M):CwHw(Plc)831, Plots in Type: 6, TUs: [CLEARCUT : 5.8]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20	5.8						5.8			
25	5.8						5.8	3.3		
30										
35	5.8						5.8			
40				3.3			3.3			
45	5.8						5.8			
50					6.7		6.7			
55	5.8						5.8			
60	11.7						11.7			
65			3.3				3.3			
70								5.8		
75										
80										
85										
90										
95		6.7					6.7			
100		6.7					6.7			
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	40.8	13.3	3.3	3.3	6.7		67.5			
Dead P	5.8			3.3				9.2		
Dead U										
Live U										
	Basal Area (m2/ha) at 5 Levels									
12.5 +	40.8	13.3	3.3	3.3	6.7		67.5	9.2		
17.5 +	40.8	13.3	3.3	3.3	6.7		67.5	9.2		
22.5 +	35.0	13.3	3.3	3.3	6.7		61.7	9.2		
27.5 +	29.2	13.3	3.3	3.3	6.7		55.8	5.8		
32.5 +	29.2	13.3	3.3	3.3	6.7		55.8	5.8		

*** 1 tree(s) changed to tree class 4:10 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Type Basal Area Table (m2/ha)

Average Line Method | Grades: MOF Computerized | FIZ: A | 19-Aug-2019 01:40:39PM
HUSBY FOREST PRODUCTS LTD. | Computerized Decay | PSYU: Queen Charlotte | Filename: CP227.ccp
Licence Number: A16869 CP: 227 | Computerized Waste | Region: 2 - West Coast | Compiled by: Husby Forest Products Ltd.
Project: 1 | Computerized Breakage | District: 07 - Haida Gwaii | Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Type 19 (M):HwCw(Plc)831, Plots in Type: 4, TUs: [CLEARCUT : 3.5]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20										6.7
25	5.6	10.0					15.6			
30	5.6				10.0		15.6			
35	11.1						11.1			
40	16.7	5.0					21.7			
45	5.6						5.6			
50										
55										
60										
65			5.0				5.0			
70										
75										
80										
85										
90										
95										
100	5.6						5.6			
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	50.0	15.0	5.0		10.0		80.0			
Dead P										
Dead U										
Live U	6.7									6.7
	Basal Area (m2/ha) at 5 Levels									
12.5 +	50.0	15.0	5.0		10.0		80.0			6.7
17.5 +	50.0	15.0	5.0		10.0		80.0			6.7
22.5 +	50.0	15.0	5.0		10.0		80.0			
27.5 +	44.4	5.0	5.0		10.0		64.4			
32.5 +	38.9	5.0	5.0				48.9			

*** 1 tree(s) changed to tree class 4:10 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Type Basal Area Table (m2/ha)

Average Line Method | Grades: MOF Computerized | FIZ: A | 19-Aug-2019 01:40:39PM
HUSBY FOREST PRODUCTS LTD. | Computerized Decay | PSYU: Queen Charlotte | Filename: CP227.ccp
Licence Number: A16869 CP: 227 | Computerized Waste | Region: 2 - West Coast | Compiled by: Husby Forest Products Ltd.
Project: 1 | Computerized Breakage | District: 07 - Haida Gwaii | Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Type 20 (M):CwHw831, Plots in Type: 2, TUs: [CLEARCUT : 1.4]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20										
25		20.0					20.0			
30										
35										
40										
45										
50										
55	10.0						10.0	20.0		
60										
65	10.0						10.0			
70										
75										
80	10.0						10.0			
85										
90										
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	30.0	20.0					50.0			
Dead P	20.0							20.0		
Dead U										
Live U										
		Basal Area (m2/ha) at 5 Levels								
12.5 +	30.0	20.0					50.0	20.0		
17.5 +	30.0	20.0					50.0	20.0		
22.5 +	30.0	20.0					50.0	20.0		
27.5 +	30.0						30.0	20.0		
32.5 +	30.0						30.0	20.0		

*** 1 tree(s) changed to tree class 4:10 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Type Basal Area Table (m2/ha)

Average Line Method | Grades: MOF Computerized | FIZ: A | 19-Aug-2019 01:40:39PM
HUSBY FOREST PRODUCTS LTD. | Computerized Decay | PSYU: Queen Charlotte | Filename: CP227.ccp
Licence Number: A16869 CP: 227 | Computerized Waste | Region: 2 - West Coast | Compiled by: Husby Forest Products Ltd.
Project: 1 | Computerized Breakage | District: 07 - Haida Gwaii | Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Type 21 (M):CwHw(Ss)831, Plots in Type: 6, TUs: [CLEARCUT : 5.1]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20		13.3					13.3			
25					6.7		6.7			
30										
35	11.3		3.3				14.7			
40										
45				3.3			3.3			
50										
55	17.0						17.0			
60										
65										
70	5.7						5.7			
75	17.0						17.0			
80										
85										
90										
95										
100	5.7						5.7			
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	56.7	13.3	3.3	3.3	6.7		83.3			
Dead P										
Dead U										
Live U										
	Basal Area (m2/ha) at 5 Levels									
12.5 +	56.7	13.3	3.3	3.3	6.7		83.3			
17.5 +	56.7	13.3	3.3	3.3	6.7		83.3			
22.5 +	56.7		3.3	3.3	6.7		70.0			
27.5 +	56.7		3.3	3.3			63.3			
32.5 +	56.7		3.3	3.3			63.3			

*** 1 tree(s) changed to tree class 4:10 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Type Basal Area Table (m2/ha)

Average Line Method | Grades: MOF Computerized | FIZ: A | 19-Aug-2019 01:40:39PM
HUSBY FOREST PRODUCTS LTD. | Computerized Decay | PSYU: Queen Charlotte | Filename: CP227.ccp
Licence Number: A16869 CP: 227 | Computerized Waste | Region: 2 - West Coast | Compiled by: Husby Forest Products Ltd.
Project: 1 | Computerized Breakage | District: 07 - Haida Gwaii | Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Type 22 (M):CwHw(Ss)831, Plots in Type: 3, TUs: [CLEARCUT : 2.1]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20										
25					6.7		6.7			
30										
35		13.3					13.3			
40										
45		13.3					13.3			
50										
55	11.7						11.7			
60										
65	11.7						11.7			
70										
75	11.7						11.7			
80	11.7						11.7			
85										
90										
95										
100										
105			6.7				6.7			
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	46.7	26.7	6.7		6.7		86.7			
Dead P										
Dead U										
Live U										
		Basal Area (m2/ha) at 5 Levels								
12.5 +	46.7	26.7	6.7		6.7		86.7			
17.5 +	46.7	26.7	6.7		6.7		86.7			
22.5 +	46.7	26.7	6.7		6.7		86.7			
27.5 +	46.7	26.7	6.7				80.0			
32.5 +	46.7	26.7	6.7				80.0			

*** 1 tree(s) changed to tree class 4:10 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Type Basal Area Table (m2/ha)

Average Line Method | Grades: MOF Computerized | FIZ: A | 19-Aug-2019 01:40:39PM
HUSBY FOREST PRODUCTS LTD. | Computerized Decay | PSYU: Queen Charlotte | Filename: CP227.ccp
Licence Number: A16869 CP: 227 | Computerized Waste | Region: 2 - West Coast | Compiled by: Husby Forest Products Ltd.
Project: 1 | Computerized Breakage | District: 07 - Haida Gwaii | Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Type 23 (M):HwCw(Plc)831, Plots in Type: 2, TUs: [CLEARCUT : 1.2]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20										
25		10.0					10.0			
30										
35		10.0					10.0			
40		10.0					10.0			
45										
50										
55										
60										
65	10.0						10.0			
70										
75	10.0						10.0			
80										
85	10.0		10.0				20.0			
90	10.0						10.0			
95	20.0						20.0			
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	60.0	30.0	10.0				100.0			
Dead P										
Dead U										
Live U										
		Basal Area (m2/ha) at 5 Levels								
12.5 +	60.0	30.0	10.0				100.0			
17.5 +	60.0	30.0	10.0				100.0			
22.5 +	60.0	30.0	10.0				100.0			
27.5 +	60.0	20.0	10.0				90.0			
32.5 +	60.0	20.0	10.0				90.0			

*** 1 tree(s) changed to tree class 4:10 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Type Basal Area Table (m2/ha)

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 227
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

19-Aug-2019 01:40:39PM
Filename: CP227.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Type 24 (M):CwHw831, Plots in Type: 3, TUs: [CLEARCUT : 1.0]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20										
25										
30										
35										
40	11.1	6.7					17.8			
45										
50										
55								11.1		
60										
65										
70										
75										
80										
85										
90	11.1						11.1			
95			6.7				6.7			
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	22.2	6.7	6.7				35.6			
Dead P	11.1							11.1		
Dead U										
Live U										
	Basal Area (m2/ha) at 5 Levels									
12.5 +	22.2	6.7	6.7				35.6	11.1		
17.5 +	22.2	6.7	6.7				35.6	11.1		
22.5 +	22.2	6.7	6.7				35.6	11.1		
27.5 +	22.2	6.7	6.7				35.6	11.1		
32.5 +	22.2	6.7	6.7				35.6	11.1		

*** 1 tree(s) changed to tree class 4:10 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Type Basal Area Table (m2/ha)

Average Line Method | Grades: MOF Computerized | FIZ: A | 19-Aug-2019 01:40:39PM
HUSBY FOREST PRODUCTS LTD. | Computerized Decay | PSYU: Queen Charlotte | Filename: CP227.ccp
Licence Number: A16869 CP: 227 | Computerized Waste | Region: 2 - West Coast | Compiled by: Husby Forest Products Ltd.
Project: 1 | Computerized Breakage | District: 07 - Haida Gwaii | Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Type 25 (M):CwHw(PlcYc)8, Plots in Type: 6, TUs: [CLEARCUT : 4.3]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20										3.3
25		3.3					3.3			
30		3.3					3.3			
35										
40								3.3		
45										
50	6.7						6.7	3.3		
55	10.0	3.3					13.3			
60	6.7						6.7			
65	6.7						6.7			
70	13.3						13.3	3.3		
75	3.3						3.3			
80	3.3						3.3			
85	3.3						3.3			
90	3.3						3.3			
95										
100										
105								3.3		
110								3.3		
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	56.7	10.0					66.7			
Dead P	16.7							16.7		
Dead U										
Live U		3.3								3.3
		Basal Area (m2/ha) at 5 Levels								
12.5 +	56.7	10.0					66.7	16.7		3.3
17.5 +	56.7	10.0					66.7	16.7		3.3
22.5 +	56.7	10.0					66.7	16.7		
27.5 +	56.7	6.7					63.3	16.7		
32.5 +	56.7	3.3					60.0	16.7		

*** 1 tree(s) changed to tree class 4:10 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Type Basal Area Table (m2/ha)

Average Line Method | Grades: MOF Computerized | FIZ: A | 19-Aug-2019 01:40:39PM
HUSBY FOREST PRODUCTS LTD. | Computerized Decay | PSYU: Queen Charlotte | Filename: CP227.ccp
Licence Number: A16869 CP: 227 | Computerized Waste | Region: 2 - West Coast | Compiled by: Husby Forest Products Ltd.
Project: 1 | Computerized Breakage | District: 07 - Haida Gwaii | Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Type 26 (M):CwHw831, Plots in Type: 6, TUs: [CLEARCUT : 7.5]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20		10.0					10.0	6.7		3.3
25		6.7					6.7	3.3		
30		3.3					3.3	3.3		
35		3.3					3.3	3.3		
40								3.3		
45										
50		3.3					3.3	3.3		
55	6.7						6.7			
60	3.3						3.3			
65								3.3		
70								3.3		
75	13.3						13.3			
80	6.7						6.7			
85										
90	10.0						10.0			
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	40.0	26.7					66.7			
Dead P	30.0							30.0		
Dead U										
Live U		3.3								3.3
		Basal Area (m2/ha) at 5 Levels								
12.5 +	40.0	26.7					66.7	30.0		3.3
17.5 +	40.0	26.7					66.7	30.0		3.3
22.5 +	40.0	16.7					56.7	23.3		
27.5 +	40.0	10.0					50.0	20.0		
32.5 +	40.0	6.7					46.7	16.7		

*** 1 tree(s) changed to tree class 4:10 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Type Basal Area Table (m2/ha)

Average Line Method | Grades: MOF Computerized | FIZ: A | 19-Aug-2019 01:40:39PM
HUSBY FOREST PRODUCTS LTD. | Computerized Decay | PSYU: Queen Charlotte | Filename: CP227.ccp
Licence Number: A16869 CP: 227 | Computerized Waste | Region: 2 - West Coast | Compiled by: Husby Forest Products Ltd.
Project: 1 | Computerized Breakage | District: 07 - Haida Gwaii | Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Type 27 (M):HwSsCw941, Plots in Type: 1, TUs: [CLEARCUT : 0.2]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20										
25										
30										
35										
40										
45										
50										
55										
60										
65										
70										
75										
80										
85										
90										
95										
100										
105		20.0					20.0			
110										
115										
120										
125										
130										
135										
140										
145										
150		20.0	20.0				40.0			
175										
200										
225										
250										
275										
Total		40.0	20.0				60.0			
Dead P										
Dead U										
Live U										
		Basal Area (m2/ha) at 5 Levels								
12.5 +		40.0	20.0				60.0			
17.5 +		40.0	20.0				60.0			
22.5 +		40.0	20.0				60.0			
27.5 +		40.0	20.0				60.0			
32.5 +		40.0	20.0				60.0			

*** 1 tree(s) changed to tree class 4:10 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Type Basal Area Table (m2/ha)

Average Line Method | Grades: MOF Computerized | FIZ: A | 19-Aug-2019 01:40:39PM
HUSBY FOREST PRODUCTS LTD. | Computerized Decay | PSYU: Queen Charlotte | Filename: CP227.ccp
Licence Number: A16869 CP: 227 | Computerized Waste | Region: 2 - West Coast | Compiled by: Husby Forest Products Ltd.
Project: 1 | Computerized Breakage | District: 07 - Haida Gwaii | Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Type 28 (M):HwSsCw941, Plots in Type: 1, TUs: [CLEARCUT : 0.3]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20										
25										
30										
35		20.0					20.0			
40										
45										
50										
55										
60										
65										
70										
75										
80										
85										
90		20.0					20.0			
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225			40.0				40.0			
250										
275										
Total		40.0	40.0				80.0			
Dead P										
Dead U										
Live U										
		Basal Area (m2/ha) at 5 Levels								
12.5 +		40.0	40.0				80.0			
17.5 +		40.0	40.0				80.0			
22.5 +		40.0	40.0				80.0			
27.5 +		40.0	40.0				80.0			
32.5 +		40.0	40.0				80.0			

*** 1 tree(s) changed to tree class 4:10 tree(s) changed to tree class 6:because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Plot Summary

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 227
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

19-Aug-2019 01:40:39PM
Filename: CP227.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Utilization Levels:	Minimum DBH	Top Diameter	Stump Height
Mature Blocks: (cm)	17.5	15.0	30
Immature Blocks:(cm)	12.0	10.0	30
Standard Log Length:(m)	10.00		

Forest Type	Block	Strip	Plot #	Plot Size	Slope %	Species	# of Stems	Stems / Ha	Avg Diam	Gross Merch	Less Decay	Less DB	Less DWB	Cruise Date	Loss YI	Loss OI	Ref No. M
1-Hw331	406	01	01	20.000F	4	Hemlock	1	438.44	24.10	185.27	185.27	177.86	177.86		301		
						Spruce	2	122.26	64.54	545.29	542.47	517.84	517.28		501		510
						All Sp.	3	560.70	36.91	730.55	727.74	695.70	695.14	1906			
		01	02	20.000F C	5	Hemlock	1										
						Spruce	4										
						All Sp.	5							1906			
		01	03	20.000F	7	Hemlock	2	460.86	33.24	462.00	462.00	443.52	443.52		301		
						Spruce	2	177.61	53.55	611.15	611.15	586.70	586.70		501		
						All Sp.	4	638.48	39.94	1073.15	1073.15	1030.22	1030.22	1906			
		01	04	20.000F C	7	Hemlock	5										
						All Sp.	5							1906			
2-SsHw341	406	01	05	20.000F C	4	Hemlock	2										
						Spruce	2										
						All Sp.	4							1906			
		01	06	20.000F	7	W.R. Cedar	2	72.18	84.00	313.55	264.17	245.58	228.83			202	210
						E-Down	1	24.52	101.90	145.63	99.61	89.42	72.67				210
						Spruce	3	242.30	56.15	687.89	687.89	660.37	660.37			502	
						All Sp.	5	314.48	63.63	1001.44	952.06	905.95	889.20	1906			
		01	07	20.000F	8	Hemlock	2	1644.14	17.60	257.75	257.75	247.44	247.44		301		
						Spruce	4	2143.22	21.80	628.06	628.06	602.94	602.94		501	502	
						All Sp.	6	3787.36	20.09	885.81	885.81	850.38	850.38	1906			
		01	08	20.000F C	4	NIL	0										
						All Sp.	0							1906			
		01	09	20.000F	4	Spruce	4	490.06	45.59	938.91	938.91	901.35	901.35		501		
						All Sp.	4	490.06	45.59	938.91	938.91	901.35	901.35	1906			
		01	10	20.000F	4	W.R. Cedar	1	31.72	89.60	175.09	171.59	162.84	162.84			202	
						Hemlock	3	2175.76	18.74	395.69	395.69	379.86	379.86		301		
						Spruce	2	308.01	40.66	356.78	356.78	342.51	342.51		501	502	
						All Sp.	6	2515.48	24.65	927.57	924.07	885.21	885.21	1906			
		01	11	20.000F C	6	Hemlock	4										
						Spruce	1										
						All Sp.	5							1906			
		01	12	20.000F	6	Alder	1	307.01	28.80	204.43	201.78	191.56	191.56				1210
						Spruce	2	129.21	62.78	556.24	556.24	533.99	533.99			502	
						All Sp.	3	436.23	41.85	760.68	758.02	725.55	725.55	1906			
		01	13	20.000F C	8	W.R. Cedar	3										
						Spruce	2										
						All Sp.	5							1906			

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Plot Summary

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 227
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

19-Aug-2019 01:40:39PM
Filename: CP227.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00   IFS build 6231

Utilization Levels:	Minimum DBH	Top Diameter	Stump Height
Mature Blocks: (cm)	17.5	15.0	30
Immature Blocks:(cm)	12.0	10.0	30
Standard Log Length:(m)	10.00		

Forest Type	Block	Strip	Plot #	Plot Size	Slope %	Species	# of Stems	Stems / Ha	Avg Diam	Gross Merch	Less Decay	Less DB	Less DWB	Cruise Date	Loss YI	Ref OI	No. M
2-SsHw341	406	01	14	20.000F	6	Spruce	2	262.51	44.05	454.42	454.42	436.25	436.25		501		
						All Sp.	2	262.51	44.05	454.42	454.42	436.25	436.25	1906			
		01	15	20.000F C	8	Alder	6										
						Hemlock	2										
						Spruce	1										
						All Sp.	9							1906			
		01	16	20.000F C	6	Hemlock	1										
						Spruce	1										
						All Sp.	2							1906			
		01	17	20.000F	8	Hemlock	3	1479.88	22.72	546.06	546.06	524.22	524.22		301		
						All Sp.	3	1479.88	22.72	546.06	546.06	524.22	524.22	1906			
		01	18	20.000F C	6	Hemlock	1										
						Spruce	3										
						All Sp.	4							1906			
		01	19	20.000F C	11	Hemlock	2										
						Spruce	4										
						All Sp.	6							1906			
		01	20	20.000F	5	Hemlock	1	105.20	49.20	290.66	287.76	276.13	276.13			302	
						Spruce	4	1080.94	30.70	938.44	938.44	900.90	900.90			502	
						All Sp.	5	1186.14	32.76	1229.11	1226.20	1177.03	1177.03	1906			
		01	21	20.000F C	8	Spruce	4										
						All Sp.	4							1906			
		01	22	20.000F	4	Hemlock	2	340.12	38.70	594.89	588.94	565.14	565.14			302	
						Spruce	2	1155.52	20.99	431.90	431.90	414.62	414.62			502	
						All Sp.	4	1495.65	26.10	1026.79	1020.84	979.77	979.77	1906			
		01	23	20.000F	5	Hemlock	4	313.77	56.98	1222.35	1206.68	1154.33	1154.33			302	310
						All Sp.	4	313.77	56.98	1222.35	1206.68	1154.33	1154.33	1906			
		01	24	20.000F C	7	Alder	1										
						Hemlock	1										
						Spruce	4										
						All Sp.	6							1906			
		01	25	20.000F	16	W.R. Cedar	1	27.57	96.10	223.50	219.03	207.85	207.85			202	
						Hemlock	4	422.86	49.08	1282.18	1259.36	1208.07	1208.07			302	
						All Sp.	5	450.43	53.17	1505.68	1478.38	1415.92	1415.92	1906			
		01	26	20.000F C	4	Hemlock	1										
						All Sp.	1							1906			

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Plot Summary

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 227
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

19-Aug-2019 01:40:39PM
Filename: CP227.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00   IFS build 6231

Utilization Levels:	Minimum DBH	Top Diameter	Stump Height
Mature Blocks: (cm)	17.5	15.0	30
Immature Blocks:(cm)	12.0	10.0	30
Standard Log Length:(m)	10.00		

Forest Type	Block	Strip	Plot #	Plot Size	Slope %	Species	# of Stems	Stems / Ha	Avg Diam	Gross Merch	Less Decay	Less DB	Less DWB	Cruise Date	Loss YI	Loss OI	Ref No. M
2-SsHw341	406	01	27	20.000F	5	Alder	6	1689.42	30.07	1382.30	1363.69	1294.57	1294.57				1210
						All Sp.	6	1689.42	30.07	1382.30	1363.69	1294.57	1294.57	1906			
3-CwHw(Plc)831	441		1	16.000F	5	W.R. Cedar	2	62.92	80.47	261.56	175.80	157.49	123.51				210
						E-Down	1	42.79	69.00	129.74	85.63	76.55	57.73				210
						Hemlock	1	466.38	20.90	96.51	68.81	63.02	57.13				310
						Spruce	1	21.00	98.50	192.26	190.34	180.73	180.34				510
						All Sp.	4	550.29	38.48	550.33	434.95	401.23	360.99	1811			
			2	16.000F C	13	W.R. Cedar	2										
						Hemlock	2										
						Spruce	1										
						All Sp.	5							1811			
			3	16.000F C	11	Hemlock	5										
						All Sp.	5							1811			
			5	16.000F C	5	W.R. Cedar	6										
						Hemlock	3										
						L.P. Pine	4										
						All Sp.	13							1811			
			6	16.000F	5	W.R. Cedar	2	51.41	89.02	232.11	157.29	141.04	112.65				210
						All Sp.	2	51.41	89.02	232.11	157.29	141.04	112.65	1811			
			7	16.000F C	5	W.R. Cedar	3										
						Hemlock	3										
						All Sp.	6							1811			
			9	16.000F C	6	W.R. Cedar	1										
						Hemlock	1										
						All Sp.	2							1811			
			10	16.000F	20	W.R. Cedar	2	416.73	31.27	197.71	160.69	148.64	135.09		202		210
						Hemlock	1	45.11	67.20	160.02	156.82	148.82	148.82				310
						L.P. Pine	1	254.36	28.30	143.47	142.76	139.89	139.89		802		
						Spruce	1	34.01	77.40	181.45	181.45	174.20	174.20		502		
						All Sp.	5	750.22	36.85	682.65	641.72	611.54	597.99	1811			
4-CwHw(Plc)821	441		8	20.250F C	19	W.R. Cedar	3										
						Hemlock	3										
						Spruce	1										
						All Sp.	7							1811			
			11	20.250F	21	W.R. Cedar	1	131.97	44.20	121.31	79.58	71.09	55.68				210
						Hemlock	3	551.43	37.45	731.10	723.79	694.55	694.55		302		
						All Sp.	4	683.41	38.85	852.42	803.37	765.64	750.23	1811			
			12	20.250F C	5	Hemlock	3										
						All Sp.	3							1811			

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Plot Summary

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 227
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

19-Aug-2019 01:40:39PM
Filename: CP227.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00   IFS build 6231

Utilization Levels:	Minimum DBH	Top Diameter	Stump Height
Mature Blocks: (cm)	17.5	15.0	30
Immature Blocks:(cm)	12.0	10.0	30
Standard Log Length:(m)	10.00		

Forest Type	Block	Strip	Plot #	Plot Size	Slope %	Species	# of Stems	Stems / Ha	Avg Diam	Gross Merch	Less Decay	Less DB	Less DWB	Cruise Date	Loss YI	Loss OI	Ref No. M
4-CwHw(Plc)821	441		13	20.250F	7	W.R. Cedar	4	173.00	77.21	605.54	426.67	384.28	318.13				210
						Hemlock	2	354.71	38.13	427.37	423.09	406.00	406.00			302	
						Spruce	1	40.59	79.70	231.93	231.93	222.65	222.65			502	
						All Sp.	7	568.30	56.35	1264.83	1081.69	1012.93	946.78	1811			
5-CwHw(Plc)821	441		4	20.250F	11	W.R. Cedar	4	176.41	76.46	667.31	463.76	417.05	334.57				210
						E-Down	2	103.89	70.45	345.34	227.93	203.75	153.68				210
						Hemlock	1	795.77	18.00	54.53	53.44	51.26	51.26			302	
						L.P. Pine	1	138.80	43.10	206.81	205.78	201.64	201.64			802	
						Spruce	1	114.76	47.40	210.14	209.30	198.79	198.79				510
						All Sp.	7	1225.74	38.37	1138.80	932.28	868.74	786.27	1811			
			14	20.250F	C 4	Hemlock	2										
						All Sp.	2							1811			
			15	20.250F	16	W.R. Cedar	1	32.84	88.60	176.00	119.32	107.00	85.71				210
						Hemlock	2	165.23	55.87	486.64	440.81	416.63	403.21			302	310
						All Sp.	3	198.07	62.49	662.64	560.13	523.64	488.92	1811			
6-CwHw(Plc)821	441		16	20.250F	C 9	W.R. Cedar	3										
						Hemlock	1										
						All Sp.	4							1811			
			17	20.250F	7	W.R. Cedar	3	259.66	54.58	435.26	281.96	251.49	189.84				210
						Hemlock	1	111.91	48.00	224.57	220.08	208.85	208.40				310
						All Sp.	4	371.57	52.68	659.84	502.04	460.35	398.24	1811			
			18	20.250F	C 5	W.R. Cedar	3										
						L.P. Pine	1										
						All Sp.	4							1811			
			19	20.250F	C 6	W.R. Cedar	7										
						Hemlock	2										
						All Sp.	9							1811			
			21	20.250F	10	W.R. Cedar	1	140.75	42.80	122.20	80.16	71.61	56.09				210
						Hemlock	4	2065.22	22.35	534.84	529.21	507.82	507.82			302	
						L.P. Pine	1	504.80	22.60	133.70	133.70	131.03	131.03			802	
						All Sp.	6	2710.77	23.89	790.74	743.08	710.46	694.94	1811			
			22	20.250F	C 8	Hemlock	3										
						All Sp.	3							1811			
			23	20.250F	13	Hemlock	3	1575.43	22.16	360.83	352.09	335.95	334.50			302	310
						All Sp.	3	1575.43	22.16	360.83	352.09	335.95	334.50	1811			
			25	16.000F	C 7	W.R. Cedar	1										
						Hemlock	5										
						All Sp.	6							1811			

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Plot Summary

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 227
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

19-Aug-2019 01:40:39PM
Filename: CP227.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Utilization Levels:	Minimum DBH	Top Diameter	Stump Height
Mature Blocks: (cm)	17.5	15.0	30
Immature Blocks:(cm)	12.0	10.0	30

Standard Log Length:(m) 10.00

Forest Type	Block	Strip	Plot #	Plot Size	Slope %	Species	# of Stems	Stems / Ha	Avg Diam	Gross Merch	Less Decay	Less DB	Less DWB	Cruise Date	Loss YI	Loss OI	Ref No. M
6-CwHw(Plc)821	441		26	16.000F	6	W.R. Cedar	3	100.27	78.07	467.28	351.47	318.76	275.55				210
						Hemlock	6	1158.42	32.48	1043.81	1026.21	978.16	977.54			302	310
						Spruce	1	70.38	53.80	186.08	185.15	175.85	175.66				510
						All Sp.	10	1329.07	39.15	1697.18	1562.83	1472.77	1428.75	1811			
			29	16.000F	6	W.R. Cedar	1	29.22	83.50	125.58	101.72	92.93	84.77				210
						Hemlock	1	56.78	59.90	153.23	150.16	142.50	142.50				310
						All Sp.	2	86.00	68.83	278.81	251.88	235.43	227.27	1811			
			31	16.000F	9	W.R. Cedar	4	365.26	47.23	432.46	311.74	281.47	235.02				210
						Hemlock	3	353.49	41.58	442.47	433.18	411.05	409.87				310
						All Sp.	7	718.75	44.54	874.93	744.92	692.52	644.89	1811			
			32	16.000F C	14	W.R. Cedar	6										
						All Sp.	6							1811			
			34	16.000F C	18	W.R. Cedar	4										
						Hemlock	2										
						All Sp.	6							1811			
			35	16.000F	11	W.R. Cedar	2	242.03	41.03	271.89	234.91	215.88	205.00				210
						Hemlock	1	259.84	28.00	140.81	135.17	129.54	129.54			302	
						All Sp.	3	501.87	34.90	412.69	370.08	345.42	334.54	1811			
			36	16.000F	7	W.R. Cedar	4	395.08	45.42	448.04	375.45	344.09	320.40				210
						All Sp.	4	395.08	45.42	448.04	375.45	344.09	320.40	1811			
			38	20.250F	4	W.R. Cedar	1	217.88	34.40	127.19	89.16	80.25	66.01				210
						Hemlock	6	3210.71	21.95	703.27	696.40	668.27	668.27			302	
						All Sp.	7	3428.59	22.94	830.46	785.56	748.53	734.28	1811			
7-CwHw(Plc)821	441		20	16.000F	6	W.R. Cedar	2	442.59	30.34	247.77	183.26	165.92	140.29				210
						G-Shatt	2	442.59	30.34	247.77	183.26	165.92	140.29				210
						Hemlock	5	1669.82	24.70	582.88	582.88	559.57	559.57		301		
						All Sp.	7	2112.41	25.98	830.65	766.14	725.49	699.85	1811			
			24	16.000F	5	W.R. Cedar	5	471.86	46.46	590.19	436.67	395.36	339.43				210
						All Sp.	5	471.86	46.46	590.19	436.67	395.36	339.43	1811			
			27	16.000F	8	W.R. Cedar	4	1746.35	21.60	229.83	181.15	165.06	143.83				210
						Hemlock	1	129.26	39.70	151.45	148.27	140.70	140.25				310
						L.P. Pine	1	227.87	29.90	122.96	122.35	119.89	119.89			802	
						All Sp.	6	2103.48	24.11	504.25	451.77	425.65	403.96	1811			
			28	16.000F C	8	W.R. Cedar	3										
						Hemlock	4										
						All Sp.	7							1811			
			30	16.000F	8	W.R. Cedar	3	505.65	34.77	334.15	246.82	223.43	189.64				210

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Plot Summary

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 227
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

19-Aug-2019 01:40:39PM
Filename: CP227.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00   IFS build 6231

Utilization Levels:	Minimum DBH	Top Diameter	Stump Height
Mature Blocks: (cm)	17.5	15.0	30
Immature Blocks:(cm)	12.0	10.0	30
Standard Log Length:(m)	10.00		

Forest Type	Block	Strip	Plot #	Plot Size	Slope %	Species	# of Stems	Stems / Ha	Avg Diam	Gross Merch	Less Decay	Less DB	Less DWB	Cruise Date	Loss YI	Loss OI	Ref No. M
7-CwHw(Plc)821	441		30	16.000F	8	Hemlock	2	574.46	26.63	260.07	254.24	241.24	240.25				310
						L.P. Pine	1	391.89	22.80	75.54	75.16	73.65	73.65				810
						All Sp.	6	1471.99	28.82	669.76	576.23	538.32	503.55	1811			
			37	16.000F C	6	W.R. Cedar	3										
						All Sp.	3							1811			
8-HwCw(Ss)831	442	01	01	20.000F	8	W.R. Cedar	4	434.27	48.43	761.95	570.74	517.40	449.00				210
						E-Down	2	272.90	43.20	368.07	241.45	215.69	168.94				210
						Hemlock	2	182.83	52.78	400.91	392.89	372.84	372.25				310
						All Sp.	6	617.11	49.76	1162.86	963.63	890.25	821.25	1906			
		01	02	20.000F C	4	W.R. Cedar	4										
						Hemlock	2										
						All Sp.	6							1906			
		01	03	20.000F	7	W.R. Cedar	2	288.31	42.03	273.92	273.92	260.22	260.22		201		
						Hemlock	2	1452.41	18.73	147.57	147.57	141.66	141.66		301		
						L.P. Pine	1	354.54	26.80	162.31	162.31	159.06	159.06			802	
						All Sp.	5	2095.26	24.65	583.80	583.80	560.95	560.95	1906			
9-HwCw(Ss)831	442	01	04	20.000F C	3	W.R. Cedar	1										
						Hemlock	1										
						All Sp.	2							1906			
		01	05	20.000F	4	W.R. Cedar	1	124.09	45.30	168.61	143.83	132.02	124.10				210
						Hemlock	1	217.71	34.20	191.64	187.42	177.84	177.27				310
						All Sp.	2	341.81	38.60	360.25	331.25	309.87	301.37	1906			
		01	06	20.000F C	4	W.R. Cedar	5										
						Hemlock	1										
						L.P. Pine	2										
						All Sp.	8							1906			
		01	07	20.000F C	5	W.R. Cedar	2										
						Hemlock	2										
						All Sp.	4							1906			
		01	08	20.000F	7	W.R. Cedar	3	163.36	68.38	643.70	461.24	416.18	343.91				210
						Hemlock	2	240.60	46.01	534.79	523.82	497.08	495.74				310
						Spruce	1	401.00	25.20	169.15	168.82	160.36	160.36				510
						All Sp.	6	804.96	43.57	1347.64	1153.87	1073.62	1000.01	1906			
		01	09	20.000F	5	Hemlock	1	453.36	23.70	157.73	154.10	146.22	145.43				310
						All Sp.	1	453.36	23.70	157.73	154.10	146.22	145.43	1906			
		01	10	20.000F C	6	W.R. Cedar	4										
						Hemlock	3										
						All Sp.	7							1906			

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Plot Summary

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 227
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

19-Aug-2019 01:40:39PM
Filename: CP227.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Utilization Levels:	Minimum DBH	Top Diameter	Stump Height
Mature Blocks: (cm)	17.5	15.0	30
Immature Blocks:(cm)	12.0	10.0	30

Standard Log Length:(m) 10.00

Forest Type	Block	Strip	Plot #	Plot Size	Slope %	Species	# of Stems	Stems / Ha	Avg Diam	Gross Merch	Less Decay	Less DB	Less DWB	Cruise Date	Loss YI	Loss OI	Ref No. M
9-HwCw(Ss)831	442	01	11	20.000F	5	W.R. Cedar	5	643.24	44.49	778.68	577.67	523.16	446.45				210
						E-Down	1	414.03	24.80	89.16	69.37	63.13	54.66				210
						All Sp.	5	643.24	44.49	778.68	577.67	523.16	446.45	1906			
		01	14	20.000F	5	W.R. Cedar	4	689.65	38.43	572.24	456.65	416.59	374.99				210
						L.P. Pine	1	233.84	33.00	178.25	178.25	174.68	174.68				810
						All Sp.	5	923.49	37.13	750.49	634.90	591.27	549.67	1906			
		01	15	20.000F	6	W.R. Cedar	6	690.81	47.03	748.03	524.30	471.93	385.26				210
						All Sp.	6	690.81	47.03	748.03	524.30	471.93	385.26	1906			
		01	19	20.000F	6	W.R. Cedar	2	470.16	32.91	329.98	254.67	231.57	202.16				210
						All Sp.	2	470.16	32.91	329.98	254.67	231.57	202.16	1906			
10-CwHw831	442	01	13	20.000F	3	W.R. Cedar	2	50.08	100.84	244.78	167.34	150.21	121.71				210
						Spruce	1	104.77	49.30	188.60	187.84	178.41	178.41				510
						All Sp.	3	154.86	70.24	433.38	355.19	328.62	300.12	1906			
		01	17	20.000F C	4	W.R. Cedar	3										
						Spruce	1										
						All Sp.	4							1906			
		01	18	20.000F	6	W.R. Cedar	2	564.45	30.04	291.63	234.31	213.90	192.56				210
						E-Down	1	217.71	34.20	155.20	108.80	97.93	80.55				210
						Hemlock	2	280.11	42.64	483.32	473.17	449.00	447.80				310
						Spruce	1	188.04	36.80	214.20	207.56	196.85	196.00				510
						All Sp.	5	1032.60	35.11	989.16	915.05	859.76	836.35	1906			
		01	23	20.000F	3	W.R. Cedar	4	213.83	69.02	557.46	417.69	378.66	325.45				210
						E-Down	1	55.07	68.00	155.37	102.55	91.67	69.14				210
						Hemlock	1	264.98	31.00	94.48	92.31	87.59	87.21				310
						All Sp.	5	478.81	51.57	651.94	510.00	466.25	412.66	1906			
		01	26	20.000F	4	W.R. Cedar	1	74.92	58.30	147.30	95.16	84.85	63.63				210
						Hemlock	2	219.22	48.20	396.11	328.62	306.97	278.52				310
						All Sp.	3	294.14	50.96	543.41	423.78	391.82	342.15	1906			
		01	27	20.000F C	3	W.R. Cedar	4										
						Hemlock	2										
						All Sp.	6							1906			
11-HwCw931	442	01	16	20.000F	7	W.R. Cedar	3	141.16	73.57	502.78	369.63	334.44	285.53				210
						Hemlock	3	657.79	34.08	670.63	656.41	622.88	620.72				310
						All Sp.	6	798.94	43.73	1173.42	1026.04	957.32	906.25	1906			
		01	20	20.000F C	7	Spruce	1										
						All Sp.	1							1906			
		01	21	20.000F	8	W.R. Cedar	3	327.69	48.28	301.31	202.83	102.49	64.39				210

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Plot Summary

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 227
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

19-Aug-2019 01:40:39PM
Filename: CP227.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Utilization Levels:	Minimum DBH	Top Diameter	Stump Height
Mature Blocks: (cm)	17.5	15.0	30
Immature Blocks:(cm)	12.0	10.0	30

Standard Log Length:(m) 10.00

Forest Type	Block	Strip	Plot #	Plot Size	Slope %	Species	# of Stems	Stems / Ha	Avg Diam	Gross Merch	Less Decay	Less DB	Less DWB	Cruise Date	Loss YI	Loss OI	Ref No. M
11-HwCw931	442	01	21	20.000F	8	C-Hvy	2	261.01	44.17	198.12	136.17	43.06	19.81				210
						Hemlock	1	414.03	24.80	130.68	91.47	83.63	73.18				310
						All Sp.	4	741.72	37.06	431.98	294.31	186.13	137.57	1906			
		01	22	20.000F C	4	W.R. Cedar	5										
						Hemlock	2										
						All Sp.	7							1906			
		01	24	20.000F C	9	W.R. Cedar	4										
						All Sp.	4							1906			
		01	25	20.000F	5	W.R. Cedar	4	41.26	157.12	563.54	388.84	229.41	165.73				210
						C-Hvy	2	19.11	163.24	299.97	206.98	65.99	32.10				210
						L.P. Pine	1	156.02	40.40	176.69	175.81	172.28	172.28				810
						Spruce	1	39.69	80.10	227.45	225.86	214.48	214.26				510
						All Sp.	6	236.97	80.30	967.68	790.51	616.17	552.26	1906			
12-CwHwPlc931	442	01	28	20.000F	5	W.R. Cedar	4	200.15	71.34	708.49	469.31	419.71	323.68				210
						Hemlock	1	427.72	24.40	173.61	169.62	160.94	160.07				310
						All Sp.	5	627.87	45.03	882.11	638.93	580.65	483.75	1906			
		01	29	20.000F	4	Hemlock	1	123.55	45.40	148.17	145.06	137.65	137.35				310
						Spruce	1	66.68	61.80	263.01	261.70	248.55	248.28				510
						All Sp.	2	190.22	51.74	411.18	406.75	386.20	385.64	1906			
13-CwHwPlc821	442	01	30	20.000F	9	W.R. Cedar	2	61.50	91.00	289.68	196.71	176.44	141.26				210
						Hemlock	1	82.08	55.70	184.52	180.83	171.60	171.41				310
						L.P. Pine	1	221.59	33.90	188.85	188.85	185.07	185.07				810
						All Sp.	4	365.17	52.81	663.05	566.39	533.11	497.75	1906			
		01	31	20.000F	3	W.R. Cedar	2	94.14	73.55	252.01	167.61	96.06	61.27				210
						C-Hvy	1	54.75	68.20	134.79	88.96	25.61	6.07				210
						Hemlock	2	182.52	52.82	361.68	343.03	323.13	319.33				310
						All Sp.	4	276.66	60.68	613.69	510.64	419.19	380.60	1906			
14-CwHw821	442	01	32	20.000F C	5	W.R. Cedar	3										
						Hemlock	3										
						All Sp.	6							1906			
		01	33	20.000F C	7	W.R. Cedar	2										
						Hemlock	2										
						L.P. Pine	1										
						All Sp.	5							1906			
		01	34	20.000F C	7	W.R. Cedar	2										
						Hemlock	1										
						All Sp.	3							1906			
		01	35	20.000F C	5	W.R. Cedar	1										

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Plot Summary

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 227
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

19-Aug-2019 01:40:39PM
Filename: CP227.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Utilization Levels:	Minimum DBH	Top Diameter	Stump Height
Mature Blocks: (cm)	17.5	15.0	30
Immature Blocks:(cm)	12.0	10.0	30
Standard Log Length:(m)	10.00		

Forest Type	Block	Strip	Plot #	Size	Slope %	Species	# of Stems	Stems / Ha	Avg Diam	Gross Merch	Less Decay	Less DB	Less DWB	Cruise Date	Loss YI	Loss OI	Ref No. M
14-CwHw821	442	01	35	20.000F C	5	Hemlock	2										
						L.P. Pine	2										
						All Sp.	5							1906			
		01	36	20.000F	8	W.R. Cedar	5	1446.72	29.67	797.84	689.65	633.80	596.21				210
						Hemlock	1	70.97	59.90	195.60	191.69	181.91	181.91				310
						Spruce	1	457.21	23.60	150.17	149.87	142.36	142.36				510
						All Sp.	7	1974.90	30.04	1143.61	1031.20	958.07	920.48	1906			
		01	37	20.000F	4	W.R. Cedar	1	341.68	27.30	127.67	117.46	108.52	104.82				210
						L.P. Pine	2	688.50	27.20	363.09	362.20	354.94	354.94				810
						All Sp.	3	1030.17	27.23	490.76	479.65	463.46	459.75	1906			
15-HwCw931	442	01	38	20.000F	5	W.R. Cedar	5	836.18	39.02	696.72	508.39	459.62	389.67				210
						Hemlock	2	298.59	41.30	429.75	420.72	399.24	397.95				310
						L.P. Pine	1	150.02	41.20	204.14	203.12	199.04	199.04				810
						All Sp.	8	1284.79	39.82	1330.61	1132.24	1057.90	986.65	1906			
		01	39	20.000F	8	W.R. Cedar	6	690.52	47.04	1085.92	824.01	686.19	590.58				210
						C-Hvy	1	114.79	47.10	154.51	101.36	28.74	9.12				210
						Hemlock	1	142.32	42.30	248.93	243.70	231.25	230.51				310
						All Sp.	7	832.84	46.26	1334.85	1067.71	917.44	821.09	1906			
		01	40	20.000F C	4	W.R. Cedar	5										
						Hemlock	1										
						All Sp.	6							1906			
16-CwHwPlc821	442	01	41	20.000F	5	Hemlock	1	248.68	32.00	184.12	179.89	170.68	169.94				310
						Spruce	1	212.71	34.60	194.98	194.40	184.65	184.65				510
						All Sp.	2	461.39	33.22	379.10	374.28	355.33	354.59	1906			
		01	42	20.000F	3	W.R. Cedar	6	1113.78	37.04	793.03	582.35	405.65	318.16				210
						C-Hvy	2	115.86	66.30	302.97	197.84	55.44	10.60				210
						L.P. Pine	2	173.37	54.20	356.45	354.67	347.54	347.54				810
						All Sp.	8	1287.15	39.78	1149.47	937.01	753.19	665.70	1906			
		01	43	20.000F C	11	W.R. Cedar	2										
						All Sp.	2							1906			
17-CwHw(Plc)831	444	01	01	20.000F	11	W.R. Cedar	2	236.55	46.40	203.07	150.33	136.11	117.04				210
						Hemlock	3	1660.21	21.45	241.17	234.43	221.51	219.20				310
						All Sp.	5	1896.76	25.91	444.24	384.76	357.62	336.24	1906			
		01	02	20.000F	5	W.R. Cedar	7	464.33	61.96	1033.44	671.87	599.53	448.49				210
						All Sp.	7	464.33	61.96	1033.44	671.87	599.53	448.49	1906			
		01	03	20.000F C	7	W.R. Cedar	4										
						All Sp.	4							1906			

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Plot Summary

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 227
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

19-Aug-2019 01:40:39PM
Filename: CP227.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Utilization Levels:	Minimum DBH	Top Diameter	Stump Height
Mature Blocks: (cm)	17.5	15.0	30
Immature Blocks:(cm)	12.0	10.0	30

Standard Log Length:(m) 10.00

Forest Type	Block	Strip	Plot #	Plot Size	Slope %	Species	# of Stems	Stems / Ha	Avg Diam	Gross Merch	Less Decay	Less DB	Less DWB	Cruise Date	Loss YI	Loss OI	Ref No. M
18-CwHw(Plc)831	444	01	05	20.000F C	6	W.R. Cedar	2										
						All Sp.	2							1906			
		01	06	20.000F	8	W.R. Cedar	4	471.59	46.47	480.32	345.73	262.31	209.43				210
						C-Hvy	1	53.33	69.10	124.50	82.17	23.65	5.60				210
						Hemlock	1	25.31	100.30	241.01	189.19	174.73	158.58				310
						All Sp.	5	496.91	50.62	721.33	534.92	437.04	368.01	1906			
		01	07	20.000F C	8	W.R. Cedar	3										
						Hemlock	1										
						L.P. Pine	1										
						All Sp.	5							1906			
		01	08	20.000F	12	W.R. Cedar	2	159.18	56.56	317.97	241.18	218.92	190.62				210
						L.P. Pine	1	108.26	48.50	158.30	157.51	154.34	154.34				810
						All Sp.	3	267.43	53.45	476.27	398.69	373.26	344.96	1906			
		01	12	20.000F	12	W.R. Cedar	2	1002.06	22.54	251.68	234.29	216.67	209.47				210
						Hemlock	1	29.19	93.40	166.73	132.39	122.38	111.88				310
						Spruce	1	61.02	64.60	234.92	233.51	221.77	221.53				510
						Y. Cedar	2	515.30	31.44	375.55	361.76	267.13	266.96				610
						C-Hvy	1	368.15	26.30	170.85	165.04	84.74	84.57				610
						All Sp.	6	1607.57	30.83	1028.89	961.95	827.95	809.84	1906			
		01	13	20.000F C	4	W.R. Cedar	1										
						Hemlock	1										
						All Sp.	2							1906			
19-HwCw(Plc)831	444	01	11	20.000F	4	W.R. Cedar	2	767.00	25.77	265.35	240.45	221.88	214.03				210
						Hemlock	1	473.11	23.20	164.11	160.34	152.13	151.31				310
						L.P. Pine	1	298.66	29.20	197.20	197.20	193.26	193.26				810
						All Sp.	4	1538.77	25.73	626.66	597.99	567.27	558.60	1906			
		01	15	20.000F C	4	W.R. Cedar	1										
						L.P. Pine	1										
						All Sp.	2							1906			
		01	17	20.000F	11	W.R. Cedar	5	867.84	38.30	757.79	599.44	546.39	491.39				210
						E-Down	1	195.40	36.10	179.74	126.00	113.41	93.28				210
						Hemlock	1	161.57	39.70	246.13	240.96	228.65	227.91				310
						All Sp.	6	1029.41	38.53	1003.92	840.39	775.04	719.30	1906			
		01	18	20.000F	4	W.R. Cedar	3	1003.03	27.60	260.36	209.17	190.94	173.95				210
						Hemlock	1	365.37	26.40	170.53	166.61	158.08	157.23				310
						Spruce	1	62.17	64.00	214.93	213.64	202.90	202.68				510
						All Sp.	5	1430.57	29.83	645.83	589.42	551.92	533.86	1906			
20-CwHw831	444	01	14	20.000F	12	W.R. Cedar	4	294.40	58.82	585.57	417.38	326.30	261.64				210
						E-Down	1	82.97	55.40	132.89	85.58	76.28	57.54				210

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Plot Summary

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 227
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

19-Aug-2019 01:40:39PM
Filename: CP227.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Utilization Levels:	Minimum DBH	Top Diameter	Stump Height
Mature Blocks: (cm)	17.5	15.0	30
Immature Blocks:(cm)	12.0	10.0	30
Standard Log Length:(m)	10.00		

Forest Type	Block	Strip	Plot #	Plot Size	Slope %	Species	# of Stems	Stems / Ha	Avg Diam	Gross Merch	Less Decay	Less DB	Less DWB	Cruise Date	Loss YI	Loss OI	Ref No. M
20-CwHw831	444	01	14	20.000F	12	C-Hvy	1	40.60	79.20	125.23	84.03	25.17	8.89				210
						Hemlock	1	473.11	23.20	119.77	117.01	111.03	110.43				310
						All Sp.	5	767.51	40.73	705.34	534.40	437.32	372.06	1906			
		01	16	20.000F	10	W.R. Cedar	1	57.07	66.80	117.65	76.82	21.53	4.12				210
						C-Hvy	1	57.07	66.80	117.65	76.82	21.53	4.12				210
						Hemlock	1	368.15	26.30	148.27	144.86	137.44	136.70				310
						All Sp.	2	425.22	34.61	265.91	221.68	158.97	140.82	1906			
21-CwHw(Ss)831	444	01	19	20.000F	9	W.R. Cedar	6	402.31	61.63	790.89	515.38	460.01	349.35				210
						All Sp.	6	402.31	61.63	790.89	515.38	460.01	349.35	1906			
		01	20	20.000F	5	W.R. Cedar	3	433.68	41.97	287.59	236.47	185.99	168.41				210
						C-Hvy	1	45.03	75.20	75.88	50.39	14.72	4.55				210
						L.P. Pine	1	473.11	23.20	123.46	122.84	120.38	120.38				810
						All Sp.	4	906.79	33.52	411.05	359.32	306.37	288.79	1906			
		01	21	20.000F	C 7	W.R. Cedar	2										
						Hemlock	1										
						All Sp.	3							1906			
		01	22	20.000F	C 4	W.R. Cedar	2										
						All Sp.	2							1906			
		01	23	20.000F	5	W.R. Cedar	1	26.14	98.70	118.34	80.95	72.66	59.05				210
						Hemlock	1	507.51	22.40	134.72	131.49	124.75	123.94				310
						Spruce	1	218.99	34.10	211.74	211.10	200.52	200.52				510
						Y. Cedar	1	130.94	44.10	158.66	141.21	130.10	129.62				610
						All Sp.	4	883.58	33.95	623.46	564.74	528.03	513.13	1906			
		01	24	20.000F	C 25	W.R. Cedar	3										
						Hemlock	2										
						L.P. Pine	1										
						All Sp.	6							1906			
22-CwHw(Ss)831	444	01	25	20.000F	9	W.R. Cedar	3	142.14	73.31	586.79	479.25	438.18	401.76				210
						Hemlock	2	324.02	39.65	490.09	479.58	455.07	453.87				310
						L.P. Pine	1	382.56	25.80	177.97	177.97	174.41	174.41				810
						All Sp.	6	848.72	42.43	1254.84	1136.80	1067.66	1030.04	1906			
		01	26	20.000F	11	W.R. Cedar	1	79.49	56.60	204.81	171.22	156.89	145.62				210
						Spruce	1	22.58	106.20	250.35	247.84	235.33	234.83				510
						All Sp.	2	102.07	70.64	455.16	419.07	392.21	380.45	1906			
		01	27	20.000F	C 5	W.R. Cedar	3										
						Hemlock	2										
						All Sp.	5							1906			
23-HwCw(Plc)831	444	01	09	20.000F	6	W.R. Cedar	5	195.11	80.78	819.22	548.82	491.47	385.48				210
						All Sp.	5	195.11	80.78	819.22	548.82	491.47	385.48	1906			

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Plot Summary

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 227
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

19-Aug-2019 01:40:39PM
Filename: CP227.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Utilization Levels:	Minimum DBH	Top Diameter	Stump Height
Mature Blocks: (cm)	17.5	15.0	30
Immature Blocks:(cm)	12.0	10.0	30
Standard Log Length:(m)	10.00		

Forest Type	Block	Strip	Plot #	Plot Size	Slope %	Species	# of Stems	Stems / Ha	Avg Diam	Gross Merch	Less Decay	Less DB	Less DWB	Cruise Date	Loss Ref No. YI	Loss Ref No. OI	Loss Ref No. M
23-HwCw(Plc)831	444	01	10	20.000F	8	W.R. Cedar	1	27.57	96.10	128.32	87.39	78.41	63.26				210
						Hemlock	3	739.54	32.14	654.34	640.00	607.28	604.96				310
						Spruce	1	37.32	82.60	256.05	254.00	241.20	240.94				510
						All Sp.	5	804.43	39.78	1038.71	981.39	926.89	909.17	1906			
24-CwHw831	444	01	28	20.000F	7	W.R. Cedar	2	124.40	63.98	278.32	184.78	165.29	129.31				210
						Spruce	1	27.29	96.60	221.14	219.15	208.09	207.65				510
						All Sp.	3	151.69	70.97	499.46	403.92	373.38	336.95	1906			
		01	29	20.000F	4	W.R. Cedar	1	156.79	40.30	146.55	98.77	88.51	70.93				210
						Hemlock	1	159.15	40.00	178.45	174.70	165.78	165.24				310
						All Sp.	2	315.95	40.15	325.00	273.47	254.29	236.17	1906			
		01	30	20.000F C	11	W.R. Cedar	2										
						All Sp.	2							1906			
25-CwHw(PlcYc)8	457	01	01	20.000F	11	W.R. Cedar	2	89.78	75.32	277.60	185.17	165.74	130.17				210
						E-Down	1	21.12	109.80	142.34	97.78	87.82	71.74				210
						Hemlock	1	777.29	18.10								310
						All Sp.	3	867.07	29.68	277.60	185.17	165.74	130.17	1906			
		01	02	20.000F	11	W.R. Cedar	3	141.07	73.59	448.13	297.62	266.25	205.71				210
						E-Down	1	22.33	106.80	143.37	98.35	88.32	71.83				210
						Hemlock	1	354.54	26.80	104.89	102.48	97.24	96.71				310
						All Sp.	4	495.62	45.33	553.02	400.10	363.49	302.42	1906			
		01	03	20.000F	4	W.R. Cedar	3	342.85	47.20	638.37	416.58	371.89	287.24				210
						All Sp.	3	342.85	47.20	638.37	416.58	371.89	287.24	1906			
		01	04	20.000F	12	W.R. Cedar	7	375.59	68.89	1183.69	781.26	698.40	534.43				210
						Hemlock	2	366.52	37.28	303.78	297.36	282.17	281.52				310
						All Sp.	9	742.10	55.57	1487.47	1078.62	980.57	815.96	1906			
		01	05	20.000F	6	W.R. Cedar	3	187.38	63.85	364.10	240.44	214.96	165.87				210
						E-Down	1	101.86	50.00	123.02	79.47	70.86	54.25				210
						All Sp.	3	187.38	63.85	364.10	240.44	214.96	165.87	1906			
		01	06	20.000F	14	W.R. Cedar	4	285.12	59.77	572.69	373.64	333.55	252.43				210
						E-Down	1	49.67	71.60	142.09	93.78	83.83	63.23				210
						All Sp.	4	285.12	59.77	572.69	373.64	333.55	252.43	1906			
26-CwHw831	457	01	07	20.000F	7	W.R. Cedar	4	562.06	42.57	778.49	537.53	483.03	387.01				210
						Hemlock	2	1277.09	19.97	93.42	91.18	86.51	85.95				310
						All Sp.	6	1839.14	28.82	871.91	628.70	569.54	472.95	1906			
		01	08	20.000F	11	Hemlock	1	414.03	24.80	109.82	107.29	101.80	101.25				310
						All Sp.	1	414.03	24.80	109.82	107.29	101.80	101.25	1906			
		01	09	20.000F	12	W.R. Cedar	5	1791.16	26.66	632.54	458.39	414.11	341.14				210

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Plot Summary

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 227
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

19-Aug-2019 01:40:39PM
Filename: CP227.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Utilization Levels:	Minimum DBH	Top Diameter	Stump Height
Mature Blocks: (cm)	17.5	15.0	30
Immature Blocks:(cm)	12.0	10.0	30
Standard Log Length:(m)	10.00		

Forest Type	Block	Strip	Plot #	Plot Size	Slope %	Species	# of Stems	Stems / Ha	Avg Diam	Gross Merch	Less Decay	Less DB	Less DWB	Cruise Date	Loss YI	Loss OI	Ref No. M
26-CwHw831	457	01	09	20.000F	12	G-Shatt	2	1193.30	20.66	201.58	165.50	151.39	134.46				210
						Hemlock	1	588.59	20.80	69.11	67.45	64.00	63.58				310
						All Sp.	6	2379.75	25.34	701.65	525.84	478.11	404.72	1906			
		01	10	20.000F	7	W.R. Cedar	5	392.54	56.95	804.68	531.54	475.21	366.59				210
						Hemlock	1	222.90	33.80	91.08	89.08	84.52	84.25				310
						All Sp.	6	615.44	49.83	895.76	620.62	559.73	450.84	1906			
		01	11	20.000F	14	W.R. Cedar	4	147.79	83.02	609.29	409.80	367.15	289.98				210
						Hemlock	2	678.08	27.41	281.62	275.69	261.61	260.75				310
						All Sp.	6	825.87	43.01	890.90	685.49	628.76	550.73	1906			
		01	12	20.000F	9	W.R. Cedar	3	171.59	66.72	550.43	364.53	326.00	254.28				210
						Hemlock	2	682.98	27.31	247.16	241.47	229.11	228.04				310
						All Sp.	5	854.58	38.60	797.58	606.00	555.11	482.31	1906			
27-HwSsCw941	811	00	01	20.000F	42	Hemlock	2	34.70	121.14	649.59	464.40	428.81	337.26				310
						Spruce	1	9.95	160.00	335.94	330.23	313.43	312.76				510
						All Sp.	3	44.65	130.80	985.53	794.63	742.24	650.02	1906			
28-HwSsCw941	811	00	02	20.000F	27	Hemlock	2	252.92	44.87	413.76	405.19	384.51	384.06				310
						Spruce	2	10.09	224.70	692.95	679.78	645.13	644.44				510
						All Sp.	4	263.01	62.23	1106.71	1084.98	1029.64	1028.50	1906			

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Plot Frequency Report

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 227
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

19-Aug-2019 01:40:39PM
Filename: CP227.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Measure Plots

Blocks	Timber Type 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
BLOCK 406 (I)															
# of Plots	2	12													
ha / Plot	2.15	1.87													
BLOCK 441 (M)															
# of Plots			3	2	2	9	4								
ha / Plot			1.93	1.85	1.60	1.42	1.45								
BLOCK 442 (M)															
# of Plots								2	7	4	3	2	2	2	2
ha / Plot								1.35	1.37	1.65	1.87	1.25	0.55	2.60	0.85
BLOCK 444 (M)															
# of Plots															
ha / Plot															
BLOCK 457 (M)															
# of Plots															
ha / Plot															
BLOCK 811 (M)															
# of Plots															
ha / Plot															
Cutting Permit															
# of Plots	2	12	3	2	2	9	4	2	7	4	3	2	2	2	2
ha / Plot	2.15	1.87	1.93	1.85	1.60	1.42	1.45	1.35	1.37	1.65	1.87	1.25	0.55	2.60	0.85

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Plot Frequency Report

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 227
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

19-Aug-2019 01:40:39PM
Filename: CP227.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Measure Plots

Harvest Methods	Timber Type 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
METHOD SC															
# of Plots	2	12	3	2	2	9	4	2	7	4	3	2	2	2	2
ha / Plot	2.15	1.87	1.93	1.85	1.60	1.42	1.45	1.35	1.37	1.65	1.87	1.25	0.55	2.60	0.85
All Methods															
# of Plots	2	12	3	2	2	9	4	2	7	4	3	2	2	2	2
ha / Plot	2.15	1.87	1.93	1.85	1.60	1.42	1.45	1.35	1.37	1.65	1.87	1.25	0.55	2.60	0.85

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Plot Frequency Report

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 227
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

19-Aug-2019 01:40:39PM
Filename: CP227.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Count Plots

Blocks	Timber Type 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
BLOCK 406 (I)															
# of Plots	2	11													
ha / Plot	2.15	2.04													
BLOCK 441 (M)															
# of Plots			5	2	1	7	2								
ha / Plot			1.16	1.85	3.20	1.83	2.90								
BLOCK 442 (M)															
# of Plots								1	4	2	3			4	1
ha / Plot								2.70	2.40	3.30	1.87			1.30	1.70
BLOCK 444 (M)															
# of Plots															
ha / Plot															
BLOCK 457 (M)															
# of Plots															
ha / Plot															
BLOCK 811 (M)															
# of Plots															
ha / Plot															
Cutting Permit															
# of Plots	2	11	5	2	1	7	2	1	4	2	3			4	1
ha / Plot	2.15	2.04	1.16	1.85	3.20	1.83	2.90	2.70	2.40	3.30	1.87			1.30	1.70

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.

Plot Frequency Report

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 227
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

19-Aug-2019 01:40:39PM
Filename: CP227.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST MANAGEMENT LTD.
Version: 2019.00 IFS build 6231

Count Plots

Harvest Methods	Timber Type 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
METHOD SC															
# of Plots	2	11	5	2	1	7	2	1	4	2	3			4	1
ha / Plot	2.15	2.04	1.16	1.85	3.20	1.83	2.90	2.70	2.40	3.30	1.87			1.30	1.70
All Methods															
# of Plots	2	11	5	2	1	7	2	1	4	2	3			4	1
ha / Plot	2.15	2.04	1.16	1.85	3.20	1.83	2.90	2.70	2.40	3.30	1.87			1.30	1.70

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2019, Industrial Forestry Service Ltd.