HUSBY FOREST PRODUCTS LTD.

A16869 - CP# 229

Block #: LIG254, LIG255, LIG256, LIG257, COL430, COL436, COL438, COL480, COL788, STA920, STA921, STA922, and STA923

SUMMARY OF VOLUMES (loss factors)
FULL VOLUMES APPLIED

14-May-2020 08:38:35AM

Cruised by: ABACUS FOREST
Compiled by: Husby Forest Products Ltd.

Map Area Statement Report

Average Line Method | Grades: MOF Computerized | FIZ: A | 14-May-2020 08:38:35AM
HUSBY FOREST PRODUCTS LTD. | Computerized Decay | PSYU: Queen Charlotte | Filename: cp229 final.ccp
Licence Number: A16869 CP: 229 | Computerized Waste | Region: 2 - West Coast | Compiled by: Husby Forest Products Ltd.
Project: 1 | Computerized Breakage | District: 07 - Haida Gwaii | Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

Card A Cruise Identity

Licence #	: A16869	Cutting Permit #	: 229
Number of Blocks	: 13	Forest Region	: West Coast
Forest District	: Haida Gwaii	Type	: PSYU
Unit No	: Queen Charlotte	Tenure	: Forest Licence (COAST)
Quota	: Prop./Mngd.PSYU,TFL,or SSA	Sale Type	: None
Elevation	: 0	Co-ordinates Zone	: Unknown
East	: 0	North	: 0
Total Merch Area	: 201.10	Report Type	: *** FOR APPRAISAL PURPOSES ***
Locality	:		

Card B Compilation Standard

Damage	: Damage	Selective	: Compile All Trees
Double Sampling	: Measure and Counts Plots	Special Compilation	: No Special Compilation
Species Compilation	: Exceptions Not Used	Type of Compilation	: Coastal

Compilation Standard	Mature	Immature
DBH Limit	17.50	12.00
Stump Height	30	30
Top Diameter	15.00	10.00

Card C Type Description

Type	Description	Silvicultural Treatment Units A
26	YcCw(Hw)931	3.3
27	CwHw(Yc)931	10.3
28	CwHw(Yc)931	33.5
29	CwHw931	17.8
30	CwHw931	8.1
31	CwHw(Yc)931	11.5
32	CwHw(Yc)931	19.8
33	CwHw(Yc)931	5.5
34	CwHw(PlcYc)9	3.8
35	CwHw(Yc)931	2.3
36	CwHw931	9.7
41	C H 931	13.3
42	C H 931	1.1
45	H C 931	9.0
46	H C 831	2.4
47	C H PL931	7.0
56	S H 351	18.1
57	S H 351	6.0
59	C H PL921	1.2
60	C H 931	17.4

Card D Block Description

Block	Description	Maturity	Type	Silvicultural Treatment Units A
254	LIG254	M	27	10.3
255	LIG255	M	28	33.5
256	LIG256	M	29	17.8
			30	8.1
257	LIG257	M	26	3.3
430	COL430	M	41	13.3

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Map Area Statement Report

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 229
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

14-May-2020 08:38:35AM
Filename: cp229 final.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

Block	Description	Maturity	Silvicultural Treatment Units Type	A
430	COL430	M	42	1.1
436	COL436	M	45	9.0
			46	2.4
438	COL438	M	47	7.0
480	COL480	I	56	18.1
			57	6.0
788	COL788	M	59	1.2
			60	17.4
920	STA920	M	31	11.5
			32	19.8
			33	5.5
921	STA921	M	34	3.8
922	STA922	M	35	2.3
923	STA923	M	36	9.7

Card F Harvesting Description

Harvest Method	Harvest Description	Silvicultural Treatment Units Type	A
SC	Ground Systems - Clearcut	26	3.3
		27	10.3
		28	33.5
		29	17.8
		30	8.1
		31	11.5
		32	19.8
		33	5.5
		34	3.8
		35	2.3
		36	9.7
		41	13.3
		42	1.1
		45	9.0
		46	2.4
		47	7.0
		56	18.1
		57	6.0
		59	1.2
		60	17.4

Card G Treatment Unit Description

Treatment Unit	Description
A	CLEARCUT

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Double Sampling Factors

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 229
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

14-May-2020 08:38:35AM
Filename: cp229 final.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

	C	H	S	Y	PL	D
Utilization Limits						
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0
Min DBH cm (I)	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0

Type Factors

Forest Types:

26:YcCw(Hw)931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
27:CwHw(Yc)931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
28:CwHw(Yc)931	0.9704	0.9818	0.5143	1.0000	1.0000	1.0000
29:CwHw931	1.2308	1.4118	0.4706	1.0000	1.0000	1.0000
30:CwHw931	1.1719	0.7500	1.0000	0.3750	1.0000	1.0000
31:CwHw(Yc)931	0.9301	3.1818	1.0000	0.6364	1.0000	1.0000
32:CwHw(Yc)931	0.9575	1.1579	0.5789	1.0000	1.0000	1.0000
33:CwHw(Yc)931	0.8571	1.4286	0.5714	1.0000	1.0000	1.0000
34:CwHw(PlcYc)9	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
35:CwHw(Yc)931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
36:CwHw931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
41:C H 931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
42:C H 931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
45:H C 931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
46:H C 831	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
47:C H PL931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
56:S H 351	1.0000	1.1250	0.8281	1.0000	1.0000	0.5000
57:S H 351	1.0000	1.0476	0.8980	1.0000	1.0000	1.0000
59:C H PL921	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
60:C H 931	1.2071	0.8663	0.5294	1.0000	1.0000	1.0000

Block Factors

Block 254:

Forest Types:

26:YcCw(Hw)931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
27:CwHw(Yc)931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
28:CwHw(Yc)931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
29:CwHw931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
30:CwHw931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
31:CwHw(Yc)931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
32:CwHw(Yc)931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
33:CwHw(Yc)931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
34:CwHw(PlcYc)9	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
35:CwHw(Yc)931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
36:CwHw931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
41:C H 931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
42:C H 931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
45:H C 931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
46:H C 831	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
47:C H PL931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
56:S H 351	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
57:S H 351	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Double Sampling Factors

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 229
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

14-May-2020 08:38:35AM
Filename: cp229 final.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

	C	H	S	Y	PL	D
Utilization Limits						
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0
Min DBH cm (I)	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0
Block 254:						
59:C H PL921	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
60:C H 931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
Block 255:						
Forest Types:						
26:YcCw(Hw)931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
27:CwHw(Yc)931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
28:CwHw(Yc)931	0.9704	0.9818	0.5143	1.0000	1.0000	1.0000
29:CwHw931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
30:CwHw931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
31:CwHw(Yc)931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
32:CwHw(Yc)931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
33:CwHw(Yc)931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
34:CwHw(PlcYc)9	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
35:CwHw(Yc)931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
36:CwHw931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
41:C H 931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
42:C H 931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
45:H C 931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
46:H C 831	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
47:C H PL931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
56:S H 351	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
57:S H 351	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
59:C H PL921	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
60:C H 931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
Block 256:						
Forest Types:						
26:YcCw(Hw)931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
27:CwHw(Yc)931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
28:CwHw(Yc)931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
29:CwHw931	1.2308	1.4118	0.4706	1.0000	1.0000	1.0000
30:CwHw931	1.1719	0.7500	1.0000	0.3750	1.0000	1.0000
31:CwHw(Yc)931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
32:CwHw(Yc)931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
33:CwHw(Yc)931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
34:CwHw(PlcYc)9	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
35:CwHw(Yc)931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
36:CwHw931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
41:C H 931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
42:C H 931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
45:H C 931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
46:H C 831	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
47:C H PL931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Double Sampling Factors

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 229
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

14-May-2020 08:38:35AM
Filename: cp229 final.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

	C	H	S	Y	PL	D
Utilization Limits						
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0
Min DBH cm (I)	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0
Block 256:						
56:S H 351	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
57:S H 351	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
59:C H PL921	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
60:C H 931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
Block 257:						
Forest Types:						
26:YcCw(Hw)931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
27:CwHw(Yc)931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
28:CwHw(Yc)931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
29:CwHw931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
30:CwHw931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
31:CwHw(Yc)931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
32:CwHw(Yc)931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
33:CwHw(Yc)931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
34:CwHw(PlcYc)9	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
35:CwHw(Yc)931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
36:CwHw931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
41:C H 931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
42:C H 931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
45:H C 931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
46:H C 831	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
47:C H PL931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
56:S H 351	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
57:S H 351	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
59:C H PL921	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
60:C H 931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
Block 430:						
Forest Types:						
26:YcCw(Hw)931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
27:CwHw(Yc)931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
28:CwHw(Yc)931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
29:CwHw931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
30:CwHw931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
31:CwHw(Yc)931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
32:CwHw(Yc)931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
33:CwHw(Yc)931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
34:CwHw(PlcYc)9	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
35:CwHw(Yc)931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
36:CwHw931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
41:C H 931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
42:C H 931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
45:H C 931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Double Sampling Factors

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 229
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

14-May-2020 08:38:35AM
Filename: cp229 final.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

	C	H	S	Y	PL	D
Utilization Limits						
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0
Min DBH cm (I)	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0
Block 430:						
46:H C 831	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
47:C H PL931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
56:S H 351	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
57:S H 351	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
59:C H PL921	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
60:C H 931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
Block 436:						
Forest Types:						
26:YcCw(Hw)931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
27:CwHw(Yc)931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
28:CwHw(Yc)931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
29:CwHw931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
30:CwHw931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
31:CwHw(Yc)931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
32:CwHw(Yc)931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
33:CwHw(Yc)931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
34:CwHw(PlcYc)9	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
35:CwHw(Yc)931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
36:CwHw931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
41:C H 931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
42:C H 931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
45:H C 931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
46:H C 831	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
47:C H PL931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
56:S H 351	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
57:S H 351	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
59:C H PL921	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
60:C H 931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
Block 438:						
Forest Types:						
26:YcCw(Hw)931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
27:CwHw(Yc)931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
28:CwHw(Yc)931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
29:CwHw931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
30:CwHw931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
31:CwHw(Yc)931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
32:CwHw(Yc)931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
33:CwHw(Yc)931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
34:CwHw(PlcYc)9	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
35:CwHw(Yc)931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
36:CwHw931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
41:C H 931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Double Sampling Factors

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 229
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

14-May-2020 08:38:35AM
Filename: cp229 final.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

	C	H	S	Y	PL	D
Utilization Limits						
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0
Min DBH cm (I)	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0
Block 438:						
42:C H 931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
45:H C 931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
46:H C 831	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
47:C H PL931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
56:S H 351	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
57:S H 351	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
59:C H PL921	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
60:C H 931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
Block 480:						
Forest Types:						
26:YcCw(Hw)931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
27:CwHw(Yc)931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
28:CwHw(Yc)931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
29:CwHw931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
30:CwHw931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
31:CwHw(Yc)931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
32:CwHw(Yc)931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
33:CwHw(Yc)931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
34:CwHw(PlcYc)9	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
35:CwHw(Yc)931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
36:CwHw931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
41:C H 931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
42:C H 931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
45:H C 931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
46:H C 831	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
47:C H PL931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
56:S H 351	1.0000	1.1250	0.8281	1.0000	1.0000	0.5000
57:S H 351	1.0000	1.0476	0.8980	1.0000	1.0000	1.0000
59:C H PL921	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
60:C H 931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
Block 788:						
Forest Types:						
26:YcCw(Hw)931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
27:CwHw(Yc)931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
28:CwHw(Yc)931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
29:CwHw931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
30:CwHw931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
31:CwHw(Yc)931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
32:CwHw(Yc)931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
33:CwHw(Yc)931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
34:CwHw(PlcYc)9	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
35:CwHw(Yc)931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Double Sampling Factors

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 229
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

14-May-2020 08:38:35AM
Filename: cp229 final.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

	C	H	S	Y	PL	D
Utilization Limits						
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0
Min DBH cm (I)	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0
Block 788:						
36:CwHw931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
41:C H 931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
42:C H 931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
45:H C 931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
46:H C 831	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
47:C H PL931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
56:S H 351	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
57:S H 351	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
59:C H PL921	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
60:C H 931	1.2071	0.8663	0.5294	1.0000	1.0000	1.0000
Block 920:						
Forest Types:						
26:YcCw(Hw)931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
27:CwHw(Yc)931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
28:CwHw(Yc)931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
29:CwHw931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
30:CwHw931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
31:CwHw(Yc)931	0.9301	3.1818	1.0000	0.6364	1.0000	1.0000
32:CwHw(Yc)931	0.9575	1.1579	0.5789	1.0000	1.0000	1.0000
33:CwHw(Yc)931	0.8571	1.4286	0.5714	1.0000	1.0000	1.0000
34:CwHw(PlcYc)9	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
35:CwHw(Yc)931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
36:CwHw931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
41:C H 931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
42:C H 931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
45:H C 931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
46:H C 831	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
47:C H PL931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
56:S H 351	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
57:S H 351	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
59:C H PL921	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
60:C H 931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
Block 921:						
Forest Types:						
26:YcCw(Hw)931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
27:CwHw(Yc)931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
28:CwHw(Yc)931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
29:CwHw931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
30:CwHw931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
31:CwHw(Yc)931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
32:CwHw(Yc)931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
33:CwHw(Yc)931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Double Sampling Factors

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 229
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

14-May-2020 08:38:35AM
Filename: cp229 final.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

	C	H	S	Y	PL	D
Utilization Limits						
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0
Min DBH cm (I)	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0
Block 921:						
34:CwHw(PlcYc)9	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
35:CwHw(Yc)931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
36:CwHw931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
41:C H 931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
42:C H 931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
45:H C 931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
46:H C 831	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
47:C H PL931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
56:S H 351	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
57:S H 351	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
59:C H PL921	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
60:C H 931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
Block 922:						
Forest Types:						
26:YcCw(Hw)931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
27:CwHw(Yc)931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
28:CwHw(Yc)931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
29:CwHw931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
30:CwHw931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
31:CwHw(Yc)931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
32:CwHw(Yc)931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
33:CwHw(Yc)931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
34:CwHw(PlcYc)9	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
35:CwHw(Yc)931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
36:CwHw931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
41:C H 931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
42:C H 931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
45:H C 931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
46:H C 831	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
47:C H PL931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
56:S H 351	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
57:S H 351	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
59:C H PL921	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
60:C H 931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
Block 923:						
Forest Types:						
26:YcCw(Hw)931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
27:CwHw(Yc)931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
28:CwHw(Yc)931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
29:CwHw931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
30:CwHw931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
31:CwHw(Yc)931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Double Sampling Factors

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 229
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

14-May-2020 08:38:35AM
Filename: cp229 final.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

	C	H	S	Y	PL	D
Utilization Limits						
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0
Min DBH cm (I)	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0
Block 923:						
32:CwHw(Yc)931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
33:CwHw(Yc)931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
34:CwHw(PlcYc)9	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
35:CwHw(Yc)931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
36:CwHw931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
41:C H 931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
42:C H 931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
45:H C 931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
46:H C 831	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
47:C H PL931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
56:S H 351	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
57:S H 351	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
59:C H PL921	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
60:C H 931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000

Harvest Method Factors

Method: SC: Ground Systems - Clearcut

Forest Types:

26:YcCw(Hw)931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
27:CwHw(Yc)931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
28:CwHw(Yc)931	0.9704	0.9818	0.5143	1.0000	1.0000	1.0000
29:CwHw931	1.2308	1.4118	0.4706	1.0000	1.0000	1.0000
30:CwHw931	1.1719	0.7500	1.0000	0.3750	1.0000	1.0000
31:CwHw(Yc)931	0.9301	3.1818	1.0000	0.6364	1.0000	1.0000
32:CwHw(Yc)931	0.9575	1.1579	0.5789	1.0000	1.0000	1.0000
33:CwHw(Yc)931	0.8571	1.4286	0.5714	1.0000	1.0000	1.0000
34:CwHw(PlcYc)9	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
35:CwHw(Yc)931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
36:CwHw931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
41:C H 931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
42:C H 931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
45:H C 931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
46:H C 831	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
47:C H PL931	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
56:S H 351	1.0000	1.1250	0.8281	1.0000	1.0000	0.5000
57:S H 351	1.0000	1.0476	0.8980	1.0000	1.0000	1.0000
59:C H PL921	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
60:C H 931	1.2071	0.8663	0.5294	1.0000	1.0000	1.0000

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Appraisal Summary Report

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 229
Project: 1
Location :

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage
No Of Blocks : 13

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

14-May-2020 08:38:35AM
Filename: cp229 final.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

Utilization Levels:	Minimum DBH	Top Diameter	Stump Height
Mature Blocks: (cm)	17.5	15.0	30
Immature Blocks:(cm)	12.0	10.0	30
Standard Log Length:(m)	10.00		

Net Area: [All Treatment Units : 201.1]

All Method Summary

Algorithm Grades % Species Code	Description	D	E	F	G	H	I	J	K	M	U	X	Y	Net Volume (m3) All	Net Volume (m3) Live	Net Volume (m3) DP	Net Volume / ha All	Net Volume / ha Live	Net Volume / ha DP
CE	Cedar					13	3	22		2	45	5	10	38701	31083	7618	192.446	154.565	37.880
CY	Y. Cedar							49			2	30	19	1157	614	543	5.756	3.056	2.700
HE	Hemlock			2		12	1	58			20	6	1	28088	27659	429	139.670	137.539	2.131
LO	L.P. Pine					12		81			5		2	1013	568	445	5.036	2.822	2.214
SP	Spruce				1	31	15	41			9	3		18315	16687	1627	91.072	82.981	8.091
AL	Alder												100	185	185	0	0.922	0.922	0.000
	Conifer			1		16	5	39		1	28	5	5	87273	76612	10662	433.979	380.963	53.016
	Deciduous												100	185	185	0	0.922	0.922	0.000
	Total													87459	76797	10662	434.901	381.885	53.016

Harvesting Method Summaries

Harvest Method	Net Volume	Net Vol /Log	Net Vol /Hectare	Hem+ Bal%	Partial Cut%	Slope%	Down Tree%	Heavy Fire%
SC	87459	0.53	434.901	32		11	3	0
Conventional Methods	87459	0.53	434.901	32		11	3	0
All Methods	87459	0.53	434.901	32			3	0

Cutting Authority

95% Confidence Interval	7.9
Plots/Ha	1.0
Cruised Trees/Plot	3.6
Net 2nd Growth-Conifer %	27.5
Net 2nd Growth-Conifer (m3)	23986
Net Immature by Block %	254: 0% 255: 0% 256: 0% 257: 0% 430: 0% 436: 24% 438: 0% 480: 85% 788: 0% 920: 0% 921: 0% 922: 0% 923: 0%
Non Heli Select Conifer (m3/ha)	433.98
Heli Select Total (decimal)	0.00
Heli+Skyline Total (decimal)	0.00
Piece Size - Conifer (m3/log)	0.53
Cruise Date (yy-mm):	19-02

Plots: 211 # <= 5yrs: 211 # > 5yrs: 0 # > 10yrs: 0 # no date: 0

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

All Method Summary

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 229
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

14-May-2020 08:38:35AM
Filename: cp229 final.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

[All Treatment Units : 201.1]

		Total	Conifer	Decid	C	H	S	Y	PL	D
Utilization Limits										
Min DBH cm (M)					17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					15.0	15.0	15.0	15.0	15.0	15.0
Min DBH cm (I)					12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)					10.0	10.0	10.0	10.0	10.0	10.0
Log Len m					10.0	10.0	10.0	10.0	10.0	10.0
Volume and Size Data										
Gross Merchantable	m3	126745	126546	199	73581	31048	19415	1466	1036	199
Net Merchantable	m3	87459	87273	185	38701	28088	18315	1157	1013	185
Net Merch - All	m3/ha	434.901	433.979	0.922	192.446	139.670	91.072	5.756	5.036	0.922
Net Merch - Live	m3/ha	381.885	380.963	0.922	154.565	137.539	82.981	3.056	2.822	0.922
Net Merch - DP	m3/ha	53.016	53.016		37.880	2.131	8.091	2.700	2.214	
Decay	%	18	18	2	29	4	1	12	0	2
Waste(billing)	%	10	10		21	1	0	3		
Total Cull (DWB)	%	31	31	7	47	10	6	21	2	7
Net Merch Vol/Tree	m3	0.84	0.84	1.25	0.92	0.58	1.76	0.62	0.55	1.25
Net Merch Vol/Log	m3	0.53	0.53	0.66	0.61	0.39	0.74	0.49	0.36	0.66
Useless Dead/Living	%	4	4		4	5	5			
Net Second Growth	%		27.5		0.4	35.2	73.9		39.5	
All Burn Volume	%	0	0		0					
Heavy Fire Volume	%	0	0		0					
Blowdown Volume	%	3	3		7	1				
Insect Volume	%									

Algorithm Grades %

#1 Lum/#1 Prem	D									
#1 Lum/#2 Prem	E									
#2 Lum/#1 Lum	F	1	1			2				
#2 Lum/#2 Lum	G						1			
#2 Sawlog	H	16	16		13	12	31		12	
#3 Sawlog	I	5	5		3	1	15			
#4 Sawlog	J	39	39		22	58	41	49	81	
#2 Shingle	K									
#4 Shingle	M	1	1		2					
#5 Utility	U	28	28		45	20	9	2	5	
#6 Utility	X	5	5		5	6	3	30		
#7 Chipper	Y	5	5	100	10	1		19	2	100

*** 6 tree(s) changed to tree class 6: because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Harvest Method Summary

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 229
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

14-May-2020 08:38:35AM
Filename: cp229 final.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

Harvest Method : SC - Ground Systems - Clearcut[All Treatment Units : 201.1]

		Total	Conifer	Decid	C	H	S	Y	PL	D
Utilization Limits										
Min DBH cm (M)					17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					15.0	15.0	15.0	15.0	15.0	15.0
Min DBH cm (I)					12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)					10.0	10.0	10.0	10.0	10.0	10.0
Log Len m					10.0	10.0	10.0	10.0	10.0	10.0
Volume and Size Data										
Gross Merchantable	m3	126745	126546	199	73581	31048	19415	1466	1036	199
Net Merchantable	m3	87459	87273	185	38701	28088	18315	1157	1013	185
Net Merch - All	m3/ha	434.901	433.979	0.922	192.446	139.670	91.072	5.756	5.036	0.922
Net Merch - Live	m3/ha	381.885	380.963	0.922	154.565	137.539	82.981	3.056	2.822	0.922
Net Merch - DP	m3/ha	53.016	53.016		37.880	2.131	8.091	2.700	2.214	
Decay	%	18	18	2	29	4	1	12	0	2
Waste(billing)	%	10	10		21	1	0	3		
Total Cull (DWB)	%	31	31	7	47	10	6	21	2	7
Net Merch Vol/Tree	m3	0.84	0.84	1.25	0.92	0.58	1.76	0.62	0.55	1.25
Net Merch Vol/Log	m3	0.53	0.53	0.66	0.61	0.39	0.74	0.49	0.36	0.66
Useless Dead/Living	%	4	4		4	5	5			
Net Second Growth	%		27.5		0.4	35.2	73.9		39.5	
All Burn Volume	%	0	0		0					
Heavy Fire Volume	%	0	0		0					
Blowdown Volume	%	3	3		7	1				
Insect Volume	%									
% Average Slope		11								
Algorithm Grades %										
#1 Lum/#1 Prem	D									
#1 Lum/#2 Prem	E									
#2 Lum/#1 Lum	F	1	1			2				
#2 Lum/#2 Lum	G						1			
#2 Sawlog	H	16	16		13	12	31		12	
#3 Sawlog	I	5	5		3	1	15			
#4 Sawlog	J	39	39		22	58	41	49	81	
#2 Shingle	K									
#4 Shingle	M	1	1		2					
#5 Utility	U	28	28		45	20	9	2	5	
#6 Utility	X	5	5		5	6	3	30		
#7 Chipper	Y	5	5	100	10	1		19	2	100

*** 6 tree(s) changed to tree class 6: because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Cutting Permit Summary

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 229
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

14-May-2020 08:38:35AM
Filename: cp229 final.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

Net Area: [CLEARCUT : 201.1]
Gross Area: [R/W Removed : 0.5][RP : 12.4][Reserve : 11.8][Grand Total : 225.8]

		Total	Conifer	Decid	C	H	S	Y	PL	D
Utilization Limits										
Min DBH cm (M)					17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					15.0	15.0	15.0	15.0	15.0	15.0
Min DBH cm (I)					12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)					10.0	10.0	10.0	10.0	10.0	10.0
Log Len m					10.0	10.0	10.0	10.0	10.0	10.0
Volume and Size Data										
Gross Merchantable	m3	126745	126546	199	73581	31048	19415	1466	1036	199
Net Merchantable	m3	87459	87273	185	38701	28088	18315	1157	1013	185
Net Merch - All	m3/ha	435	434	1	192	140	91	6	5	1
Distribution	%	100	100	0	44	32	21	1	1	0
Decay	%	18	18	2	29	4	1	12	0	2
Waste	%	7	7		11	1	0	2		
Waste(billing)	%	10	10		21	1	0	3		
Breakage	%	6	6	5	7	5	4	7	2	5
Total Cull (DWB)	%	31	31	7	47	10	6	21	2	7
Basal Area / Ha	m2/ha	79.9	79.8	0.1	52.6	18.0	7.5	1.0	0.6	0.1
Net VBAR	m3/m2	5.359	5.364	0.922	3.236	6.967	6.784	0.965	0.398	0.922
Stems/Ha (Live & DP)		519.5	518.8	0.7	209.2	239.5	51.8	9.2	9.1	0.7
Avg DBH (Live & DP)	cm	44.2	44.2	39.4	56.6	31.0	43.0	38.0	29.1	39.4
Snags/Ha		24.1	24.1		9.0	12.6	2.6			
Avg Snag DBH	cm	20.6	20.6		18.1	22.7	17.7			
Gross Merch Vol/Tree	m3	1.21	1.21	1.34	1.75	0.64	1.86	0.79	0.57	1.34
Net Merch Vol/Tree	m3	0.84	0.84	1.25	0.92	0.58	1.76	0.62	0.55	1.25
Avg Weight Total Ht	m	27.7	27.7	26.4	25.6	26.0	39.8	19.6	23.5	26.4
Avg Weight Merch Ht	m	22.4	22.4	21.0	19.7	19.8	34.7	13.9	15.9	21.0
Net Merch Vol/Log	m3	0.53	0.53	0.66	0.61	0.39	0.74	0.49	0.36	0.66
Gross Merch Vol/Log	m3	0.71	0.71	0.67	1.01	0.41	0.75	0.57	0.36	0.67
Avg # of Logs/Tree		1.72	1.72	2.00	1.73	1.56	2.50	1.39	1.57	2.00
Net Immature	%	27.4	27.5		0.4	35.2	73.9		39.5	
Net 2nd Growth	%		27.5							
Average Slope	%	11								
Algorithm Grades %										
#1 Lum/#1 Prem	D									
#1 Lum/#2 Prem	E									
#2 Lum/#1 Lum	F	1	1			2				
#2 Lum/#2 Lum	G						1			
#2 Sawlog	H	16	16		13	12	31		12	
#3 Sawlog	I	5	5		3	1	15			
#4 Sawlog	J	39	39		22	58	41	49	81	
#2 Shingle	K									
#4 Shingle	M	1	1		2					
#5 Utility	U	28	28		45	20	9	2	5	
#6 Utility	X	5	5		5	6	3	30		
#7 Chipper	Y	5	5	100	10	1		19	2	100
Statistical Summary										
Coeff. of Variation	%	48.6	49.4	1697.1	60.1	126.4	214.4	522.3	506.8	1697.1
Two Standard Error	%	7.9	8.1	277.2	9.8	20.6	35.0	85.3	82.8	277.2
Number and Type of Plots		MP = 144	CP = 67							
Number of Potential Trees		517								
Plots/Ha		1.0								
Cruised Trees/Plot		3.6								

*** 6 tree(s) changed to tree class 6: because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Block Summary

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 229
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

14-May-2020 08:38:35AM
Filename: cp229 final.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

Net Area: Block : (M) - 254:LIG254, Plots in Block: 11, TUs: [CLEARCUT : 10.3]
Gross Area: [RP : 0.6][Reserve : 1.7][Grand Total : 12.6]

		Total	Conifer	Decid	C	H	S	Y	PL	D
Utilization Limits										
Min DBH cm (M)					17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					15.0	15.0	15.0	15.0	15.0	15.0
Log Len m					10.0	10.0	10.0	10.0	10.0	10.0
Volume and Size Data										
Gross Merchantable	m3	5828	5828		4520	1096	212			
Net Merchantable	m3	3524	3524		2325	1015	185			
Net Merch - All	m3/ha	342	342		226	99	18			
Distribution	%	100	100		66	29	5			
Decay	%	24	24		30	2	7			
Waste	%	9	9		12	0	1			
Waste(billing)	%	15	15		23	0	1			
Breakage	%	7	7		7	5	5			
Total Cull (DWB)	%	40	40		49	7	13			
Basal Area / Ha	m2/ha	86.4	86.4		68.2	15.9	2.3			
Net VBAR	m3/m2	3.961	3.961		3.310	6.192	7.883			
Stems/Ha (Live & DP)		590.1	590.1		385.8	191.3	12.9			
Avg DBH (Live & DP)	cm	43.2	43.2		47.4	32.5	47.3			
Snags/Ha										
Avg Snag DBH	cm									
Gross Merch Vol/Tree	m3	0.96	0.96		1.14	0.56	1.59			
Net Merch Vol/Tree	m3	0.58	0.58		0.58	0.51	1.39			
Avg Weight Total Ht	m	22.4	22.4		22.8	20.3	26.0			
Avg Weight Merch Ht	m	16.4	16.4		17.0	13.9	19.5			
Net Merch Vol/Log	m3	0.43	0.43		0.44	0.37	0.73			
Gross Merch Vol/Log	m3	0.64	0.64		0.76	0.38	0.80			
Avg # of Logs/Tree		1.50	1.50		1.50	1.46	2.00			
Net Immature	%									
Net 2nd Growth	%									
Average Slope	%	8								
Algorithm Grades %										
#2 Sawlog	H	4	4		6					
#3 Sawlog	I	1	1		2					
#4 Sawlog	J	43	43		33	60	100			
#4 Shingle	M	1	1		1					
#5 Utility	U	37	37		44	26				
#6 Utility	X	11	11		10	14				
#7 Chipper	Y	3	3		4					
Statistical Summary										
Coeff. of Variation	%	68.5	68.5		59.1	166.0	331.7			
Two Standard Error	%	46.0	46.0		39.7	111.5	222.8			
Number and Type of Plots		MP = 11								
Number of Potential Trees		38								
Plots/Ha		1.1								
Cruised Trees/Plot		3.5								

Slope % Statistics

Min= 4, Max= 16, CV=55.8, Std Error of Mean=1.4, 2SE%=37.5

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Block Summary

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 229
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

14-May-2020 08:38:35AM
Filename: cp229 final.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

Net Area: Block : (M) - 255:LIG255, Plots in Block: 35, TUs: [CLEARCUT : 33.5]
Gross Area: [RP : 1.9][Reserve : 3.1][Grand Total : 38.5]

		Total	Conifer	Decid	C	H	S	Y	PL	D
Utilization Limits										
Min DBH cm (M)					17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					15.0	15.0	15.0	15.0	15.0	15.0
Log Len m					10.0	10.0	10.0	10.0	10.0	10.0
Volume and Size Data										
Gross Merchantable	m3	19631	19631		15969	3398	264			
Net Merchantable	m3	11550	11550		8391	2910	250			
Net Merch - All	m3/ha	345	345		250	87	7			
Distribution	%	100	100		73	25	2			
Decay	%	25	25		29	7	0			
Waste	%	9	9		11	2				
Waste(billing)	%	16	16		21	3				
Breakage	%	7	7		7	5	5			
Total Cull (DWB)	%	41	41		47	14	5			
Basal Area / Ha	m2/ha	87.1	87.1		71.4	15.0	0.7			
Net VBAR	m3/m2	4.000	4.000		3.507	5.790	10.446			
Stems/Ha (Live & DP)		457.8	457.8		268.0	185.9	3.9			
Avg DBH (Live & DP)	cm	49.2	49.2		58.3	32.1	48.0			
Snags/Ha		54.0	54.0		54.0					
Avg Snag DBH	cm	18.1	18.1		18.1					
Gross Merch Vol/Tree	m3	1.28	1.28		1.78	0.55	2.00			
Net Merch Vol/Tree	m3	0.75	0.75		0.93	0.47	1.89			
Avg Weight Total Ht	m	23.9	23.9		24.5	20.8	31.3			
Avg Weight Merch Ht	m	17.9	17.9		18.7	14.7	24.0			
Net Merch Vol/Log	m3	0.55	0.55		0.64	0.38	0.66			
Gross Merch Vol/Log	m3	0.84	0.84		1.08	0.42	0.67			
Avg # of Logs/Tree		1.52	1.52		1.65	1.30	3.00			
Net Immature	%									
Net 2nd Growth	%									
Average Slope	%	8								
Algorithm Grades %										
#2 Sawlog	H	6	6		8					
#3 Sawlog	I	2	2		3					
#4 Sawlog	J	33	33		19	69	95			
#4 Shingle	M	1	1		2					
#5 Utility	U	42	42		52	16				
#6 Utility	X	7	7		4	15	5			
#7 Chipper	Y	9	9		12					
Statistical Summary										
Coeff. of Variation	%	53.6	53.6		59.1	105.8	591.6			
Two Standard Error	%	25.3	25.3		27.8	49.9	278.9			
Number and Type of Plots		MP = 18	CP = 17							
Number of Potential Trees		65								
Plots/Ha		1.0								
Cruised Trees/Plot		3.5								
Slope % Statistics										

Min= 3, Max= 24, CV=50.3, Std Error of Mean=0.7, 2SE%=17.0

*** 1 tree(s) changed to tree class 6: because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Block Summary

Average Line Method | Grades: MOF Computerized | FIZ: A | 14-May-2020 08:38:35AM
HUSBY FOREST PRODUCTS LTD. | Computerized Decay | PSYU: Queen Charlotte | Filename: cp229 final.ccp
Licence Number: A16869 CP: 229 | Computerized Waste | Region: 2 - West Coast | Compiled by: Husby Forest Products Ltd.
Project: 1 | Computerized Breakage | District: 07 - Haida Gwaii | Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

Net Area: Block : (M) - 256:LIG256, Plots in Block: 25, TUs: [CLEARCUT : 25.9]
Gross Area: [RP : 1.2][Reserve : 0.8][Grand Total : 27.9]

		Total	Conifer	Decid	C	H	S	Y	PL	D
Utilization Limits										
Min DBH cm (M)					17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					15.0	15.0	15.0	15.0	15.0	15.0
Log Len m					10.0	10.0	10.0	10.0	10.0	10.0
Volume and Size Data										
Gross Merchantable	m3	14302	14302		11092	2863	138	210		
Net Merchantable	m3	8381	8381		5612	2458	130	181		
Net Merch - All	m3/ha	324	324		217	95	5	7		
Distribution	%	100	100		67	29	2	2		
Decay	%	25	25		31	7	0	7		
Waste	%	9	9		12	2		0		
Waste(billing)	%	16	16		23	2		0		
Breakage	%	7	7		7	5	5	7		
Total Cull (DWB)	%	41	41		49	14	5	14		
Basal Area / Ha	m2/ha	74.9	74.9		58.8	14.1	1.0	1.0		
Net VBAR	m3/m2	4.367	4.367		3.621	6.739	3.419	2.231		
Stems/Ha (Live & DP)		237.3	237.3		101.9	110.2	16.3	8.9		
Avg DBH (Live & DP)	cm	63.4	63.4		85.7	40.3	28.1	37.4		
Snags/Ha										
Avg Snag DBH	cm									
Gross Merch Vol/Tree	m3	2.33	2.33		4.20	1.00	0.33	0.91		
Net Merch Vol/Tree	m3	1.36	1.36		2.13	0.86	0.31	0.78		
Avg Weight Total Ht	m	27.3	27.3		28.4	24.4	16.0	21.8		
Avg Weight Merch Ht	m	21.2	21.2		22.7	18.0	9.0	15.4		
Net Merch Vol/Log	m3	0.86	0.86		1.06	0.67	0.32	0.42		
Gross Merch Vol/Log	m3	1.32	1.32		1.85	0.73	0.33	0.46		
Avg # of Logs/Tree		1.76	1.76		2.27	1.37	1.00	2.00		
Net Immature	%									
Net 2nd Growth	%									
Average Slope	%	8								
Algorithm Grades %										
#2 Sawlog	H	18	18		20	17				
#3 Sawlog	I	4	4		6					
#4 Sawlog	J	22	22		7	47	100	100		
#4 Shingle	M	2	2		3					
#5 Utility	U	45	45		52	34				
#6 Utility	X	1	1			2				
#7 Chipper	Y	8	8		12					
Statistical Summary										
Coeff. of Variation	%	48.3	48.3		37.5	70.0	483.5	541.6		
Two Standard Error	%	30.1	30.1		23.4	43.7	301.6	337.9		
Number and Type of Plots		MP = 11	CP = 14							
Number of Potential Trees		28								
Plots/Ha		1.0								
Cruised Trees/Plot		3.0								

Slope % Statistics

Min= 3, Max= 18, CV=61.5, Std Error of Mean=1.0, 2SE%=25.4

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Block Summary

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 229
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

14-May-2020 08:38:35AM
Filename: cp229 final.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

Net Area: Block : (M) - 257:LIG257, Plots in Block: 2, TUs: [CLEARCUT : 3.3]
Gross Area: [R/W Removed : 0.3][Grand Total : 3.6]

		Total	Conifer	Decid	C	H	S	Y	PL	D
Utilization Limits										
Min DBH cm (M)					17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					15.0	15.0	15.0	15.0	15.0	15.0
Log Len m					10.0	10.0	10.0	10.0	10.0	10.0
Volume and Size Data										
Gross Merchantable	m3	1398	1398		1020	252		126		
Net Merchantable	m3	968	968		626	233		109		
Net Merch - All	m3/ha	293	293		190	71		33		
Distribution	%	100	100		65	24		11		
Decay	%	18	18		23	2		7		
Waste	%	6	6		8	0		0		
Waste(billing)	%	9	9		14	0		0		
Breakage	%	7	7		7	5		7		
Total Cull (DWB)	%	31	31		39	7		14		
Basal Area / Ha	m2/ha	64.0	64.0		48.0	8.0		8.0		
Net VBAR	m3/m2	4.582	4.582		3.952	8.829		4.112		
Stems/Ha (Live & DP)		434.5	434.5		257.1	85.6		91.9		
Avg DBH (Live & DP)	cm	43.3	43.3		48.8	34.5		33.3		
Snags/Ha										
Avg Snag DBH	cm									
Gross Merch Vol/Tree	m3	0.98	0.98		1.20	0.89		0.42		
Net Merch Vol/Tree	m3	0.67	0.67		0.74	0.83		0.36		
Avg Weight Total Ht	m	22.3	22.3		22.7	25.5		13.0		
Avg Weight Merch Ht	m	15.9	15.9		16.6	17.2		8.5		
Net Merch Vol/Log	m3	0.54	0.54		0.64	0.43		0.39		
Gross Merch Vol/Log	m3	0.71	0.71		0.94	0.45		0.42		
Avg # of Logs/Tree		1.37	1.37		1.28	2.00		1.00		
Net Immature	%									
Net 2nd Growth	%									
Average Slope	%	23								
Algorithm Grades %										
#4 Sawlog	J	48	48		36	100				
#5 Utility	U	40	40		62					
#6 Utility	X	11	11					100		
#7 Chipper	Y	1	1		2					
Statistical Summary										
Coeff. of Variation	%	18.9	18.9		1.1	141.4		141.4		
Two Standard Error	%	170.1	170.1		10.2	1270.6		1270.6		
Number and Type of Plots		MP = 2								
Number of Potential Trees		8								
Plots/Ha		0.6								
Cruised Trees/Plot		4.0								

Slope % Statistics

Min= 17, Max= 29, CV=36.9, Std Error of Mean=6.0, 2SE%=331.5

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Block Summary

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 229
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

14-May-2020 08:38:35AM
Filename: cp229 final.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

Net Area: Block : (M) - 430:COL430, Plots in Block: 14, TUs: [CLEARCUT : 14.4]
Gross Area: [RP : 1.3][Reserve : 1.1][Grand Total : 16.8]

		Total	Conifer	Decid	C	H	S	Y	PL	D
Utilization Limits										
Min DBH cm (M)					17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					15.0	15.0	15.0	15.0	15.0	15.0
Log Len m					10.0	10.0	10.0	10.0	10.0	10.0
Volume and Size Data										
Gross Merchantable	m3	9692	9692		7238	2333	121			
Net Merchantable	m3	5611	5611		3455	2042	114			
Net Merch - All	m3/ha	390	390		240	142	8			
Distribution	%	100	100		62	36	2			
Decay	%	26	26		32	6	1			
Waste	%	10	10		13	1	0			
Waste(billing)	%	17	17		27	2	0			
Breakage	%	7	7		7	5	5			
Total Cull (DWB)	%	42	42		52	12	6			
Basal Area / Ha	m2/ha	75.7	75.7		56.9	18.2	0.6			
Net VBAR	m3/m2	5.140	5.140		4.206	7.796	0.992			
Stems/Ha (Live & DP)		583.3	583.3		337.8	244.4	1.1			
Avg DBH (Live & DP)	cm	40.6	40.6		46.3	30.8	85.2			
Snags/Ha		61.2	61.2			61.2				
Avg Snag DBH	cm	17.9	17.9			17.9				
Gross Merch Vol/Tree	m3	1.15	1.15		1.49	0.66	7.87			
Net Merch Vol/Tree	m3	0.67	0.67		0.71	0.58	7.40			
Avg Weight Total Ht	m	29.1	29.1		29.8	26.1	42.1			
Avg Weight Merch Ht	m	21.7	21.7		22.7	18.5	36.1			
Net Merch Vol/Log	m3	0.41	0.41		0.41	0.40	1.95			
Gross Merch Vol/Log	m3	0.64	0.64		0.74	0.43	1.97			
Avg # of Logs/Tree		1.81	1.81		2.01	1.53	4.00			
Net Immature	%									
Net 2nd Growth	%									
Average Slope	%	7								
Algorithm Grades %										
#1 Lum/#1 Prem	D						8			
#1 Lum/#2 Prem	E						8			
#2 Lum/#1 Lum	F	3	3			7	6			
#2 Lum/#2 Lum	G	1	1				29			
#2 Sawlog	H	17	17		26		30			
#3 Sawlog	I				1					
#4 Sawlog	J	42	42		24	77				
#4 Shingle	M									
#5 Utility	U	18	18		24	7	19			
#6 Utility	X	13	13		16	8				
#7 Chipper	Y	6	6		9	1				
Statistical Summary										
Coeff. of Variation	%	45.9	45.9		45.5	100.4	374.2			
Two Standard Error	%	26.7	26.7		26.5	58.5	217.9			
Number and Type of Plots		MP = 14								
Number of Potential Trees		57								
Plots/Ha		1.0								
Cruised Trees/Plot		4.1								

Slope % Statistics

Min= 3, Max= 18, CV=56.2, Std Error of Mean=1.0, 2SE%=32.5

*** 1 tree(s) changed to tree class 6: because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Block Summary

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 229
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

14-May-2020 08:38:35AM
Filename: cp229 final.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

Net Area: Block : (M) - 436:COL436, Plots in Block: 14, TUs: [CLEARCUT : 11.4]
Gross Area: [RP : 0.8][Reserve : 0.5][Grand Total : 12.7]

		Total	Conifer	Decid	C	H	S	Y	PL	D
Utilization Limits										
Min DBH cm (M)					17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					15.0	15.0	15.0	15.0	15.0	15.0
Log Len m					10.0	10.0	10.0	10.0	10.0	10.0
Volume and Size Data										
Gross Merchantable	m3	7687	7687		5243	1365	671		408	
Net Merchantable	m3	4838	4838		2667	1153	618		400	
Net Merch - All	m3/ha	424	424		234	101	54		35	
Distribution	%	100	100		55	24	13		8	
Decay	%	21	21		29	8	3			
Waste	%	8	8		11	2	1			
Waste(billing)	%	13	13		21	3	1			
Breakage	%	8	8		9	5	4		2	
Total Cull (DWB)	%	37	37		49	16	8		2	
Basal Area / Ha	m2/ha	82.4	82.4		58.7	12.6	6.6		4.5	
Net VBAR	m3/m2	5.254	5.254		4.027	8.189	7.757		1.644	
Stems/Ha (Live & DP)		532.3	532.3		218.2	133.1	85.0		96.0	
Avg DBH (Live & DP)	cm	44.4	44.4		58.5	34.7	31.3		24.4	
Snags/Ha		45.6	45.6				45.6			
Avg Snag DBH	cm	17.7	17.7				17.7			
Gross Merch Vol/Tree	m3	1.27	1.27		2.11	0.90	0.69		0.37	
Net Merch Vol/Tree	m3	0.80	0.80		1.07	0.76	0.64		0.37	
Avg Weight Total Ht	m	27.9	27.9		28.7	26.9	28.2		22.4	
Avg Weight Merch Ht	m	20.9	20.9		22.3	19.2	20.5		13.3	
Net Merch Vol/Log	m3	0.52	0.52		0.65	0.43	0.50		0.26	
Gross Merch Vol/Log	m3	0.73	0.73		1.07	0.49	0.52		0.26	
Avg # of Logs/Tree		1.74	1.74		1.96	1.85	1.34		1.43	
Net Immature	%	23.6	23.6		5.7	10.3	76.1		100.0	
Net 2nd Growth	%		23.6							
Average Slope	%	7								
Algorithm Grades %										
#1 Lum/#1 Prem	D				1					
#2 Sawlog	H	17	17		27	10				
#3 Sawlog	I	4	4		3		15			
#4 Sawlog	J	44	44		18	66	76		100	
#2 Shingle	K	1	1		1					
#4 Shingle	M	1	1		2					
#5 Utility	U	20	20		29	12	9			
#6 Utility	X	9	9		11	12				
#7 Chipper	Y	4	4		8					
Statistical Summary										
Coeff. of Variation	%	44.0	44.0		63.5	133.2	163.6		277.5	
Two Standard Error	%	25.6	25.6		37.0	77.6	95.2		161.6	
Number and Type of Plots		MP = 14								
Number of Potential Trees		60								
Plots/Ha		1.2								
Cruised Trees/Plot		4.4								
Slope % Statistics										

Min= 5, Max= 10, CV=23.2, Std Error of Mean=0.4, 2SE%=13.4

*** 3 tree(s) changed to tree class 6: because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Block Summary

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 229
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

14-May-2020 08:38:35AM
Filename: cp229 final.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

Net Area: Block : (M) - 438:COL438, Plots in Block: 8, TUs: [CLEARCUT : 7.0]
Gross Area: [RP : 0.5][Grand Total : 7.5]

		Total	Conifer	Decid	C	H	S	Y	PL	D
Utilization Limits										
Min DBH cm (M)					17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					15.0	15.0	15.0	15.0	15.0	15.0
Log Len m					10.0	10.0	10.0	10.0	10.0	10.0
Volume and Size Data										
Gross Merchantable	m3	3783	3783		2574	296	285		628	
Net Merchantable	m3	2345	2345		1193	269	270		613	
Net Merch - All	m3/ha	335	335		170	38	39		88	
Distribution	%	100	100		51	11	12		26	
Decay	%	22	22		31	3	0		0	
Waste	%	8	8		12	1				
Waste(billing)	%	13	13		26	1				
Breakage	%	8	8		10	5	5		2	
Total Cull (DWB)	%	38	38		54	9	5		2	
Basal Area / Ha	m2/ha	72.5	72.5		52.5	5.0	5.0		10.0	
Net VBAR	m3/m2	4.621	4.621		3.248	7.673	7.716		8.755	
Stems/Ha (Live & DP)		470.5	470.5		278.8	35.4	51.8		104.5	
Avg DBH (Live & DP)	cm	44.3	44.3		49.0	42.4	35.0		34.9	
Snags/Ha										
Avg Snag DBH	cm									
Gross Merch Vol/Tree	m3	1.15	1.15		1.32	1.20	0.79		0.86	
Net Merch Vol/Tree	m3	0.71	0.71		0.61	1.08	0.74		0.84	
Avg Weight Total Ht	m	24.0	24.0		24.0	24.5	23.2		24.3	
Avg Weight Merch Ht	m	17.6	17.6		17.7	18.6	15.6		17.6	
Net Merch Vol/Log	m3	0.46	0.46		0.43	0.84	0.39		0.48	
Gross Merch Vol/Log	m3	0.65	0.65		0.75	0.87	0.39		0.49	
Avg # of Logs/Tree		1.76	1.76		1.76	1.37	2.00		1.77	
Net Immature	%									
Net 2nd Growth	%									
Average Slope	%	10								
Algorithm Grades %										
#2 Sawlog	H	10	10		1	43			20	
#4 Sawlog	J	55	55		42	38	100		68	
#5 Utility	U	29	29		48	18			8	
#6 Utility	X	2	2		3				1	
#7 Chipper	Y	4	4		6	1			3	
Statistical Summary										
Coeff. of Variation	%	38.7	38.7		45.1	191.7	282.8		142.2	
Two Standard Error	%	32.4	32.4		37.7	160.3	236.5		118.9	
Number and Type of Plots		MP = 8								
Number of Potential Trees		29								
Plots/Ha		1.1								
Cruised Trees/Plot		3.6								

Slope % Statistics

Min= 3, Max= 36, CV=104.3, Std Error of Mean=3.8, 2SE%=87.2

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Block Summary

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 229
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

14-May-2020 08:38:35AM
Filename: cp229 final.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

Net Area: Block : (I) - 480:COL480, Plots in Block: 27, TUs: [CLEARCUT : 24.1]
Gross Area: [RP : 1.0][Reserve : 2.2][Grand Total : 27.3]

		Total	Conifer	Decid	C	H	S	Y	PL	D
Utilization Limits										
Min DBH cm (I)					12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)					10.0	10.0	10.0	10.0	10.0	10.0
Log Len m					10.0	10.0	10.0	10.0	10.0	10.0
Volume and Size Data										
Gross Merchantable	m3	28405	28206	199		11780	16426			199
Net Merchantable	m3	26992	26806	185		11222	15584			185
Net Merch - All	m3/ha	1120	1112	8		466	647			8
Distribution	%	100	99	1		42	58			1
Decay	%	1	1	2		1	1			2
Waste	%	0	0				0			
Waste(billing)	%	0	0				0			
Breakage	%	4	4	5		4	4			5
Total Cull (DWB)	%	5	5	7		5	5			7
Basal Area / Ha	m2/ha	91.1	90.3	0.8		42.7	47.6			0.8
Net VBAR	m3/m2	12.448	12.490	7.690		11.011	13.465			7.690
Stems/Ha (Live & DP)		1061.1	1055.0	6.2		797.4	257.6			6.2
Avg DBH (Live & DP)	cm	33.1	33.0	39.4		26.1	48.5			39.4
Snags/Ha										
Avg Snag DBH	cm									
Gross Merch Vol/Tree	m3	1.11	1.11	1.34		0.61	2.65			1.34
Net Merch Vol/Tree	m3	1.06	1.05	1.25		0.58	2.51			1.25
Avg Weight Total Ht	m	38.2	38.3	26.4		32.3	42.7			26.4
Avg Weight Merch Ht	m	32.7	32.8	21.0		26.1	37.6			21.0
Net Merch Vol/Log	m3	0.51	0.51	0.66		0.34	0.81			0.66
Gross Merch Vol/Log	m3	0.52	0.52	0.67		0.34	0.82			0.67
Avg # of Logs/Tree		2.15	2.15	2.00		1.80	3.23			2.00
Net Immature	%	84.6	85.2			87.1	83.9			
Net 2nd Growth	%		85.2							
Average Slope	%	10								
Algorithm Grades %										
#1 Lum/#1 Prem	D									
#1 Lum/#2 Prem	E									
#2 Lum/#1 Lum	F									
#2 Lum/#2 Lum	G	1	1				1			
#2 Sawlog	H	30	31			24	36			
#3 Sawlog	I	11	11			2	17			
#4 Sawlog	J	39	38			45	33			
#5 Utility	U	14	14			22	9			
#6 Utility	X	4	4			6	3			
#7 Chipper	Y	1	1	100		1	1			100
Statistical Summary										
Coeff. of Variation	%	32.4	33.6	529.2		84.9	76.3			529.2
Two Standard Error	%	17.8	18.5	291.3		46.8	42.0			291.3
Number and Type of Plots		MP = 14	CP = 13							
Number of Potential Trees		68								
Plots/Ha		1.1								
Cruised Trees/Plot		4.6								

Slope % Statistics

Min= 3, Max= 24, CV=56.9, Std Error of Mean=1.1, 2SE%=22.5

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Block Summary

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 229
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

14-May-2020 08:38:35AM
Filename: cp229 final.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

Net Area: Block : (M) - 788:COL788, Plots in Block: 19, TUs: [CLEARCUT : 18.6]
Gross Area: [R/W Removed : 0.2][RP : 2.0][Reserve : 0.6][Grand Total : 21.4]

		Total	Conifer	Decid	C	H	S	Y	PL	D
Utilization Limits										
Min DBH cm (M)					17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					15.0	15.0	15.0	15.0	15.0	15.0
Log Len m					10.0	10.0	10.0	10.0	10.0	10.0
Volume and Size Data										
Gross Merchantable	m3	9910	9910		7243	2530	137			
Net Merchantable	m3	6186	6186		3946	2110	129			
Net Merch - All	m3/ha	333	333		212	113	7			
Distribution	%	100	100		64	34	2			
Decay	%	23	23		28	8	0			
Waste	%	8	8		10	3				
Waste(billing)	%	13	13		19	4				
Breakage	%	7	7		7	5	5			
Total Cull (DWB)	%	38	38		46	17	5			
Basal Area / Ha	m2/ha	87.5	87.5		66.6	19.8	1.1			
Net VBAR	m3/m2	3.967	3.967		3.184	5.358	5.917			
Stems/Ha (Live & DP)		520.8	520.8		253.1	240.7	27.0			
Avg DBH (Live & DP)	cm	46.3	46.3		57.9	32.4	22.8			
Snags/Ha		79.0	79.0			79.0				
Avg Snag DBH	cm	18.3	18.3			18.3				
Gross Merch Vol/Tree	m3	1.02	1.02		1.54	0.57	0.27			
Net Merch Vol/Tree	m3	0.64	0.64		0.84	0.47	0.26			
Avg Weight Total Ht	m	21.2	21.2		21.8	19.5	22.1			
Avg Weight Merch Ht	m	15.1	15.1		16.4	12.3	10.1			
Net Merch Vol/Log	m3	0.49	0.49		0.61	0.36	0.27			
Gross Merch Vol/Log	m3	0.71	0.71		0.99	0.41	0.27			
Avg # of Logs/Tree		1.45	1.45		1.55	1.39	1.00			
Net Immature	%									
Net 2nd Growth	%									
Average Slope	%	18								
Algorithm Grades %										
#2 Sawlog	H	2	2		3					
#4 Sawlog	J	51	51		30	89	100			
#5 Utility	U	30	30		47	1				
#6 Utility	X	4	4		3	5				
#7 Chipper	Y	13	13		17	5				
Statistical Summary										
Coeff. of Variation	%	37.6	37.6		29.8	86.6	455.8			
Two Standard Error	%	23.9	23.9		19.0	55.1	290.0			
Number and Type of Plots		MP = 11	CP = 8							
Number of Potential Trees		43								
Plots/Ha		1.0								
Cruised Trees/Plot		4.4								

Slope % Statistics

Min= 5, Max= 38, CV=54.5, Std Error of Mean=2.2, 2SE%=26.3

*** 1 tree(s) changed to tree class 6: because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Block Summary

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 229
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

14-May-2020 08:38:35AM
Filename: cp229 final.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

Net Area: Block : (M) - 920:STA920, Plots in Block: 37, TUs: [CLEARCUT : 36.8]
Gross Area: [RP : 2.3][Reserve : 1.8][Grand Total : 40.9]

		Total	Conifer	Decid	C	H	S	Y	PL	D
Utilization Limits										
Min DBH cm (M)					17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					15.0	15.0	15.0	15.0	15.0	15.0
Log Len m					10.0	10.0	10.0	10.0	10.0	10.0
Volume and Size Data										
Gross Merchantable	m3	18586	18586		13612	3914	843	217		
Net Merchantable	m3	12192	12192		7650	3628	738	177		
Net Merch - All	m3/ha	331	331		208	99	20	5		
Distribution	%	100	100		63	30	6	1		
Decay	%	20	20		27	2	6	11		
Waste	%	7	7		10	0	2	0		
Waste(billing)	%	11	11		18	0	2	0		
Breakage	%	6	6		7	5	5	7		
Total Cull (DWB)	%	34	34		44	7	13	18		
Basal Area / Ha	m2/ha	70.0	70.0		51.9	14.7	2.7	0.7		
Net VBAR	m3/m2	4.603	4.603		3.999	6.744	5.181	2.115		
Stems/Ha (Live & DP)		400.6	400.6		233.7	146.6	15.7	4.6		
Avg DBH (Live & DP)	cm	47.2	47.2		53.2	35.7	46.4	44.2		
Snags/Ha		4.7	4.7			4.7				
Avg Snag DBH	cm	55.0	55.0			55.0				
Gross Merch Vol/Tree	m3	1.26	1.26		1.58	0.73	1.46	1.27		
Net Merch Vol/Tree	m3	0.83	0.83		0.89	0.67	1.28	1.04		
Avg Weight Total Ht	m	24.7	24.7		25.6	21.4	25.8	22.1		
Avg Weight Merch Ht	m	18.5	18.5		19.7	15.3	19.6	16.5		
Net Merch Vol/Log	m3	0.58	0.58		0.60	0.52	0.65	0.56		
Gross Merch Vol/Log	m3	0.80	0.80		0.95	0.54	0.70	0.64		
Avg # of Logs/Tree		1.58	1.58		1.67	1.35	2.09	2.00		
Net Immature	%									
Net 2nd Growth	%									
Average Slope	%	13								
Algorithm Grades %										
#2 Lum/#1 Lum	F	3	3			9				
#2 Sawlog	H	11	11		16		19			
#3 Sawlog	I	3	3		4					
#4 Sawlog	J	36	36		24	56	45	100		
#4 Shingle	M	1	1		2					
#5 Utility	U	39	39		44	33	36			
#6 Utility	X	4	4		5	2				
#7 Chipper	Y	3	3		5					
Statistical Summary										
Coeff. of Variation	%	41.8	41.8		65.9	67.5	283.7	588.0		
Two Standard Error	%	17.8	17.8		28.1	28.8	121.0	250.7		
Number and Type of Plots		MP = 22	CP = 15							
Number of Potential Trees		63								
Plots/Ha		1.0								
Cruised Trees/Plot		2.8								
Slope % Statistics										

Min= 3, Max= 37, CV=63.7, Std Error of Mean=1.4, 2SE%=20.9

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Block Summary

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 229
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

14-May-2020 08:38:35AM
Filename: cp229 final.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

Net Area: Block : (M) - 921:STA921, Plots in Block: 3, TUs: [CLEARCUT : 3.8]
Gross Area: [RP : 0.1][Grand Total : 3.9]

		Total	Conifer	Decid	C	H	S	Y	PL	D
Utilization Limits										
Min DBH cm (M)					17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					15.0	15.0	15.0	15.0	15.0	15.0
Log Len m					10.0	10.0	10.0	10.0	10.0	10.0
Volume and Size Data										
Gross Merchantable	m3	1348	1348		1348					
Net Merchantable	m3	782	782		782					
Net Merch - All	m3/ha	206	206		206					
Distribution	%	100	100		100					
Decay	%	26	26		26					
Waste	%	9	9		9					
Waste(billing)	%	16	16		16					
Breakage	%	7	7		7					
Total Cull (DWB)	%	42	42		42					
Basal Area / Ha	m2/ha	50.0	50.0		50.0					
Net VBAR	m3/m2	4.113	4.113		4.113					
Stems/Ha (Live & DP)		135.4	135.4		135.4					
Avg DBH (Live & DP)	cm	68.6	68.6		68.6					
Snags/Ha										
Avg Snag DBH	cm									
Gross Merch Vol/Tree	m3	2.62	2.62		2.62					
Net Merch Vol/Tree	m3	1.52	1.52		1.52					
Avg Weight Total Ht	m	26.5	26.5		26.5					
Avg Weight Merch Ht	m	20.4	20.4		20.4					
Net Merch Vol/Log	m3	0.78	0.78		0.78					
Gross Merch Vol/Log	m3	1.21	1.21		1.21					
Avg # of Logs/Tree		2.17	2.17		2.17					
Net Immature	%									
Net 2nd Growth	%									
Average Slope	%	11								
Algorithm Grades %										
#2 Sawlog	H	28	28		28					
#4 Sawlog	J	24	24		24					
#5 Utility	U	41	41		41					
#7 Chipper	Y	7	7		7					
Statistical Summary										
Coeff. of Variation	%	54.2	54.2		54.2					
Two Standard Error	%	134.7	134.7		134.7					
Number and Type of Plots		MP = 3								
Number of Potential Trees		6								
Plots/Ha		0.8								
Cruised Trees/Plot		2.0								
Slope % Statistics										

Min= 7, Max= 16, CV=41.7, Std Error of Mean=2.6, 2SE%=103.5

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Block Summary

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 229
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

14-May-2020 08:38:35AM
Filename: cp229 final.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

Net Area: Block : (M) - 922:STA922, Plots in Block: 3, TUs: [CLEARCUT : 2.3]
Gross Area: [RP : 0.1][Grand Total : 2.4]

		Total	Conifer	Decid	C	H	S	Y	PL	D
Utilization Limits										
Min DBH cm (M)					17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					15.0	15.0	15.0	15.0	15.0	15.0
Log Len m					10.0	10.0	10.0	10.0	10.0	10.0
Volume and Size Data										
Gross Merchantable	m3	1761	1761		687	298	109	667		
Net Merchantable	m3	1253	1253		384	194	103	571		
Net Merch - All	m3/ha	545	545		167	85	45	248		
Distribution	%	100	100		31	16	8	46		
Decay	%	17	17		27	21	0	7		
Waste	%	5	5		10	8		0		
Waste(billing)	%	8	8		18	12		0		
Breakage	%	7	7		7	6	5	7		
Total Cull (DWB)	%	29	29		44	35	5	14		
Basal Area / Ha	m2/ha	116.7	116.7		50.0	16.7	8.3	41.7		
Net VBAR	m3/m2	4.669	4.669		3.340	5.072	5.378	5.960		
Stems/Ha (Live & DP)		765.1	765.1		111.2	90.7	185.8	377.5		
Avg DBH (Live & DP)	cm	44.1	44.1		75.7	48.4	23.9	37.5		
Snags/Ha										
Avg Snag DBH	cm									
Gross Merch Vol/Tree	m3	1.00	1.00		2.69	1.43	0.25	0.77		
Net Merch Vol/Tree	m3	0.71	0.71		1.50	0.93	0.24	0.66		
Avg Weight Total Ht	m	20.5	20.5		22.0	21.5	18.4	18.9		
Avg Weight Merch Ht	m	14.6	14.6		16.8	15.8	8.8	13.4		
Net Merch Vol/Log	m3	0.54	0.54		0.85	0.51	0.25	0.52		
Gross Merch Vol/Log	m3	0.69	0.69		1.34	0.71	0.25	0.57		
Avg # of Logs/Tree		1.44	1.44		2.00	2.00	1.00	1.36		
Net Immature	%									
Net 2nd Growth	%									
Average Slope	%	21								
Algorithm Grades %										
#4 Sawlog	J	39	39			88	100	38		
#5 Utility	U	31	31		96	12				
#6 Utility	X	19	19					41		
#7 Chipper	Y	11	11		4			21		
Statistical Summary										
Coeff. of Variation	%	65.3	65.3		53.5	173.2	173.2	91.7		
Two Standard Error	%	162.3	162.3		132.9	430.3	430.3	227.8		
Number and Type of Plots		MP = 3								
Number of Potential Trees		14								
Plots/Ha		1.3								
Cruised Trees/Plot		4.7								

Slope % Statistics

Min= 17, Max= 24, CV=17.2, Std Error of Mean=2.1, 2SE%=42.7

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Block Summary

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 229
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

14-May-2020 08:38:35AM
Filename: cp229 final.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

Net Area: Block : (M) - 923:STA923, Plots in Block: 13, TUs: [CLEARCUT : 9.7]
Gross Area: [RP : 0.6][Grand Total : 10.3]

		Total	Conifer	Decid	C	H	S	Y	PL	D
Utilization Limits										
Min DBH cm (M)					17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					15.0	15.0	15.0	15.0	15.0	15.0
Log Len m					10.0	10.0	10.0	10.0	10.0	10.0
Volume and Size Data										
Gross Merchantable	m3	4413	4413		3035	924	208	246		
Net Merchantable	m3	2838	2838		1671	854	193	120		
Net Merch - All	m3/ha	293	293		172	88	20	12		
Distribution	%	100	100		59	30	7	4		
Decay	%	21	21		28	2	2	32		
Waste	%	8	8		10	0	0	12		
Waste(billing)	%	12	12		19	0	0	25		
Breakage	%	6	6		7	5	5	7		
Total Cull (DWB)	%	36	36		45	8	7	51		
Basal Area / Ha	m2/ha	73.1	73.1		50.0	15.4	3.8	3.8		
Net VBAR	m3/m2	4.004	4.004		3.444	5.721	5.183	3.223		
Stems/Ha (Live & DP)		560.9	560.9		232.0	231.0	68.6	29.3		
Avg DBH (Live & DP)	cm	40.7	40.7		52.4	29.1	26.7	40.9		
Snags/Ha										
Avg Snag DBH	cm									
Gross Merch Vol/Tree	m3	0.81	0.81		1.35	0.41	0.31	0.87		
Net Merch Vol/Tree	m3	0.52	0.52		0.74	0.38	0.29	0.42		
Avg Weight Total Ht	m	21.7	21.7		23.1	18.5	17.5	21.0		
Avg Weight Merch Ht	m	15.4	15.4		17.6	11.3	9.9	14.7		
Net Merch Vol/Log	m3	0.45	0.45		0.54	0.37	0.31	0.46		
Gross Merch Vol/Log	m3	0.64	0.64		0.87	0.38	0.31	0.83		
Avg # of Logs/Tree		1.27	1.27		1.55	1.09	1.00	1.05		
Net Immature	%									
Net 2nd Growth	%									
Average Slope	%	8								
Algorithm Grades %										
#2 Sawlog	H	2	2		3					
#3 Sawlog	I	3	3		5					
#4 Sawlog	J	45	45		24	82	100			
#4 Shingle	M	2	2		3					
#5 Utility	U	30	30		41	16		18		
#6 Utility	X	3	3		4	2				
#7 Chipper	Y	15	15		20			82		
Statistical Summary										
Coeff. of Variation	%	35.8	35.8		43.3	84.8	246.9	360.6		
Two Standard Error	%	21.6	21.6		26.1	51.3	149.2	217.9		
Number and Type of Plots		MP = 13								
Number of Potential Trees		38								
Plots/Ha		1.3								
Cruised Trees/Plot		2.9								

Slope % Statistics

Min= 5, Max= 17, CV=40.9, Std Error of Mean=0.9, 2SE%=24.7

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Type Summary

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 229
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

14-May-2020 08:38:35AM
Filename: cp229 final.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

Net Area: Type 26 (M):YcCw(Hw)931, Plots in Type: 2, TUs: [CLEARCUT : 3.3]

		Total	Conifer	Decid	C	H	S	Y	PL	D
Utilization Limits										
Min DBH cm (M)					17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					15.0	15.0	15.0	15.0	15.0	15.0
Log Len m					10.0	10.0	10.0	10.0	10.0	10.0
Volume and Size Data										
Gross Merchantable	m3	1398	1398		1020	252		126		
Net Merchantable	m3	968	968		626	233		109		
Net Merch - All	m3/ha	293	293		190	71		33		
Distribution	%	100	100		65	24		11		
Decay	%	18	18		23	2		7		
Waste	%	6	6		8	0		0		
Waste(billing)	%	9	9		14	0		0		
Breakage	%	7	7		7	5		7		
Total Cull (DWB)	%	31	31		39	7		14		
Basal Area / Ha	m2/ha	64.0	64.0		48.0	8.0		8.0		
Net VBAR	m3/m2	4.582	4.582		3.952	8.829		4.112		
Stems/Ha (Live & DP)		434.5	434.5		257.1	85.6		91.9		
Avg DBH (Live & DP)	cm	43.3	43.3		48.8	34.5		33.3		
Snags/Ha										
Avg Snag DBH	cm									
Gross Merch Vol/Tree	m3	0.98	0.98		1.20	0.89		0.42		
Net Merch Vol/Tree	m3	0.67	0.67		0.74	0.83		0.36		
Avg Weight Total Ht	m	22.3	22.3		22.7	25.5		13.0		
Avg Weight Merch Ht	m	15.9	15.9		16.6	17.2		8.5		
Net Merch Vol/Log	m3	0.54	0.54		0.64	0.43		0.39		
Gross Merch Vol/Log	m3	0.71	0.71		0.94	0.45		0.42		
Avg # of Logs/Tree		1.37	1.37		1.28	2.00		1.00		
Net Immature	%									
Net 2nd Growth	%									
Algorithm Grades %										
#4 Sawlog	J	48	48		36	100				
#5 Utility	U	40	40		62					
#6 Utility	X	11	11					100		
#7 Chipper	Y	1	1		2					
Statistical Summary										
Coeff. of Variation	%	18.9	18.9		1.1	141.4		141.4		
Two Standard Error	%	170.1	170.1		10.2	1270.6		1270.6		
Number and Type of Plots		MP =	2							
Number of Potential Trees		8								
Plots/Ha		0.6								
Cruised Trees/Plot		4.0								

*** 6 tree(s) changed to tree class 6: because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 229
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

Type Summary
FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

14-May-2020 08:38:35AM
Filename: cp229 final.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

Net Area: Type 27 (M):CwHw(Yc)931, Plots in Type: 11, TUs: [CLEARCUT : 10.3]

		Total	Conifer	Decid	C	H	S	Y	PL	D
Utilization Limits										
Min DBH cm (M)					17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					15.0	15.0	15.0	15.0	15.0	15.0
Log Len m					10.0	10.0	10.0	10.0	10.0	10.0
Volume and Size Data										
Gross Merchantable	m3	5828	5828		4520	1096	212			
Net Merchantable	m3	3524	3524		2325	1015	185			
Net Merch - All	m3/ha	342	342		226	99	18			
Distribution	%	100	100		66	29	5			
Decay	%	24	24		30	2	7			
Waste	%	9	9		12	0	1			
Waste(billing)	%	15	15		23	0	1			
Breakage	%	7	7		7	5	5			
Total Cull (DWB)	%	40	40		49	7	13			
Basal Area / Ha	m2/ha	86.4	86.4		68.2	15.9	2.3			
Net VBAR	m3/m2	3.961	3.961		3.310	6.192	7.883			
Stems/Ha (Live & DP)		590.1	590.1		385.8	191.3	12.9			
Avg DBH (Live & DP)	cm	43.2	43.2		47.4	32.5	47.3			
Snags/Ha										
Avg Snag DBH	cm									
Gross Merch Vol/Tree	m3	0.96	0.96		1.14	0.56	1.59			
Net Merch Vol/Tree	m3	0.58	0.58		0.58	0.51	1.39			
Avg Weight Total Ht	m	22.4	22.4		22.8	20.3	26.0			
Avg Weight Merch Ht	m	16.4	16.4		17.0	13.9	19.5			
Net Merch Vol/Log	m3	0.43	0.43		0.44	0.37	0.73			
Gross Merch Vol/Log	m3	0.64	0.64		0.76	0.38	0.80			
Avg # of Logs/Tree		1.50	1.50		1.50	1.46	2.00			
Net Immature	%									
Net 2nd Growth	%									
Algorithm Grades %										
#2 Sawlog	H	4	4		6					
#3 Sawlog	I	1	1		2					
#4 Sawlog	J	43	43		33	60	100			
#4 Shingle	M	1	1		1					
#5 Utility	U	37	37		44	26				
#6 Utility	X	11	11		10	14				
#7 Chipper	Y	3	3		4					
Statistical Summary										
Coeff. of Variation	%	68.5	68.5		59.1	166.0	331.7			
Two Standard Error	%	46.0	46.0		39.7	111.5	222.8			
Number and Type of Plots		MP = 11								
Number of Potential Trees		38								
Plots/Ha		1.1								
Cruised Trees/Plot		3.5								

*** 6 tree(s) changed to tree class 6: because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 229
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

Type Summary
FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

14-May-2020 08:38:35AM
Filename: cp229 final.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

Net Area: Type 28 (M):CwHw(Yc)931, Plots in Type: 35, TUs: [CLEARCUT : 33.5]

		Total	Conifer	Decid	C	H	S	Y	PL	D
Utilization Limits										
Min DBH cm (M)					17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					15.0	15.0	15.0	15.0	15.0	15.0
Log Len m					10.0	10.0	10.0	10.0	10.0	10.0
Volume and Size Data										
Gross Merchantable	m3	19631	19631		15969	3398	264			
Net Merchantable	m3	11550	11550		8391	2910	250			
Net Merch - All	m3/ha	345	345		250	87	7			
Distribution	%	100	100		73	25	2			
Decay	%	25	25		29	7	0			
Waste	%	9	9		11	2				
Waste(billing)	%	16	16		21	3				
Breakage	%	7	7		7	5	5			
Total Cull (DWB)	%	41	41		47	14	5			
Basal Area / Ha	m2/ha	87.1	87.1		71.4	15.0	0.7			
Net VBAR	m3/m2	4.000	4.000		3.507	5.790	10.446			
Stems/Ha (Live & DP)		457.8	457.8		268.0	185.9	3.9			
Avg DBH (Live & DP)	cm	49.2	49.2		58.3	32.1	48.0			
Snags/Ha		54.0	54.0		54.0					
Avg Snag DBH	cm	18.1	18.1		18.1					
Gross Merch Vol/Tree	m3	1.28	1.28		1.78	0.55	2.00			
Net Merch Vol/Tree	m3	0.75	0.75		0.93	0.47	1.89			
Avg Weight Total Ht	m	23.9	23.9		24.5	20.8	31.3			
Avg Weight Merch Ht	m	17.9	17.9		18.7	14.7	24.0			
Net Merch Vol/Log	m3	0.55	0.55		0.64	0.38	0.66			
Gross Merch Vol/Log	m3	0.84	0.84		1.08	0.42	0.67			
Avg # of Logs/Tree		1.52	1.52		1.65	1.30	3.00			
Net Immature	%									
Net 2nd Growth	%									
Algorithm Grades %										
#2 Sawlog	H	6	6		8					
#3 Sawlog	I	2	2		3					
#4 Sawlog	J	33	33		19	69	95			
#4 Shingle	M	1	1		2					
#5 Utility	U	42	42		52	16				
#6 Utility	X	7	7		4	15	5			
#7 Chipper	Y	9	9		12					
Statistical Summary										
Coeff. of Variation	%	65.1	65.1		76.2	131.1	424.3			
Two Standard Error	%	25.3	25.3		27.8	49.9	278.9			
Number and Type of Plots		MP = 18	CP = 17							
Number of Potential Trees		65								
Plots/Ha		1.0								
Cruised Trees/Plot		3.5								

*** 6 tree(s) changed to tree class 6: because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 229
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

Type Summary
FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

14-May-2020 08:38:35AM
Filename: cp229 final.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

Net Area: Type 29 (M):CwHw931, Plots in Type: 17, TUs: [CLEARCUT : 17.8]

		Total	Conifer	Decid	C	H	S	Y	PL	D
Utilization Limits										
Min DBH cm (M)					17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					15.0	15.0	15.0	15.0	15.0	15.0
Log Len m					10.0	10.0	10.0	10.0	10.0	10.0
Volume and Size Data										
Gross Merchantable	m3	8496	8496		5864	2494	138			
Net Merchantable	m3	5297	5297		3050	2117	130			
Net Merch - All	m3/ha	298	298		171	119	7			
Distribution	%	100	100		58	40	2			
Decay	%	23	23		30	8	0			
Waste	%	8	8		11	2				
Waste(billing)	%	13	13		21	3				
Breakage	%	7	7		7	5	5			
Total Cull (DWB)	%	38	38		48	15	5			
Basal Area / Ha	m2/ha	69.1	69.1		50.0	17.6	1.5			
Net VBAR	m3/m2	4.249	4.249		3.427	6.741	4.975			
Stems/Ha (Live & DP)		260.5	260.5		101.0	135.8	23.7			
Avg DBH (Live & DP)	cm	58.1	58.1		79.4	40.7	28.1			
Snags/Ha										
Avg Snag DBH	cm									
Gross Merch Vol/Tree	m3	1.83	1.83		3.26	1.03	0.33			
Net Merch Vol/Tree	m3	1.14	1.14		1.70	0.88	0.31			
Avg Weight Total Ht	m	24.9	24.9		25.0	25.0	16.0			
Avg Weight Merch Ht	m	19.0	19.0		19.5	18.7	9.0			
Net Merch Vol/Log	m3	0.82	0.82		0.95	0.74	0.32			
Gross Merch Vol/Log	m3	1.19	1.19		1.60	0.82	0.33			
Avg # of Logs/Tree		1.54	1.54		2.04	1.26	1.00			
Net Immature	%									
Net 2nd Growth	%									
Algorithm Grades %										
#2 Sawlog	H	12	12		6	20				
#4 Sawlog	J	25	25		12	40	100			
#5 Utility	U	55	55		68	40				
#7 Chipper	Y	8	8		14					
Statistical Summary										
Coeff. of Variation	%	59.5	59.5		70.3	113.4	282.8			
Two Standard Error	%	26.5	26.5		30.2	43.8	309.0			
Number and Type of Plots		MP = 8	CP = 9							
Number of Potential Trees		18								
Plots/Ha		1.0								
Cruised Trees/Plot		2.8								

*** 6 tree(s) changed to tree class 6: because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 229
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

Type Summary
FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

14-May-2020 08:38:35AM
Filename: cp229 final.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

Net Area: Type 30 (M):CwHw931, Plots in Type: 8, TUs: [CLEARCUT : 8.1]

		Total	Conifer	Decid	C	H	S	Y	PL	D
Utilization Limits										
Min DBH cm (M)					17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					15.0	15.0	15.0	15.0	15.0	15.0
Log Len m					10.0	10.0	10.0	10.0	10.0	10.0
Volume and Size Data										
Gross Merchantable	m3	5806	5806		5228	368		210		
Net Merchantable	m3	3083	3083		2562	341		181		
Net Merch - All	m3/ha	381	381		316	42		22		
Distribution	%	100	100		83	11		6		
Decay	%	29	29		32	2		7		
Waste	%	11	11		12	0		0		
Waste(billing)	%	20	20		25	0		0		
Breakage	%	7	7		7	5		7		
Total Cull (DWB)	%	47	47		51	7		14		
Basal Area / Ha	m2/ha	87.5	87.5		78.1	6.2		3.1		
Net VBAR	m3/m2	4.626	4.626		4.048	6.736		7.133		
Stems/Ha (Live & DP)		186.3	186.3		103.9	54.0		28.4		
Avg DBH (Live & DP)	cm	77.3	77.3		97.8	38.4		37.4		
Snags/Ha										
Avg Snag DBH	cm									
Gross Merch Vol/Tree	m3	3.85	3.85		6.21	0.84		0.91		
Net Merch Vol/Tree	m3	2.04	2.04		3.04	0.78		0.78		
Avg Weight Total Ht	m	31.0	31.0		32.2	20.0		21.8		
Avg Weight Merch Ht	m	24.8	24.8		26.4	13.7		15.4		
Net Merch Vol/Log	m3	0.95	0.95		1.25	0.41		0.42		
Gross Merch Vol/Log	m3	1.58	1.58		2.23	0.42		0.46		
Avg # of Logs/Tree		2.44	2.44		2.78	2.00		2.00		
Net Immature	%									
Net 2nd Growth	%									
Algorithm Grades %										
#2 Sawlog	H	30	30		35					
#3 Sawlog	I	12	12		14					
#4 Sawlog	J	15	15			87		100		
#4 Shingle	M	6	6		8					
#5 Utility	U	28	28		33					
#6 Utility	X	1	1			13				
#7 Chipper	Y	8	8		10					
Statistical Summary										
Coeff. of Variation	%	89.4	89.4		58.7	173.2		173.2		
Two Standard Error	%	78.6	78.6		42.7	193.1		386.2		
Number and Type of Plots		MP = 3	CP = 5							
Number of Potential Trees		10								
Plots/Ha		1.0								
Cruised Trees/Plot		3.5								

*** 6 tree(s) changed to tree class 6: because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 229
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

Type Summary
FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

14-May-2020 08:38:35AM
Filename: cp229 final.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

Net Area: Type 31 (M):CwHw(Yc)931, Plots in Type: 11, TUs: [CLEARCUT : 11.5]

		Total	Conifer	Decid	C	H	S	Y	PL	D
Utilization Limits										
Min DBH cm (M)					17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					15.0	15.0	15.0	15.0	15.0	15.0
Log Len m					10.0	10.0	10.0	10.0	10.0	10.0
Volume and Size Data										
Gross Merchantable	m3	4501	4501		3224	1060		217		
Net Merchantable	m3	3106	3106		1943	986		177		
Net Merch - All	m3/ha	270	270		169	86		15		
Distribution	%	100	100		63	32		6		
Decay	%	18	18		24	2		11		
Waste	%	6	6		9			0		
Waste(billing)	%	9	9		15			0		
Breakage	%	7	7		7	5		7		
Total Cull (DWB)	%	31	31		40	7		18		
Basal Area / Ha	m2/ha	56.8	56.8		43.2	11.4		2.3		
Net VBAR	m3/m2	4.344	4.344		3.912	7.546		6.768		
Stems/Ha (Live & DP)		262.6	262.6		210.2	37.6		14.8		
Avg DBH (Live & DP)	cm	52.5	52.5		51.1	62.0		44.2		
Snags/Ha		15.0	15.0			15.0				
Avg Snag DBH	cm	55.0	55.0			55.0				
Gross Merch Vol/Tree	m3	1.49	1.49		1.33	2.45		1.27		
Net Merch Vol/Tree	m3	1.03	1.03		0.80	2.28		1.04		
Avg Weight Total Ht	m	23.2	23.2		23.4	23.0		22.1		
Avg Weight Merch Ht	m	17.6	17.6		17.7	17.7		16.5		
Net Merch Vol/Log	m3	0.73	0.73		0.63	1.20		0.56		
Gross Merch Vol/Log	m3	0.97	0.97		0.94	1.22		0.64		
Avg # of Logs/Tree		1.53	1.53		1.42	2.00		2.00		
Net Immature	%									
Net 2nd Growth	%									
Algorithm Grades %										
#2 Sawlog	H	10	10		16					
#4 Sawlog	J	17	17		18			100		
#5 Utility	U	66	66		55	100				
#6 Utility	X	5	5		8					
#7 Chipper	Y	2	2		3					
Statistical Summary										
Coeff. of Variation	%	64.9	64.9		82.9	264.6		264.6		
Two Standard Error	%	38.2	38.2		60.6	55.9		279.3		
Number and Type of Plots		MP = 7	CP = 4							
Number of Potential Trees		15								
Plots/Ha		1.0								
Cruised Trees/Plot		2.3								

*** 6 tree(s) changed to tree class 6: because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 229
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

Type Summary
FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

14-May-2020 08:38:35AM
Filename: cp229 final.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

Net Area: Type 32 (M):CwHw(Yc)931, Plots in Type: 19, TUs: [CLEARCUT : 19.8]

		Total	Conifer	Decid	C	H	S	Y	PL	D
Utilization Limits										
Min DBH cm (M)					17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					15.0	15.0	15.0	15.0	15.0	15.0
Log Len m					10.0	10.0	10.0	10.0	10.0	10.0
Volume and Size Data										
Gross Merchantable	m3	10946	10946		8268	1982	695			
Net Merchantable	m3	6823	6823		4393	1833	598			
Net Merch - All	m3/ha	345	345		222	93	30			
Distribution	%	100	100		64	27	9			
Decay	%	23	23		29	2	7			
Waste	%	8	8		11	0	2			
Waste(billing)	%	14	14		21	0	2			
Breakage	%	7	7		7	5	5			
Total Cull (DWB)	%	38	38		47	8	14			
Basal Area / Ha	m2/ha	76.3	76.3		56.6	15.8	3.9			
Net VBAR	m3/m2	4.573	4.573		3.921	5.863	7.647			
Stems/Ha (Live & DP)		456.9	456.9		218.6	218.3	20.0			
Avg DBH (Live & DP)	cm	46.1	46.1		57.4	30.3	50.1			
Snags/Ha										
Avg Snag DBH	cm									
Gross Merch Vol/Tree	m3	1.21	1.21		1.91	0.46	1.75			
Net Merch Vol/Tree	m3	0.75	0.75		1.02	0.42	1.51			
Avg Weight Total Ht	m	25.3	25.3		26.9	18.8	26.7			
Avg Weight Merch Ht	m	19.0	19.0		21.0	12.1	20.7			
Net Merch Vol/Log	m3	0.55	0.55		0.65	0.38	0.75			
Gross Merch Vol/Log	m3	0.81	0.81		1.08	0.39	0.82			
Avg # of Logs/Tree		1.50	1.50		1.77	1.17	2.13			
Net Immature	%									
Net 2nd Growth	%									
Algorithm Grades %										
#2 Sawlog	H	16	16		22		23			
#3 Sawlog	I	5	5		7					
#4 Sawlog	J	40	40		18	96	33			
#4 Shingle	M	2	2		4					
#5 Utility	U	31	31		40	4	44			
#6 Utility	X	2	2		3					
#7 Chipper	Y	4	4		6					
Statistical Summary										
Coeff. of Variation	%	49.6	49.6		64.6	101.0	171.4			
Two Standard Error	%	25.8	25.8		32.7	43.5	142.7			
Number and Type of Plots		MP = 11	CP = 8							
Number of Potential Trees		35								
Plots/Ha		1.0								
Cruised Trees/Plot		3.1								

*** 6 tree(s) changed to tree class 6: because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 229
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

Type Summary
FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

14-May-2020 08:38:35AM
Filename: cp229 final.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

Net Area: Type 33 (M):CwHw(Yc)931, Plots in Type: 7, TUs: [CLEARCUT : 5.5]

		Total	Conifer	Decid	C	H	S	Y	PL	D
Utilization Limits										
Min DBH cm (M)					17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					15.0	15.0	15.0	15.0	15.0	15.0
Log Len m					10.0	10.0	10.0	10.0	10.0	10.0
Volume and Size Data										
Gross Merchantable	m3	3139	3139		2119	872	148			
Net Merchantable	m3	2264	2264		1315	809	140			
Net Merch - All	m3/ha	412	412		239	147	25			
Distribution	%	100	100		58	36	6			
Decay	%	16	16		23	2	0			
Waste	%	6	6		8	0				
Waste(billing)	%	8	8		13	0				
Breakage	%	6	6		7	5	5			
Total Cull (DWB)	%	28	28		38	7	5			
Basal Area / Ha	m2/ha	75.0	75.0		53.6	17.9	3.6			
Net VBAR	m3/m2	5.248	5.248		4.462	8.235	7.138			
Stems/Ha (Live & DP)		486.5	486.5		337.3	116.3	32.9			
Avg DBH (Live & DP)	cm	44.3	44.3		45.0	44.2	37.2			
Snags/Ha										
Avg Snag DBH	cm									
Gross Merch Vol/Tree	m3	1.17	1.17		1.14	1.36	0.82			
Net Merch Vol/Tree	m3	0.85	0.85		0.71	1.26	0.78			
Avg Weight Total Ht	m	24.5	24.5		24.1	25.8	21.6			
Avg Weight Merch Ht	m	18.4	18.4		18.0	19.8	14.7			
Net Merch Vol/Log	m3	0.49	0.49		0.44	0.62	0.41			
Gross Merch Vol/Log	m3	0.63	0.63		0.64	0.64	0.41			
Avg # of Logs/Tree		1.88	1.88		1.77	2.14	2.00			
Net Immature	%									
Net 2nd Growth	%									
Algorithm Grades %										
#2 Lum/#1 Lum	F	14	14			40				
#4 Sawlog	J	49	49		52	36	100			
#5 Utility	U	26	26		34	17				
#6 Utility	X	7	7		8	7				
#7 Chipper	Y	4	4		6					
Statistical Summary										
Coeff. of Variation	%	31.3	31.3		101.7	118.8	200.0			
Two Standard Error	%	47.7	47.7		119.0	78.5	323.7			
Number and Type of Plots		MP = 4	CP = 3							
Number of Potential Trees		13								
Plots/Ha		1.3								
Cruised Trees/Plot		3.0								

*** 6 tree(s) changed to tree class 6: because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 229
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

Type Summary
FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

14-May-2020 08:38:35AM
Filename: cp229 final.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

Net Area: Type 34 (M):CwHw(PlcYc)9, Plots in Type: 3, TUs: [CLEARCUT : 3.8]

		Total	Conifer	Decid	C	H	S	Y	PL	D
Utilization Limits										
Min DBH cm (M)					17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					15.0	15.0	15.0	15.0	15.0	15.0
Log Len m					10.0	10.0	10.0	10.0	10.0	10.0
Volume and Size Data										
Gross Merchantable	m3	1348	1348		1348					
Net Merchantable	m3	782	782		782					
Net Merch - All	m3/ha	206	206		206					
Distribution	%	100	100		100					
Decay	%	26	26		26					
Waste	%	9	9		9					
Waste(billing)	%	16	16		16					
Breakage	%	7	7		7					
Total Cull (DWB)	%	42	42		42					
Basal Area / Ha	m2/ha	50.0	50.0		50.0					
Net VBAR	m3/m2	4.113	4.113		4.113					
Stems/Ha (Live & DP)		135.4	135.4		135.4					
Avg DBH (Live & DP)	cm	68.6	68.6		68.6					
Snags/Ha										
Avg Snag DBH	cm									
Gross Merch Vol/Tree	m3	2.62	2.62		2.62					
Net Merch Vol/Tree	m3	1.52	1.52		1.52					
Avg Weight Total Ht	m	26.5	26.5		26.5					
Avg Weight Merch Ht	m	20.4	20.4		20.4					
Net Merch Vol/Log	m3	0.78	0.78		0.78					
Gross Merch Vol/Log	m3	1.21	1.21		1.21					
Avg # of Logs/Tree		2.17	2.17		2.17					
Net Immature	%									
Net 2nd Growth	%									
Algorithm Grades %										
#2 Sawlog	H	28	28		28					
#4 Sawlog	J	24	24		24					
#5 Utility	U	41	41		41					
#7 Chipper	Y	7	7		7					
Statistical Summary										
Coeff. of Variation	%	54.2	54.2		54.2					
Two Standard Error	%	134.7	134.7		134.7					
Number and Type of Plots		MP = 3								
Number of Potential Trees		6								
Plots/Ha		0.8								
Cruised Trees/Plot		2.0								

*** 6 tree(s) changed to tree class 6: because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Type Summary

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 229
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

14-May-2020 08:38:35AM
Filename: cp229 final.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

Net Area: Type 35 (M):CwHw(Yc)931, Plots in Type: 3, TUs: [CLEARCUT : 2.3]

		Total	Conifer	Decid	C	H	S	Y	PL	D
Utilization Limits										
Min DBH cm (M)					17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					15.0	15.0	15.0	15.0	15.0	15.0
Log Len m					10.0	10.0	10.0	10.0	10.0	10.0
Volume and Size Data										
Gross Merchantable	m3	1761	1761		687	298	109	667		
Net Merchantable	m3	1253	1253		384	194	103	571		
Net Merch - All	m3/ha	545	545		167	85	45	248		
Distribution	%	100	100		31	16	8	46		
Decay	%	17	17		27	21	0	7		
Waste	%	5	5		10	8		0		
Waste(billing)	%	8	8		18	12		0		
Breakage	%	7	7		7	6	5	7		
Total Cull (DWB)	%	29	29		44	35	5	14		
Basal Area / Ha	m2/ha	116.7	116.7		50.0	16.7	8.3	41.7		
Net VBAR	m3/m2	4.669	4.669		3.340	5.072	5.378	5.960		
Stems/Ha (Live & DP)		765.1	765.1		111.2	90.7	185.8	377.5		
Avg DBH (Live & DP)	cm	44.1	44.1		75.7	48.4	23.9	37.5		
Snags/Ha										
Avg Snag DBH	cm									
Gross Merch Vol/Tree	m3	1.00	1.00		2.69	1.43	0.25	0.77		
Net Merch Vol/Tree	m3	0.71	0.71		1.50	0.93	0.24	0.66		
Avg Weight Total Ht	m	20.5	20.5		22.0	21.5	18.4	18.9		
Avg Weight Merch Ht	m	14.6	14.6		16.8	15.8	8.8	13.4		
Net Merch Vol/Log	m3	0.54	0.54		0.85	0.51	0.25	0.52		
Gross Merch Vol/Log	m3	0.69	0.69		1.34	0.71	0.25	0.57		
Avg # of Logs/Tree		1.44	1.44		2.00	2.00	1.00	1.36		
Net Immature	%									
Net 2nd Growth	%									
Algorithm Grades %										
#4 Sawlog	J	39	39			88	100	38		
#5 Utility	U	31	31		96	12				
#6 Utility	X	19	19					41		
#7 Chipper	Y	11	11		4			21		
Statistical Summary										
Coeff. of Variation	%	65.3	65.3		53.5	173.2	173.2	91.7		
Two Standard Error	%	162.3	162.3		132.9	430.3	430.3	227.8		
Number and Type of Plots		MP = 3								
Number of Potential Trees		14								
Plots/Ha		1.3								
Cruised Trees/Plot		4.7								

*** 6 tree(s) changed to tree class 6: because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 229
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

Type Summary
FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

14-May-2020 08:38:35AM
Filename: cp229 final.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

Net Area: Type 36 (M):CwHw931, Plots in Type: 13, TUs: [CLEARCUT : 9.7]

		Total	Conifer	Decid	C	H	S	Y	PL	D
Utilization Limits										
Min DBH cm (M)					17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					15.0	15.0	15.0	15.0	15.0	15.0
Log Len m					10.0	10.0	10.0	10.0	10.0	10.0
Volume and Size Data										
Gross Merchantable	m3	4413	4413		3035	924	208	246		
Net Merchantable	m3	2838	2838		1671	854	193	120		
Net Merch - All	m3/ha	293	293		172	88	20	12		
Distribution	%	100	100		59	30	7	4		
Decay	%	21	21		28	2	2	32		
Waste	%	8	8		10	0	0	12		
Waste(billing)	%	12	12		19	0	0	25		
Breakage	%	6	6		7	5	5	7		
Total Cull (DWB)	%	36	36		45	8	7	51		
Basal Area / Ha	m2/ha	73.1	73.1		50.0	15.4	3.8	3.8		
Net VBAR	m3/m2	4.004	4.004		3.444	5.721	5.183	3.223		
Stems/Ha (Live & DP)		560.9	560.9		232.0	231.0	68.6	29.3		
Avg DBH (Live & DP)	cm	40.7	40.7		52.4	29.1	26.7	40.9		
Snags/Ha										
Avg Snag DBH	cm									
Gross Merch Vol/Tree	m3	0.81	0.81		1.35	0.41	0.31	0.87		
Net Merch Vol/Tree	m3	0.52	0.52		0.74	0.38	0.29	0.42		
Avg Weight Total Ht	m	21.7	21.7		23.1	18.5	17.5	21.0		
Avg Weight Merch Ht	m	15.4	15.4		17.6	11.3	9.9	14.7		
Net Merch Vol/Log	m3	0.45	0.45		0.54	0.37	0.31	0.46		
Gross Merch Vol/Log	m3	0.64	0.64		0.87	0.38	0.31	0.83		
Avg # of Logs/Tree		1.27	1.27		1.55	1.09	1.00	1.05		
Net Immature	%									
Net 2nd Growth	%									
Algorithm Grades %										
#2 Sawlog	H	2	2		3					
#3 Sawlog	I	3	3		5					
#4 Sawlog	J	45	45		24	82	100			
#4 Shingle	M	2	2		3					
#5 Utility	U	30	30		41	16		18		
#6 Utility	X	3	3		4	2				
#7 Chipper	Y	15	15		20			82		
Statistical Summary										
Coeff. of Variation	%	35.8	35.8		43.3	84.8	246.9	360.6		
Two Standard Error	%	21.6	21.6		26.1	51.3	149.2	217.9		
Number and Type of Plots		MP = 13								
Number of Potential Trees		38								
Plots/Ha		1.3								
Cruised Trees/Plot		2.9								

*** 6 tree(s) changed to tree class 6: because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 229
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

Type Summary
FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

14-May-2020 08:38:35AM
Filename: cp229 final.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

Net Area: Type 41 (M):C H 931, Plots in Type: 12, TUs: [CLEARCUT : 13.3]

		Total	Conifer	Decid	C	H	S	Y	PL	D
Utilization Limits										
Min DBH cm (M)					17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					15.0	15.0	15.0	15.0	15.0	15.0
Log Len m					10.0	10.0	10.0	10.0	10.0	10.0
Volume and Size Data										
Gross Merchantable	m3	8571	8571		6359	2212				
Net Merchantable	m3	4990	4990		3059	1931				
Net Merch - All	m3/ha	375	375		230	145				
Distribution	%	100	100		61	39				
Decay	%	25	25		32	6				
Waste	%	10	10		13	1				
Waste(billing)	%	17	17		27	2				
Breakage	%	7	7		7	5				
Total Cull (DWB)	%	42	42		52	13				
Basal Area / Ha	m2/ha	73.3	73.3		55.0	18.3				
Net VBAR	m3/m2	5.116	5.116		4.182	7.920				
Stems/Ha (Live & DP)		580.2	580.2		344.6	235.6				
Avg DBH (Live & DP)	cm	40.1	40.1		45.1	31.5				
Snags/Ha		66.2	66.2			66.2				
Avg Snag DBH	cm	17.9	17.9			17.9				
Gross Merch Vol/Tree	m3	1.11	1.11		1.39	0.71				
Net Merch Vol/Tree	m3	0.65	0.65		0.67	0.62				
Avg Weight Total Ht	m	28.5	28.5		29.3	26.4				
Avg Weight Merch Ht	m	21.1	21.1		22.1	18.9				
Net Merch Vol/Log	m3	0.40	0.40		0.39	0.42				
Gross Merch Vol/Log	m3	0.62	0.62		0.71	0.46				
Avg # of Logs/Tree		1.80	1.80		1.97	1.55				
Net Immature	%									
Net 2nd Growth	%									
Algorithm Grades %										
#2 Lum/#1 Lum	F	3	3			8				
#2 Sawlog	H	15	15		24					
#3 Sawlog	I				1					
#4 Sawlog	J	44	44		24	76				
#4 Shingle	M									
#5 Utility	U	17	17		23	7				
#6 Utility	X	14	14		18	8				
#7 Chipper	Y	7	7		10	1				
Statistical Summary										
Coeff. of Variation	%	46.4	46.4		47.1	96.3				
Two Standard Error	%	29.5	29.5		29.9	61.2				
Number and Type of Plots		MP = 12								
Number of Potential Trees		44								
Plots/Ha		0.9								
Cruised Trees/Plot		3.8								

*** 6 tree(s) changed to tree class 6: because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 229
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

Type Summary
FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

14-May-2020 08:38:35AM
Filename: cp229 final.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

Net Area: Type 42 (M):C H 931, Plots in Type: 2, TUs: [CLEARCUT : 1.1]

		Total	Conifer	Decid	C	H	S	Y	PL	D
Utilization Limits										
Min DBH cm (M)					17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					15.0	15.0	15.0	15.0	15.0	15.0
Log Len m					10.0	10.0	10.0	10.0	10.0	10.0
Volume and Size Data										
Gross Merchantable	m3	1121	1121		879	120	121			
Net Merchantable	m3	621	621		396	111	114			
Net Merch - All	m3/ha	565	565		360	101	104			
Distribution	%	100	100		64	18	18			
Decay	%	27	27		34	2	1			
Waste	%	11	11		14	1	0			
Waste(billing)	%	20	20		31	1	0			
Breakage	%	7	7		7	5	5			
Total Cull (DWB)	%	45	45		55	8	6			
Basal Area / Ha	m2/ha	104.0	104.0		80.0	16.0	8.0			
Net VBAR	m3/m2	5.428	5.428		4.499	6.297	12.987			
Stems/Ha (Live & DP)		620.0	620.0		255.0	351.0	14.0			
Avg DBH (Live & DP)	cm	46.2	46.2		63.2	24.1	85.2			
Snags/Ha										
Avg Snag DBH	cm									
Gross Merch Vol/Tree	m3	1.64	1.64		3.13	0.31	7.87			
Net Merch Vol/Tree	m3	0.91	0.91		1.41	0.29	7.40			
Avg Weight Total Ht	m	33.3	33.3		34.0	21.1	42.1			
Avg Weight Merch Ht	m	26.3	26.3		27.2	11.7	36.1			
Net Merch Vol/Log	m3	0.51	0.51		0.61	0.22	1.95			
Gross Merch Vol/Log	m3	0.83	0.83		1.17	0.22	1.97			
Avg # of Logs/Tree		1.98	1.98		2.68	1.39	4.00			
Net Immature	%									
Net 2nd Growth	%									
Algorithm Grades %										
#1 Lum/#1 Prem	D	1	1				8			
#1 Lum/#2 Prem	E	2	2				8			
#2 Lum/#1 Lum	F	1	1				6			
#2 Lum/#2 Lum	G	5	5				29			
#2 Sawlog	H	34	34		44		30			
#4 Sawlog	J	31	31		24	88				
#5 Utility	U	24	24		32		19			
#6 Utility	X	2	2			12				
#7 Chipper	Y									
Statistical Summary										
Coeff. of Variation	%	37.4	37.4		21.7	141.4	141.4			
Two Standard Error	%	336.1	336.1		195.3	1270.6	1270.6			
Number and Type of Plots		MP = 2								
Number of Potential Trees		13								
Plots/Ha		1.8								
Cruised Trees/Plot		6.5								

*** 6 tree(s) changed to tree class 6: because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 229
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

Type Summary
FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

14-May-2020 08:38:35AM
Filename: cp229 final.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

Net Area: Type 45 (M):H C 931, Plots in Type: 11, TUs: [CLEARCUT : 9.0]

		Total	Conifer	Decid	C	H	S	Y	PL	D
Utilization Limits										
Min DBH cm (M)					17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					15.0	15.0	15.0	15.0	15.0	15.0
Log Len m					10.0	10.0	10.0	10.0	10.0	10.0
Volume and Size Data										
Gross Merchantable	m3	6397	6397		4773	1241	383			
Net Merchantable	m3	3766	3766		2391	1034	341			
Net Merch - All	m3/ha	418	418		266	115	38			
Distribution	%	100	100		63	27	9			
Decay	%	24	24		30	9	5			
Waste	%	9	9		11	3	1			
Waste(billing)	%	15	15		22	3	2			
Breakage	%	8	8		9	5	4			
Total Cull (DWB)	%	41	41		50	17	11			
Basal Area / Ha	m2/ha	87.3	87.3		67.3	14.5	5.5			
Net VBAR	m3/m2	4.794	4.794		3.949	7.899	6.942			
Stems/Ha (Live & DP)		428.5	428.5		202.7	139.4	86.3			
Avg DBH (Live & DP)	cm	50.9	50.9		65.0	36.5	28.4			
Snags/Ha										
Avg Snag DBH	cm									
Gross Merch Vol/Tree	m3	1.66	1.66		2.62	0.99	0.49			
Net Merch Vol/Tree	m3	0.98	0.98		1.31	0.82	0.44			
Avg Weight Total Ht	m	28.6	28.6		29.3	26.8	25.9			
Avg Weight Merch Ht	m	22.0	22.0		23.2	19.6	18.2			
Net Merch Vol/Log	m3	0.63	0.63		0.77	0.48	0.43			
Gross Merch Vol/Log	m3	0.94	0.94		1.30	0.54	0.46			
Avg # of Logs/Tree		1.76	1.76		2.01	1.82	1.07			
Net Immature	%	5.1	5.1				56.7			
Net 2nd Growth	%		5.1							
Algorithm Grades %										
#1 Lum/#1 Prem	D				1					
#2 Sawlog	H	22	22		30	11				
#3 Sawlog	I	5	5		4		26			
#4 Sawlog	J	33	33		16	63	57			
#2 Shingle	K	1	1		1					
#4 Shingle	M	1	1		2					
#5 Utility	U	26	26		32	13	17			
#6 Utility	X	7	7		5	13				
#7 Chipper	Y	5	5		9					
Statistical Summary										
Coeff. of Variation	%	43.8	43.8		62.2	126.0	224.9			
Two Standard Error	%	29.4	29.4		41.8	84.6	151.1			
Number and Type of Plots		MP = 11								
Number of Potential Trees		48								
Plots/Ha		1.2								
Cruised Trees/Plot		4.4								

*** 6 tree(s) changed to tree class 6: because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Type Summary

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 229
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

14-May-2020 08:38:35AM
Filename: cp229 final.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

Net Area: Type 46 (M):H C 831, Plots in Type: 3, TUs: [CLEARCUT : 2.4]

		Total	Conifer	Decid	C	H	S	Y	PL	D
Utilization Limits										
Min DBH cm (M)					17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					15.0	15.0	15.0	15.0	15.0	15.0
Log Len m					10.0	10.0	10.0	10.0	10.0	10.0
Volume and Size Data										
Gross Merchantable	m3	1291	1291		470	124	288		408	
Net Merchantable	m3	1072	1072		276	119	277		400	
Net Merch - All	m3/ha	447	447		115	49	115		167	
Distribution	%	100	100		26	11	26		37	
Decay	%	7	7		19					
Waste	%	3	3		7					
Waste(billing)	%	3	3		12					
Breakage	%	7	7		15	4	4		2	
Total Cull (DWB)	%	17	17		41	4	4		2	
Basal Area / Ha	m2/ha	64.0	64.0		26.7	5.3	10.7		21.3	
Net VBAR	m3/m2	6.978	6.978		4.319	9.277	10.812		7.811	
Stems/Ha (Live & DP)		921.8	921.8		276.3	109.5	80.2		455.8	
Avg DBH (Live & DP)	cm	29.7	29.7		35.1	24.9	41.2		24.4	
Snags/Ha		216.8	216.8				216.8			
Avg Snag DBH	cm	17.7	17.7				17.7			
Gross Merch Vol/Tree	m3	0.58	0.58		0.71	0.47	1.50		0.37	
Net Merch Vol/Tree	m3	0.48	0.48		0.42	0.45	1.44		0.37	
Avg Weight Total Ht	m	25.0	25.0		22.8	27.5	31.7		22.4	
Avg Weight Merch Ht	m	16.4	16.4		14.8	15.3	23.4		13.3	
Net Merch Vol/Log	m3	0.31	0.31		0.29	0.24	0.62		0.26	
Gross Merch Vol/Log	m3	0.34	0.34		0.39	0.24	0.62		0.26	
Avg # of Logs/Tree		1.70	1.70		1.82	2.00	2.41		1.43	
Net Immature	%	88.3	88.3		54.6	100.0	100.0		100.0	
Net 2nd Growth	%		88.3							
Algorithm Grades %										
#4 Sawlog	J	84	84		38	100	100		100	
#6 Utility	X	16	16		62					
Statistical Summary										
Coeff. of Variation	%	44.5	44.5		38.9	173.2	87.3		128.5	
Two Standard Error	%	110.6	110.6		96.7	430.3	216.9		319.1	
Number and Type of Plots		MP =	3							
Number of Potential Trees		12								
Plots/Ha		1.3								
Cruised Trees/Plot		4.3								

*** 6 tree(s) changed to tree class 6: because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 229
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

Type Summary
FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

14-May-2020 08:38:35AM
Filename: cp229 final.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

Net Area: Type 47 (M):C H PL931, Plots in Type: 8, TUs: [CLEARCUT : 7.0]

		Total	Conifer	Decid	C	H	S	Y	PL	D
Utilization Limits										
Min DBH cm (M)					17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					15.0	15.0	15.0	15.0	15.0	15.0
Log Len m					10.0	10.0	10.0	10.0	10.0	10.0
Volume and Size Data										
Gross Merchantable	m3	3783	3783		2574	296	285		628	
Net Merchantable	m3	2345	2345		1193	269	270		613	
Net Merch - All	m3/ha	335	335		170	38	39		88	
Distribution	%	100	100		51	11	12		26	
Decay	%	22	22		31	3	0		0	
Waste	%	8	8		12	1				
Waste(billing)	%	13	13		26	1				
Breakage	%	8	8		10	5	5		2	
Total Cull (DWB)	%	38	38		54	9	5		2	
Basal Area / Ha	m2/ha	72.5	72.5		52.5	5.0	5.0		10.0	
Net VBAR	m3/m2	4.621	4.621		3.248	7.673	7.716		8.755	
Stems/Ha (Live & DP)		470.5	470.5		278.8	35.4	51.8		104.5	
Avg DBH (Live & DP)	cm	44.3	44.3		49.0	42.4	35.0		34.9	
Snags/Ha										
Avg Snag DBH	cm									
Gross Merch Vol/Tree	m3	1.15	1.15		1.32	1.20	0.79		0.86	
Net Merch Vol/Tree	m3	0.71	0.71		0.61	1.08	0.74		0.84	
Avg Weight Total Ht	m	24.0	24.0		24.0	24.5	23.2		24.3	
Avg Weight Merch Ht	m	17.6	17.6		17.7	18.6	15.6		17.6	
Net Merch Vol/Log	m3	0.46	0.46		0.43	0.84	0.39		0.48	
Gross Merch Vol/Log	m3	0.65	0.65		0.75	0.87	0.39		0.49	
Avg # of Logs/Tree		1.76	1.76		1.76	1.37	2.00		1.77	
Net Immature	%									
Net 2nd Growth	%									
Algorithm Grades %										
#2 Sawlog	H	10	10		1	43			20	
#4 Sawlog	J	55	55		42	38	100		68	
#5 Utility	U	29	29		48	18			8	
#6 Utility	X	2	2		3				1	
#7 Chipper	Y	4	4		6	1			3	
Statistical Summary										
Coeff. of Variation	%	38.7	38.7		45.1	191.7	282.8		142.2	
Two Standard Error	%	32.4	32.4		37.7	160.3	236.5		118.9	
Number and Type of Plots		MP =	8							
Number of Potential Trees		29								
Plots/Ha		1.1								
Cruised Trees/Plot		3.6								

*** 6 tree(s) changed to tree class 6: because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 229
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

Type Summary
FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

14-May-2020 08:38:35AM
Filename: cp229 final.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

Net Area: Type 56 (I):S H 351, Plots in Type: 20, TUs: [CLEARCUT : 18.1]

		Total	Conifer	Decid	C	H	S	Y	PL	D
Utilization Limits										
Min DBH cm (I)					12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)					10.0	10.0	10.0	10.0	10.0	10.0
Log Len m					10.0	10.0	10.0	10.0	10.0	10.0
Volume and Size Data										
Gross Merchantable	m3	21614	21415	199		7620	13795			199
Net Merchantable	m3	20733	20547	185		7315	13232			185
Net Merch - All	m3/ha	1145	1135	10		404	731			10
Distribution	%	100	99	1		35	64			1
Decay	%	0	0	2			0			2
Waste	%	0	0				0			
Waste(billing)	%	0	0				0			
Breakage	%	4	4	5		4	4			5
Total Cull (DWB)	%	4	4	7		4	4			7
Basal Area / Ha	m2/ha	90.0	89.0	1.0		36.0	53.0			1.0
Net VBAR	m3/m2	12.883	12.938	10.239		11.227	13.793			10.239
Stems/Ha (Live & DP)		1038.5	1030.3	8.2		729.8	300.5			8.2
Avg DBH (Live & DP)	cm	33.2	33.2	39.4		25.1	47.4			39.4
Snags/Ha										
Avg Snag DBH	cm									
Gross Merch Vol/Tree	m3	1.15	1.15	1.34		0.58	2.54			1.34
Net Merch Vol/Tree	m3	1.10	1.10	1.25		0.55	2.43			1.25
Avg Weight Total Ht	m	37.8	37.9	26.4		31.5	41.6			26.4
Avg Weight Merch Ht	m	32.1	32.2	21.0		24.6	36.5			21.0
Net Merch Vol/Log	m3	0.49	0.49	0.66		0.30	0.76			0.66
Gross Merch Vol/Log	m3	0.49	0.49	0.67		0.30	0.76			0.67
Avg # of Logs/Tree		2.34	2.34	2.00		1.93	3.34			2.00
Net Immature	%	97.2	98.1			100.0	97.1			
Net 2nd Growth	%		98.1							
Algorithm Grades %										
#2 Sawlog	H	27	27			12	36			
#3 Sawlog	I	11	11			3	15			
#4 Sawlog	J	44	44			55	38			
#5 Utility	U	13	14			22	9			
#6 Utility	X	4	4			8	2			
#7 Chipper	Y	1		100						100
Statistical Summary										
Coeff. of Variation	%	39.2	41.4	316.2		155.1	80.1			316.2
Two Standard Error	%	21.7	22.6	296.0		65.0	45.5			296.0
Number and Type of Plots		MP = 10	CP = 10							
Number of Potential Trees		49								
Plots/Ha		1.1								
Cruised Trees/Plot		4.5								

*** 6 tree(s) changed to tree class 6: because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 229
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

Type Summary
FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

14-May-2020 08:38:35AM
Filename: cp229 final.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

Net Area: Type 57 (I):S H 351, Plots in Type: 7, TUs: [CLEARCUT : 6.0]

		Total	Conifer	Decid	C	H	S	Y	PL	D
Utilization Limits										
Min DBH cm (I)					12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)					10.0	10.0	10.0	10.0	10.0	10.0
Log Len m					10.0	10.0	10.0	10.0	10.0	10.0
Volume and Size Data										
Gross Merchantable	m3	6791	6791			4160	2632			
Net Merchantable	m3	6259	6259			3907	2352			
Net Merch - All	m3/ha	1043	1043			651	392			
Distribution	%	100	100			62	38			
Decay	%	3	3			2	4			
Waste	%	1	1				1			
Waste(billing)	%	1	1				2			
Breakage	%	5	5			4	5			
Total Cull (DWB)	%	8	8			6	11			
Basal Area / Ha	m2/ha	94.3	94.3			62.9	31.4			
Net VBAR	m3/m2	11.138	11.138			10.359	12.474			
Stems/Ha (Live & DP)		1129.4	1129.4			1001.3	128.2			
Avg DBH (Live & DP)	cm	32.6	32.6			28.3	55.9			
Snags/Ha										
Avg Snag DBH	cm									
Gross Merch Vol/Tree	m3	1.00	1.00			0.69	3.42			
Net Merch Vol/Tree	m3	0.92	0.92			0.65	3.06			
Avg Weight Total Ht	m	39.4	39.4			33.9	48.2			
Avg Weight Merch Ht	m	34.7	34.7			29.0	44.0			
Net Merch Vol/Log	m3	0.60	0.60			0.45	1.29			
Gross Merch Vol/Log	m3	0.62	0.62			0.46	1.36			
Avg # of Logs/Tree		1.61	1.61			1.50	2.51			
Net Immature	%	42.9	42.9			63.0	9.6			
Net 2nd Growth	%		42.9							
Algorithm Grades %										
#1 Lum/#1 Prem	D	1	1				2			
#1 Lum/#2 Prem	E	1	1				2			
#2 Lum/#1 Lum	F	1	1				2			
#2 Lum/#2 Lum	G	3	3				7			
#2 Sawlog	H	40	40			45	33			
#3 Sawlog	I	11	11				29			
#4 Sawlog	J	22	22			31	7			
#5 Utility	U	16	16			22	7			
#6 Utility	X	3	3				9			
#7 Chipper	Y	2	2			2	2			
Statistical Summary										
Coeff. of Variation	%	30.5	30.5			75.6	136.2			
Two Standard Error	%	36.4	36.4			72.1	140.8			
Number and Type of Plots		MP = 4	CP = 3							
Number of Potential Trees		19								
Plots/Ha		1.2								
Cruised Trees/Plot		4.7								

*** 6 tree(s) changed to tree class 6: because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 229
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

Type Summary
FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

14-May-2020 08:38:35AM
Filename: cp229 final.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

Net Area: Type 59 (M):C H PL921, Plots in Type: 2, TUs: [CLEARCUT : 1.2]

		Total	Conifer	Decid	C	H	S	Y	PL	D
Utilization Limits										
Min DBH cm (M)					17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					15.0	15.0	15.0	15.0	15.0	15.0
Log Len m					10.0	10.0	10.0	10.0	10.0	10.0
Volume and Size Data										
Gross Merchantable	m3	427	427		427					
Net Merchantable	m3	217	217		217					
Net Merch - All	m3/ha	181	181		181					
Distribution	%	100	100		100					
Decay	%	30	30		30					
Waste	%	12	12		12					
Waste(billing)	%	23	23		23					
Breakage	%	7	7		7					
Total Cull (DWB)	%	49	49		49					
Basal Area / Ha	m2/ha	60.0	60.0		60.0					
Net VBAR	m3/m2	3.015	3.015		3.015					
Stems/Ha (Live & DP)		185.7	185.7		185.7					
Avg DBH (Live & DP)	cm	64.1	64.1		64.1					
Snags/Ha										
Avg Snag DBH	cm									
Gross Merch Vol/Tree	m3	1.91	1.91		1.91					
Net Merch Vol/Tree	m3	0.97	0.97		0.97					
Avg Weight Total Ht	m	21.0	21.0		21.0					
Avg Weight Merch Ht	m	15.6	15.6		15.6					
Net Merch Vol/Log	m3	0.55	0.55		0.55					
Gross Merch Vol/Log	m3	0.96	0.96		0.96					
Avg # of Logs/Tree		2.00	2.00		2.00					
Net Immature	%									
Net 2nd Growth	%									
Algorithm Grades %										
#4 Sawlog	J	35	35		35					
#5 Utility	U	32	32		32					
#6 Utility	X	4	4		4					
#7 Chipper	Y	29	29		29					
Statistical Summary										
Coeff. of Variation	%	32.6	32.6		32.6					
Two Standard Error	%	293.3	293.3		293.3					
Number and Type of Plots		MP = 2								
Number of Potential Trees		6								
Plots/Ha		1.7								
Cruised Trees/Plot		3.0								

*** 6 tree(s) changed to tree class 6: because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Type Summary

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 229
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

14-May-2020 08:38:35AM
Filename: cp229 final.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

Net Area: Type 60 (M):C H 931, Plots in Type: 17, TUs: [CLEARCUT : 17.4]

		Total	Conifer	Decid	C	H	S	Y	PL	D
Utilization Limits										
Min DBH cm (M)					17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					15.0	15.0	15.0	15.0	15.0	15.0
Log Len m					10.0	10.0	10.0	10.0	10.0	10.0
Volume and Size Data										
Gross Merchantable	m3	9483	9483		6817	2530	137			
Net Merchantable	m3	5969	5969		3729	2110	129			
Net Merch - All	m3/ha	343	343		214	121	7			
Distribution	%	100	100		62	35	2			
Decay	%	22	22		28	8	0			
Waste	%	8	8		10	3				
Waste(billing)	%	13	13		19	4				
Breakage	%	6	6		7	5	5			
Total Cull (DWB)	%	37	37		45	17	5			
Basal Area / Ha	m2/ha	89.4	89.4		67.1	21.2	1.2			
Net VBAR	m3/m2	4.033	4.033		3.196	5.727	6.325			
Stems/Ha (Live & DP)		543.9	543.9		257.8	257.3	28.8			
Avg DBH (Live & DP)	cm	45.7	45.7		57.6	32.4	22.8			
Snags/Ha		84.5	84.5			84.5				
Avg Snag DBH	cm	18.3	18.3			18.3				
Gross Merch Vol/Tree	m3	1.00	1.00		1.52	0.57	0.27			
Net Merch Vol/Tree	m3	0.63	0.63		0.83	0.47	0.26			
Avg Weight Total Ht	m	21.2	21.2		21.8	19.5	22.1			
Avg Weight Merch Ht	m	15.0	15.0		16.5	12.3	10.1			
Net Merch Vol/Log	m3	0.48	0.48		0.61	0.36	0.27			
Gross Merch Vol/Log	m3	0.70	0.70		0.99	0.41	0.27			
Avg # of Logs/Tree		1.44	1.44		1.53	1.39	1.00			
Net Immature	%									
Net 2nd Growth	%									
Algorithm Grades %										
#2 Sawlog	H	2	2		3					
#4 Sawlog	J	52	52		30	89	100			
#5 Utility	U	30	30		48	1				
#6 Utility	X	4	4		3	5				
#7 Chipper	Y	12	12		16	5				
Statistical Summary										
Coeff. of Variation	%	45.7	45.7		44.3	90.4	300.0			
Two Standard Error	%	24.8	24.8		20.0	55.3	291.4			
Number and Type of Plots		MP = 9	CP = 8							
Number of Potential Trees		37								
Plots/Ha		1.0								
Cruised Trees/Plot		4.5								

*** 6 tree(s) changed to tree class 6: because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Volume Statistical Analysis

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 229
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

14-May-2020 08:38:35AM
Filename: cp229 final.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST
Version: 2019.01   IFS build 6276

Utilization Levels:	Minimum DBH	Top Diameter	Stump Height
Mature Blocks: (cm)	17.5	15.0	30
Immature Blocks:(cm)	12.0	10.0	30
Standard Log Length:(m)	10.00		

Forest Type	Plots Cnt	Plots Mea	Plots Tot	Area ha	Net Volume m3/ha	Proportional Volume	Trees Cnt	Trees Mea	Trees Tot	Standard Deviation	Coeff. of Variation	Sampling Error 1 SE%	Sampling Error 2 SE%
26 :YcCw(Hw)931	0	2	2	3.3	293.2	0.01	0	8	8	55.5038	18.9	13.4	170.1
27 :CwHw(Yc)931	0	11	11	10.3	342.1	0.04	0	38	38	234.4949	68.5	20.7	46.0
28 :CwHw(Yc)931	17	18	35	33.5	344.8	0.14	57	65	122	235.1518	65.1	12.6	25.3
29 :CwHw931	9	8	17	17.8	297.6	0.05	29	18	47	142.1594	59.5	12.5	26.5
30 :CwHw931	5	3	8	8.1	380.7	0.04	18	10	28	344.7816	89.4	33.2	78.6
31 :CwHw(Yc)931	4	7	11	11.5	270.0	0.03	10	15	25	151.0029	64.9	17.2	38.2
32 :CwHw(Yc)931	8	11	19	19.8	344.6	0.08	23	35	58	180.6184	49.6	12.3	25.8
33 :CwHw(Yc)931	3	4	7	5.5	411.6	0.03	8	13	21	133.5923	31.3	19.5	47.7
34 :CwHw(PlcYc)9	0	3	3	3.8	205.7	0.01	0	6	6	111.4899	54.2	31.3	134.7
35 :CwHw(Yc)931	0	3	3	2.3	544.7	0.01	0	14	14	355.7553	65.3	37.7	162.3
36 :CwHw931	0	13	13	9.7	292.6	0.03	0	38	38	104.6073	35.8	9.9	21.6
41 :C H 931	0	12	12	13.3	375.2	0.06	0	44	44	174.1442	46.4	13.4	29.5
42 :C H 931	0	2	2	1.1	564.5	0.01	0	13	13	211.1973	37.4	26.5	336.1
45 :H C 931	0	11	11	9.0	418.4	0.04	0	48	48	183.2050	43.8	13.2	29.4
46 :H C 831	0	3	3	2.4	446.6	0.01	0	12	12	198.8455	44.5	25.7	110.6
47 :C H PL931	0	8	8	7.0	335.0	0.03	0	29	29	129.6383	38.7	13.7	32.4
56 :S H 351	10	10	20	18.1	1145.5	0.26	41	49	90	494.4003	39.2	10.3	21.7
57 :S H 351	3	4	7	6.0	1043.2	0.07	14	19	33	322.5767	30.5	14.9	36.4
59 :C H PL921	0	2	2	1.2	180.9	0.00	0	6	6	59.0549	32.6	23.1	293.3
60 :C H 931	8	9	17	17.4	343.0	0.06	39	37	76	151.5586	45.7	11.7	24.8
TOTAL	67	144	211	201.1	434.9		239	517	756		48.6	4.1	7.9

Number of live & dead potential trees sampled is 517
Number of dead useless trees sampled is 1
Number of live useless trees sampled is 6
The measured weighted sampling error is 9.9% at the 95% confidence level
The weighted sampling error is 7.9% at the 95% confidence level

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Basal Area Statistical Analysis

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 229
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

14-May-2020 08:38:35AM
Filename: cp229 final.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST
Version: 2019.01   IFS build 6276

Utilization Levels:	Minimum DBH	Top Diameter	Stump Height
Mature Blocks: (cm)	17.5	15.0	30
Immature Blocks:(cm)	12.0	10.0	30
Standard Log Length:(m)	10.00		

Forest Type	Plots Cnt	Plots Mea	Plots Tot	Area ha	Basal Area m2/ha	Proportional Basal Area	Trees Cnt	Trees Mea	Trees Tot	Standard Deviation	Coeff. of Variation	Sampling Error 1 SE%	Sampling Error 2 SE%
26 :YcCw(Hw)931	0	2	2	3.3	64.0	0.01	0	8	8	0.0000		0.0	0.0
27 :CwHw(Yc)931	0	11	11	10.3	86.4	0.06	0	38	38	46.5881	53.9	16.3	36.2
28 :CwHw(Yc)931	17	18	35	33.5	87.1	0.18	57	65	122	49.3976	56.7	9.6	19.2
29 :CwHw931	9	8	17	17.8	69.1	0.08	29	18	47	37.0066	53.5	13.0	27.5
30 :CwHw931	5	3	8	8.1	87.5	0.04	18	10	28	48.1812	55.1	19.5	46.0
31 :CwHw(Yc)931	4	7	11	11.5	56.8	0.04	10	15	25	43.4323	76.4	23.0	51.4
32 :CwHw(Yc)931	8	11	19	19.8	76.3	0.09	23	35	58	40.3747	52.9	12.1	25.5
33 :CwHw(Yc)931	3	4	7	5.5	75.0	0.03	8	13	21	40.8248	54.4	20.6	50.3
34 :CwHw(PlcYc)9	0	3	3	3.8	50.0	0.01	0	6	6	25.0000	50.0	28.9	124.2
35 :CwHw(Yc)931	0	3	3	2.3	116.7	0.02	0	14	14	52.0416	44.6	25.8	110.8
36 :CwHw931	0	13	13	9.7	73.1	0.04	0	38	38	21.5579	29.5	8.2	17.8
41 :C H 931	0	12	12	13.3	73.3	0.06	0	44	44	23.0940	31.5	9.1	20.0
42 :C H 931	0	2	2	1.1	104.0	0.01	0	13	13	11.3137	10.9	7.7	97.7
45 :H C 931	0	11	11	9.0	87.3	0.05	0	48	48	40.2718	46.1	13.9	31.0
46 :H C 831	0	3	3	2.4	64.0	0.01	0	12	12	27.7128	43.3	25.0	107.6
47 :C H PL931	0	8	8	7.0	72.5	0.03	0	29	29	28.1577	38.8	13.7	32.5
56 :S H 351	10	10	20	18.1	90.0	0.10	41	49	90	35.8359	39.8	8.9	18.6
57 :S H 351	3	4	7	6.0	94.3	0.04	14	19	33	19.0238	20.2	7.6	18.7
59 :C H PL921	0	2	2	1.2	60.0	0.00	0	6	6	28.2843	47.1	33.3	423.5
60 :C H 931	8	9	17	17.4	89.4	0.10	39	37	76	46.9668	52.5	12.7	27.0
TOTAL	67	144	211	201.1	79.9		239	517	756		50.1	3.5	6.8

Number of live & dead potential trees sampled is 517
Number of dead useless trees sampled is 1
Number of live useless trees sampled is 6
The measured weighted sampling error is 8.9% at the 95% confidence level
The weighted sampling error is 6.8% at the 95% confidence level

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Cutting Permit Stand Table (stems/ha)

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 229
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

14-May-2020 08:38:35AM
Filename: cp229 final.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

[CLEARCUT : 201.1]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Min DBH cm (I)	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15		41.3					41.3			
20	2.7	26.9					29.6	5.9		23.3
25	9.9	54.5	11.9		2.8		79.1	41.6		
30	14.7	40.3	4.0		1.1		60.2	24.6		
35	9.1	31.7	7.3	1.1			49.2	6.6		
40	8.9	15.8	0.6		0.6	0.7	26.6	3.5		
45	14.9		1.4	1.4			17.7	1.9		
50	12.5	6.9	3.7	0.5			23.7	2.3		
55	10.8	2.7	0.6				14.1	2.1	0.9	
60	9.9	4.9	4.2				19.0	5.8		
65	6.6	1.6	1.8				10.0	2.6		
70	8.6	1.3	0.4				10.2	0.2		
75	4.9	0.9	1.0				6.8	0.3		
80	4.6		0.9				5.5	0.6		
85	5.3	0.4	0.1				5.9	0.7		
90	3.2						3.2	0.9		
95	4.0						4.0	2.1		
100	1.3	0.2	0.4				1.9	0.6		
105	1.2		0.2				1.4	0.8		
110	0.9						0.9	0.9		
115	2.0		0.1				2.2			
120	0.7						0.7	0.3		
125	0.5						0.5			
130			0.1				0.1	0.1		
135	0.2			0.1			0.2	0.2		
140			0.1				0.1			
145	0.4						0.4	0.1		
150	0.5						0.5			
175	0.1		0.1				0.2			
200	0.0						0.0			
225	0.0		0.0				0.1			
250										
275										
Total	138.3	229.5	38.7	3.1	4.5	0.7	414.9			
Dead P	70.9	10.0	13.1	6.1	4.5			104.6		
Dead U		0.9							0.9	
Live U	9.0	11.7	2.6							23.3
		Average DBH (cm) at 5 Levels								
12.5 +	61.0	31.0	46.5	47.0	30.2	39.4	44.8	42.2	55.0	18.1
17.5 +	61.0	33.5	46.5	47.0	30.2	39.4	46.9	42.2	55.0	18.1
22.5 +	61.5	35.1	46.5	47.0	30.2	39.4	48.5	43.1	55.0	
27.5 +	63.5	39.3	53.7	47.0	35.3	39.4	53.5	52.7	55.0	
32.5 +	66.7	44.2	56.9	47.0	41.7	39.4	58.8	64.8	55.0	

*** 6 tree(s) changed to tree class 6: because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Cutting Permit Stock Table (m3/ha)

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 229
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

14-May-2020 08:38:35AM
Filename: cp229 final.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

[CLEARCUT : 201.1]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Min DBH cm (I)	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15		3.5					3.5			
20	0.3	5.0					5.3	0.8		
25	2.4	20.6	3.2		1.3		27.4	8.5		
30	4.1	19.7	2.9		0.6		27.3	7.2		
35	3.6	24.6	7.0	0.9			36.1	2.8		
40	5.3	13.1	0.6		0.9	0.9	20.7	1.3		
45	10.5		3.0	1.4			14.9	1.7		
50	11.8	10.8	10.0	0.6			33.2	2.1		
55	9.5	8.9	1.5				19.8	1.4		
60	9.6	11.1	17.8				38.4	4.6		
65	8.4	4.9	8.4				21.6	3.1		
70	12.3	7.5	2.2				21.9	0.3		
75	8.3	3.7	6.0				18.0	0.4		
80	8.7		5.4				14.1	1.2		
85	11.6	2.4	0.6				14.6	1.9		
90	7.5						7.5	1.6		
95	10.7						10.7	4.9		
100	3.6	2.0	4.1				9.7	1.3		
105	3.9		2.0				5.9	2.4		
110	2.4						2.4	2.8		
115	7.4		1.4				8.8			
120	2.8						2.8	1.2		
125	2.0						2.0			
130			1.9				1.9	0.6		
135	0.5			0.1			0.7	0.7		
140			1.9				1.9			
145	1.9						1.9	0.3		
150	3.6						3.6			
175	1.0		1.4				2.3			
200	0.5						0.5			
225	0.5		1.8				2.3			
250										
275										
Total	154.6	137.5	83.0	3.1	2.8	0.9	381.9			
Dead P	37.9	2.1	8.1	2.7	2.2			53.0		
			Volume (m3/ha) for 7 Levels							
17.5 +	154.6	134.0	83.0	3.1	2.8	0.9	378.4	53.0		
22.5 +	154.3	129.1	83.0	3.1	2.8	0.9	373.1	52.2		
27.5 +	151.9	108.5	79.8	3.1	1.5	0.9	345.7	43.7		
32.5 +	147.7	88.9	76.9	3.1	0.9	0.9	318.3	36.5		
37.5 +	144.1	64.3	69.9	2.2	0.9	0.9	282.3	33.7		
42.5 +	138.9	51.2	69.3	2.2			261.5	32.4		
47.5 +	128.4	51.2	66.3	0.7			246.6	30.7		

*** 6 tree(s) changed to tree class 6: because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Cutting Permit Basal Area Table (m2/ha)

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 229
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

14-May-2020 08:38:35AM
Filename: cp229 final.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

[CLEARCUT : 201.1]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Min DBH cm (I)	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15		0.7					0.7			
20	0.1	0.9					1.0	0.2		0.6
25	0.5	2.7	0.5		0.2		3.9	1.9		
30	1.0	2.7	0.3		0.1		4.1	1.7		
35	0.9	3.0	0.7	0.1			4.8	0.6		
40	1.1	1.9	0.1		0.1	0.1	3.3	0.5		
45	2.4		0.2	0.2			2.8	0.3		
50	2.4	1.4	0.7	0.1			4.6	0.5		
55	2.6	0.6	0.1				3.4	0.5	0.2	
60	2.8	1.4	1.2				5.4	1.6		
65	2.2	0.5	0.6				3.3	0.9		
70	3.3	0.5	0.1				4.0	0.1		
75	2.2	0.4	0.4				3.0	0.1		
80	2.3		0.4				2.7	0.3		
85	3.0	0.2	0.0				3.3	0.4		
90	2.0						2.0	0.5		
95	2.8						2.8	1.5		
100	1.0	0.2	0.3				1.5	0.5		
105	1.1		0.1				1.2	0.7		
110	0.8						0.8	0.8		
115	2.1		0.1				2.3			
120	0.8						0.8	0.4		
125	0.6						0.6			
130			0.1				0.1	0.2		
135	0.2			0.1			0.3	0.2		
140			0.1				0.1			
145	0.6						0.6	0.1		
150	1.0						1.0			
175	0.3		0.1				0.5			
200	0.2						0.2			
225	0.2		0.1				0.3			
250										
275										
Total	40.4	17.3	6.6	0.5	0.3	0.1	65.3			
Dead P	12.2	0.7	0.9	0.5	0.3			14.6		
Dead U		0.2							0.2	
Live U	0.2	0.3	0.1							0.6
			Basal Area (m2/ha) at 5 Levels							
12.5 +	40.4	17.3	6.6	0.5	0.3	0.1	65.3	14.6	0.2	0.6
17.5 +	40.4	16.6	6.6	0.5	0.3	0.1	64.6	14.6	0.2	0.6
22.5 +	40.3	15.6	6.6	0.5	0.3	0.1	63.5	14.4	0.2	
27.5 +	39.8	13.0	6.1	0.5	0.2	0.1	59.6	12.5	0.2	
32.5 +	38.8	10.2	5.8	0.5	0.1	0.1	55.6	10.7	0.2	

*** 6 tree(s) changed to tree class 6: because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Block Stand Table (stems/ha)

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 229
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

14-May-2020 08:38:35AM
Filename: cp229 final.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

Block : (M) - 254:LIG254, Plots in Block: 11, TUs: [CLEARCUT : 10.3]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20		61.5					61.5	58.7		
25		41.5					41.5	55.7		
30		29.0					29.0	31.3		
35	22.6	24.6					47.2	21.4		
40	19.2	17.5					36.7			
45	13.2						13.2	12.9		
50	46.8						46.8			
55	20.3						20.3			
60	33.0	17.3					50.3	8.0		
65								13.9		
70	11.5						11.5			
75										
80	13.1						13.1			
85	3.8						3.8			
90	7.0						7.0			
95	3.1						3.1	3.2		
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	193.7	191.3					385.0			
Dead P	192.2		12.9					205.1		
Dead U										
Live U										
		Average DBH (cm) at 5 Levels								
12.5 +	57.3	32.5					46.7	35.6		
17.5 +	57.3	32.5					46.7	35.6		
22.5 +	57.3	36.6					50.0	39.8		
27.5 +	57.3	40.5					52.6	47.3		
32.5 +	57.3	44.1					54.5	54.1		

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Block Stand Table (stems/ha)

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 229
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

14-May-2020 08:38:35AM
Filename: cp229 final.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

Block : (M) - 255:LIG255, Plots in Block: 35, TUs: [CLEARCUT : 33.5]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20		46.6					46.6			54.0
25	28.1	23.5					51.6	26.9		
30	19.3	20.2					39.5	37.3		
35	13.7	43.4					57.0			
40	20.8						20.8	9.6		
45										
50	13.4	21.0	3.9				38.3	6.2		
55	11.3						11.3	5.5		
60	19.1						19.1	4.8		
65	8.3	4.3					12.6	3.9		
70	10.7						10.7			
75	6.3						6.3			
80	5.5						5.5	2.7		
85	7.5						7.5			
90	6.5						6.5	2.2		
95	7.6						7.6	3.8		
100	3.3						3.3	1.7		
105										
110	1.5						1.5	1.5		
115	2.6						2.6			
120	1.2						1.2			
125	1.1						1.1			
130										
135								0.9		
140										
145										
150										
175										
200										
225										
250										
275										
Total	187.7	159.0	3.9				350.7			
Dead P	80.2	26.9						107.1		
Dead U										
Live U	54.0									54.0
		Average DBH (cm) at 5 Levels								
12.5 +	59.7	33.0	48.0				49.3	49.0		18.1
17.5 +	59.7	33.0	48.0				49.3	49.0		18.1
22.5 +	59.7	37.3	48.0				52.4	49.0		
27.5 +	63.9	39.5	48.0				56.3	54.7		
32.5 +	67.3	42.1	48.0				60.0	69.2		

*** 1 tree(s) changed to tree class 6: because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Block Stand Table (stems/ha)

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 229
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

14-May-2020 08:38:35AM
Filename: cp229 final.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

Block : (M) - 256:LIG256, Plots in Block: 25, TUs: [CLEARCUT : 25.9]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20										
25										
30		50.7	16.3				67.0			
35				8.9			8.9			
40		42.4					42.4			
45	17.6						17.6			
50										
55	10.6						10.6			
60		9.9					9.9			
65										
70	21.3						21.3			
75		7.2					7.2			
80										
85	5.2						5.2	4.5		
90										
95	16.1						16.1			
100										
105	5.9						5.9	6.4		
110								3.2		
115	7.9						7.9			
120										
125										
130										
135										
140										
145										
150	3.1						3.1			
175										
200										
225										
250										
275										
Total	87.8	110.2	16.3	8.9			223.2			
Dead P	14.1							14.1		
Dead U										
Live U										
		Average DBH (cm) at 5 Levels								
12.5 +	82.9	40.3	28.1	37.4			60.2	101.4		
17.5 +	82.9	40.3	28.1	37.4			60.2	101.4		
22.5 +	82.9	40.3	28.1	37.4			60.2	101.4		
27.5 +	82.9	40.3	28.1	37.4			60.2	101.4		
32.5 +	82.9	48.6		37.4			69.6	101.4		

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Block Stand Table (stems/ha)

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 229
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

14-May-2020 08:38:35AM
Filename: cp229 final.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

Block : (M) - 257:LIG257, Plots in Block: 2, TUs: [CLEARCUT : 3.3]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20										
25										
30	109.5						109.5			
35	74.4	85.6					160.0	91.9		
40										
45										
50										
55	32.9						32.9			
60										
65										
70										
75								17.6		
80	15.1						15.1			
85										
90										
95										
100										
105										
110										
115	7.4						7.4			
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	239.4	85.6					325.0			
Dead P	17.6			91.9				109.5		
Dead U										
Live U										
		Average DBH (cm) at 5 Levels								
12.5 +	46.1	34.5					43.4	43.1		
17.5 +	46.1	34.5					43.4	43.1		
22.5 +	46.1	34.5					43.4	43.1		
27.5 +	46.1	34.5					43.4	43.1		
32.5 +	56.0	34.5					48.6	43.1		

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Block Stand Table (stems/ha)

Average Line Method | Grades: MOF Computerized | FIZ: A | 14-May-2020 08:38:35AM
HUSBY FOREST PRODUCTS LTD. | Computerized Decay | PSYU: Queen Charlotte | Filename: cp229 final.ccp
Licence Number: A16869 CP: 229 | Computerized Waste | Region: 2 - West Coast | Compiled by: Husby Forest Products Ltd.
Project: 1 | Computerized Breakage | District: 07 - Haida Gwaii | Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

Block : (M) - 430:COL430, Plots in Block: 14, TUs: [CLEARCUT : 14.4]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20		59.6					59.6	40.1		61.2
25		39.2					39.2	66.3		
30	22.7						22.7	65.4		
35		46.9					46.9	32.3		
40	11.1	36.4					47.5			
45	33.5						33.5	8.9		
50	8.6						8.6			
55	25.3						25.3			
60	27.1						27.1	2.3		
65	24.7						24.7	4.3		
70	7.3	3.7					11.1			
75	1.4						1.4			
80	4.4						4.4			
85	5.3		1.1				6.3			
90	3.4						3.4			
95										
100										
105	1.8						1.8			
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	176.5	185.9	1.1				363.5			
Dead P	161.3	58.5						219.8		
Dead U										
Live U		61.2								61.2
		Average DBH (cm) at 5 Levels								
12.5 +	56.3	32.1	85.2				45.7	30.4		17.9
17.5 +	56.3	32.1	85.2				45.7	30.4		17.9
22.5 +	56.3	36.1	85.2				49.1	32.0		
27.5 +	56.3	39.7	85.2				51.6	35.8		
32.5 +	59.3	39.7	85.2				53.2	42.4		

*** 1 tree(s) changed to tree class 6: because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Block Stand Table (stems/ha)

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 229
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

14-May-2020 08:38:35AM
Filename: cp229 final.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

Block : (M) - 436:COL436, Plots in Block: 14, TUs: [CLEARCUT : 11.4]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20										45.6
25		48.5	33.4		20.8		102.7	132.1		
30		22.0					22.0	53.2		
35		41.8					41.8	10.6		
40	22.6		10.0				32.6	8.7		
45	16.7		6.9				23.6			
50		14.9					14.9	7.0		
55	6.6	5.9					12.5			
60	10.5						10.5	5.5		
65								4.1		
70	3.8						3.8			
75	3.3						3.3			
80	8.6						8.6			
85								2.5		
90	6.5						6.5			
95	6.3						6.3	2.0		
100	3.7						3.7			
105	1.6						1.6			
110	3.1						3.1			
115	2.8						2.8			
120	1.3						1.3			
125	2.3						2.3			
130								2.2		
135										
140										
145										
150										
175										
200										
225	0.7						0.7			
250										
275										
Total	100.3	133.1	50.3		20.8		304.5			
Dead P	117.9		34.8		75.1			227.9		
Dead U										
Live U			45.6							45.6
			Average DBH (cm) at 5 Levels							
12.5 +	73.7	34.7	30.5		26.2		50.2	35.2		17.7
17.5 +	73.7	34.7	30.5		26.2		50.2	35.2		17.7
22.5 +	73.7	34.7	30.5		26.2		50.2	35.2		
27.5 +	73.7	38.9	41.2				58.9	46.1		
32.5 +	73.7	41.9	41.2				61.6	60.6		

*** 3 tree(s) changed to tree class 6: because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Block Stand Table (stems/ha)

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 229
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

14-May-2020 08:38:35AM
Filename: cp229 final.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

Block : (M) - 438:COL438, Plots in Block: 8, TUs: [CLEARCUT : 7.0]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20										
25	43.0				45.3		88.4			
30	40.3				32.7		73.0			
35	26.7	28.9	51.8				107.5			
40	20.8				18.3		39.1	20.3		
45	31.7						31.7			
50								12.0		
55	20.9						20.9	11.5		
60								8.2		
65										
70	6.3	6.5					12.8			
75	28.5						28.5			
80								5.1		
85	4.3						4.3			
90	4.1						4.1			
95										
100								3.1		
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	226.8	35.4	51.8		96.3		410.3			
Dead P	52.0				8.2			60.2		
Dead U										
Live U										
			Average DBH (cm) at 5 Levels							
12.5 +	47.4	42.4	35.0		31.5		42.2	56.3		
17.5 +	47.4	42.4	35.0		31.5		42.2	56.3		
22.5 +	47.4	42.4	35.0		31.5		42.2	56.3		
27.5 +	51.0	42.4	35.0		35.3		45.6	56.3		
32.5 +	55.7	42.4	35.0		41.7		49.3	56.3		

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Block Stand Table (stems/ha)

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 229
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

14-May-2020 08:38:35AM
Filename: cp229 final.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

Block : (I) - 480:COL480, Plots in Block: 27, TUs: [CLEARCUT : 24.1]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (I)	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15		344.9					344.9			
20		77.5					77.5			
25		203.6	26.2				229.9	56.9		
30		63.6	16.1				79.7	17.8		
35		53.7	27.0				80.8			
40		9.8				6.2	16.0			
45			8.4				8.4			
50		6.4	25.7				32.2			
55		19.7	5.0				24.7			
60		4.8	34.8				39.6			
65		5.2	15.0				20.2			
70		6.4	3.2				9.5			
75			8.2				8.2			
80			5.2				5.2			
85										
90										
95										
100		1.6	3.0				4.6			
105			1.5				1.5			
110										
115			1.1				1.1			
120										
125										
130			0.9				0.9			
135										
140			0.8				0.8			
145										
150										
175			0.5				0.5			
200										
225			0.3				0.3			
250										
275										
Total		797.4	182.8			6.2	986.4			
Dead P			74.7					74.7		
Dead U										
Live U										
		Average DBH (cm) at 5 Levels								
12.5 +		26.1	55.3			39.4	33.6	25.2		
17.5 +		32.1	55.3			39.4	40.2	25.2		
22.5 +		33.8	55.3			39.4	42.1	25.2		
27.5 +		42.2	59.0			39.4	50.7	29.8		
32.5 +		47.7	61.3			39.4	55.5			

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Block Stand Table (stems/ha)

Average Line Method | Grades: MOF Computerized | FIZ: A | 14-May-2020 08:38:35AM
HUSBY FOREST PRODUCTS LTD. | Computerized Decay | PSYU: Queen Charlotte | Filename: cp229 final.ccp
Licence Number: A16869 CP: 229 | Computerized Waste | Region: 2 - West Coast | Compiled by: Husby Forest Products Ltd.
Project: 1 | Computerized Breakage | District: 07 - Haida Gwaii | Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

Block : (M) - 788:COL788, Plots in Block: 19, TUs: [CLEARCUT : 18.6]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20										79.0
25		41.2	27.0				68.1	55.0		
30	41.0	123.4					164.4			
35		38.3					38.3			
40		30.0					30.0			
45	34.5						34.5			
50	42.0						42.0			
55								7.9		
60								18.0		
65	1.9						1.9			
70	12.8						12.8			
75	6.9						6.9			
80	10.3						10.3			
85	10.1						10.1			
90										
95								3.7		
100	3.3						3.3	0.8		
105										
110	2.7						2.7			
115										
120	2.2						2.2	2.3		
125										
130										
135	1.7						1.7			
140										
145	1.6						1.6			
150	1.4						1.4			
175	1.0						1.0			
200										
225										
250										
275										
Total	173.3	232.9	27.0				433.1			
Dead P	79.8	7.9						87.7		
Dead U										
Live U		79.0								79.0
		Average DBH (cm) at 5 Levels								
12.5 +	62.6	31.4	22.8				46.2	46.7		18.3
17.5 +	62.6	31.4	22.8				46.2	46.7		18.3
22.5 +	62.6	31.4	22.8				46.2	46.7		
27.5 +	62.6	32.8					49.3	69.7		
32.5 +	70.0	36.6					60.7	69.7		

*** 1 tree(s) changed to tree class 6: because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Block Stand Table (stems/ha)

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 229
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

14-May-2020 08:38:35AM
Filename: cp229 final.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

Block : (M) - 920:STA920, Plots in Block: 37, TUs: [CLEARCUT : 36.8]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20										
25	20.3	61.9					82.2	42.8		
30	15.8	23.5					39.3	15.4		
35	11.0	27.8	12.1				51.0			
40	8.8	11.8					20.6			
45	20.4			4.6			25.1			
50	15.7	7.3					23.0			
55	8.2						8.2		4.7	
60	10.0	11.8					21.7	8.3		
65	14.6						14.6	2.1		
70	2.9						2.9			
75	10.6						10.6			
80	4.5		1.4				6.0			
85	8.0	2.4					10.4			
90	3.7						3.7	1.9		
95								4.8		
100	1.3						1.3			
105										
110								1.1		
115	1.1						1.1			
120	1.0						1.0			
125	0.9						0.9			
130										
135										
140										
145	0.7						0.7			
150										
175										
200										
225										
250										
275										
Total	159.4	146.6	13.6	4.6			324.2			
Dead P	74.3		2.1					76.4		
Dead U		4.7							4.7	
Live U										
			Average DBH (cm) at 5 Levels							
12.5 +	57.2	35.7	42.8	44.2			47.9	44.1	55.0	
17.5 +	57.2	35.7	42.8	44.2			47.9	44.1	55.0	
22.5 +	57.2	35.7	42.8	44.2			47.9	44.1	55.0	
27.5 +	60.4	42.3	42.8	44.2			53.5	60.5	55.0	
32.5 +	63.3	46.7	42.8	44.2			57.1	77.7	55.0	

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Block Stand Table (stems/ha)

Average Line Method | Grades: MOF Computerized | FIZ: A | 14-May-2020 08:38:35AM
HUSBY FOREST PRODUCTS LTD. | Computerized Decay | PSYU: Queen Charlotte | Filename: cp229 final.ccp
Licence Number: A16869 CP: 229 | Computerized Waste | Region: 2 - West Coast | Compiled by: Husby Forest Products Ltd.
Project: 1 | Computerized Breakage | District: 07 - Haida Gwaii | Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

Block : (M) - 921:STA921, Plots in Block: 3, TUs: [CLEARCUT : 3.8]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20										
25										
30										
35	77.1						77.1			
40										
45										
50										
55										
60										
65										
70	43.9						43.9			
75										
80										
85										
90										
95										
100										
105										
110										
115										
120								7.1		
125										
130										
135										
140										
145	5.0						5.0			
150										
175										
200	2.4						2.4			
225										
250										
275										
Total	128.3						128.3			
Dead P	7.1							7.1		
Dead U										
Live U										
			Average DBH (cm) at 5 Levels							
12.5 +	64.3						64.3	122.1		
17.5 +	64.3						64.3	122.1		
22.5 +	64.3						64.3	122.1		
27.5 +	64.3						64.3	122.1		
32.5 +	64.3						64.3	122.1		

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Block Stand Table (stems/ha)

Average Line Method | Grades: MOF Computerized | FIZ: A | 14-May-2020 08:38:35AM
HUSBY FOREST PRODUCTS LTD. | Computerized Decay | PSYU: Queen Charlotte | Filename: cp229 final.ccp
Licence Number: A16869 CP: 229 | Computerized Waste | Region: 2 - West Coast | Compiled by: Husby Forest Products Ltd.
Project: 1 | Computerized Breakage | District: 07 - Haida Gwaii | Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

Block : (M) - 922:STA922, Plots in Block: 3, TUs: [CLEARCUT : 2.3]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20										
25			185.8				185.8			
30								242.9		
35										
40										
45				47.8			47.8	50.8		
50		39.9		44.4			84.2	42.4		
55	32.5						32.5			
60										
65	51.4						51.4			
70										
75										
80										
85	14.0						14.0			
90										
95										
100										
105										
110										
115	8.3						8.3			
120										
125										
130										
135										
140										
145								5.0		
150										
175										
200										
225										
250										
275										
Total	106.2	39.9	185.8	92.2			424.0			
Dead P	5.0	50.8		285.3				341.1		
Dead U										
Live U										
			Average DBH (cm) at 5 Levels							
12.5 +	70.7	51.6	23.9	48.0			47.5	39.4		
17.5 +	70.7	51.6	23.9	48.0			47.5	39.4		
22.5 +	70.7	51.6	23.9	48.0			47.5	39.4		
27.5 +	70.7	51.6		48.0			59.7	39.4		
32.5 +	70.7	51.6		48.0			59.7	56.9		

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Block Stand Table (stems/ha)

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 229
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

14-May-2020 08:38:35AM
Filename: cp229 final.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

Block : (M) - 923:STA923, Plots in Block: 13, TUs: [CLEARCUT : 9.7]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20	55.5	50.1					105.7			
25		70.6	46.3				116.9	46.7		
30		89.1					89.1	27.9		
35								22.3		
40		15.2					15.2	14.4		
45	11.4						11.4			
50	10.9						10.9			
55	25.0						25.0			
60	13.9						13.9	13.5		
65		5.9					5.9	5.4		
70								4.7		
75										
80	3.9						3.9			
85	3.2						3.2			
90	6.0						6.0	3.1		
95	2.6						2.6			
100								2.6		
105	4.3						4.3			
110	4.1						4.1			
115										
120										
125										
130										
135				1.3			1.3			
140										
145										
150										
175	0.9						0.9			
200										
225										
250										
275										
Total	141.7	231.0	46.3	1.3			420.3			
Dead P	90.3		22.3	27.9				140.6		
Dead U										
Live U										
			Average DBH (cm) at 5 Levels							
12.5 +	55.8	29.1	23.0	136.1			40.4	41.7		
17.5 +	55.8	29.1	23.0	136.1			40.4	41.7		
22.5 +	69.5	30.8	23.0	136.1			45.0	41.7		
27.5 +	69.5	33.3		136.1			53.4	48.4		
32.5 +	69.5	48.1		136.1			67.1	54.5		

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Block Stock Table (m3/ha)

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 229
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

14-May-2020 08:38:35AM
Filename: cp229 final.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

Block : (M) - 254:LIG254, Plots in Block: 11, TUs: [CLEARCUT : 10.3]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20		7.0					7.0	7.5		
25		8.0					8.0	5.2		
30		17.6					17.6	7.6		
35	6.6	18.8					25.4	8.6		
40	5.1	17.6					22.7			
45	6.3						6.3	17.9		
50	44.9						44.9			
55	12.9						12.9			
60	23.5	29.6					53.1	4.2		
65								11.7		
70	18.4						18.4			
75										
80	25.2						25.2			
85	8.0						8.0			
90	13.9						13.9			
95	8.4						8.4	7.7		
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	173.3	98.5					271.8			
Dead P	52.4		17.9					70.3		
		Volume (m3/ha) for 7 Levels								
17.5 +	173.3	98.5					271.8	70.3		
22.5 +	173.3	91.6					264.9	62.8		
27.5 +	173.3	83.6					256.9	57.7		
32.5 +	173.3	66.0					239.4	50.1		
37.5 +	166.7	47.2					213.9	41.5		
42.5 +	161.7	29.6					191.2	41.5		
47.5 +	155.3	29.6					184.9	23.6		

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Block Stock Table (m3/ha)

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 229
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

14-May-2020 08:38:35AM
Filename: cp229 final.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

Block : (M) - 255:LIG255, Plots in Block: 35, TUs: [CLEARCUT : 33.5]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20		3.6					3.6			
25	7.0	5.0					12.0	3.1		
30	6.8	8.5					15.3	8.3		
35	2.9	26.8					29.7			
40	13.1						13.1	3.7		
45										
50	14.4	29.2	7.5				51.1	5.3		
55	6.7						6.7	4.9		
60	18.1						18.1	2.6		
65	11.1	10.6					21.7	3.7		
70	14.4						14.4			
75	8.0						8.0			
80	7.2						7.2	5.1		
85	18.4						18.4			
90	15.4						15.4	3.6		
95	18.6						18.6	8.4		
100	7.6						7.6	4.0		
105										
110	3.5						3.5	4.3		
115	9.0						9.0			
120	5.2						5.2			
125	4.9						4.9			
130										
135								4.1		
140										
145										
150										
175										
200										
225										
250										
275										
Total	192.3	83.7	7.5				283.5			
Dead P	58.1	3.1						61.3		
		Volume (m3/ha) for 7 Levels								
17.5 +	192.3	83.7	7.5				283.5	61.3		
22.5 +	192.3	80.1	7.5				279.9	61.3		
27.5 +	185.3	75.1	7.5				267.8	58.1		
32.5 +	178.5	66.5	7.5				252.5	49.8		
37.5 +	175.6	39.7	7.5				222.8	49.8		
42.5 +	162.5	39.7	7.5				209.7	46.2		
47.5 +	162.5	39.7	7.5				209.7	46.2		

*** 1 tree(s) changed to tree class 6: because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Block Stock Table (m3/ha)

Average Line Method | Grades: MOF Computerized | FIZ: A | 14-May-2020 08:38:35AM
HUSBY FOREST PRODUCTS LTD. | Computerized Decay | PSYU: Queen Charlotte | Filename: cp229 final.ccp
Licence Number: A16869 CP: 229 | Computerized Waste | Region: 2 - West Coast | Compiled by: Husby Forest Products Ltd.
Project: 1 | Computerized Breakage | District: 07 - Haida Gwaii | Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

Block : (M) - 256:LIG256, Plots in Block: 25, TUs: [CLEARCUT : 25.9]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20										
25										
30		15.7	5.0				20.7			
35				7.0			7.0			
40		30.3					30.3			
45	14.1						14.1			
50										
55	8.3						8.3			
60		19.9					19.9			
65										
70	29.1						29.1			
75		28.9					28.9			
80										
85	10.2						10.2	9.4		
90										
95	43.7						43.7			
100										
105	18.2						18.2	18.4		
110								11.8		
115	30.4						30.4			
120										
125										
130										
135										
140										
145										
150	23.1						23.1			
175										
200										
225										
250										
275										
Total	177.1	94.9	5.0	7.0			284.1			
Dead P	39.5							39.5		
		Volume (m3/ha) for 7 Levels								
17.5 +	177.1	94.9	5.0	7.0			284.1	39.5		
22.5 +	177.1	94.9	5.0	7.0			284.1	39.5		
27.5 +	177.1	94.9	5.0	7.0			284.1	39.5		
32.5 +	177.1	79.2		7.0			263.3	39.5		
37.5 +	177.1	79.2					256.3	39.5		
42.5 +	177.1	48.9					226.0	39.5		
47.5 +	163.0	48.9					211.9	39.5		

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Block Stock Table (m3/ha)

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 229
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

14-May-2020 08:38:35AM
Filename: cp229 final.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

Block : (M) - 257:LIG257, Plots in Block: 2, TUs: [CLEARCUT : 3.3]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20										
25										
30	30.8						30.8			
35	37.6	70.6					108.2	32.9		
40										
45										
50										
55	46.8						46.8			
60										
65										
70										
75								24.6		
80	25.8						25.8			
85										
90										
95										
100										
105										
110										
115	24.2						24.2			
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	165.1	70.6					235.7			
Dead P	24.6			32.9				57.5		
		Volume (m3/ha) for 7 Levels								
17.5 +	165.1	70.6					235.7	57.5		
22.5 +	165.1	70.6					235.7	57.5		
27.5 +	165.1	70.6					235.7	57.5		
32.5 +	134.3	70.6					205.0	57.5		
37.5 +	96.8						96.8	24.6		
42.5 +	96.8						96.8	24.6		
47.5 +	96.8						96.8	24.6		

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Block Stock Table (m3/ha)

Average Line Method | Grades: MOF Computerized | FIZ: A | 14-May-2020 08:38:35AM
HUSBY FOREST PRODUCTS LTD. | Computerized Decay | PSYU: Queen Charlotte | Filename: cp229 final.ccp
Licence Number: A16869 CP: 229 | Computerized Waste | Region: 2 - West Coast | Compiled by: Husby Forest Products Ltd.
Project: 1 | Computerized Breakage | District: 07 - Haida Gwaii | Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

Block : (M) - 430:COL430, Plots in Block: 14, TUs: [CLEARCUT : 14.4]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20		10.0					10.0	5.7		
25		16.2					16.2	13.8		
30	8.7						8.7	13.9		
35		43.8					43.8	14.1		
40	4.8	41.3					46.1			
45	21.1						21.1	5.9		
50	5.5						5.5			
55	26.9						26.9			
60	28.8						28.8	2.8		
65	36.4						36.4	5.7		
70	11.8	20.0					31.8			
75	3.0						3.0			
80	11.9						11.9			
85	12.6		7.9				20.5			
90	9.0						9.0			
95										
100										
105	8.1						8.1			
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	188.4	131.4	7.9				327.7			
Dead P	51.5	10.4						61.9		
		Volume (m3/ha) for 7 Levels								
17.5 +	188.4	131.4	7.9				327.7	61.9		
22.5 +	188.4	121.4	7.9				317.8	56.2		
27.5 +	188.4	105.2	7.9				301.5	42.4		
32.5 +	179.8	105.2	7.9				292.9	28.5		
37.5 +	179.8	61.3	7.9				249.0	14.3		
42.5 +	175.0	20.0	7.9				202.9	14.3		
47.5 +	153.9	20.0	7.9				181.9	8.5		

*** 1 tree(s) changed to tree class 6: because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Block Stock Table (m3/ha)

Average Line Method | Grades: MOF Computerized | FIZ: A | 14-May-2020 08:38:35AM
HUSBY FOREST PRODUCTS LTD. | Computerized Decay | PSYU: Queen Charlotte | Filename: cp229 final.ccp
Licence Number: A16869 CP: 229 | Computerized Waste | Region: 2 - West Coast | Compiled by: Husby Forest Products Ltd.
Project: 1 | Computerized Breakage | District: 07 - Haida Gwaii | Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

Block : (M) - 436:COL436, Plots in Block: 14, TUs: [CLEARCUT : 11.4]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20										
25		17.7	8.3		11.5		37.6	39.0		
30		12.6					12.6	14.9		
35		25.6					25.6	4.8		
40	15.1		11.2				26.4	0.8		
45	12.7		13.0				25.7			
50		26.6					26.6	4.7		
55	9.0	18.6					27.6			
60	12.0						12.0	0.3		
65								5.0		
70	4.9						4.9			
75	5.4						5.4			
80	18.5						18.5			
85								12.9		
90	17.6						17.6			
95	21.1						21.1	5.2		
100	13.5						13.5			
105	5.6						5.6			
110	12.6						12.6			
115	7.2						7.2			
120	6.1						6.1			
125	10.6						10.6			
130								11.0		
135										
140										
145										
150										
175										
200										
225	8.5						8.5			
250										
275										
Total	180.5	101.1	32.6		11.5		325.7			
Dead P	53.5		21.6		23.6			98.7		
			Volume (m3/ha) for 7 Levels							
17.5 +	180.5	101.1	32.6		11.5		325.7	98.7		
22.5 +	180.5	101.1	32.6		11.5		325.7	98.7		
27.5 +	180.5	83.4	24.3				288.1	59.6		
32.5 +	180.5	70.8	24.3				275.5	44.7		
37.5 +	180.5	45.2	24.3				249.9	40.0		
42.5 +	165.3	45.2	13.0				223.6	39.2		
47.5 +	152.6	45.2					197.8	39.2		

*** 3 tree(s) changed to tree class 6: because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Block Stock Table (m3/ha)

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 229
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

14-May-2020 08:38:35AM
Filename: cp229 final.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

Block : (M) - 438:COL438, Plots in Block: 8, TUs: [CLEARCUT : 7.0]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20										
25	9.7				19.5		29.2			
30	6.4				17.8		24.2			
35	9.1	14.7	38.6				62.3			
40	13.0				25.0		38.1	9.9		
45	19.7						19.7			
50								10.7		
55	16.4						16.4	0.4		
60								25.2		
65										
70	7.6	23.6					31.3			
75	39.9						39.9			
80								9.3		
85	8.4						8.4			
90	8.2						8.2			
95										
100								1.9		
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	138.3	38.4	38.6		62.4		277.6			
Dead P	32.2				25.2			57.4		
			Volume (m3/ha) for 7 Levels							
17.5 +	138.3	38.4	38.6		62.4		277.6	57.4		
22.5 +	138.3	38.4	38.6		62.4		277.6	57.4		
27.5 +	128.6	38.4	38.6		42.9		248.4	57.4		
32.5 +	122.2	38.4	38.6		25.0		224.2	57.4		
37.5 +	113.2	23.6			25.0		161.9	57.4		
42.5 +	100.1	23.6					123.8	47.4		
47.5 +	80.5	23.6					104.1	47.4		

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Block Stock Table (m3/ha)

Average Line Method | Grades: MOF Computerized | FIZ: A | 14-May-2020 08:38:35AM
HUSBY FOREST PRODUCTS LTD. | Computerized Decay | PSYU: Queen Charlotte | Filename: cp229 final.ccp
Licence Number: A16869 CP: 229 | Computerized Waste | Region: 2 - West Coast | Compiled by: Husby Forest Products Ltd.
Project: 1 | Computerized Breakage | District: 07 - Haida Gwaii | Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

Block : (I) - 480:COL480, Plots in Block: 27, TUs: [CLEARCUT : 24.1]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (I)	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15		29.3					29.3			
20		22.5					22.5			
25		106.5	9.3				115.9	24.9		
30		52.1	19.0				71.0	12.1		
35		61.2	33.1				94.3			
40		14.8				7.7	22.5			
45			19.1				19.1			
50		15.8	72.9				88.7			
55		65.5	12.4				77.9			
60		17.4	148.3				165.8			
65		20.6	69.8				90.4			
70		43.4	18.2				61.6			
75			49.9				49.9			
80			36.8				36.8			
85										
90										
95										
100		16.7	34.2				50.8			
105			16.5				16.5			
110										
115			11.5				11.5			
120										
125										
130			16.1				16.1			
135										
140			16.0				16.0			
145										
150										
175			11.6				11.6			
200										
225			14.9				14.9			
250										
275										
Total		465.6	609.7			7.7	1083.0			
Dead P			37.0					37.0		
			Volume (m3/ha) for 7 Levels							
17.5 +		436.4	609.7			7.7	1053.8	37.0		
22.5 +		413.9	609.7			7.7	1031.3	37.0		
27.5 +		307.4	600.3			7.7	915.4	12.1		
32.5 +		255.3	581.3			7.7	844.4			
37.5 +		194.1	548.3			7.7	750.1			
42.5 +		179.3	548.3				727.6			
47.5 +		179.3	529.2				708.5			

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Block Stock Table (m3/ha)

Average Line Method | Grades: MOF Computerized | FIZ: A | 14-May-2020 08:38:35AM
HUSBY FOREST PRODUCTS LTD. | Computerized Decay | PSYU: Queen Charlotte | Filename: cp229 final.ccp
Licence Number: A16869 CP: 229 | Computerized Waste | Region: 2 - West Coast | Compiled by: Husby Forest Products Ltd.
Project: 1 | Computerized Breakage | District: 07 - Haida Gwaii | Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

Block : (M) - 788:COL788, Plots in Block: 19, TUs: [CLEARCUT : 18.6]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20										
25		11.0	7.0				18.0	4.5		
30	9.4	60.1					69.4			
35		19.8					19.8			
40		16.9					16.9			
45	21.3						21.3			
50	35.2						35.2			
55								5.7		
60								10.7		
65	1.9						1.9			
70	19.1						19.1			
75	8.2						8.2			
80	16.8						16.8			
85	17.8						17.8			
90										
95								6.8		
100	9.6						9.6	1.8		
105										
110	6.0						6.0			
115										
120	8.5						8.5	7.7		
125										
130										
135	5.9						5.9			
140										
145	7.3						7.3			
150	6.5						6.5			
175	7.2						7.2			
200										
225										
250										
275										
Total	180.7	107.8	7.0				295.5			
Dead P	31.5	5.7						37.1		
		Volume (m3/ha) for 7 Levels								
17.5 +	180.7	107.8	7.0				295.5	37.1		
22.5 +	180.7	107.8	7.0				295.5	37.1		
27.5 +	180.7	96.8					277.5	32.6		
32.5 +	171.4	36.7					208.1	32.6		
37.5 +	171.4	16.9					188.3	32.6		
42.5 +	171.4						171.4	32.6		
47.5 +	150.0						150.0	32.6		

*** 1 tree(s) changed to tree class 6: because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Block Stock Table (m3/ha)

Average Line Method | Grades: MOF Computerized | FIZ: A | 14-May-2020 08:38:35AM
HUSBY FOREST PRODUCTS LTD. | Computerized Decay | PSYU: Queen Charlotte | Filename: cp229 final.ccp
Licence Number: A16869 CP: 229 | Computerized Waste | Region: 2 - West Coast | Compiled by: Husby Forest Products Ltd.
Project: 1 | Computerized Breakage | District: 07 - Haida Gwaii | Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

Block : (M) - 920:STA920, Plots in Block: 37, TUs: [CLEARCUT : 36.8]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20										
25	4.8	13.4					18.2	4.8		
30	4.3	7.5					11.7	3.3		
35	5.1	20.3	9.1				34.5			
40	6.4	7.2					13.5			
45	15.4			4.8			20.2			
50	16.0	10.6					26.6			
55	7.1						7.1			
60	11.6	26.8					38.4	7.4		
65	16.8						16.8	5.3		
70	3.5						3.5			
75	23.5						23.5			
80	9.7		5.6				15.3			
85	19.1	12.9					32.0			
90	9.4						9.4	4.5		
95								11.7		
100	3.6						3.6			
105										
110								3.2		
115	4.9						4.9			
120	4.4						4.4			
125	3.3						3.3			
130										
135										
140										
145	4.3						4.3			
150										
175										
200										
225										
250										
275										
Total	173.1	98.6	14.7	4.8			291.2			
Dead P	34.8		5.3					40.1		
		Volume (m3/ha) for 7 Levels								
17.5 +	173.1	98.6	14.7	4.8			291.2	40.1		
22.5 +	173.1	98.6	14.7	4.8			291.2	40.1		
27.5 +	168.2	85.2	14.7	4.8			273.0	35.3		
32.5 +	163.9	77.8	14.7	4.8			261.3	32.0		
37.5 +	158.9	57.4	5.6	4.8			226.7	32.0		
42.5 +	152.5	50.3	5.6	4.8			213.2	32.0		
47.5 +	137.1	50.3	5.6				193.0	32.0		

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Block Stock Table (m3/ha)

Average Line Method | Grades: MOF Computerized | FIZ: A | 14-May-2020 08:38:35AM
HUSBY FOREST PRODUCTS LTD. | Computerized Decay | PSYU: Queen Charlotte | Filename: cp229 final.ccp
Licence Number: A16869 CP: 229 | Computerized Waste | Region: 2 - West Coast | Compiled by: Husby Forest Products Ltd.
Project: 1 | Computerized Breakage | District: 07 - Haida Gwaii | Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

Block : (M) - 921:STA921, Plots in Block: 3, TUs: [CLEARCUT : 3.8]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20										
25										
30										
35	49.4						49.4			
40										
45										
50										
55										
60										
65										
70	74.7						74.7			
75										
80										
85										
90										
95										
100										
105										
110										
115										
120								28.2		
125										
130										
135										
140										
145	24.8						24.8			
150										
175										
200	28.5						28.5			
225										
250										
275										
Total	177.4						177.4			
Dead P	28.2							28.2		
		Volume (m3/ha) for 7 Levels								
17.5 +	177.4						177.4	28.2		
22.5 +	177.4						177.4	28.2		
27.5 +	177.4						177.4	28.2		
32.5 +	177.4						177.4	28.2		
37.5 +	128.0						128.0	28.2		
42.5 +	128.0						128.0	28.2		
47.5 +	128.0						128.0	28.2		

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Block Stock Table (m3/ha)

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 229
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

14-May-2020 08:38:35AM
Filename: cp229 final.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

Block : (M) - 922:STA922, Plots in Block: 3, TUs: [CLEARCUT : 2.3]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20										
25			44.8				44.8			
30								98.6		
35										
40										
45				48.1			48.1	29.3		
50		55.2		51.1			106.4	50.5		
55	38.5						38.5			
60										
65	57.5						57.5			
70										
75										
80										
85	21.3						21.3			
90										
95										
100										
105										
110										
115	25.4						25.4			
120										
125										
130										
135										
140										
145								24.3		
150										
175										
200										
225										
250										
275										
Total	142.7	55.2	44.8	99.3			342.0			
Dead P	24.3	29.3		149.1				202.7		
			Volume (m3/ha) for 7 Levels							
17.5 +	142.7	55.2	44.8	99.3			342.0	202.7		
22.5 +	142.7	55.2	44.8	99.3			342.0	202.7		
27.5 +	142.7	55.2		99.3			297.2	202.7		
32.5 +	142.7	55.2		99.3			297.2	104.1		
37.5 +	142.7	55.2		99.3			297.2	104.1		
42.5 +	142.7	55.2		99.3			297.2	104.1		
47.5 +	142.7	55.2		51.1			249.0	74.8		

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Block Stock Table (m3/ha)

Average Line Method | Grades: MOF Computerized | FIZ: A | 14-May-2020 08:38:35AM
HUSBY FOREST PRODUCTS LTD. | Computerized Decay | PSYU: Queen Charlotte | Filename: cp229 final.ccp
Licence Number: A16869 CP: 229 | Computerized Waste | Region: 2 - West Coast | Compiled by: Husby Forest Products Ltd.
Project: 1 | Computerized Breakage | District: 07 - Haida Gwaii | Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

Block : (M) - 923:STA923, Plots in Block: 13, TUs: [CLEARCUT : 9.7]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20	6.3	12.2					18.6			
25		19.1	8.6				27.7	4.5		
30		29.9					29.9	9.4		
35								11.4		
40		13.1					13.1	5.7		
45	13.1						13.1			
50	10.2						10.2			
55	22.5						22.5			
60	10.0						10.0	10.2		
65		13.6					13.6	5.0		
70								5.7		
75										
80	11.2						11.2			
85	5.9						5.9			
90	11.2						11.2	4.7		
95	7.1						7.1			
100								7.4		
105	13.3						13.3			
110	12.3						12.3			
115										
120										
125										
130										
135				3.0			3.0			
140										
145										
150										
175	5.9						5.9			
200										
225										
250										
275										
Total	129.0	88.0	8.6	3.0			228.5			
Dead P	43.3		11.4	9.4				64.1		
		Volume (m3/ha) for 7 Levels								
17.5 +	129.0	88.0	8.6	3.0			228.5	64.1		
22.5 +	122.6	75.8	8.6	3.0			209.9	64.1		
27.5 +	122.6	56.7		3.0			182.3	59.5		
32.5 +	122.6	26.7		3.0			152.3	50.1		
37.5 +	122.6	26.7		3.0			152.3	38.7		
42.5 +	122.6	13.6		3.0			139.2	33.0		
47.5 +	109.5	13.6		3.0			126.1	33.0		

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Block Basal Area Table (m2/ha)

Average Line Method | Grades: MOF Computerized | FIZ: A | 14-May-2020 08:38:35AM
HUSBY FOREST PRODUCTS LTD. | Computerized Decay | PSYU: Queen Charlotte | Filename: cp229 final.ccp
Licence Number: A16869 CP: 229 | Computerized Waste | Region: 2 - West Coast | Compiled by: Husby Forest Products Ltd.
Project: 1 | Computerized Breakage | District: 07 - Haida Gwaii | Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

Block : (M) - 254:LIG254, Plots in Block: 11, TUs: [CLEARCUT : 10.3]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20		2.3					2.3	2.3		
25		2.3					2.3	2.3		
30		2.3					2.3	2.3		
35	2.3	2.3					4.5	2.3		
40	2.3	2.3					4.5			
45	2.3						2.3	2.3		
50	9.1						9.1			
55	4.5						4.5			
60	9.1	4.5					13.6	2.3		
65								4.5		
70	4.5						4.5			
75										
80	6.8						6.8			
85	2.3						2.3			
90	4.5						4.5			
95	2.3						2.3	2.3		
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	50.0	15.9					65.9			
Dead P	18.2		2.3					20.5		
Dead U										
Live U										
		Basal Area (m2/ha) at 5 Levels								
12.5 +	50.0	15.9					65.9	20.5		
17.5 +	50.0	15.9					65.9	20.5		
22.5 +	50.0	13.6					63.6	18.2		
27.5 +	50.0	11.4					61.4	15.9		
32.5 +	50.0	9.1					59.1	13.6		

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Block Basal Area Table (m2/ha)

Average Line Method | Grades: MOF Computerized | FIZ: A | 14-May-2020 08:38:35AM
HUSBY FOREST PRODUCTS LTD. | Computerized Decay | PSYU: Queen Charlotte | Filename: cp229 final.ccp
Licence Number: A16869 CP: 229 | Computerized Waste | Region: 2 - West Coast | Compiled by: Husby Forest Products Ltd.
Project: 1 | Computerized Breakage | District: 07 - Haida Gwaii | Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

Block : (M) - 255:LIG255, Plots in Block: 35, TUs: [CLEARCUT : 33.5]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20		1.4					1.4			1.4
25	1.3	1.4					2.7	1.4		
30	1.3	1.4					2.7	2.7		
35	1.3	4.1					5.4			
40	2.7						2.7	1.3		
45										
50	2.7	4.1	0.7				7.5	1.3		
55	2.7						2.7	1.3		
60	5.4						5.4	1.3		
65	2.7	1.4					4.1	1.3		
70	4.0						4.0			
75	2.7						2.7			
80	2.7						2.7	1.3		
85	4.0						4.0			
90	4.0						4.0	1.3		
95	5.4						5.4	2.7		
100	2.7						2.7	1.3		
105										
110	1.3						1.3	1.3		
115	2.7						2.7			
120	1.3						1.3			
125	1.3						1.3			
130										
135								1.3		
140										
145										
150										
175										
200										
225										
250										
275										
Total	52.6	13.6	0.7				66.9			
Dead P	18.9	1.4						20.2		
Dead U										
Live U	1.4									1.4
		Basal Area (m2/ha) at 5 Levels								
12.5 +	52.6	13.6	0.7				66.9	20.2		1.4
17.5 +	52.6	13.6	0.7				66.9	20.2		1.4
22.5 +	52.6	12.3	0.7				65.5	20.2		
27.5 +	51.2	10.9	0.7				62.8	18.9		
32.5 +	49.9	9.5	0.7				60.1	16.2		

*** 1 tree(s) changed to tree class 6: because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Block Basal Area Table (m2/ha)

Average Line Method | Grades: MOF Computerized | FIZ: A | 14-May-2020 08:38:35AM
HUSBY FOREST PRODUCTS LTD. | Computerized Decay | PSYU: Queen Charlotte | Filename: cp229 final.ccp
Licence Number: A16869 CP: 229 | Computerized Waste | Region: 2 - West Coast | Compiled by: Husby Forest Products Ltd.
Project: 1 | Computerized Breakage | District: 07 - Haida Gwaii | Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

Block : (M) - 256:LIG256, Plots in Block: 25, TUs: [CLEARCUT : 25.9]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20										
25										
30		3.0	1.0				4.0			
35				1.0			1.0			
40		5.0					5.0			
45	2.6						2.6			
50										
55	2.6						2.6			
60		3.0					3.0			
65										
70	8.3						8.3			
75		3.0					3.0			
80										
85	3.1						3.1	2.6		
90										
95	11.4						11.4			
100										
105	5.3						5.3	5.7		
110								3.1		
115	8.3						8.3			
120										
125										
130										
135										
140										
145										
150	5.7						5.7			
175										
200										
225										
250										
275										
Total	47.4	14.1	1.0	1.0			63.5			
Dead P	11.4							11.4		
Dead U										
Live U										
	Basal Area (m2/ha) at 5 Levels									
12.5 +	47.4	14.1	1.0	1.0			63.5	11.4		
17.5 +	47.4	14.1	1.0	1.0			63.5	11.4		
22.5 +	47.4	14.1	1.0	1.0			63.5	11.4		
27.5 +	47.4	14.1	1.0	1.0			63.5	11.4		
32.5 +	47.4	11.1		1.0			59.4	11.4		

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Block Basal Area Table (m2/ha)

Average Line Method | Grades: MOF Computerized | FIZ: A | 14-May-2020 08:38:35AM
HUSBY FOREST PRODUCTS LTD. | Computerized Decay | PSYU: Queen Charlotte | Filename: cp229 final.ccp
Licence Number: A16869 CP: 229 | Computerized Waste | Region: 2 - West Coast | Compiled by: Husby Forest Products Ltd.
Project: 1 | Computerized Breakage | District: 07 - Haida Gwaii | Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

Block : (M) - 257:LIG257, Plots in Block: 2, TUs: [CLEARCUT : 3.3]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20										
25										
30	8.0						8.0			
35	8.0	8.0					16.0	8.0		
40										
45										
50										
55	8.0						8.0			
60										
65										
70										
75								8.0		
80	8.0						8.0			
85										
90										
95										
100										
105										
110										
115	8.0						8.0			
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	40.0	8.0					48.0			
Dead P	8.0			8.0				16.0		
Dead U										
Live U										

Basal Area (m2/ha) at 5 Levels

12.5 +	40.0	8.0	48.0	16.0	
17.5 +	40.0	8.0	48.0	16.0	
22.5 +	40.0	8.0	48.0	16.0	
27.5 +	40.0	8.0	48.0	16.0	
32.5 +	32.0	8.0	40.0	16.0	

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Block Basal Area Table (m2/ha)

Average Line Method | Grades: MOF Computerized | FIZ: A | 14-May-2020 08:38:35AM
HUSBY FOREST PRODUCTS LTD. | Computerized Decay | PSYU: Queen Charlotte | Filename: cp229 final.ccp
Licence Number: A16869 CP: 229 | Computerized Waste | Region: 2 - West Coast | Compiled by: Husby Forest Products Ltd.
Project: 1 | Computerized Breakage | District: 07 - Haida Gwaii | Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

Block : (M) - 430:COL430, Plots in Block: 14, TUs: [CLEARCUT : 14.4]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20		2.2					2.2	1.5		1.5
25		2.2					2.2	3.1		
30	1.5						1.5	4.6		
35		4.6					4.6	3.1		
40	1.5	4.6					6.2			
45	5.2						5.2	1.5		
50	1.5						1.5			
55	5.8						5.8			
60	7.7						7.7	0.6		
65	8.3						8.3	1.5		
70	2.8	1.5					4.3			
75	0.6						0.6			
80	2.2						2.2			
85	3.1		0.6				3.7			
90	2.2						2.2			
95										
100										
105	1.5						1.5			
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	44.0	15.1	0.6				59.7			
Dead P	12.9	3.1						16.0		
Dead U										
Live U		1.5								1.5
		Basal Area (m2/ha) at 5 Levels								
12.5 +	44.0	15.1	0.6				59.7	16.0		1.5
17.5 +	44.0	15.1	0.6				59.7	16.0		1.5
22.5 +	44.0	12.9	0.6				57.5	14.5		
27.5 +	44.0	10.8	0.6				55.4	11.4		
32.5 +	42.4	10.8	0.6				53.8	6.8		

*** 1 tree(s) changed to tree class 6: because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Block Basal Area Table (m2/ha)

Average Line Method | Grades: MOF Computerized | FIZ: A | 14-May-2020 08:38:35AM
HUSBY FOREST PRODUCTS LTD. | Computerized Decay | PSYU: Queen Charlotte | Filename: cp229 final.ccp
Licence Number: A16869 CP: 229 | Computerized Waste | Region: 2 - West Coast | Compiled by: Husby Forest Products Ltd.
Project: 1 | Computerized Breakage | District: 07 - Haida Gwaii | Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

Block : (M) - 436:COL436, Plots in Block: 14, TUs: [CLEARCUT : 11.4]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20										1.1
25		2.6	1.4		1.1		5.1	6.2		
30		1.4					1.4	3.7		
35		4.3					4.3	1.1		
40	2.6		1.1				3.7	1.1		
45	2.9		1.1				4.0			
50		2.9					2.9	1.4		
55	1.4	1.4					2.9			
60	2.9						2.9	1.4		
65								1.4		
70	1.4						1.4			
75	1.4						1.4			
80	4.3						4.3			
85								1.4		
90	4.3						4.3			
95	4.3						4.3	1.4		
100	2.9						2.9			
105	1.4						1.4			
110	2.9						2.9			
115	2.9						2.9			
120	1.4						1.4			
125	2.9						2.9			
130								2.9		
135										
140										
145										
150										
175										
200										
225	2.9						2.9			
250										
275										
Total	42.7	12.6	3.7		1.1		60.2			
Dead P	16.0		2.9		3.4			22.2		
Dead U										
Live U			1.1							1.1
			Basal Area (m2/ha) at 5 Levels							
12.5 +	42.7	12.6	3.7		1.1		60.2	22.2		1.1
17.5 +	42.7	12.6	3.7		1.1		60.2	22.2		1.1
22.5 +	42.7	12.6	3.7		1.1		60.2	22.2		
27.5 +	42.7	10.0	2.2				55.0	16.0		
32.5 +	42.7	8.6	2.2				53.6	12.3		

*** 3 tree(s) changed to tree class 6: because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Block Basal Area Table (m2/ha)

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 229
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

14-May-2020 08:38:35AM
Filename: cp229 final.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

Block : (M) - 438:COL438, Plots in Block: 8, TUs: [CLEARCUT : 7.0]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20										
25	2.5				2.5		5.0			
30	2.5				2.5		5.0			
35	2.5	2.5	5.0				10.0			
40	2.5				2.5		5.0	2.5		
45	5.0						5.0			
50								2.5		
55	5.0						5.0	2.5		
60								2.5		
65										
70	2.5	2.5					5.0			
75	12.5						12.5			
80								2.5		
85	2.5						2.5			
90	2.5						2.5			
95										
100								2.5		
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	40.0	5.0	5.0		7.5		57.5			
Dead P	12.5				2.5			15.0		
Dead U										
Live U										
	Basal Area (m2/ha) at 5 Levels									
12.5 +	40.0	5.0	5.0		7.5		57.5	15.0		
17.5 +	40.0	5.0	5.0		7.5		57.5	15.0		
22.5 +	40.0	5.0	5.0		7.5		57.5	15.0		
27.5 +	37.5	5.0	5.0		5.0		52.5	15.0		
32.5 +	35.0	5.0	5.0		2.5		47.5	15.0		

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Block Basal Area Table (m2/ha)

Average Line Method | Grades: MOF Computerized | FIZ: A | 14-May-2020 08:38:35AM
HUSBY FOREST PRODUCTS LTD. | Computerized Decay | PSYU: Queen Charlotte | Filename: cp229 final.ccp
Licence Number: A16869 CP: 229 | Computerized Waste | Region: 2 - West Coast | Compiled by: Husby Forest Products Ltd.
Project: 1 | Computerized Breakage | District: 07 - Haida Gwaii | Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

Block : (I) - 480:COL480, Plots in Block: 27, TUs: [CLEARCUT : 24.1]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (I)	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15		6.0					6.0			
20		3.0					3.0			
25		9.8	1.1				10.9	2.5		
30		4.7	1.2				5.9	1.2		
35		5.1	2.5				7.6			
40		1.3				0.8	2.1			
45			1.2				1.2			
50		1.3	5.0				6.3			
55		4.7	1.2				5.9			
60		1.3	10.0				11.3			
65		1.7	5.0				6.7			
70		2.6	1.2				3.9			
75			3.7				3.7			
80			2.5				2.5			
85										
90										
95										
100		1.3	2.2				3.5			
105			1.2				1.2			
110										
115			1.1				1.1			
120										
125										
130			1.1				1.1			
135										
140			1.2				1.2			
145										
150										
175			1.1				1.1			
200										
225			1.1				1.1			
250										
275										
Total		42.7	43.9			0.8	87.3			
Dead P			3.7					3.7		
Dead U										
Live U										
		Basal Area (m2/ha) at 5 Levels								
12.5 +		42.7	43.9			0.8	87.3	3.7		
17.5 +		36.7	43.9			0.8	81.3	3.7		
22.5 +		33.7	43.9			0.8	78.4	3.7		
27.5 +		24.0	42.8			0.8	67.5	1.2		
32.5 +		19.3	41.5			0.8	61.6			

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Block Basal Area Table (m2/ha)

Average Line Method | Grades: MOF Computerized | FIZ: A | 14-May-2020 08:38:35AM
HUSBY FOREST PRODUCTS LTD. | Computerized Decay | PSYU: Queen Charlotte | Filename: cp229 final.ccp
Licence Number: A16869 CP: 229 | Computerized Waste | Region: 2 - West Coast | Compiled by: Husby Forest Products Ltd.
Project: 1 | Computerized Breakage | District: 07 - Haida Gwaii | Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

Block : (M) - 788:COL788, Plots in Block: 19, TUs: [CLEARCUT : 18.6]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20										2.1
25		1.8	1.1				2.9	2.5		
30	2.5	9.0					11.5			
35		3.6					3.6			
40		3.6					3.6			
45	5.7						5.7			
50	8.2						8.2			
55								1.8		
60								5.0		
65	0.6						0.6			
70	5.0						5.0			
75	3.2						3.2			
80	5.0						5.0			
85	5.7						5.7			
90										
95								2.5		
100	2.5						2.5	0.6		
105										
110	2.5						2.5			
115										
120	2.5						2.5	2.5		
125										
130										
135	2.5						2.5			
140										
145	2.5						2.5			
150	2.5						2.5			
175	2.5						2.5			
200										
225										
250										
275										
Total	53.4	18.0	1.1				72.5			
Dead P	13.2	1.8						15.0		
Dead U										
Live U		2.1								2.1
		Basal Area (m2/ha) at 5 Levels								
12.5 +	53.4	18.0	1.1				72.5	15.0		2.1
17.5 +	53.4	18.0	1.1				72.5	15.0		2.1
22.5 +	53.4	18.0	1.1				72.5	15.0		
27.5 +	53.4	16.2					69.6	12.5		
32.5 +	50.9	7.2					58.1	12.5		

*** 1 tree(s) changed to tree class 6: because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Block Basal Area Table (m2/ha)

Average Line Method | Grades: MOF Computerized | FIZ: A | 14-May-2020 08:38:35AM
HUSBY FOREST PRODUCTS LTD. | Computerized Decay | PSYU: Queen Charlotte | Filename: cp229 final.ccp
Licence Number: A16869 CP: 229 | Computerized Waste | Region: 2 - West Coast | Compiled by: Husby Forest Products Ltd.
Project: 1 | Computerized Breakage | District: 07 - Haida Gwaii | Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

Block : (M) - 920:STA920, Plots in Block: 37, TUs: [CLEARCUT : 36.8]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20										
25	1.2	2.8					4.0	2.0		
30	1.0	1.4					2.5	1.0		
35	1.0	2.8	1.2				5.0			
40	1.2	1.4					2.6			
45	3.2			0.7			3.9			
50	3.1	1.4					4.6			
55	2.1						2.1		1.1	
60	2.8	3.6					6.3	2.3		
65	4.8						4.8	0.7		
70	1.2						1.2			
75	4.7						4.7			
80	2.2		0.7				2.9			
85	4.6	1.3					5.9			
90	2.3						2.3	1.2		
95								3.4		
100	1.0						1.0			
105										
110								1.0		
115	1.2						1.2			
120	1.2						1.2			
125	1.0						1.0			
130										
135										
140										
145	1.2						1.2			
150										
175										
200										
225										
250										
275										
Total	41.0	14.7	1.9	0.7			58.4			
Dead P	10.9		0.7					11.6		
Dead U		1.1							1.1	
Live U										
	Basal Area (m2/ha) at 5 Levels									
12.5 +	41.0	14.7	1.9	0.7			58.4	11.6	1.1	
17.5 +	41.0	14.7	1.9	0.7			58.4	11.6	1.1	
22.5 +	41.0	14.7	1.9	0.7			58.4	11.6	1.1	
27.5 +	39.8	11.9	1.9	0.7			54.4	9.7	1.1	
32.5 +	38.8	10.5	1.9	0.7			51.9	8.6	1.1	

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Block Basal Area Table (m2/ha)

Average Line Method | Grades: MOF Computerized | FIZ: A | 14-May-2020 08:38:35AM
HUSBY FOREST PRODUCTS LTD. | Computerized Decay | PSYU: Queen Charlotte | Filename: cp229 final.ccp
Licence Number: A16869 CP: 229 | Computerized Waste | Region: 2 - West Coast | Compiled by: Husby Forest Products Ltd.
Project: 1 | Computerized Breakage | District: 07 - Haida Gwaii | Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

Block : (M) - 921:STA921, Plots in Block: 3, TUs: [CLEARCUT : 3.8]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20										
25										
30										
35	8.3						8.3			
40										
45										
50										
55										
60										
65										
70	16.7						16.7			
75										
80										
85										
90										
95										
100										
105										
110										
115										
120								8.3		
125										
130										
135										
140										
145	8.3						8.3			
150										
175										
200	8.3						8.3			
225										
250										
275										
Total	41.7						41.7			
Dead P	8.3							8.3		
Dead U										
Live U										
			Basal Area (m2/ha) at 5 Levels							
12.5 +	41.7						41.7	8.3		
17.5 +	41.7						41.7	8.3		
22.5 +	41.7						41.7	8.3		
27.5 +	41.7						41.7	8.3		
32.5 +	41.7						41.7	8.3		

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Block Basal Area Table (m2/ha)

Average Line Method | Grades: MOF Computerized | FIZ: A | 14-May-2020 08:38:35AM
HUSBY FOREST PRODUCTS LTD. | Computerized Decay | PSYU: Queen Charlotte | Filename: cp229 final.ccp
Licence Number: A16869 CP: 229 | Computerized Waste | Region: 2 - West Coast | Compiled by: Husby Forest Products Ltd.
Project: 1 | Computerized Breakage | District: 07 - Haida Gwaii | Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

Block : (M) - 922:STA922, Plots in Block: 3, TUs: [CLEARCUT : 2.3]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20										
25			8.3				8.3			
30								16.7		
35										
40										
45				8.3			8.3	8.3		
50		8.3		8.3			16.7	8.3		
55	8.3						8.3			
60										
65	16.7						16.7			
70										
75										
80										
85	8.3						8.3			
90										
95										
100										
105										
110										
115	8.3						8.3			
120										
125										
130										
135										
140										
145								8.3		
150										
175										
200										
225										
250										
275										
Total	41.7	8.3	8.3	16.7			75.0			
Dead P	8.3	8.3		25.0				41.7		
Dead U										
Live U										
			Basal Area (m2/ha) at 5 Levels							
12.5 +	41.7	8.3	8.3	16.7			75.0	41.7		
17.5 +	41.7	8.3	8.3	16.7			75.0	41.7		
22.5 +	41.7	8.3	8.3	16.7			75.0	41.7		
27.5 +	41.7	8.3		16.7			66.7	41.7		
32.5 +	41.7	8.3		16.7			66.7	25.0		

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Block Basal Area Table (m2/ha)

Average Line Method | Grades: MOF Computerized | FIZ: A | 14-May-2020 08:38:35AM
HUSBY FOREST PRODUCTS LTD. | Computerized Decay | PSYU: Queen Charlotte | Filename: cp229 final.ccp
Licence Number: A16869 CP: 229 | Computerized Waste | Region: 2 - West Coast | Compiled by: Husby Forest Products Ltd.
Project: 1 | Computerized Breakage | District: 07 - Haida Gwaii | Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

Block : (M) - 923:STA923, Plots in Block: 13, TUs: [CLEARCUT : 9.7]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20	1.9	1.9					3.8			
25		3.8	1.9				5.8	1.9		
30		5.8					5.8	1.9		
35								1.9		
40		1.9					1.9	1.9		
45	1.9						1.9			
50	1.9						1.9			
55	5.8						5.8			
60	3.8						3.8	3.8		
65		1.9					1.9	1.9		
70								1.9		
75										
80	1.9						1.9			
85	1.9						1.9			
90	3.8						3.8	1.9		
95	1.9						1.9			
100								1.9		
105	3.8						3.8			
110	3.8						3.8			
115										
120										
125										
130										
135				1.9			1.9			
140										
145										
150										
175	1.9						1.9			
200										
225										
250										
275										
Total	34.6	15.4	1.9	1.9			53.8			
Dead P	15.4		1.9	1.9				19.2		
Dead U										
Live U										
			Basal Area (m2/ha) at 5 Levels							
12.5 +	34.6	15.4	1.9	1.9			53.8	19.2		
17.5 +	34.6	15.4	1.9	1.9			53.8	19.2		
22.5 +	32.7	13.5	1.9	1.9			50.0	19.2		
27.5 +	32.7	9.6		1.9			44.2	17.3		
32.5 +	32.7	3.8		1.9			38.5	15.4		

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Type Stand Table (stems/ha)

Average Line Method | Grades: MOF Computerized | FIZ: A | 14-May-2020 08:38:35AM
HUSBY FOREST PRODUCTS LTD. | Computerized Decay | PSYU: Queen Charlotte | Filename: cp229 final.ccp
Licence Number: A16869 CP: 229 | Computerized Waste | Region: 2 - West Coast | Compiled by: Husby Forest Products Ltd.
Project: 1 | Computerized Breakage | District: 07 - Haida Gwaii | Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

Type 26 (M):YcCw(Hw)931, Plots in Type: 2, TUs: [CLEARCUT : 3.3]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20										
25										
30	109.5						109.5			
35	74.4	85.6					160.0	91.9		
40										
45										
50										
55	32.9						32.9			
60										
65										
70										
75								17.6		
80	15.1						15.1			
85										
90										
95										
100										
105										
110										
115	7.4						7.4			
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	239.4	85.6					325.0			
Dead P	17.6			91.9				109.5		
Dead U										
Live U										
		Average DBH (cm) at 5 Levels								
12.5 +	46.1	34.5					43.4	43.1		
17.5 +	46.1	34.5					43.4	43.1		
22.5 +	46.1	34.5					43.4	43.1		
27.5 +	46.1	34.5					43.4	43.1		
32.5 +	56.0	34.5					48.6	43.1		

*** 6 tree(s) changed to tree class 6: because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Type Stand Table (stems/ha)

Average Line Method | Grades: MOF Computerized | FIZ: A | 14-May-2020 08:38:35AM
HUSBY FOREST PRODUCTS LTD. | Computerized Decay | PSYU: Queen Charlotte | Filename: cp229 final.ccp
Licence Number: A16869 CP: 229 | Computerized Waste | Region: 2 - West Coast | Compiled by: Husby Forest Products Ltd.
Project: 1 | Computerized Breakage | District: 07 - Haida Gwaii | Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

Type 27 (M):CwHw(Yc)931, Plots in Type: 11, TUs: [CLEARCUT : 10.3]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20		61.5					61.5	58.7		
25		41.5					41.5	55.7		
30		29.0					29.0	31.3		
35	22.6	24.6					47.2	21.4		
40	19.2	17.5					36.7			
45	13.2						13.2	12.9		
50	46.8						46.8			
55	20.3						20.3			
60	33.0	17.3					50.3	8.0		
65								13.9		
70	11.5						11.5			
75										
80	13.1						13.1			
85	3.8						3.8			
90	7.0						7.0			
95	3.1						3.1	3.2		
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	193.7	191.3					385.0			
Dead P	192.2		12.9					205.1		
Dead U										
Live U										
		Average DBH (cm) at 5 Levels								
12.5 +	57.3	32.5					46.7	35.6		
17.5 +	57.3	32.5					46.7	35.6		
22.5 +	57.3	36.6					50.0	39.8		
27.5 +	57.3	40.5					52.6	47.3		
32.5 +	57.3	44.1					54.5	54.1		

*** 6 tree(s) changed to tree class 6: because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Type Stand Table (stems/ha)

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 229
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

14-May-2020 08:38:35AM
Filename: cp229 final.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

Type 28 (M):CwHw(Yc)931, Plots in Type: 35, TUs: [CLEARCUT : 33.5]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20		46.6					46.6			54.0
25	28.1	23.5					51.6	26.9		
30	19.3	20.2					39.5	37.3		
35	13.7	43.4					57.0			
40	20.8						20.8	9.6		
45										
50	13.4	21.0	3.9				38.3	6.2		
55	11.3						11.3	5.5		
60	19.1						19.1	4.8		
65	8.3	4.3					12.6	3.9		
70	10.7						10.7			
75	6.3						6.3			
80	5.5						5.5	2.7		
85	7.5						7.5			
90	6.5						6.5	2.2		
95	7.6						7.6	3.8		
100	3.3						3.3	1.7		
105										
110	1.5						1.5	1.5		
115	2.6						2.6			
120	1.2						1.2			
125	1.1						1.1			
130										
135								0.9		
140										
145										
150										
175										
200										
225										
250										
275										
Total	187.7	159.0	3.9				350.7			
Dead P	80.2	26.9						107.1		
Dead U										
Live U	54.0									54.0
		Average DBH (cm) at 5 Levels								
12.5 +	59.7	33.0	48.0				49.3	49.0		18.1
17.5 +	59.7	33.0	48.0				49.3	49.0		18.1
22.5 +	59.7	37.3	48.0				52.4	49.0		
27.5 +	63.9	39.5	48.0				56.3	54.7		
32.5 +	67.3	42.1	48.0				60.0	69.2		

*** 6 tree(s) changed to tree class 6: because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Type Stand Table (stems/ha)

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 229
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

14-May-2020 08:38:35AM
Filename: cp229 final.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

Type 29 (M):CwHw931, Plots in Type: 17, TUs: [CLEARCUT : 17.8]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20										
25										
30		73.7	23.7				97.5			
35										
40		37.1					37.1			
45	25.6						25.6			
50										
55	15.4						15.4			
60		14.5					14.5			
65										
70	20.2						20.2			
75		10.5					10.5			
80										
85								6.5		
90										
95	10.8						10.8			
100										
105	8.6						8.6	4.3		
110										
115	7.2						7.2			
120										
125										
130										
135										
140										
145										
150	2.2						2.2			
175										
200										
225										
250										
275										
Total	90.1	135.8	23.7				249.7			
Dead P	10.8							10.8		
Dead U										
Live U										
		Average DBH (cm) at 5 Levels								
12.5 +	77.3	40.7	28.1				56.0	95.1		
17.5 +	77.3	40.7	28.1				56.0	95.1		
22.5 +	77.3	40.7	28.1				56.0	95.1		
27.5 +	77.3	40.7	28.1				56.0	95.1		
32.5 +	77.3	52.1					68.2	95.1		

*** 6 tree(s) changed to tree class 6: because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Type Stand Table (stems/ha)

Average Line Method | Grades: MOF Computerized | FIZ: A | 14-May-2020 08:38:35AM
HUSBY FOREST PRODUCTS LTD. | Computerized Decay | PSYU: Queen Charlotte | Filename: cp229 final.ccp
Licence Number: A16869 CP: 229 | Computerized Waste | Region: 2 - West Coast | Compiled by: Husby Forest Products Ltd.
Project: 1 | Computerized Breakage | District: 07 - Haida Gwaii | Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

Type 30 (M):CwHw931, Plots in Type: 8, TUs: [CLEARCUT : 8.1]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20										
25										
30										
35				28.4			28.4			
40		54.0					54.0			
45										
50										
55										
60										
65										
70	23.8						23.8			
75										
80										
85	16.7						16.7			
90										
95	27.7						27.7			
100										
105								11.0		
110								10.3		
115	9.4						9.4			
120										
125										
130										
135										
140										
145										
150	5.2						5.2			
175										
200										
225										
250										
275										
Total	82.6	54.0		28.4			165.0			
Dead P	21.3							21.3		
Dead U										
Live U										
		Average DBH (cm) at 5 Levels								
12.5 +	95.0	38.4		37.4			72.4	108.0		
17.5 +	95.0	38.4		37.4			72.4	108.0		
22.5 +	95.0	38.4		37.4			72.4	108.0		
27.5 +	95.0	38.4		37.4			72.4	108.0		
32.5 +	95.0	38.4		37.4			72.4	108.0		

*** 6 tree(s) changed to tree class 6: because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Type Stand Table (stems/ha)

Average Line Method | Grades: MOF Computerized | FIZ: A | 14-May-2020 08:38:35AM
HUSBY FOREST PRODUCTS LTD. | Computerized Decay | PSYU: Queen Charlotte | Filename: cp229 final.ccp
Licence Number: A16869 CP: 229 | Computerized Waste | Region: 2 - West Coast | Compiled by: Husby Forest Products Ltd.
Project: 1 | Computerized Breakage | District: 07 - Haida Gwaii | Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

Type 31 (M):CwHw(Yc)931, Plots in Type: 11, TUs: [CLEARCUT : 11.5]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20										
25										
30	50.6						50.6	49.3		
35	35.1						35.1			
40										
45				14.8			14.8			
50										
55	26.1						26.1		15.0	
60		37.6					37.6			
65	20.6						20.6			
70										
75										
80	6.7						6.7			
85	6.1						6.1			
90										
95								4.8		
100	4.3						4.3			
105										
110								3.6		
115										
120										
125	2.8						2.8			
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	152.4	37.6		14.8			204.9			
Dead P	57.7							57.7		
Dead U		15.0							15.0	
Live U										
			Average DBH (cm) at 5 Levels							
12.5 +	52.7	62.0		44.2			54.0	46.9	55.0	
17.5 +	52.7	62.0		44.2			54.0	46.9	55.0	
22.5 +	52.7	62.0		44.2			54.0	46.9	55.0	
27.5 +	52.7	62.0		44.2			54.0	46.9	55.0	
32.5 +	61.1	62.0		44.2			59.9	100.0	55.0	

*** 6 tree(s) changed to tree class 6: because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Type Stand Table (stems/ha)

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 229
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

14-May-2020 08:38:35AM
Filename: cp229 final.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

Type 32 (M):CwHw(Yc)931, Plots in Type: 19, TUs: [CLEARCUT : 19.8]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20										
25	37.7	115.1					152.9	50.6		
30		43.7					43.7			
35		24.0	13.4				37.4			
40	16.3	21.9					38.2			
45										
50	21.5	13.6					35.1			
55										
60	8.0						8.0	15.4		
65	6.5						6.5	4.0		
70	5.3						5.3			
75	19.7						19.7			
80	4.5		2.6				7.2			
85	11.3						11.3			
90	6.9						6.9	3.5		
95								6.1		
100										
105										
110										
115	2.0						2.0			
120	1.9						1.9			
125										
130										
135										
140										
145	1.3						1.3			
150										
175										
200										
225										
250										
275										
Total	142.9	218.3	16.1				377.3			
Dead P	75.6		4.0					79.6		
Dead U										
Live U										
			Average DBH (cm) at 5 Levels							
12.5 +	62.3	30.3	45.6				45.7	48.0		
17.5 +	62.3	30.3	45.6				45.7	48.0		
22.5 +	62.3	30.3	45.6				45.7	48.0		
27.5 +	70.7	36.0	45.6				55.6	73.2		
32.5 +	70.7	41.1	45.6				60.4	73.2		

*** 6 tree(s) changed to tree class 6: because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Type Stand Table (stems/ha)

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 229
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

14-May-2020 08:38:35AM
Filename: cp229 final.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

Type 33 (M):CwHw(Yc)931, Plots in Type: 7, TUs: [CLEARCUT : 5.5]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20										
25								104.1		
30										
35		100.1	32.9				133.0			
40										
45	136.7						136.7			
50	27.7						27.7			
55										
60	37.9						37.9			
65	30.9						30.9			
70										
75										
80										
85		16.2					16.2			
90										
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	233.2	116.3	32.9				382.4			
Dead P	104.1							104.1		
Dead U										
Live U										
		Average DBH (cm) at 5 Levels								
12.5 +	51.3	44.2	37.2				48.2	25.6		
17.5 +	51.3	44.2	37.2				48.2	25.6		
22.5 +	51.3	44.2	37.2				48.2	25.6		
27.5 +	51.3	44.2	37.2				48.2			
32.5 +	51.3	44.2	37.2				48.2			

*** 6 tree(s) changed to tree class 6: because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Type Stand Table (stems/ha)

Average Line Method | Grades: MOF Computerized | FIZ: A | 14-May-2020 08:38:35AM
HUSBY FOREST PRODUCTS LTD. | Computerized Decay | PSYU: Queen Charlotte | Filename: cp229 final.ccp
Licence Number: A16869 CP: 229 | Computerized Waste | Region: 2 - West Coast | Compiled by: Husby Forest Products Ltd.
Project: 1 | Computerized Breakage | District: 07 - Haida Gwaii | Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

Type 34 (M):CwHw(PlcYc)9, Plots in Type: 3, TUs: [CLEARCUT : 3.8]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20										
25										
30										
35	77.1						77.1			
40										
45										
50										
55										
60										
65										
70	43.9						43.9			
75										
80										
85										
90										
95										
100										
105										
110										
115										
120								7.1		
125										
130										
135										
140										
145	5.0						5.0			
150										
175										
200	2.4						2.4			
225										
250										
275										
Total	128.3						128.3			
Dead P	7.1							7.1		
Dead U										
Live U										
		Average DBH (cm) at 5 Levels								
12.5 +	64.3						64.3	122.1		
17.5 +	64.3						64.3	122.1		
22.5 +	64.3						64.3	122.1		
27.5 +	64.3						64.3	122.1		
32.5 +	64.3						64.3	122.1		

*** 6 tree(s) changed to tree class 6: because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Type Stand Table (stems/ha)

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 229
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

14-May-2020 08:38:35AM
Filename: cp229 final.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

Type 35 (M):CwHw(Yc)931, Plots in Type: 3, TUs: [CLEARCUT : 2.3]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20										
25			185.8				185.8			
30								242.9		
35										
40										
45				47.8			47.8	50.8		
50		39.9		44.4			84.2	42.4		
55	32.5						32.5			
60										
65	51.4						51.4			
70										
75										
80										
85	14.0						14.0			
90										
95										
100										
105										
110										
115	8.3						8.3			
120										
125										
130										
135										
140										
145								5.0		
150										
175										
200										
225										
250										
275										
Total	106.2	39.9	185.8	92.2			424.0			
Dead P	5.0	50.8		285.3				341.1		
Dead U										
Live U										
			Average DBH (cm) at 5 Levels							
12.5 +	70.7	51.6	23.9	48.0			47.5	39.4		
17.5 +	70.7	51.6	23.9	48.0			47.5	39.4		
22.5 +	70.7	51.6	23.9	48.0			47.5	39.4		
27.5 +	70.7	51.6		48.0			59.7	39.4		
32.5 +	70.7	51.6		48.0			59.7	56.9		

*** 6 tree(s) changed to tree class 6: because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Type Stand Table (stems/ha)

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 229
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

14-May-2020 08:38:35AM
Filename: cp229 final.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

Type 36 (M):CwHw931, Plots in Type: 13, TUs: [CLEARCUT : 9.7]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20	55.5	50.1					105.7			
25		70.6	46.3				116.9	46.7		
30		89.1					89.1	27.9		
35								22.3		
40		15.2					15.2	14.4		
45	11.4						11.4			
50	10.9						10.9			
55	25.0						25.0			
60	13.9						13.9	13.5		
65		5.9					5.9	5.4		
70								4.7		
75										
80	3.9						3.9			
85	3.2						3.2			
90	6.0						6.0	3.1		
95	2.6						2.6			
100								2.6		
105	4.3						4.3			
110	4.1						4.1			
115										
120										
125										
130										
135				1.3			1.3			
140										
145										
150										
175	0.9						0.9			
200										
225										
250										
275										
Total	141.7	231.0	46.3	1.3			420.3			
Dead P	90.3		22.3	27.9				140.6		
Dead U										
Live U										
			Average DBH (cm) at 5 Levels							
12.5 +	55.8	29.1	23.0	136.1			40.4	41.7		
17.5 +	55.8	29.1	23.0	136.1			40.4	41.7		
22.5 +	69.5	30.8	23.0	136.1			45.0	41.7		
27.5 +	69.5	33.3		136.1			53.4	48.4		
32.5 +	69.5	48.1		136.1			67.1	54.5		

*** 6 tree(s) changed to tree class 6: because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Type Stand Table (stems/ha)

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 229
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

14-May-2020 08:38:35AM
Filename: cp229 final.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

Type 41 (M):C H 931, Plots in Type: 12, TUs: [CLEARCUT : 13.3]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20		46.8					46.8	43.4		66.2
25		31.2					31.2	71.7		
30	24.6						24.6	70.9		
35		50.8					50.8	35.0		
40	12.0	39.4					51.4			
45	32.5						32.5	9.7		
50	9.3						9.3			
55	21.8						21.8			
60	29.3						29.3			
65	24.8						24.8	4.7		
70	4.5	4.0					8.5			
75										
80	3.5						3.5			
85	5.7						5.7			
90	2.7						2.7			
95										
100										
105	2.0						2.0			
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	172.6	172.2					344.8			
Dead P	172.1	63.4						235.4		
Dead U										
Live U		66.2								66.2
		Average DBH (cm) at 5 Levels								
12.5 +	55.4	33.3					45.7	30.0		17.9
17.5 +	55.4	33.3					45.7	30.0		17.9
22.5 +	55.4	36.8					48.5	31.5		
27.5 +	55.4	39.7					50.4	35.1		
32.5 +	58.7	39.7					52.1	41.5		

*** 6 tree(s) changed to tree class 6: because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Type Stand Table (stems/ha)

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 229
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

14-May-2020 08:38:35AM
Filename: cp229 final.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

Type 42 (M):C H 931, Plots in Type: 2, TUs: [CLEARCUT : 1.1]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20		214.3					214.3			
25		136.7					136.7			
30										
35										
40										
45	45.7						45.7			
50										
55	68.1						68.1			
60								30.6		
65	23.2						23.2			
70	41.8						41.8			
75	18.3						18.3			
80	15.3						15.3			
85			14.0				14.0			
90	12.1						12.1			
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	224.4	351.0	14.0				589.4			
Dead P	30.6							30.6		
Dead U										
Live U										
			Average DBH (cm) at 5 Levels							
12.5 +	63.9	24.1	85.2				45.5	57.7		
17.5 +	63.9	24.1	85.2				45.5	57.7		
22.5 +	63.9	27.3	85.2				54.7	57.7		
27.5 +	63.9		85.2				65.4	57.7		
32.5 +	63.9		85.2				65.4	57.7		

*** 6 tree(s) changed to tree class 6: because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Type Stand Table (stems/ha)

Average Line Method | Grades: MOF Computerized | FIZ: A | 14-May-2020 08:38:35AM
HUSBY FOREST PRODUCTS LTD. | Computerized Decay | PSYU: Queen Charlotte | Filename: cp229 final.ccp
Licence Number: A16869 CP: 229 | Computerized Waste | Region: 2 - West Coast | Compiled by: Husby Forest Products Ltd.
Project: 1 | Computerized Breakage | District: 07 - Haida Gwaii | Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

Type 45 (M):H C 931, Plots in Type: 11, TUs: [CLEARCUT : 9.0]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20										
25		32.2	42.3				74.5	72.2		
30		27.9					27.9	30.4		
35		52.9					52.9			
40	16.3						16.3			
45	21.1						21.1			
50		18.9					18.9	8.8		
55	8.4	7.5					15.8			
60	13.2						13.2	7.0		
65								5.3		
70	4.8						4.8			
75	4.1						4.1			
80	10.8						10.8			
85								3.2		
90	8.3						8.3			
95	7.9						7.9	2.6		
100	4.7						4.7			
105	2.0						2.0			
110	3.9						3.9			
115	3.5						3.5			
120	1.7						1.7			
125	2.9						2.9			
130								2.8		
135										
140										
145										
150										
175										
200										
225	0.9						0.9			
250										
275										
Total	114.7	139.4	42.3				296.4			
Dead P	88.0		44.1					132.1		
Dead U										
Live U										
		Average DBH (cm) at 5 Levels								
12.5 +	76.5	36.5	23.4				54.5	41.9		
17.5 +	76.5	36.5	23.4				54.5	41.9		
22.5 +	76.5	36.5	23.4				54.5	41.9		
27.5 +	76.5	38.9					61.3	55.6		
32.5 +	76.5	41.9					64.6	74.0		

*** 6 tree(s) changed to tree class 6: because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Type Stand Table (stems/ha)

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 229
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

14-May-2020 08:38:35AM
Filename: cp229 final.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

Type 46 (M):H C 831, Plots in Type: 3, TUs: [CLEARCUT : 2.4]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20										216.8
25		109.5			98.9		208.4	356.9		
30								138.7		
35								50.1		
40	46.3		47.5				93.8	41.2		
45			32.7				32.7			
50										
55										
60										
65										
70										
75										
80										
85										
90										
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	46.3	109.5	80.2		98.9		334.9			
Dead P	230.0				356.9			586.9		
Dead U										
Live U			216.8							216.8
			Average DBH (cm) at 5 Levels							
12.5 +	38.3	24.9	41.2		26.2		31.8	28.5		17.7
17.5 +	38.3	24.9	41.2		26.2		31.8	28.5		17.7
22.5 +	38.3	24.9	41.2		26.2		31.8	28.5		
27.5 +	38.3		41.2				40.1	34.4		
32.5 +	38.3		41.2				40.1	38.6		

*** 6 tree(s) changed to tree class 6: because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Type Stand Table (stems/ha)

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 229
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

14-May-2020 08:38:35AM
Filename: cp229 final.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

Type 47 (M):C H PL931, Plots in Type: 8, TUs: [CLEARCUT : 7.0]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20										
25	43.0				45.3		88.4			
30	40.3				32.7		73.0			
35	26.7	28.9	51.8				107.5			
40	20.8				18.3		39.1	20.3		
45	31.7						31.7			
50								12.0		
55	20.9						20.9	11.5		
60								8.2		
65										
70	6.3	6.5					12.8			
75	28.5						28.5			
80								5.1		
85	4.3						4.3			
90	4.1						4.1			
95										
100								3.1		
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	226.8	35.4	51.8		96.3		410.3			
Dead P	52.0				8.2			60.2		
Dead U										
Live U										
	Average DBH (cm) at 5 Levels									
12.5 +	47.4	42.4	35.0		31.5		42.2	56.3		
17.5 +	47.4	42.4	35.0		31.5		42.2	56.3		
22.5 +	47.4	42.4	35.0		31.5		42.2	56.3		
27.5 +	51.0	42.4	35.0		35.3		45.6	56.3		
32.5 +	55.7	42.4	35.0		41.7		49.3	56.3		

*** 6 tree(s) changed to tree class 6: because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Type Stand Table (stems/ha)

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 229
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

14-May-2020 08:38:35AM
Filename: cp229 final.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

Type 56 (I):S H 351, Plots in Type: 20, TUs: [CLEARCUT : 18.1]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (I)	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15		274.7					274.7			
20		59.2					59.2			
25		236.9					236.9	75.8		
30		62.2	21.4				83.5	23.7		
35		71.5	36.0				107.5			
40						8.2	8.2			
45			11.2				11.2			
50			34.3				34.3			
55		18.4	6.7				25.1			
60			46.3				46.3			
65		7.0	19.9				26.9			
70			4.2				4.2			
75			11.0				11.0			
80			6.9				6.9			
85										
90										
95										
100										
105			2.0				2.0			
110										
115										
120										
125										
130										
135										
140			1.1				1.1			
145										
150										
175										
200										
225										
250										
275										
Total		729.8	201.0			8.2	939.0			
Dead P			99.5					99.5		
Dead U										
Live U										
			Average DBH (cm) at 5 Levels							
12.5 +		25.1	55.2			39.4	34.0	25.2		
17.5 +		29.7	55.2			39.4	39.3	25.2		
22.5 +		30.7	55.2			39.4	40.6	25.2		
27.5 +		38.0	55.2			39.4	48.1	29.8		
32.5 +		42.1	57.3			39.4	52.2			

*** 6 tree(s) changed to tree class 6: because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Type Stand Table (stems/ha)

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 229
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

14-May-2020 08:38:35AM
Filename: cp229 final.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

Type 57 (I):S H 351, Plots in Type: 7, TUs: [CLEARCUT : 6.0]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (I)	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15		556.6					556.6			
20		132.9					132.9			
25		103.4	105.3				208.7			
30		68.1					68.1			
35										
40		39.5					39.5			
45										
50		25.7					25.7			
55		23.7					23.7			
60		19.4					19.4			
65										
70		25.5					25.5			
75										
80										
85										
90										
95										
100		6.4	11.9				18.3			
105										
110										
115			4.3				4.3			
120										
125										
130			3.5				3.5			
135										
140										
145										
150										
175			2.1				2.1			
200										
225			1.1				1.1			
250										
275										
Total		1001.3	128.2				1129.4			
Dead P										
Dead U										
Live U										
		Average DBH (cm) at 5 Levels								
12.5 +		28.3	55.9				32.6			
17.5 +		38.7	55.9				43.2			
22.5 +		43.9	55.9				47.7			
27.5 +		50.6	122.5				61.6			
32.5 +		57.7	122.5				70.5			

*** 6 tree(s) changed to tree class 6: because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Type Stand Table (stems/ha)

Average Line Method | Grades: MOF Computerized | FIZ: A | 14-May-2020 08:38:35AM
HUSBY FOREST PRODUCTS LTD. | Computerized Decay | PSYU: Queen Charlotte | Filename: cp229 final.ccp
Licence Number: A16869 CP: 229 | Computerized Waste | Region: 2 - West Coast | Compiled by: Husby Forest Products Ltd.
Project: 1 | Computerized Breakage | District: 07 - Haida Gwaii | Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

Type 59 (M):C H PL921, Plots in Type: 2, TUs: [CLEARCUT : 1.2]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20										
25										
30										
35										
40										
45	56.7						56.7			
50	48.0						48.0			
55										
60										
65	29.1						29.1			
70										
75	21.3						21.3			
80										
85	18.3						18.3			
90										
95										
100								12.3		
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	173.4						173.4			
Dead P	12.3							12.3		
Dead U										
Live U										
			Average DBH (cm) at 5 Levels							
12.5 +	60.6						60.6	101.8		
17.5 +	60.6						60.6	101.8		
22.5 +	60.6						60.6	101.8		
27.5 +	60.6						60.6	101.8		
32.5 +	60.6						60.6	101.8		

*** 6 tree(s) changed to tree class 6: because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Type Stand Table (stems/ha)

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 229
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

14-May-2020 08:38:35AM
Filename: cp229 final.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

Type 60 (M):C H 931, Plots in Type: 17, TUs: [CLEARCUT : 17.4]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20										84.5
25		44.0	28.8				72.8	58.8		
30	43.9	131.9					175.7			
35		41.0					41.0			
40		32.1					32.1			
45	32.9						32.9			
50	41.6						41.6			
55								8.4		
60								19.3		
65										
70	13.7						13.7			
75	5.9						5.9			
80	11.0						11.0			
85	9.5						9.5			
90										
95								3.9		
100	3.5						3.5			
105										
110	2.8						2.8			
115										
120	2.4						2.4	2.4		
125										
130										
135	1.8						1.8			
140										
145	1.7						1.7			
150	1.5						1.5			
175	1.1						1.1			
200										
225										
250										
275										
Total	173.3	248.9	28.8				451.0			
Dead P	84.5	8.4						92.9		
Dead U										
Live U		84.5								84.5
		Average DBH (cm) at 5 Levels								
12.5 +	62.8	31.4	22.8				45.7	45.8		18.3
17.5 +	62.8	31.4	22.8				45.7	45.8		18.3
22.5 +	62.8	31.4	22.8				45.7	45.8		
27.5 +	62.8	32.8					48.9	68.7		
32.5 +	70.8	36.6					60.7	68.7		

*** 6 tree(s) changed to tree class 6: because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Type Stock Table (m3/ha)

Average Line Method | Grades: MOF Computerized | FIZ: A | 14-May-2020 08:38:35AM
HUSBY FOREST PRODUCTS LTD. | Computerized Decay | PSYU: Queen Charlotte | Filename: cp229 final.ccp
Licence Number: A16869 CP: 229 | Computerized Waste | Region: 2 - West Coast | Compiled by: Husby Forest Products Ltd.
Project: 1 | Computerized Breakage | District: 07 - Haida Gwaii | Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

Type 26 (M):YcCw(Hw)931, Plots in Type: 2, TUs: [CLEARCUT : 3.3]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20										
25										
30	30.8						30.8			
35	37.6	70.6					108.2	32.9		
40										
45										
50										
55	46.8						46.8			
60										
65										
70										
75								24.6		
80	25.8						25.8			
85										
90										
95										
100										
105										
110										
115	24.2						24.2			
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	165.1	70.6					235.7			
Dead P	24.6			32.9				57.5		
		Volume (m3/ha) for 7 Levels								
17.5 +	165.1	70.6					235.7	57.5		
22.5 +	165.1	70.6					235.7	57.5		
27.5 +	165.1	70.6					235.7	57.5		
32.5 +	134.3	70.6					205.0	57.5		
37.5 +	96.8						96.8	24.6		
42.5 +	96.8						96.8	24.6		
47.5 +	96.8						96.8	24.6		

*** 6 tree(s) changed to tree class 6: because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Type Stock Table (m3/ha)

Average Line Method | Grades: MOF Computerized | FIZ: A | 14-May-2020 08:38:35AM
HUSBY FOREST PRODUCTS LTD. | Computerized Decay | PSYU: Queen Charlotte | Filename: cp229 final.ccp
Licence Number: A16869 CP: 229 | Computerized Waste | Region: 2 - West Coast | Compiled by: Husby Forest Products Ltd.
Project: 1 | Computerized Breakage | District: 07 - Haida Gwaii | Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

Type 27 (M):CwHw(Yc)931, Plots in Type: 11, TUs: [CLEARCUT : 10.3]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20		7.0					7.0	7.5		
25		8.0					8.0	5.2		
30		17.6					17.6	7.6		
35	6.6	18.8					25.4	8.6		
40	5.1	17.6					22.7			
45	6.3						6.3	17.9		
50	44.9						44.9			
55	12.9						12.9			
60	23.5	29.6					53.1	4.2		
65								11.7		
70	18.4						18.4			
75										
80	25.2						25.2			
85	8.0						8.0			
90	13.9						13.9			
95	8.4						8.4	7.7		
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	173.3	98.5					271.8			
Dead P	52.4		17.9					70.3		
		Volume (m3/ha) for 7 Levels								
17.5 +	173.3	98.5					271.8	70.3		
22.5 +	173.3	91.6					264.9	62.8		
27.5 +	173.3	83.6					256.9	57.7		
32.5 +	173.3	66.0					239.4	50.1		
37.5 +	166.7	47.2					213.9	41.5		
42.5 +	161.7	29.6					191.2	41.5		
47.5 +	155.3	29.6					184.9	23.6		

*** 6 tree(s) changed to tree class 6: because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Type Stock Table (m3/ha)

Average Line Method | Grades: MOF Computerized | FIZ: A | 14-May-2020 08:38:35AM
HUSBY FOREST PRODUCTS LTD. | Computerized Decay | PSYU: Queen Charlotte | Filename: cp229 final.ccp
Licence Number: A16869 CP: 229 | Computerized Waste | Region: 2 - West Coast | Compiled by: Husby Forest Products Ltd.
Project: 1 | Computerized Breakage | District: 07 - Haida Gwaii | Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

Type 28 (M):CwHw(Yc)931, Plots in Type: 35, TUs: [CLEARCUT : 33.5]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20		3.6					3.6			
25	7.0	5.0					12.0	3.1		
30	6.8	8.5					15.3	8.3		
35	2.9	26.8					29.7			
40	13.1						13.1	3.7		
45										
50	14.4	29.2	7.5				51.1	5.3		
55	6.7						6.7	4.9		
60	18.1						18.1	2.6		
65	11.1	10.6					21.7	3.7		
70	14.4						14.4			
75	8.0						8.0			
80	7.2						7.2	5.1		
85	18.4						18.4			
90	15.4						15.4	3.6		
95	18.6						18.6	8.4		
100	7.6						7.6	4.0		
105										
110	3.5						3.5	4.3		
115	9.0						9.0			
120	5.2						5.2			
125	4.9						4.9			
130										
135								4.1		
140										
145										
150										
175										
200										
225										
250										
275										
Total	192.3	83.7	7.5				283.5			
Dead P	58.1	3.1						61.3		
		Volume (m3/ha) for 7 Levels								
17.5 +	192.3	83.7	7.5				283.5	61.3		
22.5 +	192.3	80.1	7.5				279.9	61.3		
27.5 +	185.3	75.1	7.5				267.8	58.1		
32.5 +	178.5	66.5	7.5				252.5	49.8		
37.5 +	175.6	39.7	7.5				222.8	49.8		
42.5 +	162.5	39.7	7.5				209.7	46.2		
47.5 +	162.5	39.7	7.5				209.7	46.2		

*** 6 tree(s) changed to tree class 6: because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Type Stock Table (m3/ha)

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 229
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

14-May-2020 08:38:35AM
Filename: cp229 final.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

Type 29 (M):CwHw931, Plots in Type: 17, TUs: [CLEARCUT : 17.8]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20										
25										
30		22.9	7.3				30.2			
35										
40		25.0					25.0			
45	20.6						20.6			
50										
55	12.1						12.1			
60		29.0					29.0			
65										
70	22.8						22.8			
75		42.1					42.1			
80										
85								13.6		
90										
95	26.2						26.2			
100										
105	26.5						26.5	12.0		
110										
115	25.1						25.1			
120										
125										
130										
135										
140										
145										
150	12.6						12.6			
175										
200										
225										
250										
275										
Total	145.7	119.0	7.3				272.0			
Dead P	25.6							25.6		
		Volume (m3/ha) for 7 Levels								
17.5 +	145.7	119.0	7.3				272.0	25.6		
22.5 +	145.7	119.0	7.3				272.0	25.6		
27.5 +	145.7	119.0	7.3				272.0	25.6		
32.5 +	145.7	96.1					241.8	25.6		
37.5 +	145.7	96.1					241.8	25.6		
42.5 +	145.7	71.1					216.8	25.6		
47.5 +	125.2	71.1					196.3	25.6		

*** 6 tree(s) changed to tree class 6: because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Type Stock Table (m3/ha)

Average Line Method | Grades: MOF Computerized | FIZ: A | 14-May-2020 08:38:35AM
HUSBY FOREST PRODUCTS LTD. | Computerized Decay | PSYU: Queen Charlotte | Filename: cp229 final.ccp
Licence Number: A16869 CP: 229 | Computerized Waste | Region: 2 - West Coast | Compiled by: Husby Forest Products Ltd.
Project: 1 | Computerized Breakage | District: 07 - Haida Gwaii | Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

Type 30 (M):CwHw931, Plots in Type: 8, TUs: [CLEARCUT : 8.1]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20										
25										
30										
35				22.3			22.3			
40		42.1					42.1			
45										
50										
55										
60										
65										
70	42.9						42.9			
75										
80										
85	32.7						32.7			
90										
95	82.3						82.3			
100										
105								32.5		
110								37.6		
115	42.0						42.0			
120										
125										
130										
135										
140										
145										
150	46.3						46.3			
175										
200										
225										
250										
275										
Total	246.1	42.1		22.3			310.5			
Dead P	70.1							70.1		
		Volume (m3/ha) for 7 Levels								
17.5 +	246.1	42.1		22.3			310.5	70.1		
22.5 +	246.1	42.1		22.3			310.5	70.1		
27.5 +	246.1	42.1		22.3			310.5	70.1		
32.5 +	246.1	42.1		22.3			310.5	70.1		
37.5 +	246.1	42.1					288.2	70.1		
42.5 +	246.1						246.1	70.1		
47.5 +	246.1						246.1	70.1		

*** 6 tree(s) changed to tree class 6: because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Type Stock Table (m3/ha)

Average Line Method | Grades: MOF Computerized | FIZ: A | 14-May-2020 08:38:35AM
HUSBY FOREST PRODUCTS LTD. | Computerized Decay | PSYU: Queen Charlotte | Filename: cp229 final.ccp
Licence Number: A16869 CP: 229 | Computerized Waste | Region: 2 - West Coast | Compiled by: Husby Forest Products Ltd.
Project: 1 | Computerized Breakage | District: 07 - Haida Gwaii | Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

Type 31 (M):CwHw(Yc)931, Plots in Type: 11, TUs: [CLEARCUT : 11.5]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20										
25										
30	13.7						13.7	10.5		
35	16.2						16.2			
40										
45				15.4			15.4			
50										
55	22.8						22.8			
60		85.7					85.7			
65	27.6						27.6			
70										
75										
80	19.0						19.0			
85	19.0						19.0			
90										
95								8.1		
100	11.5						11.5			
105										
110								10.1		
115										
120										
125	10.4						10.4			
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	140.2	85.7		15.4			241.3			
Dead P	28.8							28.8		
		Volume (m3/ha) for 7 Levels								
17.5 +	140.2	85.7		15.4			241.3	28.8		
22.5 +	140.2	85.7		15.4			241.3	28.8		
27.5 +	140.2	85.7		15.4			241.3	28.8		
32.5 +	126.5	85.7		15.4			227.6	18.2		
37.5 +	110.3	85.7		15.4			211.4	18.2		
42.5 +	110.3	85.7		15.4			211.4	18.2		
47.5 +	110.3	85.7					196.0	18.2		

*** 6 tree(s) changed to tree class 6: because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Type Stock Table (m3/ha)

Average Line Method | Grades: MOF Computerized | FIZ: A | 14-May-2020 08:38:35AM
HUSBY FOREST PRODUCTS LTD. | Computerized Decay | PSYU: Queen Charlotte | Filename: cp229 final.ccp
Licence Number: A16869 CP: 229 | Computerized Waste | Region: 2 - West Coast | Compiled by: Husby Forest Products Ltd.
Project: 1 | Computerized Breakage | District: 07 - Haida Gwaii | Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

Type 32 (M):CwHw(Yc)931, Plots in Type: 19, TUs: [CLEARCUT : 19.8]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20										
25	9.0	24.8					33.9	4.6		
30		13.8					13.8			
35		20.8	9.9				30.7			
40	11.8	13.3					25.2			
45										
50	18.9	19.7					38.6			
55										
60	6.8						6.8	13.7		
65	7.2						7.2	9.9		
70	6.4						6.4			
75	43.7						43.7			
80	7.0		10.4				17.4			
85	24.5						24.5			
90	17.5						17.5	8.3		
95								17.1		
100										
105										
110										
115	9.1						9.1			
120	8.2						8.2			
125										
130										
135										
140										
145	7.9						7.9			
150										
175										
200										
225										
250										
275										
Total	178.1	92.6	20.3				291.0			
Dead P	43.7		9.9					53.6		
			Volume (m3/ha) for 7 Levels							
17.5 +	178.1	92.6	20.3				291.0	53.6		
22.5 +	178.1	92.6	20.3				291.0	53.6		
27.5 +	169.1	67.7	20.3				257.2	49.0		
32.5 +	169.1	53.9	20.3				243.3	49.0		
37.5 +	169.1	33.0	10.4				212.6	49.0		
42.5 +	157.3	19.7	10.4				187.5	49.0		
47.5 +	157.3	19.7	10.4				187.5	49.0		

*** 6 tree(s) changed to tree class 6: because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Type Stock Table (m3/ha)

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 229
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

14-May-2020 08:38:35AM
Filename: cp229 final.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

Type 33 (M):CwHw(Yc)931, Plots in Type: 7, TUs: [CLEARCUT : 5.5]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20										
25								15.4		
30										
35		61.0	25.5				86.5			
40										
45	103.1						103.1			
50	38.8						38.8			
55										
60	53.0						53.0			
65	28.8						28.8			
70										
75										
80										
85		86.0					86.0			
90										
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	223.6	147.0	25.5				396.1			
Dead P	15.4							15.4		
			Volume (m3/ha) for 7 Levels							
17.5 +	223.6	147.0	25.5				396.1	15.4		
22.5 +	223.6	147.0	25.5				396.1	15.4		
27.5 +	223.6	147.0	25.5				396.1			
32.5 +	223.6	147.0	25.5				396.1			
37.5 +	223.6	86.0					309.6			
42.5 +	223.6	86.0					309.6			
47.5 +	120.5	86.0					206.6			

*** 6 tree(s) changed to tree class 6: because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Type Stock Table (m3/ha)

Average Line Method | Grades: MOF Computerized | FIZ: A | 14-May-2020 08:38:35AM
HUSBY FOREST PRODUCTS LTD. | Computerized Decay | PSYU: Queen Charlotte | Filename: cp229 final.ccp
Licence Number: A16869 CP: 229 | Computerized Waste | Region: 2 - West Coast | Compiled by: Husby Forest Products Ltd.
Project: 1 | Computerized Breakage | District: 07 - Haida Gwaii | Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

Type 34 (M):CwHw(PlcYc)9, Plots in Type: 3, TUs: [CLEARCUT : 3.8]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20										
25										
30										
35	49.4						49.4			
40										
45										
50										
55										
60										
65										
70	74.7						74.7			
75										
80										
85										
90										
95										
100										
105										
110										
115										
120								28.2		
125										
130										
135										
140										
145	24.8						24.8			
150										
175										
200	28.5						28.5			
225										
250										
275										
Total	177.4						177.4			
Dead P	28.2							28.2		
		Volume (m3/ha) for 7 Levels								
17.5 +	177.4						177.4	28.2		
22.5 +	177.4						177.4	28.2		
27.5 +	177.4						177.4	28.2		
32.5 +	177.4						177.4	28.2		
37.5 +	128.0						128.0	28.2		
42.5 +	128.0						128.0	28.2		
47.5 +	128.0						128.0	28.2		

*** 6 tree(s) changed to tree class 6: because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Type Stock Table (m3/ha)

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 229
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

14-May-2020 08:38:35AM
Filename: cp229 final.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

Type 35 (M):CwHw(Yc)931, Plots in Type: 3, TUs: [CLEARCUT : 2.3]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20										
25			44.8				44.8			
30								98.6		
35										
40										
45				48.1			48.1	29.3		
50		55.2		51.1			106.4	50.5		
55	38.5						38.5			
60										
65	57.5						57.5			
70										
75										
80										
85	21.3						21.3			
90										
95										
100										
105										
110										
115	25.4						25.4			
120										
125										
130										
135										
140										
145								24.3		
150										
175										
200										
225										
250										
275										
Total	142.7	55.2	44.8	99.3			342.0			
Dead P	24.3	29.3		149.1				202.7		
			Volume (m3/ha) for 7 Levels							
17.5 +	142.7	55.2	44.8	99.3			342.0	202.7		
22.5 +	142.7	55.2	44.8	99.3			342.0	202.7		
27.5 +	142.7	55.2		99.3			297.2	202.7		
32.5 +	142.7	55.2		99.3			297.2	104.1		
37.5 +	142.7	55.2		99.3			297.2	104.1		
42.5 +	142.7	55.2		99.3			297.2	104.1		
47.5 +	142.7	55.2		51.1			249.0	74.8		

*** 6 tree(s) changed to tree class 6: because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Type Stock Table (m3/ha)

Average Line Method | Grades: MOF Computerized | FIZ: A | 14-May-2020 08:38:35AM
HUSBY FOREST PRODUCTS LTD. | Computerized Decay | PSYU: Queen Charlotte | Filename: cp229 final.ccp
Licence Number: A16869 CP: 229 | Computerized Waste | Region: 2 - West Coast | Compiled by: Husby Forest Products Ltd.
Project: 1 | Computerized Breakage | District: 07 - Haida Gwaii | Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

Type 36 (M):CwHw931, Plots in Type: 13, TUs: [CLEARCUT : 9.7]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20	6.3	12.2					18.6			
25		19.1	8.6				27.7	4.5		
30		29.9					29.9	9.4		
35								11.4		
40		13.1					13.1	5.7		
45	13.1						13.1			
50	10.2						10.2			
55	22.5						22.5			
60	10.0						10.0	10.2		
65		13.6					13.6	5.0		
70								5.7		
75										
80	11.2						11.2			
85	5.9						5.9			
90	11.2						11.2	4.7		
95	7.1						7.1			
100								7.4		
105	13.3						13.3			
110	12.3						12.3			
115										
120										
125										
130										
135				3.0			3.0			
140										
145										
150										
175	5.9						5.9			
200										
225										
250										
275										
Total	129.0	88.0	8.6	3.0			228.5			
Dead P	43.3		11.4	9.4				64.1		
		Volume (m3/ha) for 7 Levels								
17.5 +	129.0	88.0	8.6	3.0			228.5	64.1		
22.5 +	122.6	75.8	8.6	3.0			209.9	64.1		
27.5 +	122.6	56.7		3.0			182.3	59.5		
32.5 +	122.6	26.7		3.0			152.3	50.1		
37.5 +	122.6	26.7		3.0			152.3	38.7		
42.5 +	122.6	13.6		3.0			139.2	33.0		
47.5 +	109.5	13.6		3.0			126.1	33.0		

*** 6 tree(s) changed to tree class 6: because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Type Stock Table (m3/ha)

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 229
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

14-May-2020 08:38:35AM
Filename: cp229 final.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

Type 41 (M):C H 931, Plots in Type: 12, TUs: [CLEARCUT : 13.3]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20		7.7					7.7	6.2		
25		12.3					12.3	15.0		
30	9.4						9.4	15.1		
35		47.5					47.5	15.3		
40	5.2	44.8					49.9			
45	20.0						20.0	6.4		
50	5.9						5.9			
55	24.1						24.1			
60	31.1						31.1			
65	36.7						36.7	6.1		
70	6.3	21.6					27.9			
75										
80	9.5						9.5			
85	13.6						13.6			
90	6.7						6.7			
95										
100										
105	8.8						8.8			
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	177.3	133.9					311.2			
Dead P	52.7	11.3						64.0		
		Volume (m3/ha) for 7 Levels								
17.5 +	177.3	133.9					311.2	64.0		
22.5 +	177.3	126.2					303.5	57.9		
27.5 +	177.3	113.9					291.1	42.9		
32.5 +	167.9	113.9					281.8	27.8		
37.5 +	167.9	66.4					234.3	12.5		
42.5 +	162.7	21.6					184.4	12.5		
47.5 +	142.7	21.6					164.4	6.1		

*** 6 tree(s) changed to tree class 6: because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Type Stock Table (m3/ha)

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 229
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

14-May-2020 08:38:35AM
Filename: cp229 final.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

Type 42 (M):C H 931, Plots in Type: 2, TUs: [CLEARCUT : 1.1]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20		37.5					37.5			
25		63.3					63.3			
30										
35										
40										
45	34.0						34.0			
50										
55	60.7						60.7			
60								36.5		
65	32.9						32.9			
70	78.7						78.7			
75	39.1						39.1			
80	41.1						41.1			
85			103.9				103.9			
90	37.2						37.2			
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	323.4	100.8	103.9				528.1			
Dead P	36.5							36.5		
			Volume (m3/ha) for 7 Levels							
17.5 +	323.4	100.8	103.9				528.1	36.5		
22.5 +	323.4	63.3	103.9				490.6	36.5		
27.5 +	323.4		103.9				427.3	36.5		
32.5 +	323.4		103.9				427.3	36.5		
37.5 +	323.4		103.9				427.3	36.5		
42.5 +	323.4		103.9				427.3	36.5		
47.5 +	289.5		103.9				393.4	36.5		

*** 6 tree(s) changed to tree class 6: because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Type Stock Table (m3/ha)

Average Line Method | Grades: MOF Computerized | FIZ: A | 14-May-2020 08:38:35AM
HUSBY FOREST PRODUCTS LTD. | Computerized Decay | PSYU: Queen Charlotte | Filename: cp229 final.ccp
Licence Number: A16869 CP: 229 | Computerized Waste | Region: 2 - West Coast | Compiled by: Husby Forest Products Ltd.
Project: 1 | Computerized Breakage | District: 07 - Haida Gwaii | Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

Type 45 (M):H C 931, Plots in Type: 11, TUs: [CLEARCUT : 9.0]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20										
25		9.3	10.6				19.8	19.6		
30		16.0					16.0	5.9		
35		32.4					32.4			
40	8.4						8.4			
45	16.1						16.1			
50		33.7					33.7	6.0		
55	11.4	23.5					34.9			
60	15.1						15.1	0.4		
65								6.3		
70	6.2						6.2			
75	6.9						6.9			
80	23.4						23.4			
85								16.4		
90	22.3						22.3			
95	26.7						26.7	6.6		
100	17.1						17.1			
105	7.1						7.1			
110	16.0						16.0			
115	9.1						9.1			
120	7.7						7.7			
125	13.5						13.5			
130								14.0		
135										
140										
145										
150										
175										
200										
225	10.8						10.8			
250										
275										
Total	217.8	114.9	10.6				343.3			
Dead P	47.8		27.3					75.1		
		Volume (m3/ha) for 7 Levels								
17.5 +	217.8	114.9	10.6				343.3	75.1		
22.5 +	217.8	114.9	10.6				343.3	75.1		
27.5 +	217.8	105.6					323.5	55.6		
32.5 +	217.8	89.7					307.5	49.7		
37.5 +	217.8	57.3					275.1	49.7		
42.5 +	209.4	57.3					266.7	49.7		
47.5 +	193.3	57.3					250.6	49.7		

*** 6 tree(s) changed to tree class 6: because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Type Stock Table (m3/ha)

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 229
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

14-May-2020 08:38:35AM
Filename: cp229 final.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

Type 46 (M):H C 831, Plots in Type: 3, TUs: [CLEARCUT : 2.4]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20										
25		49.5			54.6		104.1	112.0		
30								48.7		
35								22.6		
40	40.3		53.4				93.7	3.6		
45			61.9				61.9			
50										
55										
60										
65										
70										
75										
80										
85										
90										
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	40.3	49.5	115.3		54.6		259.7			
Dead P	74.9				112.0			186.9		
			Volume (m3/ha) for 7 Levels							
17.5 +	40.3	49.5	115.3		54.6		259.7	186.9		
22.5 +	40.3	49.5	115.3		54.6		259.7	186.9		
27.5 +	40.3		115.3				155.6	74.9		
32.5 +	40.3		115.3				155.6	26.2		
37.5 +	40.3		115.3				155.6	3.6		
42.5 +			61.9				61.9			
47.5 +										

*** 6 tree(s) changed to tree class 6: because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Type Stock Table (m3/ha)

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 229
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

14-May-2020 08:38:35AM
Filename: cp229 final.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

Type 47 (M):C H PL931, Plots in Type: 8, TUs: [CLEARCUT : 7.0]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20										
25	9.7				19.5		29.2			
30	6.4				17.8		24.2			
35	9.1	14.7	38.6				62.3			
40	13.0				25.0		38.1	9.9		
45	19.7						19.7			
50								10.7		
55	16.4						16.4	0.4		
60								25.2		
65										
70	7.6	23.6					31.3			
75	39.9						39.9			
80								9.3		
85	8.4						8.4			
90	8.2						8.2			
95										
100								1.9		
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	138.3	38.4	38.6		62.4		277.6			
Dead P	32.2				25.2			57.4		
			Volume (m3/ha) for 7 Levels							
17.5 +	138.3	38.4	38.6		62.4		277.6	57.4		
22.5 +	138.3	38.4	38.6		62.4		277.6	57.4		
27.5 +	128.6	38.4	38.6		42.9		248.4	57.4		
32.5 +	122.2	38.4	38.6		25.0		224.2	57.4		
37.5 +	113.2	23.6			25.0		161.9	57.4		
42.5 +	100.1	23.6					123.8	47.4		
47.5 +	80.5	23.6					104.1	47.4		

*** 6 tree(s) changed to tree class 6: because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Type Stock Table (m3/ha)

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 229
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

14-May-2020 08:38:35AM
Filename: cp229 final.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

Type 56 (I):S H 351, Plots in Type: 20, TUs: [CLEARCUT : 18.1]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (I)	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15		24.6					24.6			
20		19.7					19.7			
25		127.5					127.5	33.1		
30		55.1	25.3				80.3	16.1		
35		81.5	44.1				125.5			
40						10.2	10.2			
45			25.4				25.4			
50			97.1				97.1			
55		68.4	16.5				84.9			
60			197.5				197.5			
65		27.5	92.9				120.4			
70			24.2				24.2			
75			66.5				66.5			
80			49.0				49.0			
85										
90										
95										
100										
105			22.0				22.0			
110										
115										
120										
125										
130										
135										
140			21.3				21.3			
145										
150										
175										
200										
225										
250										
275										
Total		404.2	681.8			10.2	1096.2			
Dead P			49.2					49.2		
		Volume (m3/ha) for 7 Levels								
17.5 +		379.6	681.8			10.2	1071.6	49.2		
22.5 +		359.9	681.8			10.2	1051.9	49.2		
27.5 +		232.4	681.8			10.2	924.5	16.1		
32.5 +		177.3	656.5			10.2	844.1			
37.5 +		95.9	612.5			10.2	718.6			
42.5 +		95.9	612.5				708.3			
47.5 +		95.9	587.1				683.0			

*** 6 tree(s) changed to tree class 6: because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Type Stock Table (m3/ha)

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 229
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

14-May-2020 08:38:35AM
Filename: cp229 final.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

Type 57 (I):S H 351, Plots in Type: 7, TUs: [CLEARCUT : 6.0]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (I)	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15		43.3					43.3			
20		30.9					30.9			
25		43.4	37.5				80.9			
30		43.0					43.0			
35										
40		59.5					59.5			
45										
50		63.4					63.4			
55		56.6					56.6			
60		70.0					70.0			
65										
70		174.2					174.2			
75										
80										
85										
90										
95										
100		66.9	137.2				204.1			
105										
110										
115			46.4				46.4			
120										
125										
130			64.5				64.5			
135										
140										
145										
150										
175			46.7				46.7			
200										
225			59.7				59.7			
250										
275										
Total		651.1	392.0				1043.2			
Dead P										
		Volume (m3/ha) for 7 Levels								
17.5 +		607.8	392.0				999.9			
22.5 +		577.0	392.0				969.0			
27.5 +		533.6	354.5				888.1			
32.5 +		490.6	354.5				845.1			
37.5 +		490.6	354.5				845.1			
42.5 +		431.1	354.5				785.6			
47.5 +		431.1	354.5				785.6			

*** 6 tree(s) changed to tree class 6: because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Type Stock Table (m3/ha)

Average Line Method | Grades: MOF Computerized | FIZ: A | 14-May-2020 08:38:35AM
HUSBY FOREST PRODUCTS LTD. | Computerized Decay | PSYU: Queen Charlotte | Filename: cp229 final.ccp
Licence Number: A16869 CP: 229 | Computerized Waste | Region: 2 - West Coast | Compiled by: Husby Forest Products Ltd.
Project: 1 | Computerized Breakage | District: 07 - Haida Gwaii | Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

Type 59 (M):C H PL921, Plots in Type: 2, TUs: [CLEARCUT : 1.2]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20										
25										
30										
35										
40										
45	44.6						44.6			
50	25.3						25.3			
55										
60										
65	28.8						28.8			
70										
75	25.0						25.0			
80										
85	29.8						29.8			
90										
95										
100								27.5		
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	153.4						153.4			
Dead P	27.5							27.5		
		Volume (m3/ha) for 7 Levels								
17.5 +	153.4						153.4	27.5		
22.5 +	153.4						153.4	27.5		
27.5 +	153.4						153.4	27.5		
32.5 +	153.4						153.4	27.5		
37.5 +	153.4						153.4	27.5		
42.5 +	153.4						153.4	27.5		
47.5 +	108.8						108.8	27.5		

*** 6 tree(s) changed to tree class 6: because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Type Stock Table (m3/ha)

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 229
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

14-May-2020 08:38:35AM
Filename: cp229 final.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

Type 60 (M):C H 931, Plots in Type: 17, TUs: [CLEARCUT : 17.4]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20										
25		11.8	7.4				19.2	4.8		
30	10.0	64.2					74.2			
35		21.1					21.1			
40		18.1					18.1			
45	19.7						19.7			
50	35.9						35.9			
55								6.1		
60								11.4		
65										
70	20.4						20.4			
75	7.0						7.0			
80	17.9						17.9			
85	16.9						16.9			
90										
95								7.3		
100	10.3						10.3			
105										
110	6.5						6.5			
115										
120	9.1						9.1	8.2		
125										
130										
135	6.3						6.3			
140										
145	7.9						7.9			
150	6.9						6.9			
175	7.7						7.7			
200										
225										
250										
275										
Total	182.6	115.2	7.4				305.2			
Dead P	31.7	6.1						37.8		
		Volume (m3/ha) for 7 Levels								
17.5 +	182.6	115.2	7.4				305.2	37.8		
22.5 +	182.6	115.2	7.4				305.2	37.8		
27.5 +	182.6	103.4					286.0	33.0		
32.5 +	172.6	39.3					211.8	33.0		
37.5 +	172.6	18.1					190.7	33.0		
42.5 +	172.6						172.6	33.0		
47.5 +	152.9						152.9	33.0		

*** 6 tree(s) changed to tree class 6: because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Type Basal Area Table (m2/ha)

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 229
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

14-May-2020 08:38:35AM
Filename: cp229 final.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

Type 26 (M):YcCw(Hw)931, Plots in Type: 2, TUs: [CLEARCUT : 3.3]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20										
25										
30	8.0						8.0			
35	8.0	8.0					16.0	8.0		
40										
45										
50										
55	8.0						8.0			
60										
65										
70										
75								8.0		
80	8.0						8.0			
85										
90										
95										
100										
105										
110										
115	8.0						8.0			
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	40.0	8.0					48.0			
Dead P	8.0			8.0				16.0		
Dead U										
Live U										

Basal Area (m2/ha) at 5 Levels

12.5 +	40.0	8.0	48.0	16.0	
17.5 +	40.0	8.0	48.0	16.0	
22.5 +	40.0	8.0	48.0	16.0	
27.5 +	40.0	8.0	48.0	16.0	
32.5 +	32.0	8.0	40.0	16.0	

*** 6 tree(s) changed to tree class 6: because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Type Basal Area Table (m2/ha)

Average Line Method | Grades: MOF Computerized | FIZ: A | 14-May-2020 08:38:35AM
HUSBY FOREST PRODUCTS LTD. | Computerized Decay | PSYU: Queen Charlotte | Filename: cp229 final.ccp
Licence Number: A16869 CP: 229 | Computerized Waste | Region: 2 - West Coast | Compiled by: Husby Forest Products Ltd.
Project: 1 | Computerized Breakage | District: 07 - Haida Gwaii | Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

Type 27 (M):CwHw(Yc)931, Plots in Type: 11, TUs: [CLEARCUT : 10.3]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20		2.3					2.3	2.3		
25		2.3					2.3	2.3		
30		2.3					2.3	2.3		
35	2.3	2.3					4.5	2.3		
40	2.3	2.3					4.5			
45	2.3						2.3	2.3		
50	9.1						9.1			
55	4.5						4.5			
60	9.1	4.5					13.6	2.3		
65								4.5		
70	4.5						4.5			
75										
80	6.8						6.8			
85	2.3						2.3			
90	4.5						4.5			
95	2.3						2.3	2.3		
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	50.0	15.9					65.9			
Dead P	18.2		2.3					20.5		
Dead U										
Live U										
		Basal Area (m2/ha) at 5 Levels								
12.5 +	50.0	15.9					65.9	20.5		
17.5 +	50.0	15.9					65.9	20.5		
22.5 +	50.0	13.6					63.6	18.2		
27.5 +	50.0	11.4					61.4	15.9		
32.5 +	50.0	9.1					59.1	13.6		

*** 6 tree(s) changed to tree class 6: because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Type Basal Area Table (m2/ha)

Average Line Method | Grades: MOF Computerized | FIZ: A | 14-May-2020 08:38:35AM
HUSBY FOREST PRODUCTS LTD. | Computerized Decay | PSYU: Queen Charlotte | Filename: cp229 final.ccp
Licence Number: A16869 CP: 229 | Computerized Waste | Region: 2 - West Coast | Compiled by: Husby Forest Products Ltd.
Project: 1 | Computerized Breakage | District: 07 - Haida Gwaii | Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

Type 28 (M):CwHw(Yc)931, Plots in Type: 35, TUs: [CLEARCUT : 33.5]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20		1.4					1.4			1.4
25	1.3	1.4					2.7	1.4		
30	1.3	1.4					2.7	2.7		
35	1.3	4.1					5.4			
40	2.7						2.7	1.3		
45										
50	2.7	4.1	0.7				7.5	1.3		
55	2.7						2.7	1.3		
60	5.4						5.4	1.3		
65	2.7	1.4					4.1	1.3		
70	4.0						4.0			
75	2.7						2.7			
80	2.7						2.7	1.3		
85	4.0						4.0			
90	4.0						4.0	1.3		
95	5.4						5.4	2.7		
100	2.7						2.7	1.3		
105										
110	1.3						1.3	1.3		
115	2.7						2.7			
120	1.3						1.3			
125	1.3						1.3			
130										
135								1.3		
140										
145										
150										
175										
200										
225										
250										
275										
Total	52.6	13.6	0.7				66.9			
Dead P	18.9	1.4						20.2		
Dead U										
Live U	1.4									1.4
		Basal Area (m2/ha) at 5 Levels								
12.5 +	52.6	13.6	0.7				66.9	20.2		1.4
17.5 +	52.6	13.6	0.7				66.9	20.2		1.4
22.5 +	52.6	12.3	0.7				65.5	20.2		
27.5 +	51.2	10.9	0.7				62.8	18.9		
32.5 +	49.9	9.5	0.7				60.1	16.2		

*** 6 tree(s) changed to tree class 6: because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Type Basal Area Table (m2/ha)

Average Line Method | Grades: MOF Computerized | FIZ: A | 14-May-2020 08:38:35AM
HUSBY FOREST PRODUCTS LTD. | Computerized Decay | PSYU: Queen Charlotte | Filename: cp229 final.ccp
Licence Number: A16869 CP: 229 | Computerized Waste | Region: 2 - West Coast | Compiled by: Husby Forest Products Ltd.
Project: 1 | Computerized Breakage | District: 07 - Haida Gwaii | Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

Type 29 (M):CwHw931, Plots in Type: 17, TUs: [CLEARCUT : 17.8]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20										
25										
30		4.4	1.5				5.9			
35										
40		4.4					4.4			
45	3.8						3.8			
50										
55	3.8						3.8			
60		4.4					4.4			
65										
70	7.7						7.7			
75		4.4					4.4			
80										
85								3.8		
90										
95	7.7						7.7			
100										
105	7.7						7.7	3.8		
110										
115	7.7						7.7			
120										
125										
130										
135										
140										
145										
150	3.8						3.8			
175										
200										
225										
250										
275										
Total	42.3	17.6	1.5				61.4			
Dead P	7.7							7.7		
Dead U										
Live U										
	Basal Area (m2/ha) at 5 Levels									
12.5 +	42.3	17.6	1.5				61.4	7.7		
17.5 +	42.3	17.6	1.5				61.4	7.7		
22.5 +	42.3	17.6	1.5				61.4	7.7		
27.5 +	42.3	17.6	1.5				61.4	7.7		
32.5 +	42.3	13.2					55.5	7.7		

*** 6 tree(s) changed to tree class 6: because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Type Basal Area Table (m2/ha)

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 229
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

14-May-2020 08:38:35AM
Filename: cp229 final.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

Type 30 (M):CwHw931, Plots in Type: 8, TUs: [CLEARCUT : 8.1]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20										
25										
30										
35				3.1			3.1			
40		6.3					6.3			
45										
50										
55										
60										
65										
70	9.8						9.8			
75										
80										
85	9.8						9.8			
90										
95	19.5						19.5			
100										
105								9.8		
110								9.8		
115	9.8						9.8			
120										
125										
130										
135										
140										
145										
150	9.8						9.8			
175										
200										
225										
250										
275										
Total	58.6	6.3		3.1			68.0			
Dead P	19.5							19.5		
Dead U										
Live U										
		Basal Area (m2/ha) at 5 Levels								
12.5 +	58.6	6.3		3.1			68.0	19.5		
17.5 +	58.6	6.3		3.1			68.0	19.5		
22.5 +	58.6	6.3		3.1			68.0	19.5		
27.5 +	58.6	6.3		3.1			68.0	19.5		
32.5 +	58.6	6.3		3.1			68.0	19.5		

*** 6 tree(s) changed to tree class 6: because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Type Basal Area Table (m2/ha)

Average Line Method | Grades: MOF Computerized | FIZ: A | 14-May-2020 08:38:35AM
HUSBY FOREST PRODUCTS LTD. | Computerized Decay | PSYU: Queen Charlotte | Filename: cp229 final.ccp
Licence Number: A16869 CP: 229 | Computerized Waste | Region: 2 - West Coast | Compiled by: Husby Forest Products Ltd.
Project: 1 | Computerized Breakage | District: 07 - Haida Gwaii | Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

Type 31 (M):CwHw(Yc)931, Plots in Type: 11, TUs: [CLEARCUT : 11.5]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20										
25										
30	3.3						3.3	3.3		
35	3.3						3.3			
40										
45				2.3			2.3			
50										
55	6.6						6.6		3.6	
60		11.4					11.4			
65	6.6						6.6			
70										
75										
80	3.3						3.3			
85	3.3						3.3			
90										
95								3.3		
100	3.3						3.3			
105										
110								3.3		
115										
120										
125	3.3						3.3			
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	33.2	11.4		2.3			46.9			
Dead P	10.0							10.0		
Dead U		3.6							3.6	
Live U										
			Basal Area (m2/ha) at 5 Levels							
12.5 +	33.2	11.4		2.3			46.9	10.0	3.6	
17.5 +	33.2	11.4		2.3			46.9	10.0	3.6	
22.5 +	33.2	11.4		2.3			46.9	10.0	3.6	
27.5 +	33.2	11.4		2.3			46.9	10.0	3.6	
32.5 +	29.9	11.4		2.3			43.5	6.6	3.6	

*** 6 tree(s) changed to tree class 6: because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Type Basal Area Table (m2/ha)

Average Line Method | Grades: MOF Computerized | FIZ: A | 14-May-2020 08:38:35AM
HUSBY FOREST PRODUCTS LTD. | Computerized Decay | PSYU: Queen Charlotte | Filename: cp229 final.ccp
Licence Number: A16869 CP: 229 | Computerized Waste | Region: 2 - West Coast | Compiled by: Husby Forest Products Ltd.
Project: 1 | Computerized Breakage | District: 07 - Haida Gwaii | Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

Type 32 (M):CwHw(Yc)931, Plots in Type: 19, TUs: [CLEARCUT : 19.8]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20										
25	2.2	5.3					7.4	2.2		
30		2.6					2.6			
35		2.6	1.3				3.9			
40	2.2	2.6					4.8			
45										
50	4.4	2.6					7.0			
55										
60	2.2						2.2	4.4		
65	2.2						2.2	1.3		
70	2.2						2.2			
75	8.7						8.7			
80	2.2		1.3				3.5			
85	6.5						6.5			
90	4.4						4.4	2.2		
95								4.4		
100										
105										
110										
115	2.2						2.2			
120	2.2						2.2			
125										
130										
135										
140										
145	2.2						2.2			
150										
175										
200										
225										
250										
275										
Total	43.5	15.8	2.6				61.9			
Dead P	13.1		1.3					14.4		
Dead U										
Live U										
	Basal Area (m2/ha) at 5 Levels									
12.5 +	43.5	15.8	2.6				61.9	14.4		
17.5 +	43.5	15.8	2.6				61.9	14.4		
22.5 +	43.5	15.8	2.6				61.9	14.4		
27.5 +	41.3	10.5	2.6				54.5	12.2		
32.5 +	41.3	7.9	2.6				51.9	12.2		

*** 6 tree(s) changed to tree class 6: because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Type Basal Area Table (m2/ha)

Average Line Method | Grades: MOF Computerized | FIZ: A | 14-May-2020 08:38:35AM
HUSBY FOREST PRODUCTS LTD. | Computerized Decay | PSYU: Queen Charlotte | Filename: cp229 final.ccp
Licence Number: A16869 CP: 229 | Computerized Waste | Region: 2 - West Coast | Compiled by: Husby Forest Products Ltd.
Project: 1 | Computerized Breakage | District: 07 - Haida Gwaii | Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

Type 33 (M):CwHw(Yc)931, Plots in Type: 7, TUs: [CLEARCUT : 5.5]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20										
25								5.4		
30										
35		8.9	3.6				12.5			
40										
45	21.4						21.4			
50	5.4						5.4			
55										
60	10.7						10.7			
65	10.7						10.7			
70										
75										
80										
85		8.9					8.9			
90										
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	48.2	17.9	3.6				69.6			
Dead P	5.4							5.4		
Dead U										
Live U										
			Basal Area (m2/ha) at 5 Levels							
12.5 +	48.2	17.9	3.6				69.6	5.4		
17.5 +	48.2	17.9	3.6				69.6	5.4		
22.5 +	48.2	17.9	3.6				69.6	5.4		
27.5 +	48.2	17.9	3.6				69.6			
32.5 +	48.2	17.9	3.6				69.6			

*** 6 tree(s) changed to tree class 6: because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Type Basal Area Table (m2/ha)

Average Line Method | Grades: MOF Computerized | FIZ: A | 14-May-2020 08:38:35AM
HUSBY FOREST PRODUCTS LTD. | Computerized Decay | PSYU: Queen Charlotte | Filename: cp229 final.ccp
Licence Number: A16869 CP: 229 | Computerized Waste | Region: 2 - West Coast | Compiled by: Husby Forest Products Ltd.
Project: 1 | Computerized Breakage | District: 07 - Haida Gwaii | Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

Type 34 (M):CwHw(PlcYc)9, Plots in Type: 3, TUs: [CLEARCUT : 3.8]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20										
25										
30										
35	8.3						8.3			
40										
45										
50										
55										
60										
65										
70	16.7						16.7			
75										
80										
85										
90										
95										
100										
105										
110										
115										
120								8.3		
125										
130										
135										
140										
145	8.3						8.3			
150										
175										
200	8.3						8.3			
225										
250										
275										
Total	41.7						41.7			
Dead P	8.3							8.3		
Dead U										
Live U										

Basal Area (m2/ha) at 5 Levels

12.5 +	41.7						41.7	8.3		
17.5 +	41.7						41.7	8.3		
22.5 +	41.7						41.7	8.3		
27.5 +	41.7						41.7	8.3		
32.5 +	41.7						41.7	8.3		

*** 6 tree(s) changed to tree class 6: because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Type Basal Area Table (m2/ha)

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 229
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

14-May-2020 08:38:35AM
Filename: cp229 final.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

Type 35 (M):CwHw(Yc)931, Plots in Type: 3, TUs: [CLEARCUT : 2.3]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20										
25			8.3				8.3			
30								16.7		
35										
40										
45				8.3			8.3	8.3		
50		8.3		8.3			16.7	8.3		
55	8.3						8.3			
60										
65	16.7						16.7			
70										
75										
80										
85	8.3						8.3			
90										
95										
100										
105										
110										
115	8.3						8.3			
120										
125										
130										
135										
140										
145								8.3		
150										
175										
200										
225										
250										
275										
Total	41.7	8.3	8.3	16.7			75.0			
Dead P	8.3	8.3		25.0				41.7		
Dead U										
Live U										
	Basal Area (m2/ha) at 5 Levels									
12.5 +	41.7	8.3	8.3	16.7			75.0	41.7		
17.5 +	41.7	8.3	8.3	16.7			75.0	41.7		
22.5 +	41.7	8.3	8.3	16.7			75.0	41.7		
27.5 +	41.7	8.3		16.7			66.7	41.7		
32.5 +	41.7	8.3		16.7			66.7	25.0		

*** 6 tree(s) changed to tree class 6: because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Type Basal Area Table (m2/ha)

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 229
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

14-May-2020 08:38:35AM
Filename: cp229 final.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

Type 36 (M):CwHw931, Plots in Type: 13, TUs: [CLEARCUT : 9.7]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20	1.9	1.9					3.8			
25		3.8	1.9				5.8	1.9		
30		5.8					5.8	1.9		
35								1.9		
40		1.9					1.9	1.9		
45	1.9						1.9			
50	1.9						1.9			
55	5.8						5.8			
60	3.8						3.8	3.8		
65		1.9					1.9	1.9		
70								1.9		
75										
80	1.9						1.9			
85	1.9						1.9			
90	3.8						3.8	1.9		
95	1.9						1.9			
100								1.9		
105	3.8						3.8			
110	3.8						3.8			
115										
120										
125										
130										
135				1.9			1.9			
140										
145										
150										
175	1.9						1.9			
200										
225										
250										
275										
Total	34.6	15.4	1.9	1.9			53.8			
Dead P	15.4		1.9	1.9				19.2		
Dead U										
Live U										
	Basal Area (m2/ha) at 5 Levels									
12.5 +	34.6	15.4	1.9	1.9			53.8	19.2		
17.5 +	34.6	15.4	1.9	1.9			53.8	19.2		
22.5 +	32.7	13.5	1.9	1.9			50.0	19.2		
27.5 +	32.7	9.6		1.9			44.2	17.3		
32.5 +	32.7	3.8		1.9			38.5	15.4		

*** 6 tree(s) changed to tree class 6: because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Type Basal Area Table (m2/ha)

Average Line Method | Grades: MOF Computerized | FIZ: A | 14-May-2020 08:38:35AM
HUSBY FOREST PRODUCTS LTD. | Computerized Decay | PSYU: Queen Charlotte | Filename: cp229 final.ccp
Licence Number: A16869 CP: 229 | Computerized Waste | Region: 2 - West Coast | Compiled by: Husby Forest Products Ltd.
Project: 1 | Computerized Breakage | District: 07 - Haida Gwaii | Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

Type 41 (M):C H 931, Plots in Type: 12, TUs: [CLEARCUT : 13.3]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20		1.7					1.7	1.7		1.7
25		1.7					1.7	3.3		
30	1.7						1.7	5.0		
35		5.0					5.0	3.3		
40	1.7	5.0					6.7			
45	5.0						5.0	1.7		
50	1.7						1.7			
55	5.0						5.0			
60	8.3						8.3			
65	8.3						8.3	1.7		
70	1.7	1.7					3.3			
75										
80	1.7						1.7			
85	3.3						3.3			
90	1.7						1.7			
95										
100										
105	1.7						1.7			
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	41.7	15.0					56.7			
Dead P	13.3	3.3						16.7		
Dead U										
Live U		1.7								1.7
		Basal Area (m2/ha) at 5 Levels								
12.5 +	41.7	15.0					56.7	16.7		1.7
17.5 +	41.7	15.0					56.7	16.7		1.7
22.5 +	41.7	13.3					55.0	15.0		
27.5 +	41.7	11.7					53.3	11.7		
32.5 +	40.0	11.7					51.7	6.7		

*** 6 tree(s) changed to tree class 6: because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Type Basal Area Table (m2/ha)

Average Line Method | Grades: MOF Computerized | FIZ: A | 14-May-2020 08:38:35AM
HUSBY FOREST PRODUCTS LTD. | Computerized Decay | PSYU: Queen Charlotte | Filename: cp229 final.ccp
Licence Number: A16869 CP: 229 | Computerized Waste | Region: 2 - West Coast | Compiled by: Husby Forest Products Ltd.
Project: 1 | Computerized Breakage | District: 07 - Haida Gwaii | Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

Type 42 (M):C H 931, Plots in Type: 2, TUs: [CLEARCUT : 1.1]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20		8.0					8.0			
25		8.0					8.0			
30										
35										
40										
45	8.0						8.0			
50										
55	16.0						16.0			
60								8.0		
65	8.0						8.0			
70	16.0						16.0			
75	8.0						8.0			
80	8.0						8.0			
85			8.0				8.0			
90	8.0						8.0			
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	72.0	16.0	8.0				96.0			
Dead P	8.0							8.0		
Dead U										
Live U										
		Basal Area (m2/ha) at 5 Levels								
12.5 +	72.0	16.0	8.0				96.0	8.0		
17.5 +	72.0	16.0	8.0				96.0	8.0		
22.5 +	72.0	8.0	8.0				88.0	8.0		
27.5 +	72.0		8.0				80.0	8.0		
32.5 +	72.0		8.0				80.0	8.0		

*** 6 tree(s) changed to tree class 6: because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Type Basal Area Table (m2/ha)

Average Line Method | Grades: MOF Computerized | FIZ: A | 14-May-2020 08:38:35AM
HUSBY FOREST PRODUCTS LTD. | Computerized Decay | PSYU: Queen Charlotte | Filename: cp229 final.ccp
Licence Number: A16869 CP: 229 | Computerized Waste | Region: 2 - West Coast | Compiled by: Husby Forest Products Ltd.
Project: 1 | Computerized Breakage | District: 07 - Haida Gwaii | Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

Type 45 (M):H C 931, Plots in Type: 11, TUs: [CLEARCUT : 9.0]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20										
25		1.8	1.8				3.6	3.6		
30		1.8					1.8	1.8		
35		5.5					5.5			
40	1.8						1.8			
45	3.6						3.6			
50		3.6					3.6	1.8		
55	1.8	1.8					3.6			
60	3.6						3.6	1.8		
65								1.8		
70	1.8						1.8			
75	1.8						1.8			
80	5.5						5.5			
85								1.8		
90	5.5						5.5			
95	5.5						5.5	1.8		
100	3.6						3.6			
105	1.8						1.8			
110	3.6						3.6			
115	3.6						3.6			
120	1.8						1.8			
125	3.6						3.6			
130								3.6		
135										
140										
145										
150										
175										
200										
225	3.6						3.6			
250										
275										
Total	52.7	14.5	1.8				69.1			
Dead P	14.5		3.6					18.2		
Dead U										
Live U										
			Basal Area (m2/ha) at 5 Levels							
12.5 +	52.7	14.5	1.8				69.1	18.2		
17.5 +	52.7	14.5	1.8				69.1	18.2		
22.5 +	52.7	14.5	1.8				69.1	18.2		
27.5 +	52.7	12.7					65.5	14.5		
32.5 +	52.7	10.9					63.6	12.7		

*** 6 tree(s) changed to tree class 6: because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Type Basal Area Table (m2/ha)

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 229
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

14-May-2020 08:38:35AM
Filename: cp229 final.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

Type 46 (M):H C 831, Plots in Type: 3, TUs: [CLEARCUT : 2.4]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20										5.3
25		5.3			5.3		10.7	16.0		
30								10.7		
35								5.3		
40	5.3		5.3				10.7	5.3		
45			5.3				5.3			
50										
55										
60										
65										
70										
75										
80										
85										
90										
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	5.3	5.3	10.7		5.3		26.7			
Dead P	21.3				16.0			37.3		
Dead U										
Live U			5.3							5.3

Basal Area (m2/ha) at 5 Levels

12.5 +	5.3	5.3	10.7	5.3	26.7	37.3	5.3
17.5 +	5.3	5.3	10.7	5.3	26.7	37.3	5.3
22.5 +	5.3	5.3	10.7	5.3	26.7	37.3	
27.5 +	5.3		10.7		16.0	21.3	
32.5 +	5.3		10.7		16.0	10.7	

*** 6 tree(s) changed to tree class 6: because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Type Basal Area Table (m2/ha)

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 229
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

14-May-2020 08:38:35AM
Filename: cp229 final.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

Type 47 (M):C H PL931, Plots in Type: 8, TUs: [CLEARCUT : 7.0]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20										
25	2.5				2.5		5.0			
30	2.5				2.5		5.0			
35	2.5	2.5	5.0				10.0			
40	2.5				2.5		5.0	2.5		
45	5.0						5.0			
50								2.5		
55	5.0						5.0	2.5		
60								2.5		
65										
70	2.5	2.5					5.0			
75	12.5						12.5			
80								2.5		
85	2.5						2.5			
90	2.5						2.5			
95										
100								2.5		
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	40.0	5.0	5.0		7.5		57.5			
Dead P	12.5				2.5			15.0		
Dead U										
Live U										
	Basal Area (m2/ha) at 5 Levels									
12.5 +	40.0	5.0	5.0		7.5		57.5	15.0		
17.5 +	40.0	5.0	5.0		7.5		57.5	15.0		
22.5 +	40.0	5.0	5.0		7.5		57.5	15.0		
27.5 +	37.5	5.0	5.0		5.0		52.5	15.0		
32.5 +	35.0	5.0	5.0		2.5		47.5	15.0		

*** 6 tree(s) changed to tree class 6: because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Type Basal Area Table (m2/ha)

Average Line Method | Grades: MOF Computerized | FIZ: A | 14-May-2020 08:38:35AM
HUSBY FOREST PRODUCTS LTD. | Computerized Decay | PSYU: Queen Charlotte | Filename: cp229 final.ccp
Licence Number: A16869 CP: 229 | Computerized Waste | Region: 2 - West Coast | Compiled by: Husby Forest Products Ltd.
Project: 1 | Computerized Breakage | District: 07 - Haida Gwaii | Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

Type 56 (I):S H 351, Plots in Type: 20, TUs: [CLEARCUT : 18.1]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (I)	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15		4.5					4.5			
20		2.3					2.3			
25		11.3					11.3	3.3		
30		4.5	1.7				6.2	1.7		
35		6.8	3.3				10.1			
40						1.0	1.0			
45			1.7				1.7			
50			6.6				6.6			
55		4.5	1.7				6.2			
60			13.3				13.3			
65		2.3	6.6				8.9			
70			1.7				1.7			
75			5.0				5.0			
80			3.3				3.3			
85										
90										
95										
100										
105			1.7				1.7			
110										
115										
120										
125										
130										
135										
140			1.7				1.7			
145										
150										
175										
200										
225										
250										
275										
Total		36.0	48.0			1.0	85.0			
Dead P			5.0					5.0		
Dead U										
Live U										
		Basal Area (m2/ha) at 5 Levels								
12.5 +		36.0	48.0			1.0	85.0	5.0		
17.5 +		31.5	48.0			1.0	80.5	5.0		
22.5 +		29.3	48.0			1.0	78.3	5.0		
27.5 +		18.0	48.0			1.0	67.0	1.7		
32.5 +		13.5	46.4			1.0	60.9			

*** 6 tree(s) changed to tree class 6: because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Type Basal Area Table (m2/ha)

Average Line Method | Grades: MOF Computerized | FIZ: A | 14-May-2020 08:38:35AM
HUSBY FOREST PRODUCTS LTD. | Computerized Decay | PSYU: Queen Charlotte | Filename: cp229 final.ccp
Licence Number: A16869 CP: 229 | Computerized Waste | Region: 2 - West Coast | Compiled by: Husby Forest Products Ltd.
Project: 1 | Computerized Breakage | District: 07 - Haida Gwaii | Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

Type 57 (I):S H 351, Plots in Type: 7, TUs: [CLEARCUT : 6.0]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (I)	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
Stump Ht cm (I)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (I)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15		10.5					10.5			
20		5.2					5.2			
25		5.2	4.5				9.7			
30		5.2					5.2			
35										
40		5.2					5.2			
45										
50		5.2					5.2			
55		5.2					5.2			
60		5.2					5.2			
65										
70		10.5					10.5			
75										
80										
85										
90										
95										
100		5.2	9.0				14.2			
105										
110										
115			4.5				4.5			
120										
125										
130			4.5				4.5			
135										
140										
145										
150										
175			4.5				4.5			
200										
225			4.5				4.5			
250										
275										
Total		62.9	31.4				94.3			
Dead P										
Dead U										
Live U										

Basal Area (m2/ha) at 5 Levels

12.5 +	62.9	31.4		94.3
17.5 +	52.4	31.4		83.8
22.5 +	47.1	31.4		78.6
27.5 +	41.9	26.9		68.8
32.5 +	36.7	26.9		63.6

*** 6 tree(s) changed to tree class 6: because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Type Basal Area Table (m2/ha)

Average Line Method | Grades: MOF Computerized | FIZ: A | 14-May-2020 08:38:35AM
HUSBY FOREST PRODUCTS LTD. | Computerized Decay | PSYU: Queen Charlotte | Filename: cp229 final.ccp
Licence Number: A16869 CP: 229 | Computerized Waste | Region: 2 - West Coast | Compiled by: Husby Forest Products Ltd.
Project: 1 | Computerized Breakage | District: 07 - Haida Gwaii | Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

Type 59 (M):C H PL921, Plots in Type: 2, TUs: [CLEARCUT : 1.2]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20										
25										
30										
35										
40										
45	10.0						10.0			
50	10.0						10.0			
55										
60										
65	10.0						10.0			
70										
75	10.0						10.0			
80										
85	10.0						10.0			
90										
95										
100								10.0		
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	50.0						50.0			
Dead P	10.0							10.0		
Dead U										
Live U										

Basal Area (m2/ha) at 5 Levels

12.5 +	50.0						50.0	10.0		
17.5 +	50.0						50.0	10.0		
22.5 +	50.0						50.0	10.0		
27.5 +	50.0						50.0	10.0		
32.5 +	50.0						50.0	10.0		

*** 6 tree(s) changed to tree class 6: because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Type Basal Area Table (m2/ha)

Average Line Method | Grades: MOF Computerized | FIZ: A | 14-May-2020 08:38:35AM
HUSBY FOREST PRODUCTS LTD. | Computerized Decay | PSYU: Queen Charlotte | Filename: cp229 final.ccp
Licence Number: A16869 CP: 229 | Computerized Waste | Region: 2 - West Coast | Compiled by: Husby Forest Products Ltd.
Project: 1 | Computerized Breakage | District: 07 - Haida Gwaii | Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

Type 60 (M):C H 931, Plots in Type: 17, TUs: [CLEARCUT : 17.4]

	C	H	S	Y	PL	D	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Log Len m	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
DBH Class										
5										
10										
15										
20										2.2
25		1.9	1.2				3.1	2.7		
30	2.7	9.6					12.3			
35		3.9					3.9			
40		3.9					3.9			
45	5.4						5.4			
50	8.0						8.0			
55								1.9		
60								5.4		
65										
70	5.4						5.4			
75	2.7						2.7			
80	5.4						5.4			
85	5.4						5.4			
90										
95								2.7		
100	2.7						2.7			
105										
110	2.7						2.7			
115										
120	2.7						2.7	2.7		
125										
130										
135	2.7						2.7			
140										
145	2.7						2.7			
150	2.7						2.7			
175	2.7						2.7			
200										
225										
250										
275										
Total	53.6	19.3	1.2				74.1			
Dead P	13.4	1.9						15.3		
Dead U										
Live U		2.2								2.2
		Basal Area (m2/ha) at 5 Levels								
12.5 +	53.6	19.3	1.2				74.1	15.3		2.2
17.5 +	53.6	19.3	1.2				74.1	15.3		2.2
22.5 +	53.6	19.3	1.2				74.1	15.3		
27.5 +	53.6	17.3					71.0	12.7		
32.5 +	51.0	7.7					58.7	12.7		

*** 6 tree(s) changed to tree class 6: because only log was less then 3.00 m ***
FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Plot Summary

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 229
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

14-May-2020 08:38:35AM
Filename: cp229 final.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

Utilization Levels:	Minimum DBH	Top Diameter	Stump Height
Mature Blocks: (cm)	17.5	15.0	30
Immature Blocks:(cm)	12.0	10.0	30

Standard Log Length:(m) 10.00

Forest Type	Block	Strip	Plot #	Plot Size	Slope %	Species	# of Stems	Stems / Ha	Avg Diam	Gross Merch	Less Decay	Less DB	Less DWB	Cruise Date	Loss YI	Loss OI	Ref No. M
26-YcCw(Hw)931	257		1	16.000F	29	W.R. Cedar	3	398.10	39.18	283.77	227.99	208.12	188.18				210
						Y. Cedar	1	183.71	33.30	76.42	71.22	65.87	65.80				610
						All Sp.	4	581.81	37.42	360.19	299.21	274.00	253.98	1911			
			2	16.000F	17	W.R. Cedar	3	116.05	72.57	334.51	247.05	223.63	191.22				210
						G-Shatt	1	35.27	76.00	107.01	71.06	63.56	49.23				210
						Hemlock	1	171.16	34.50	152.71	149.35	141.72	141.26				310
						All Sp.	4	287.21	53.27	487.22	396.40	365.35	332.47	1911			
27-CwHw(Yc)931	254		02	25.000F	5	Spruce	1	142.27	47.30	226.52	210.89	199.56	197.07				510
						All Sp.	1	142.27	47.30	226.52	210.89	199.56	197.07	1902			
			04	25.000F	14	W.R. Cedar	3	236.81	63.50	499.19	328.56	293.62	226.94				210
						All Sp.	3	236.81	63.50	499.19	328.56	293.62	226.94	1902			
			05	25.000F	5	W.R. Cedar	3	281.82	58.21	528.17	381.69	344.72	286.96				210
						All Sp.	3	281.82	58.21	528.17	381.69	344.72	286.96	1902			
			06	25.000F	9	W.R. Cedar	4	661.68	43.87	699.88	542.42	493.43	434.60				210
						Hemlock	3	647.27	38.41	444.71	435.53	413.29	412.82				310
						All Sp.	7	1308.95	41.26	1144.59	977.95	906.72	847.42	1902			
			07	25.000F	4	W.R. Cedar	5	557.26	53.44	777.87	524.34	469.89	373.15				210
						G-Shatt	1	35.27	95.00	171.17	116.57	104.59	84.39				210
						Hemlock	1	192.16	40.70	209.41	205.01	194.54	193.92				310
						All Sp.	6	749.41	50.48	987.29	729.35	664.43	567.07	1902			
			08	25.000F	7	W.R. Cedar	2	297.24	46.28	329.84	225.51	202.43	162.06				210
						All Sp.	2	297.24	46.28	329.84	225.51	202.43	162.06	1902			
			09	25.000F	8	W.R. Cedar	2	151.68	64.79	250.04	164.83	147.33	114.31				210
						All Sp.	2	151.68	64.79	250.04	164.83	147.33	114.31	1902			
			10	25.000F	4	W.R. Cedar	3	901.48	32.55	336.36	233.63	210.08	168.43				210
						E-Down	1	77.71	64.00	128.61	83.98	74.98	55.94				210
						All Sp.	3	901.48	32.55	336.36	233.63	210.08	168.43	1902			
			11	25.000F	16	W.R. Cedar	4	846.91	38.77	717.40	523.88	473.66	396.86				210
						Hemlock	1	675.98	21.70	83.12	81.13	76.97	76.47				310
						All Sp.	5	1522.88	32.33	800.52	605.01	550.64	473.33	1902			
			12	25.000F	5	W.R. Cedar	2	172.19	60.80	356.90	237.14	212.15	167.17				210
						All Sp.	2	172.19	60.80	356.90	237.14	212.15	167.17	1902			
			13	25.000F	16	W.R. Cedar	2	136.95	68.18	331.72	219.62	196.40	152.12				210
						Hemlock	2	589.33	32.87	433.39	423.64	401.97	400.46				310
						All Sp.	4	726.28	41.87	765.10	643.26	598.37	552.58	1902			

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Plot Summary

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 229
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

14-May-2020 08:38:35AM
Filename: cp229 final.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST
Version: 2019.01   IFS build 6276

Utilization Levels:	Minimum DBH	Top Diameter	Stump Height
Mature Blocks: (cm)	17.5	15.0	30
Immature Blocks:(cm)	12.0	10.0	30

Standard Log Length:(m) 10.00

Forest Type	Block	Strip	Plot #	Plot Size	Slope %	Species	# of Stems	Stems / Ha	Avg Diam	Gross Merch	Less Decay	Less DB	Less DWB	Cruise Date	Loss YI	Loss OI	Ref No. M
28-CwHw(Yc)931	255		01	25.000F	6	W.R. Cedar	2	545.96	34.15	310.71	273.50	251.75	240.90				210
						Hemlock	1	493.38	25.40	103.12	72.18	65.99	57.75				310
						All Sp.	3	1039.35	30.31	413.83	345.68	317.75	298.65	1902			
			02	25.000F	4	NIL	0										
						All Sp.	0							1902			
			03	25.000F C	4	W.R. Cedar	3										
						Hemlock	1										
						All Sp.	4							1902			
			04	25.000F C	3	W.R. Cedar	1										
						All Sp.	1							1902			
			05	25.000F C	5	W.R. Cedar	3										
						Hemlock	2										
						All Sp.	5							1902			
			06	25.000F	7	W.R. Cedar	2	156.07	63.87	277.44	181.49	162.07	123.94				210
						Hemlock	2	396.10	40.09	475.19	465.24	441.48	440.31				310
						All Sp.	4	552.17	48.02	752.63	646.73	603.55	564.24	1902			
			07	25.000F C	6	W.R. Cedar	2										
						All Sp.	2							1902			
			08	25.000F	6	W.R. Cedar	1	46.54	82.70	177.82	120.03	107.58	85.36				210
						Hemlock	1	121.43	51.20	232.07	227.43	215.82	215.36				310
						All Sp.	2	167.97	61.56	409.89	347.46	323.41	300.71	1902			
			09	25.000F C	4	W.R. Cedar	1										
						Hemlock	1										
						All Sp.	2							1902			
			10	25.000F	11	W.R. Cedar	5	196.28	90.05	740.90	501.80	449.94	359.31				210
						G-Shatt	1	31.83	100.00	148.79	101.77	91.36	74.25				210
						All Sp.	5	196.28	90.05	740.90	501.80	449.94	359.31	1902			
			11	25.000F C	8	W.R. Cedar	6										
						All Sp.	6							1902			
			12	25.000F	14	W.R. Cedar	2	61.83	101.47	316.11	216.23	194.10	157.59				210
						E-Down	1	27.29	108.00	159.06	109.28	98.14	80.17				210
						Hemlock	1	129.39	49.60	190.71	125.29	113.85	84.86				310
						All Sp.	3	191.21	70.67	506.82	341.52	307.95	242.46	1902			
			13	25.000F C	5	W.R. Cedar	2										
						All Sp.	2							1902			

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Plot Summary

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 229
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

14-May-2020 08:38:35AM
Filename: cp229 final.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

Utilization Levels:	Minimum DBH	Top Diameter	Stump Height
Mature Blocks: (cm)	17.5	15.0	30
Immature Blocks:(cm)	12.0	10.0	30

Standard Log Length:(m) 10.00

Forest Type	Block	Strip	Plot #	Plot Size	Slope %	Species	# of Stems	Stems / Ha	Avg Diam	Gross Merch	Less Decay	Less DB	Less DWB	Cruise Date	Loss YI	Loss OI	Ref No. M
28-CwHw(Yc)931	255		14	25.000F	8	W.R. Cedar	3	193.02	70.34	428.12	283.71	253.74	195.30				210
						Hemlock	1	79.19	63.40	208.11	203.95	193.55	193.55				310
						All Sp.	4	272.21	68.39	636.24	487.66	447.29	388.85	1902			
			15	25.000F C	4	W.R. Cedar	2										
						Hemlock	1										
						All Sp.	3							1902			
			16	25.000F C	14	W.R. Cedar	1										
						All Sp.	1							1902			
			17	25.000F C	14	W.R. Cedar	3										
						Hemlock	1										
						All Sp.	4							1902			
			18	25.000F	14	W.R. Cedar	6	318.83	77.40	1144.01	801.70	721.62	595.53				210
						E-Down	1	36.02	94.00	185.53	126.35	113.36	91.47				210
						Hemlock	1	854.55	19.30	72.72	70.98	67.34	66.91				310
						All Sp.	7	1173.37	43.58	1216.74	872.68	788.96	662.43	1902			
			19	25.000F C	8	W.R. Cedar	4										
						Hemlock	1										
						All Sp.	5							1902			
			20	25.000F	5	W.R. Cedar	5	542.42	54.17	946.13	645.41	579.18	464.70				210
						E-Down	1	40.92	88.20	188.88	128.06	114.84	91.99				210
						All Sp.	5	542.42	54.17	946.13	645.41	579.18	464.70	1902			
			21	25.000F C	10	W.R. Cedar	2										
						All Sp.	2							1902			
			22	25.000F	24	W.R. Cedar	1	971.61	18.10								210
						All Sp.	1	971.61	18.10					1902			
			23	25.000F	9	W.R. Cedar	2	155.47	63.99	376.15	245.47	219.14	164.79				210
						All Sp.	2	155.47	63.99	376.15	245.47	219.14	164.79	1902			
			24	25.000F C	14	W.R. Cedar	3										
						All Sp.	3							1902			
			25	25.000F	10	W.R. Cedar	3	84.38	106.38	440.90	302.01	271.14	220.26				210
						All Sp.	3	84.38	106.38	440.90	302.01	271.14	220.26	1902			
			26	25.000F	8	W.R. Cedar	4	194.32	80.95	895.84	632.44	569.74	467.25				210
						E-Down	1	62.26	71.50	239.24	157.90	141.15	106.46				210
						Hemlock	1	370.78	29.30	169.65	165.75	157.26	156.59				310
						Spruce	1	138.16	48.00	276.05	274.94	261.14	261.14				510
						All Sp.	6	703.26	52.11	1341.54	1073.13	988.14	884.98	1902			

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Plot Summary

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 229
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

14-May-2020 08:38:35AM
Filename: cp229 final.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST
Version: 2019.01   IFS build 6276

Utilization Levels:	Minimum DBH	Top Diameter	Stump Height
Mature Blocks: (cm)	17.5	15.0	30
Immature Blocks:(cm)	12.0	10.0	30

Standard Log Length:(m) 10.00

Forest Type	Block	Strip	Plot #	Plot Size	Slope %	Species	# of Stems	Stems / Ha	Avg Diam	Gross Merch	Less Decay	Less DB	Less DWB	Cruise Date	Loss YI	Loss OI	Ref No. M
28-CwHw(Yc)931	255		27	25.000F	8	W.R. Cedar	6	874.60	46.73	787.06	576.33	521.24	441.22				210
						Hemlock	1	430.24	27.20	99.07	96.79	91.84	91.34				310
						All Sp.	7	1304.84	41.32	886.13	673.12	613.07	532.56	1902			
			28	25.000F C	9	W.R. Cedar	6										
						Hemlock	1										
						All Sp.	7							1902			
			29	25.000F	7	W.R. Cedar	4	275.48	67.98	609.73	404.27	361.59	281.50				210
						E-Down	1	87.83	60.20	147.26	95.13	84.82	63.62				210
						Hemlock	1	242.90	36.20	110.95	108.51	102.96	102.63				310
						All Sp.	5	518.38	55.41	720.68	512.77	464.55	384.13	1902			
			30	25.000F C	8	W.R. Cedar	4										
						Hemlock	1										
						All Sp.	5							1902			
			31	25.000F	8	W.R. Cedar	6	1052.44	42.60	1064.36	817.37	742.86	652.25				210
						All Sp.	6	1052.44	42.60	1064.36	817.37	742.86	652.25	1902			
			32	25.000F	9	W.R. Cedar	1	197.95	40.10	169.04	146.05	134.22	127.46				210
						All Sp.	1	197.95	40.10	169.04	146.05	134.22	127.46	1902			
			33	25.000F C	5	W.R. Cedar	3										
						All Sp.	3							1902			
			34	25.000F	8	W.R. Cedar	1	74.88	65.20	158.12	103.25	92.18	68.78				210
						Hemlock	1	290.53	33.10	197.84	193.49	183.60	183.00				310
						All Sp.	2	365.41	41.74	355.96	296.74	275.78	251.78	1902			
			35	25.000F C	5	W.R. Cedar	1										
						Hemlock	1										
						All Sp.	2							1902			
29-CwHw931	256		01	25.000F	10	W.R. Cedar	3	97.99	98.72	520.02	355.01	318.61	257.77				210
						Spruce	1	403.12	28.10	131.33	130.93	124.37	124.37				510
						All Sp.	4	501.12	50.41	651.35	485.94	442.98	382.14	1902			
			02	25.000F	3	W.R. Cedar	1	23.74	115.80	197.42	135.82	122.01	99.70				210
						All Sp.	1	23.74	115.80	197.42	135.82	122.01	99.70	1902			
			03	25.000F C	5	W.R. Cedar	4										
						Hemlock	1										
						All Sp.	5							1902			
			04	25.000F	6	Hemlock	1	417.86	27.60	140.38	137.15	130.13	129.57				310
						All Sp.	1	417.86	27.60	140.38	137.15	130.13	129.57	1902			

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 229
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

Plot Summary
FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

14-May-2020 08:38:35AM
Filename: cp229 final.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST
Version: 2019.01   IFS build 6276

Utilization Levels:	Minimum DBH	Top Diameter	Stump Height
Mature Blocks: (cm)	17.5	15.0	30
Immature Blocks:(cm)	12.0	10.0	30

Standard Log Length:(m) 10.00

Forest Type	Block	Strip	Plot #	Plot Size	Slope %	Species	# of Stems	Stems / Ha	Avg Diam	Gross Merch	Less Decay	Less DB	Less DWB	Cruise Date	Loss YI	Loss OI	Ref No. M
29-CwHw931	256		05	25.000F C	16	W.R. Cedar	1										
						Hemlock	2										
						All Sp.	3							1902			
			06	25.000F C	9	W.R. Cedar	1										
						Hemlock	1										
						All Sp.	2							1902			
			07	25.000F	3	W.R. Cedar	1	42.35	86.70	184.79	124.73	111.80	88.70				210
						All Sp.	1	42.35	86.70	184.79	124.73	111.80	88.70	1902			
			08	25.000F C	5	W.R. Cedar	2										
						Hemlock	1										
						All Sp.	3							1902			
			09	25.000F	4	W.R. Cedar	1	100.42	56.30	180.97	116.55	103.88	78.36				210
						Hemlock	1	59.41	73.20	324.06	273.83	254.39	238.51				310
						All Sp.	2	159.83	63.11	505.04	390.38	358.27	316.87	1902			
			10	25.000F C	3	W.R. Cedar	2										
						All Sp.	2							1902			
			11	25.000F	6	W.R. Cedar	2	87.23	85.43	247.92	186.62	169.26	147.61				210
						All Sp.	2	87.23	85.43	247.92	186.62	169.26	147.61	1902			
			13	25.000F C	6	W.R. Cedar	3										
						Hemlock	1										
						All Sp.	4							1902			
			15	25.000F C	4	W.R. Cedar	1										
						All Sp.	1							1902			
			18	25.000F C	3	W.R. Cedar	3										
						All Sp.	3							1902			
			19	25.000F	7	W.R. Cedar	3	209.29	67.55	510.89	381.46	345.69	299.62				210
						Hemlock	1	82.01	62.30	176.70	173.16	164.33	164.33				310
						All Sp.	4	291.30	66.11	687.58	554.62	510.02	463.95	1902			
			20	25.000F C	5	W.R. Cedar	4										
						Hemlock	2										
						All Sp.	6							1902			
			22	25.000F	3	W.R. Cedar	2	95.36	81.70	299.46	201.67	180.71	141.94				210
						Hemlock	1	210.35	38.90	152.98	149.77	142.12	141.66				310
						All Sp.	3	305.72	55.89	452.44	351.44	322.83	283.60	1902			
30-CwHw931	256		12	25.000F C	15	W.R. Cedar	3										
						All Sp.	3							1902			

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Plot Summary

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 229
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

14-May-2020 08:38:35AM
Filename: cp229 final.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST
Version: 2019.01   IFS build 6276

Utilization Levels:	Minimum DBH	Top Diameter	Stump Height
Mature Blocks: (cm)	17.5	15.0	30
Immature Blocks:(cm)	12.0	10.0	30
Standard Log Length:(m)	10.00		

Forest Type	Block	Strip	Plot #	Plot Size	Slope %	Species	# of Stems	Stems / Ha	Avg Diam	Gross Merch	Less Decay	Less DB	Less DWB	Cruise Date	Loss YI	Loss OI	Ref No. M
30-CwHw931	256		16	25.000F	18	W.R. Cedar	4	99.76	112.97	845.48	580.51	521.32	424.75				210
						E-Down	1	26.31	110.00	190.96	131.19	117.82	96.24				210
						Hemlock	1	215.87	38.40	181.87	178.05	168.96	168.41				310
						Y. Cedar	1	227.57	37.40	207.11	193.03	178.53	178.33				610
						All Sp.	6	543.20	59.30	1234.46	951.59	868.82	771.48	1902			
			17	25.000F	C 10	W.R. Cedar	3										
						Hemlock	1										
						All Sp.	4							1902			
			21	25.000F	C 15	W.R. Cedar	6										
						All Sp.	6							1902			
			23	25.000F	C 6	W.R. Cedar	1										
						All Sp.	1							1902			
			24	25.000F	12	W.R. Cedar	3	131.76	85.13	587.47	394.67	353.55	276.84				210
						All Sp.	3	131.76	85.13	587.47	394.67	353.55	276.84	1902			
			25	25.000F	17	W.R. Cedar	1	34.54	96.00	219.24	149.31	133.96	108.09				210
						All Sp.	1	34.54	96.00	219.24	149.31	133.96	108.09	1902			
			26	25.000F	C 7	W.R. Cedar	4										
						All Sp.	4							1902			
31-CwHw(Yc)931	920		01	25.000F	14	W.R. Cedar	2	462.34	37.11	325.55	277.35	254.56	238.90				210
						All Sp.	2	462.34	37.11	325.55	277.35	254.56	238.90	1902			
			02	25.000F	27	W.R. Cedar	5	638.88	49.91	868.22	644.05	583.28	497.55				210
						Hemlock	1	105.23	55.00								310
						All Sp.	6	744.11	50.66	868.22	644.05	583.28	497.55	1902			
			03	25.000F	9	W.R. Cedar	1	99.01	56.70	155.31	129.84	118.97	110.43				210
						All Sp.	1	99.01	56.70	155.31	129.84	118.97	110.43	1902			
			04	25.000F	C 5	W.R. Cedar	2										
						Hemlock	4										
						All Sp.	6							1902			
			05	25.000F	4	W.R. Cedar	1	36.49	93.40	124.32	84.66	75.96	61.29				210
						All Sp.	1	36.49	93.40	124.32	84.66	75.96	61.29	1902			
			06	25.000F	C 12	W.R. Cedar	1										
						All Sp.	1							1902			
			07	25.000F	25	W.R. Cedar	1	32.28	99.30	173.91	118.96	106.78	86.78				210
						Hemlock	1	82.81	62.00	202.85	198.79	188.65	188.65				310
						All Sp.	2	115.09	74.37	376.76	317.75	295.43	275.43	1902			

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Plot Summary

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 229
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

14-May-2020 08:38:35AM
Filename: cp229 final.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST
Version: 2019.01   IFS build 6276

Utilization Levels:	Minimum DBH	Top Diameter	Stump Height
Mature Blocks: (cm)	17.5	15.0	30
Immature Blocks:(cm)	12.0	10.0	30

Standard Log Length:(m) 10.00

Forest Type	Block	Strip	Plot #	Plot Size	Slope %	Species	# of Stems	Stems / Ha	Avg Diam	Gross Merch	Less Decay	Less DB	Less DWB	Cruise Date	Loss YI	Loss OI	Ref No. M
31-CwHw(Yc)931	920		08	25.000F	12	W.R. Cedar	1	264.36	34.70	157.76	138.67	127.62	122.10				210
						All Sp.	1	264.36	34.70	157.76	138.67	127.62	122.10	1902			
			09	25.000F C	5	W.R. Cedar	1										
						All Sp.	1							1902			
			10	25.000F C	12	W.R. Cedar	2										
						All Sp.	2							1902			
			12	25.000F	7	W.R. Cedar	2	48.37	114.73	305.13	210.09	188.73	154.25				210
						Y. Cedar	1	162.93	44.20	207.10	184.32	169.82	169.20				610
						All Sp.	3	211.30	67.23	512.23	394.41	358.55	323.45	1902			
32-CwHw(Yc)931	920		11	25.000F	28	W.R. Cedar	4	523.11	49.34	710.06	515.64	465.93	393.98				210
						All Sp.	4	523.11	49.34	710.06	515.64	465.93	393.98	1902			
			13	25.000F	18	W.R. Cedar	2	81.20	88.55	412.18	278.89	250.03	199.40				210
						Hemlock	1	129.39	49.60	201.99	197.95	187.85	187.45				310
						All Sp.	3	210.58	67.34	614.17	476.84	437.88	386.84	1902			
			14	25.000F C	4	W.R. Cedar	2										
						Hemlock	1										
						All Sp.	3							1902			
			15	25.000F	8	W.R. Cedar	3	193.20	70.30	565.02	404.07	364.52	299.10				210
						Hemlock	1	227.57	37.40	214.04	209.33	198.63	197.99				310
						All Sp.	4	420.77	55.01	779.06	613.40	563.15	497.09	1902			
			16	25.000F C	37	W.R. Cedar	4										
						Hemlock	1										
						All Sp.	5							1902			
			17	25.000F	11	W.R. Cedar	5	1040.00	39.12	809.82	613.69	557.00	482.81				210
						Spruce	1	255.45	35.30	198.00	197.40	187.50	187.50				510
						All Sp.	6	1295.44	38.40	1007.81	811.09	744.50	670.31	1902			
			18	25.000F C	27	W.R. Cedar	3										
						Hemlock	2										
						All Sp.	5							1902			
			19	25.000F	3	W.R. Cedar	2	128.70	70.33	382.28	253.21	226.45	175.90				210
						G-Shatt	1	88.42	60.00	186.70	120.61	107.54	80.65				210
						Hemlock	1	208.21	39.10	136.58	133.72	126.89	126.48				310
						All Sp.	3	336.90	53.24	518.86	386.93	353.34	302.38	1902			
			20	25.000F C	10	W.R. Cedar	2										
						All Sp.	2							1902			

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Plot Summary

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 229
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

14-May-2020 08:38:35AM
Filename: cp229 final.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST
Version: 2019.01   IFS build 6276

Utilization Levels:	Minimum DBH	Top Diameter	Stump Height
Mature Blocks: (cm)	17.5	15.0	30
Immature Blocks:(cm)	12.0	10.0	30

Standard Log Length:(m) 10.00

Forest Type	Block	Strip	Plot #	Plot Size	Slope %	Species	# of Stems	Stems / Ha	Avg Diam	Gross Merch	Less Decay	Less DB	Less DWB	Cruise Date	Loss Ref No. YI	Loss Ref No. OI	Loss Ref No. M
32-CwHw(Yc)931	920		21	25.000F	23	W.R. Cedar	1	14.91	146.10	179.87	124.11	111.52	91.19				210
						Hemlock	1	596.52	23.10	127.00	124.08	117.73	117.10				310
						All Sp.	2	611.43	32.27	306.87	248.19	229.25	208.29	1902			
			22	25.000F	16	W.R. Cedar	1	88.42	60.00	178.63	115.40	102.89	77.17				210
						E-Down	1	88.42	60.00	178.63	115.40	102.89	77.17				210
						All Sp.	1	88.42	60.00	178.63	115.40	102.89	77.17	1902			
			24	25.000F C	7	Hemlock	1										
						All Sp.	1							1902			
			25	25.000F	8	W.R. Cedar	1	42.35	86.70	204.20	137.83	123.54	98.02				210
						All Sp.	1	42.35	86.70	204.20	137.83	123.54	98.02	1902			
			26	25.000F C	9	W.R. Cedar	5										
						All Sp.	5							1902			
			27	25.000F	4	W.R. Cedar	1	52.05	78.20	170.31	114.28	102.35	80.21				210
						Hemlock	1	414.85	27.70	142.54	139.26	132.13	131.56				310
						Spruce	1	50.11	79.70	243.61	218.03	205.85	198.54				510
						All Sp.	3	517.01	42.98	556.45	471.56	440.34	410.32	1902			
			32	25.000F	7	W.R. Cedar	2	182.20	59.11	382.28	280.11	253.35	215.78				210
						Hemlock	1	497.29	25.30	128.99	126.02	119.57	118.93				310
						Spruce	1	75.34	65.00	225.56	203.69	192.41	187.44				510
						All Sp.	4	754.83	41.07	736.83	609.81	565.32	522.15	1902			
			33	25.000F C	5	W.R. Cedar	1										
						All Sp.	1							1902			
			34	25.000F	7	W.R. Cedar	4	164.69	87.93	802.75	574.86	518.67	435.09				210
						All Sp.	4	164.69	87.93	802.75	574.86	518.67	435.09	1902			
			35	25.000F C	10	Hemlock	1										
						All Sp.	1							1902			
33-CwHw(Yc)931	920		23	25.000F	12	W.R. Cedar	1	163.67	44.10	150.72	98.87	88.32	69.18				210
						Hemlock	1	280.28	33.70	184.68	180.62	171.39	170.83				310
						All Sp.	2	443.95	37.87	335.40	279.49	259.71	240.01	1902			
			28	25.000F	14	W.R. Cedar	6	977.50	44.20	936.89	688.99	623.40	526.37				210
						All Sp.	6	977.50	44.20	936.89	688.99	623.40	526.37	1902			
			29	25.000F C	19	W.R. Cedar	3										
						Hemlock	1										
						All Sp.	4							1902			
			30	25.000F	17	W.R. Cedar	3	432.88	46.97	710.56	603.61	553.87	519.97				210
						All Sp.	3	432.88	46.97	710.56	603.61	553.87	519.97	1902			

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Plot Summary

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 229
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

14-May-2020 08:38:35AM
Filename: cp229 final.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST
Version: 2019.01   IFS build 6276

Utilization Levels:	Minimum DBH	Top Diameter	Stump Height
Mature Blocks: (cm)	17.5	15.0	30
Immature Blocks:(cm)	12.0	10.0	30

Standard Log Length:(m) 10.00

Forest Type	Block	Strip	Plot #	Plot Size	Slope %	Species	# of Stems	Stems / Ha	Avg Diam	Gross Merch	Less Decay	Less DB	Less DWB	Cruise Date	Loss YI	Loss OI	Ref No. M
33-CwHw(Yc)931	920		31	25.000F C	11	W.R. Cedar	2										
						Hemlock	1										
						All Sp.	3							1902			
			36	25.000F C	29	Hemlock	1										
						All Sp.	1							1902			
			37	25.000F	22	Hemlock	1	45.44	83.70	259.04	253.86	240.91	240.91				310
						Spruce	1	230.02	37.20	188.43	187.87	178.44	178.44				510
						All Sp.	2	275.46	48.07	447.47	441.73	419.35	419.35	1902			
34-CwHw(PlcYc)9	921		01	25.000F	16	W.R. Cedar	3	314.79	55.08	521.63	390.64	354.12	304.26				210
						All Sp.	3	314.79	55.08	521.63	390.64	354.12	304.26	1902			
			02	25.000F	7	W.R. Cedar	2	70.18	95.24	375.88	286.08	259.76	228.06				210
						All Sp.	2	70.18	95.24	375.88	286.08	259.76	228.06	1902			
			03	25.000F	10	W.R. Cedar	1	21.35	122.10	167.02	115.25	103.55	84.68				210
						E-Down	1	21.35	122.10	167.02	115.25	103.55	84.68				210
						All Sp.	1	21.35	122.10	167.02	115.25	103.55	84.68	1902			
35-CwHw(Yc)931	922		01	25.000F	17	W.R. Cedar	1	41.96	87.10	133.13	89.86	80.54	63.90				210
						Spruce	1	557.26	23.90	141.83	141.55	134.45	134.45				510
						Y. Cedar	2	276.60	47.97	343.03	322.17	298.16	297.80				610
						All Sp.	4	875.82	38.13	617.99	553.58	513.16	496.16	1902			
			02	25.000F	24	W.R. Cedar	3	120.87	88.88	447.71	302.96	271.62	215.68				210
						E-Down	2	96.12	81.38	296.80	199.14	178.36	139.48				210
						All Sp.	3	120.87	88.88	447.71	302.96	271.62	215.68	1902			
			03	25.000F	22	W.R. Cedar	2	170.70	61.07	315.27	261.58	239.51	221.41				210
						Hemlock	2	271.96	48.38	388.24	307.50	284.21	253.61				310
						E-Down	1	119.55	51.60	197.99	181.56	169.68	165.72				310
						Y. Cedar	3	856.03	33.40	527.31	486.93	450.02	447.20				610
						All Sp.	7	1298.70	41.42	1230.82	1056.01	973.74	922.21	1902			
36-CwHw931	923		01	25.000F	7	W.R. Cedar	3	789.31	34.78	387.51	263.81	236.69	185.43				210
						All Sp.	3	789.31	34.78	387.51	263.81	236.69	185.43	1902			
			02	25.000F	5	W.R. Cedar	2	152.15	64.69	311.26	234.41	212.62	184.28				210
						Hemlock	1	446.51	26.70	123.02	120.19	114.04	113.43				310
						Y. Cedar	2	380.49	40.90	329.86	225.34	202.25	161.17				610
						All Sp.	5	979.14	40.32	764.14	579.94	528.91	458.88	1902			
			03	25.000F	7	W.R. Cedar	2	213.51	54.61	284.27	193.31	173.41	140.21				210
						Hemlock	1	197.95	40.10	183.66	179.81	170.62	170.07				310
						All Sp.	3	411.46	48.18	467.93	373.11	344.03	310.29	1902			

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Plot Summary

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 229
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

14-May-2020 08:38:35AM
Filename: cp229 final.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

Utilization Levels:	Minimum DBH	Top Diameter	Stump Height
Mature Blocks: (cm)	17.5	15.0	30
Immature Blocks:(cm)	12.0	10.0	30
Standard Log Length:(m)	10.00		

Forest Type	Block	Strip	Plot #	Plot Size	Slope %	Species	# of Stems	Stems / Ha	Avg Diam	Gross Merch	Less Decay	Less DB	Less DWB	Cruise Date	Loss YI	Loss OI	Ref No. M
36-CwHw931	923		04	25.000F	13	W.R. Cedar	1	37.36	92.30	142.19	96.40	86.45	69.25				210
						Hemlock	1	77.23	64.20	190.70	186.89	177.35	177.35				310
						All Sp.	2	114.59	74.54	332.89	283.29	263.80	246.60	1902			
			05	25.000F	6	W.R. Cedar	2	226.07	53.07	286.89	221.26	201.18	177.19				210
						Spruce	1	601.72	23.00	117.47	117.24	111.36	111.36				510
						All Sp.	3	827.79	33.96	404.36	338.49	312.54	288.55	1902			
			06	25.000F	9	W.R. Cedar	2	145.90	66.06	334.94	274.03	250.58	230.21				210
						Hemlock	1	420.91	27.50	155.26	151.69	143.93	143.31				310
						All Sp.	3	566.80	41.05	490.21	425.72	394.51	373.51	1902			
			07	25.000F	7	W.R. Cedar	1	60.73	72.40	167.97	110.86	99.10	74.75				210
						Hemlock	1	651.73	22.10	173.05	168.90	160.25	159.21				310
						Spruce	1	290.53	33.10	161.53	156.52	148.45	147.80				510
						All Sp.	3	1002.98	30.86	502.55	436.28	407.79	381.75	1902			
			08	25.000F	5	W.R. Cedar	2	811.10	28.02	259.36	196.71	178.56	152.41				210
						All Sp.	2	811.10	28.02	259.36	196.71	178.56	152.41	1902			
			09	25.000F	9	W.R. Cedar	2	60.04	102.97	377.24	258.59	232.18	189.17				210
						E-Down	1	26.69	109.20	184.74	126.92	113.99	93.11				210
						Hemlock	1	470.87	26.00	146.35	142.99	135.67	134.94				310
						All Sp.	3	530.91	42.41	523.59	401.57	367.85	324.10	1902			
			10	25.000F	17	W.R. Cedar	3	194.57	70.06	569.34	428.90	389.04	339.06				210
						Hemlock	1	397.45	28.30	138.30	135.12	128.20	127.65				310
						All Sp.	4	592.02	46.38	707.63	564.01	517.24	466.70	1902			
			11	25.000F	8	W.R. Cedar	1	40.73	88.40	156.25	105.94	95.00	76.09				210
						Hemlock	1	339.94	30.60	128.10	125.15	118.75	118.23				310
						All Sp.	2	380.68	40.89	284.35	231.09	213.75	194.33	1902			
			12	25.000F	6	W.R. Cedar	2	188.71	58.08	319.41	239.57	217.21	186.79				210
						All Sp.	2	188.71	58.08	319.41	239.57	217.21	186.79	1902			
			13	25.000F	8	W.R. Cedar	3	96.13	99.67	470.67	321.88	288.93	234.06				210
						All Sp.	3	96.13	99.67	470.67	321.88	288.93	234.06	1902			
41-C H	931	430	0 1	20.000F	5	W.R. Cedar	5	1050.05	34.82	978.67	689.58	621.07	508.79				210
						G-Shatt	1	182.05	37.40	189.65	132.95	119.67	98.43				210
						All Sp.	5	1050.05	34.82	978.67	689.58	621.07	508.79	1911			
			0 2	20.000F	5	W.R. Cedar	3	129.06	76.94	546.50	364.34	326.09	253.02				210
						Hemlock	1	156.02	40.40	168.41	164.88	156.46	155.95				310
						All Sp.	4	285.08	59.78	714.92	529.22	482.54	408.97	1911			
			0 3	20.000F	18	W.R. Cedar	2	274.87	43.04	276.05	193.60	174.27	142.87				210

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Plot Summary

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 229
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

14-May-2020 08:38:35AM
Filename: cp229 final.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

Utilization Levels:	Minimum DBH	Top Diameter	Stump Height
Mature Blocks: (cm)	17.5	15.0	30
Immature Blocks:(cm)	12.0	10.0	30

Standard Log Length:(m) 10.00

Forest Type	Block	Strip	Plot #	Plot Size	Slope %	Species	# of Stems	Stems / Ha	Avg Diam	Gross Merch	Less Decay	Less DB	Less DWB	Cruise Date	Loss YI	Loss OI	Ref No. M
41-C H	931	430	0	3 20.000F	18	Hemlock	2	624.27	28.56	337.62	289.65	271.31	259.01				310
						All Sp.	4	899.14	33.66	613.67	483.25	445.58	401.88	1911			
			0	4 20.000F	6	W.R. Cedar	2	199.69	50.50	337.86	219.86	196.21	150.29				210
						Hemlock	1	307.01	28.80	100.56	69.18	63.15	53.40				310
						All Sp.	3	506.70	38.83	438.41	289.04	259.36	203.68	1911			
			0	5 20.000F	8	W.R. Cedar	3	369.13	45.49	504.14	335.86	300.57	232.52				210
						G-Shatt	1	238.15	32.70	163.45	114.58	103.13	84.83				210
						Hemlock	1	561.28	21.30	100.59	98.18	93.15	92.54				310
						All Sp.	4	930.42	33.09	604.73	434.03	393.71	325.06	1911			
			0	6 20.000F	6	W.R. Cedar	2	157.18	56.92	394.94	294.65	267.00	228.64				210
						Hemlock	2	843.34	24.57	279.09	273.51	259.56	259.56				310
						All Sp.	4	1000.52	31.91	674.03	568.16	526.56	488.19	1911			
			0	7 20.000F	8	W.R. Cedar	2	110.02	68.04	339.42	222.83	199.07	149.34				210
						E-Down	1	56.22	67.30	169.62	110.76	98.89	73.79				210
						Hemlock	2	520.26	31.29	381.01	372.69	353.64	352.18				310
						All Sp.	4	630.28	40.20	720.43	595.52	552.71	501.52	1911			
			0	8 20.000F	3	W.R. Cedar	2	391.71	36.06	278.40	189.94	170.45	135.59				210
						All Sp.	2	391.71	36.06	278.40	189.94	170.45	135.59	1911			
			0	9 20.000F	6	W.R. Cedar	3	141.78	73.40	590.35	392.43	351.11	270.66				210
						Hemlock	1	191.14	36.50	226.16	221.18	209.87	209.20				310
						All Sp.	4	332.92	55.31	816.51	613.61	560.98	479.86	1911			
			0	10 20.000F	4	W.R. Cedar	4	379.53	51.81	753.04	491.66	438.95	335.28				210
						E-Down	1	116.26	46.80	166.57	109.27	97.61	76.45				210
						Hemlock	2	418.40	34.89	402.67	387.29	364.98	360.51				310
						All Sp.	6	797.93	43.76	1155.72	878.95	803.93	695.79	1911			
			0	11 20.000F	5	W.R. Cedar	2	215.85	48.58	301.39	198.28	177.19	136.86				210
						All Sp.	2	215.85	48.58	301.39	198.28	177.19	136.86	1911			
			0	12 20.000F	4	W.R. Cedar	3	716.71	32.65	436.23	300.93	270.40	216.19				210
						All Sp.	3	716.71	32.65	436.23	300.93	270.40	216.19	1911			
42-C H	931	430	0	13 16.000F	9	W.R. Cedar	4	168.87	69.47	674.98	445.87	398.62	304.58				210
						Hemlock	2	702.01	24.09	218.74	213.63	202.69	201.52				310
						Spruce	1	28.06	85.20	220.81	219.05	208.01	207.79				510
						All Sp.	7	898.94	39.83	1114.53	878.54	809.32	713.88	1911			
			0	14 16.000F	5	W.R. Cedar	6	341.06	59.87	923.43	605.93	541.29	415.21				210
						All Sp.	6	341.06	59.87	923.43	605.93	541.29	415.21	1911			
45-H C	931	436	0	1 20.000F	6	W.R. Cedar	1	28.22	95.00	147.99	100.78	90.42	72.96				210

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Plot Summary

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 229
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

14-May-2020 08:38:35AM
Filename: cp229 final.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST
Version: 2019.01   IFS build 6276

Utilization Levels:	Minimum DBH	Top Diameter	Stump Height
Mature Blocks: (cm)	17.5	15.0	30
Immature Blocks:(cm)	12.0	10.0	30

Standard Log Length:(m) 10.00

Forest Type		Block	Strip	Plot #	Size	Slope %	Species	# of Stems	Stems / Ha	Avg Diam	Gross Merch	Less Decay	Less DB	Less DWB	Cruise Date	Loss YI	Loss OI	Ref No. M
45-H C	931	436	0	1	20.000F	6	G-Shatt	1	28.22	95.00	147.99	100.78	90.42	72.96				210
							Hemlock	2	389.09	36.18	468.59	458.65	435.22	434.18				310
							All Sp.	3	417.31	42.79	616.58	559.43	525.64	507.14	1911			
			0	2	20.000F	9	W.R. Cedar	4	66.59	123.68	578.81	399.12	306.36	240.95				210
							G-Shatt	1	15.07	130.00	156.21	107.79	96.85	79.20				210
							C-Hvy	1	19.46	114.40	130.61	89.86	28.47	13.71				210
							All Sp.	4	66.59	123.68	578.81	399.12	306.36	240.95	1911			
			0	3	20.000F	5	W.R. Cedar	2	68.80	86.04	331.05	223.77	200.60	159.54				210
							Hemlock	1	209.07	34.90	201.77	197.33	187.24	186.63				310
							All Sp.	3	277.87	52.43	532.81	421.10	387.84	346.17	1911			
			0	4	20.000F	7	W.R. Cedar	6	98.54	124.52	907.80	646.40	582.86	488.42				210
							E-Down	1	15.40	128.60	146.74	101.25	90.98	74.40				210
							Hemlock	2	294.53	41.58	399.29	335.83	314.03	293.02				310
							E-Down	1	188.04	36.80	183.69	124.54	113.52	92.95				310
							All Sp.	8	393.07	71.99	1307.09	982.23	896.88	781.44	1911			
			0	5	20.000F	8	W.R. Cedar	6	310.22	70.18	958.00	640.22	573.16	449.05				210
							E-Down	1	113.34	47.40	138.40	90.79	81.10	63.53				210
							All Sp.	6	310.22	70.18	958.00	640.22	573.16	449.05	1911			
			0	7	20.000F	8	W.R. Cedar	2	110.33	67.94	342.87	262.34	238.34	209.83				210
							All Sp.	2	110.33	67.94	342.87	262.34	238.34	209.83	1911			
			0	10	20.000F	7	W.R. Cedar	2	52.77	98.24	345.86	236.05	211.84	171.39				210
							Hemlock	1	185.01	37.10	152.19	103.18	94.05	77.01				310
							All Sp.	3	237.78	56.68	498.04	339.24	305.89	248.39	1911			
			0	11	20.000F	6	W.R. Cedar	3	238.94	56.54	459.88	335.21	303.01	257.61				210
							E-Down	1	97.14	51.20	149.20	96.38	85.94	65.80				210
							Hemlock	1	354.54	26.80	110.46	107.92	102.40	101.84				310
							Spruce	1	35.16	85.10	222.04	198.28	187.18	180.30				510
							All Sp.	5	628.65	45.00	792.38	641.41	592.59	539.75	1911			
			0	12	20.000F	10	W.R. Cedar	6	432.77	59.42	915.28	658.21	539.22	441.83				210
							C-Hvy	1	76.49	57.70	137.29	88.69	24.16	4.39				210
							Hemlock	1	101.05	50.20	184.42	180.73	171.51	171.14				310
							All Sp.	7	533.82	57.79	1099.69	838.93	710.73	612.97	1911			
			0	13	20.000F	5	Spruce	2	914.62	23.60	246.07	246.07	236.22	236.22			502	
							All Sp.	2	914.62	23.60	246.07	246.07	236.22	236.22	1911			
			0	14	20.000F	7	W.R. Cedar	5	822.96	39.33	846.12	590.49	531.26	430.64				210
							All Sp.	5	822.96	39.33	846.12	590.49	531.26	430.64	1911			
46-H C	831	436	0	6	16.000F	5	W.R. Cedar	3	539.54	33.66	389.53	278.62	199.25	156.91				210

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Plot Summary

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 229
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

14-May-2020 08:38:35AM
Filename: cp229 final.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

Utilization Levels:	Minimum DBH	Top Diameter	Stump Height
Mature Blocks: (cm)	17.5	15.0	30
Immature Blocks:(cm)	12.0	10.0	30

Standard Log Length:(m) 10.00

Forest Type		Block	Strip	Plot #	Size	Slope %	Species	# of Stems	Stems / Ha	Avg Diam	Gross Merch	Less Decay	Less DB	Less DWB	Cruise Date	Loss YI	Loss OI	Ref No. M
46-H	C	831	436	0	6 16.000F	5	C-Hvy	1	123.59	40.60	130.26	87.79	26.57	10.94				210
							L.P. Pine	1	395.35	22.70	93.72	93.72	91.85	91.85			802	
							Spruce	1	142.58	37.80	166.98	166.98	160.30	160.30		501		
							All Sp.	5	1077.47	30.75	650.23	539.32	451.39	409.06	1911			
				0	8 16.000F	7	W.R. Cedar	1	150.43	36.80	71.35	71.35	67.79	67.79		201		
							L.P. Pine	3	972.04	25.07	416.40	416.40	408.07	408.07			802	
							Spruce	2	748.23	23.34	193.43	193.43	185.69	185.69		501		
							All Sp.	6	1870.70	25.56	681.18	681.18	661.55	661.55	1911			
				0	9 16.000F	5	W.R. Cedar	1	138.88	38.30	127.14	127.14	120.78	120.78		201		
							Hemlock	1	328.57	24.90	154.61	154.61	148.43	148.43		301		
							All Sp.	2	467.45	29.52	281.75	281.75	269.21	269.21	1911			
47-C	H	PL931	438	0	1 20.000F	8	W.R. Cedar	2	142.78	59.72	349.28	228.44	203.99	156.99				210
							All Sp.	2	142.78	59.72	349.28	228.44	203.99	156.99	1911			
				0	2 20.000F	6	W.R. Cedar	4	485.09	45.82	504.75	340.22	304.89	240.27				210
							L.P. Pine	2	624.21	28.56	305.31	304.58	298.48	298.48				810
							All Sp.	6	1109.30	37.11	810.06	644.80	603.37	538.75	1911			
				0	3 20.000F	7	W.R. Cedar	2	244.17	45.67	317.44	209.36	187.14	145.83				210
							L.P. Pine	1	65.61	62.30	206.77	205.74	201.61	201.61				810
							All Sp.	3	309.78	49.66	524.21	415.10	388.75	347.44	1911			
				0	4 20.000F	4	W.R. Cedar	4	839.98	34.82	543.85	407.24	369.17	318.27				210
							All Sp.	4	839.98	34.82	543.85	407.24	369.17	318.27	1911			
				0	5 20.000F	36	W.R. Cedar	3	115.84	81.21	421.93	283.18	193.31	139.64				210
							C-Hvy	1	24.82	101.30	150.83	103.17	32.28	14.93				210
							Hemlock	1	52.12	69.90	203.44	199.37	189.20	189.20				310
							All Sp.	4	167.96	77.87	625.37	482.55	382.51	328.84	1911			
				0	6 20.000F	11	W.R. Cedar	3	271.66	53.03	390.42	282.20	212.36	170.98				210
							C-Hvy	1	92.39	52.50	106.28	68.44	18.49	3.51				210
							Spruce	2	414.69	35.04	325.90	324.92	308.63	308.63				510
							All Sp.	5	686.35	43.07	716.32	607.13	520.99	479.60	1911			
				0	7 20.000F	7	W.R. Cedar	2	97.64	72.22	279.20	184.84	165.29	126.37				210
							L.P. Pine	1	146.44	41.70	205.48	204.45	200.34	200.34				810
							All Sp.	3	244.08	55.95	484.68	389.29	365.64	326.71	1911			
				0	8 20.000F	3	W.R. Cedar	1	33.03	87.80	134.81	91.40	81.96	65.65				210
							Hemlock	1	231.03	33.20	135.31	128.27	120.16	117.72				310
							All Sp.	2	264.06	43.92	270.12	219.67	202.12	183.37	1911			
56-S	H	351	480	0	1 20.000F	10	Spruce	8	1145.83	42.17	2434.50	2434.50	2337.12	2337.12		501		
							All Sp.	8	1145.83	42.17	2434.50	2434.50	2337.12	2337.12	1911			

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Plot Summary

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 229
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

14-May-2020 08:38:35AM
Filename: cp229 final.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

Utilization Levels:	Minimum DBH	Top Diameter	Stump Height
Mature Blocks: (cm)	17.5	15.0	30
Immature Blocks:(cm)	12.0	10.0	30

Standard Log Length:(m) 10.00

Forest Type	Block	Strip	Plot #	Plot Size	Slope %	Species	# of Stems	Stems / Ha	Avg Diam	Gross Merch	Less Decay	Less DB	Less DWB	Cruise Date	Loss YI	Ref No. OI	No. M
56-S	H 351	480	0	2 20.000F C	11	Spruce	1										
						All Sp.	1							1911			
			0	3 20.000F	7	Alder	1	164.04	39.40	220.20	215.79	204.78	204.78			1210	
						Spruce	3	138.97	74.14	740.48	736.62	704.24	703.68		501	510	
						All Sp.	4	303.01	57.98	960.68	952.41	909.02	908.47	1911			
			0	4 20.000F C	9	Spruce	3										
						All Sp.	3							1911			
			0	5 20.000F	6	Hemlock	1	77.29	57.40	327.20	327.20	314.11	314.11		301		
						Spruce	4	264.77	62.02	1162.65	1162.65	1116.14	1116.14		501		
						All Sp.	5	342.06	61.01	1489.84	1489.84	1430.25	1430.25	1911			
			0	6 20.000F C	5	Spruce	5										
						All Sp.	5							1911			
			0	7 20.000F	15	Spruce	5	773.45	40.57	1371.66	1371.66	1316.79	1316.79		501		
						All Sp.	5	773.45	40.57	1371.66	1371.66	1316.79	1316.79	1911			
			0	8 20.000F C	24	Hemlock	5										
						All Sp.	5							1911			
			0	9 20.000F	24	Hemlock	4	3084.83	18.17	756.32	756.32	726.07	726.07		301		
						All Sp.	4	3084.83	18.17	756.32	756.32	726.07	726.07	1911			
			0	10 20.000F C	12	Hemlock	3										
						Spruce	2										
						All Sp.	5							1911			
			0	11 20.000F	7	Spruce	4	250.39	63.78	1168.80	1168.80	1122.05	1122.05		501		
						All Sp.	4	250.39	63.78	1168.80	1168.80	1122.05	1122.05	1911			
			0	12 20.000F C	3	Hemlock	2										
						Spruce	2										
						All Sp.	4							1911			
			0	13 20.000F	8	Hemlock	1	86.05	54.40	306.14	306.14	293.89	293.89		301		
						Spruce	3	306.77	49.90	892.46	892.46	856.76	856.76		501		
						All Sp.	4	392.82	50.92	1198.59	1198.59	1150.65	1150.65	1911			
			0	17 20.000F	20	Spruce	4	685.67	38.54	1193.29	1193.29	1145.56	1145.56		501		
						All Sp.	4	685.67	38.54	1193.29	1193.29	1145.56	1145.56	1911			
			0	18 20.000F	8	Hemlock	2	362.50	37.48	508.30	508.30	487.96	487.96		301		
						Spruce	1	62.36	63.90	239.25	239.25	229.68	229.68		501		
						All Sp.	3	424.86	42.40	747.54	747.54	717.64	717.64	1911			

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Plot Summary

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 229
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

14-May-2020 08:38:35AM
Filename: cp229 final.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

Utilization Levels:	Minimum DBH	Top Diameter	Stump Height
Mature Blocks: (cm)	17.5	15.0	30
Immature Blocks:(cm)	12.0	10.0	30

Standard Log Length:(m) 10.00

Forest Type		Block	Strip	Plot #	Size	Slope %	Species	# of Stems	Stems / Ha	Avg Diam	Gross Merch	Less Decay	Less DB	Less DWB	Cruise Date	Loss YI	Ref OI	No. M
56-S	H 351	480	0	19	20.000F C	8	Hemlock	1										
							Spruce	2										
							All Sp.	3							1911			
			0	20	20.000F C	11	Hemlock	3										
							Spruce	3										
							All Sp.	6							1911			
			0	21	20.000F	19	Hemlock	8	2876.76	26.61	1844.31	1844.31	1770.54	1770.54		301		
							All Sp.	8	2876.76	26.61	1844.31	1844.31	1770.54	1770.54	1911			
			0	22	20.000F C	12	Hemlock	4										
							Spruce	3										
							All Sp.	7							1911			
			0	26	20.000F C	5	Hemlock	2										
							All Sp.	2							1911			
57-S	H 351	480	0	14	20.000F	4	Hemlock	4	516.56	44.41	1165.87	1142.56	1086.02	1086.02			302	310
							Spruce	1	4.83	229.50	337.29	296.48	279.61	266.12				510
							All Sp.	5	521.40	49.42	1503.16	1439.03	1365.63	1352.14	1911			
			0	15	20.000F C	8	Hemlock	5										
							Spruce	1										
							All Sp.	6							1911			
			0	16	20.000F	9	Hemlock	4	830.70	35.02	908.50	890.75	854.41	854.41			302	
							All Sp.	4	830.70	35.02	908.50	890.75	854.41	854.41	1911			
			0	23	20.000F C	8	Hemlock	5										
							All Sp.	5							1911			
			0	24	20.000F	13	Spruce	5	97.02	114.56	1442.58	1398.07	1325.94	1313.06				510
							All Sp.	5	97.02	114.56	1442.58	1398.07	1325.94	1313.06	1911			
			0	25	20.000F C	3	Spruce	3										
							All Sp.	3							1911			
			0	27	20.000F	6	Hemlock	4	2475.80	20.28	572.61	568.60	545.70	545.70			302	
							Spruce	1	469.06	23.30	174.09	174.09	167.13	167.13			502	
							All Sp.	5	2944.86	20.79	746.70	742.70	712.83	712.83	1911			
59-C H	PL921	788	0	1	20.000F	5	W.R. Cedar	4	215.57	68.74	481.26	319.61	285.92	222.67				210
							All Sp.	4	215.57	68.74	481.26	319.61	285.92	222.67	1911			
			0	2	20.000F	10	W.R. Cedar	2	155.85	57.17	229.76	175.48	159.39	139.16				210
							All Sp.	2	155.85	57.17	229.76	175.48	159.39	139.16	1911			

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Plot Summary

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 229
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

14-May-2020 08:38:35AM
Filename: cp229 final.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

Utilization Levels:	Minimum DBH	Top Diameter	Stump Height
Mature Blocks: (cm)	17.5	15.0	30
Immature Blocks:(cm)	12.0	10.0	30

Standard Log Length:(m) 10.00

Forest Type	Block	Strip	Plot #	Plot Size	Slope %	Species	# of Stems	Stems / Ha	Avg Diam	Gross Merch	Less Decay	Less DB	Less DWB	Cruise Date	Loss YI	Loss OI	Ref No. M
60-C H	931	788	0	3 20.000F C	14	W.R. Cedar	2										
						Hemlock	1										
						All Sp.	3							1911			
			0	4 20.000F C	37	W.R. Cedar	4										
						Hemlock	2										
						All Sp.	6							1911			
			0	5 20.000F	38	W.R. Cedar	3	802.19	30.86	261.13	203.02	184.74	162.76				210
						Hemlock	1	261.60	31.20	159.86	156.18	148.19	147.55				310
						All Sp.	4	1063.78	30.94	420.99	359.20	332.93	310.31	1911			
			0	6 20.000F	17	W.R. Cedar	3	137.48	74.54	380.98	276.46	249.79	210.68				210
						All Sp.	3	137.48	74.54	380.98	276.46	249.79	210.68	1911			
			0	7 20.000F C	15	W.R. Cedar	2										
						Hemlock	1										
						All Sp.	3							1911			
			0	8 20.000F	7	W.R. Cedar	1	39.59	80.20	119.02	79.87	71.53	56.06				210
						Hemlock	2	361.90	37.51	271.16	221.69	206.72	188.11				310
						All Sp.	3	401.49	43.62	390.18	301.56	278.26	244.17	1911			
			0	9 20.000F C	28	W.R. Cedar	4										
						All Sp.	4							1911			
			0	10 20.000F	21	W.R. Cedar	1	52.12	69.90	118.04	77.91	69.64	52.53				210
						Hemlock	1	170.03	38.70	129.80	127.08	120.59	120.20				310
						Spruce	1	489.86	22.80	133.45	133.18	126.51	126.51				510
						All Sp.	3	712.00	32.76	381.29	338.16	316.74	299.23	1911			
			0	11 20.000F C	23	W.R. Cedar	1										
						Hemlock	1										
						All Sp.	2							1911			
			0	12 20.000F	20	W.R. Cedar	3	230.17	57.61	330.48	218.69	195.55	153.87				210
						Hemlock	2	848.04	24.51	146.93	95.07	86.25	63.03				310
						All Sp.	5	1078.22	34.36	477.41	313.75	281.80	216.90	1911			
			0	13 20.000F	21	W.R. Cedar	3	123.13	78.77	383.74	288.51	261.65	228.21				210
						Hemlock	2	579.34	29.65	259.67	253.70	240.72	239.68				310
						All Sp.	5	702.47	42.57	643.42	542.21	502.36	467.89	1911			
			0	14 20.000F	17	W.R. Cedar	4	107.62	97.29	551.98	376.64	338.00	272.92				210
						Hemlock	3	986.13	27.83	435.67	425.65	403.86	401.99				310
						All Sp.	7	1093.75	40.37	987.65	802.29	741.87	674.91	1911			
			0	15 20.000F	6	W.R. Cedar	4	118.31	92.79	425.21	304.09	274.33	229.61				210

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Plot Summary

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 229
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

14-May-2020 08:38:35AM
Filename: cp229 final.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST
Version: 2019.01   IFS build 6276

Utilization Levels:	Minimum DBH	Top Diameter	Stump Height
Mature Blocks: (cm)	17.5	15.0	30
Immature Blocks:(cm)	12.0	10.0	30
Standard Log Length:(m)	10.00		

Forest Type	Block	Strip	Plot #	Plot Size	Slope %	Species	# of Stems	Stems / Ha	Avg Diam	Gross Merch	Less Decay	Less DB	Less DWB	Cruise Date	Loss YI	Loss OI	Ref No. M
60-C H	931	788	0	15 20.000F	6	E-Down	1	10.89	152.90	101.84	70.27	63.14	51.63				210
						All Sp.	4	118.31	92.79	425.21	304.09	274.33	229.61	1911			
			0	16 20.000F C	12	W.R. Cedar	6										
						All Sp.	6							1911			
			0	17 20.000F	6	W.R. Cedar	3	311.50	49.52	350.42	280.57	256.04	231.35				210
						Hemlock	1	226.91	33.50	107.53	105.17	99.79	99.47				310
						All Sp.	4	538.41	43.50	457.95	385.74	355.83	330.81	1911			
			0	18 20.000F C	22	W.R. Cedar	2										
						Hemlock	1										
						All Sp.	3							1911			
			0	19 20.000F C	14	W.R. Cedar	11										
						Hemlock	1										
						All Sp.	12							1911			

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Plot Frequency Report

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 229
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

14-May-2020 08:38:35AM
Filename: cp229 final.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

Measure Plots

Blocks	Timber Type 26	27	28	29	30	31	32	33	34	35	36	41	42	45	46
BLOCK 254 (M)															
# of Plots		11													
ha / Plot		0.94													
BLOCK 255 (M)															
# of Plots			18												
ha / Plot			1.86												
BLOCK 256 (M)															
# of Plots				8	3										
ha / Plot				2.22	2.70										
BLOCK 257 (M)															
# of Plots	2														
ha / Plot	1.65														
BLOCK 430 (M)															
# of Plots												12	2		
ha / Plot												1.11	0.55		
BLOCK 436 (M)															
# of Plots														11	3
ha / Plot														0.82	0.80
BLOCK 438 (M)															
# of Plots															
ha / Plot															
BLOCK 480 (I)															
# of Plots															
ha / Plot															
BLOCK 788 (M)															
# of Plots															
ha / Plot															
BLOCK 920 (M)															
# of Plots						7	11	4							
ha / Plot						1.64	1.80	1.38							
BLOCK 921 (M)															
# of Plots									3						
ha / Plot									1.27						
BLOCK 922 (M)															
# of Plots										3					
ha / Plot										0.77					
BLOCK 923 (M)															
# of Plots											13				
ha / Plot											0.75				
Cutting Permit															
# of Plots	2	11	18	8	3	7	11	4	3	3	13	12	2	11	3
ha / Plot	1.65	0.94	1.86	2.22	2.70	1.64	1.80	1.38	1.27	0.77	0.75	1.11	0.55	0.82	0.80

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Plot Frequency Report

14-May-2020 08:38:35AM

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 229
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

Filename: cp229 final.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

Measure Plots

Harvest Methods	Timber Type 26	27	28	29	30	31	32	33	34	35	36	41	42	45	46
METHOD SC															
# of Plots	2	11	18	8	3	7	11	4	3	3	13	12	2	11	3
ha / Plot	1.65	0.94	1.86	2.22	2.70	1.64	1.80	1.38	1.27	0.77	0.75	1.11	0.55	0.82	0.80
All Methods															
# of Plots	2	11	18	8	3	7	11	4	3	3	13	12	2	11	3
ha / Plot	1.65	0.94	1.86	2.22	2.70	1.64	1.80	1.38	1.27	0.77	0.75	1.11	0.55	0.82	0.80

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Plot Frequency Report

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 229
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

14-May-2020 08:38:35AM
Filename: cp229 final.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

Count Plots

Blocks	Timber Type 26	27	28	29	30	31	32	33	34	35	36	41	42	45	46
BLOCK 254 (M)															
# of Plots															
ha / Plot															
BLOCK 255 (M)															
# of Plots			17												
ha / Plot			1.97												
BLOCK 256 (M)															
# of Plots				9	5										
ha / Plot				1.98	1.62										
BLOCK 257 (M)															
# of Plots															
ha / Plot															
BLOCK 430 (M)															
# of Plots															
ha / Plot															
BLOCK 436 (M)															
# of Plots															
ha / Plot															
BLOCK 438 (M)															
# of Plots															
ha / Plot															
BLOCK 480 (I)															
# of Plots															
ha / Plot															
BLOCK 788 (M)															
# of Plots															
ha / Plot															
BLOCK 920 (M)															
# of Plots						4	8	3							
ha / Plot						2.88	2.47	1.83							
BLOCK 921 (M)															
# of Plots															
ha / Plot															
BLOCK 922 (M)															
# of Plots															
ha / Plot															
BLOCK 923 (M)															
# of Plots															
ha / Plot															
Cutting Permit															
# of Plots			17	9	5	4	8	3							
ha / Plot			1.97	1.98	1.62	2.88	2.47	1.83							

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Plot Frequency Report

Average Line Method
HUSBY FOREST PRODUCTS LTD.
Licence Number: A16869 CP: 229
Project: 1

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: A
PSYU: Queen Charlotte
Region: 2 - West Coast
District: 07 - Haida Gwaii

14-May-2020 08:38:35AM
Filename: cp229 final.ccp
Compiled by: Husby Forest Products Ltd.
Cruised by: ABACUS FOREST
Version: 2019.01 IFS build 6276

Count Plots

Harvest Methods	Timber Type 26	27	28	29	30	31	32	33	34	35	36	41	42	45	46
METHOD SC															
# of Plots			17	9	5	4	8	3							
ha / Plot			1.97	1.98	1.62	2.88	2.47	1.83							
All Methods															
# of Plots			17	9	5	4	8	3							
ha / Plot			1.97	1.98	1.62	2.88	2.47	1.83							

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage,

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.