

CANFOR

A19040 - CP# 664

Gardner Creek
Block #: UER0005 and UER0054

SUMMARY OF VOLUMES (loss factors) FULL VOLUMES APPLIED

16-Nov-2016 08:40:57AM

Cruised by: TIM LARADE, RFT
Compiled by: CANFOR



Map Area Statement Report

Average Line Method
CANFOR
Licence Number: A19040 CP: 664
Project:

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: F
PSYU: Fernie
Region: 4 - Kootenay-Boundary
District: 05 - Rocky Mountain

16-Nov-2016 08:40:57AM
Filename: cp_660.ccp
Compiled by: CANFOR
Cruised by: TIM LARADE, RFT
Version: 2016.00 IFS build 6004

Card A Cruise Identity

Licence #	: A19040	Cutting Permit #	: 664
Number of Blocks	: 2	Forest Region	: Kootenay-Boundary
Forest District	: Rocky Mountain	Type	: PSYU
Unit No	: Fernie	Tenure	: Forest Licence (INTERIOR)
Quota	: Prop./Mngd.PSYU,TFL,or SSA	Sale Type	: None
Elevation	: 1500	Co-ordinates Zone	: Unknown
East	: 0	North	: 0
Total Merch Area	: 61.70	Report Type	: *** FOR APPRAISAL PURPOSES ***
Locality	: Gardner Creek		

Card B Compilation Standard

Damage	: Damage	Selective	: Compile All Trees
Double Sampling	: Measure and Counts Plots	Special Compilation	: Interior Wet Belt Fir
Species Compilation	: Exceptions Used	Type of Compilation	: Interior

Compilation Standard	Mature	Immature	PL
DBH Limit	17.50	12.00	12.50
Stump Height	30	30	30
Top Diameter	10.00	10.00	10.00

Card C Type Description

Type	Description	A	Silvicultural Treatment Units
1		7.0	
2		16.6	
3		38.1	

Card D Block Description

Block	Description	Maturity	Type	A	Silvicultural Treatment Units
005	UER0005	M	1	7.0	
			2	16.6	
054	UER0054	M	3	38.1	

Card F Harvesting Description

Harvest Method	Harvest Description	Type	A	Silvicultural Treatment Units
SC	Ground Systems - Clearcut	1	7.0	
		2	16.6	
		3	38.1	

Card G Treatment Unit Description

Treatment Unit	Description
----------------	-------------

A	SK
---	----

		S	PL
Utilization Limits			
Min DBH	cm (M)	17.5	12.5
Stump Ht	cm (M)	30.0	30.0
Top Dia	cm (M)	10.0	10.0
Log Len	m	5.0	5.0

Type Factors

Forest Types:			
1 :		0.7347	1.3061
2 :		0.8846	0.9792
3 :		0.8571	1.1421

Block Factors

Block 005:			
Forest Types:			
1 :		0.7347	1.3061
2 :		0.8846	0.9792
3 :		1.0000	1.0000

Block 054:			
Forest Types:			
1 :		1.0000	1.0000
2 :		1.0000	1.0000
3 :		0.8571	1.1421

Harvest Method Factors

Method: SC: Ground Systems - Clearcut			
Forest Types:			
1 :		0.7347	1.3061
2 :		0.8846	0.9792
3 :		0.8571	1.1421

Appraisal Summary Report

Average Line Method
CANFOR
Licence Number: A19040 CP: 664
Project:
Location : Gardner Creek

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage
No Of Blocks : 2

FIZ: F
PSYU: Fernie
Region: 4 - Kootenay-Boundary
District: 05 - Rocky Mountain

16-Nov-2016 08:40:57AM
Filename: cp_660.ccp
Compiled by: CANFOR
Cruised by: TIM LARADE, RFT
Version: 2016.00 IFS build 6004

Utilization Levels:	Minimum DBH	Top Diameter	Stump Height
Mature Blocks: (cm)	17.5	10.0	30
Immature Blocks:(cm)	12.0	10.0	30
Exception[PL]: (cm)	12.5	10.0	30
Standard Log Length:(m)	5.00		

Net Area: [All Treatment Units : 61.7]

All Method Summary

Species	Net Volume (m3)			Net Volume / ha			Decay%	Stud	LRF	All
Code Description	All	Live	DP	All	Live	DP		Log%		Burn%
LO L.P. Pine	17113	16861	252	277.359	273.281	4.078	2	67	183	0
SP Spruce	4645	4551	94	75.291	73.764	1.528	0	64	186	0
Conifer	21759	21413	346	352.650	347.045	5.606	1	67		0
Total	21759	21413	346	352.650	347.045	5.606	1	67		0

Harvesting Method Summaries

Species	Harvest	Net	Average	Net Vol	Net Vol/ha	Defect%	Partial	All	Heavy	Down	Dead
	Method	Volume	Slope%	/Tree		(DWB)	Cut%	Fire%	Fire%	Tree%	Useless%
All Species	SC	21759	16	0.36	352.650	4		0	0	2	0
	All Methods	21759	16	0.36	352.650	4		0	0	2	0
Conifer	SC	21759	16	0.36	352.650	4		0	0	2	0
	All Methods	21759	16	0.36	352.650	4		0	0	2	0

Insect Damage Net Volume (m3)

	L.P. Pine	All Other Conifer
Green Attack	Red Attack	Grey Attack
0	0	0
		Insect Damage
		0

L.P. Pine Red/Grey Attack % of Conifer by Block

005: 0.0% 054: 0.0%

Cutting Authority

95% Confidence Interval 12.4
Plots/Ha 0.9
Cruised Trees/Plot 5.1
Cruise Date (yy-mm): 16-09
Plots: 58 # <= 5yrs: 58 # > 5yrs: 0 # > 10yrs: 0 # no date: 0

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Average Line Method
CANFOR
Licence Number: A19040 CP: 664
Project:

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

All Method Summary

FIZ: F
PSYU: Fernie
Region: 4 - Kootenay-Boundary
District: 05 - Rocky Mountain

16-Nov-2016 08:40:57AM
Filename: cp_660.ccp
Compiled by: CANFOR
Cruised by: TIM LARADE, RFT
Version: 2016.00 IFS build 6004

[All Treatment Units : 61.7]

		Total	Conifer	Decid	S	PL
Utilization Limits						
Min DBH	cm (M)				17.5	12.5
Stump Ht	cm (M)				30.0	30.0
Top Dia	cm (M)				10.0	10.0
Log Len	m				5.0	5.0
Volume and Size Data						
Gross Merchantable	m3	22551	22551		4740	17811
Net Merchantable	m3	21759	21759		4645	17113
Net Merch - All	m3/ha	352.650	352.650		75.291	277.359
Net Merch - Live	m3/ha	347.045	347.045		73.764	273.281
Net Merch - DP	m3/ha	5.606	5.606		1.528	4.078
Decay	%	1	1			2
Waste(billing)	%					
Total Cull (DWB)	%	4	4		2	4
Net Merch Vol/Tree	m3	0.36	0.36		0.41	0.35
Avg 5.0 m Log Net	m3	0.13	0.13		0.15	0.12
Useless Dead/Living	%	0	0			0
Net Second Growth	%					
All Burn Volume	%					
Heavy Fire Volume	%					
Blowdown Volume	%	2	2		2	1
Insect Volume	%					

LRF and Log Summary

Net Merch - Stud	%	67	67		64	67
Net Merch - Small Log	%	97	97		97	97
Net Merch - Large Log	%	3	3		3	3
Avg LRF All	bdft/m3	183	183		186	183

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage, , Wet Belt Fir
CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Harvest Method : SC - Ground Systems - Clearcut[All Treatment Units : 61.7]

		Total	Conifer	Decid	S	PL
Utilization Limits						
Min DBH	cm (M)				17.5	12.5
Stump Ht	cm (M)				30.0	30.0
Top Dia	cm (M)				10.0	10.0
Log Len	m				5.0	5.0
Volume and Size Data						
Gross Merchantable	m3	22551	22551		4740	17811
Net Merchantable	m3	21759	21759		4645	17113
Net Merch - All	m3/ha	352.650	352.650		75.291	277.359
Net Merch - Live	m3/ha	347.045	347.045		73.764	273.281
Net Merch - DP	m3/ha	5.606	5.606		1.528	4.078
Decay	%	1	1			2
Waste(billing)	%					
Total Cull (DWB)	%	4	4		2	4
Net Merch Vol/Tree	m3	0.36	0.36		0.41	0.35
Avg 5.0 m Log Net	m3	0.13	0.13		0.15	0.12
Useless Dead/Living	%	0	0			0
Net Second Growth	%					
All Burn Volume	%					
Heavy Fire Volume	%					
Blowdown Volume	%	2	2		2	1
Insect Volume	%					
% Average Slope		16				
LRF and Log Summary						
Net Merch - Stud	%	67	67		64	67
Net Merch - Small Log	%	97	97		97	97
Net Merch - Large Log	%	3	3		3	3
Avg LRF All	bdft/m3	183	183		186	183

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage, , Wet Belt Fir
CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Average Line Method
CANFOR
Licence Number: A19040 CP: 664
Project:

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

Cutting Permit Summary

FIZ: F
PSYU: Fernie
Region: 4 - Kootenay-Boundary
District: 05 - Rocky Mountain

16-Nov-2016 08:40:57AM
Filename: cp_660.ccp
Compiled by: CANFOR
Cruised by: TIM LARADE, RFT
Version: 2016.00 IFS build 6004

Net Area: [SK : 61.7]
Gross Area: [Grand Total : 61.7]

	Total	Conifer	Decid	S	PL
Utilization Limits					
Min DBH cm (M)				17.5	12.5
Stump Ht cm (M)				30.0	30.0
Top Dia cm (M)				10.0	10.0
Log Len m				5.0	5.0

Volume and Size Data

Gross Merchantable	m3	22551	22551	4740	17811
Net Merchantable	m3	21759	21759	4645	17113
Net Merch - All	m3/ha	353	353	75	277
Distribution	%	100	100	21	79
Decay	%	1	1		2
Waste	%				
Waste(billing)	%				
Breakage	%	2	2	2	2
Total Cull (DWB)	%	4	4	2	4
Stems/Ha (Live & DP)		976.1	976.1	182.1	794.0
Avg DBH (Live & DP)	cm	23.1	23.1	25.4	22.5
Snags/Ha		3.7	3.7		3.7
Avg Snag DBH	cm	28.8	28.8		28.8
Gross Merch Vol/Tree	m3	0.37	0.37	0.42	0.36
Net Merch Vol/Tree	m3	0.36	0.36	0.41	0.35
Avg Weight Total Ht	m	22.4	22.4	22.3	22.4
Avg Weight Merch Ht	m	16.9	16.9	16.4	17.0
Avg 5.0 m Log Net	m3	0.13	0.13	0.15	0.12
Avg 5.0 m Log Gross	m3	0.13	0.13	0.15	0.12
Avg # of 5.0 m Logs/Tree		2.93	2.93	2.90	2.94
Net Immature	%	100.0	100.0	100.0	100.0
Average Slope	%	16			

LRF and Log Summary

Net Merch - Stud	%	66.6	66.6	64.5	67.2
Net Merch - Small Log	%	96.8	96.8	97.0	96.7
Net Merch - Large Log	%	3.2	3.2	3.0	3.3
Avg LRF All	bdft/m3	183.5	183.5	186.2	182.8

Statistical Summary

Coeff. of Variation	%	33.9	33.9	124.9	46.8
Two Standard Error	%	12.4	12.4	45.6	17.1
Number and Type of Plots	MP = 30	CP = 28			
Number of Potential Trees	147				
Plots/Ha	0.9				
Cruised Trees/Plot	5.1				

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

*** FOR APPRAISAL PURPOSES ***

CPDAM- 1 , p8

Cutting Permit Damage Summary [Blowdown Damage]

Average Line Method
CANFOR
Licence Number: A19040 CP: 664
Project:

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: F
PSYU: Fernie
Region: 4 - Kootenay-Boundary
District: 05 - Rocky Mountain

16-Nov-2016 08:40:57AM
Filename: cp_660.ccp
Compiled by: CANFOR
Cruised by: TIM LARADE, RFT
Version: 2016.00 IFS build 6004

Net Area: [SK : 61.7]

Gross Area: [Grand Total : 61.7]

Species: L.P. Pine

Type of Damage:	Total	Normal	E-Down
-----------------	-------	--------	--------

Volume and Size Data

Gross Merchantable	m3	17811	17509	302
Net Merchantable	m3	17113	16857	256
Net Merch - All	m3/ha	277	273	4
Distribution	%	100	99	1
Decay	%	2	2	1
Waste	%			
Waste(billing)	%			
Breakage	%	2	2	14
Total Cull (DWB)	%	4	4	15
Stems/Ha (Live & DP)		794.0	744.0	50.0
Avg DBH (Live & DP)	cm	22.5	23.0	14.5
Snags/Ha		3.7	3.7	
Avg Snag DBH	cm	28.8	28.8	
Gross Merch Vol/Tree	m3	0.36	0.38	0.10
Net Merch Vol/Tree	m3	0.35	0.37	0.08
Avg Weight Total Ht	m	22.4	22.5	17.6
Avg Weight Merch Ht	m	17.0	17.2	9.1
Avg 5.0 m Log Net	m3	0.12	0.12	0.06
Avg 5.0 m Log Gross	m3	0.12	0.13	0.06
Avg # of 5.0 m Logs/Tree		2.94	3.03	1.62
Net Immature	%	100.0	100.0	100.0

LRF and Log Summary

Net Merch - Stud	%	67.2	66.7	100.0
Net Merch - Small Log	%	96.7	96.6	100.0
Net Merch - Large Log	%	3.3	3.4	
Avg LRF All	bdft/m3	182.8	183.2	156.9

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

*** FOR APPRAISAL PURPOSES ***

CPDAM- 2 , p9

Cutting Permit Damage Summary [Blowdown Damage]

Average Line Method

CANFOR

Licence Number: A19040 CP: 664

Project:

Grades: MOF Computerized

Computerized Decay

Computerized Waste

Computerized Breakage

FIZ: F

PSYU: Fernie

Region: 4 - Kootenay-Boundary

District: 05 - Rocky Mountain

16-Nov-2016 08:40:57AM

Filename: cp_660.ccp

Compiled by: CANFOR

Cruised by: TIM LARADE, RFT

Version: 2016.00 IFS build 6004

Net Area: [SK : 61.7]

Gross Area: [Grand Total : 61.7]

Species: Spruce

Type of Damage: Total Normal E-Down

Volume and Size Data

Gross Merchantable	m3	4740	4644	96
Net Merchantable	m3	4645	4551	94
Net Merch - All	m3/ha	75	74	2
Distribution	%	100	98	2
Decay	%			
Waste	%			
Waste(billing)	%			
Breakage	%	2	2	2
Total Cull (DWB)	%	2	2	2
Stems/Ha (Live & DP)		182.1	178.9	3.2
Avg DBH (Live & DP)	cm	25.4	25.4	28.6
Snags/Ha				
Avg Snag DBH	cm			
Gross Merch Vol/Tree	m3	0.42	0.42	0.49
Net Merch Vol/Tree	m3	0.41	0.41	0.48
Avg Weight Total Ht	m	22.3	22.4	20.0
Avg Weight Merch Ht	m	16.4	16.4	14.8
Avg 5.0 m Log Net	m3	0.15	0.15	0.16
Avg 5.0 m Log Gross	m3	0.15	0.15	0.16
Avg # of 5.0 m Logs/Tree		2.90	2.89	3.00
Net Immature	%	100.0	100.0	100.0

LRF and Log Summary

Net Merch - Stud	%	64.5	64.8	47.7
Net Merch - Small Log	%	97.0	97.0	100.0
Net Merch - Large Log	%	3.0	3.0	
Avg LRF All	bdft/m3	186.2	186.1	189.8

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Average Line Method
CANFOR
Licence Number: A19040 CP: 664
Project:

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

Block Summary

FIZ: F
PSYU: Fernie
Region: 4 - Kootenay-Boundary
District: 05 - Rocky Mountain

16-Nov-2016 08:40:57AM
Filename: cp_660.ccp
Compiled by: CANFOR
Cruised by: TIM LARADE, RFT
Version: 2016.00 IFS build 6004

Net Area: Block : (M) - 005:UER0005, Plots in Block: 23, TUs: [SK : 23.6]
Gross Area: [Reserve : 3.4][Grand Total : 27.0]

		Total	Conifer	Decid	S	PL
Utilization Limits						
Min DBH	cm (M)				17.5	12.5
Stump Ht	cm (M)				30.0	30.0
Top Dia	cm (M)				10.0	10.0
Log Len	m				5.0	5.0
Volume and Size Data						
Gross Merchantable	m3	9687	9687		3572	6115
Net Merchantable	m3	9389	9389		3501	5889
Net Merch - All	m3/ha	398	398		148	250
Distribution	%	100	100		37	63
Decay	%	1	1			2
Waste	%					
Waste(billing)	%					
Breakage	%	2	2		2	2
Total Cull (DWB)	%	3	3		2	4
Stems/Ha (Live & DP)		1038.1	1038.1		364.7	673.4
Avg DBH (Live & DP)	cm	23.5	23.5		24.9	22.8
Snags/Ha						
Avg Snag DBH	cm					
Gross Merch Vol/Tree	m3	0.40	0.40		0.42	0.38
Net Merch Vol/Tree	m3	0.38	0.38		0.41	0.37
Avg Weight Total Ht	m	22.7	22.7		22.7	22.8
Avg Weight Merch Ht	m	16.9	16.9		16.5	17.2
Avg 5.0 m Log Net	m3	0.12	0.12		0.14	0.12
Avg 5.0 m Log Gross	m3	0.13	0.13		0.14	0.12
Avg # of 5.0 m Logs/Tree		3.13	3.13		2.98	3.21
Net Immature	%	100.0	100.0		100.0	100.0
Average Slope	%	21				
LRF and Log Summary						
Net Merch - Stud	%	70.6	70.6		68.2	72.1
Net Merch - Small Log	%	99.1	99.1		100.0	98.6
Net Merch - Large Log	%	0.9	0.9			1.4
Avg LRF All	bdft/m3	182.3	182.3		184.3	181.1
Statistical Summary						
Coeff. of Variation	%	36.0	36.0		101.5	57.1
Two Standard Error	%	21.6	21.6		61.0	34.3
Number and Type of Plots		MP = 12	CP = 11			
Number of Potential Trees		58				
Plots/Ha		1.0				
Cruised Trees/Plot		4.5				

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Average Line Method
CANFOR
Licence Number: A19040 CP: 664
Project:

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

Block Summary

FIZ: F
PSYU: Fernie
Region: 4 - Kootenay-Boundary
District: 05 - Rocky Mountain

16-Nov-2016 08:40:57AM
Filename: cp_660.ccp
Compiled by: CANFOR
Cruised by: TIM LARADE, RFT
Version: 2016.00 IFS build 6004

Net Area: Block : (M) - 054:UER0054, Plots in Block: 35, TUs: [SK : 38.1]
Gross Area: [Reserve : 10.9][Grand Total : 49.0]

		Total	Conifer	Decid	S	PL
Utilization Limits						
Min DBH	cm (M)				17.5	12.5
Stump Ht	cm (M)				30.0	30.0
Top Dia	cm (M)				10.0	10.0
Log Len	m				5.0	5.0
Volume and Size Data						
Gross Merchantable	m3	12864	12864		1168	11696
Net Merchantable	m3	12369	12369		1145	11224
Net Merch - All	m3/ha	325	325		30	295
Distribution	%	100	100		9	91
Decay	%	1	1			1
Waste	%					
Waste(billing)	%					
Breakage	%	3	3		2	3
Total Cull (DWB)	%	4	4		2	4
Stems/Ha (Live & DP)		937.7	937.7		69.0	868.7
Avg DBH (Live & DP)	cm	22.8	22.8		27.2	22.4
Snags/Ha		6.0	6.0			6.0
Avg Snag DBH	cm	28.8	28.8			28.8
Gross Merch Vol/Tree	m3	0.36	0.36		0.44	0.35
Net Merch Vol/Tree	m3	0.35	0.35		0.44	0.34
Avg Weight Total Ht	m	22.2	22.2		21.3	22.3
Avg Weight Merch Ht	m	16.9	16.9		16.2	16.9
Avg 5.0 m Log Net	m3	0.13	0.13		0.17	0.12
Avg 5.0 m Log Gross	m3	0.13	0.13		0.17	0.13
Avg # of 5.0 m Logs/Tree		2.80	2.80		2.62	2.81
Net Immature	%	100.0	100.0		100.0	100.0
Average Slope	%	13				
LRF and Log Summary						
Net Merch - Stud	%	63.6	63.6		53.2	64.6
Net Merch - Small Log	%	95.0	95.0		88.0	95.7
Net Merch - Large Log	%	5.0	5.0		12.0	4.3
Avg LRF All	bdft/m3	184.4	184.4		191.8	183.7
Statistical Summary						
Coeff. of Variation	%	31.9	31.9		97.5	41.3
Two Standard Error	%	15.0	15.0		46.0	19.5
Number and Type of Plots		MP = 18	CP = 17			
Number of Potential Trees		89				
Plots/Ha		0.9				
Cruised Trees/Plot		5.5				

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Block Damage Summary [Blowdown Damage]

Average Line Method	Grades: MOF Computerized	FIZ: F
CANFOR	Computerized Decay	PSYU: Fernie
Licence Number: A19040 CP: 664	Computerized Waste	Region: 4 - Kootenay-Boundary
Project:	Computerized Breakage	District: 05 - Rocky Mountain

16-Nov-2016 08:40:57AM
 Filename: cp_660.ccp
 Compiled by: CANFOR
 Cruised by: TIM LARADE, RFT
 Version: 2016.00 IFS build 6004

Net Area: Block : (M) - 054:UER0054, Plots in Block: 35, TUs: [SK : 38.1]

Gross Area: [Reserve : 10.9][Grand Total : 49.0]

Species: L.P. Pine

Type of Damage:	Total	Normal	E-Down
-----------------	-------	--------	--------

Volume and Size Data

Gross Merchantable	m3	11696	11394	302
Net Merchantable	m3	11224	10968	256
Net Merch - All	m3/ha	295	288	7
Distribution	%	100	98	2
Decay	%	1	1	1
Waste	%			
Waste(billing)	%			
Breakage	%	3	2	14
Total Cull (DWB)	%	4	4	15
Stems/Ha (Live & DP)		868.7	787.7	81.0
Avg DBH (Live & DP)	cm	22.4	23.0	14.5
Snags/Ha		6.0	6.0	
Avg Snag DBH	cm	28.8	28.8	
Gross Merch Vol/Tree	m3	0.35	0.38	0.10
Net Merch Vol/Tree	m3	0.34	0.37	0.08
Avg Weight Total Ht	m	22.3	22.4	17.6
Avg Weight Merch Ht	m	16.9	17.1	9.1
Avg 5.0 m Log Net	m3	0.12	0.13	0.06
Avg 5.0 m Log Gross	m3	0.13	0.13	0.06
Avg # of 5.0 m Logs/Tree		2.81	2.94	1.62
Net Immature	%	100.0	100.0	100.0

LRF and Log Summary

Net Merch - Stud	%	64.6	63.8	100.0
Net Merch - Small Log	%	95.7	95.6	100.0
Net Merch - Large Log	%	4.3	4.4	
Avg LRF All	bdft/m3	183.7	184.3	156.9

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Block Damage Summary [Blowdown Damage]

Average Line Method	Grades: MOF Computerized	FIZ: F
CANFOR	Computerized Decay	PSYU: Fernie
Licence Number: A19040 CP: 664	Computerized Waste	Region: 4 - Kootenay-Boundary
Project:	Computerized Breakage	District: 05 - Rocky Mountain

16-Nov-2016 08:40:57AM
 Filename: cp_660.ccp
 Compiled by: CANFOR
 Cruised by: TIM LARADE, RFT
 Version: 2016.00 IFS build 6004

Net Area: Block : (M) - 054:UER0054, Plots in Block: 35, TUs: [SK : 38.1]

Gross Area: [Reserve : 10.9][Grand Total : 49.0]

Species: Spruce

Type of Damage:	Total	Normal	E-Down
-----------------	-------	--------	--------

Volume and Size Data

Gross Merchantable	m3	1168	1072	96
Net Merchantable	m3	1145	1051	94
Net Merch - All	m3/ha	30	28	2
Distribution	%	100	92	8
Decay	%			
Waste	%			
Waste(billing)	%			
Breakage	%	2	2	2
Total Cull (DWB)	%	2	2	2
Stems/Ha (Live & DP)		69.0	63.8	5.2
Avg DBH (Live & DP)	cm	27.2	27.0	28.6
Snags/Ha				
Avg Snag DBH	cm			
Gross Merch Vol/Tree	m3	0.44	0.44	0.49
Net Merch Vol/Tree	m3	0.44	0.43	0.48
Avg Weight Total Ht	m	21.3	21.4	20.0
Avg Weight Merch Ht	m	16.2	16.4	14.8
Avg 5.0 m Log Net	m3	0.17	0.17	0.16
Avg 5.0 m Log Gross	m3	0.17	0.17	0.16
Avg # of 5.0 m Logs/Tree		2.62	2.59	3.00
Net Immature	%	100.0	100.0	100.0

LRF and Log Summary

Net Merch - Stud	%	53.2	53.7	47.7
Net Merch - Small Log	%	88.0	86.9	100.0
Net Merch - Large Log	%	12.0	13.1	
Avg LRF All	bdft/m3	191.8	191.9	189.8

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Average Line Method
CANFOR
Licence Number: A19040 CP: 664
Project:

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

Type Summary

FIZ: F
PSYU: Fernie
Region: 4 - Kootenay-Boundary
District: 05 - Rocky Mountain

16-Nov-2016 08:40:57AM
Filename: cp_660.ccp
Compiled by: CANFOR
Cruised by: TIM LARADE, RFT
Version: 2016.00 IFS build 6004

Net Area: Type 1 (M):, Plots in Type: 7, TUs: [SK : 7.0]

		Total	Conifer	Decid	S	PL
Utilization Limits						
Min DBH	cm (M)				17.5	12.5
Stump Ht	cm (M)				30.0	30.0
Top Dia	cm (M)				10.0	10.0
Log Len	m				5.0	5.0
Volume and Size Data						
Gross Merchantable	m3	2902	2902		1457	1445
Net Merchantable	m3	2815	2815		1428	1387
Net Merch - All	m3/ha	402	402		204	198
Distribution	%	100	100		51	49
Decay	%	1	1			2
Waste	%					
Waste(billing)	%					
Breakage	%	2	2		2	2
Total Cull (DWB)	%	3	3		2	4
Stems/Ha (Live & DP)		1148.5	1148.5		590.6	557.9
Avg DBH (Live & DP)	cm	23.2	23.2		23.5	22.8
Snags/Ha						
Avg Snag DBH	cm					
Gross Merch Vol/Tree	m3	0.36	0.36		0.35	0.37
Net Merch Vol/Tree	m3	0.35	0.35		0.35	0.36
Avg Weight Total Ht	m	21.7	21.7		21.6	21.7
Avg Weight Merch Ht	m	15.7	15.7		15.3	16.2
Avg 5.0 m Log Net	m3	0.12	0.12		0.12	0.11
Avg 5.0 m Log Gross	m3	0.12	0.12		0.12	0.11
Avg # of 5.0 m Logs/Tree		3.07	3.07		2.87	3.27
Net Immature	%	100.0	100.0		100.0	100.0

LRF and Log Summary

Net Merch - Stud	%	74.7	74.7		73.7	75.8
Net Merch - Small Log	%	100.0	100.0		100.0	100.0
Net Merch - Large Log	%					
Avg LRF All	bdft/m3	179.5	179.5		180.5	178.5

Statistical Summary

Coeff. of Variation	%	41.1	41.1		78.0	96.8
Two Standard Error	%	40.7	40.7		98.4	68.5
Number and Type of Plots	MP = 4	CP = 3				
Number of Potential Trees	21					
Plots/Ha	1.0					
Cruised Trees/Plot	4.9					

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Average Line Method
CANFOR
Licence Number: A19040 CP: 664
Project:

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

Type Summary

FIZ: F
PSYU: Fernie
Region: 4 - Kootenay-Boundary
District: 05 - Rocky Mountain

16-Nov-2016 08:40:57AM
Filename: cp_660.ccp
Compiled by: CANFOR
Cruised by: TIM LARADE, RFT
Version: 2016.00 IFS build 6004

Net Area: Type 2 (M):, Plots in Type: 16, TUs: [SK : 16.6]

	Total	Conifer	Decid	S	PL
Utilization Limits					
Min DBH cm (M)				17.5	12.5
Stump Ht cm (M)				30.0	30.0
Top Dia cm (M)				10.0	10.0
Log Len m				5.0	5.0

Volume and Size Data

Gross Merchantable	m3	6784	6784	2115	4670
Net Merchantable	m3	6574	6574	2072	4502
Net Merch - All	m3/ha	396	396	125	271
Distribution	%	100	100	32	68
Decay	%	1	1		2
Waste	%				
Waste(billing)	%				
Breakage	%	2	2	2	2
Total Cull (DWB)	%	3	3	2	4
Stems/Ha (Live & DP)		991.5	991.5	269.4	722.2
Avg DBH (Live & DP)	cm	23.7	23.7	26.1	22.8
Snags/Ha					
Avg Snag DBH	cm				
Gross Merch Vol/Tree	m3	0.41	0.41	0.47	0.39
Net Merch Vol/Tree	m3	0.40	0.40	0.46	0.38
Avg Weight Total Ht	m	23.2	23.2	23.4	23.1
Avg Weight Merch Ht	m	17.4	17.4	17.3	17.5
Avg 5.0 m Log Net	m3	0.13	0.13	0.15	0.12
Avg 5.0 m Log Gross	m3	0.13	0.13	0.15	0.12
Avg # of 5.0 m Logs/Tree		3.16	3.16	3.08	3.19
Net Immature	%	100.0	100.0	100.0	100.0

LRF and Log Summary

Net Merch - Stud	%	68.9	68.9	64.4	70.9
Net Merch - Small Log	%	98.7	98.7	100.0	98.1
Net Merch - Large Log	%	1.3	1.3		1.9
Avg LRF All	bdft/m3	183.5	183.5	187.0	181.8

Statistical Summary

Coeff. of Variation	%	48.9	48.9	145.1	76.8
Two Standard Error	%	27.8	27.8	87.5	42.1
Number and Type of Plots	MP = 8	CP = 8			
Number of Potential Trees	37				
Plots/Ha	1.0				
Cruised Trees/Plot	4.4				

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Average Line Method
CANFOR
Licence Number: A19040 CP: 664
Project:

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

Type Summary

FIZ: F
PSYU: Fernie
Region: 4 - Kootenay-Boundary
District: 05 - Rocky Mountain

16-Nov-2016 08:40:57AM
Filename: cp_660.ccp
Compiled by: CANFOR
Cruised by: TIM LARADE, RFT
Version: 2016.00 IFS build 6004

Net Area: Type 3 (M):, Plots in Type: 35, TUs: [SK : 38.1]

		Total	Conifer	Decid	S	PL
Utilization Limits						
Min DBH	cm (M)				17.5	12.5
Stump Ht	cm (M)				30.0	30.0
Top Dia	cm (M)				10.0	10.0
Log Len	m				5.0	5.0
Volume and Size Data						
Gross Merchantable	m3	12864	12864		1168	11696
Net Merchantable	m3	12369	12369		1145	11224
Net Merch - All	m3/ha	325	325		30	295
Distribution	%	100	100		9	91
Decay	%	1	1			1
Waste	%					
Waste(billing)	%					
Breakage	%	3	3		2	3
Total Cull (DWB)	%	4	4		2	4
Stems/Ha (Live & DP)		937.7	937.7		69.0	868.7
Avg DBH (Live & DP)	cm	22.8	22.8		27.2	22.4
Snags/Ha		6.0	6.0			6.0
Avg Snag DBH	cm	28.8	28.8			28.8
Gross Merch Vol/Tree	m3	0.36	0.36		0.44	0.35
Net Merch Vol/Tree	m3	0.35	0.35		0.44	0.34
Avg Weight Total Ht	m	22.2	22.2		21.3	22.3
Avg Weight Merch Ht	m	16.9	16.9		16.2	16.9
Avg 5.0 m Log Net	m3	0.13	0.13		0.17	0.12
Avg 5.0 m Log Gross	m3	0.13	0.13		0.17	0.13
Avg # of 5.0 m Logs/Tree		2.80	2.80		2.62	2.81
Net Immature	%	100.0	100.0		100.0	100.0

LRF and Log Summary

Net Merch - Stud	%	63.6	63.6		53.2	64.6
Net Merch - Small Log	%	95.0	95.0		88.0	95.7
Net Merch - Large Log	%	5.0	5.0		12.0	4.3
Avg LRF All	bdft/m3	184.4	184.4		191.8	183.7

Statistical Summary

Coeff. of Variation	%	47.4	47.4		112.7	64.0
Two Standard Error	%	15.0	15.0		46.0	19.5
Number and Type of Plots		MP = 18	CP = 17			
Number of Potential Trees		89				
Plots/Ha		0.9				
Cruised Trees/Plot		5.5				

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

*** FOR APPRAISAL PURPOSES ***

TSDAM- 1 , p17

Type Damage Summary [Blowdown Damage]

Average Line Method	Grades: MOF Computerized	FIZ: F	16-Nov-2016 08:40:57AM
CANFOR	Computerized Decay	PSYU: Fernie	Filename: cp_660.ccp
Licence Number: A19040 CP: 664	Computerized Waste	Region: 4 - Kootenay-Boundary	Compiled by: CANFOR
Project:	Computerized Breakage	District: 05 - Rocky Mountain	Cruised by: TIM LARADE, RFT
			Version: 2016.00 IFS build 6004

Net Area: Type 3 (M):, Plots in Type: 35, TUs: [SK : 38.1]

Species: L.P. Pine

Type of Damage:	Total	Normal	E-Down
-----------------	-------	--------	--------

Volume and Size Data

Gross Merchantable	m3	11696	11394	302
Net Merchantable	m3	11224	10968	256
Net Merch - All	m3/ha	295	288	7
Distribution	%	100	98	2
Decay	%	1	1	1
Waste	%			
Waste(billing)	%			
Breakage	%	3	2	14
Total Cull (DWB)	%	4	4	15
Stems/Ha (Live & DP)		868.7	787.7	81.0
Avg DBH (Live & DP)	cm	22.4	23.0	14.5
Snags/Ha		6.0	6.0	
Avg Snag DBH	cm	28.8	28.8	
Gross Merch Vol/Tree	m3	0.35	0.38	0.10
Net Merch Vol/Tree	m3	0.34	0.37	0.08
Avg Weight Total Ht	m	22.3	22.4	17.6
Avg Weight Merch Ht	m	16.9	17.1	9.1
Avg 5.0 m Log Net	m3	0.12	0.13	0.06
Avg 5.0 m Log Gross	m3	0.13	0.13	0.06
Avg # of 5.0 m Logs/Tree		2.81	2.94	1.62
Net Immature	%	100.0	100.0	100.0

LRF and Log Summary

Net Merch - Stud	%	64.6	63.8	100.0
Net Merch - Small Log	%	95.7	95.6	100.0
Net Merch - Large Log	%	4.3	4.4	
Avg LRF All	bdft/m3	183.7	184.3	156.9

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

*** FOR APPRAISAL PURPOSES ***

TSDAM- 2 , p18

Type Damage Summary [Blowdown Damage]

Average Line Method	Grades: MOF Computerized	FIZ: F	16-Nov-2016 08:40:57AM
CANFOR	Computerized Decay	PSYU: Fernie	Filename: cp_660.ccp
Licence Number: A19040 CP: 664	Computerized Waste	Region: 4 - Kootenay-Boundary	Compiled by: CANFOR
Project:	Computerized Breakage	District: 05 - Rocky Mountain	Cruised by: TIM LARADE, RFT
			Version: 2016.00 IFS build 6004

Net Area: Type 3 (M):, Plots in Type: 35, TUs: [SK : 38.1]

Species: Spruce

Type of Damage:	Total	Normal	E-Down
-----------------	-------	--------	--------

Volume and Size Data

Gross Merchantable	m3	1168	1072	96
Net Merchantable	m3	1145	1051	94
Net Merch - All	m3/ha	30	28	2
Distribution	%	100	92	8
Decay	%			
Waste	%			
Waste(billing)	%			
Breakage	%	2	2	2
Total Cull (DWB)	%	2	2	2
Stems/Ha (Live & DP)		69.0	63.8	5.2
Avg DBH (Live & DP)	cm	27.2	27.0	28.6
Snags/Ha				
Avg Snag DBH	cm			
Gross Merch Vol/Tree	m3	0.44	0.44	0.49
Net Merch Vol/Tree	m3	0.44	0.43	0.48
Avg Weight Total Ht	m	21.3	21.4	20.0
Avg Weight Merch Ht	m	16.2	16.4	14.8
Avg 5.0 m Log Net	m3	0.17	0.17	0.16
Avg 5.0 m Log Gross	m3	0.17	0.17	0.16
Avg # of 5.0 m Logs/Tree		2.62	2.59	3.00
Net Immature	%	100.0	100.0	100.0

LRF and Log Summary

Net Merch - Stud	%	53.2	53.7	47.7
Net Merch - Small Log	%	88.0	86.9	100.0
Net Merch - Large Log	%	12.0	13.1	
Avg LRF All	bdft/m3	191.8	191.9	189.8

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

L.P. Pine -Green Non Beetle

			R I S K G R O U P # 1				R I S K G R O U P # 2				R I S K G R O U P # 3			
Log			Gross	Decay	Net		Gross	Decay	Net		Gross	Decay	Net	
Top	Dia (cm)	LRF	Merch	%	Merch	FBM	Merch	%	Merch	FBM	Merch	%	Merch	FBM
0.1 - 4.4		0												
4.5 - 5.4		91												
5.5 - 6.4		103												
6.5 - 7.4		113												
7.5 - 8.4		123												
8.5 - 9.9		134												
10.0 - 14.9		158	1616	0.6	1575	248116	3641	1.8	3503	548405				
15.0 - 19.9		185	2289	0.6	2231	411523	4103	2.0	3941	721896				
20.0 - 24.9		202	1570	0.6	1529	307882	2203	2.5	2104	419617				
25.0 - 29.9		217	839	0.7	816	176543	629	3.4	595	126839				
30.0 - 34.9		226	447	0.8	435	97866	145	5.0	134	29604				
35.0 - 39.9		234												
40.0 - 44.9		240												
45.0 - 49.9		246												
50.0 - 54.9		252												
55.0 - 59.9		258												
60.0 - 64.9		263												
65.0 - 69.9		266												
70.0 - 74.9		267												
75.0 - 79.9		265												
80.0 - 84.9		263												
85.0 - 89.9		261												
90.0 - 94.9		259												
95.0 - 99.9		257												
100.0+		254												
All Logs			6762	0.6	6585	1241931	10721	2.1	10276	1846361				

LRF and Log Summary														
Risk Groups			1	2	3	1+2	2+3	1+2+3	- Adj Factor	= Adj	1+2+3			
Average LRF			189	180		183	180	183			183			183
Decay	%		0.6			1.6	2.1							
Stud Log Net Merch	%		57.8			66.7	72.4							
Small Log Net Merch	%		93.4			96.6	98.7							
Large Log Net Merch	%		6.6			3.4	1.3							

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage, , Wet Belt Fir
CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

L.P. Pine -Dead Potential

			R I S K G R O U P # 1				R I S K G R O U P # 2				R I S K G R O U P # 3			
Log			Gross	Decay	Net		Gross	Decay	Net		Gross	Decay	Net	
Top	Dia (cm)	LRF	Merch	%	Merch	FBM	Merch	%	Merch	FBM	Merch	%	Merch	FBM
0.1 - 4.4		0												
4.5 - 5.4		91												
5.5 - 6.4		103												
6.5 - 7.4		113												
7.5 - 8.4		123												
8.5 - 9.9		134												
10.0 - 14.9		158					328	1.4	252	39477				
15.0 - 19.9		185												
20.0 - 24.9		202												
25.0 - 29.9		217												
30.0 - 34.9		226												
35.0 - 39.9		234												
40.0 - 44.9		240												
45.0 - 49.9		246												
50.0 - 54.9		252												
55.0 - 59.9		258												
60.0 - 64.9		263												
65.0 - 69.9		266												
70.0 - 74.9		267												
75.0 - 79.9		265												
80.0 - 84.9		263												
85.0 - 89.9		261												
90.0 - 94.9		259												
95.0 - 99.9		257												
100.0+		254												
All Logs							328	1.4	252	39477				

LRF and Log Summary														
Risk Groups			1	2	3	1+2	2+3	1+2+3	- Adj Factor	= Adj	1+2+3			
Average LRF				157		157	157	157			157			
Decay			%			1.4	1.4							
Stud Log Net Merch			%			100.0	100.0							
Small Log Net Merch			%			100.0	100.0							
Large Log Net Merch			%											

Spruce

			R I S K G R O U P # 1				R I S K G R O U P # 2				R I S K G R O U P # 3			
Log			Gross	Decay	Net		Gross	Decay	Net		Gross	Decay	Net	
Top	Dia (cm)	LRF	Merch	%	Merch	FBM	Merch	%	Merch	FBM	Merch	%	Merch	FBM
0.1 - 4.4		0												
4.5 - 5.4		91												
5.5 - 6.4		103												
6.5 - 7.4		113												
7.5 - 8.4		123												
8.5 - 9.9		134												
10.0 - 14.9		158	1187		1163	183748								
15.0 - 19.9		185	1871		1833	339133								
20.0 - 24.9		202	1200		1176	237615								
25.0 - 29.9		217	342		335	72732								
30.0 - 34.9		226	88		86	19485								
35.0 - 39.9		234	53		52	12085								
40.0 - 44.9		240												
45.0 - 49.9		246												
50.0 - 54.9		252												
55.0 - 59.9		258												
60.0 - 64.9		263												
65.0 - 69.9		266												
70.0 - 74.9		267												
75.0 - 79.9		265												
80.0 - 84.9		263												
85.0 - 89.9		261												
90.0 - 94.9		259												
95.0 - 99.9		257												
100.0+		254												
All Logs			4740		4645	864799								

LRF and Log Summary

Risk Groups			1	2	3	1+2	2+3	1+2+3
Average LRF			186			186		186
Decay	%							
Stud Log Net Merch	%		64.5			64.5		
Small Log Net Merch	%		97.0			97.0		
Large Log Net Merch	%		3.0			3.0		

ALL SPECIES

		R I S K G R O U P # 1				R I S K G R O U P # 2				R I S K G R O U P # 3			
Log		Gross	Decay	Net		Gross	Decay	Net		Gross	Decay	Net	
Top	Dia (cm)	Merch	%	Merch	FBM	Merch	%	Merch	FBM	Merch	%	Merch	FBM
0.1 -	4.4												
4.5 -	5.4												
5.5 -	6.4												
6.5 -	7.4												
7.5 -	8.4												
8.5 -	9.9												
10.0 -	14.9	2803	0.3	2738	431863	3970	1.8	3754	587883				
15.0 -	19.9	4160	0.3	4064	750656	4103	2.0	3941	721896				
20.0 -	24.9	2771	0.4	2705	545498	2203	2.5	2104	419617				
25.0 -	29.9	1181	0.5	1151	249275	629	3.4	595	126839				
30.0 -	34.9	535	0.7	521	117352	145	5.0	134	29604				
35.0 -	39.9	53		52	12085								
40.0 -	44.9												
45.0 -	49.9												
50.0 -	54.9												
55.0 -	59.9												
60.0 -	64.9												
65.0 -	69.9												
70.0 -	74.9												
75.0 -	79.9												
80.0 -	84.9												
85.0 -	89.9												
90.0 -	94.9												
95.0 -	99.9												
100.0+													
All Logs		11502	0.4	11231	2106730	11049	2.1	10528	1885838				

LRF and Log Summary

Risk Groups		1		2		3		1+2		2+3		1+2+3
Average LRF (unadjusted)		188		179				183		179		183
Decay	%	0.4						1.2		2.1		
Stud Log Net Merch	%	60.6						66.6		73.1		
Small Log Net Merch	%	94.9						96.8		98.7		
Large Log Net Merch	%	5.1						3.2		1.3		

Average Line Method

CANFOR

Licence Number: A19040 CP: 664

Project:

Grades: MOF Computerized

Computerized Decay

Computerized Waste

Computerized Breakage

Volume Statistical Analysis

FIZ: F

PSYU: Fernie

Region: 4 - Kootenay-Boundary

District: 05 - Rocky Mountain

16-Nov-2016 08:40:57AM

Filename: cp_660.ccp

Compiled by: CANFOR

Cruised by: TIM LARADE, RFT

Version: 2016.00 IFS build 6004

Utilization Levels:	Minimum DBH	Top Diameter	Stump Height
Mature Blocks: (cm)	17.5	10.0	30
Immature Blocks: (cm)	12.0	10.0	30
Exception[PL]: (cm)	12.5	10.0	30
Standard Log Length: (m)	5.00		

Forest Type	Plots			Area ha	Net Volume m3/ha	Proportional Volume	Trees			Standard Deviation	Coeff. of Variation	Sampling Error	
	Cnt	Mea	Tot				Cnt	Mea	Tot			1 SE%	2 SE%
1 :	3	4	7	7.0	402.2	0.14	13	21	34	176.3047	41.1	16.6	40.7
2 :	8	8	16	16.6	396.0	0.33	33	37	70	204.4675	48.9	13.0	27.8
3 :	17	18	35	38.1	324.7	0.53	102	89	191	138.7359	47.4	7.5	15.0
TOTAL	28	30	58	61.7	352.7		148	147	295		33.9	6.2	12.4

Number of live & dead potential trees sampled is 147
Number of dead useless trees sampled is 1
Number of live useless trees sampled is 0
The measured weighted sampling error is 17.9% at the 95% confidence level
The weighted sampling error is 12.4% at the 95% confidence level

Average Line Method

CANFOR

Licence Number: A19040 CP: 664

Project:

Grades: MOF Computerized

Computerized Decay

Computerized Waste

Computerized Breakage

FIZ: F

PSYU: Fernie

Region: 4 - Kootenay-Boundary

District: 05 - Rocky Mountain

16-Nov-2016 08:40:57AM

Filename: cp_660.ccp

Compiled by: CANFOR

Cruised by: TIM LARADE, RFT

Version: 2016.00 IFS build 6004

Utilization Levels:	Minimum DBH	Top Diameter	Stump Height
Mature Blocks: (cm)	17.5	10.0	30
Immature Blocks: (cm)	12.0	10.0	30
Exception[PL]: (cm)	12.5	10.0	30
Standard Log Length: (m)	5.00		

Forest Type	Plots			Area ha	Basal Area m2/ha	Proportional Basal Area	Trees			Standard Deviation	Coeff. of Variation	Sampling Error	
	Cnt	Mea	Tot				Cnt	Mea	Tot			1 SE%	2 SE%
1 :	3	4	7	7.0	48.6	0.13	13	21	34	17.7281	36.5	13.8	33.8
2 :	8	8	16	16.6	43.8	0.29	33	37	70	16.6833	38.1	9.5	20.3
3 :	17	18	35	38.1	38.2	0.58	102	89	191	21.7645	57.0	9.6	19.3
TOTAL	28	30	58	61.7	40.9		148	147	295		49.3	6.5	12.9

Number of live & dead potential trees sampled is 147
Number of dead useless trees sampled is 1
Number of live useless trees sampled is 0
The measured weighted sampling error is 18.1% at the 95% confidence level
The weighted sampling error is 12.9% at the 95% confidence level

Cutting Permit Stand Table (stems/ha)

Average Line Method

CANFOR

Licence Number: A19040 CP: 664

Project:

Grades: MOF Computerized

Computerized Decay

Computerized Waste

Computerized Breakage

FIZ: F

PSYU: Fernie

Region: 4 - Kootenay-Boundary

District: 05 - Rocky Mountain

16-Nov-2016 08:40:57AM

Filename: cp_660.ccp

Compiled by: CANFOR

Cruised by: TIM LARADE, RFT

Version: 2016.00 IFS build 6004

[SK : 61.7]

	S	PL	Total	DP	DU	LU
Utilization Limits						
Min DBH cm (M)	17.5	12.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	5.0	5.0	5.0	5.0	5.0	5.0
DBH						
Class						
5						
10						
15		120.2	120.2	78.3		
20	58.6	285.8	344.4			
25	67.8	183.3	251.1			
30	41.7	92.7	134.4	3.2	3.7	
35	8.0	18.0	26.0			
40	1.6	13.9	15.5			
45	1.3	1.9	3.1			
50						
55						
60						
65						
70						
75						
80						
85						
90						
95						
100						
105						
110						
115						
120						
125						
130						
135						
140						
145						
150						
175						
200						
225						
250						
275						
Total	178.9	715.8	894.7			
Dead P	3.2	78.3		81.5		
Dead U		3.7			3.7	
Live U						
Average DBH(cm) at 5 Levels						
12.5 +	25.4	23.3	23.7	14.3	28.8	
17.5 +	25.4	24.6	24.8	28.6	28.8	
22.5 +	27.6	27.9	27.8	28.6	28.8	
27.5 +	31.4	31.8	31.7	28.6	28.8	
32.5 +	37.8	36.9	37.1			

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Cutting Permit Stock Table (m3/ha)

Average Line Method

CANFOR

Licence Number: A19040 CP: 664

Project:

Grades: MOF Computerized

Computerized Decay

Computerized Waste

Computerized Breakage

FIZ: F

PSYU: Fernie

Region: 4 - Kootenay-Boundary

District: 05 - Rocky Mountain

16-Nov-2016 08:40:57AM

Filename: cp_660.ccp

Compiled by: CANFOR

Cruised by: TIM LARADE, RFT

Version: 2016.00 IFS build 6004

[SK : 61.7]

	S	PL	Total	DP	DU	LU
Utilization Limits						
Min DBH cm (M)	17.5	12.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	5.0	5.0	5.0	5.0	5.0	5.0
DBH						
Class						
5						
10						
15		13.8	13.8	4.1		
20	12.6	80.2	92.8			
25	25.2	83.9	109.1			
30	24.5	62.1	86.6	1.5		
35	7.6	15.7	23.3			
40	1.9	15.3	17.2			
45	2.1	2.2	4.2			
50						
55						
60						
65						
70						
75						
80						
85						
90						
95						
100						
105						
110						
115						
120						
125						
130						
135						
140						
145						
150						
175						
200						
225						
250						
275						
Total	73.8	273.3	347.0			
Dead P	1.5	4.1		5.6		
Total Volumes for 7 Levels						
17.5 +	73.8	259.5	333.2	1.5		
22.5 +	61.2	179.3	240.5	1.5		
27.5 +	36.0	95.4	131.4	1.5		
32.5 +	11.5	33.2	44.8			
37.5 +	4.0	17.5	21.5			
42.5 +	2.1	2.2	4.2			
47.5 +						

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Cutting Permit Basal Area Table (m2/ha)

Average Line Method

CANFOR

Licence Number: A19040 CP: 664

Project:

Grades: MOF Computerized

Computerized Decay

Computerized Waste

Computerized Breakage

FIZ: F

PSYU: Fernie

Region: 4 - Kootenay-Boundary

District: 05 - Rocky Mountain

16-Nov-2016 08:40:57AM

Filename: cp_660.ccp

Compiled by: CANFOR

Cruised by: TIM LARADE, RFT

Version: 2016.00 IFS build 6004

[SK : 61.7]

	S	PL	Total	DP	DU	LU
Utilization Limits						
Min DBH cm (M)	17.5	12.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	5.0	5.0	5.0	5.0	5.0	5.0
DBH						
Class						
5						
10						
15		2.3	2.3	1.1		
20	1.8	9.3	11.1			
25	3.1	8.9	12.0			
30	2.8	6.4	9.3	0.2	0.2	
35	0.8	1.6	2.4			
40	0.2	1.7	1.9			
45	0.2	0.3	0.5			
50						
55						
60						
65						
70						
75						
80						
85						
90						
95						
100						
105						
110						
115						
120						
125						
130						
135						
140						
145						
150						
175						
200						
225						
250						
275						
Total	9.0	30.5	39.6			
Dead P	0.2	1.1		1.3		
Dead U		0.2			0.2	
Live U						
Average Basal Area (m2) at 5 Levels						
12.5 +	9.0	30.5	39.6	1.3	0.2	
17.5 +	9.0	28.2	37.3	0.2	0.2	
22.5 +	7.2	18.9	26.2	0.2	0.2	
27.5 +	4.1	10.1	14.1	0.2	0.2	
32.5 +	1.2	3.6	4.8			

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Block : (M) - 005:UER0005, Plots in Block: 23, TUs: [SK : 23.6]

			S	PL	Total	DP	DU	LU
Utilization Limits								
Min DBH	cm	(M)	17.5	12.5	17.5	17.5	17.5	17.5
Stump Ht	cm	(M)	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia	cm	(M)	10.0	10.0	10.0	10.0	10.0	10.0
Log Len	m		5.0	5.0	5.0	5.0	5.0	5.0
DBH								
Class								
5								
10								
15								
				94.3	94.3			
20			117.8	298.8	416.6			
25			143.4	196.9	340.3			
30			88.0	76.2	164.1			
35			15.5		15.5			
40				7.2	7.2			
45								
50								
55								
60								
65								
70								
75								
80								
85								
90								
95								
100								
105								
110								
115								
120								
125								
130								
135								
140								
145								
150								
175								
200								
225								
250								
275								
Total			364.7	673.4	1038.1			
Dead P								
Dead U								
Live U								
Average DBH(cm) at 5 Levels								
12.5 +			24.9	22.8	23.5			
17.5 +			24.9	23.8	24.2			
22.5 +			26.9	26.8	26.8			
27.5 +			30.2	30.9	30.5			
32.5 +			35.7	39.1	36.8			

Block Stand Table (stems/ha)

Average Line Method

CANFOR

Licence Number: A19040 CP: 664

Project:

Grades: MOF Computerized

Computerized Decay

Computerized Waste

Computerized Breakage

FIZ: F

PSYU: Fernie

Region: 4 - Kootenay-Boundary

District: 05 - Rocky Mountain

16-Nov-2016 08:40:57AM

Filename: cp_660.ccp

Compiled by: CANFOR

Cruised by: TIM LARADE, RFT

Version: 2016.00 IFS build 6004

Block : (M) - 054:UER0054, Plots in Block: 35, TUs: [SK : 38.1]

	S	PL	Total	DP	DU	LU
Utilization Limits						
Min DBH cm (M)	17.5	12.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	5.0	5.0	5.0	5.0	5.0	5.0
DBH						
Class						
5						
10						
15		136.1	136.1	126.7		
20	21.9	277.8	299.6			
25	21.0	174.8	195.8			
30	13.1	103.0	116.0	5.2	6.0	
35	3.3	29.1	32.5			
40	2.5	18.1	20.6			
45	2.1	3.0	5.1			
50						
55						
60						
65						
70						
75						
80						
85						
90						
95						
100						
105						
110						
115						
120						
125						
130						
135						
140						
145						
150						
175						
200						
225						
250						
275						
Total	63.8	742.0	805.8			
Dead P	5.2	126.7		131.9		
Dead U		6.0			6.0	
Live U						
Average DBH(cm) at 5 Levels						
12.5 +	27.0	23.6	23.9	14.3	28.8	
17.5 +	27.0	25.0	25.2	28.6	28.8	
22.5 +	30.2	28.5	28.7	28.6	28.8	
27.5 +	34.8	32.1	32.5	28.6	28.8	
32.5 +	40.1	36.7	37.2			

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Average Line Method
CANFOR
Licence Number: A19040 CP: 664
Project:

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

Block Stock Table (m3/ha)

FIZ: F
PSYU: Fernie
Region: 4 - Kootenay-Boundary
District: 05 - Rocky Mountain

16-Nov-2016 08:40:57AM
Filename: cp_660.ccp
Compiled by: CANFOR
Cruised by: TIM LARADE, RFT
Version: 2016.00 IFS build 6004

Block : (M) - 005:UER0005, Plots in Block: 23, TUs: [SK : 23.6]

	S	PL	Total	DP	DU	LU
Utilization Limits						
Min DBH cm (M)	17.5	12.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	5.0	5.0	5.0	5.0	5.0	5.0
DBH						
Class						
5						
10						
15		10.5	10.5			
20	27.7	87.1	114.8			
25	54.7	93.8	148.4			
30	51.0	49.5	100.5			
35	15.0		15.0			
40		8.6	8.6			
45						
50						
55						
60						
65						
70						
75						
80						
85						
90						
95						
100						
105						
110						
115						
120						
125						
130						
135						
140						
145						
150						
175						
200						
225						
250						
275						
Total	148.3	249.5	397.9			
Dead P						
Total Volumes for 7 Levels						
17.5 +	148.3	239.0	387.3			
22.5 +	120.7	151.9	272.6			
27.5 +	66.0	58.1	124.1			
32.5 +	15.0	8.6	23.6			
37.5 +		8.6	8.6			
42.5 +						
47.5 +						

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage, , Wet Belt Fir
CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Average Line Method

CANFOR

Licence Number: A19040 CP: 664

Project:

Grades: MOF Computerized

Computerized Decay

Computerized Waste

Computerized Breakage

Block Stock Table (m3/ha)

FIZ: F

PSYU: Fernie

Region: 4 - Kootenay-Boundary

District: 05 - Rocky Mountain

16-Nov-2016 08:40:57AM

Filename: cp_660.ccp

Compiled by: CANFOR

Cruised by: TIM LARADE, RFT

Version: 2016.00 IFS build 6004

Block : (M) - 054:UER0054, Plots in Block: 35, TUs: [SK : 38.1]

	S	PL	Total	DP	DU	LU
Utilization Limits						
Min DBH cm (M)	17.5	12.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	5.0	5.0	5.0	5.0	5.0	5.0
DBH						
Class						
5						
10						
15		15.9	15.9	6.6		
20	3.2	75.9	79.1			
25	6.9	77.8	84.7			
30	8.0	70.0	78.0	2.5		
35	2.9	25.5	28.4			
40	3.1	19.5	22.6			
45	3.3	3.5	6.9			
50						
55						
60						
65						
70						
75						
80						
85						
90						
95						
100						
105						
110						
115						
120						
125						
130						
135						
140						
145						
150						
175						
200						
225						
250						
275						
Total	27.6	288.0	315.6			
Dead P	2.5	6.6		9.1		
Total Volumes for 7 Levels						
17.5 +	27.6	272.1	299.7	2.5		
22.5 +	24.3	196.2	220.6	2.5		
27.5 +	17.4	118.4	135.8	2.5		
32.5 +	9.4	48.5	57.8			
37.5 +	6.4	23.0	29.4			
42.5 +	3.3	3.5	6.9			
47.5 +						

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Block : (M) - 005:UER0005, Plots in Block: 23, TUs: [SK : 23.6]

			S	PL	Total	DP	DU	LU
Utilization Limits								
Min DBH	cm	(M)	17.5	12.5	17.5	17.5	17.5	17.5
Stump Ht	cm	(M)	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia	cm	(M)	10.0	10.0	10.0	10.0	10.0	10.0
Log Len	m		5.0	5.0	5.0	5.0	5.0	5.0
DBH								
Class								
5								
10								
15								
20			3.7	9.9	13.6			
25			6.6	9.6	16.2			
30			5.8	5.4	11.2			
35			1.6		1.6			
40				0.9	0.9			
45								
50								
55								
60								
65								
70								
75								
80								
85								
90								
95								
100								
105								
110								
115								
120								
125								
130								
135								
140								
145								
150								
175								
200								
225								
250								
275								
Total			17.7	27.4	45.2			
Dead P								
Dead U								
Live U								
Average Basal Area (m2) at 5 Levels								
12.5 +			17.7	27.4	45.2			
17.5 +			17.7	25.7	43.5			
22.5 +			14.0	15.8	29.8			
27.5 +			7.4	6.2	13.6			
32.5 +			1.6	0.9	2.4			

Block Basal Area Table (m2/ha)

Average Line Method

CANFOR

Licence Number: A19040 CP: 664

Project:

Grades: MOF Computerized

Computerized Decay

Computerized Waste

Computerized Breakage

FIZ: F

PSYU: Fernie

Region: 4 - Kootenay-Boundary

District: 05 - Rocky Mountain

16-Nov-2016 08:40:57AM

Filename: cp_660.ccp

Compiled by: CANFOR

Cruised by: TIM LARADE, RFT

Version: 2016.00 IFS build 6004

Block : (M) - 054:UER0054, Plots in Block: 35, TUs: [SK : 38.1]

	S	PL	Total	DP	DU	LU
Utilization Limits						
Min DBH cm (M)	17.5	12.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	5.0	5.0	5.0	5.0	5.0	5.0
DBH						
Class						
5						
10						
15		2.7	2.7	1.8		
20	0.7	8.9	9.5			
25	1.0	8.4	9.4			
30	1.0	7.1	8.1	0.3	0.4	
35	0.3	2.7	3.0			
40	0.3	2.2	2.6			
45	0.3	0.4	0.8			
50						
55						
60						
65						
70						
75						
80						
85						
90						
95						
100						
105						
110						
115						
120						
125						
130						
135						
140						
145						
150						
175						
200						
225						
250						
275						
Total	3.7	32.4	36.1			
Dead P	0.3	1.8		2.1		
Dead U		0.4			0.4	
Live U						
Average Basal Area (m2) at 5 Levels						
12.5 +	3.7	32.4	36.1	2.1	0.4	
17.5 +	3.7	29.8	33.4	0.3	0.4	
22.5 +	3.0	20.9	23.9	0.3	0.4	
27.5 +	2.0	12.4	14.4	0.3	0.4	
32.5 +	1.0	5.3	6.3			

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type 1 (M):, Plots in Type: 7, TUs: [SK : 7.0]

		S	PL	Total	DP	DU	LU
Utilization Limits							
Min DBH	cm (M)	17.5	12.5	17.5	17.5	17.5	17.5
Stump Ht	cm (M)	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia	cm (M)	10.0	10.0	10.0	10.0	10.0	10.0
Log Len	m	5.0	5.0	5.0	5.0	5.0	5.0
DBH							
Class							
5							
10							
15							
20		253.7	406.4	660.1			
25		202.8	57.9	260.7			
30		134.1	93.6	227.7			
35							
40							
45							
50							
55							
60							
65							
70							
75							
80							
85							
90							
95							
100							
105							
110							
115							
120							
125							
130							
135							
140							
145							
150							
175							
200							
225							
250							
275							
Total		590.6	557.9	1148.5			
Dead P							
Dead U							
Live U							
Average DBH(cm) at 5 Levels							
12.5 +		23.5	22.8	23.2			
17.5 +		23.5	22.8	23.2			
22.5 +		26.3	28.7	27.1			
27.5 +		29.5	29.8	29.6			
32.5 +							

Type 2 (M):, Plots in Type: 16, TUs: [SK : 16.6]

		S	PL	Total	DP	DU	LU
Utilization Limits							
Min DBH	cm (M)	17.5	12.5	17.5	17.5	17.5	17.5
Stump Ht	cm (M)	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia	cm (M)	10.0	10.0	10.0	10.0	10.0	10.0
Log Len	m	5.0	5.0	5.0	5.0	5.0	5.0
DBH							
Class							
5							
10							
15			134.1	134.1			
20		60.5	253.5	313.9			
25		118.3	255.6	373.9			
30		68.5	68.8	137.3			
35		22.1		22.1			
40			10.2	10.2			
45							
50							
55							
60							
65							
70							
75							
80							
85							
90							
95							
100							
105							
110							
115							
120							
125							
130							
135							
140							
145							
150							
175							
200							
225							
250							
275							
Total		269.4	722.2	991.5			
Dead P							
Dead U							
Live U							
Average DBH(cm) at 5 Levels							
12.5 +		26.1	22.8	23.7			
17.5 +		26.1	24.1	24.8			
22.5 +		27.2	26.4	26.7			
27.5 +		30.5	31.4	30.9			
32.5 +		35.7	39.1	36.8			

Average Line Method
CANFOR
Licence Number: A19040 CP: 664
Project:

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

Type Stand Table (stems/ha)

FIZ: F
PSYU: Fernie
Region: 4 - Kootenay-Boundary
District: 05 - Rocky Mountain

16-Nov-2016 08:40:57AM
Filename: cp_660.ccp
Compiled by: CANFOR
Cruised by: TIM LARADE, RFT
Version: 2016.00 IFS build 6004

Type 3 (M):, Plots in Type: 35, TUs: [SK : 38.1]

	S	PL	Total	DP	DU	LU
Utilization Limits						
Min DBH cm (M)	17.5	12.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	5.0	5.0	5.0	5.0	5.0	5.0
DBH						
Class						
5						
10						
15		136.1	136.1	126.7		
20	21.9	277.8	299.6			
25	21.0	174.8	195.8			
30	13.1	103.0	116.0	5.2	6.0	
35	3.3	29.1	32.5			
40	2.5	18.1	20.6			
45	2.1	3.0	5.1			
50						
55						
60						
65						
70						
75						
80						
85						
90						
95						
100						
105						
110						
115						
120						
125						
130						
135						
140						
145						
150						
175						
200						
225						
250						
275						
Total	63.8	742.0	805.8			
Dead P	5.2	126.7		131.9		
Dead U		6.0			6.0	
Live U						
Average DBH(cm) at 5 Levels						
12.5 +	27.0	23.6	23.9	14.3	28.8	
17.5 +	27.0	25.0	25.2	28.6	28.8	
22.5 +	30.2	28.5	28.7	28.6	28.8	
27.5 +	34.8	32.1	32.5	28.6	28.8	
32.5 +	40.1	36.7	37.2			

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage, , Wet Belt Fir
CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type 1 (M):, Plots in Type: 7, TUs: [SK : 7.0]

			S	PL	Total	DP	DU	LU
Utilization Limits								
Min DBH	cm	(M)	17.5	12.5	17.5	17.5	17.5	17.5
Stump Ht	cm	(M)	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia	cm	(M)	10.0	10.0	10.0	10.0	10.0	10.0
Log Len	m		5.0	5.0	5.0	5.0	5.0	5.0
DBH								
Class								
5								
10								
15								
20								
25								
30								
35								
40								
45								
50								
55								
60								
65								
70								
75								
80								
85								
90								
95								
100								
105								
110								
115								
120								
125								
130								
135								
140								
145								
150								
175								
200								
225								
250								
275								
Total			204.0	198.1	402.2			
Dead P								
Total Volumes for 7 Levels								
17.5 +			204.0	198.1	402.2			
22.5 +			151.3	88.9	240.3			
27.5 +			78.3	57.7	136.0			
32.5 +								
37.5 +								
42.5 +								
47.5 +								

Average Line Method
CANFOR
Licence Number: A19040 CP: 664
Project:

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

Type Stock Table (m3/ha)

FIZ: F
PSYU: Fernie
Region: 4 - Kootenay-Boundary
District: 05 - Rocky Mountain

16-Nov-2016 08:40:57AM
Filename: cp_660.ccp
Compiled by: CANFOR
Cruised by: TIM LARADE, RFT
Version: 2016.00 IFS build 6004

Type 2 (M):, Plots in Type: 16, TUs: [SK : 16.6]

	S	PL	Total	DP	DU	LU
Utilization Limits						
Min DBH cm (M)	17.5	12.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	5.0	5.0	5.0	5.0	5.0	5.0
DBH						
Class						
5						
10						
15		15.0	15.0			
20	17.1	77.8	94.9			
25	47.0	120.1	167.1			
30	39.4	46.1	85.5			
35	21.3		21.3			
40		12.3	12.3			
45						
50						
55						
60						
65						
70						
75						
80						
85						
90						
95						
100						
105						
110						
115						
120						
125						
130						
135						
140						
145						
150						
175						
200						
225						
250						
275						
Total	124.8	271.2	396.0			
Dead P						
Total Volumes for 7 Levels						
17.5 +	124.8	256.2	381.1			
22.5 +	107.7	178.4	286.2			
27.5 +	60.8	58.3	119.1			
32.5 +	21.3	12.3	33.6			
37.5 +		12.3	12.3			
42.5 +						
47.5 +						

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage, , Wet Belt Fir
CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Average Line Method
CANFOR
Licence Number: A19040 CP: 664
Project:

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

Type Stock Table (m3/ha)

FIZ: F
PSYU: Fernie
Region: 4 - Kootenay-Boundary
District: 05 - Rocky Mountain

16-Nov-2016 08:40:57AM
Filename: cp_660.ccp
Compiled by: CANFOR
Cruised by: TIM LARADE, RFT
Version: 2016.00 IFS build 6004

Type 3 (M):, Plots in Type: 35, TUs: [SK : 38.1]

	S	PL	Total	DP	DU	LU
Utilization Limits						
Min DBH cm (M)	17.5	12.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	5.0	5.0	5.0	5.0	5.0	5.0
DBH						
Class						
5						
10						
15		15.9	15.9	6.6		
20	3.2	75.9	79.1			
25	6.9	77.8	84.7			
30	8.0	70.0	78.0	2.5		
35	2.9	25.5	28.4			
40	3.1	19.5	22.6			
45	3.3	3.5	6.9			
50						
55						
60						
65						
70						
75						
80						
85						
90						
95						
100						
105						
110						
115						
120						
125						
130						
135						
140						
145						
150						
175						
200						
225						
250						
275						
Total	27.6	288.0	315.6			
Dead P	2.5	6.6		9.1		
Total Volumes for 7 Levels						
17.5 +	27.6	272.1	299.7	2.5		
22.5 +	24.3	196.2	220.6	2.5		
27.5 +	17.4	118.4	135.8	2.5		
32.5 +	9.4	48.5	57.8			
37.5 +	6.4	23.0	29.4			
42.5 +	3.3	3.5	6.9			
47.5 +						

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage, , Wet Belt Fir
CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type 1 (M):, Plots in Type: 7, TUs: [SK : 7.0]

		S	PL	Total	DP	DU	LU
Utilization Limits							
Min DBH	cm (M)	17.5	12.5	17.5	17.5	17.5	17.5
Stump Ht	cm (M)	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia	cm (M)	10.0	10.0	10.0	10.0	10.0	10.0
Log Len	m	5.0	5.0	5.0	5.0	5.0	5.0
DBH							
Class							
5							
10							
15							
20							
25							
30							
35							
40							
45							
50							
55							
60							
65							
70							
75							
80							
85							
90							
95							
100							
105							
110							
115							
120							
125							
130							
135							
140							
145							
150							
175							
200							
225							
250							
275							
Total		25.7	22.9	48.6			
Dead P							
Dead U							
Live U							
Average Basal Area (m2) at 5 Levels							
12.5 +		25.7	22.9	48.6			
17.5 +		25.7	22.9	48.6			
22.5 +		18.4	9.8	28.2			
27.5 +		9.2	6.5	15.7			
32.5 +							

Type 2 (M):, Plots in Type: 16, TUs: [SK : 16.6]

			S	PL	Total	DP	DU	LU
Utilization Limits								
Min DBH	cm (M)		17.5	12.5	17.5	17.5	17.5	17.5
Stump Ht	cm (M)		30.0	30.0	30.0	30.0	30.0	30.0
Top Dia	cm (M)		10.0	10.0	10.0	10.0	10.0	10.0
Log Len	m		5.0	5.0	5.0	5.0	5.0	5.0
DBH								
Class								
5								
10								
15				2.4	2.4			
20			2.2	8.6	10.8			
25			5.5	12.2	17.8			
30			4.4	4.9	9.3			
35			2.2		2.2			
40				1.2	1.2			
45								
50								
55								
60								
65								
70								
75								
80								
85								
90								
95								
100								
105								
110								
115								
120								
125								
130								
135								
140								
145								
150								
175								
200								
225								
250								
275								
Total			14.4	29.4	43.8			
Dead P								
Dead U								
Live U								
Average Basal Area (m2) at 5 Levels								
12.5 +			14.4	29.4	43.8			
17.5 +			14.4	26.9	41.3			
22.5 +			12.2	18.4	30.5			
27.5 +			6.6	6.1	12.8			
32.5 +			2.2	1.2	3.4			

Average Line Method Grades: MOF Computerized
 CANFOR Computerized Decay
 Licence Number: A19040 CP: 664 Computerized Waste
 Project: Computerized Breakage

FIZ: F
 PSYU: Fernie
 Region: 4 - Kootenay-Boundary
 District: 05 - Rocky Mountain

16-Nov-2016 08:40:57AM
 Filename: cp_660.ccp
 Compiled by: CANFOR
 Cruised by: TIM LARADE, RFT
 Version: 2016.00 IFS build 6004

Type 3 (M):, Plots in Type: 35, TUs: [SK : 38.1]

	S	PL	Total	DP	DU	LU
Utilization Limits						
Min DBH cm (M)	17.5	12.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	5.0	5.0	5.0	5.0	5.0	5.0
DBH						
Class						
5						
10						
15		2.7	2.7	1.8		
20	0.7	8.9	9.5			
25	1.0	8.4	9.4			
30	1.0	7.1	8.1	0.3	0.4	
35	0.3	2.7	3.0			
40	0.3	2.2	2.6			
45	0.3	0.4	0.8			
50						
55						
60						
65						
70						
75						
80						
85						
90						
95						
100						
105						
110						
115						
120						
125						
130						
135						
140						
145						
150						
175						
200						
225						
250						
275						
Total	3.7	32.4	36.1			
Dead P	0.3	1.8		2.1		
Dead U		0.4			0.4	
Live U						
Average Basal Area (m2) at 5 Levels						
12.5 +	3.7	32.4	36.1	2.1	0.4	
17.5 +	3.7	29.8	33.4	0.3	0.4	
22.5 +	3.0	20.9	23.9	0.3	0.4	
27.5 +	2.0	12.4	14.4	0.3	0.4	
32.5 +	1.0	5.3	6.3			

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage, , Wet Belt Fir
 CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Average Line Method
CANFOR
Licence Number: A19040 CP: 664
Project:

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

Plot Summary

FIZ: F
PSYU: Fernie
Region: 4 - Kootenay-Boundary
District: 05 - Rocky Mountain

16-Nov-2016 08:40:57AM
Filename: cp_660.ccp
Compiled by: CANFOR
Cruised by: TIM LARADE, RFT
Version: 2016.00 IFS build 6004

Utilization Levels:	Minimum DBH	Top Diameter	Stump Height
Mature Blocks: (cm)	17.5	10.0	30
Immature Blocks: (cm)	12.0	10.0	30
Exception[PL]: (cm)	12.5	10.0	30
Standard Log Length: (m)	5.00		

Forest Type	Block	Strip	Plot #	Size	Slope %	Species	# of Stems	Stems / Ha	Avg Diam	Gross Merch	Less Decay	Less DB	Less DWB	Cruise Date	Loss YI	Ref OI	No. M			
1-	005	1	22	10.000F	C	23	L.P. Pine All Sp.	4 4						1609						
		2	17	10.000F		43	L.P. Pine All Sp.	4 4	1165.73 1165.73	20.90 20.90	358.14 358.14	352.01 352.01	344.85 344.85	344.85 344.85	1609			804		
		2	18	10.000F	C	31	L.P. Pine Spruce All Sp.	5 1 6							1609					
		3	12	10.000F	C	44	Spruce All Sp.	3 3							1609					
		3	13	10.000F		27	L.P. Pine Spruce All Sp.	1 6 7	152.45 1198.41 1350.85	28.90 25.25 25.69	93.82 504.11 597.94	91.20 504.11 595.31	89.32 494.03 583.35	89.32 494.03 583.35	1609	503		804		
		6	3	10.000F		17	L.P. Pine Spruce All Sp.	2 5 7	390.25 1149.87 1540.12	25.54 23.53 24.06	180.20 403.40 583.60	176.22 403.40 579.62	172.61 395.33 567.94	172.61 395.33 567.94	1610	503		804		
		7	7	10.000F		28	Spruce All Sp.	3 3	867.44 867.44	20.98 20.98	226.06 226.06	226.06 226.06	221.54 221.54	221.54 221.54	1610	503				
		2-	005	1	23	10.000F		19	L.P. Pine Spruce All Sp.	1 7 8	200.50 1199.92 1400.42	25.20 27.25 26.97	99.29 630.71 729.99	97.30 630.71 728.01	95.31 618.09 713.41	95.31 618.09 713.41	1609	503		804
		3		14	10.000F	C	20	L.P. Pine Spruce All Sp.	3 1 4							1609				
		3		15	10.000F		5	L.P. Pine All Sp.	5 5	1474.93 1474.93	20.78 20.78	465.12 465.12	460.34 460.34	451.03 451.03	451.03 451.03	1609			804	
3	16	10.000F		C	23	L.P. Pine Spruce All Sp.	4 1 5							1609						
4	19	10.000F			17	L.P. Pine All Sp.	3 3	558.52 558.52	26.15 26.15	286.31 286.31	282.61 282.61	276.89 276.89	276.89 276.89	1609			804			
4	20	10.000F		C	30	L.P. Pine Spruce All Sp.	3 2 5							1609						

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Average Line Method
CANFOR
Licence Number: A19040 CP: 664
Project:

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

Plot Summary

FIZ: F
PSYU: Fernie
Region: 4 - Kootenay-Boundary
District: 05 - Rocky Mountain

16-Nov-2016 08:40:57AM
Filename: cp_660.ccp
Compiled by: CANFOR
Cruised by: TIM LARADE, RFT
Version: 2016.00 IFS build 6004

Utilization Levels:	Minimum DBH	Top Diameter	Stump Height
Mature Blocks: (cm)	17.5	10.0	30
Immature Blocks: (cm)	12.0	10.0	30
Exception[PL]: (cm)	12.5	10.0	30
Standard Log Length: (m)	5.00		

Forest Type	Block	Strip	Plot #	Size	Slope %	Species	# of Stems	Stems / Ha	Avg Diam	Gross Merch	Less Decay	Less DB	Less DWB	Cruise Date	Loss YI	Ref OI	No. M
2-	005	5	24	10.000F	C	7	L.P. Pine Spruce All Sp.	3 1 4						1609			
		5	25	10.000F		20	L.P. Pine Spruce All Sp.	1 1 2	141.47 135.09 276.56	30.00 30.70 30.34	94.80 93.88 188.68	92.14 93.88 186.02	90.25 92.00 182.25	90.25 92.00 182.25	1609	503	804
		7	9	10.000F		16	L.P. Pine All Sp.	6 6	2130.46 2130.46	18.94 18.94	521.43 521.43	512.54 512.54	502.11 502.11	502.11 502.11	1610		804
		7	10	10.000F	C	15	L.P. Pine All Sp.	4 4						1610			
		7	11	10.000F		37	L.P. Pine Spruce All Sp.	6 1 7	1178.49 258.35 1436.84	25.46 22.20 24.91	624.61 91.35 715.95	613.58 91.35 704.93	601.08 89.52 690.61	601.08 89.52 690.61	1610	503	804
		8	2	10.000F	C	12	L.P. Pine Spruce All Sp.	1 3 4						1610			
		8	6	10.000F	C	22	Spruce All Sp.	2 2						1610			
		9	1	10.000F		8	L.P. Pine Spruce All Sp.	1 2 3	83.28 441.16 524.45	39.10 24.03 26.99	103.12 160.21 263.33	102.29 160.21 262.50	100.23 157.00 257.23	100.23 157.00 257.23	1610	503	804
		9	5	10.000F		7	L.P. Pine Spruce All Sp.	1 2 3	132.49 401.67 534.17	31.00 25.18 26.74	103.76 175.89 279.64	100.85 175.89 276.74	98.78 172.37 271.15	98.78 172.37 271.15	1610	503	804
		10	4	10.000F	C	9	L.P. Pine All Sp.	5 5						1610			
3-	054	1	5	7.000F		4	L.P. Pine All Sp.	7 7	1468.94 1468.94	20.61 20.61	338.64 338.64	332.14 332.14	325.37 325.37	325.37 325.37	1610		804
		2	1	7.000F		5	Spruce All Sp.	2 2	96.07 96.07	43.07 43.07	137.73 137.73	137.73 137.73	134.98 134.98	134.98 134.98	1610	503	
		2	2	7.000F	C	13	NIL All Sp.	0 0						1610			

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Average Line Method
CANFOR
Licence Number: A19040 CP: 664
Project:

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

Plot Summary

FIZ: F
PSYU: Fernie
Region: 4 - Kootenay-Boundary
District: 05 - Rocky Mountain

16-Nov-2016 08:40:57AM
Filename: cp_660.ccp
Compiled by: CANFOR
Cruised by: TIM LARADE, RFT
Version: 2016.00 IFS build 6004

Utilization Levels:	Minimum DBH	Top Diameter	Stump Height
Mature Blocks: (cm)	17.5	10.0	30
Immature Blocks: (cm)	12.0	10.0	30
Exception[PL]: (cm)	12.5	10.0	30
Standard Log Length: (m)	5.00		

Forest Type	Block	Strip	Plot #	Size	Slope %	Species	# of Stems	Stems / Ha	Avg Diam	Gross Merch	Less Decay	Less DB	Less DWB	Cruise Date	Loss YI	Ref OI	No. M
3-	054	3	4	7.000F	C	8	L.P. Pine Spruce All Sp.	2 2 4						1610			
		5	17	7.000F		7	L.P. Pine Spruce All Sp.	1 1 2	89.26 157.35 246.60	31.60 23.80 26.89	74.07 54.81 128.88	73.63 54.81 128.44	72.14 53.72 125.86	72.14 53.72 125.86	1610	503	804
		6	16	7.000F	C	19	L.P. Pine All Sp.	13 13						1610			
		7	18	7.000F	C	7	L.P. Pine Spruce All Sp.	7 1 8						1610			
		7	19	7.000F		19	L.P. Pine Spruce All Sp.	2 1 3	206.48 70.32 276.81	29.38 35.60 31.08	141.98 62.99 204.97	141.12 62.99 204.11	138.28 61.73 200.02	138.28 61.73 200.02	1610	503	804
		7	20	7.000F	C	13	L.P. Pine All Sp.	7 7						1610			
		7	21	7.000F		5	L.P. Pine Spruce All Sp.	2 1 3	324.51 138.15 462.65	23.44 25.40 24.04	106.39 46.11 152.49	105.80 46.11 151.91	103.67 45.18 148.86	103.67 45.18 148.86	1610	503	804
		8	11	7.000F		14	L.P. Pine Spruce All Sp.	5 1 6	813.99 90.97 904.97	23.40 31.30 24.31	328.51 53.86 382.36	324.25 53.86 378.11	317.68 52.78 370.46	317.68 52.78 370.46	1610	503	804
		8	12	7.000F	C	7	L.P. Pine All Sp.	7 7						1610			
		8	14	7.000F	C	7	L.P. Pine All Sp.	1 1						1610			
		9	7	7.000F		15	L.P. Pine All Sp.	3 3	286.63 286.63	30.54 30.54	220.50 220.50	215.26 215.26	210.85 210.85	210.85 210.85	1610		804
		9	9	7.000F		18	L.P. Pine Spruce All Sp.	1 1 2	93.95 204.04 297.99	30.80 20.90 24.46	63.50 41.42 104.92	63.12 41.42 104.54	61.85 40.59 102.44	61.85 40.59 102.44	1610	503	804
		10	24	7.000F	C	19	L.P. Pine All Sp.	8 8						1610			

Average Line Method
CANFOR
Licence Number: A19040 CP: 664
Project:

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

Plot Summary

FIZ: F
PSYU: Fernie
Region: 4 - Kootenay-Boundary
District: 05 - Rocky Mountain

16-Nov-2016 08:40:57AM
Filename: cp_660.ccp
Compiled by: CANFOR
Cruised by: TIM LARADE, RFT
Version: 2016.00 IFS build 6004

Utilization Levels:	Minimum DBH	Top Diameter	Stump Height
Mature Blocks: (cm)	17.5	10.0	30
Immature Blocks: (cm)	12.0	10.0	30
Exception[PL]: (cm)	12.5	10.0	30
Standard Log Length: (m)	5.00		

Forest Type	Block	Strip	Plot #	Size	Slope %	Species	# of Stems	Stems / Ha	Avg Diam	Gross Merch	Less Decay	Less DB	Less DWB	Cruise Date	Loss YI	Ref OI	No. M
3-	054	10	25	7.000F	20	L.P. Pine	4	870.06	20.24	236.35	232.22	227.49	227.49	1610	503		804
				Spruce	1	254.87	18.70	28.02	28.02	27.46	27.46						
				All Sp.	5	1124.93	19.90	264.37	260.24	254.95	254.95						
		11	34	7.000F C	15	L.P. Pine	9							1610			
						All Sp.	9										
		11	38	7.000F C	22	L.P. Pine	8							1610			
						Spruce	3										
						All Sp.	11										
		11	41	7.000F	17	L.P. Pine	6	1040.79	22.67	400.52	396.20	388.19	388.19	1610			804
						All Sp.	6	1040.79	22.67	400.52	396.20	388.19	388.19				
		12	37	7.000F	8	L.P. Pine	2	117.43	38.96	141.81	140.75	137.92	137.92	1610	503		804
						Spruce	1	89.26	31.60	53.54	53.54	52.47	52.47				
						All Sp.	3	206.68	35.97	195.36	194.30	190.39	190.39				
		13	26	7.000F C	28	L.P. Pine	2							1610			
						All Sp.	2										
		13	35	7.000F	28	L.P. Pine	7	1362.30	21.40	475.16	467.80	458.30	458.30	1610			804
						All Sp.	7	1362.30	21.40	475.16	467.80	458.30	458.30				
		13	39	7.000F	17	L.P. Pine	3	208.95	35.77	208.62	204.62	200.45	200.45	1610	503	503	804
						Spruce	2	253.87	26.50	100.52	100.52	98.51	98.51				
						E-Down	1	108.96	28.60	53.01	53.01	51.95	51.95				
						All Sp.	5	462.83	31.03	309.14	305.14	298.96	298.96				
		14	40	7.000F C	5	L.P. Pine	1							1610			
						All Sp.	1										
		15	27	7.000F	15	L.P. Pine	3	629.11	20.62	195.32	192.70	188.79	188.79	1610	503		804
						Spruce	1	94.57	30.70	64.87	64.87	63.57	63.57				
						All Sp.	4	723.67	22.20	260.19	257.57	252.37	252.37				
		15	28	7.000F C	11	L.P. Pine	6							1610			
						All Sp.	6										
		16	29	7.000F	11	L.P. Pine	7	1296.87	21.93	451.94	447.59	438.55	438.55	1610			804
						E-Down	1	319.58	16.70	52.07	51.34	50.30	50.30				
						All Sp.	7	1296.87	21.93	451.94	447.59	438.55	438.55				804
		17	15	7.000F	8	L.P. Pine	5	304.93	38.23	305.74	298.77	292.65	292.65	1611			804
						All Sp.	5	304.93	38.23	305.74	298.77	292.65	292.65				

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Average Line Method				Grades: MOF Computerized				Plot Summary				16-Nov-2016 08:40:57AM			
CANFOR				Computerized Decay				FIZ: F				Filename: cp_660.ccp			
Licence Number: A19040 CP: 664				Computerized Waste				PSYU: Fernie				Compiled by: CANFOR			
Project:				Computerized Breakage				Region: 4 - Kootenay-Boundary				Cruised by: TIM LARADE, RFT			
								District: 05 - Rocky Mountain				Version: 2016.00 IFS build 6004			
Utilization Levels:				Minimum DBH	Top Diameter	Stump Height									
Mature Blocks: (cm)				17.5	10.0	30									
Immature Blocks:(cm)				12.0	10.0	30									
Exception[PL]: (cm)				12.5	10.0	30									
Standard Log Length:(m)				5.00											

Forest Type	Block	Strip	Plot #	Size	Slope %	Species	# of Stems	Stems / Ha	Avg Diam	Gross Merch	Less Decay	Less DB	Less DWB	Cruise Date	Loss YI	Ref OI	No. M	
3-	054	17	22	7.000F	C	7	L.P. Pine	2										
							Spruce	2										
							All Sp.	4										
														1611				
		17	31	7.000F		18	L.P. Pine	11	3361.37	17.08	561.94	555.24	516.82	516.82			804	
							E-Down	2	957.04	13.65	72.74	71.72	55.72	55.72			804	
							All Sp.	11	3361.37	17.08	561.94	555.24	516.82	516.82	1611			
		18	30	7.000F	C	9	L.P. Pine	6										
							All Sp.	6							1611			
		18	36	7.000F	C	8	L.P. Pine	6										
							All Sp.	6							1611			
		19	32	7.000F	C	17	L.P. Pine	9										
							All Sp.	9							1611			
		19	33	7.000F		5	L.P. Pine	9	1323.04	24.62	587.13	575.75	564.00	564.00			804	
							All Sp.	9	1323.04	24.62	587.13	575.75	564.00	564.00	1611			

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Measure Plots			
Blocks	Timber Type		
	1	2	3
BLOCK 005 (M)			
# of Plots	4	8	
ha / Plot	1.75	2.08	
BLOCK 054 (M)			
# of Plots			18
ha / Plot			2.12
Cutting Permit			
# of Plots	4	8	18
ha / Plot	1.75	2.08	2.12

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Average Line Method	Grades: MOF Computerized	FIZ: F	16-Nov-2016 08:40:57AM
CANFOR	Computerized Decay	PSYU: Fernie	Filename: cp_660.ccp
Licence Number: A19040 CP: 664	Computerized Waste	Region: 4 - Kootenay-Boundary	Compiled by: CANFOR
Project:	Computerized Breakage	District: 05 - Rocky Mountain	Cruised by: TIM LARADE, RFT
			Version: 2016.00 IFS build 6004

Measure Plots

Harvest Methods	Timber Type		
	1	2	3
METHOD SC			
# of Plots	4	8	18
ha / Plot	1.75	2.08	2.12
All Methods			
# of Plots	4	8	18
ha / Plot	1.75	2.08	2.12

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage, , Wet Belt Fir
CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Average Line Method	Grades: MOF Computerized	FIZ: F	16-Nov-2016 08:40:57AM
CANFOR	Computerized Decay	PSYU: Fernie	Filename: cp_660.ccp
Licence Number: A19040 CP: 664	Computerized Waste	Region: 4 - Kootenay-Boundary	Compiled by: CANFOR
Project:	Computerized Breakage	District: 05 - Rocky Mountain	Cruised by: TIM LARADE, RFT
			Version: 2016.00 IFS build 6004

Count Plots

Blocks	Timber Type		3
	1	2	
BLOCK 005 (M)			
# of Plots	3	8	
ha / Plot	2.33	2.08	
BLOCK 054 (M)			
# of Plots			17
ha / Plot			2.24
Cutting Permit			
# of Plots	3	8	17
ha / Plot	2.33	2.08	2.24

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Average Line Method
CANFOR
Licence Number: A19040 CP: 664
Project:

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

Plot Frequency Report

FIZ: F
PSYU: Fernie
Region: 4 - Kootenay-Boundary
District: 05 - Rocky Mountain

16-Nov-2016 08:40:57AM
Filename: cp_660.ccp
Compiled by: CANFOR
Cruised by: TIM LARADE, RFT
Version: 2016.00 IFS build 6004

Count Plots

Harvest Methods	Timber Type		
	1	2	3

METHOD SC			
# of Plots	3	8	17
ha / Plot	2.33	2.08	2.24

All Methods	Timber Type		
	1	2	3

# of Plots	3	8	17
ha / Plot	2.33	2.08	2.24

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage, , Wet Belt Fir
CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

CANFOR

Cruise Compilation Project Report

Project Identification		Compilation Specifications	
Location of Cruise	: Gardner Creek	Volume and Taper Equations	: A. Kozak 1989
Licence	: A19040	Decay Waste and Breakage Factors	: BCFS Zonal and PSYU
Project Number	:	Compiled By	: CANFOR
Cutting Permit	: 664	Cruised By	: TIM LARADE, RFT
Forest Inventory Zone	: F	Under Licence From	: Industrial Forestry Service Ltd.
Forest District	: 05	Program Version	: 2016.00
Sustained Yield Unit	: PSYU : Fernie	Date of Compilation	: 16-Nov-2016 : 08:40:57AM
		Method	: Average Line Method

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Double Sampling Factor Applied, Damage, , Wet Belt Fir

British Columbia Close Utilization
Net Volume (Gross Volume less DWB)

Utilization Levels:	Minimum DBH	Top Diameter	Stump Height
Mature Blocks: (cm)	17.5	10.0	30
Immature Blocks:(cm)	12.0	10.0	30
Exception[PL]: (cm)	12.5	10.0	30
Standard Log Length:(m)	5.00		

Block Areas

Blocks	Total	SK	Treatment Units
Block 005			
Type 1	7.00	7.00	
Type 2	16.60	16.60	
Total	23.60	23.60	
Block 054			
Type 3	38.10	38.10	
Total	38.10	38.10	

Harvest Method Areas

Harvest Methods	Total	SK	Treatment Units
Method SC			
Type 1	7.00	7.00	
Type 2	16.60	16.60	
Type 3	38.10	38.10	
Total	61.70	61.70	