

Galloway Lumber Co. Ltd

Cruise Compilation
Percent Reductions Applied

A19042, 182

Blocks: 3463, 3466, 3467, 3468, 3469, 3470, 3471, 3472, 3473, 3475

Version: 2018.00
Date: October 2, 2018
Locality: Quinn Creek



Compiled By: Coastfor Enterprises
Rob Kitamura, RFT, ATE

Cruised By: Jeff Davies, Robin Kessler, Jordan Pelton



Card A: Cruise Identity				License	A19042	Permit	182	Project #	cf2866
Licencee				# Blocks	10	Total Net Area	97.3	Elevation	1
Cruised By				Biogeoclimatic			UTM		
Compiled by Company				Zone	MS - Montane Spruce		Zone		
Compiled by Person				Sub Zone	dk - dry cool		East	0	
Endorsed By				Variant			North	0	
Tenure	W - Forest Licenses		Region	4 - Kootenay Boundary	Quota	Prop./Mngd. PSYKU, TFL or SSA		District	5 - Rocky Mountain
Sale Type			F.I.Z.	F	Locality	Quinn Creek		Unit ID #	20 - Cranbrook - 186

Card B: Compilation Standard			
Damage	Yes	Special Compilation	Interior Dry Belt Fir
Selective	All Trees	Type of Compilation	Interior
Root Rot	No	Exceptions	Yes
Utilization			
Standard	DBH Limit: 17.5	Stump Height: 30	Top Diam.: 10.0
Exception-PL	DBH Limit: 12.5	Stump Height: 30	Top Diam.: 10.0
			Log Length: 5.0
			Log Length: 5.0

Card C: Types		Treatment Units			
Type	DAT Type	Description	A	Total	
1	1	PLFDLW447-24	23.8	23.8	
4	4	PLSE(FD) 325-17	21.1	21.1	
5	5	PL 537-20	13.9	13.9	
6	6	SEBLFD(PL) 526-15	3.2	3.2	
7	7	PLSE(BL) 437-21	3.6	3.6	
8	8	SE(BL) 935-10	3.6	3.6	
9	9	SE(BL) 535-16	1.9	1.9	
10	10	FDSEPL(BL) 834-15	4.3	4.3	
11	11	PL 537-19	9.5	9.5	
13	13	PL(FD) 538-19	12.4	12.4	
Total			97.3	97.3	

Card D: Blocks				Treatment Units		
Block	DAT Block	Description	Maturity	Type	A	Total
463	463	3463	M	1	23.8	23.8
466	466	3466	M	4	21.1	21.1
467	467	3467	M	5	13.9	13.9
468	468	3468	M	6	3.2	3.2
469	469	3469	M	7	3.6	3.6
470	470	3470	M	8	3.6	3.6
471	471	3471	M	9	1.9	1.9
472	472	3472	M	10	4.3	4.3
473	473	3473	M	11	9.5	9.5
475	475	3475	M	13	12.4	12.4
				Total	97.3	97.3

Card F: Harvest Methods		Treatment Units			
Method	Description	Type	A	Total	
SC		4	21.1	21.1	
		5	13.9	13.9	
		6	3.2	3.2	
		7	3.6	3.6	
		8	3.6	3.6	
		9	1.9	1.9	
		10	4.3	4.3	
		11	9.5	9.5	
		13	12.4	12.4	

Card F: Harvest Methods			Treatment Units	
Method	Description	Type	A	Total
SS		1	23.8	23.8
		Total	23.8	23.8

Card G: Treatment Units	
Treatment Unit	Description
A	A

FLAGS: Compile All Trees, Dry Belt Fir

License Number: A19042	PSYU: 20 - Cranbrook - 186	Region: 4 - Kootenay Boundary	Licencee: Galloway Lumber Co. Ltd	Compiled By: Coastfor Enterprises
Cutting Permit: 182	FIZ: F	District: 5 - Rocky Mountain	Cruised By: Jeff Davies, Robin Kessler, Jordan Pelton	Rob Kitamura, RFT, ATE

Spec.	Type	DAT Type	TU	Class	Block	DAT Block	Damage	MS	LD	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	110	115	120	125	130	135	140	145	150	175	200	225	250	275	
F	1	1							L								95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	
L	1	1							L									95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95
F	4	4							L								95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95
F	5	5							L							95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95
F	6	6							L							50																												
F	7	7							L							50																												
F	11	11							L																																			
F	13	13							L						95				95																									

FLAGS: Compile All Trees, Dry Belt Fir

Species	Type	TU	Harvest Method	Net Volume	Reduced Net Volume	Partial Cut Percentage
All Species		1	SS	6658	5470	82%
All Species		4	SC	6268	5802	93%
All Species		5	SC	4813	4552	95%
All Species		6	SC	1063	999	94%
All Species		7	SC	1070	979	91%
All Species		8	SC	1854	1854	100%
All Species		9	SC	780	780	100%
All Species		10	SC	2375	2375	100%
All Species		11	SC	2803	2745	98%
All Species		13	SC	2962	2922	99%

FLAGS: Compile All Trees, Dry Belt Fir

Species	Type	TU	Harvest Method	Net Volume	Reduced Net Volume	Partial Cut Percentage
All Species		A	SS,SC	30646	28477	93%

FLAGS: Compile All Trees, Dry Belt Fir

Species	Type	TU	Harvest Method	Net Volume	Reduced Net Volume	Partial Cut Percentage
All Species	1	A	SS	6658	5470	82%
All Species	4	A	SC	6268	5802	93%
All Species	5	A	SC	4813	4552	95%
All Species	6	A	SC	1063	999	94%
All Species	7	A	SC	1070	979	91%
All Species	8	A	SC	1854	1854	100%
All Species	9	A	SC	780	780	100%
All Species	10	A	SC	2375	2375	100%
All Species	11	A	SC	2803	2745	98%
All Species	13	A	SC	2962	2922	99%

FLAGS: Compile All Trees, Dry Belt Fir

Timber Types										
Species	1	4	5	6	7	8	9	10	11	13
B	0.91304340	1.65000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000		
C	1.20108700									
F	1.37913000	0.82500000	1.00000000	1.00000000	1.00000000				1.00000000	1.00000000
L	0.96783800	0.55000000								
PL	0.84782610	2.20000000	1.00000000	1.00000000	1.00000000				1.00000000	1.00000000
S	1.69565200	1.11718800	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000

FLAGS: Compile All Trees, Dry Belt Fir

FOR APPRAISAL PURPOSE				PERCENT REDUCTION APPLIED				Section Page: 1 Main Page: 9	
Timber Pricing Branch - 2018.00				Cruise Statistics (Average Line Method)				A19042-182 Oct2,2018.cpm	
CompMatePC 1.4.11.0				Useless Volume Excluded				02/10/2018 10:36:41 AM	
License Number: A19042	PSYU: 20 - Cranbrook - 186	Region: 4 - Kootenay Boundary	Licencee: Galloway Lumber Co. Ltd	Compiled By: Coastfor Enterprises					
Cutting Permit: 182	FIZ: F	District: 5 - Rocky Mountain	Cruised By: Jeff Davies, Robin Kessler, Jordan Pelton	Rob Kitamura, RFT, ATE					
Utilization:	Standard	DBH Limit: 17.5	Stump Height: 30	Top Diam.: 10.0	Log Length: 5.0				
	Exception-PL	DBH Limit: 12.5	Stump Height: 30	Top Diam.: 10.0	Log Length: 5.0				

Timber Type 1 :PLFDLW447-24				Volume	Basal Area
Prism Plots				229.8	33.8
No. of Potential Trees	51	Count Trees: 53	Mean Net per HA	97.0662	18.2746
No. of Measured Plots	13		Standard Deviation	47.0	54.1
No. of Count Plots	10		Coefficient of Variation	9.3	11.3
				19.3	23.4

Timber Type 4 :PLSE(FD) 325-17				Volume	Basal Area
Prism Plots				275.0	36.9
No. of Potential Trees	46	Count Trees: 51	Standard Deviation	131.0075	23.7828
No. of Measured Plots	11		Coefficient of Variation	58.0	64.5
No. of Count Plots	9		Standard Error of the Mean %	11.6	14.4
				24.2	30.2

Timber Type 5 :PL 537-20				Volume	Basal Area
Prism Plots				327.4	40.7
No. of Potential Trees	75	Count Trees: 0	Standard Deviation	161.6961	19.4113
No. of Measured Plots	14		Coefficient of Variation	49.4	47.7
No. of Count Plots	0		Standard Error of the Mean %	13.2	12.8
				28.5	27.5

Timber Type 6 :SEBLFD(PL) 526-15				Volume	Basal Area
Prism Plots				312.2	37.3
No. of Potential Trees	15	Count Trees: 0	Standard Deviation	101.9268	11.5470
No. of Measured Plots	3		Coefficient of Variation	32.6	30.9
No. of Count Plots	0		Standard Error of the Mean %	18.8	17.9
				81.1	76.8

Timber Type 7 :PLSE(BL) 437-21				Volume	Basal Area
Prism Plots				271.9	33.3
No. of Potential Trees	12	Count Trees: 0	Standard Deviation	114.6552	11.5470
No. of Measured Plots	3		Coefficient of Variation	42.2	34.6
No. of Count Plots	0		Standard Error of the Mean %	24.3	20.0
				104.8	86.1

Timber Type 8 :SE(BL) 935-10				Volume	Basal Area
Prism Plots				514.9	54.0
No. of Potential Trees	27	Count Trees: 0	Standard Deviation	117.4291	11.4018
No. of Measured Plots	5		Coefficient of Variation	22.8	21.1
No. of Count Plots	0		Standard Error of the Mean %	10.2	9.4
				28.3	26.2

Timber Type 9 :SE(BL) 535-16				Volume	Basal Area
Prism Plots				410.5	45.0
No. of Potential Trees	9	Count Trees: 0	Standard Deviation	123.8552	7.0711
No. of Measured Plots	2		Coefficient of Variation	30.2	15.7
No. of Count Plots	0		Standard Error of the Mean %	21.3	11.1
				271.1	141.2

				Volume	Basal Area
Timber Type 10 :FDSEPL(BL) 834-15				552.2	60.0
Prism Plots			Mean Net per HA	207.6135	24.4949
No. of Potential Trees	24	Count Trees: 0	Standard Deviation	37.6	40.8
No. of Measured Plots	4		Coefficient of Variation	18.8	20.4
No. of Count Plots	0		Standard Error of the Mean %	59.8	65.0
			95% Confidence Interval		
				Volume	Basal Area
Timber Type 11 :PL 537-19				289.0	40.0
Prism Plots			Mean Net per HA	188.1773	25.2194
No. of Potential Trees	46	Count Trees: 0	Standard Deviation	65.1	63.0
No. of Measured Plots	9		Coefficient of Variation	21.7	21.0
No. of Count Plots	0		Standard Error of the Mean %	50.1	48.4
			95% Confidence Interval		
				Volume	Basal Area
Timber Type 13 :PL(FD) 538-19				235.6	30.7
Prism Plots			Mean Net per HA	133.6053	14.8763
No. of Potential Trees	51	Count Trees: 0	Standard Deviation	56.7	48.5
No. of Measured Plots	12		Coefficient of Variation	16.4	14.0
No. of Count Plots	0		Standard Error of the Mean %	36.0	30.8
			95% Confidence Interval		
				Volume	Basal Area
TOTAL				292.7	37.9
No. of Potential Trees	356	Count Trees: 104	Mean Net per HA	18.7	21.4
No. of Measured Plots	76		Coefficient of Variation	5.0	5.4
No. of Count Plots	19		Standard Error of the Mean %	9.9	10.7
			95% Confidence Interval		

The weighted measure sampling error at the 95% confidence level: 11.5%

The weighted sampling error at the 95% confidence level: 9.9%

FLAGS: Compile All Trees, Dry Belt Fir

The weighted measure sampling error for basal area: 11.2%

License Number: A19042	PSYU: 20 - Cranbrook - 186	Region: 4 - Kootenay Boundary	Licencee: Galloway Lumber Co. Ltd	Compiled By: Coastfor Enterprises	
Cutting Permit: 182	FIZ: F	District: 5 - Rocky Mountain	Cruised By: Jeff Davies, Robin Kessler, Jordan Pelton	Rob Kitamura, RFT, ATE	
Utilization:	Standard	DBH Limit: 17.5	Stump Height: 30	Top Diam.: 10.0	Log Length: 5.0
	Exception-PL	DBH Limit: 12.5	Stump Height: 30	Top Diam.: 10.0	Log Length: 5.0

Treatment Unit: All - 97.3

All Method Summary

Species		Net Volume (m3)			Net Volume / ha								
Code	Description	All	Live	DP	All	Live	DP	Decay %	Stud Log %	LRF	All Burn %		
B	Balsam	2539	2427	111	26.090	24.947	1.143	5	56	185	0		
C	Red Cedar	699	504	195	7.180	5.178	2.002	5	0	152	0		
F	Fir	2458	2223	235	25.265	22.848	2.417	1	39	179	0		
L	Larch	1884	1495	388	19.358	15.367	3.992	1	50	190	0		
PL	Lodgepole Pine	7966	7018	948	81.871	72.124	9.747	2	79	174	0		
S	Spruce	12932	12374	558	132.907	127.174	5.733	3	38	198	0		
Conifer		28477	26041	2436	292.671	267.638	25.033	2	51		0		
Total		28477	26041	2436	292.671	267.638	25.033	2	51		0		

Harvesting Method Summaries

	Harvest Method	Net Volume	Average Slope %	Net Vol/Tree	Net Vol/Ha	Defect% (DWB)	Partial Cut %	All Fire %	Heavy Fire %	Down Tree %	Dead Useless %
All Species	SS	5470	25	0.47	229.844	5	82			0	0
	SC	23007	20	0.37	313.015	6	96			4	2
	All Methods	28477	21	0.39	292.671	6	93			3	1
Conifer	SS	5470	25	0.47	229.844	5	82			0	0
	SC	23007	20	0.37	313.015	6	96			4	2
	All Methods	28477	21	0.39	292.671	6	93			3	1

Insect Damage Net Volume (m3)

[illegible]

All Method Parameter Table

95% Confidence Interval		N/A with reduction				
Plots/Ha		1.0				
Trees/Plot		4.8				
Cruise Date:	17-09	Total # Plots: 95	# <= 5yrs: 95	# > 5yrs: 0	# > 10yrs: 0	# No Date: 0

FLAGS: Compile All Trees, Dry Belt Fir

		Total	Conifer	Decid.	F	C	B	S	PL	L
Utilization Limits										
Min DBH	cm (M)				17.5	17.5	17.5	17.5	12.50	17.5
Stump Ht	cm (M)				30	30	30	30	30.00	30
Top Dia	cm (M)				10.0	10.0	10.0	10.0	10.00	10.0
Log Len	m				5.0	5.0	5.0	5.0	5.00	5.0
Volume and Size Data										
Gross Merchantable	m3	30335	30335		2540	789	2763	13613	8669	1961
Net Merchantable	m3	28477	28477		2458	699	2539	12932	7966	1884
Net Merch - All	m3/ha	293	293		25	7	26	133	82	19
Distribution	%	100	100		9	2	9	45	28	7
Decay	%	2	2		1	5	5	3	2	1
Total Cull (DWB)	%	6	6		3	12	8	5	8	4
Stems/Ha (Live & DP)		750.1	750.1		47.2	28.0	62.0	239.5	337.2	36.2
Avg DBH (Live & DP)	cm	25.0	25.0		31.3	25.6	25.8	28.9	19.9	28.6
Snags/Ha		9.8	9.8		4.1		3.1	2.7		
Avg Snag DBH	cm	24.2	24.2		22.5		27.3	22.9		
Gross Merch Vol/Tree	m3	0.42	0.42		0.55	0.29	0.46	0.58	0.26	0.56
Net Merch Vol/Tree	m3	0.39	0.39		0.54	0.26	0.42	0.55	0.24	0.54
Avg Weight Total Ht	m	23.6	23.6		23.2	17.2	23.1	25.1	21.5	27.3
Avg Weight Merch Ht	m	18.2	18.2		18.0	12.4	17.1	19.9	15.6	21.5
Avg 5.0 m Log Net	m3	0.15	0.15		0.17	0.13	0.15	0.19	0.10	0.15
Avg 5.0 m Log Gross	m3	0.15	0.15		0.17	0.14	0.16	0.20	0.10	0.15
Avg # of 5.0 m Logs/Tree		2.78	2.78		3.24	2.11	2.84	2.91	2.56	3.80
Net Immature	%	85.9	85.9		99.6	90.4	87.6	71.9	100.0	100.0
Slope Average	%	21								
LRF and Log Summary										
Net Merch - Stud	%	51.1	51.1		39.1		55.6	38.2	79.1	50.4
Net Merch - Small Log	%	87.6	87.6		94.2	86.6	92.9	77.0	98.9	97.0
Net Merch - Large Log	%	12.4	12.4		5.8	13.4	7.1	23.0	1.1	3.0
Avg LRF All	bdf/m3				178.9	152.2	185.5	197.8	174.4	190.3
Statistical Summary										
Coeff. of Variation	%	18.7	18.7		78.1	133.8	63.8	31.0	43.4	92.5
Two Standard Error	%	9.9	9.9		39.3	46.4	35.9	15.8	22.8	43.1
Number and Type of Plots	MP = 76	CP = 19								
Number of Potential Trees	356									
Plots/Ha	1.0									
Cruised Trees/Plot	4.8									

FLAGS: Compile All Trees, Dry Belt Fir

		Total	Conifer	Decid.	F	C	B	S	PL	L
Utilization Limits										
Min DBH	cm (M)				17.5	17.5	17.5	17.5	12.50	17.5
Stump Ht	cm (M)				30	30	30	30	30.00	30
Top Dia	cm (M)				10.0	10.0	10.0	10.0	10.00	10.0
Log Len	m				5.0	5.0	5.0	5.0	5.00	5.0
Volume and Size Data										
Gross Merchantable	m3	30335	30335		2540	789	2763	13613	8669	1961
Net Merchantable	m3	28477	28477		2458	699	2539	12932	7966	1884
Net Merch - All	m3/ha	293	293		25	7	26	133	82	19
Net Merch - Live	m3/ha	268	268		23	5	25	127	72	15
Net Merch - DP	m3/ha	25	25		2	2	1	6	10	4
Distribution	%	100	100		9	2	9	45	28	7
Decay	%	2	2		1	5	5	3	2	1
Total Cull (DWB)	%	6	6		3	12	8	5	8	4
Stems/Ha (Live & DP)		750.1	750.1		47.2	28.0	62.0	239.5	337.2	36.2
Avg DBH (Live & DP)	cm	25.0	25.0		31.3	25.6	25.8	28.9	19.9	28.6
Snags/Ha		9.8	9.8		4.1		3.1	2.7		
Avg Snag DBH	cm	24.2	24.2		22.5		27.3	22.9		
Gross Merch Vol/Tree	m3	0.42	0.42		0.55	0.29	0.46	0.58	0.26	0.56
Net Merch Vol/Tree	m3	0.39	0.39		0.54	0.26	0.42	0.55	0.24	0.54
Avg Weight Total Ht	m	23.6	23.6		23.2	17.2	23.1	25.1	21.5	27.3
Avg Weight Merch Ht	m	18.2	18.2		18.0	12.4	17.1	19.9	15.6	21.5
Avg 5.0 m Log Net	m3	0.15	0.15		0.17	0.13	0.15	0.19	0.10	0.15
Avg 5.0 m Log Gross	m3	0.15	0.15		0.17	0.14	0.16	0.20	0.10	0.15
Avg # of 5.0 m Logs/Tree		2.78	2.78		3.24	2.11	2.84	2.91	2.56	3.80
Net Immature	%	85.9	85.9		99.6	90.4	87.6	71.9	100.0	100.0
Slope Average	%	21								
Burn Volume	%									
Heavy Burn Volume	%									
Blowdown Volume	%	2.9	2.9		1.6			3.4	4.3	
Insect Volume	%	0.4	0.4						1.5	
LRF and Log Summary										
Net Merch - Stud	%	51.1	51.1		39.1		55.6	38.2	79.1	50.4
Net Merch - Small Log	%	87.6	87.6		94.2	86.6	92.9	77.0	98.9	97.0
Net Merch - Large Log	%	12.4	12.4		5.8	13.4	7.1	23.0	1.1	3.0
Avg LRF All	bdfm/m3				178.9	152.2	185.5	197.8	174.4	190.3
Statistical Summary										
Coeff. of Variation	%	18.7	18.7		78.1	133.8	63.8	31.0	43.4	92.5
Two Standard Error	%	9.9	9.9		39.3	46.4	35.9	15.8	22.8	43.1
Number and Type of Plots	MP = 76 CP = 19									
Number of Potential Trees	356									
Plots/Ha	1.0									
Cruised Trees/Plot	4.8									

FLAGS: Compile All Trees, Dry Belt Fir

		Total	Normal	E-Down
Volume and Size Data				
Gross Merchantable	m3	13613	13145	468
Net Merchantable	m3	12932	12493	438
Net Merch - All	m3/ha	133	128	5
Distribution	%	100	97	3
Decay	%	3	3	4
Total Cull (DWB)	%	5	5	6
Stems/Ha (Live & DP)		239.5	233.8	5.7
Avg DBH (Live & DP)	cm	28.9	28.8	33.7
Snags/Ha		2.7	2.7	
Avg Snag DBH	cm	22.9	22.9	
Gross Merch Vol/Tree	m3	0.58	0.58	0.85
Net Merch Vol/Tree	m3	0.55	0.55	0.79
Avg Weight Total Ht	m	25.1	25.1	25.4
Avg Weight Merch Ht	m	19.9	19.9	20.3
Avg 5.0 m Log Net	m3	0.19	0.19	0.21
Avg 5.0 m Log Gross	m3	0.20	0.20	0.22
Avg # of 5.0 m Logs/Tree		2.91	2.89	3.81
LRF and Log Summary				
Net Merch - Stud	%	38.2	38.6	28.8
Net Merch - Small Log	%	77.0	76.8	83.7
Net Merch - Large Log	%	23.0	23.2	16.3
Avg LRF All	bdf/m3	197.8	197.8	199.2

FLAGS: Compile All Trees, Dry Belt Fir

		Total	Normal	E-Down
Volume and Size Data				
Gross Merchantable	m3	8669	7996	499
Net Merchantable	m3	7966	7509	340
Net Merch - All	m3/ha	82	77	3
Distribution	%	100	94	4
Decay	%	2	2	2
Total Cull (DWB)	%	8	6	32
Stems/Ha (Live & DP)		337.2	306.4	27.9
Avg DBH (Live & DP)	cm	19.9	19.9	18.7
Snags/Ha				
Avg Snag DBH	cm			
Gross Merch Vol/Tree	m3	0.26	0.27	0.18
Net Merch Vol/Tree	m3	0.24	0.25	0.13
Avg Weight Total Ht	m	21.5	21.6	18.1
Avg Weight Merch Ht	m	15.6	15.7	12.5
Avg 5.0 m Log Net	m3	0.10	0.10	0.09
Avg 5.0 m Log Gross	m3	0.10	0.10	0.09
Avg # of 5.0 m Logs/Tree		2.56	2.59	2.10
LRF and Log Summary				
Net Merch - Stud	%	79.1	79.1	86.0
Net Merch - Small Log	%	98.9	98.9	100.0
Net Merch - Large Log	%	1.1	1.1	
Avg LRF All	bdf/m3	174.4	175.6	169.7

FLAGS: Compile All Trees, Dry Belt Fir

		Total	Normal	E-Down
Volume and Size Data				
Gross Merchantable	m3	2540	2497	43
Net Merchantable	m3	2458	2418	40
Net Merch - All	m3/ha	25	25	
Distribution	%	100	98	2
Decay	%	1	1	5
Total Cull (DWB)	%	3	3	7
Stems/Ha (Live & DP)		47.2	46.6	0.6
Avg DBH (Live & DP)	cm	31.3	31.3	37.5
Snags/Ha		4.1	4.1	
Avg Snag DBH	cm	22.5	22.5	
Gross Merch Vol/Tree	m3	0.55	0.55	0.77
Net Merch Vol/Tree	m3	0.54	0.53	0.72
Avg Weight Total Ht	m	23.2	23.2	21.9
Avg Weight Merch Ht	m	18.0	18.0	17.4
Avg 5.0 m Log Net	m3	0.17	0.17	0.24
Avg 5.0 m Log Gross	m3	0.17	0.17	0.26
Avg # of 5.0 m Logs/Tree		3.24	3.25	3.00
LRF and Log Summary				
Net Merch - Stud	%	39.1	39.4	22.7
Net Merch - Small Log	%	94.2	94.2	100.0
Net Merch - Large Log	%	5.8	5.8	
Avg LRF All	bdf/m3	178.9	178.9	179.7

FLAGS: Compile All Trees, Dry Belt Fir

		Total	Normal	3-Grey
Volume and Size Data				
Gross Merchantable	m3	8669	7996	174
Net Merchantable	m3	7966	7509	117
Net Merch - All	m3/ha	82	77	1
Distribution	%	100	94	1
Decay	%	2	2	3
Total Cull (DWB)	%	8	6	33
Stems/Ha (Live & DP)		337.2	306.4	2.9
Avg DBH (Live & DP)	cm	19.9	19.9	26.7
Snags/Ha				
Avg Snag DBH	cm			
Gross Merch Vol/Tree	m3	0.26	0.27	0.61
Net Merch Vol/Tree	m3	0.24	0.25	0.41
Avg Weight Total Ht	m	21.5	21.6	26.3
Avg Weight Merch Ht	m	15.6	15.7	21.1
Avg 5.0 m Log Net	m3	0.10	0.10	0.17
Avg 5.0 m Log Gross	m3	0.10	0.10	0.17
Avg # of 5.0 m Logs/Tree		2.56	2.59	3.56
LRF and Log Summary				
Net Merch - Stud	%	79.1	79.1	55.5
Net Merch - Small Log	%	98.9	98.9	100.0
Net Merch - Large Log	%	1.1	1.1	
Avg LRF All	bdf/m3	174.4	175.6	107.8

FLAGS: Compile All Trees, Dry Belt Fir

		F	C	B	S	PL	L	Total	DP	DU	LU
Utilization Limits											
Min DBH	cm (M)	17.5	17.5	17.5	17.5	12.50	17.5				
Stump Ht	cm (M)	30	30	30	30	30.00	30				
Top Dia	cm (M)	10.0	10.0	10.0	10.0	10.00	10.0				
Log Len	m	5.0	5.0	5.0	5.0	5.00	5.0				
DBH Class											
10											
15						2.3		2.3	0.7		
20		0.3	0.5	0.6	2.7	2.5		6.7	0.9	0.1	
25		0.1	0.4	1.0	1.9	2.2	0.4	5.9	0.9	0.2	
30		0.9		0.4	2.1	0.9	0.3	4.7	0.6		
35		1.1		0.8	3.7	0.6	0.6	6.7	0.4	0.2	
40		0.6		0.3	1.6	0.1	0.3	2.9	0.3		
45			0.2		0.9		0.1	1.3	0.2		
50					1.1			1.2	0.3		
55					0.3			0.3	0.2		
60					0.5			0.5			
65					0.1			0.1			
70											
75											
80											
85											
90											
95											
100											
105											
110											
115											
120											
125											
130											
135											
140											
145											
150											
175											
200											
225											
250											
275											
Total		3.2	1.1	3.0	15.0	8.6	1.7	32.5			
Dead P		0.5	0.4	0.2	0.8	1.9	0.6	4.4	4.4		
Dead U		0.2		0.2	0.1			0.5		0.5	
Live U											
Total Basal Area per Hectare at Five Levels											
12.5+		3.2	1.1	3.0	15.0	8.6	1.7	32.5	4.4	0.5	
17.5+		3.2	1.1	3.0	15.0	6.3	1.7	30.3	3.7	0.5	
22.5+		2.8	0.5	2.5	12.2	3.8	1.7	23.6	2.8	0.4	
27.5+		2.7	0.2	1.5	10.4	1.6	1.3	17.7	1.9	0.2	
32.5+		1.8	0.2	1.1	8.2	0.7	1.0	13.0	1.4	0.2	

FLAGS: Compile All Trees, Dry Belt Fir

		F	C	B	S	PL	L	Total	DP	DU	LU
Utilization Limits											
Min DBH	cm (M)	17.5	17.5	17.5	17.5	12.50	17.5				
Stump Ht	cm (M)	30	30	30	30	30.00	30				
Top Dia	cm (M)	10.0	10.0	10.0	10.0	10.00	10.0				
Log Len	m	5.0	5.0	5.0	5.0	5.00	5.0				
DBH Class											
10											
15						124.2		124.2	37.5		
20		10.3	16.9	18.4	91.2	80.5		217.2	26.1	3.2	
25		2.1	7.7	21.4	39.6	48.4	8.3	127.5	19.8	4.7	
30		13.3		5.3	30.2	14.3	4.3	67.4	8.5		
35		11.0		9.0	38.3	6.3	6.3	71.0	3.9	1.9	
40		5.1		2.0	12.9	1.0	2.3	23.3	2.8		
45		0.2	1.0		6.0		1.0	8.2	1.1		
50		0.2			5.8		0.1	6.1	1.4		
55		0.1			1.1			1.2	0.9		
60					1.7			1.7			
65					0.3			0.3			
70											
75											
80											
85											
90											
95											
100											
105											
110											
115											
120											
125											
130											
135											
140											
145											
150											
175											
200											
225											
250											
275											
Total		42.5	25.6	56.0	227.2	274.7	22.2	648.2			
Dead P		4.7	2.5	6.0	12.2	62.5	14.0		101.9		
Dead U		4.1		3.1	2.7					9.8	
Live U											
Average DBH at Five Levels											
12.5+		30.8	23.2	26.3	28.9	19.9	31.7	25.3	23.3	24.2	
17.5+		30.8	23.2	26.3	28.9	23.1	31.7	27.1	27.0	24.2	
22.5+		33.4	28.2	28.9	33.8	26.4	31.7	31.3	30.7	26.8	
27.5+		34.0	47.0	34.1	37.0	30.7	34.9	35.4	36.3	35.1	
32.5+		36.9	47.0	35.9	39.7	34.8	37.1	38.5	41.5	35.1	

FLAGS: Compile All Trees, Dry Belt Fir

		F	C	B	S	PL	L	Total	DP	DU	LU
Utilization Limits											
Min DBH	cm (M)	17.5	17.5	17.5	17.5	12.50	17.5				
Stump Ht	cm (M)	30	30	30	30	30.00	30				
Top Dia	cm (M)	10.0	10.0	10.0	10.0	10.00	10.0				
Log Len	m	5.0	5.0	5.0	5.0	5.00	5.0				
DBH Class											
10											
15						15.2		15.2	2.3		
20		1.7	2.5	4.2	15.5	21.3		45.3	4.8	0.1	
25		0.5	2.0	7.9	12.9	20.5	3.3	47.1	5.6	0.8	
30		7.0		3.3	18.6	8.4	2.2	39.5	3.9		
35		7.7		7.3	34.3	5.4	5.5	60.1	2.9	1.1	
40		5.0		2.2	15.8	1.4	2.8	27.3	1.7		
45		0.3	0.7		9.3		1.3	11.6	1.5		
50		0.4			11.8		0.1	12.3	1.7		
55		0.2			2.8		0.1	3.1	0.5		
60					4.9			4.9			
65					1.2			1.2			
70											
75											
80											
85											
90											
95											
100											
105											
110											
115											
120											
125											
130											
135											
140											
145											
150											
175											
200											
225											
250											
275											
Total		22.8	5.2	24.9	127.2	72.1	15.4	267.6			
Dead P		2.4	2.0	1.1	5.7	9.7	4.0		25.0		
Dead U		0.4		1.2	0.4					2.0	
Live U											
Total Volumes (Living)											
17.5+		22.8	5.2	24.9	127.2	57.0	15.4	252.5	22.8	2.0	
22.5+		21.1	2.6	20.7	111.6	35.7	15.4	207.1	17.9	1.9	
27.5+		20.6	0.7	12.8	98.7	15.2	12.1	160.0	12.3	1.1	
32.5+		13.6	0.7	9.5	80.1	6.8	9.9	120.5	8.4	1.1	
37.5+		5.9	0.7	2.2	45.8	1.4	4.4	60.4	5.5		
42.5+		0.8	0.7		30.0		1.5	33.1	3.8		
47.5		0.6			20.7		0.2	21.5	2.3		

FLAGS: Compile All Trees, Dry Belt Fir

		Total	Conifer	Decid.	F	C	B	S	PL	L
Utilization Limits										
Min DBH	cm (M)				17.5	17.5	17.5	17.5	12.50	17.5
Stump Ht	cm (M)				30	30	30	30	30.00	30
Top Dia	cm (M)				10.0	10.0	10.0	10.0	10.00	10.0
Log Len	m				5.0	5.0	5.0	5.0	5.00	5.0
Volume and Size Data										
Gross Merchantable	m3	5773	5773		1089	789	420	895	690	1890
Net Merchantable	m3	5470	5470		1056	699	365	877	659	1814
Net Merch - All	m3/ha	230	230		44	29	15	37	28	76
Distribution	%	100	100		19	13	7	16	12	33
Decay	%	2	2		1	5	8		2	1
Total Cull (DWB)	%	5	5		3	12	13	2	4	4
Stems/Ha (Live & DP)		484.8	484.8		60.4	114.7	20.5	68.9	78.8	141.5
Avg DBH (Live & DP)	cm	28.3	28.3		36.6	25.6	33.7	27.8	22.5	28.7
Snags/Ha										
Avg Snag DBH	cm									
Gross Merch Vol/Tree	m3	0.50	0.50		0.76	0.29	0.86	0.55	0.37	0.56
Net Merch Vol/Tree	m3	0.47	0.47		0.73	0.26	0.75	0.53	0.35	0.54
Avg Weight Total Ht	m	24.4	24.4		23.6	17.2	24.8	26.4	23.0	27.4
Avg Weight Merch Ht	m	19.2	19.2		18.8	12.4	19.6	21.5	17.4	21.6
Avg 5.0 m Log Net	m3	0.16	0.16		0.20	0.13	0.19	0.22	0.12	0.15
Avg 5.0 m Log Gross	m3	0.16	0.16		0.21	0.14	0.22	0.22	0.13	0.15
Avg # of 5.0 m Logs/Tree		3.06	3.06		3.67	2.11	4.00	2.47	2.90	3.80
Net Immature	%	96.8	96.8		99.3	90.4	72.1	100.0	100.0	100.0
Slope Average	%	25								
LRF and Log Summary										
Net Merch - Stud	%	35.6	35.6		27.8		27.3	29.1	63.3	48.5
Net Merch - Small Log	%	91.0	91.0		91.4	86.6	100.0	76.9	92.4	96.9
Net Merch - Large Log	%	9.0	9.0		8.6	13.4		23.1	7.6	3.1
Avg LRF All	bdf/m3				184.4	152.2	195.3	203.5	183.0	190.8
Statistical Summary										
Coeff. of Variation	%	47.0	47.0		136.2	133.8	270.7	168.6	200.1	96.2
Two Standard Error	%	19.3	19.3		49.9	48.6	130.3	45.3	102.9	45.6
Number and Type of Plots	MP = 13 CP = 10									
Number of Potential Trees	51									
Plots/Ha	1.0									
Cruised Trees/Plot	4.5									

FLAGS: Compile All Trees, Dry Belt Fir

		Total	Conifer	Decid.	F	C	B	S	PL	L
Utilization Limits										
Min DBH	cm (M)				17.5	17.5	17.5	17.5	12.50	17.5
Stump Ht	cm (M)				30	30	30	30	30.00	30
Top Dia	cm (M)				10.0	10.0	10.0	10.0	10.00	10.0
Log Len	m				5.0	5.0	5.0	5.0	5.00	5.0
Volume and Size Data										
Gross Merchantable	m3	5954	5954		281		178	4208	1215	72
Net Merchantable	m3	5802	5802		276		175	4091	1191	70
Net Merch - All	m3/ha	275	275		13		8	194	56	3
Distribution	%	100	100		5		3	71	21	1
Decay	%	1	1					1		
Total Cull (DWB)	%	3	3		2		2	3	2	3
Stems/Ha (Live & DP)		673.7	673.7		25.4		28.9	502.1	110.1	7.2
Avg DBH (Live & DP)	cm	26.1	26.1		31.2		23.0	25.7	27.2	26.6
Snags/Ha										
Avg Snag DBH	cm									
Gross Merch Vol/Tree	m3	0.42	0.42		0.52		0.29	0.40	0.52	0.47
Net Merch Vol/Tree	m3	0.41	0.41		0.51		0.29	0.39	0.51	0.46
Avg Weight Total Ht	m	21.6	21.6		21.3		18.2	21.6	21.8	25.6
Avg Weight Merch Ht	m	16.4	16.4		16.4		12.3	16.4	17.0	19.1
Avg 5.0 m Log Net	m3	0.16	0.16		0.17		0.15	0.16	0.17	0.12
Avg 5.0 m Log Gross	m3	0.16	0.16		0.17		0.15	0.16	0.17	0.12
Avg # of 5.0 m Logs/Tree		2.56	2.56		3.04		2.00	2.41	3.16	4.00
Net Immature	%	96.8	96.8		100.0		100.0	95.5	100.0	100.0
Slope Average	%	19								
LRF and Log Summary										
Net Merch - Stud	%	57.2	57.2		48.7		100.0	55.2	57.0	100.0
Net Merch - Small Log	%	94.7	94.7		95.3		100.0	92.8	100.0	100.0
Net Merch - Large Log	%	5.3	5.3		4.7			7.2		
Avg LRF All	bdf/m3				177.2		173.3	188.9	189.5	176.4
Statistical Summary										
Coeff. of Variation	%	58.0	58.0		222.7		331.7	73.0	182.7	331.7
Two Standard Error	%	24.2	24.2		148.4		94.1	31.3	39.0	282.2
Number and Type of Plots	MP = 11	CP = 9								
Number of Potential Trees	46									
Plots/Ha	0.9									
Cruised Trees/Plot	4.9									

FLAGS: Compile All Trees, Dry Belt Fir

		Total	Conifer	Decid.	F	C	B	S	PL	L
Utilization Limits										
Min DBH	cm (M)				17.5	17.5	17.5	17.5	12.50	17.5
Stump Ht	cm (M)				30	30	30	30	30.00	30
Top Dia	cm (M)				10.0	10.0	10.0	10.0	10.00	10.0
Log Len	m				5.0	5.0	5.0	5.0	5.00	5.0
Volume and Size Data										
Gross Merchantable	m3	4992	4992		265		884	2761	1081	
Net Merchantable	m3	4552	4552		258		825	2650	819	
Net Merch - All	m3/ha	327	327		19		59	191	59	
Distribution	%	100	100		6		18	58	18	
Decay	%	2	2		1		4	2	3	
Total Cull (DWB)	%	9	9		3		7	4	24	
Stems/Ha (Live & DP)		684.9	684.9		25.5		169.4	316.5	173.6	
Avg DBH (Live & DP)	cm	27.5	27.5		34.6		23.6	29.9	25.1	
Snags/Ha		43.0	43.0		28.6		14.4			
Avg Snag DBH	cm	22.5	22.5		22.5		22.5			
Gross Merch Vol/Tree	m3	0.52	0.52		0.75		0.38	0.63	0.45	
Net Merch Vol/Tree	m3	0.48	0.48		0.73		0.35	0.60	0.34	
Avg Weight Total Ht	m	23.8	23.8		25.1		22.3	24.4	23.0	
Avg Weight Merch Ht	m	18.4	18.4		19.8		15.8	19.2	18.1	
Avg 5.0 m Log Net	m3	0.17	0.17		0.19		0.13	0.19	0.14	
Avg 5.0 m Log Gross	m3	0.17	0.17		0.20		0.14	0.19	0.15	
Avg # of 5.0 m Logs/Tree		3.09	3.09		3.81		2.75	3.23	3.07	
Net Immature	%	95.8	95.8		100.0		93.9	94.7	100.0	
Slope Average	%	14								
LRF and Log Summary										
Net Merch - Stud	%	47.2	47.2		29.4		69.3	38.8	58.0	
Net Merch - Small Log	%	85.0	85.0		98.5		93.6	77.7	95.6	
Net Merch - Large Log	%	15.0	15.0		1.5		6.4	22.3	4.4	
Avg LRF All	bdf/m3				182.1		179.4	197.9	173.8	
Statistical Summary										
Coeff. of Variation	%	49.4	49.4		233.7		124.2	85.0	168.9	
Two Standard Error	%	28.5	28.5		134.9		71.7	49.1	97.5	
Number and Type of Plots	MP = 14	CP = 0								
Number of Potential Trees	75									
Plots/Ha	1.0									
Cruised Trees/Plot	5.4									

FLAGS: Compile All Trees, Dry Belt Fir

		Total	Conifer	Decid.	F	C	B	S	PL	L
Utilization Limits										
Min DBH	cm (M)				17.5	17.5	17.5	17.5	12.50	17.5
Stump Ht	cm (M)				30	30	30	30	30.00	30
Top Dia	cm (M)				10.0	10.0	10.0	10.0	10.00	10.0
Log Len	m				5.0	5.0	5.0	5.0	5.00	5.0
Volume and Size Data										
Gross Merchantable	m3	1050	1050		88		309	311	342	
Net Merchantable	m3	999	999		86		288	301	324	
Net Merch - All	m3/ha	312	312		27		90	94	101	
Distribution	%	100	100		9		29	30	32	
Decay	%	2	2				3	1	3	
Total Cull (DWB)	%	5	5		2		7	3	5	
Stems/Ha (Live & DP)		578.5	578.5		95.2		225.0	111.2	147.1	
Avg DBH (Live & DP)	cm	28.7	28.7		26.7		24.6	35.0	30.4	
Snags/Ha										
Avg Snag DBH	cm									
Gross Merch Vol/Tree	m3	0.57	0.57		0.29		0.43	0.88	0.73	
Net Merch Vol/Tree	m3	0.54	0.54		0.28		0.40	0.85	0.69	
Avg Weight Total Ht	m	23.6	23.6		19.7		23.2	24.4	24.2	
Avg Weight Merch Ht	m	18.3	18.3		15.7		16.5	19.4	19.5	
Avg 5.0 m Log Net	m3	0.18	0.18		0.18		0.13	0.22	0.20	
Avg 5.0 m Log Gross	m3	0.18	0.18		0.18		0.14	0.23	0.21	
Avg # of 5.0 m Logs/Tree		3.11	3.11		1.56		3.15	3.89	3.46	
Net Immature	%	93.4	93.4		100.0		77.2	100.0	100.0	
Slope Average	%	21								
LRF and Log Summary										
Net Merch - Stud	%	41.6	41.6		38.5		71.4	20.2	35.7	
Net Merch - Small Log	%	95.3	95.3		84.2		100.0	89.0	100.0	
Net Merch - Large Log	%	4.7	4.7		15.8			11.0		
Avg LRF All	bdfm/m3				180.0		183.6	202.9	191.4	
Statistical Summary										
Coeff. of Variation	%	32.6	32.6		99.5		35.5	115.8	119.7	
Two Standard Error	%	81.1	81.1		247.1		88.3	287.6	297.4	
Number and Type of Plots		MP = 3	CP = 0							
Number of Potential Trees		15								
Plots/Ha		0.9								
Cruised Trees/Plot		5.0								

FLAGS: Compile All Trees, Dry Belt Fir

		Total	Conifer	Decid.	F	C	B	S	PL	L
Utilization Limits										
Min DBH	cm (M)				17.5	17.5	17.5	17.5	12.50	17.5
Stump Ht	cm (M)				30	30	30	30	30.00	30
Top Dia	cm (M)				10.0	10.0	10.0	10.0	10.00	10.0
Log Len	m				5.0	5.0	5.0	5.0	5.00	5.0
Volume and Size Data										
Gross Merchantable	m3	1051	1051		98		418	368	167	
Net Merchantable	m3	979	979		91		397	351	140	
Net Merch - All	m3/ha	272	272		25		110	97	39	
Distribution	%	100	100		9		41	36	14	
Decay	%	3	3		5		3	3	2	
Total Cull (DWB)	%	7	7		7		5	5	16	
Stems/Ha (Live & DP)		616.5	616.5		25.1		267.9	208.2	115.3	
Avg DBH (Live & DP)	cm	26.2	26.2		41.1		24.5	27.1	24.3	
Snags/Ha										
Avg Snag DBH	cm									
Gross Merch Vol/Tree	m3	0.47	0.47		1.09		0.43	0.49	0.40	
Net Merch Vol/Tree	m3	0.44	0.44		1.01		0.41	0.47	0.34	
Avg Weight Total Ht	m	23.7	23.7		25.7		24.1	23.9	21.1	
Avg Weight Merch Ht	m	18.2	18.2		21.0		17.9	18.8	15.8	
Avg 5.0 m Log Net	m3	0.16	0.16		0.26		0.15	0.17	0.13	
Avg 5.0 m Log Gross	m3	0.16	0.16		0.27		0.15	0.17	0.13	
Avg # of 5.0 m Logs/Tree		2.92	2.92		4.00		2.80	2.89	3.00	
Net Immature	%	100.0	100.0		100.0		100.0	100.0	100.0	
Slope Average	%	35								
LRF and Log Summary										
Net Merch - Stud	%	48.2	48.2		11.0		51.4	41.1	81.0	
Net Merch - Small Log	%	87.9	87.9		80.1		100.0	71.5	100.0	
Net Merch - Large Log	%	12.1	12.1		19.9			28.5		
Avg LRF All	bdf/m3				188.6		184.8	194.0	180.5	
Statistical Summary										
Coeff. of Variation	%	42.2	42.2		173.2		66.9	86.7	173.2	
Two Standard Error	%	104.8	104.8		430.3		166.1	215.4	430.3	
Number and Type of Plots		MP = 3	CP = 0							
Number of Potential Trees		12								
Plots/Ha		0.8								
Cruised Trees/Plot		4.0								

FLAGS: Compile All Trees, Dry Belt Fir

		Total	Conifer	Decid.	F	C	B	S	PL	L
Utilization Limits										
Min DBH	cm (M)				17.5	17.5	17.5	17.5	12.50	17.5
Stump Ht	cm (M)				30	30	30	30	30.00	30
Top Dia	cm (M)				10.0	10.0	10.0	10.0	10.00	10.0
Log Len	m				5.0	5.0	5.0	5.0	5.00	5.0
Volume and Size Data										
Gross Merchantable	m3	2054	2054				69	1985		
Net Merchantable	m3	1854	1854				64	1790		
Net Merch - All	m3/ha	515	515				18	497		
Distribution	%	100	100				3	97		
Decay	%	6	6				4	6		
Total Cull (DWB)	%	10	10				8	10		
Stems/Ha (Live & DP)		508.6	508.6				102.5	406.1		
Avg DBH (Live & DP)	cm	36.8	36.8				22.3	39.6		
Snags/Ha										
Avg Snag DBH	cm									
Gross Merch Vol/Tree	m3	1.12	1.12				0.19	1.36		
Net Merch Vol/Tree	m3	1.01	1.01				0.17	1.22		
Avg Weight Total Ht	m	30.0	30.0				12.9	30.7		
Avg Weight Merch Ht	m	25.2	25.2				8.4	25.8		
Avg 5.0 m Log Net	m3	0.27	0.27				0.13	0.28		
Avg 5.0 m Log Gross	m3	0.29	0.29				0.14	0.31		
Avg # of 5.0 m Logs/Tree		3.82	3.82				1.35	4.44		
Net Immature	%	1.9	1.9				54.9			
Slope Average	%	15								
LRF and Log Summary										
Net Merch - Stud	%	19.1	19.1				100.0	16.2		
Net Merch - Small Log	%	54.1	54.1				100.0	52.5		
Net Merch - Large Log	%	45.9	45.9					47.5		
Avg LRF All	bdf/m3						165.6	209.4		
Statistical Summary										
Coeff. of Variation	%	22.8	22.8				138.0	26.2		
Two Standard Error	%	28.3	28.3				171.4	32.5		
Number and Type of Plots		MP = 5	CP = 0							
Number of Potential Trees		27								
Plots/Ha		1.4								
Cruised Trees/Plot		5.4								

FLAGS: Compile All Trees, Dry Belt Fir

		Total	Conifer	Decid.	F	C	B	S	PL	L
Utilization Limits										
Min DBH	cm (M)				17.5	17.5	17.5	17.5	12.50	17.5
Stump Ht	cm (M)				30	30	30	30	30.00	30
Top Dia	cm (M)				10.0	10.0	10.0	10.0	10.00	10.0
Log Len	m				5.0	5.0	5.0	5.0	5.00	5.0
Volume and Size Data										
Gross Merchantable	m3	869	869				393	476		
Net Merchantable	m3	780	780				341	439		
Net Merch - All	m3/ha	411	411				179	231		
Distribution	%	100	100				44	56		
Decay	%	7	7				9	5		
Total Cull (DWB)	%	10	10				13	8		
Stems/Ha (Live & DP)		395.4	395.4				210.5	184.9		
Avg DBH (Live & DP)	cm	38.1	38.1				34.8	41.5		
Snags/Ha		51.7	51.7				51.7			
Avg Snag DBH	cm	35.1	35.1				35.1			
Gross Merch Vol/Tree	m3	1.16	1.16				0.98	1.36		
Net Merch Vol/Tree	m3	1.04	1.04				0.85	1.25		
Avg Weight Total Ht	m	27.2	27.2				26.9	27.4		
Avg Weight Merch Ht	m	22.3	22.3				21.7	22.9		
Avg 5.0 m Log Net	m3	0.25	0.25				0.21	0.29		
Avg 5.0 m Log Gross	m3	0.27	0.27				0.24	0.31		
Avg # of 5.0 m Logs/Tree		4.26	4.26				4.13	4.42		
Net Immature	%	71.1	71.1				80.3	63.9		
Slope Average	%	5								
LRF and Log Summary										
Net Merch - Stud	%	17.2	17.2				22.1	13.4		
Net Merch - Small Log	%	55.3	55.3				62.3	49.9		
Net Merch - Large Log	%	44.7	44.7				37.7	50.1		
Avg LRF All	bdf/m3						199.6	211.1		
Statistical Summary										
Coeff. of Variation	%	30.2	30.2				85.8	12.9		
Two Standard Error	%	271.1	271.1				770.5	116.0		
Number and Type of Plots		MP = 2	CP = 0							
Number of Potential Trees		9								
Plots/Ha		1.1								
Cruised Trees/Plot		4.5								

FLAGS: Compile All Trees, Dry Belt Fir

		Total	Conifer	Decid.	F	C	B	S	PL	L
Utilization Limits										
Min DBH	cm (M)				17.5	17.5	17.5	17.5	12.50	17.5
Stump Ht	cm (M)				30	30	30	30	30.00	30
Top Dia	cm (M)				10.0	10.0	10.0	10.0	10.00	10.0
Log Len	m				5.0	5.0	5.0	5.0	5.00	5.0
Volume and Size Data										
Gross Merchantable	m3	2551	2551				90	2461		
Net Merchantable	m3	2375	2375				84	2291		
Net Merch - All	m3/ha	552	552				19	533		
Distribution	%	100	100				4	96		
Decay	%	5	5				5	5		
Total Cull (DWB)	%	7	7				7	7		
Stems/Ha (Live & DP)		749.2	749.2				30.1	719.1		
Avg DBH (Live & DP)	cm	31.9	31.9				32.5	31.9		
Snags/Ha		60.7	60.7					60.7		
Avg Snag DBH	cm	22.9	22.9					22.9		
Gross Merch Vol/Tree	m3	0.79	0.79				0.69	0.80		
Net Merch Vol/Tree	m3	0.74	0.74				0.65	0.74		
Avg Weight Total Ht	m	27.2	27.2				21.5	27.4		
Avg Weight Merch Ht	m	22.0	22.0				16.6	22.2		
Avg 5.0 m Log Net	m3	0.21	0.21				0.22	0.21		
Avg 5.0 m Log Gross	m3	0.22	0.22				0.23	0.22		
Avg # of 5.0 m Logs/Tree		3.55	3.55				3.00	3.57		
Net Immature	%	42.8	42.8				100.0	40.7		
Slope Average	%	30								
LRF and Log Summary										
Net Merch - Stud	%	30.3	30.3				19.0	30.8		
Net Merch - Small Log	%	71.5	71.5				100.0	70.5		
Net Merch - Large Log	%	28.5	28.5					29.5		
Avg LRF All	bdfm/m3						195.9	201.3		
Statistical Summary										
Coeff. of Variation	%	37.6	37.6				200.0	36.1		
Two Standard Error	%	59.8	59.8				318.2	57.4		
Number and Type of Plots		MP = 4	CP = 0							
Number of Potential Trees		24								
Plots/Ha		0.9								
Cruised Trees/Plot		6.0								

FLAGS: Compile All Trees, Dry Belt Fir

		Total	Conifer	Decid.	F	C	B	S	PL	L
Utilization Limits										
Min DBH	cm (M)				17.5	17.5	17.5	17.5	12.50	17.5
Stump Ht	cm (M)				30	30	30	30	30.00	30
Top Dia	cm (M)				10.0	10.0	10.0	10.0	10.00	10.0
Log Len	m				5.0	5.0	5.0	5.0	5.00	5.0
Volume and Size Data										
Gross Merchantable	m3	2932	2932		334			52	2545	
Net Merchantable	m3	2745	2745		324			51	2370	
Net Merch - All	m3/ha	289	289		34			5	250	
Distribution	%	100	100		12			2	86	
Decay	%	1	1		1				1	
Total Cull (DWB)	%	6	6		3			2	7	
Stems/Ha (Live & DP)		1559.7	1559.7		78.6			22.2	1458.9	
Avg DBH (Live & DP)	cm	18.1	18.1		27.0			22.6	17.4	
Snags/Ha										
Avg Snag DBH	cm									
Gross Merch Vol/Tree	m3	0.20	0.20		0.45			0.25	0.18	
Net Merch Vol/Tree	m3	0.19	0.19		0.43			0.24	0.17	
Avg Weight Total Ht	m	20.5	20.5		24.1			16.5	20.2	
Avg Weight Merch Ht	m	13.9	13.9		18.1			11.0	13.4	
Avg 5.0 m Log Net	m3	0.08	0.08		0.12			0.12	0.08	
Avg 5.0 m Log Gross	m3	0.08	0.08		0.12			0.12	0.08	
Avg # of 5.0 m Logs/Tree		2.37	2.37		3.64			2.00	2.31	
Net Immature	%	99.9	99.9		99.1			100.0	100.0	
Slope Average	%	17								
LRF and Log Summary										
Net Merch - Stud	%	91.6	91.6		53.6			100.0	96.6	
Net Merch - Small Log	%	99.9	99.9		99.3			100.0	100.0	
Net Merch - Large Log	%	0.1	0.1		0.7					
Avg LRF All	bdf/m3				171.5			174.8	166.0	
Statistical Summary										
Coeff. of Variation	%	65.1	65.1		238.1			300.0	66.8	
Two Standard Error	%	50.1	50.1		183.0			230.6	51.3	
Number and Type of Plots		MP = 9	CP = 0							
Number of Potential Trees		46								
Plots/Ha		0.9								
Cruised Trees/Plot		5.1								

FLAGS: Compile All Trees, Dry Belt Fir

		Total	Conifer	Decid.	F	C	B	S	PL	L
Utilization Limits										
Min DBH	cm (M)				17.5	17.5	17.5	17.5	12.50	17.5
Stump Ht	cm (M)				30	30	30	30	30.00	30
Top Dia	cm (M)				10.0	10.0	10.0	10.0	10.00	10.0
Log Len	m				5.0	5.0	5.0	5.0	5.00	5.0
Volume and Size Data										
Gross Merchantable	m3	3108	3108		384			95	2628	
Net Merchantable	m3	2922	2922		367			92	2463	
Net Merch - All	m3/ha	236	236		30			7	199	
Distribution	%	100	100		13			3	84	
Decay	%	2	2		2			2	2	
Total Cull (DWB)	%	6	6		4			4	6	
Stems/Ha (Live & DP)		1049.9	1049.9		90.3			36.2	923.5	
Avg DBH (Live & DP)	cm	19.3	19.3		25.3			20.3	18.6	
Snags/Ha										
Avg Snag DBH	cm									
Gross Merch Vol/Tree	m3	0.24	0.24		0.34			0.21	0.23	
Net Merch Vol/Tree	m3	0.22	0.22		0.33			0.20	0.22	
Avg Weight Total Ht	m	21.4	21.4		21.4			17.8	21.5	
Avg Weight Merch Ht	m	15.1	15.1		15.5			11.3	15.1	
Avg 5.0 m Log Net	m3	0.09	0.09		0.12			0.10	0.09	
Avg 5.0 m Log Gross	m3	0.09	0.09		0.12			0.11	0.09	
Avg # of 5.0 m Logs/Tree		2.52	2.52		2.75			2.00	2.52	
Net Immature	%	100.0	100.0		100.0			100.0	100.0	
Slope Average	%	23								
LRF and Log Summary										
Net Merch - Stud	%	87.0	87.0		65.4			100.0	89.8	
Net Merch - Small Log	%	100.0	100.0		100.0			100.0	100.0	
Net Merch - Large Log	%									
Avg LRF All	bdf/m3				166.3			172.6	170.5	
Statistical Summary										
Coeff. of Variation	%	56.7	56.7		170.5			234.1	62.8	
Two Standard Error	%	36.0	36.0		108.3			148.8	39.9	
Number and Type of Plots		MP = 12	CP = 0							
Number of Potential Trees		51								
Plots/Ha		1.0								
Cruised Trees/Plot		4.3								

FLAGS: Compile All Trees, Dry Belt Fir

		Total	Conifer	Decid.	F	C	B	S	PL	L
Utilization Limits										
Min DBH	cm (M)				17.5	17.5	17.5	17.5	12.50	17.5
Stump Ht	cm (M)				30	30	30	30	30.00	30
Top Dia	cm (M)				10.0	10.0	10.0	10.0	10.00	10.0
Log Len	m				5.0	5.0	5.0	5.0	5.00	5.0
Volume and Size Data										
Gross Merchantable	m3	5773	5773		1089	789	420	895	690	1890
Net Merchantable	m3	5470	5470		1056	699	365	877	659	1814
Net Merch - All	m3/ha	230	230		44	29	15	37	28	76
Net Merch - Live	m3/ha	197	197		36	21	15	37	28	60
Net Merch - DP	m3/ha	33	33		8	8				16
Distribution	%	100	100		19	13	7	16	12	33
Decay	%	2	2		1	5	8		2	1
Total Cull (DWB)	%	5	5		3	12	13	2	4	4
Stems/Ha (Live & DP)		484.8	484.8		60.4	114.7	20.5	68.9	78.8	141.5
Avg DBH (Live & DP)	cm	28.3	28.3		36.6	25.6	33.7	27.8	22.5	28.7
Snags/Ha										
Avg Snag DBH	cm									
Gross Merch Vol/Tree	m3	0.50	0.50		0.76	0.29	0.86	0.55	0.37	0.56
Net Merch Vol/Tree	m3	0.47	0.47		0.73	0.26	0.75	0.53	0.35	0.54
Avg Weight Total Ht	m	24.4	24.4		23.6	17.2	24.8	26.4	23.0	27.4
Avg Weight Merch Ht	m	19.2	19.2		18.8	12.4	19.6	21.5	17.4	21.6
Avg 5.0 m Log Net	m3	0.16	0.16		0.20	0.13	0.19	0.22	0.12	0.15
Avg 5.0 m Log Gross	m3	0.16	0.16		0.21	0.14	0.22	0.22	0.13	0.15
Avg # of 5.0 m Logs/Tree		3.06	3.06		3.67	2.11	4.00	2.47	2.90	3.80
Net Immature	%	96.8	96.8		99.3	90.4	72.1	100.0	100.0	100.0
Slope Average	%	25								
Burn Volume	%									
Heavy Burn Volume	%									
Blowdown Volume	%									
Insect Volume	%									
Partial Cut %	%	82.2	82.2		55.8	100.0	100.0	100.0	100.0	83.8
LRF and Log Summary										
Net Merch - Stud	%	35.6	35.6		27.8		27.3	29.1	63.3	48.5
Net Merch - Small Log	%	91.0	91.0		91.4	86.6	100.0	76.9	92.4	96.9
Net Merch - Large Log	%	9.0	9.0		8.6	13.4		23.1	7.6	3.1
Avg LRF All	bdfm/m3				184.4	152.2	195.3	203.5	183.0	190.8
Statistical Summary										
Coeff. of Variation	%	47.0	47.0		136.2	133.8	270.7	168.6	200.1	96.2
Two Standard Error	%	19.3	19.3		49.9	48.6	130.3	45.3	102.9	45.6
Number and Type of Plots		MP = 13	CP = 10							
Number of Potential Trees		51								
Plots/Ha		1.0								
Cruised Trees/Plot		4.5								

FLAGS: Compile All Trees, Dry Belt Fir

		Total	Conifer	Decid.	F	C	B	S	PL	L
Utilization Limits										
Min DBH	cm (M)				17.5	17.5	17.5	17.5	12.50	17.5
Stump Ht	cm (M)				30	30	30	30	30.00	30
Top Dia	cm (M)				10.0	10.0	10.0	10.0	10.00	10.0
Log Len	m				5.0	5.0	5.0	5.0	5.00	5.0
Volume and Size Data										
Gross Merchantable	m3	5954	5954		281		178	4208	1215	72
Net Merchantable	m3	5802	5802		276		175	4091	1191	70
Net Merch - All	m3/ha	275	275		13		8	194	56	3
Net Merch - Live	m3/ha	263	263		13		8	182	56	3
Net Merch - DP	m3/ha	11	11					11		
Distribution	%	100	100		5		3	71	21	1
Decay	%	1	1					1		
Total Cull (DWB)	%	3	3		2		2	3	2	3
Stems/Ha (Live & DP)		673.7	673.7		25.4		28.9	502.1	110.1	7.2
Avg DBH (Live & DP)	cm	26.1	26.1		31.2		23.0	25.7	27.2	26.6
Snags/Ha										
Avg Snag DBH	cm									
Gross Merch Vol/Tree	m3	0.42	0.42		0.52		0.29	0.40	0.52	0.47
Net Merch Vol/Tree	m3	0.41	0.41		0.51		0.29	0.39	0.51	0.46
Avg Weight Total Ht	m	21.6	21.6		21.3		18.2	21.6	21.8	25.6
Avg Weight Merch Ht	m	16.4	16.4		16.4		12.3	16.4	17.0	19.1
Avg 5.0 m Log Net	m3	0.16	0.16		0.17		0.15	0.16	0.17	0.12
Avg 5.0 m Log Gross	m3	0.16	0.16		0.17		0.15	0.16	0.17	0.12
Avg # of 5.0 m Logs/Tree		2.56	2.56		3.04		2.00	2.41	3.16	4.00
Net Immature	%	96.8	96.8		100.0		100.0	95.5	100.0	100.0
Slope Average	%	19								
Burn Volume	%									
Heavy Burn Volume	%									
Blowdown Volume	%	2.7	2.7					3.8		
Insect Volume	%									
Partial Cut %	%	92.6	92.6		37.1		100.0	100.0	100.0	100.0
LRF and Log Summary										
Net Merch - Stud	%	57.2	57.2		48.7		100.0	55.2	57.0	100.0
Net Merch - Small Log	%	94.7	94.7		95.3		100.0	92.8	100.0	100.0
Net Merch - Large Log	%	5.3	5.3		4.7			7.2		
Avg LRF All	bdfm/m3				177.2		173.3	188.9	189.5	176.4
Statistical Summary										
Coeff. of Variation	%	58.0	58.0		222.7		331.7	73.0	182.7	331.7
Two Standard Error	%	24.2	24.2		148.4		94.1	31.3	39.0	282.2
Number and Type of Plots		MP = 11	CP = 9							
Number of Potential Trees		46								
Plots/Ha		0.9								
Cruised Trees/Plot		4.9								

FLAGS: Compile All Trees, Dry Belt Fir

		Total	Conifer	Decid.	F	C	B	S	PL	L
Utilization Limits										
Min DBH	cm (M)				17.5	17.5	17.5	17.5	12.50	17.5
Stump Ht	cm (M)				30	30	30	30	30.00	30
Top Dia	cm (M)				10.0	10.0	10.0	10.0	10.00	10.0
Log Len	m				5.0	5.0	5.0	5.0	5.00	5.0
Volume and Size Data										
Gross Merchantable	m3	4992	4992		265		884	2761	1081	
Net Merchantable	m3	4552	4552		258		825	2650	819	
Net Merch - All	m3/ha	327	327		19		59	191	59	
Net Merch - Live	m3/ha	291	291		19		59	191	22	
Net Merch - DP	m3/ha	36	36						36	
Distribution	%	100	100		6		18	58	18	
Decay	%	2	2		1		4	2	3	
Total Cull (DWB)	%	9	9		3		7	4	24	
Stems/Ha (Live & DP)		684.9	684.9		25.5		169.4	316.5	173.6	
Avg DBH (Live & DP)	cm	27.5	27.5		34.6		23.6	29.9	25.1	
Snags/Ha		43.0	43.0		28.6		14.4			
Avg Snag DBH	cm	22.5	22.5		22.5		22.5			
Gross Merch Vol/Tree	m3	0.52	0.52		0.75		0.38	0.63	0.45	
Net Merch Vol/Tree	m3	0.48	0.48		0.73		0.35	0.60	0.34	
Avg Weight Total Ht	m	23.8	23.8		25.1		22.3	24.4	23.0	
Avg Weight Merch Ht	m	18.4	18.4		19.8		15.8	19.2	18.1	
Avg 5.0 m Log Net	m3	0.17	0.17		0.19		0.13	0.19	0.14	
Avg 5.0 m Log Gross	m3	0.17	0.17		0.20		0.14	0.19	0.15	
Avg # of 5.0 m Logs/Tree		3.09	3.09		3.81		2.75	3.23	3.07	
Net Immature	%	95.8	95.8		100.0		93.9	94.7	100.0	
Slope Average	%	14								
Burn Volume	%									
Heavy Burn Volume	%									
Blowdown Volume	%	0.7	0.7						3.7	
Insect Volume	%	2.6	2.6						14.2	
Partial Cut %	%	94.6	94.6		49.6		100.0	100.0	100.0	
LRF and Log Summary										
Net Merch - Stud	%	47.2	47.2		29.4		69.3	38.8	58.0	
Net Merch - Small Log	%	85.0	85.0		98.5		93.6	77.7	95.6	
Net Merch - Large Log	%	15.0	15.0		1.5		6.4	22.3	4.4	
Avg LRF All	bdf/m3				182.1		179.4	197.9	173.8	
Statistical Summary										
Coeff. of Variation	%	49.4	49.4		233.7		124.2	85.0	168.9	
Two Standard Error	%	28.5	28.5		134.9		71.7	49.1	97.5	
Number and Type of Plots		MP = 14	CP = 0							
Number of Potential Trees		75								
Plots/Ha		1.0								
Cruised Trees/Plot		5.4								

FLAGS: Compile All Trees, Dry Belt Fir

		Total	Conifer	Decid.	F	C	B	S	PL	L
Utilization Limits										
Min DBH	cm (M)				17.5	17.5	17.5	17.5	12.50	17.5
Stump Ht	cm (M)				30	30	30	30	30.00	30
Top Dia	cm (M)				10.0	10.0	10.0	10.0	10.00	10.0
Log Len	m				5.0	5.0	5.0	5.0	5.00	5.0
Volume and Size Data										
Gross Merchantable	m3	1050	1050		88		309	311	342	
Net Merchantable	m3	999	999		86		288	301	324	
Net Merch - All	m3/ha	312	312		27		90	94	101	
Net Merch - Live	m3/ha	312	312		27		90	94	101	
Net Merch - DP	m3/ha									
Distribution	%	100	100		9		29	30	32	
Decay	%	2	2				3	1	3	
Total Cull (DWB)	%	5	5		2		7	3	5	
Stems/Ha (Live & DP)		578.5	578.5		95.2		225.0	111.2	147.1	
Avg DBH (Live & DP)	cm	28.7	28.7		26.7		24.6	35.0	30.4	
Snags/Ha										
Avg Snag DBH	cm									
Gross Merch Vol/Tree	m3	0.57	0.57		0.29		0.43	0.88	0.73	
Net Merch Vol/Tree	m3	0.54	0.54		0.28		0.40	0.85	0.69	
Avg Weight Total Ht	m	23.6	23.6		19.7		23.2	24.4	24.2	
Avg Weight Merch Ht	m	18.3	18.3		15.7		16.5	19.4	19.5	
Avg 5.0 m Log Net	m3	0.18	0.18		0.18		0.13	0.22	0.20	
Avg 5.0 m Log Gross	m3	0.18	0.18		0.18		0.14	0.23	0.21	
Avg # of 5.0 m Logs/Tree		3.11	3.11		1.56		3.15	3.89	3.46	
Net Immature	%	93.4	93.4		100.0		77.2	100.0	100.0	
Slope Average	%	21								
Burn Volume	%									
Heavy Burn Volume	%									
Blowdown Volume	%									
Insect Volume	%									
Partial Cut %	%	94.0	94.0		57.6		100.0	100.0	100.0	
LRF and Log Summary										
Net Merch - Stud	%	41.6	41.6		38.5		71.4	20.2	35.7	
Net Merch - Small Log	%	95.3	95.3		84.2		100.0	89.0	100.0	
Net Merch - Large Log	%	4.7	4.7		15.8			11.0		
Avg LRF All	bdfm/m3				180.0		183.6	202.9	191.4	
Statistical Summary										
Coeff. of Variation	%	32.6	32.6		99.5		35.5	115.8	119.7	
Two Standard Error	%	81.1	81.1		247.1		88.3	287.6	297.4	
Number and Type of Plots		MP = 3	CP = 0							
Number of Potential Trees		15								
Plots/Ha		0.9								
Cruised Trees/Plot		5.0								

FLAGS: Compile All Trees, Dry Belt Fir

		Total	Conifer	Decid.	F	C	B	S	PL	L
Utilization Limits										
Min DBH	cm (M)				17.5	17.5	17.5	17.5	12.50	17.5
Stump Ht	cm (M)				30	30	30	30	30.00	30
Top Dia	cm (M)				10.0	10.0	10.0	10.0	10.00	10.0
Log Len	m				5.0	5.0	5.0	5.0	5.00	5.0
Volume and Size Data										
Gross Merchantable	m3	1051	1051		98		418	368	167	
Net Merchantable	m3	979	979		91		397	351	140	
Net Merch - All	m3/ha	272	272		25		110	97	39	
Net Merch - Live	m3/ha	237	237		25		89	97	25	
Net Merch - DP	m3/ha	35	35				21		14	
Distribution	%	100	100		9		41	36	14	
Decay	%	3	3		5		3	3	2	
Total Cull (DWB)	%	7	7		7		5	5	16	
Stems/Ha (Live & DP)		616.5	616.5		25.1		267.9	208.2	115.3	
Avg DBH (Live & DP)	cm	26.2	26.2		41.1		24.5	27.1	24.3	
Snags/Ha										
Avg Snag DBH	cm									
Gross Merch Vol/Tree	m3	0.47	0.47		1.09		0.43	0.49	0.40	
Net Merch Vol/Tree	m3	0.44	0.44		1.01		0.41	0.47	0.34	
Avg Weight Total Ht	m	23.7	23.7		25.7		24.1	23.9	21.1	
Avg Weight Merch Ht	m	18.2	18.2		21.0		17.9	18.8	15.8	
Avg 5.0 m Log Net	m3	0.16	0.16		0.26		0.15	0.17	0.13	
Avg 5.0 m Log Gross	m3	0.16	0.16		0.27		0.15	0.17	0.13	
Avg # of 5.0 m Logs/Tree		2.92	2.92		4.00		2.80	2.89	3.00	
Net Immature	%	100.0	100.0		100.0		100.0	100.0	100.0	
Slope Average	%	35								
Burn Volume	%									
Heavy Burn Volume	%									
Blowdown Volume	%									
Insect Volume	%									
Partial Cut %	%	91.5	91.5		50.0		100.0	100.0	100.0	
LRF and Log Summary										
Net Merch - Stud	%	48.2	48.2		11.0		51.4	41.1	81.0	
Net Merch - Small Log	%	87.9	87.9		80.1		100.0	71.5	100.0	
Net Merch - Large Log	%	12.1	12.1		19.9			28.5		
Avg LRF All	bdf/m3				188.6		184.8	194.0	180.5	
Statistical Summary										
Coeff. of Variation	%	42.2	42.2		173.2		66.9	86.7	173.2	
Two Standard Error	%	104.8	104.8		430.3		166.1	215.4	430.3	
Number and Type of Plots		MP = 3	CP = 0							
Number of Potential Trees		12								
Plots/Ha		0.8								
Cruised Trees/Plot		4.0								

FLAGS: Compile All Trees, Dry Belt Fir

		Total	Conifer	Decid.	F	C	B	S	PL	L
Utilization Limits										
Min DBH	cm (M)				17.5	17.5	17.5	17.5	12.50	17.5
Stump Ht	cm (M)				30	30	30	30	30.00	30
Top Dia	cm (M)				10.0	10.0	10.0	10.0	10.00	10.0
Log Len	m				5.0	5.0	5.0	5.0	5.00	5.0
Volume and Size Data										
Gross Merchantable	m3	2054	2054				69	1985		
Net Merchantable	m3	1854	1854				64	1790		
Net Merch - All	m3/ha	515	515				18	497		
Net Merch - Live	m3/ha	470	470				8	462		
Net Merch - DP	m3/ha	45	45				10	35		
Distribution	%	100	100				3	97		
Decay	%	6	6				4	6		
Total Cull (DWB)	%	10	10				8	10		
Stems/Ha (Live & DP)		508.6	508.6				102.5	406.1		
Avg DBH (Live & DP)	cm	36.8	36.8				22.3	39.6		
Snags/Ha										
Avg Snag DBH	cm									
Gross Merch Vol/Tree	m3	1.12	1.12				0.19	1.36		
Net Merch Vol/Tree	m3	1.01	1.01				0.17	1.22		
Avg Weight Total Ht	m	30.0	30.0				12.9	30.7		
Avg Weight Merch Ht	m	25.2	25.2				8.4	25.8		
Avg 5.0 m Log Net	m3	0.27	0.27				0.13	0.28		
Avg 5.0 m Log Gross	m3	0.29	0.29				0.14	0.31		
Avg # of 5.0 m Logs/Tree		3.82	3.82				1.35	4.44		
Net Immature	%	1.9	1.9				54.9			
Slope Average	%	15								
Burn Volume	%									
Heavy Burn Volume	%									
Blowdown Volume	%									
Insect Volume	%									
Partial Cut %	%	100.0	100.0				100.0	100.0		
LRF and Log Summary										
Net Merch - Stud	%	19.1	19.1				100.0	16.2		
Net Merch - Small Log	%	54.1	54.1				100.0	52.5		
Net Merch - Large Log	%	45.9	45.9					47.5		
Avg LRF All	bdf/m3						165.6	209.4		
Statistical Summary										
Coeff. of Variation	%	22.8	22.8				138.0	26.2		
Two Standard Error	%	28.3	28.3				171.4	32.5		
Number and Type of Plots		MP = 5	CP = 0							
Number of Potential Trees		27								
Plots/Ha		1.4								
Cruised Trees/Plot		5.4								

FLAGS: Compile All Trees, Dry Belt Fir

		Total	Conifer	Decid.	F	C	B	S	PL	L
Utilization Limits										
Min DBH	cm (M)				17.5	17.5	17.5	17.5	12.50	17.5
Stump Ht	cm (M)				30	30	30	30	30.00	30
Top Dia	cm (M)				10.0	10.0	10.0	10.0	10.00	10.0
Log Len	m				5.0	5.0	5.0	5.0	5.00	5.0
Volume and Size Data										
Gross Merchantable	m3	869	869				393	476		
Net Merchantable	m3	780	780				341	439		
Net Merch - All	m3/ha	411	411				179	231		
Net Merch - Live	m3/ha	411	411				179	231		
Net Merch - DP	m3/ha									
Distribution	%	100	100				44	56		
Decay	%	7	7				9	5		
Total Cull (DWB)	%	10	10				13	8		
Stems/Ha (Live & DP)		395.4	395.4				210.5	184.9		
Avg DBH (Live & DP)	cm	38.1	38.1				34.8	41.5		
Snags/Ha		51.7	51.7				51.7			
Avg Snag DBH	cm	35.1	35.1				35.1			
Gross Merch Vol/Tree	m3	1.16	1.16				0.98	1.36		
Net Merch Vol/Tree	m3	1.04	1.04				0.85	1.25		
Avg Weight Total Ht	m	27.2	27.2				26.9	27.4		
Avg Weight Merch Ht	m	22.3	22.3				21.7	22.9		
Avg 5.0 m Log Net	m3	0.25	0.25				0.21	0.29		
Avg 5.0 m Log Gross	m3	0.27	0.27				0.24	0.31		
Avg # of 5.0 m Logs/Tree		4.26	4.26				4.13	4.42		
Net Immature	%	71.1	71.1				80.3	63.9		
Slope Average	%	5								
Burn Volume	%									
Heavy Burn Volume	%									
Blowdown Volume	%									
Insect Volume	%									
Partial Cut %	%	100.0	100.0				100.0	100.0		
LRF and Log Summary										
Net Merch - Stud	%	17.2	17.2				22.1	13.4		
Net Merch - Small Log	%	55.3	55.3				62.3	49.9		
Net Merch - Large Log	%	44.7	44.7				37.7	50.1		
Avg LRF All	bdf/m3						199.6	211.1		
Statistical Summary										
Coeff. of Variation	%	30.2	30.2				85.8	12.9		
Two Standard Error	%	271.1	271.1				770.5	116.0		
Number and Type of Plots		MP = 2	CP = 0							
Number of Potential Trees		9								
Plots/Ha		1.1								
Cruised Trees/Plot		4.5								

FLAGS: Compile All Trees, Dry Belt Fir

		Total	Conifer	Decid.	F	C	B	S	PL	L
Utilization Limits										
Min DBH	cm (M)				17.5	17.5	17.5	17.5	12.50	17.5
Stump Ht	cm (M)				30	30	30	30	30.00	30
Top Dia	cm (M)				10.0	10.0	10.0	10.0	10.00	10.0
Log Len	m				5.0	5.0	5.0	5.0	5.00	5.0
Volume and Size Data										
Gross Merchantable	m3	2551	2551				90	2461		
Net Merchantable	m3	2375	2375				84	2291		
Net Merch - All	m3/ha	552	552				19	533		
Net Merch - Live	m3/ha	508	508				19	488		
Net Merch - DP	m3/ha	44	44					44		
Distribution	%	100	100				4	96		
Decay	%	5	5				5	5		
Total Cull (DWB)	%	7	7				7	7		
Stems/Ha (Live & DP)		749.2	749.2				30.1	719.1		
Avg DBH (Live & DP)	cm	31.9	31.9				32.5	31.9		
Snags/Ha		60.7	60.7					60.7		
Avg Snag DBH	cm	22.9	22.9					22.9		
Gross Merch Vol/Tree	m3	0.79	0.79				0.69	0.80		
Net Merch Vol/Tree	m3	0.74	0.74				0.65	0.74		
Avg Weight Total Ht	m	27.2	27.2				21.5	27.4		
Avg Weight Merch Ht	m	22.0	22.0				16.6	22.2		
Avg 5.0 m Log Net	m3	0.21	0.21				0.22	0.21		
Avg 5.0 m Log Gross	m3	0.22	0.22				0.23	0.22		
Avg # of 5.0 m Logs/Tree		3.55	3.55				3.00	3.57		
Net Immature	%	42.8	42.8				100.0	40.7		
Slope Average	%	30								
Burn Volume	%									
Heavy Burn Volume	%									
Blowdown Volume	%	11.9	11.9					12.3		
Insect Volume	%									
Partial Cut %	%	100.0	100.0				100.0	100.0		
LRF and Log Summary										
Net Merch - Stud	%	30.3	30.3				19.0	30.8		
Net Merch - Small Log	%	71.5	71.5				100.0	70.5		
Net Merch - Large Log	%	28.5	28.5					29.5		
Avg LRF All	bdf/m3						195.9	201.3		
Statistical Summary										
Coeff. of Variation	%	37.6	37.6				200.0	36.1		
Two Standard Error	%	59.8	59.8				318.2	57.4		
Number and Type of Plots		MP = 4	CP = 0							
Number of Potential Trees		24								
Plots/Ha		0.9								
Cruised Trees/Plot		6.0								

FLAGS: Compile All Trees, Dry Belt Fir

		Total	Conifer	Decid.	F	C	B	S	PL	L
Utilization Limits										
Min DBH	cm (M)				17.5	17.5	17.5	17.5	12.50	17.5
Stump Ht	cm (M)				30	30	30	30	30.00	30
Top Dia	cm (M)				10.0	10.0	10.0	10.0	10.00	10.0
Log Len	m				5.0	5.0	5.0	5.0	5.00	5.0
Volume and Size Data										
Gross Merchantable	m3	2932	2932		334			52	2545	
Net Merchantable	m3	2745	2745		324			51	2370	
Net Merch - All	m3/ha	289	289		34			5	250	
Net Merch - Live	m3/ha	266	266		34			5	226	
Net Merch - DP	m3/ha	23	23						23	
Distribution	%	100	100		12			2	86	
Decay	%	1	1		1				1	
Total Cull (DWB)	%	6	6		3			2	7	
Stems/Ha (Live & DP)		1559.7	1559.7		78.6			22.2	1458.9	
Avg DBH (Live & DP)	cm	18.1	18.1		27.0			22.6	17.4	
Snags/Ha										
Avg Snag DBH	cm									
Gross Merch Vol/Tree	m3	0.20	0.20		0.45			0.25	0.18	
Net Merch Vol/Tree	m3	0.19	0.19		0.43			0.24	0.17	
Avg Weight Total Ht	m	20.5	20.5		24.1			16.5	20.2	
Avg Weight Merch Ht	m	13.9	13.9		18.1			11.0	13.4	
Avg 5.0 m Log Net	m3	0.08	0.08		0.12			0.12	0.08	
Avg 5.0 m Log Gross	m3	0.08	0.08		0.12			0.12	0.08	
Avg # of 5.0 m Logs/Tree		2.37	2.37		3.64			2.00	2.31	
Net Immature	%	99.9	99.9		99.1			100.0	100.0	
Slope Average	%	17								
Burn Volume	%									
Heavy Burn Volume	%									
Blowdown Volume	%	5.8	5.8						6.8	
Insect Volume	%									
Partial Cut %	%	97.9	97.9		84.8			100.0	100.0	
LRF and Log Summary										
Net Merch - Stud	%	91.6	91.6		53.6			100.0	96.6	
Net Merch - Small Log	%	99.9	99.9		99.3			100.0	100.0	
Net Merch - Large Log	%	0.1	0.1		0.7					
Avg LRF All	bdfm3				171.5			174.8	166.0	
Statistical Summary										
Coeff. of Variation	%	65.1	65.1		238.1			300.0	66.8	
Two Standard Error	%	50.1	50.1		183.0			230.6	51.3	
Number and Type of Plots		MP = 9	CP = 0							
Number of Potential Trees		46								
Plots/Ha		0.9								
Cruised Trees/Plot		5.1								

FLAGS: Compile All Trees, Dry Belt Fir

		Total	Conifer	Decid.	F	C	B	S	PL	L
Utilization Limits										
Min DBH	cm (M)				17.5	17.5	17.5	17.5	12.50	17.5
Stump Ht	cm (M)				30	30	30	30	30.00	30
Top Dia	cm (M)				10.0	10.0	10.0	10.0	10.00	10.0
Log Len	m				5.0	5.0	5.0	5.0	5.00	5.0
Volume and Size Data										
Gross Merchantable	m3	3108	3108		384			95	2628	
Net Merchantable	m3	2922	2922		367			92	2463	
Net Merch - All	m3/ha	236	236		30			7	199	
Net Merch - Live	m3/ha	218	218		26			7	185	
Net Merch - DP	m3/ha	17	17		3				14	
Distribution	%	100	100		13			3	84	
Decay	%	2	2		2			2	2	
Total Cull (DWB)	%	6	6		4			4	6	
Stems/Ha (Live & DP)		1049.9	1049.9		90.3			36.2	923.5	
Avg DBH (Live & DP)	cm	19.3	19.3		25.3			20.3	18.6	
Snags/Ha										
Avg Snag DBH	cm									
Gross Merch Vol/Tree	m3	0.24	0.24		0.34			0.21	0.23	
Net Merch Vol/Tree	m3	0.22	0.22		0.33			0.20	0.22	
Avg Weight Total Ht	m	21.4	21.4		21.4			17.8	21.5	
Avg Weight Merch Ht	m	15.1	15.1		15.5			11.3	15.1	
Avg 5.0 m Log Net	m3	0.09	0.09		0.12			0.10	0.09	
Avg 5.0 m Log Gross	m3	0.09	0.09		0.12			0.11	0.09	
Avg # of 5.0 m Logs/Tree		2.52	2.52		2.75			2.00	2.52	
Net Immature	%	100.0	100.0		100.0			100.0	100.0	
Slope Average	%	23								
Burn Volume	%									
Heavy Burn Volume	%									
Blowdown Volume	%	6.5	6.5		11.0				6.1	
Insect Volume	%									
Partial Cut %	%	98.6	98.6		90.0			100.0	100.0	
LRF and Log Summary										
Net Merch - Stud	%	87.0	87.0		65.4			100.0	89.8	
Net Merch - Small Log	%	100.0	100.0		100.0			100.0	100.0	
Net Merch - Large Log	%									
Avg LRF All	bdf/m3				166.3			172.6	170.5	
Statistical Summary										
Coeff. of Variation	%	56.7	56.7		170.5			234.1	62.8	
Two Standard Error	%	36.0	36.0		108.3			148.8	39.9	
Number and Type of Plots		MP = 12	CP = 0							
Number of Potential Trees		51								
Plots/Ha		1.0								
Cruised Trees/Plot		4.3								

FLAGS: Compile All Trees, Dry Belt Fir

Volume and Size Data		Total	Normal	E-Down
Gross Merchantable	m3	4208	4041	167
Net Merchantable	m3	4091	3934	157
Net Merch - All	m3/ha	194	186	7
Distribution	%	100	96	4
Decay	%	1	1	4
Total Cull (DWB)	%	3	3	6
Stems/Ha (Live & DP)		502.1	493.0	9.1
Avg DBH (Live & DP)	cm	25.7	25.5	33.8
Snags/Ha				
Avg Snag DBH	cm			
Gross Merch Vol/Tree	m3	0.40	0.39	0.87
Net Merch Vol/Tree	m3	0.39	0.38	0.82
Avg Weight Total Ht	m	21.6	21.5	25.6
Avg Weight Merch Ht	m	16.4	16.2	20.3
Avg 5.0 m Log Net	m3	0.16	0.16	0.21
Avg 5.0 m Log Gross	m3	0.16	0.16	0.22
Avg # of 5.0 m Logs/Tree		2.41	2.38	4.00
LRF and Log Summary				
Net Merch - Stud	%	55.2	56.3	28.8
Net Merch - Small Log	%	92.8	92.5	100.0
Net Merch - Large Log	%	7.2	7.5	
Avg LRF All	bdfm/m3	188.9	188.6	196.8

FLAGS: Compile All Trees, Dry Belt Fir

Volume and Size Data		Total	Normal	E-Down
Gross Merchantable	m3	1081	864	44
Net Merchantable	m3	819	672	30
Net Merch - All	m3/ha	59	48	2
Distribution	%	100	82	4
Decay	%	3	3	2
Total Cull (DWB)	%	24	22	32
Stems/Ha (Live & DP)		173.6	139.4	13.9
Avg DBH (Live & DP)	cm	25.1	25.0	22.9
Snags/Ha				
Avg Snag DBH	cm			
Gross Merch Vol/Tree	m3	0.45	0.45	0.23
Net Merch Vol/Tree	m3	0.34	0.35	0.16
Avg Weight Total Ht	m	23.0	22.9	14.1
Avg Weight Merch Ht	m	18.1	18.0	9.7
Avg 5.0 m Log Net	m3	0.14	0.14	0.11
Avg 5.0 m Log Gross	m3	0.15	0.14	0.11
Avg # of 5.0 m Logs/Tree		3.07	3.10	2.00
LRF and Log Summary				
Net Merch - Stud	%	58.0	56.6	100.0
Net Merch - Small Log	%	95.6	94.6	100.0
Net Merch - Large Log	%	4.4	5.4	
Avg LRF All	bdfm/m3	173.8	185.2	174.9

FLAGS: Compile All Trees, Dry Belt Fir

Volume and Size Data		Total	Normal	3-Grey
Gross Merchantable	m3	1081	864	174
Net Merchantable	m3	819	672	117
Net Merch - All	m3/ha	59	48	8
Distribution	%	100	82	14
Decay	%	3	3	3
Total Cull (DWB)	%	24	22	33
Stems/Ha (Live & DP)		173.6	139.4	20.4
Avg DBH (Live & DP)	cm	25.1	25.0	26.7
Snags/Ha				
Avg Snag DBH	cm			
Gross Merch Vol/Tree	m3	0.45	0.45	0.61
Net Merch Vol/Tree	m3	0.34	0.35	0.41
Avg Weight Total Ht	m	23.0	22.9	26.3
Avg Weight Merch Ht	m	18.1	18.0	21.1
Avg 5.0 m Log Net	m3	0.14	0.14	0.17
Avg 5.0 m Log Gross	m3	0.15	0.14	0.17
Avg # of 5.0 m Logs/Tree		3.07	3.10	3.56
LRF and Log Summary				
Net Merch - Stud	%	58.0	56.6	55.5
Net Merch - Small Log	%	95.6	94.6	100.0
Net Merch - Large Log	%	4.4	5.4	
Avg LRF All	bdfm/m3	173.8	185.2	107.8

FLAGS: Compile All Trees, Dry Belt Fir

Volume and Size Data		Total	Normal	E-Down
Gross Merchantable	m3	2461	2160	301
Net Merchantable	m3	2291	2009	282
Net Merch - All	m3/ha	533	467	66
Distribution	%	100	88	12
Decay	%	5	5	4
Total Cull (DWB)	%	7	7	6
Stems/Ha (Live & DP)		719.1	635.0	84.1
Avg DBH (Live & DP)	cm	31.9	31.7	33.7
Snags/Ha		60.7	60.7	
Avg Snag DBH	cm	22.9	22.9	
Gross Merch Vol/Tree	m3	0.80	0.79	0.83
Net Merch Vol/Tree	m3	0.74	0.74	0.78
Avg Weight Total Ht	m	27.4	27.7	25.3
Avg Weight Merch Ht	m	22.2	22.4	20.3
Avg 5.0 m Log Net	m3	0.21	0.21	0.22
Avg 5.0 m Log Gross	m3	0.22	0.22	0.23
Avg # of 5.0 m Logs/Tree		3.57	3.55	3.70
LRF and Log Summary				
Net Merch - Stud	%	30.8	31.0	28.8
Net Merch - Small Log	%	70.5	69.9	74.7
Net Merch - Large Log	%	29.5	30.1	25.3
Avg LRF All	bdfm/m3	201.3	201.3	200.6

FLAGS: Compile All Trees, Dry Belt Fir

Volume and Size Data		Total	Normal	E-Down
Gross Merchantable	m3	2545	2310	235
Net Merchantable	m3	2370	2210	160
Net Merch - All	m3/ha	250	233	17
Distribution	%	100	93	7
Decay	%	1	1	2
Total Cull (DWB)	%	7	4	32
Stems/Ha (Live & DP)		1458.9	1335.0	123.9
Avg DBH (Live & DP)	cm	17.4	17.2	19.1
Snags/Ha				
Avg Snag DBH	cm			
Gross Merch Vol/Tree	m3	0.18	0.18	0.20
Net Merch Vol/Tree	m3	0.17	0.17	0.14
Avg Weight Total Ht	m	20.2	20.2	19.7
Avg Weight Merch Ht	m	13.4	13.3	14.5
Avg 5.0 m Log Net	m3	0.08	0.08	0.09
Avg 5.0 m Log Gross	m3	0.08	0.08	0.10
Avg # of 5.0 m Logs/Tree		2.31	2.33	2.09
LRF and Log Summary				
Net Merch - Stud	%	96.6	98.5	70.2
Net Merch - Small Log	%	100.0	100.0	100.0
Net Merch - Large Log	%			
Avg LRF All	bdfm/m3	166.0	165.3	175.2

FLAGS: Compile All Trees, Dry Belt Fir

Volume and Size Data		Total	Normal	E-Down
Gross Merchantable	m3	2628	2409	219
Net Merchantable	m3	2463	2313	150
Net Merch - All	m3/ha	199	187	12
Distribution	%	100	94	6
Decay	%	2	2	2
Total Cull (DWB)	%	6	4	32
Stems/Ha (Live & DP)		923.5	815.2	108.3
Avg DBH (Live & DP)	cm	18.6	18.7	17.7
Snags/Ha				
Avg Snag DBH	cm			
Gross Merch Vol/Tree	m3	0.23	0.24	0.16
Net Merch Vol/Tree	m3	0.22	0.23	0.11
Avg Weight Total Ht	m	21.5	21.9	17.2
Avg Weight Merch Ht	m	15.1	15.5	11.0
Avg 5.0 m Log Net	m3	0.09	0.09	0.08
Avg 5.0 m Log Gross	m3	0.09	0.09	0.08
Avg # of 5.0 m Logs/Tree		2.52	2.57	2.11
LRF and Log Summary				
Net Merch - Stud	%	89.8	89.1	100.0
Net Merch - Small Log	%	100.0	100.0	100.0
Net Merch - Large Log	%			
Avg LRF All	bdf/m3	170.5	171.0	162.8

FLAGS: Compile All Trees, Dry Belt Fir

Volume and Size Data		Total	Normal	E-Down
Gross Merchantable	m3	384	341	43
Net Merchantable	m3	367	327	40
Net Merch - All	m3/ha	30	26	3
Distribution	%	100	89	11
Decay	%	2	2	5
Total Cull (DWB)	%	4	4	7
Stems/Ha (Live & DP)		90.3	85.7	4.5
Avg DBH (Live & DP)	cm	25.3	24.4	37.5
Snags/Ha				
Avg Snag DBH	cm			
Gross Merch Vol/Tree	m3	0.34	0.32	0.77
Net Merch Vol/Tree	m3	0.33	0.31	0.72
Avg Weight Total Ht	m	21.4	21.3	21.9
Avg Weight Merch Ht	m	15.5	15.3	17.4
Avg 5.0 m Log Net	m3	0.12	0.11	0.24
Avg 5.0 m Log Gross	m3	0.12	0.12	0.26
Avg # of 5.0 m Logs/Tree		2.60	2.58	3.00
LRF and Log Summary				
Net Merch - Stud	%	65.4	70.6	22.7
Net Merch - Small Log	%	100.0	100.0	100.0
Net Merch - Large Log	%			
Avg LRF All	bdfm/m3	166.3	164.7	179.7

FLAGS: Compile All Trees, Dry Belt Fir

		F	C	B	S	PL	L	Total	DP	DU	LU
Utilization Limits											
Min DBH	cm (M)	17.5	17.5	17.5	17.5	12.50	17.5				
Stump Ht	cm (M)	30	30	30	30	30.00	30				
Top Dia	cm (M)	10.0	10.0	10.0	10.0	10.00	10.0				
Log Len	m	5.0	5.0	5.0	5.0	5.00	5.0				
DBH Class											
10											
15						0.5		0.5			
20			2.2		1.0	0.5		3.8	1.8		
25			1.5			1.0	1.3	3.9			
30							1.2	1.2	0.8		
35		2.8		1.8	2.1	0.5	2.4	9.6	0.6		
40		1.7			1.0	0.5	1.2	4.5	0.7		
45			0.7				0.6	1.4			
50		0.1					0.1	0.2	0.7		
55		0.1						0.1	0.8		
60											
65											
70											
75											
80											
85											
90											
95											
100											
105											
110											
115											
120											
125											
130											
135											
140											
145											
150											
175											
200											
225											
250											
275											
Total		4.7	4.4	1.8	4.2	3.1	6.8	25.0			
Dead P		1.7	1.5				2.4	5.6	5.6		
Dead U											
Live U											
Total Basal Area per Hectare at Five Levels											
12.5+		4.7	4.4	1.8	4.2	3.1	6.8	25.0	5.6		
17.5+		4.7	4.4	1.8	4.2	2.6	6.8	24.5	5.6		
22.5+		4.7	2.2	1.8	3.1	2.1	6.8	20.7	3.8		
27.5+		4.7	0.7	1.8	3.1	1.0	5.4	16.9	3.8		
32.5+		4.7	0.7	1.8	3.1	1.0	4.3	15.7	2.9		

FLAGS: Compile All Trees, Dry Belt Fir

		F	C	B	S	PL	L	Total	DP	DU	LU
Utilization Limits											
Min DBH	cm (M)	17.5	17.5	17.5	17.5	12.50	17.5				
Stump Ht	cm (M)	30	30	30	30	30.00	30				
Top Dia	cm (M)	10.0	10.0	10.0	10.0	10.00	10.0				
Log Len	m	5.0	5.0	5.0	5.0	5.00	5.0				
DBH Class											
10											
15											
20					7.3		7.3				
25				1.2	3.3	3.2	0.4	8.1	1.6		
30		1.2			3.3	1.6	6.1				
35		0.6			8.1	1.6	10.3				
40					0.8		0.8				
45		0.1			0.8		0.9				
50		0.1			0.8		0.9				
55											
60											
65											
70											
75											
80											
85											
90											
95											
100											
105											
110											
115											
120											
125											
130											
135											
140											
145											
150											
175											
200											
225											
250											
275											
Total		2.0		1.2	24.4	6.4	0.4	34.3			
Dead P					1.6			1.6	1.6		
Dead U											
Live U											
Total Basal Area per Hectare at Five Levels											
12.5+		2.0		1.2	24.4	6.4	0.4	34.3	1.6		
17.5+		2.0		1.2	24.4	6.4	0.4	34.3	1.6		
22.5+		2.0		1.2	17.1	6.4	0.4	27.0	1.6		
27.5+		2.0			13.8	3.2		19.0			
32.5+		0.8			10.6	1.6		12.9			

FLAGS: Compile All Trees, Dry Belt Fir

		F	C	B	S	PL	L	Total	DP	DU	LU
Utilization Limits											
Min DBH	cm (M)	17.5	17.5	17.5	17.5	12.50	17.5				
Stump Ht	cm (M)	30	30	30	30	30.00	30				
Top Dia	cm (M)	10.0	10.0	10.0	10.0	10.00	10.0				
Log Len	m	5.0	5.0	5.0	5.0	5.00	5.0				
DBH Class											
10											
15									0.6		
20				2.9	2.9	1.1	6.9	1.1	0.6		
25				2.3	4.6	0.6	7.4	1.1	0.6		
30		0.6		1.1	4.6	0.6	6.9	1.7			
35		1.7		0.6	2.9		5.1	1.1	0.6		
40				0.6	2.3		2.9				
45		0.1			1.7		1.8				
50					1.7		1.7	0.6			
55					0.6		0.6				
60					1.1		1.1				
65											
70											
75											
80											
85											
90											
95											
100											
105											
110											
115											
120											
125											
130											
135											
140											
145											
150											
175											
200											
225											
250											
275											
Total		2.4		7.4	22.3	2.3	34.4				
Dead P						6.3	6.3	6.3			
Dead U		1.1		0.6			1.7			1.7	
Live U											
Total Basal Area per Hectare at Five Levels											
12.5+		2.4		7.4	22.3	2.3	34.4	6.3	1.7		
17.5+		2.4		7.4	22.3	2.3	34.4	5.7	1.7		
22.5+		2.4		4.6	19.4	1.1	27.5	4.6	1.1		
27.5+		2.4		2.3	14.9	0.6	20.1	3.4	0.6		
32.5+		1.8		1.1	10.3		13.3	1.7	0.6		

FLAGS: Compile All Trees, Dry Belt Fir

		F	C	B	S	PL	L	Total	DP	DU	LU
Utilization Limits											
Min DBH	cm (M)	17.5	17.5	17.5	17.5	12.50	17.5				
Stump Ht	cm (M)	30	30	30	30	30.00	30				
Top Dia	cm (M)	10.0	10.0	10.0	10.0	10.00	10.0				
Log Len	m	5.0	5.0	5.0	5.0	5.00	5.0				
DBH Class											
10											
15											
20		2.7		2.7				5.3			
25				5.3				5.3			
30				2.7	2.7	8.0		13.3			
35					5.3	2.7		8.0			
40		2.7			2.7			5.3			
45											
50											
55											
60											
65											
70											
75											
80											
85											
90											
95											
100											
105											
110											
115											
120											
125											
130											
135											
140											
145											
150											
175											
200											
225											
250											
275											
Total		5.3		10.7	10.7	10.7		37.3			
Dead P											
Dead U											
Live U											
Total Basal Area per Hectare at Five Levels											
12.5+		5.3		10.7	10.7	10.7		37.3			
17.5+		5.3		10.7	10.7	10.7		37.3			
22.5+		2.7		8.0	10.7	10.7		32.0			
27.5+		2.7		2.7	10.7	10.7		26.7			
32.5+		2.7			8.0	2.7		13.3			

FLAGS: Compile All Trees, Dry Belt Fir

		F	C	B	S	PL	L	Total	DP	DU	LU
Utilization Limits											
Min DBH	cm (M)	17.5	17.5	17.5	17.5	12.50	17.5				
Stump Ht	cm (M)	30	30	30	30	30.00	30				
Top Dia	cm (M)	10.0	10.0	10.0	10.0	10.00	10.0				
Log Len	m	5.0	5.0	5.0	5.0	5.00	5.0				
DBH Class											
10											
15											
20					3.3			3.3	3.3		
25					3.3	2.7		6.0	2.7		
30					3.3	3.3		6.7			
35					2.7			2.7			
40		3.3						3.3			
45					5.3			5.3			
50											
55											
60											
65											
70											
75											
80											
85											
90											
95											
100											
105											
110											
115											
120											
125											
130											
135											
140											
145											
150											
175											
200											
225											
250											
275											
Total		3.3		9.3	12.0	2.7		27.3			
Dead P				3.3		2.7		6.0	6.0		
Dead U											
Live U											
Total Basal Area per Hectare at Five Levels											
12.5+		3.3		9.3	12.0	2.7		27.3	6.0		
17.5+		3.3		9.3	12.0	2.7		27.3	6.0		
22.5+		3.3		9.3	8.7	2.7		24.0	2.7		
27.5+		3.3		6.0	8.7			18.0			
32.5+		3.3		2.7	5.3			11.3			

FLAGS: Compile All Trees, Dry Belt Fir

		F	C	B	S	PL	L	Total	DP	DU	LU
Utilization Limits											
Min DBH	cm (M)	17.5	17.5	17.5	17.5	12.50	17.5				
Stump Ht	cm (M)	30	30	30	30	30.00	30				
Top Dia	cm (M)	10.0	10.0	10.0	10.0	10.00	10.0				
Log Len	m	5.0	5.0	5.0	5.0	5.00	5.0				
DBH Class											
10											
15											
20				2.0				2.0			
25					2.0			2.0	2.0		
30					4.0			4.0			
35					8.0			8.0	2.0		
40					6.0			6.0	2.0		
45					8.0			8.0	2.0		
50					8.0			8.0			
55					2.0			2.0			
60					6.0			6.0			
65											
70											
75											
80											
85											
90											
95											
100											
105											
110											
115											
120											
125											
130											
135											
140											
145											
150											
175											
200											
225											
250											
275											
Total				2.0	44.0			46.0			
Dead P				2.0	6.0			8.0	8.0		
Dead U											
Live U											
Total Basal Area per Hectare at Five Levels											
12.5+				2.0	44.0			46.0	8.0		
17.5+				2.0	44.0			46.0	8.0		
22.5+					44.0			44.0	8.0		
27.5+					42.0			42.0	6.0		
32.5+					38.0			38.0	6.0		

FLAGS: Compile All Trees, Dry Belt Fir

		F	C	B	S	PL	L	Total	DP	DU	LU
Utilization Limits											
Min DBH	cm (M)	17.5	17.5	17.5	17.5	12.50	17.5				
Stump Ht	cm (M)	30	30	30	30	30.00	30				
Top Dia	cm (M)	10.0	10.0	10.0	10.0	10.00	10.0				
Log Len	m	5.0	5.0	5.0	5.0	5.00	5.0				
DBH Class											
10											
15											
20											
25				5.0				5.0			
30					5.0			5.0			
35				5.0				5.0		5.0	
40				10.0	5.0			15.0			
45											
50					15.0			15.0			
55											
60											
65											
70											
75											
80											
85											
90											
95											
100											
105											
110											
115											
120											
125											
130											
135											
140											
145											
150											
175											
200											
225											
250											
275											
Total				20.0	25.0			45.0			
Dead P											
Dead U				5.0				5.0		5.0	
Live U											
Total Basal Area per Hectare at Five Levels											
12.5+				20.0	25.0			45.0		5.0	
17.5+				20.0	25.0			45.0		5.0	
22.5+				20.0	25.0			45.0		5.0	
27.5+				15.0	25.0			40.0		5.0	
32.5+				15.0	20.0			35.0		5.0	

FLAGS: Compile All Trees, Dry Belt Fir

Rob Kitamura, RFT, ATE

Cruised By: Jeff Davies, Robin Kessler, Jordan Pelton

TUs: All : 4.3

FLAGS: Compile All Trees, Dry Belt Fir

		F	C	B	S	PL	L	Total	DP	DU	LU
Utilization Limits											
Min DBH	cm (M)	17.5	17.5	17.5	17.5	12.50	17.5				
Stump Ht	cm (M)	30	30	30	30	30.00	30				
Top Dia	cm (M)	10.0	10.0	10.0	10.0	10.00	10.0				
Log Len	m	5.0	5.0	5.0	5.0	5.00	5.0				
DBH Class											
10											
15						14.2		14.2	3.6		
20		0.9				9.8		10.7			
25					0.9	5.3		6.2	1.8		
30		3.6						3.6			
35											
40											
45											
50											
55											
60											
65											
70											
75											
80											
85											
90											
95											
100											
105											
110											
115											
120											
125											
130											
135											
140											
145											
150											
175											
200											
225											
250											
275											
Total		4.5			0.9	29.3		34.7			
Dead P						5.3		5.3	5.3		
Dead U											
Live U											
Total Basal Area per Hectare at Five Levels											
12.5+		4.5			0.9	29.3		34.7	5.3		
17.5+		4.5			0.9	15.1		20.5	1.8		
22.5+		3.6			0.9	5.3		9.8	1.8		
27.5+		3.6						3.6			
32.5+											

FLAGS: Compile All Trees, Dry Belt Fir

		F	C	B	S	PL	L	Total	DP	DU	LU
Utilization Limits											
Min DBH	cm (M)	17.5	17.5	17.5	17.5	12.50	17.5				
Stump Ht	cm (M)	30	30	30	30	30.00	30				
Top Dia	cm (M)	10.0	10.0	10.0	10.0	10.00	10.0				
Log Len	m	5.0	5.0	5.0	5.0	5.00	5.0				
DBH Class											
10											
15						5.8		5.8	1.8		
20		1.3			1.2	9.5		12.0	1.0		
25		0.7				4.7		5.3	0.5		
30		2.0				1.7		3.7			
35											
40									0.5		
45											
50											
55											
60											
65											
70											
75											
80											
85											
90											
95											
100											
105											
110											
115											
120											
125											
130											
135											
140											
145											
150											
175											
200											
225											
250											
275											
Total		4.0			1.2	21.7		26.9			
Dead P		0.5				3.3		3.8	3.8		
Dead U											
Live U											
Total Basal Area per Hectare at Five Levels											
12.5+		4.0			1.2	21.7		26.9	3.8		
17.5+		4.0			1.2	15.8		21.0	2.0		
22.5+		2.7				6.3		9.0	1.0		
27.5+		2.0				1.7		3.7	0.5		
32.5+									0.5		

FLAGS: Compile All Trees, Dry Belt Fir

		F	C	B	S	PL	L	Total	DP	DU	LU
Utilization Limits											
Min DBH	cm (M)	17.5	17.5	17.5	17.5	12.50	17.5				
Stump Ht	cm (M)	30	30	30	30	30.00	30				
Top Dia	cm (M)	10.0	10.0	10.0	10.0	10.00	10.0				
Log Len	m	5.0	5.0	5.0	5.0	5.00	5.0				
DBH Class											
10											
15						27.3		27.3			
20			68.9		41.0	18.8		128.7	51.6		
25			31.3			22.8	27.4	81.5			
30							17.6	17.6	13.3		
35		28.5		20.5	19.8	5.8	25.8	100.4	5.6		
40		14.0			8.1	4.0	9.2	35.4	6.3		
45		0.3	4.3				3.9	8.4			
50		0.5					0.3	0.8	3.9		
55		0.4					0.1	0.5	3.6		
60											
65											
70											
75											
80											
85											
90											
95											
100											
105											
110											
115											
120											
125											
130											
135											
140											
145											
150											
175											
200											
225											
250											
275											
Total		43.6	104.5	20.5	68.9	78.8	84.4	400.6			
Dead P		16.9	10.2				57.2		84.2		
Dead U											
Live U											
Average DBH at Five Levels											
12.5+		37.0	23.2	33.7	27.8	22.5	32.0	28.2	29.0		
17.5+		37.0	23.2	33.7	27.8	25.4	32.0	28.9	29.0		
22.5+		37.0	28.2	33.7	37.8	28.5	32.0	32.9	38.3		
27.5+		37.0	47.0	33.7	37.8	36.6	34.9	36.3	38.3		
32.5+		37.0	47.0	33.7	37.8	36.6	37.1	37.0	43.8		

FLAGS: Compile All Trees, Dry Belt Fir

		F	C	B	S	PL	L	Total	DP	DU	LU
Utilization Limits											
Min DBH	cm (M)	17.5	17.5	17.5	17.5	12.50	17.5				
Stump Ht	cm (M)	30	30	30	30	30.00	30				
Top Dia	cm (M)	10.0	10.0	10.0	10.0	10.00	10.0				
Log Len	m	5.0	5.0	5.0	5.0	5.00	5.0				
DBH Class											
10											
15											
20					240.8			240.8			
25				28.9	71.2	65.5	7.2	172.7	37.2		
30		17.4			50.0	26.7		94.1			
35		7.2			85.5	17.9		110.6			
40					7.4			7.4			
45		0.4			5.6			6.0			
50		0.5			4.5			4.9			
55											
60											
65											
70											
75											
80											
85											
90											
95											
100											
105											
110											
115											
120											
125											
130											
135											
140											
145											
150											
175											
200											
225											
250											
275											
Total		25.4		28.9	464.9	110.1	7.2	636.6			
Dead P					37.2				37.2		
Dead U											
Live U											
Average DBH at Five Levels											
12.5+		31.2		23.0	25.8	27.2	26.6	26.2	23.6		
17.5+		31.2		23.0	25.8	27.2	26.6	26.2	23.6		
22.5+		31.2		23.0	31.1	27.2	26.6	29.5	23.6		
27.5+		31.2			33.9	30.2		32.9			
32.5+		34.4			36.1	33.7		35.7			

FLAGS: Compile All Trees, Dry Belt Fir

		F	C	B	S	PL	L	Total	DP	DU	LU
Utilization Limits											
Min DBH	cm (M)	17.5	17.5	17.5	17.5	12.50	17.5				
Stump Ht	cm (M)	30	30	30	30	30.00	30				
Top Dia	cm (M)	10.0	10.0	10.0	10.0	10.00	10.0				
Log Len	m	5.0	5.0	5.0	5.0	5.00	5.0				
DBH Class											
10											
15									24.3		
20				95.5	88.7	34.1		218.3	31.1	22.7	
25				46.7	94.1	10.4		151.1	24.7	14.4	
30		7.3		17.7	61.3	8.4		94.8	24.8		
35		17.3		5.5	28.7			51.6	12.6	5.9	
40		0.3		4.0	18.1			22.4			
45		0.6			10.9			11.5			
50					8.1			8.1	3.2		
55					2.6			2.6			
60					4.0			4.0			
65											
70											
75											
80											
85											
90											
95											
100											
105											
110											
115											
120											
125											
130											
135											
140											
145											
150											
175											
200											
225											
250											
275											
Total		25.5		169.4	316.5	52.9		564.2			
Dead P						120.7			120.7		
Dead U		28.6		14.4						43.0	
Live U											
Average DBH at Five Levels											
12.5+		34.6		23.6	29.9	23.5		27.9	25.7	22.5	
17.5+		34.6		23.6	29.9	23.5		27.9	27.5	22.5	
22.5+		34.6		28.1	33.0	27.8		31.8	29.9	26.8	
27.5+		34.6		32.7	37.6	29.4		36.3	32.8	35.0	
32.5+		35.8		39.1	42.5			41.1	37.1	35.0	

FLAGS: Compile All Trees, Dry Belt Fir

		F	C	B	S	PL	L	Total	DP	DU	LU
Utilization Limits											
Min DBH	cm (M)	17.5	17.5	17.5	17.5	12.50	17.5				
Stump Ht	cm (M)	30	30	30	30	30.00	30				
Top Dia	cm (M)	10.0	10.0	10.0	10.0	10.00	10.0				
Log Len	m	5.0	5.0	5.0	5.0	5.00	5.0				
DBH Class											
10											
15											
20		73.5		68.9				142.3			
25				122.3				122.3			
30				33.8	33.0	118.2		185.0			
35					57.7	28.9		86.6			
40		21.8			20.5			42.3			
45											
50											
55											
60											
65											
70											
75											
80											
85											
90											
95											
100											
105											
110											
115											
120											
125											
130											
135											
140											
145											
150											
175											
200											
225											
250											
275											
Total		95.2		225.0	111.2	147.1		578.5			
Dead P											
Dead U											
Live U											
Average DBH at Five Levels											
12.5+		26.7		24.6	35.0	30.4		28.7			
17.5+		26.7		24.6	35.0	30.4		28.7			
22.5+		39.5		25.5	35.0	30.4		30.6			
27.5+		39.5		31.7	35.0	30.4		32.9			
32.5+		39.5			36.1	34.3		36.3			

FLAGS: Compile All Trees, Dry Belt Fir

		F	C	B	S	PL	L	Total	DP	DU	LU
Utilization Limits											
Min DBH	cm (M)	17.5	17.5	17.5	17.5	12.50	17.5				
Stump Ht	cm (M)	30	30	30	30	30.00	30				
Top Dia	cm (M)	10.0	10.0	10.0	10.0	10.00	10.0				
Log Len	m	5.0	5.0	5.0	5.0	5.00	5.0				
DBH Class											
10											
15											
20					124.0			124.0	125.4		
25				71.3		63.1		134.4	52.2		
30				44.7	49.8			94.5			
35				26.5				26.5			
40		25.1						25.1			
45					34.5			34.5			
50											
55											
60											
65											
70											
75											
80											
85											
90											
95											
100											
105											
110											
115											
120											
125											
130											
135											
140											
145											
150											
175											
200											
225											
250											
275											
Total		25.1		142.5	208.2	63.1		439.0			
Dead P				125.4		52.2			177.6		
Dead U											
Live U											
Average DBH at Five Levels											
12.5+		41.1		28.9	27.1	23.2		28.2	20.7		
17.5+		41.1		28.9	27.1	23.2		28.2	20.7		
22.5+		41.1		28.9	36.2	23.2		31.1	25.5		
27.5+		41.1		32.7	36.2			35.6			
32.5+		41.1		35.8	44.4			40.9			

FLAGS: Compile All Trees, Dry Belt Fir

		F	C	B	S	PL	L	Total	DP	DU	LU
Utilization Limits											
Min DBH	cm (M)	17.5	17.5	17.5	17.5	12.50	17.5				
Stump Ht	cm (M)	30	30	30	30	30.00	30				
Top Dia	cm (M)	10.0	10.0	10.0	10.0	10.00	10.0				
Log Len	m	5.0	5.0	5.0	5.0	5.00	5.0				
DBH Class											
10											
15											
20				66.3				66.3			
25					50.3			50.3	36.3		
30					50.7			50.7			
35					85.5			85.5	19.2		
40					46.8			46.8	17.8		
45					51.8			51.8	12.2		
50					42.1			42.1			
55					8.6			8.6			
60					21.0			21.0			
65											
70											
75											
80											
85											
90											
95											
100											
105											
110											
115											
120											
125											
130											
135											
140											
145											
150											
175											
200											
225											
250											
275											
Total				66.3	356.8			423.1			
Dead P				36.3	49.3				85.5		
Dead U											
Live U											
Average DBH at Five Levels											
12.5+				19.6	39.6			37.2	34.5		
17.5+				19.6	39.6			37.2	34.5		
22.5+					39.6			39.6	34.5		
27.5+					41.8			41.8	39.4		
32.5+					43.5			43.5	39.4		

FLAGS: Compile All Trees, Dry Belt Fir

		F	C	B	S	PL	L	Total	DP	DU	LU
Utilization Limits											
Min DBH	cm (M)	17.5	17.5	17.5	17.5	12.50	17.5				
Stump Ht	cm (M)	30	30	30	30	30.00	30				
Top Dia	cm (M)	10.0	10.0	10.0	10.0	10.00	10.0				
Log Len	m	5.0	5.0	5.0	5.0	5.00	5.0				
DBH Class											
10											
15											
20											
25				92.0				92.0			
30					66.2			66.2			
35				45.5				45.5		51.7	
40				72.9	41.2			114.1			
45											
50					77.4			77.4			
55											
60											
65											
70											
75											
80											
85											
90											
95											
100											
105											
110											
115											
120											
125											
130											
135											
140											
145											
150											
175											
200											
225											
250											
275											
Total				210.5	184.9			395.4			
Dead P											
Dead U				51.7						51.7	
Live U											
Average DBH at Five Levels											
12.5+				34.8	41.5			38.1		35.1	
17.5+				34.8	41.5			38.1		35.1	
22.5+				34.8	41.5			38.1		35.1	
27.5+				40.2	41.5			41.0		35.1	
32.5+				40.2	46.3			43.4		35.1	

FLAGS: Compile All Trees, Dry Belt Fir

		F	C	B	S	PL	L	Total	DP	DU	LU
Utilization Limits											
Min DBH	cm (M)	17.5	17.5	17.5	17.5	12.50	17.5				
Stump Ht	cm (M)	30	30	30	30	30.00	30				
Top Dia	cm (M)	10.0	10.0	10.0	10.0	10.00	10.0				
Log Len	m	5.0	5.0	5.0	5.0	5.00	5.0				
DBH Class											
10											
15											
20					159.3			159.3			
25					151.9			151.9		60.7	
30					102.3			102.3	39.2		
35				30.1	131.3			161.5			
40					80.9			80.9			
45									14.2		
50					14.0			14.0			
55					10.0			10.0			
60					8.5			8.5			
65					7.4			7.4			
70											
75											
80											
85											
90											
95											
100											
105											
110											
115											
120											
125											
130											
135											
140											
145											
150											
175											
200											
225											
250											
275											
Total				30.1	665.7			695.9			
Dead P					53.4				53.4		
Dead U					60.7					60.7	
Live U											
Average DBH at Five Levels											
12.5+				32.5	31.7			31.7	34.5	22.9	
17.5+				32.5	31.7			31.7	34.5	22.9	
22.5+				32.5	34.6			34.4	34.5	22.9	
27.5+				32.5	37.9			37.5	34.5		
32.5+				32.5	40.5			39.7	47.4		

FLAGS: Compile All Trees, Dry Belt Fir

		F	C	B	S	PL	L	Total	DP	DU	LU
Utilization Limits											
Min DBH	cm (M)	17.5	17.5	17.5	17.5	12.50	17.5				
Stump Ht	cm (M)	30	30	30	30	30.00	30				
Top Dia	cm (M)	10.0	10.0	10.0	10.0	10.00	10.0				
Log Len	m	5.0	5.0	5.0	5.0	5.00	5.0				
DBH Class											
10											
15						762.5		762.5	212.4		
20		28.0				326.9		354.9			
25					22.2	122.2		144.4	34.9		
30		50.4						50.4			
35											
40											
45											
50		0.2						0.2			
55											
60											
65											
70											
75											
80											
85											
90											
95											
100											
105											
110											
115											
120											
125											
130											
135											
140											
145											
150											
175											
200											
225											
250											
275											
Total		78.6			22.2	1211.7		1312.5			
Dead P						247.2			247.2		
Dead U											
Live U											
Average DBH at Five Levels											
12.5+		27.0			22.6	17.6		18.4	16.6		
17.5+		27.0			22.6	20.7		21.8	25.5		
22.5+		30.1			22.6	23.6		25.3	25.5		
27.5+		30.1						30.1			
32.5+		48.6						48.6			

FLAGS: Compile All Trees, Dry Belt Fir

		F	C	B	S	PL	L	Total	DP	DU	LU
Utilization Limits											
Min DBH	cm (M)	17.5	17.5	17.5	17.5	12.50	17.5				
Stump Ht	cm (M)	30	30	30	30	30.00	30				
Top Dia	cm (M)	10.0	10.0	10.0	10.0	10.00	10.0				
Log Len	m	5.0	5.0	5.0	5.0	5.00	5.0				
DBH Class											
10											
15						338.0		338.0	103.9		
20		40.8			36.2	307.1		384.1	34.2		
25		16.8				101.0		117.8	12.2		
30		27.9				26.9		54.8			
35		0.3						0.3			
40									4.5		
45											
50											
55											
60											
65											
70											
75											
80											
85											
90											
95											
100											
105											
110											
115											
120											
125											
130											
135											
140											
145											
150											
175											
200											
225											
250											
275											
Total		85.7			36.2	773.1		895.0			
Dead P		4.5				150.4			154.9		
Dead U											
Live U											
Average DBH at Five Levels											
12.5+		24.4			20.3	18.9		19.5	17.7		
17.5+		24.4			20.3	21.5		21.9	22.3		
22.5+		27.6				25.1		25.8	27.6		
27.5+		30.2				28.1		29.2	37.5		
32.5+		34.5						34.5	37.5		

FLAGS: Compile All Trees, Dry Belt Fir

		F	C	B	S	PL	L	Total	DP	DU	LU
Utilization Limits											
Min DBH	cm (M)	17.5	17.5	17.5	17.5	12.50	17.5				
Stump Ht	cm (M)	30	30	30	30	30.00	30				
Top Dia	cm (M)	10.0	10.0	10.0	10.0	10.00	10.0				
Log Len	m	5.0	5.0	5.0	5.0	5.00	5.0				
DBH Class											
10											
15						3.8		3.8			
20			10.4		3.9	4.7		19.0	10.9		
25			8.0			9.3	10.5	27.9			
30							9.1	9.1	6.0		
35		20.3		15.3	21.1	4.2	22.4	83.5	5.4		
40		14.0			11.8	5.7	11.6	43.1	3.3		
45		0.3	2.8				5.5	8.6			
50		0.8					0.5	1.3	4.9		
55		0.8					0.3	1.0	2.2		
60											
65											
70											
75											
80											
85											
90											
95											
100											
105											
110											
115											
120											
125											
130											
135											
140											
145											
150											
175											
200											
225											
250											
275											
Total		36.2	21.2	15.3	36.9	27.7	59.9	197.1			
Dead P		8.2	8.2				16.3		32.7		
Dead U											
Live U											
Total Volumes (Living)											
17.5+		36.2	21.2	15.3	36.9	23.9	59.9	193.4	32.7		
22.5+		36.2	10.8	15.3	32.9	19.2	59.9	174.4	21.8		
27.5+		36.2	2.8	15.3	32.9	9.9	49.4	146.5	21.8		
32.5+		36.2	2.8	15.3	32.9	9.9	40.3	137.5	15.9		
37.5+		15.8	2.8		11.8	5.7	17.9	54.0	10.4		
42.5+		1.9	2.8				6.3	10.9	7.1		
47.5		1.5					0.8	2.3	7.1		

FLAGS: Compile All Trees, Dry Belt Fir

		F	C	B	S	PL	L	Total	DP	DU	LU
Utilization Limits											
Min DBH	cm (M)	17.5	17.5	17.5	17.5	12.50	17.5				
Stump Ht	cm (M)	30	30	30	30	30.00	30				
Top Dia	cm (M)	10.0	10.0	10.0	10.0	10.00	10.0				
Log Len	m	5.0	5.0	5.0	5.0	5.00	5.0				
DBH Class											
10											
15											
20					40.4			40.4			
25				8.3	20.8	27.1	3.3	59.5	11.5		
30		7.8			26.5	13.3		47.7			
35		4.1			71.7	16.1		91.8			
40					6.1			6.1			
45		0.5			8.7			9.1			
50		0.7			8.2			8.9			
55											
60											
65											
70											
75											
80											
85											
90											
95											
100											
105											
110											
115											
120											
125											
130											
135											
140											
145											
150											
175											
200											
225											
250											
275											
Total		13.1		8.3	182.4	56.4	3.3	263.5			
Dead P					11.5				11.5		
Dead U											
Live U											
Total Volumes (Living)											
17.5+		13.1		8.3	182.4	56.4	3.3	263.5	11.5		
22.5+		13.1		8.3	142.0	56.4	3.3	223.1	11.5		
27.5+		13.1			121.2	29.4		163.6			
32.5+		5.2			94.6	16.1		115.9			
37.5+		1.2			22.9			24.1			
42.5+		1.2			16.8			18.0			
47.5		0.7			8.2			8.9			

FLAGS: Compile All Trees, Dry Belt Fir

		F	C	B	S	PL	L	Total	DP	DU	LU
Utilization Limits											
Min DBH	cm (M)	17.5	17.5	17.5	17.5	12.50	17.5				
Stump Ht	cm (M)	30	30	30	30	30.00	30				
Top Dia	cm (M)	10.0	10.0	10.0	10.0	10.00	10.0				
Log Len	m	5.0	5.0	5.0	5.0	5.00	5.0				
DBH Class											
10											
15									2.1		
20				21.7	20.7	9.8		52.1	5.7	1.0	
25				19.4	33.5	5.7		58.7	5.6	2.6	
30		5.0		9.2	39.2	7.0		60.4	11.4		
35		12.6		5.5	28.2			46.3	7.9	2.0	
40		0.2		3.6	21.9			25.8			
45		0.8			16.2			17.0			
50					15.1			15.1	3.7		
55					5.2			5.2			
60					10.6			10.6			
65											
70											
75											
80											
85											
90											
95											
100											
105											
110											
115											
120											
125											
130											
135											
140											
145											
150											
175											
200											
225											
250											
275											
Total		18.5		59.4	190.6	22.5		291.0			
Dead P						36.4			36.4		
Dead U		3.0		2.6						5.6	
Live U											
Total Volumes (Living)											
17.5+		18.5		59.4	190.6	22.5		291.0	34.3	5.6	
22.5+		18.5		37.7	170.0	12.7		238.9	28.6	4.6	
27.5+		18.5		18.2	136.5	7.0		180.2	23.0	2.0	
32.5+		13.5		9.1	97.3			119.9	11.6	2.0	
37.5+		1.0		3.6	69.0			73.6	3.7		
42.5+		0.8			47.1			47.8	3.7		
47.5					30.8			30.8	3.7		

FLAGS: Compile All Trees, Dry Belt Fir

		F	C	B	S	PL	L	Total	DP	DU	LU
Utilization Limits											
Min DBH	cm (M)	17.5	17.5	17.5	17.5	12.50	17.5				
Stump Ht	cm (M)	30	30	30	30	30.00	30				
Top Dia	cm (M)	10.0	10.0	10.0	10.0	10.00	10.0				
Log Len	m	5.0	5.0	5.0	5.0	5.00	5.0				
DBH Class											
10											
15											
20		7.1		24.9				32.0			
25				44.5				44.5			
30				20.5	22.1	74.2		116.8			
35					46.0	27.2		73.2			
40		19.8			26.0			45.8			
45											
50											
55											
60											
65											
70											
75											
80											
85											
90											
95											
100											
105											
110											
115											
120											
125											
130											
135											
140											
145											
150											
175											
200											
225											
250											
275											
Total		26.9		90.0	94.0	101.3		312.2			
Dead P											
Dead U											
Live U											
Total Volumes (Living)											
17.5+		26.9		90.0	94.0	101.3		312.2			
22.5+		19.8		65.0	94.0	101.3		280.2			
27.5+		19.8		20.5	94.0	101.3		235.7			
32.5+		19.8			72.0	27.2		119.0			
37.5+		19.8			26.0			45.8			
42.5+											
47.5											

FLAGS: Compile All Trees, Dry Belt Fir

		F	C	B	S	PL	L	Total	DP	DU	LU
Utilization Limits											
Min DBH	cm (M)	17.5	17.5	17.5	17.5	12.50	17.5				
Stump Ht	cm (M)	30	30	30	30	30.00	30				
Top Dia	cm (M)	10.0	10.0	10.0	10.0	10.00	10.0				
Log Len	m	5.0	5.0	5.0	5.0	5.00	5.0				
DBH Class											
10											
15											
20					17.1			17.1	21.1		
25				30.6		25.1		55.7	13.7		
30				34.5	30.3			64.9			
35				24.1				24.1			
40		25.4						25.4			
45					50.0			50.0			
50											
55											
60											
65											
70											
75											
80											
85											
90											
95											
100											
105											
110											
115											
120											
125											
130											
135											
140											
145											
150											
175											
200											
225											
250											
275											
Total		25.4		89.2	97.4	25.1		237.1			
Dead P				21.1		13.7			34.8		
Dead U											
Live U											
Total Volumes (Living)											
17.5+		25.4		89.2	97.4	25.1		237.1	34.8		
22.5+		25.4		89.2	80.3	25.1		220.0	13.7		
27.5+		25.4		58.6	80.3			164.3			
32.5+		25.4		24.1	50.0			99.4			
37.5+		25.4			50.0			75.3			
42.5+					50.0			50.0			
47.5											

FLAGS: Compile All Trees, Dry Belt Fir

		F	C	B	S	PL	L	Total	DP	DU	LU
Utilization Limits											
Min DBH	cm (M)	17.5	17.5	17.5	17.5	12.50	17.5				
Stump Ht	cm (M)	30	30	30	30	30.00	30				
Top Dia	cm (M)	10.0	10.0	10.0	10.0	10.00	10.0				
Log Len	m	5.0	5.0	5.0	5.0	5.00	5.0				
DBH Class											
10											
15											
20				8.0				8.0			
25					7.8			7.8	9.8		
30					41.4			41.4			
35					76.3			76.3	10.8		
40					65.5			65.5	13.3		
45					87.7			87.7	10.7		
50					99.2			99.2			
55					21.9			21.9			
60					62.4			62.4			
65											
70											
75											
80											
85											
90											
95											
100											
105											
110											
115											
120											
125											
130											
135											
140											
145											
150											
175											
200											
225											
250											
275											
Total				8.0	462.3			470.3			
Dead P				9.8	34.8				44.6		
Dead U											
Live U											
Total Volumes (Living)											
17.5+				8.0	462.3			470.3	44.6		
22.5+					462.3			462.3	44.6		
27.5+					454.5			454.5	34.8		
32.5+					413.1			413.1	34.8		
37.5+					336.8			336.8	24.0		
42.5+					271.2			271.2	10.7		
47.5					183.6			183.6			

FLAGS: Compile All Trees, Dry Belt Fir

		F	C	B	S	PL	L	Total	DP	DU	LU
Utilization Limits											
Min DBH	cm (M)	17.5	17.5	17.5	17.5	12.50	17.5				
Stump Ht	cm (M)	30	30	30	30	30.00	30				
Top Dia	cm (M)	10.0	10.0	10.0	10.0	10.00	10.0				
Log Len	m	5.0	5.0	5.0	5.0	5.00	5.0				
DBH Class											
10											
15											
20											
25				38.8				38.8			
30					42.8			42.8			
35				51.9				51.9		41.0	
40				88.5	39.3			127.8			
45											
50					149.2			149.2			
55											
60											
65											
70											
75											
80											
85											
90											
95											
100											
105											
110											
115											
120											
125											
130											
135											
140											
145											
150											
175											
200											
225											
250											
275											
Total				179.3	231.3			410.5			
Dead P											
Dead U				41.0						41.0	
Live U											
Total Volumes (Living)											
17.5+				179.3	231.3			410.5		41.0	
22.5+				179.3	231.3			410.5		41.0	
27.5+				140.4	231.3			371.7		41.0	
32.5+				140.4	188.5			328.9		41.0	
37.5+				88.5	188.5			277.0			
42.5+					149.2			149.2			
47.5					149.2			149.2			

FLAGS: Compile All Trees, Dry Belt Fir

		F	C	B	S	PL	L	Total	DP	DU	LU
Utilization Limits											
Min DBH	cm (M)	17.5	17.5	17.5	17.5	12.50	17.5				
Stump Ht	cm (M)	30	30	30	30	30.00	30				
Top Dia	cm (M)	10.0	10.0	10.0	10.0	10.00	10.0				
Log Len	m	5.0	5.0	5.0	5.0	5.00	5.0				
DBH Class											
10											
15											
20					28.9			28.9			
25					64.1			64.1		9.0	
30					68.8			68.8	18.8		
35				19.5	117.1			136.6			
40					99.6			99.6			
45									25.4		
50					29.1			29.1			
55					28.5			28.5			
60					25.4			25.4			
65					27.0			27.0			
70											
75											
80											
85											
90											
95											
100											
105											
110											
115											
120											
125											
130											
135											
140											
145											
150											
175											
200											
225											
250											
275											
Total				19.5	488.5			508.0			
Dead P					44.3				44.3		
Dead U					9.0					9.0	
Live U											
Total Volumes (Living)											
17.5+				19.5	488.5			508.0	44.3	9.0	
22.5+				19.5	459.6			479.1	44.3	9.0	
27.5+				19.5	395.5			415.0	44.3		
32.5+				19.5	326.7			346.1	25.4		
37.5+					209.6			209.6	25.4		
42.5+					109.9			109.9	25.4		
47.5					109.9			109.9			

FLAGS: Compile All Trees, Dry Belt Fir

		F	C	B	S	PL	L	Total	DP	DU	LU
Utilization Limits											
Min DBH	cm (M)	17.5	17.5	17.5	17.5	12.50	17.5				
Stump Ht	cm (M)	30	30	30	30	30.00	30				
Top Dia	cm (M)	10.0	10.0	10.0	10.0	10.00	10.0				
Log Len	m	5.0	5.0	5.0	5.0	5.00	5.0				
DBH Class											
10											
15						97.1		97.1	11.3		
20		5.6				80.8		86.4			
25					5.4	48.6		53.9	11.7		
30		28.2						28.2			
35											
40											
45											
50		0.3						0.3			
55											
60											
65											
70											
75											
80											
85											
90											
95											
100											
105											
110											
115											
120											
125											
130											
135											
140											
145											
150											
175											
200											
225											
250											
275											
Total		34.1			5.4	226.5		265.9			
Dead P						23.0			23.0		
Dead U											
Live U											
Total Volumes (Living)											
17.5+		34.1			5.4	129.4		168.9	11.7		
22.5+		28.6			5.4	48.6		82.5	11.7		
27.5+		28.6						28.6			
32.5+		0.3						0.3			
37.5+		0.3						0.3			
42.5+		0.3						0.3			
47.5		0.3						0.3			

FLAGS: Compile All Trees, Dry Belt Fir

		F	C	B	S	PL	L	Total	DP	DU	LU
Utilization Limits											
Min DBH	cm (M)	17.5	17.5	17.5	17.5	12.50	17.5				
Stump Ht	cm (M)	30	30	30	30	30.00	30				
Top Dia	cm (M)	10.0	10.0	10.0	10.0	10.00	10.0				
Log Len	m	5.0	5.0	5.0	5.0	5.00	5.0				
DBH Class											
10											
15						37.4		37.4	6.7		
20		7.6			7.4	85.2		100.3	4.6		
25		4.2				45.7		49.9	2.7		
30		14.4				16.2		30.6			
35		0.2						0.2			
40									3.2		
45											
50											
55											
60											
65											
70											
75											
80											
85											
90											
95											
100											
105											
110											
115											
120											
125											
130											
135											
140											
145											
150											
175											
200											
225											
250											
275											
Total		26.4			7.4	184.6		218.4			
Dead P		3.2				14.0			17.3		
Dead U											
Live U											
Total Volumes (Living)											
17.5+		26.4			7.4	147.1		180.9	10.5		
22.5+		18.8				61.9		80.7	5.9		
27.5+		14.6				16.2		30.8	3.2		
32.5+		0.2						0.2	3.2		
37.5+									3.2		
42.5+											
47.5											

FLAGS: Compile All Trees, Dry Belt Fir

		Total	Conifer	Decid.	F	C	B	S	PL	L
Utilization Limits										
Min DBH	cm (M)				17.5	17.5	17.5	17.5	12.50	17.5
Stump Ht	cm (M)				30	30	30	30	30.00	30
Top Dia	cm (M)				10.0	10.0	10.0	10.0	10.00	10.0
Log Len	m				5.0	5.0	5.0	5.0	5.00	5.0
Volume and Size Data										
Gross Merchantable	m3	5773	5773		1089	789	420	895	690	1890
Net Merchantable	m3	5470	5470		1056	699	365	877	659	1814
Net Merch - All	m3/ha	230	230		44	29	15	37	28	76
Distribution	%	100	100		19	13	7	16	12	33
Decay	%	2	2		1	5	8		2	1
Total Cull (DWB)	%	5	5		3	12	13	2	4	4
Stems/Ha (Live & DP)		484.8	484.8		60.4	114.7	20.5	68.9	78.8	141.5
Avg DBH (Live & DP)	cm	28.3	28.3		36.6	25.6	33.7	27.8	22.5	28.7
Snags/Ha										
Avg Snag DBH	cm									
Gross Merch Vol/Tree	m3	0.50	0.50		0.76	0.29	0.86	0.55	0.37	0.56
Net Merch Vol/Tree	m3	0.47	0.47		0.73	0.26	0.75	0.53	0.35	0.54
Avg Weight Total Ht	m	24.4	24.4		23.6	17.2	24.8	26.4	23.0	27.4
Avg Weight Merch Ht	m	19.2	19.2		18.8	12.4	19.6	21.5	17.4	21.6
Avg 5.0 m Log Net	m3	0.16	0.16		0.20	0.13	0.19	0.22	0.12	0.15
Avg 5.0 m Log Gross	m3	0.16	0.16		0.21	0.14	0.22	0.22	0.13	0.15
Avg # of 5.0 m Logs/Tree		3.06	3.06		3.67	2.11	4.00	2.47	2.90	3.80
Net Immature	%	96.8	96.8		99.3	90.4	72.1	100.0	100.0	100.0
LRF and Log Summary										
Net Merch - Stud	%	35.6	35.6		27.8		27.3	29.1	63.3	48.5
Net Merch - Small Log	%	91.0	91.0		91.4	86.6	100.0	76.9	92.4	96.9
Net Merch - Large Log	%	9.0	9.0		8.6	13.4		23.1	7.6	3.1
Avg LRF All	bdf/m3				184.4	152.2	195.3	203.5	183.0	190.8
Statistical Summary										
Coeff. of Variation	%	47.0	47.0		136.2	133.8	270.7	168.6	200.1	96.2
Two Standard Error	%	19.3	19.3		49.9	48.6	130.3	45.3	102.9	45.6
Number and Type of Plots		MP = 13	CP = 10							
Number of Potential Trees		51								
Plots/Ha		1.0								
Cruised Trees/Plot		4.5								

FLAGS: Compile All Trees, Dry Belt Fir

		Total	Conifer	Decid.	F	C	B	S	PL	L
Utilization Limits										
Min DBH	cm (M)				17.5	17.5	17.5	17.5	12.50	17.5
Stump Ht	cm (M)				30	30	30	30	30.00	30
Top Dia	cm (M)				10.0	10.0	10.0	10.0	10.00	10.0
Log Len	m				5.0	5.0	5.0	5.0	5.00	5.0
Volume and Size Data										
Gross Merchantable	m3	5954	5954		281		178	4208	1215	72
Net Merchantable	m3	5802	5802		276		175	4091	1191	70
Net Merch - All	m3/ha	275	275		13		8	194	56	3
Distribution	%	100	100		5		3	71	21	1
Decay	%	1	1					1		
Total Cull (DWB)	%	3	3		2		2	3	2	3
Stems/Ha (Live & DP)		673.7	673.7		25.4		28.9	502.1	110.1	7.2
Avg DBH (Live & DP)	cm	26.1	26.1		31.2		23.0	25.7	27.2	26.6
Snags/Ha										
Avg Snag DBH	cm									
Gross Merch Vol/Tree	m3	0.42	0.42		0.52		0.29	0.40	0.52	0.47
Net Merch Vol/Tree	m3	0.41	0.41		0.51		0.29	0.39	0.51	0.46
Avg Weight Total Ht	m	21.6	21.6		21.3		18.2	21.6	21.8	25.6
Avg Weight Merch Ht	m	16.4	16.4		16.4		12.3	16.4	17.0	19.1
Avg 5.0 m Log Net	m3	0.16	0.16		0.17		0.15	0.16	0.17	0.12
Avg 5.0 m Log Gross	m3	0.16	0.16		0.17		0.15	0.16	0.17	0.12
Avg # of 5.0 m Logs/Tree		2.56	2.56		3.04		2.00	2.41	3.16	4.00
Net Immature	%	96.8	96.8		100.0		100.0	95.5	100.0	100.0
LRF and Log Summary										
Net Merch - Stud	%	57.2	57.2		48.7		100.0	55.2	57.0	100.0
Net Merch - Small Log	%	94.7	94.7		95.3		100.0	92.8	100.0	100.0
Net Merch - Large Log	%	5.3	5.3		4.7			7.2		
Avg LRF All	bdf/m3				177.2		173.3	188.9	189.5	176.4
Statistical Summary										
Coeff. of Variation	%	58.0	58.0		222.7		331.7	73.0	182.7	331.7
Two Standard Error	%	24.2	24.2		148.4		94.1	31.3	39.0	282.2
Number and Type of Plots		MP = 11	CP = 9							
Number of Potential Trees		46								
Plots/Ha		0.9								
Cruised Trees/Plot		4.9								

FLAGS: Compile All Trees, Dry Belt Fir

		Total	Conifer	Decid.	F	C	B	S	PL	L
Utilization Limits										
Min DBH	cm (M)				17.5	17.5	17.5	17.5	12.50	17.5
Stump Ht	cm (M)				30	30	30	30	30.00	30
Top Dia	cm (M)				10.0	10.0	10.0	10.0	10.00	10.0
Log Len	m				5.0	5.0	5.0	5.0	5.00	5.0
Volume and Size Data										
Gross Merchantable	m3	4992	4992		265		884	2761	1081	
Net Merchantable	m3	4552	4552		258		825	2650	819	
Net Merch - All	m3/ha	327	327		19		59	191	59	
Distribution	%	100	100		6		18	58	18	
Decay	%	2	2		1		4	2	3	
Total Cull (DWB)	%	9	9		3		7	4	24	
Stems/Ha (Live & DP)		684.9	684.9		25.5		169.4	316.5	173.6	
Avg DBH (Live & DP)	cm	27.5	27.5		34.6		23.6	29.9	25.1	
Snags/Ha		43.0	43.0		28.6		14.4			
Avg Snag DBH	cm	22.5	22.5		22.5		22.5			
Gross Merch Vol/Tree	m3	0.52	0.52		0.75		0.38	0.63	0.45	
Net Merch Vol/Tree	m3	0.48	0.48		0.73		0.35	0.60	0.34	
Avg Weight Total Ht	m	23.8	23.8		25.1		22.3	24.4	23.0	
Avg Weight Merch Ht	m	18.4	18.4		19.8		15.8	19.2	18.1	
Avg 5.0 m Log Net	m3	0.17	0.17		0.19		0.13	0.19	0.14	
Avg 5.0 m Log Gross	m3	0.17	0.17		0.20		0.14	0.19	0.15	
Avg # of 5.0 m Logs/Tree		3.09	3.09		3.81		2.75	3.23	3.07	
Net Immature	%	95.8	95.8		100.0		93.9	94.7	100.0	
LRF and Log Summary										
Net Merch - Stud	%	47.2	47.2		29.4		69.3	38.8	58.0	
Net Merch - Small Log	%	85.0	85.0		98.5		93.6	77.7	95.6	
Net Merch - Large Log	%	15.0	15.0		1.5		6.4	22.3	4.4	
Avg LRF All	bdf/m3				182.1		179.4	197.9	173.8	
Statistical Summary										
Coeff. of Variation	%	49.4	49.4		233.7		124.2	85.0	168.9	
Two Standard Error	%	28.5	28.5		134.9		71.7	49.1	97.5	
Number and Type of Plots		MP = 14	CP = 0							
Number of Potential Trees		75								
Plots/Ha		1.0								
Cruised Trees/Plot		5.4								

FLAGS: Compile All Trees, Dry Belt Fir

		Total	Conifer	Decid.	F	C	B	S	PL	L
Utilization Limits										
Min DBH	cm (M)				17.5	17.5	17.5	17.5	12.50	17.5
Stump Ht	cm (M)				30	30	30	30	30.00	30
Top Dia	cm (M)				10.0	10.0	10.0	10.0	10.00	10.0
Log Len	m				5.0	5.0	5.0	5.0	5.00	5.0
Volume and Size Data										
Gross Merchantable	m3	1050	1050		88		309	311	342	
Net Merchantable	m3	999	999		86		288	301	324	
Net Merch - All	m3/ha	312	312		27		90	94	101	
Distribution	%	100	100		9		29	30	32	
Decay	%	2	2				3	1	3	
Total Cull (DWB)	%	5	5		2		7	3	5	
Stems/Ha (Live & DP)		578.5	578.5		95.2		225.0	111.2	147.1	
Avg DBH (Live & DP)	cm	28.7	28.7		26.7		24.6	35.0	30.4	
Snags/Ha										
Avg Snag DBH	cm									
Gross Merch Vol/Tree	m3	0.57	0.57		0.29		0.43	0.88	0.73	
Net Merch Vol/Tree	m3	0.54	0.54		0.28		0.40	0.85	0.69	
Avg Weight Total Ht	m	23.6	23.6		19.7		23.2	24.4	24.2	
Avg Weight Merch Ht	m	18.3	18.3		15.7		16.5	19.4	19.5	
Avg 5.0 m Log Net	m3	0.18	0.18		0.18		0.13	0.22	0.20	
Avg 5.0 m Log Gross	m3	0.18	0.18		0.18		0.14	0.23	0.21	
Avg # of 5.0 m Logs/Tree		3.11	3.11		1.56		3.15	3.89	3.46	
Net Immature	%	93.4	93.4		100.0		77.2	100.0	100.0	
LRF and Log Summary										
Net Merch - Stud	%	41.6	41.6		38.5		71.4	20.2	35.7	
Net Merch - Small Log	%	95.3	95.3		84.2		100.0	89.0	100.0	
Net Merch - Large Log	%	4.7	4.7		15.8			11.0		
Avg LRF All	bdf/m3				180.0		183.6	202.9	191.4	
Statistical Summary										
Coeff. of Variation	%	32.6	32.6		99.5		35.5	115.8	119.7	
Two Standard Error	%	81.1	81.1		247.1		88.3	287.6	297.4	
Number and Type of Plots		MP = 3	CP = 0							
Number of Potential Trees		15								
Plots/Ha		0.9								
Cruised Trees/Plot		5.0								

FLAGS: Compile All Trees, Dry Belt Fir

		Total	Conifer	Decid.	F	C	B	S	PL	L
Utilization Limits										
Min DBH	cm (M)				17.5	17.5	17.5	17.5	12.50	17.5
Stump Ht	cm (M)				30	30	30	30	30.00	30
Top Dia	cm (M)				10.0	10.0	10.0	10.0	10.00	10.0
Log Len	m				5.0	5.0	5.0	5.0	5.00	5.0
Volume and Size Data										
Gross Merchantable	m3	1051	1051		98		418	368	167	
Net Merchantable	m3	979	979		91		397	351	140	
Net Merch - All	m3/ha	272	272		25		110	97	39	
Distribution	%	100	100		9		41	36	14	
Decay	%	3	3		5		3	3	2	
Total Cull (DWB)	%	7	7		7		5	5	16	
Stems/Ha (Live & DP)		616.5	616.5		25.1		267.9	208.2	115.3	
Avg DBH (Live & DP)	cm	26.2	26.2		41.1		24.5	27.1	24.3	
Snags/Ha										
Avg Snag DBH	cm									
Gross Merch Vol/Tree	m3	0.47	0.47		1.09		0.43	0.49	0.40	
Net Merch Vol/Tree	m3	0.44	0.44		1.01		0.41	0.47	0.34	
Avg Weight Total Ht	m	23.7	23.7		25.7		24.1	23.9	21.1	
Avg Weight Merch Ht	m	18.2	18.2		21.0		17.9	18.8	15.8	
Avg 5.0 m Log Net	m3	0.16	0.16		0.26		0.15	0.17	0.13	
Avg 5.0 m Log Gross	m3	0.16	0.16		0.27		0.15	0.17	0.13	
Avg # of 5.0 m Logs/Tree		2.92	2.92		4.00		2.80	2.89	3.00	
Net Immature	%	100.0	100.0		100.0		100.0	100.0	100.0	
LRF and Log Summary										
Net Merch - Stud	%	48.2	48.2		11.0		51.4	41.1	81.0	
Net Merch - Small Log	%	87.9	87.9		80.1		100.0	71.5	100.0	
Net Merch - Large Log	%	12.1	12.1		19.9			28.5		
Avg LRF All	bdf/m3				188.6		184.8	194.0	180.5	
Statistical Summary										
Coeff. of Variation	%	42.2	42.2		173.2		66.9	86.7	173.2	
Two Standard Error	%	104.8	104.8		430.3		166.1	215.4	430.3	
Number and Type of Plots		MP = 3	CP = 0							
Number of Potential Trees		12								
Plots/Ha		0.8								
Cruised Trees/Plot		4.0								

FLAGS: Compile All Trees, Dry Belt Fir

		Total	Conifer	Decid.	F	C	B	S	PL	L
Utilization Limits										
Min DBH	cm (M)				17.5	17.5	17.5	17.5	12.50	17.5
Stump Ht	cm (M)				30	30	30	30	30.00	30
Top Dia	cm (M)				10.0	10.0	10.0	10.0	10.00	10.0
Log Len	m				5.0	5.0	5.0	5.0	5.00	5.0
Volume and Size Data										
Gross Merchantable	m3	2054	2054				69	1985		
Net Merchantable	m3	1854	1854				64	1790		
Net Merch - All	m3/ha	515	515				18	497		
Distribution	%	100	100				3	97		
Decay	%	6	6				4	6		
Total Cull (DWB)	%	10	10				8	10		
Stems/Ha (Live & DP)		508.6	508.6				102.5	406.1		
Avg DBH (Live & DP)	cm	36.8	36.8				22.3	39.6		
Snags/Ha										
Avg Snag DBH	cm									
Gross Merch Vol/Tree	m3	1.12	1.12				0.19	1.36		
Net Merch Vol/Tree	m3	1.01	1.01				0.17	1.22		
Avg Weight Total Ht	m	30.0	30.0				12.9	30.7		
Avg Weight Merch Ht	m	25.2	25.2				8.4	25.8		
Avg 5.0 m Log Net	m3	0.27	0.27				0.13	0.28		
Avg 5.0 m Log Gross	m3	0.29	0.29				0.14	0.31		
Avg # of 5.0 m Logs/Tree		3.82	3.82				1.35	4.44		
Net Immature	%	1.9	1.9				54.9			
LRF and Log Summary										
Net Merch - Stud	%	19.1	19.1				100.0	16.2		
Net Merch - Small Log	%	54.1	54.1				100.0	52.5		
Net Merch - Large Log	%	45.9	45.9					47.5		
Avg LRF All	bdf/m3						165.6	209.4		
Statistical Summary										
Coeff. of Variation	%	22.8	22.8				138.0	26.2		
Two Standard Error	%	28.3	28.3				171.4	32.5		
Number and Type of Plots		MP = 5	CP = 0							
Number of Potential Trees		27								
Plots/Ha		1.4								
Cruised Trees/Plot		5.4								

FLAGS: Compile All Trees, Dry Belt Fir

		Total	Conifer	Decid.	F	C	B	S	PL	L
Utilization Limits										
Min DBH	cm (M)				17.5	17.5	17.5	17.5	12.50	17.5
Stump Ht	cm (M)				30	30	30	30	30.00	30
Top Dia	cm (M)				10.0	10.0	10.0	10.0	10.00	10.0
Log Len	m				5.0	5.0	5.0	5.0	5.00	5.0
Volume and Size Data										
Gross Merchantable	m3	869	869				393	476		
Net Merchantable	m3	780	780				341	439		
Net Merch - All	m3/ha	411	411				179	231		
Distribution	%	100	100				44	56		
Decay	%	7	7				9	5		
Total Cull (DWB)	%	10	10				13	8		
Stems/Ha (Live & DP)		395.4	395.4				210.5	184.9		
Avg DBH (Live & DP)	cm	38.1	38.1				34.8	41.5		
Snags/Ha		51.7	51.7				51.7			
Avg Snag DBH	cm	35.1	35.1				35.1			
Gross Merch Vol/Tree	m3	1.16	1.16				0.98	1.36		
Net Merch Vol/Tree	m3	1.04	1.04				0.85	1.25		
Avg Weight Total Ht	m	27.2	27.2				26.9	27.4		
Avg Weight Merch Ht	m	22.3	22.3				21.7	22.9		
Avg 5.0 m Log Net	m3	0.25	0.25				0.21	0.29		
Avg 5.0 m Log Gross	m3	0.27	0.27				0.24	0.31		
Avg # of 5.0 m Logs/Tree		4.26	4.26				4.13	4.42		
Net Immature	%	71.1	71.1				80.3	63.9		
LRF and Log Summary										
Net Merch - Stud	%	17.2	17.2				22.1	13.4		
Net Merch - Small Log	%	55.3	55.3				62.3	49.9		
Net Merch - Large Log	%	44.7	44.7				37.7	50.1		
Avg LRF All	bdf/m3						199.6	211.1		
Statistical Summary										
Coeff. of Variation	%	30.2	30.2				85.8	12.9		
Two Standard Error	%	271.1	271.1				770.5	116.0		
Number and Type of Plots		MP = 2	CP = 0							
Number of Potential Trees		9								
Plots/Ha		1.1								
Cruised Trees/Plot		4.5								

FLAGS: Compile All Trees, Dry Belt Fir

		Total	Conifer	Decid.	F	C	B	S	PL	L
Utilization Limits										
Min DBH	cm (M)				17.5	17.5	17.5	17.5	12.50	17.5
Stump Ht	cm (M)				30	30	30	30	30.00	30
Top Dia	cm (M)				10.0	10.0	10.0	10.0	10.00	10.0
Log Len	m				5.0	5.0	5.0	5.0	5.00	5.0
Volume and Size Data										
Gross Merchantable	m3	2551	2551				90	2461		
Net Merchantable	m3	2375	2375				84	2291		
Net Merch - All	m3/ha	552	552				19	533		
Distribution	%	100	100				4	96		
Decay	%	5	5				5	5		
Total Cull (DWB)	%	7	7				7	7		
Stems/Ha (Live & DP)		749.2	749.2				30.1	719.1		
Avg DBH (Live & DP)	cm	31.9	31.9				32.5	31.9		
Snags/Ha		60.7	60.7					60.7		
Avg Snag DBH	cm	22.9	22.9					22.9		
Gross Merch Vol/Tree	m3	0.79	0.79				0.69	0.80		
Net Merch Vol/Tree	m3	0.74	0.74				0.65	0.74		
Avg Weight Total Ht	m	27.2	27.2				21.5	27.4		
Avg Weight Merch Ht	m	22.0	22.0				16.6	22.2		
Avg 5.0 m Log Net	m3	0.21	0.21				0.22	0.21		
Avg 5.0 m Log Gross	m3	0.22	0.22				0.23	0.22		
Avg # of 5.0 m Logs/Tree		3.55	3.55				3.00	3.57		
Net Immature	%	42.8	42.8				100.0	40.7		
LRF and Log Summary										
Net Merch - Stud	%	30.3	30.3				19.0	30.8		
Net Merch - Small Log	%	71.5	71.5				100.0	70.5		
Net Merch - Large Log	%	28.5	28.5					29.5		
Avg LRF All	bdf/m3						195.9	201.3		
Statistical Summary										
Coeff. of Variation	%	37.6	37.6				200.0	36.1		
Two Standard Error	%	59.8	59.8				318.2	57.4		
Number and Type of Plots		MP = 4	CP = 0							
Number of Potential Trees		24								
Plots/Ha		0.9								
Cruised Trees/Plot		6.0								

FLAGS: Compile All Trees, Dry Belt Fir

		Total	Conifer	Decid.	F	C	B	S	PL	L
Utilization Limits										
Min DBH	cm (M)				17.5	17.5	17.5	17.5	12.50	17.5
Stump Ht	cm (M)				30	30	30	30	30.00	30
Top Dia	cm (M)				10.0	10.0	10.0	10.0	10.00	10.0
Log Len	m				5.0	5.0	5.0	5.0	5.00	5.0
Volume and Size Data										
Gross Merchantable	m3	2932	2932		334			52	2545	
Net Merchantable	m3	2745	2745		324			51	2370	
Net Merch - All	m3/ha	289	289		34			5	250	
Distribution	%	100	100		12			2	86	
Decay	%	1	1		1				1	
Total Cull (DWB)	%	6	6		3			2	7	
Stems/Ha (Live & DP)		1559.7	1559.7		78.6			22.2	1458.9	
Avg DBH (Live & DP)	cm	18.1	18.1		27.0			22.6	17.4	
Snags/Ha										
Avg Snag DBH	cm									
Gross Merch Vol/Tree	m3	0.20	0.20		0.45			0.25	0.18	
Net Merch Vol/Tree	m3	0.19	0.19		0.43			0.24	0.17	
Avg Weight Total Ht	m	20.5	20.5		24.1			16.5	20.2	
Avg Weight Merch Ht	m	13.9	13.9		18.1			11.0	13.4	
Avg 5.0 m Log Net	m3	0.08	0.08		0.12			0.12	0.08	
Avg 5.0 m Log Gross	m3	0.08	0.08		0.12			0.12	0.08	
Avg # of 5.0 m Logs/Tree		2.37	2.37		3.64			2.00	2.31	
Net Immature	%	99.9	99.9		99.1			100.0	100.0	
LRF and Log Summary										
Net Merch - Stud	%	91.6	91.6		53.6			100.0	96.6	
Net Merch - Small Log	%	99.9	99.9		99.3			100.0	100.0	
Net Merch - Large Log	%	0.1	0.1		0.7					
Avg LRF All	bdf/m3				171.5			174.8	166.0	
Statistical Summary										
Coeff. of Variation	%	65.1	65.1		238.1			300.0	66.8	
Two Standard Error	%	50.1	50.1		183.0			230.6	51.3	
Number and Type of Plots		MP = 9	CP = 0							
Number of Potential Trees		46								
Plots/Ha		0.9								
Cruised Trees/Plot		5.1								

FLAGS: Compile All Trees, Dry Belt Fir

		Total	Conifer	Decid.	F	C	B	S	PL	L
Utilization Limits										
Min DBH	cm (M)				17.5	17.5	17.5	17.5	12.50	17.5
Stump Ht	cm (M)				30	30	30	30	30.00	30
Top Dia	cm (M)				10.0	10.0	10.0	10.0	10.00	10.0
Log Len	m				5.0	5.0	5.0	5.0	5.00	5.0
Volume and Size Data										
Gross Merchantable	m3	3108	3108		384			95	2628	
Net Merchantable	m3	2922	2922		367			92	2463	
Net Merch - All	m3/ha	236	236		30			7	199	
Distribution	%	100	100		13			3	84	
Decay	%	2	2		2			2	2	
Total Cull (DWB)	%	6	6		4			4	6	
Stems/Ha (Live & DP)		1049.9	1049.9		90.3			36.2	923.5	
Avg DBH (Live & DP)	cm	19.3	19.3		25.3			20.3	18.6	
Snags/Ha										
Avg Snag DBH	cm									
Gross Merch Vol/Tree	m3	0.24	0.24		0.34			0.21	0.23	
Net Merch Vol/Tree	m3	0.22	0.22		0.33			0.20	0.22	
Avg Weight Total Ht	m	21.4	21.4		21.4			17.8	21.5	
Avg Weight Merch Ht	m	15.1	15.1		15.5			11.3	15.1	
Avg 5.0 m Log Net	m3	0.09	0.09		0.12			0.10	0.09	
Avg 5.0 m Log Gross	m3	0.09	0.09		0.12			0.11	0.09	
Avg # of 5.0 m Logs/Tree		2.52	2.52		2.75			2.00	2.52	
Net Immature	%	100.0	100.0		100.0			100.0	100.0	
LRF and Log Summary										
Net Merch - Stud	%	87.0	87.0		65.4			100.0	89.8	
Net Merch - Small Log	%	100.0	100.0		100.0			100.0	100.0	
Net Merch - Large Log	%									
Avg LRF All	bdf/m3				166.3			172.6	170.5	
Statistical Summary										
Coeff. of Variation	%	56.7	56.7		170.5			234.1	62.8	
Two Standard Error	%	36.0	36.0		108.3			148.8	39.9	
Number and Type of Plots		MP = 12	CP = 0							
Number of Potential Trees		51								
Plots/Ha		1.0								
Cruised Trees/Plot		4.3								

FLAGS: Compile All Trees, Dry Belt Fir

		Total	Conifer	Decid.	F	C	B	S	PL	L
Utilization Limits										
Min DBH	cm (M)				17.5	17.5	17.5	17.5	12.50	17.5
Stump Ht	cm (M)				30	30	30	30	30.00	30
Top Dia	cm (M)				10.0	10.0	10.0	10.0	10.00	10.0
Log Len	m				5.0	5.0	5.0	5.0	5.00	5.0
Volume and Size Data										
Gross Merchantable	m3	5773	5773		1089	789	420	895	690	1890
Net Merchantable	m3	5470	5470		1056	699	365	877	659	1814
Net Merch - All	m3/ha	230	230		44	29	15	37	28	76
Net Merch - Live	m3/ha	197	197		36	21	15	37	28	60
Net Merch - DP	m3/ha	33	33		8	8				16
Distribution	%	100	100		19	13	7	16	12	33
Decay	%	2	2		1	5	8		2	1
Total Cull (DWB)	%	5	5		3	12	13	2	4	4
Stems/Ha (Live & DP)		484.8	484.8		60.4	114.7	20.5	68.9	78.8	141.5
Avg DBH (Live & DP)	cm	28.3	28.3		36.6	25.6	33.7	27.8	22.5	28.7
Snags/Ha										
Avg Snag DBH	cm									
Gross Merch Vol/Tree	m3	0.50	0.50		0.76	0.29	0.86	0.55	0.37	0.56
Net Merch Vol/Tree	m3	0.47	0.47		0.73	0.26	0.75	0.53	0.35	0.54
Avg Weight Total Ht	m	24.4	24.4		23.6	17.2	24.8	26.4	23.0	27.4
Avg Weight Merch Ht	m	19.2	19.2		18.8	12.4	19.6	21.5	17.4	21.6
Avg 5.0 m Log Net	m3	0.16	0.16		0.20	0.13	0.19	0.22	0.12	0.15
Avg 5.0 m Log Gross	m3	0.16	0.16		0.21	0.14	0.22	0.22	0.13	0.15
Avg # of 5.0 m Logs/Tree		3.06	3.06		3.67	2.11	4.00	2.47	2.90	3.80
Net Immature	%	96.8	96.8		99.3	90.4	72.1	100.0	100.0	100.0
Burn Volume	%									
Heavy Burn Volume	%									
Blowdown Volume	%									
Insect Volume	%									
LRF and Log Summary										
Net Merch - Stud	%	35.6	35.6		27.8		27.3	29.1	63.3	48.5
Net Merch - Small Log	%	91.0	91.0		91.4	86.6	100.0	76.9	92.4	96.9
Net Merch - Large Log	%	9.0	9.0		8.6	13.4		23.1	7.6	3.1
Avg LRF All	bdf/m3				184.4	152.2	195.3	203.5	183.0	190.8
Statistical Summary										
Coeff. of Variation	%	47.0	47.0		136.2	133.8	270.7	168.6	200.1	96.2
Two Standard Error	%	19.3	19.3		49.9	48.6	130.3	45.3	102.9	45.6
Number and Type of Plots	MP = 13	CP = 10								
Number of Potential Trees	51									
Plots/Ha	1.0									
Cruised Trees/Plot	4.5									

FLAGS: Compile All Trees, Dry Belt Fir

		Total	Conifer	Decid.	F	C	B	S	PL	L
Utilization Limits										
Min DBH	cm (M)				17.5	17.5	17.5	17.5	12.50	17.5
Stump Ht	cm (M)				30	30	30	30	30.00	30
Top Dia	cm (M)				10.0	10.0	10.0	10.0	10.00	10.0
Log Len	m				5.0	5.0	5.0	5.0	5.00	5.0
Volume and Size Data										
Gross Merchantable	m3	5954	5954		281		178	4208	1215	72
Net Merchantable	m3	5802	5802		276		175	4091	1191	70
Net Merch - All	m3/ha	275	275		13		8	194	56	3
Net Merch - Live	m3/ha	263	263		13		8	182	56	3
Net Merch - DP	m3/ha	11	11					11		
Distribution	%	100	100		5		3	71	21	1
Decay	%	1	1					1		
Total Cull (DWB)	%	3	3		2		2	3	2	3
Stems/Ha (Live & DP)		673.7	673.7		25.4		28.9	502.1	110.1	7.2
Avg DBH (Live & DP)	cm	26.1	26.1		31.2		23.0	25.7	27.2	26.6
Snags/Ha										
Avg Snag DBH	cm									
Gross Merch Vol/Tree	m3	0.42	0.42		0.52		0.29	0.40	0.52	0.47
Net Merch Vol/Tree	m3	0.41	0.41		0.51		0.29	0.39	0.51	0.46
Avg Weight Total Ht	m	21.6	21.6		21.3		18.2	21.6	21.8	25.6
Avg Weight Merch Ht	m	16.4	16.4		16.4		12.3	16.4	17.0	19.1
Avg 5.0 m Log Net	m3	0.16	0.16		0.17		0.15	0.16	0.17	0.12
Avg 5.0 m Log Gross	m3	0.16	0.16		0.17		0.15	0.16	0.17	0.12
Avg # of 5.0 m Logs/Tree		2.56	2.56		3.04		2.00	2.41	3.16	4.00
Net Immature	%	96.8	96.8		100.0		100.0	95.5	100.0	100.0
Burn Volume	%									
Heavy Burn Volume	%									
Blowdown Volume	%	2.7	2.7					3.8		
Insect Volume	%									
LRF and Log Summary										
Net Merch - Stud	%	57.2	57.2		48.7		100.0	55.2	57.0	100.0
Net Merch - Small Log	%	94.7	94.7		95.3		100.0	92.8	100.0	100.0
Net Merch - Large Log	%	5.3	5.3		4.7			7.2		
Avg LRF All	bdf/m3				177.2		173.3	188.9	189.5	176.4
Statistical Summary										
Coeff. of Variation	%	58.0	58.0		222.7		331.7	73.0	182.7	331.7
Two Standard Error	%	24.2	24.2		148.4		94.1	31.3	39.0	282.2
Number and Type of Plots		MP = 11	CP = 9							
Number of Potential Trees		46								
Plots/Ha		0.9								
Cruised Trees/Plot		4.9								

FLAGS: Compile All Trees, Dry Belt Fir

		Total	Conifer	Decid.	F	C	B	S	PL	L
Utilization Limits										
Min DBH	cm (M)				17.5	17.5	17.5	17.5	12.50	17.5
Stump Ht	cm (M)				30	30	30	30	30.00	30
Top Dia	cm (M)				10.0	10.0	10.0	10.0	10.00	10.0
Log Len	m				5.0	5.0	5.0	5.0	5.00	5.0
Volume and Size Data										
Gross Merchantable	m3	4992	4992		265		884	2761	1081	
Net Merchantable	m3	4552	4552		258		825	2650	819	
Net Merch - All	m3/ha	327	327		19		59	191	59	
Net Merch - Live	m3/ha	291	291		19		59	191	22	
Net Merch - DP	m3/ha	36	36						36	
Distribution	%	100	100		6		18	58	18	
Decay	%	2	2		1		4	2	3	
Total Cull (DWB)	%	9	9		3		7	4	24	
Stems/Ha (Live & DP)		684.9	684.9		25.5		169.4	316.5	173.6	
Avg DBH (Live & DP)	cm	27.5	27.5		34.6		23.6	29.9	25.1	
Snags/Ha		43.0	43.0		28.6		14.4			
Avg Snag DBH	cm	22.5	22.5		22.5		22.5			
Gross Merch Vol/Tree	m3	0.52	0.52		0.75		0.38	0.63	0.45	
Net Merch Vol/Tree	m3	0.48	0.48		0.73		0.35	0.60	0.34	
Avg Weight Total Ht	m	23.8	23.8		25.1		22.3	24.4	23.0	
Avg Weight Merch Ht	m	18.4	18.4		19.8		15.8	19.2	18.1	
Avg 5.0 m Log Net	m3	0.17	0.17		0.19		0.13	0.19	0.14	
Avg 5.0 m Log Gross	m3	0.17	0.17		0.20		0.14	0.19	0.15	
Avg # of 5.0 m Logs/Tree		3.09	3.09		3.81		2.75	3.23	3.07	
Net Immature	%	95.8	95.8		100.0		93.9	94.7	100.0	
Burn Volume	%									
Heavy Burn Volume	%									
Blowdown Volume	%	0.7	0.7						3.7	
Insect Volume	%	2.6	2.6						14.2	
LRF and Log Summary										
Net Merch - Stud	%	47.2	47.2		29.4		69.3	38.8	58.0	
Net Merch - Small Log	%	85.0	85.0		98.5		93.6	77.7	95.6	
Net Merch - Large Log	%	15.0	15.0		1.5		6.4	22.3	4.4	
Avg LRF All	bdf/m3				182.1		179.4	197.9	173.8	
Statistical Summary										
Coeff. of Variation	%	49.4	49.4		233.7		124.2	85.0	168.9	
Two Standard Error	%	28.5	28.5		134.9		71.7	49.1	97.5	
Number and Type of Plots	MP = 14	CP = 0								
Number of Potential Trees	75									
Plots/Ha	1.0									
Cruised Trees/Plot	5.4									

FLAGS: Compile All Trees, Dry Belt Fir

		Total	Conifer	Decid.	F	C	B	S	PL	L
Utilization Limits										
Min DBH	cm (M)				17.5	17.5	17.5	17.5	12.50	17.5
Stump Ht	cm (M)				30	30	30	30	30.00	30
Top Dia	cm (M)				10.0	10.0	10.0	10.0	10.00	10.0
Log Len	m				5.0	5.0	5.0	5.0	5.00	5.0
Volume and Size Data										
Gross Merchantable	m3	1050	1050		88		309	311	342	
Net Merchantable	m3	999	999		86		288	301	324	
Net Merch - All	m3/ha	312	312		27		90	94	101	
Net Merch - Live	m3/ha	312	312		27		90	94	101	
Net Merch - DP	m3/ha									
Distribution	%	100	100		9		29	30	32	
Decay	%	2	2				3	1	3	
Total Cull (DWB)	%	5	5		2		7	3	5	
Stems/Ha (Live & DP)		578.5	578.5		95.2		225.0	111.2	147.1	
Avg DBH (Live & DP)	cm	28.7	28.7		26.7		24.6	35.0	30.4	
Snags/Ha										
Avg Snag DBH	cm									
Gross Merch Vol/Tree	m3	0.57	0.57		0.29		0.43	0.88	0.73	
Net Merch Vol/Tree	m3	0.54	0.54		0.28		0.40	0.85	0.69	
Avg Weight Total Ht	m	23.6	23.6		19.7		23.2	24.4	24.2	
Avg Weight Merch Ht	m	18.3	18.3		15.7		16.5	19.4	19.5	
Avg 5.0 m Log Net	m3	0.18	0.18		0.18		0.13	0.22	0.20	
Avg 5.0 m Log Gross	m3	0.18	0.18		0.18		0.14	0.23	0.21	
Avg # of 5.0 m Logs/Tree		3.11	3.11		1.56		3.15	3.89	3.46	
Net Immature	%	93.4	93.4		100.0		77.2	100.0	100.0	
Burn Volume	%									
Heavy Burn Volume	%									
Blowdown Volume	%									
Insect Volume	%									
LRF and Log Summary										
Net Merch - Stud	%	41.6	41.6		38.5		71.4	20.2	35.7	
Net Merch - Small Log	%	95.3	95.3		84.2		100.0	89.0	100.0	
Net Merch - Large Log	%	4.7	4.7		15.8			11.0		
Avg LRF All	bdf/m3				180.0		183.6	202.9	191.4	
Statistical Summary										
Coeff. of Variation	%	32.6	32.6		99.5		35.5	115.8	119.7	
Two Standard Error	%	81.1	81.1		247.1		88.3	287.6	297.4	
Number and Type of Plots		MP = 3	CP = 0							
Number of Potential Trees		15								
Plots/Ha		0.9								
Cruised Trees/Plot		5.0								

FLAGS: Compile All Trees, Dry Belt Fir

		Total	Conifer	Decid.	F	C	B	S	PL	L
Utilization Limits										
Min DBH	cm (M)				17.5	17.5	17.5	17.5	12.50	17.5
Stump Ht	cm (M)				30	30	30	30	30.00	30
Top Dia	cm (M)				10.0	10.0	10.0	10.0	10.00	10.0
Log Len	m				5.0	5.0	5.0	5.0	5.00	5.0
Volume and Size Data										
Gross Merchantable	m3	1051	1051		98		418	368	167	
Net Merchantable	m3	979	979		91		397	351	140	
Net Merch - All	m3/ha	272	272		25		110	97	39	
Net Merch - Live	m3/ha	237	237		25		89	97	25	
Net Merch - DP	m3/ha	35	35				21		14	
Distribution	%	100	100		9		41	36	14	
Decay	%	3	3		5		3	3	2	
Total Cull (DWB)	%	7	7		7		5	5	16	
Stems/Ha (Live & DP)		616.5	616.5		25.1		267.9	208.2	115.3	
Avg DBH (Live & DP)	cm	26.2	26.2		41.1		24.5	27.1	24.3	
Snags/Ha										
Avg Snag DBH	cm									
Gross Merch Vol/Tree	m3	0.47	0.47		1.09		0.43	0.49	0.40	
Net Merch Vol/Tree	m3	0.44	0.44		1.01		0.41	0.47	0.34	
Avg Weight Total Ht	m	23.7	23.7		25.7		24.1	23.9	21.1	
Avg Weight Merch Ht	m	18.2	18.2		21.0		17.9	18.8	15.8	
Avg 5.0 m Log Net	m3	0.16	0.16		0.26		0.15	0.17	0.13	
Avg 5.0 m Log Gross	m3	0.16	0.16		0.27		0.15	0.17	0.13	
Avg # of 5.0 m Logs/Tree		2.92	2.92		4.00		2.80	2.89	3.00	
Net Immature	%	100.0	100.0		100.0		100.0	100.0	100.0	
Burn Volume	%									
Heavy Burn Volume	%									
Blowdown Volume	%									
Insect Volume	%									
LRF and Log Summary										
Net Merch - Stud	%	48.2	48.2		11.0		51.4	41.1	81.0	
Net Merch - Small Log	%	87.9	87.9		80.1		100.0	71.5	100.0	
Net Merch - Large Log	%	12.1	12.1		19.9			28.5		
Avg LRF All	bdf/m3				188.6		184.8	194.0	180.5	
Statistical Summary										
Coeff. of Variation	%	42.2	42.2		173.2		66.9	86.7	173.2	
Two Standard Error	%	104.8	104.8		430.3		166.1	215.4	430.3	
Number and Type of Plots		MP = 3	CP = 0							
Number of Potential Trees		12								
Plots/Ha		0.8								
Cruised Trees/Plot		4.0								

FLAGS: Compile All Trees, Dry Belt Fir

		Total	Conifer	Decid.	F	C	B	S	PL	L
Utilization Limits										
Min DBH	cm (M)				17.5	17.5	17.5	17.5	12.50	17.5
Stump Ht	cm (M)				30	30	30	30	30.00	30
Top Dia	cm (M)				10.0	10.0	10.0	10.0	10.00	10.0
Log Len	m				5.0	5.0	5.0	5.0	5.00	5.0
Volume and Size Data										
Gross Merchantable	m3	2054	2054				69	1985		
Net Merchantable	m3	1854	1854				64	1790		
Net Merch - All	m3/ha	515	515				18	497		
Net Merch - Live	m3/ha	470	470				8	462		
Net Merch - DP	m3/ha	45	45				10	35		
Distribution	%	100	100				3	97		
Decay	%	6	6				4	6		
Total Cull (DWB)	%	10	10				8	10		
Stems/Ha (Live & DP)		508.6	508.6				102.5	406.1		
Avg DBH (Live & DP)	cm	36.8	36.8				22.3	39.6		
Snags/Ha										
Avg Snag DBH	cm									
Gross Merch Vol/Tree	m3	1.12	1.12				0.19	1.36		
Net Merch Vol/Tree	m3	1.01	1.01				0.17	1.22		
Avg Weight Total Ht	m	30.0	30.0				12.9	30.7		
Avg Weight Merch Ht	m	25.2	25.2				8.4	25.8		
Avg 5.0 m Log Net	m3	0.27	0.27				0.13	0.28		
Avg 5.0 m Log Gross	m3	0.29	0.29				0.14	0.31		
Avg # of 5.0 m Logs/Tree		3.82	3.82				1.35	4.44		
Net Immature	%	1.9	1.9				54.9			
Burn Volume	%									
Heavy Burn Volume	%									
Blowdown Volume	%									
Insect Volume	%									
LRF and Log Summary										
Net Merch - Stud	%	19.1	19.1				100.0	16.2		
Net Merch - Small Log	%	54.1	54.1				100.0	52.5		
Net Merch - Large Log	%	45.9	45.9					47.5		
Avg LRF All	bdfm/m3						165.6	209.4		
Statistical Summary										
Coeff. of Variation	%	22.8	22.8				138.0	26.2		
Two Standard Error	%	28.3	28.3				171.4	32.5		
Number and Type of Plots		MP = 5	CP = 0							
Number of Potential Trees		27								
Plots/Ha		1.4								
Cruised Trees/Plot		5.4								

FLAGS: Compile All Trees, Dry Belt Fir

		Total	Conifer	Decid.	F	C	B	S	PL	L
Utilization Limits										
Min DBH	cm (M)				17.5	17.5	17.5	17.5	12.50	17.5
Stump Ht	cm (M)				30	30	30	30	30.00	30
Top Dia	cm (M)				10.0	10.0	10.0	10.0	10.00	10.0
Log Len	m				5.0	5.0	5.0	5.0	5.00	5.0
Volume and Size Data										
Gross Merchantable	m3	869	869				393	476		
Net Merchantable	m3	780	780				341	439		
Net Merch - All	m3/ha	411	411				179	231		
Net Merch - Live	m3/ha	411	411				179	231		
Net Merch - DP	m3/ha									
Distribution	%	100	100				44	56		
Decay	%	7	7				9	5		
Total Cull (DWB)	%	10	10				13	8		
Stems/Ha (Live & DP)		395.4	395.4				210.5	184.9		
Avg DBH (Live & DP)	cm	38.1	38.1				34.8	41.5		
Snags/Ha		51.7	51.7				51.7			
Avg Snag DBH	cm	35.1	35.1				35.1			
Gross Merch Vol/Tree	m3	1.16	1.16				0.98	1.36		
Net Merch Vol/Tree	m3	1.04	1.04				0.85	1.25		
Avg Weight Total Ht	m	27.2	27.2				26.9	27.4		
Avg Weight Merch Ht	m	22.3	22.3				21.7	22.9		
Avg 5.0 m Log Net	m3	0.25	0.25				0.21	0.29		
Avg 5.0 m Log Gross	m3	0.27	0.27				0.24	0.31		
Avg # of 5.0 m Logs/Tree		4.26	4.26				4.13	4.42		
Net Immature	%	71.1	71.1				80.3	63.9		
Burn Volume	%									
Heavy Burn Volume	%									
Blowdown Volume	%									
Insect Volume	%									
LRF and Log Summary										
Net Merch - Stud	%	17.2	17.2				22.1	13.4		
Net Merch - Small Log	%	55.3	55.3				62.3	49.9		
Net Merch - Large Log	%	44.7	44.7				37.7	50.1		
Avg LRF All	bdfm/m3						199.6	211.1		
Statistical Summary										
Coeff. of Variation	%	30.2	30.2				85.8	12.9		
Two Standard Error	%	271.1	271.1				770.5	116.0		
Number and Type of Plots		MP = 2	CP = 0							
Number of Potential Trees		9								
Plots/Ha		1.1								
Cruised Trees/Plot		4.5								

FLAGS: Compile All Trees, Dry Belt Fir

		Total	Conifer	Decid.	F	C	B	S	PL	L
Utilization Limits										
Min DBH	cm (M)				17.5	17.5	17.5	17.5	12.50	17.5
Stump Ht	cm (M)				30	30	30	30	30.00	30
Top Dia	cm (M)				10.0	10.0	10.0	10.0	10.00	10.0
Log Len	m				5.0	5.0	5.0	5.0	5.00	5.0
Volume and Size Data										
Gross Merchantable	m3	2551	2551				90	2461		
Net Merchantable	m3	2375	2375				84	2291		
Net Merch - All	m3/ha	552	552				19	533		
Net Merch - Live	m3/ha	508	508				19	488		
Net Merch - DP	m3/ha	44	44					44		
Distribution	%	100	100				4	96		
Decay	%	5	5				5	5		
Total Cull (DWB)	%	7	7				7	7		
Stems/Ha (Live & DP)		749.2	749.2				30.1	719.1		
Avg DBH (Live & DP)	cm	31.9	31.9				32.5	31.9		
Snags/Ha		60.7	60.7					60.7		
Avg Snag DBH	cm	22.9	22.9					22.9		
Gross Merch Vol/Tree	m3	0.79	0.79				0.69	0.80		
Net Merch Vol/Tree	m3	0.74	0.74				0.65	0.74		
Avg Weight Total Ht	m	27.2	27.2				21.5	27.4		
Avg Weight Merch Ht	m	22.0	22.0				16.6	22.2		
Avg 5.0 m Log Net	m3	0.21	0.21				0.22	0.21		
Avg 5.0 m Log Gross	m3	0.22	0.22				0.23	0.22		
Avg # of 5.0 m Logs/Tree		3.55	3.55				3.00	3.57		
Net Immature	%	42.8	42.8				100.0	40.7		
Burn Volume	%									
Heavy Burn Volume	%									
Blowdown Volume	%	11.9	11.9					12.3		
Insect Volume	%									
LRF and Log Summary										
Net Merch - Stud	%	30.3	30.3				19.0	30.8		
Net Merch - Small Log	%	71.5	71.5				100.0	70.5		
Net Merch - Large Log	%	28.5	28.5					29.5		
Avg LRF All	bdfm/m3						195.9	201.3		
Statistical Summary										
Coeff. of Variation	%	37.6	37.6				200.0	36.1		
Two Standard Error	%	59.8	59.8				318.2	57.4		
Number and Type of Plots		MP = 4	CP = 0							
Number of Potential Trees		24								
Plots/Ha		0.9								
Cruised Trees/Plot		6.0								

FLAGS: Compile All Trees, Dry Belt Fir

		Total	Conifer	Decid.	F	C	B	S	PL	L
Utilization Limits										
Min DBH	cm (M)				17.5	17.5	17.5	17.5	12.50	17.5
Stump Ht	cm (M)				30	30	30	30	30.00	30
Top Dia	cm (M)				10.0	10.0	10.0	10.0	10.00	10.0
Log Len	m				5.0	5.0	5.0	5.0	5.00	5.0
Volume and Size Data										
Gross Merchantable	m3	2932	2932		334			52	2545	
Net Merchantable	m3	2745	2745		324			51	2370	
Net Merch - All	m3/ha	289	289		34			5	250	
Net Merch - Live	m3/ha	266	266		34			5	226	
Net Merch - DP	m3/ha	23	23						23	
Distribution	%	100	100		12			2	86	
Decay	%	1	1		1				1	
Total Cull (DWB)	%	6	6		3			2	7	
Stems/Ha (Live & DP)		1559.7	1559.7		78.6			22.2	1458.9	
Avg DBH (Live & DP)	cm	18.1	18.1		27.0			22.6	17.4	
Snags/Ha										
Avg Snag DBH	cm									
Gross Merch Vol/Tree	m3	0.20	0.20		0.45			0.25	0.18	
Net Merch Vol/Tree	m3	0.19	0.19		0.43			0.24	0.17	
Avg Weight Total Ht	m	20.5	20.5		24.1			16.5	20.2	
Avg Weight Merch Ht	m	13.9	13.9		18.1			11.0	13.4	
Avg 5.0 m Log Net	m3	0.08	0.08		0.12			0.12	0.08	
Avg 5.0 m Log Gross	m3	0.08	0.08		0.12			0.12	0.08	
Avg # of 5.0 m Logs/Tree		2.37	2.37		3.64			2.00	2.31	
Net Immature	%	99.9	99.9		99.1			100.0	100.0	
Burn Volume	%									
Heavy Burn Volume	%									
Blowdown Volume	%	5.8	5.8						6.8	
Insect Volume	%									
LRF and Log Summary										
Net Merch - Stud	%	91.6	91.6		53.6			100.0	96.6	
Net Merch - Small Log	%	99.9	99.9		99.3			100.0	100.0	
Net Merch - Large Log	%	0.1	0.1		0.7					
Avg LRF All	bdf/m3				171.5			174.8	166.0	
Statistical Summary										
Coeff. of Variation	%	65.1	65.1		238.1			300.0	66.8	
Two Standard Error	%	50.1	50.1		183.0			230.6	51.3	
Number and Type of Plots		MP = 9	CP = 0							
Number of Potential Trees		46								
Plots/Ha		0.9								
Cruised Trees/Plot		5.1								

FLAGS: Compile All Trees, Dry Belt Fir

		Total	Conifer	Decid.	F	C	B	S	PL	L
Utilization Limits										
Min DBH	cm (M)				17.5	17.5	17.5	17.5	12.50	17.5
Stump Ht	cm (M)				30	30	30	30	30.00	30
Top Dia	cm (M)				10.0	10.0	10.0	10.0	10.00	10.0
Log Len	m				5.0	5.0	5.0	5.0	5.00	5.0
Volume and Size Data										
Gross Merchantable	m3	3108	3108		384			95	2628	
Net Merchantable	m3	2922	2922		367			92	2463	
Net Merch - All	m3/ha	236	236		30			7	199	
Net Merch - Live	m3/ha	218	218		26			7	185	
Net Merch - DP	m3/ha	17	17		3				14	
Distribution	%	100	100		13			3	84	
Decay	%	2	2		2			2	2	
Total Cull (DWB)	%	6	6		4			4	6	
Stems/Ha (Live & DP)		1049.9	1049.9		90.3			36.2	923.5	
Avg DBH (Live & DP)	cm	19.3	19.3		25.3			20.3	18.6	
Snags/Ha										
Avg Snag DBH	cm									
Gross Merch Vol/Tree	m3	0.24	0.24		0.34			0.21	0.23	
Net Merch Vol/Tree	m3	0.22	0.22		0.33			0.20	0.22	
Avg Weight Total Ht	m	21.4	21.4		21.4			17.8	21.5	
Avg Weight Merch Ht	m	15.1	15.1		15.5			11.3	15.1	
Avg 5.0 m Log Net	m3	0.09	0.09		0.12			0.10	0.09	
Avg 5.0 m Log Gross	m3	0.09	0.09		0.12			0.11	0.09	
Avg # of 5.0 m Logs/Tree		2.52	2.52		2.75			2.00	2.52	
Net Immature	%	100.0	100.0		100.0			100.0	100.0	
Burn Volume	%									
Heavy Burn Volume	%									
Blowdown Volume	%	6.5	6.5		11.0				6.1	
Insect Volume	%									
LRF and Log Summary										
Net Merch - Stud	%	87.0	87.0		65.4			100.0	89.8	
Net Merch - Small Log	%	100.0	100.0		100.0			100.0	100.0	
Net Merch - Large Log	%									
Avg LRF All	bdf/m3				166.3			172.6	170.5	
Statistical Summary										
Coeff. of Variation	%	56.7	56.7		170.5			234.1	62.8	
Two Standard Error	%	36.0	36.0		108.3			148.8	39.9	
Number and Type of Plots		MP = 12	CP = 0							
Number of Potential Trees		51								
Plots/Ha		1.0								
Cruised Trees/Plot		4.3								

FLAGS: Compile All Trees, Dry Belt Fir

Volume and Size Data		Total	Normal	E-Down
Gross Merchantable	m3	4208	4041	167
Net Merchantable	m3	4091	3934	157
Net Merch - All	m3/ha	194	186	7
Distribution	%	100	96	4
Decay	%	1	1	4
Total Cull (DWB)	%	3	3	6
Stems/Ha (Live & DP)		502.1	493.0	9.1
Avg DBH (Live & DP)	cm	25.7	25.5	33.8
Snags/Ha				
Avg Snag DBH	cm			
Gross Merch Vol/Tree	m3	0.40	0.39	0.87
Net Merch Vol/Tree	m3	0.39	0.38	0.82
Avg Weight Total Ht	m	21.6	21.5	25.6
Avg Weight Merch Ht	m	16.4	16.2	20.3
Avg 5.0 m Log Net	m3	0.16	0.16	0.21
Avg 5.0 m Log Gross	m3	0.16	0.16	0.22
Avg # of 5.0 m Logs/Tree		2.41	2.38	4.00
LRF and Log Summary				
Net Merch - Stud	%	55.2	56.3	28.8
Net Merch - Small Log	%	92.8	92.5	100.0
Net Merch - Large Log	%	7.2	7.5	
Avg LRF All	bdfm/m3	188.9	188.6	196.8

FLAGS: Compile All Trees, Dry Belt Fir

Volume and Size Data		Total	Normal	E-Down
Gross Merchantable	m3	1081	864	44
Net Merchantable	m3	819	672	30
Net Merch - All	m3/ha	59	48	2
Distribution	%	100	82	4
Decay	%	3	3	2
Total Cull (DWB)	%	24	22	32
Stems/Ha (Live & DP)		173.6	139.4	13.9
Avg DBH (Live & DP)	cm	25.1	25.0	22.9
Snags/Ha				
Avg Snag DBH	cm			
Gross Merch Vol/Tree	m3	0.45	0.45	0.23
Net Merch Vol/Tree	m3	0.34	0.35	0.16
Avg Weight Total Ht	m	23.0	22.9	14.1
Avg Weight Merch Ht	m	18.1	18.0	9.7
Avg 5.0 m Log Net	m3	0.14	0.14	0.11
Avg 5.0 m Log Gross	m3	0.15	0.14	0.11
Avg # of 5.0 m Logs/Tree		3.07	3.10	2.00
LRF and Log Summary				
Net Merch - Stud	%	58.0	56.6	100.0
Net Merch - Small Log	%	95.6	94.6	100.0
Net Merch - Large Log	%	4.4	5.4	
Avg LRF All	bdfm/m3	173.8	185.2	174.9

FLAGS: Compile All Trees, Dry Belt Fir

Volume and Size Data		Total	Normal	3-Grey
Gross Merchantable	m3	1081	864	174
Net Merchantable	m3	819	672	117
Net Merch - All	m3/ha	59	48	8
Distribution	%	100	82	14
Decay	%	3	3	3
Total Cull (DWB)	%	24	22	33
Stems/Ha (Live & DP)		173.6	139.4	20.4
Avg DBH (Live & DP)	cm	25.1	25.0	26.7
Snags/Ha				
Avg Snag DBH	cm			
Gross Merch Vol/Tree	m3	0.45	0.45	0.61
Net Merch Vol/Tree	m3	0.34	0.35	0.41
Avg Weight Total Ht	m	23.0	22.9	26.3
Avg Weight Merch Ht	m	18.1	18.0	21.1
Avg 5.0 m Log Net	m3	0.14	0.14	0.17
Avg 5.0 m Log Gross	m3	0.15	0.14	0.17
Avg # of 5.0 m Logs/Tree		3.07	3.10	3.56
LRF and Log Summary				
Net Merch - Stud	%	58.0	56.6	55.5
Net Merch - Small Log	%	95.6	94.6	100.0
Net Merch - Large Log	%	4.4	5.4	
Avg LRF All	bdfm/m3	173.8	185.2	107.8

FLAGS: Compile All Trees, Dry Belt Fir

Volume and Size Data		Total	Normal	E-Down
Gross Merchantable	m3	2461	2160	301
Net Merchantable	m3	2291	2009	282
Net Merch - All	m3/ha	533	467	66
Distribution	%	100	88	12
Decay	%	5	5	4
Total Cull (DWB)	%	7	7	6
Stems/Ha (Live & DP)		719.1	635.0	84.1
Avg DBH (Live & DP)	cm	31.9	31.7	33.7
Snags/Ha		60.7	60.7	
Avg Snag DBH	cm	22.9	22.9	
Gross Merch Vol/Tree	m3	0.80	0.79	0.83
Net Merch Vol/Tree	m3	0.74	0.74	0.78
Avg Weight Total Ht	m	27.4	27.7	25.3
Avg Weight Merch Ht	m	22.2	22.4	20.3
Avg 5.0 m Log Net	m3	0.21	0.21	0.22
Avg 5.0 m Log Gross	m3	0.22	0.22	0.23
Avg # of 5.0 m Logs/Tree		3.57	3.55	3.70
LRF and Log Summary				
Net Merch - Stud	%	30.8	31.0	28.8
Net Merch - Small Log	%	70.5	69.9	74.7
Net Merch - Large Log	%	29.5	30.1	25.3
Avg LRF All	bdfm/m3	201.3	201.3	200.6

FLAGS: Compile All Trees, Dry Belt Fir

Volume and Size Data		Total	Normal	E-Down
Gross Merchantable	m3	2545	2310	235
Net Merchantable	m3	2370	2210	160
Net Merch - All	m3/ha	250	233	17
Distribution	%	100	93	7
Decay	%	1	1	2
Total Cull (DWB)	%	7	4	32
Stems/Ha (Live & DP)		1458.9	1335.0	123.9
Avg DBH (Live & DP)	cm	17.4	17.2	19.1
Snags/Ha				
Avg Snag DBH	cm			
Gross Merch Vol/Tree	m3	0.18	0.18	0.20
Net Merch Vol/Tree	m3	0.17	0.17	0.14
Avg Weight Total Ht	m	20.2	20.2	19.7
Avg Weight Merch Ht	m	13.4	13.3	14.5
Avg 5.0 m Log Net	m3	0.08	0.08	0.09
Avg 5.0 m Log Gross	m3	0.08	0.08	0.10
Avg # of 5.0 m Logs/Tree		2.31	2.33	2.09
LRF and Log Summary				
Net Merch - Stud	%	96.6	98.5	70.2
Net Merch - Small Log	%	100.0	100.0	100.0
Net Merch - Large Log	%			
Avg LRF All	bdfm/m3	166.0	165.3	175.2

FLAGS: Compile All Trees, Dry Belt Fir

Volume and Size Data		Total	Normal	E-Down
Gross Merchantable	m3	2628	2409	219
Net Merchantable	m3	2463	2313	150
Net Merch - All	m3/ha	199	187	12
Distribution	%	100	94	6
Decay	%	2	2	2
Total Cull (DWB)	%	6	4	32
Stems/Ha (Live & DP)		923.5	815.2	108.3
Avg DBH (Live & DP)	cm	18.6	18.7	17.7
Snags/Ha				
Avg Snag DBH	cm			
Gross Merch Vol/Tree	m3	0.23	0.24	0.16
Net Merch Vol/Tree	m3	0.22	0.23	0.11
Avg Weight Total Ht	m	21.5	21.9	17.2
Avg Weight Merch Ht	m	15.1	15.5	11.0
Avg 5.0 m Log Net	m3	0.09	0.09	0.08
Avg 5.0 m Log Gross	m3	0.09	0.09	0.08
Avg # of 5.0 m Logs/Tree		2.52	2.57	2.11
LRF and Log Summary				
Net Merch - Stud	%	89.8	89.1	100.0
Net Merch - Small Log	%	100.0	100.0	100.0
Net Merch - Large Log	%			
Avg LRF All	bdf/m3	170.5	171.0	162.8

FLAGS: Compile All Trees, Dry Belt Fir

Volume and Size Data		Total	Normal	E-Down
Gross Merchantable	m3	384	341	43
Net Merchantable	m3	367	327	40
Net Merch - All	m3/ha	30	26	3
Distribution	%	100	89	11
Decay	%	2	2	5
Total Cull (DWB)	%	4	4	7
Stems/Ha (Live & DP)		90.3	85.7	4.5
Avg DBH (Live & DP)	cm	25.3	24.4	37.5
Snags/Ha				
Avg Snag DBH	cm			
Gross Merch Vol/Tree	m3	0.34	0.32	0.77
Net Merch Vol/Tree	m3	0.33	0.31	0.72
Avg Weight Total Ht	m	21.4	21.3	21.9
Avg Weight Merch Ht	m	15.5	15.3	17.4
Avg 5.0 m Log Net	m3	0.12	0.11	0.24
Avg 5.0 m Log Gross	m3	0.12	0.12	0.26
Avg # of 5.0 m Logs/Tree		2.60	2.58	3.00
LRF and Log Summary				
Net Merch - Stud	%	65.4	70.6	22.7
Net Merch - Small Log	%	100.0	100.0	100.0
Net Merch - Large Log	%			
Avg LRF All	bdfm/m3	166.3	164.7	179.7

FLAGS: Compile All Trees, Dry Belt Fir

		F	C	B	S	PL	L	Total	DP	DU	LU
Utilization Limits											
Min DBH	cm (M)	17.5	17.5	17.5	17.5	12.50	17.5				
Stump Ht	cm (M)	30	30	30	30	30.00	30				
Top Dia	cm (M)	10.0	10.0	10.0	10.0	10.00	10.0				
Log Len	m	5.0	5.0	5.0	5.0	5.00	5.0				
DBH Class											
10											
15						0.5		0.5			
20			2.2		1.0	0.5		3.8	1.8		
25			1.5			1.0	1.3	3.9			
30							1.2	1.2	0.8		
35		2.8		1.8	2.1	0.5	2.4	9.6	0.6		
40		1.7			1.0	0.5	1.2	4.5	0.7		
45			0.7				0.6	1.4			
50		0.1					0.1	0.2	0.7		
55		0.1						0.1	0.8		
60											
65											
70											
75											
80											
85											
90											
95											
100											
105											
110											
115											
120											
125											
130											
135											
140											
145											
150											
175											
200											
225											
250											
275											
Total		4.7	4.4	1.8	4.2	3.1	6.8	25.0			
Dead P		1.7	1.5				2.4		5.6		
Dead U											
Live U											
Total Basal Area per Hectare at Five Levels											
12.5+		4.7	4.4	1.8	4.2	3.1	6.8	25.0	5.6		
17.5+		4.7	4.4	1.8	4.2	2.6	6.8	24.5	5.6		
22.5+		4.7	2.2	1.8	3.1	2.1	6.8	20.7	3.8		
27.5+		4.7	0.7	1.8	3.1	1.0	5.4	16.9	3.8		
32.5+		4.7	0.7	1.8	3.1	1.0	4.3	15.7	2.9		

FLAGS: Compile All Trees, Dry Belt Fir

		F	C	B	S	PL	L	Total	DP	DU	LU
Utilization Limits											
Min DBH	cm (M)	17.5	17.5	17.5	17.5	12.50	17.5				
Stump Ht	cm (M)	30	30	30	30	30.00	30				
Top Dia	cm (M)	10.0	10.0	10.0	10.0	10.00	10.0				
Log Len	m	5.0	5.0	5.0	5.0	5.00	5.0				
DBH Class											
10											
15											
20					7.3		7.3				
25				1.2	3.3	3.2	0.4	8.1	1.6		
30		1.2			3.3	1.6		6.1			
35		0.6			8.1	1.6		10.3			
40					0.8			0.8			
45		0.1			0.8			0.9			
50		0.1			0.8			0.9			
55											
60											
65											
70											
75											
80											
85											
90											
95											
100											
105											
110											
115											
120											
125											
130											
135											
140											
145											
150											
175											
200											
225											
250											
275											
Total		2.0		1.2	24.4	6.4	0.4	34.3			
Dead P					1.6				1.6		
Dead U											
Live U											
Total Basal Area per Hectare at Five Levels											
12.5+		2.0		1.2	24.4	6.4	0.4	34.3	1.6		
17.5+		2.0		1.2	24.4	6.4	0.4	34.3	1.6		
22.5+		2.0		1.2	17.1	6.4	0.4	27.0	1.6		
27.5+		2.0			13.8	3.2		19.0			
32.5+		0.8			10.6	1.6		12.9			

FLAGS: Compile All Trees, Dry Belt Fir

		F	C	B	S	PL	L	Total	DP	DU	LU
Utilization Limits											
Min DBH	cm (M)	17.5	17.5	17.5	17.5	12.50	17.5				
Stump Ht	cm (M)	30	30	30	30	30.00	30				
Top Dia	cm (M)	10.0	10.0	10.0	10.0	10.00	10.0				
Log Len	m	5.0	5.0	5.0	5.0	5.00	5.0				
DBH Class											
10											
15									0.6		
20				2.9	2.9	1.1		6.9	1.1	0.6	
25				2.3	4.6	0.6		7.4	1.1	0.6	
30		0.6		1.1	4.6	0.6		6.9	1.7		
35		1.7		0.6	2.9			5.1	1.1	0.6	
40				0.6	2.3			2.9			
45		0.1			1.7			1.8			
50					1.7			1.7	0.6		
55					0.6			0.6			
60					1.1			1.1			
65											
70											
75											
80											
85											
90											
95											
100											
105											
110											
115											
120											
125											
130											
135											
140											
145											
150											
175											
200											
225											
250											
275											
Total		2.4		7.4	22.3	2.3		34.4			
Dead P						6.3			6.3		
Dead U		1.1		0.6						1.7	
Live U											
Total Basal Area per Hectare at Five Levels											
12.5+		2.4		7.4	22.3	2.3		34.4	6.3	1.7	
17.5+		2.4		7.4	22.3	2.3		34.4	5.7	1.7	
22.5+		2.4		4.6	19.4	1.1		27.5	4.6	1.1	
27.5+		2.4		2.3	14.9	0.6		20.1	3.4	0.6	
32.5+		1.8		1.1	10.3			13.3	1.7	0.6	

FLAGS: Compile All Trees, Dry Belt Fir

		F	C	B	S	PL	L	Total	DP	DU	LU
Utilization Limits											
Min DBH	cm (M)	17.5	17.5	17.5	17.5	12.50	17.5				
Stump Ht	cm (M)	30	30	30	30	30.00	30				
Top Dia	cm (M)	10.0	10.0	10.0	10.0	10.00	10.0				
Log Len	m	5.0	5.0	5.0	5.0	5.00	5.0				
DBH Class											
10											
15											
20		2.7		2.7				5.3			
25				5.3				5.3			
30				2.7	2.7	8.0		13.3			
35					5.3	2.7		8.0			
40		2.7			2.7			5.3			
45											
50											
55											
60											
65											
70											
75											
80											
85											
90											
95											
100											
105											
110											
115											
120											
125											
130											
135											
140											
145											
150											
175											
200											
225											
250											
275											
Total		5.3		10.7	10.7	10.7		37.3			
Dead P											
Dead U											
Live U											
Total Basal Area per Hectare at Five Levels											
12.5+		5.3		10.7	10.7	10.7		37.3			
17.5+		5.3		10.7	10.7	10.7		37.3			
22.5+		2.7		8.0	10.7	10.7		32.0			
27.5+		2.7		2.7	10.7	10.7		26.7			
32.5+		2.7			8.0	2.7		13.3			

FLAGS: Compile All Trees, Dry Belt Fir

		F	C	B	S	PL	L	Total	DP	DU	LU
Utilization Limits											
Min DBH	cm (M)	17.5	17.5	17.5	17.5	12.50	17.5				
Stump Ht	cm (M)	30	30	30	30	30.00	30				
Top Dia	cm (M)	10.0	10.0	10.0	10.0	10.00	10.0				
Log Len	m	5.0	5.0	5.0	5.0	5.00	5.0				
DBH Class											
10											
15											
20					3.3			3.3	3.3		
25				3.3		2.7		6.0	2.7		
30				3.3	3.3			6.7			
35				2.7				2.7			
40		3.3						3.3			
45					5.3			5.3			
50											
55											
60											
65											
70											
75											
80											
85											
90											
95											
100											
105											
110											
115											
120											
125											
130											
135											
140											
145											
150											
175											
200											
225											
250											
275											
Total		3.3		9.3	12.0	2.7		27.3			
Dead P				3.3		2.7			6.0		
Dead U											
Live U											
Total Basal Area per Hectare at Five Levels											
12.5+		3.3		9.3	12.0	2.7		27.3	6.0		
17.5+		3.3		9.3	12.0	2.7		27.3	6.0		
22.5+		3.3		9.3	8.7	2.7		24.0	2.7		
27.5+		3.3		6.0	8.7			18.0			
32.5+		3.3		2.7	5.3			11.3			

FLAGS: Compile All Trees, Dry Belt Fir

		F	C	B	S	PL	L	Total	DP	DU	LU
Utilization Limits											
Min DBH	cm (M)	17.5	17.5	17.5	17.5	12.50	17.5				
Stump Ht	cm (M)	30	30	30	30	30.00	30				
Top Dia	cm (M)	10.0	10.0	10.0	10.0	10.00	10.0				
Log Len	m	5.0	5.0	5.0	5.0	5.00	5.0				
DBH Class											
10											
15											
20				2.0				2.0			
25					2.0			2.0	2.0		
30					4.0			4.0			
35					8.0			8.0	2.0		
40					6.0			6.0	2.0		
45					8.0			8.0	2.0		
50					8.0			8.0			
55					2.0			2.0			
60					6.0			6.0			
65											
70											
75											
80											
85											
90											
95											
100											
105											
110											
115											
120											
125											
130											
135											
140											
145											
150											
175											
200											
225											
250											
275											
Total				2.0	44.0			46.0			
Dead P				2.0	6.0				8.0		
Dead U											
Live U											
Total Basal Area per Hectare at Five Levels											
12.5+				2.0	44.0			46.0	8.0		
17.5+				2.0	44.0			46.0	8.0		
22.5+					44.0			44.0	8.0		
27.5+					42.0			42.0	6.0		
32.5+					38.0			38.0	6.0		

FLAGS: Compile All Trees, Dry Belt Fir

		F	C	B	S	PL	L	Total	DP	DU	LU
Utilization Limits											
Min DBH	cm (M)	17.5	17.5	17.5	17.5	12.50	17.5				
Stump Ht	cm (M)	30	30	30	30	30.00	30				
Top Dia	cm (M)	10.0	10.0	10.0	10.0	10.00	10.0				
Log Len	m	5.0	5.0	5.0	5.0	5.00	5.0				
DBH Class											
10											
15											
20											
25				5.0				5.0			
30					5.0			5.0			
35				5.0				5.0		5.0	
40				10.0	5.0			15.0			
45											
50					15.0			15.0			
55											
60											
65											
70											
75											
80											
85											
90											
95											
100											
105											
110											
115											
120											
125											
130											
135											
140											
145											
150											
175											
200											
225											
250											
275											
Total				20.0	25.0			45.0			
Dead P											
Dead U				5.0						5.0	
Live U											
Total Basal Area per Hectare at Five Levels											
12.5+				20.0	25.0			45.0		5.0	
17.5+				20.0	25.0			45.0		5.0	
22.5+				20.0	25.0			45.0		5.0	
27.5+				15.0	25.0			40.0		5.0	
32.5+				15.0	20.0			35.0		5.0	

FLAGS: Compile All Trees, Dry Belt Fir

		F	C	B	S	PL	L	Total	DP	DU	LU
Utilization Limits											
Min DBH	cm (M)	17.5	17.5	17.5	17.5	12.50	17.5				
Stump Ht	cm (M)	30	30	30	30	30.00	30				
Top Dia	cm (M)	10.0	10.0	10.0	10.0	10.00	10.0				
Log Len	m	5.0	5.0	5.0	5.0	5.00	5.0				
DBH Class											
10											
15											
20					5.0			5.0			
25					7.5			7.5		2.5	
30					7.5			7.5	2.5		
35				2.5	12.5			15.0			
40					10.0			10.0			
45									2.5		
50					2.5			2.5			
55					2.5			2.5			
60					2.5			2.5			
65					2.5			2.5			
70											
75											
80											
85											
90											
95											
100											
105											
110											
115											
120											
125											
130											
135											
140											
145											
150											
175											
200											
225											
250											
275											
Total				2.5	52.5			55.0			
Dead P					5.0				5.0		
Dead U					2.5					2.5	
Live U											
Total Basal Area per Hectare at Five Levels											
12.5+				2.5	52.5			55.0	5.0	2.5	
17.5+				2.5	52.5			55.0	5.0	2.5	
22.5+				2.5	47.5			50.0	5.0	2.5	
27.5+				2.5	40.0			42.5	5.0		
32.5+				2.5	32.5			35.0	2.5		

FLAGS: Compile All Trees, Dry Belt Fir

		F	C	B	S	PL	L	Total	DP	DU	LU
Utilization Limits											
Min DBH	cm (M)	17.5	17.5	17.5	17.5	12.50	17.5				
Stump Ht	cm (M)	30	30	30	30	30.00	30				
Top Dia	cm (M)	10.0	10.0	10.0	10.0	10.00	10.0				
Log Len	m	5.0	5.0	5.0	5.0	5.00	5.0				
DBH Class											
10											
15						14.2		14.2	3.6		
20		0.9				9.8		10.7			
25					0.9	5.3		6.2	1.8		
30		3.6						3.6			
35											
40											
45											
50											
55											
60											
65											
70											
75											
80											
85											
90											
95											
100											
105											
110											
115											
120											
125											
130											
135											
140											
145											
150											
175											
200											
225											
250											
275											
Total		4.5			0.9	29.3		34.7			
Dead P						5.3			5.3		
Dead U											
Live U											
Total Basal Area per Hectare at Five Levels											
12.5+		4.5			0.9	29.3		34.7	5.3		
17.5+		4.5			0.9	15.1		20.5	1.8		
22.5+		3.6			0.9	5.3		9.8	1.8		
27.5+		3.6						3.6			
32.5+											

FLAGS: Compile All Trees, Dry Belt Fir

		F	C	B	S	PL	L	Total	DP	DU	LU
Utilization Limits											
Min DBH	cm (M)	17.5	17.5	17.5	17.5	12.50	17.5				
Stump Ht	cm (M)	30	30	30	30	30.00	30				
Top Dia	cm (M)	10.0	10.0	10.0	10.0	10.00	10.0				
Log Len	m	5.0	5.0	5.0	5.0	5.00	5.0				
DBH Class											
10											
15						5.8		5.8	1.8		
20		1.3			1.2	9.5		12.0	1.0		
25		0.7				4.7		5.3	0.5		
30		2.0				1.7		3.7			
35											
40									0.5		
45											
50											
55											
60											
65											
70											
75											
80											
85											
90											
95											
100											
105											
110											
115											
120											
125											
130											
135											
140											
145											
150											
175											
200											
225											
250											
275											
Total		4.0			1.2	21.7		26.9			
Dead P		0.5				3.3			3.8		
Dead U											
Live U											
Total Basal Area per Hectare at Five Levels											
12.5+		4.0			1.2	21.7		26.9	3.8		
17.5+		4.0			1.2	15.8		21.0	2.0		
22.5+		2.7				6.3		9.0	1.0		
27.5+		2.0				1.7		3.7	0.5		
32.5+									0.5		

FLAGS: Compile All Trees, Dry Belt Fir

		F	C	B	S	PL	L	Total	DP	DU	LU
Utilization Limits											
Min DBH	cm (M)	17.5	17.5	17.5	17.5	12.50	17.5				
Stump Ht	cm (M)	30	30	30	30	30.00	30				
Top Dia	cm (M)	10.0	10.0	10.0	10.0	10.00	10.0				
Log Len	m	5.0	5.0	5.0	5.0	5.00	5.0				
DBH Class											
10											
15						27.3		27.3			
20			68.9		41.0	18.8		128.7	51.6		
25			31.3			22.8	27.4	81.5			
30							17.6	17.6	13.3		
35		28.5		20.5	19.8	5.8	25.8	100.4	5.6		
40		14.0			8.1	4.0	9.2	35.4	6.3		
45		0.3	4.3				3.9	8.4			
50		0.5					0.3	0.8	3.9		
55		0.4					0.1	0.5	3.6		
60											
65											
70											
75											
80											
85											
90											
95											
100											
105											
110											
115											
120											
125											
130											
135											
140											
145											
150											
175											
200											
225											
250											
275											
Total		43.6	104.5	20.5	68.9	78.8	84.4	400.6			
Dead P		16.9	10.2				57.2		84.2		
Dead U											
Live U											
Average DBH at Five Levels											
12.5+		37.0	23.2	33.7	27.8	22.5	32.0	28.2	29.0		
17.5+		37.0	23.2	33.7	27.8	25.4	32.0	28.9	29.0		
22.5+		37.0	28.2	33.7	37.8	28.5	32.0	32.9	38.3		
27.5+		37.0	47.0	33.7	37.8	36.6	34.9	36.3	38.3		
32.5+		37.0	47.0	33.7	37.8	36.6	37.1	37.0	43.8		

FLAGS: Compile All Trees, Dry Belt Fir

		F	C	B	S	PL	L	Total	DP	DU	LU
Utilization Limits											
Min DBH	cm (M)	17.5	17.5	17.5	17.5	12.50	17.5				
Stump Ht	cm (M)	30	30	30	30	30.00	30				
Top Dia	cm (M)	10.0	10.0	10.0	10.0	10.00	10.0				
Log Len	m	5.0	5.0	5.0	5.0	5.00	5.0				
DBH Class											
10											
15											
20					240.8			240.8			
25				28.9	71.2	65.5	7.2	172.7	37.2		
30		17.4			50.0	26.7		94.1			
35		7.2			85.5	17.9		110.6			
40					7.4			7.4			
45		0.4			5.6			6.0			
50		0.5			4.5			4.9			
55											
60											
65											
70											
75											
80											
85											
90											
95											
100											
105											
110											
115											
120											
125											
130											
135											
140											
145											
150											
175											
200											
225											
250											
275											
Total		25.4		28.9	464.9	110.1	7.2	636.6			
Dead P					37.2				37.2		
Dead U											
Live U											
Average DBH at Five Levels											
12.5+		31.2		23.0	25.8	27.2	26.6	26.2	23.6		
17.5+		31.2		23.0	25.8	27.2	26.6	26.2	23.6		
22.5+		31.2		23.0	31.1	27.2	26.6	29.5	23.6		
27.5+		31.2			33.9	30.2		32.9			
32.5+		34.4			36.1	33.7		35.7			

FLAGS: Compile All Trees, Dry Belt Fir

		F	C	B	S	PL	L	Total	DP	DU	LU
Utilization Limits											
Min DBH	cm (M)	17.5	17.5	17.5	17.5	12.50	17.5				
Stump Ht	cm (M)	30	30	30	30	30.00	30				
Top Dia	cm (M)	10.0	10.0	10.0	10.0	10.00	10.0				
Log Len	m	5.0	5.0	5.0	5.0	5.00	5.0				
DBH Class											
10											
15									24.3		
20				95.5	88.7	34.1		218.3	31.1	22.7	
25				46.7	94.1	10.4		151.1	24.7	14.4	
30		7.3		17.7	61.3	8.4		94.8	24.8		
35		17.3		5.5	28.7			51.6	12.6	5.9	
40		0.3		4.0	18.1			22.4			
45		0.6			10.9			11.5			
50					8.1			8.1	3.2		
55					2.6			2.6			
60					4.0			4.0			
65											
70											
75											
80											
85											
90											
95											
100											
105											
110											
115											
120											
125											
130											
135											
140											
145											
150											
175											
200											
225											
250											
275											
Total		25.5		169.4	316.5	52.9		564.2			
Dead P						120.7			120.7		
Dead U		28.6		14.4						43.0	
Live U											
Average DBH at Five Levels											
12.5+		34.6		23.6	29.9	23.5		27.9	25.7	22.5	
17.5+		34.6		23.6	29.9	23.5		27.9	27.5	22.5	
22.5+		34.6		28.1	33.0	27.8		31.8	29.9	26.8	
27.5+		34.6		32.7	37.6	29.4		36.3	32.8	35.0	
32.5+		35.8		39.1	42.5			41.1	37.1	35.0	

FLAGS: Compile All Trees, Dry Belt Fir

		F	C	B	S	PL	L	Total	DP	DU	LU
Utilization Limits											
Min DBH	cm (M)	17.5	17.5	17.5	17.5	12.50	17.5				
Stump Ht	cm (M)	30	30	30	30	30.00	30				
Top Dia	cm (M)	10.0	10.0	10.0	10.0	10.00	10.0				
Log Len	m	5.0	5.0	5.0	5.0	5.00	5.0				
DBH Class											
10											
15											
20		73.5		68.9				142.3			
25				122.3				122.3			
30				33.8	33.0	118.2		185.0			
35					57.7	28.9		86.6			
40		21.8			20.5			42.3			
45											
50											
55											
60											
65											
70											
75											
80											
85											
90											
95											
100											
105											
110											
115											
120											
125											
130											
135											
140											
145											
150											
175											
200											
225											
250											
275											
Total		95.2		225.0	111.2	147.1		578.5			
Dead P											
Dead U											
Live U											
Average DBH at Five Levels											
12.5+		26.7		24.6	35.0	30.4		28.7			
17.5+		26.7		24.6	35.0	30.4		28.7			
22.5+		39.5		25.5	35.0	30.4		30.6			
27.5+		39.5		31.7	35.0	30.4		32.9			
32.5+		39.5			36.1	34.3		36.3			

FLAGS: Compile All Trees, Dry Belt Fir

		F	C	B	S	PL	L	Total	DP	DU	LU
Utilization Limits											
Min DBH	cm (M)	17.5	17.5	17.5	17.5	12.50	17.5				
Stump Ht	cm (M)	30	30	30	30	30.00	30				
Top Dia	cm (M)	10.0	10.0	10.0	10.0	10.00	10.0				
Log Len	m	5.0	5.0	5.0	5.0	5.00	5.0				
DBH Class											
10											
15											
20					124.0			124.0	125.4		
25				71.3		63.1		134.4	52.2		
30				44.7	49.8			94.5			
35				26.5				26.5			
40		25.1						25.1			
45					34.5			34.5			
50											
55											
60											
65											
70											
75											
80											
85											
90											
95											
100											
105											
110											
115											
120											
125											
130											
135											
140											
145											
150											
175											
200											
225											
250											
275											
Total		25.1		142.5	208.2	63.1		439.0			
Dead P				125.4		52.2			177.6		
Dead U											
Live U											
Average DBH at Five Levels											
12.5+		41.1		28.9	27.1	23.2		28.2	20.7		
17.5+		41.1		28.9	27.1	23.2		28.2	20.7		
22.5+		41.1		28.9	36.2	23.2		31.1	25.5		
27.5+		41.1		32.7	36.2			35.6			
32.5+		41.1		35.8	44.4			40.9			

FLAGS: Compile All Trees, Dry Belt Fir

		F	C	B	S	PL	L	Total	DP	DU	LU
Utilization Limits											
Min DBH	cm (M)	17.5	17.5	17.5	17.5	12.50	17.5				
Stump Ht	cm (M)	30	30	30	30	30.00	30				
Top Dia	cm (M)	10.0	10.0	10.0	10.0	10.00	10.0				
Log Len	m	5.0	5.0	5.0	5.0	5.00	5.0				
DBH Class											
10											
15											
20				66.3				66.3			
25					50.3			50.3	36.3		
30					50.7			50.7			
35					85.5			85.5	19.2		
40					46.8			46.8	17.8		
45					51.8			51.8	12.2		
50					42.1			42.1			
55					8.6			8.6			
60					21.0			21.0			
65											
70											
75											
80											
85											
90											
95											
100											
105											
110											
115											
120											
125											
130											
135											
140											
145											
150											
175											
200											
225											
250											
275											
Total				66.3	356.8			423.1			
Dead P				36.3	49.3				85.5		
Dead U											
Live U											
Average DBH at Five Levels											
12.5+				19.6	39.6			37.2	34.5		
17.5+				19.6	39.6			37.2	34.5		
22.5+					39.6			39.6	34.5		
27.5+					41.8			41.8	39.4		
32.5+					43.5			43.5	39.4		

FLAGS: Compile All Trees, Dry Belt Fir

		F	C	B	S	PL	L	Total	DP	DU	LU
Utilization Limits											
Min DBH	cm (M)	17.5	17.5	17.5	17.5	12.50	17.5				
Stump Ht	cm (M)	30	30	30	30	30.00	30				
Top Dia	cm (M)	10.0	10.0	10.0	10.0	10.00	10.0				
Log Len	m	5.0	5.0	5.0	5.0	5.00	5.0				
DBH Class											
10											
15											
20											
25				92.0				92.0			
30					66.2			66.2			
35				45.5				45.5		51.7	
40				72.9	41.2			114.1			
45											
50					77.4			77.4			
55											
60											
65											
70											
75											
80											
85											
90											
95											
100											
105											
110											
115											
120											
125											
130											
135											
140											
145											
150											
175											
200											
225											
250											
275											
Total				210.5	184.9			395.4			
Dead P											
Dead U				51.7						51.7	
Live U											
Average DBH at Five Levels											
12.5+				34.8	41.5			38.1		35.1	
17.5+				34.8	41.5			38.1		35.1	
22.5+				34.8	41.5			38.1		35.1	
27.5+				40.2	41.5			41.0		35.1	
32.5+				40.2	46.3			43.4		35.1	

FLAGS: Compile All Trees, Dry Belt Fir

		F	C	B	S	PL	L	Total	DP	DU	LU
Utilization Limits											
Min DBH	cm (M)	17.5	17.5	17.5	17.5	12.50	17.5				
Stump Ht	cm (M)	30	30	30	30	30.00	30				
Top Dia	cm (M)	10.0	10.0	10.0	10.0	10.00	10.0				
Log Len	m	5.0	5.0	5.0	5.0	5.00	5.0				
DBH Class											
10											
15											
20					159.3			159.3			
25					151.9			151.9		60.7	
30					102.3			102.3	39.2		
35				30.1	131.3			161.5			
40					80.9			80.9			
45									14.2		
50					14.0			14.0			
55					10.0			10.0			
60					8.5			8.5			
65					7.4			7.4			
70											
75											
80											
85											
90											
95											
100											
105											
110											
115											
120											
125											
130											
135											
140											
145											
150											
175											
200											
225											
250											
275											
Total				30.1	665.7			695.9			
Dead P					53.4				53.4		
Dead U					60.7					60.7	
Live U											
Average DBH at Five Levels											
12.5+				32.5	31.7			31.7	34.5	22.9	
17.5+				32.5	31.7			31.7	34.5	22.9	
22.5+				32.5	34.6			34.4	34.5	22.9	
27.5+				32.5	37.9			37.5	34.5		
32.5+				32.5	40.5			39.7	47.4		

FLAGS: Compile All Trees, Dry Belt Fir

		F	C	B	S	PL	L	Total	DP	DU	LU
Utilization Limits											
Min DBH	cm (M)	17.5	17.5	17.5	17.5	12.50	17.5				
Stump Ht	cm (M)	30	30	30	30	30.00	30				
Top Dia	cm (M)	10.0	10.0	10.0	10.0	10.00	10.0				
Log Len	m	5.0	5.0	5.0	5.0	5.00	5.0				
DBH Class											
10											
15						762.5		762.5	212.4		
20		28.0				326.9		354.9			
25					22.2	122.2		144.4	34.9		
30		50.4						50.4			
35											
40											
45											
50		0.2						0.2			
55											
60											
65											
70											
75											
80											
85											
90											
95											
100											
105											
110											
115											
120											
125											
130											
135											
140											
145											
150											
175											
200											
225											
250											
275											
Total		78.6			22.2	1211.7		1312.5			
Dead P						247.2			247.2		
Dead U											
Live U											
Average DBH at Five Levels											
12.5+		27.0			22.6	17.6		18.4	16.6		
17.5+		27.0			22.6	20.7		21.8	25.5		
22.5+		30.1			22.6	23.6		25.3	25.5		
27.5+		30.1						30.1			
32.5+		48.6						48.6			

FLAGS: Compile All Trees, Dry Belt Fir

		F	C	B	S	PL	L	Total	DP	DU	LU
Utilization Limits											
Min DBH	cm (M)	17.5	17.5	17.5	17.5	12.50	17.5				
Stump Ht	cm (M)	30	30	30	30	30.00	30				
Top Dia	cm (M)	10.0	10.0	10.0	10.0	10.00	10.0				
Log Len	m	5.0	5.0	5.0	5.0	5.00	5.0				
DBH Class											
10											
15						338.0		338.0	103.9		
20		40.8			36.2	307.1		384.1	34.2		
25		16.8				101.0		117.8	12.2		
30		27.9				26.9		54.8			
35		0.3						0.3			
40									4.5		
45											
50											
55											
60											
65											
70											
75											
80											
85											
90											
95											
100											
105											
110											
115											
120											
125											
130											
135											
140											
145											
150											
175											
200											
225											
250											
275											
Total		85.7			36.2	773.1		895.0			
Dead P		4.5				150.4			154.9		
Dead U											
Live U											
Average DBH at Five Levels											
12.5+		24.4			20.3	18.9		19.5	17.7		
17.5+		24.4			20.3	21.5		21.9	22.3		
22.5+		27.6				25.1		25.8	27.6		
27.5+		30.2				28.1		29.2	37.5		
32.5+		34.5						34.5	37.5		

FLAGS: Compile All Trees, Dry Belt Fir

		F	C	B	S	PL	L	Total	DP	DU	LU
Utilization Limits											
Min DBH	cm (M)	17.5	17.5	17.5	17.5	12.50	17.5				
Stump Ht	cm (M)	30	30	30	30	30.00	30				
Top Dia	cm (M)	10.0	10.0	10.0	10.0	10.00	10.0				
Log Len	m	5.0	5.0	5.0	5.0	5.00	5.0				
DBH Class											
10											
15						3.8		3.8			
20			10.4		3.9	4.7		19.0	10.9		
25			8.0			9.3	10.5	27.9			
30							9.1	9.1	6.0		
35		20.3		15.3	21.1	4.2	22.4	83.5	5.4		
40		14.0			11.8	5.7	11.6	43.1	3.3		
45		0.3	2.8				5.5	8.6			
50		0.8					0.5	1.3	4.9		
55		0.8					0.3	1.0	2.2		
60											
65											
70											
75											
80											
85											
90											
95											
100											
105											
110											
115											
120											
125											
130											
135											
140											
145											
150											
175											
200											
225											
250											
275											
Total		36.2	21.2	15.3	36.9	27.7	59.9	197.1			
Dead P		8.2	8.2				16.3		32.7		
Dead U											
Live U											
Total Volumes (Living)											
17.5+		36.2	21.2	15.3	36.9	23.9	59.9	193.4	32.7		
22.5+		36.2	10.8	15.3	32.9	19.2	59.9	174.4	21.8		
27.5+		36.2	2.8	15.3	32.9	9.9	49.4	146.5	21.8		
32.5+		36.2	2.8	15.3	32.9	9.9	40.3	137.5	15.9		
37.5+		15.8	2.8		11.8	5.7	17.9	54.0	10.4		
42.5+		1.9	2.8				6.3	10.9	7.1		
47.5		1.5					0.8	2.3	7.1		

FLAGS: Compile All Trees, Dry Belt Fir

		F	C	B	S	PL	L	Total	DP	DU	LU
Utilization Limits											
Min DBH	cm (M)	17.5	17.5	17.5	17.5	12.50	17.5				
Stump Ht	cm (M)	30	30	30	30	30.00	30				
Top Dia	cm (M)	10.0	10.0	10.0	10.0	10.00	10.0				
Log Len	m	5.0	5.0	5.0	5.0	5.00	5.0				
DBH Class											
10											
15											
20					40.4			40.4			
25				8.3	20.8	27.1	3.3	59.5	11.5		
30		7.8			26.5	13.3		47.7			
35		4.1			71.7	16.1		91.8			
40					6.1			6.1			
45		0.5			8.7			9.1			
50		0.7			8.2			8.9			
55											
60											
65											
70											
75											
80											
85											
90											
95											
100											
105											
110											
115											
120											
125											
130											
135											
140											
145											
150											
175											
200											
225											
250											
275											
Total		13.1		8.3	182.4	56.4	3.3	263.5			
Dead P					11.5				11.5		
Dead U											
Live U											
Total Volumes (Living)											
17.5+		13.1		8.3	182.4	56.4	3.3	263.5	11.5		
22.5+		13.1		8.3	142.0	56.4	3.3	223.1	11.5		
27.5+		13.1			121.2	29.4		163.6			
32.5+		5.2			94.6	16.1		115.9			
37.5+		1.2			22.9			24.1			
42.5+		1.2			16.8			18.0			
47.5		0.7			8.2			8.9			

FLAGS: Compile All Trees, Dry Belt Fir

		F	C	B	S	PL	L	Total	DP	DU	LU
Utilization Limits											
Min DBH	cm (M)	17.5	17.5	17.5	17.5	12.50	17.5				
Stump Ht	cm (M)	30	30	30	30	30.00	30				
Top Dia	cm (M)	10.0	10.0	10.0	10.0	10.00	10.0				
Log Len	m	5.0	5.0	5.0	5.0	5.00	5.0				
DBH Class											
10											
15									2.1		
20				21.7	20.7	9.8		52.1	5.7	1.0	
25				19.4	33.5	5.7		58.7	5.6	2.6	
30		5.0		9.2	39.2	7.0		60.4	11.4		
35		12.6		5.5	28.2			46.3	7.9	2.0	
40		0.2		3.6	21.9			25.8			
45		0.8			16.2			17.0			
50					15.1			15.1	3.7		
55					5.2			5.2			
60					10.6			10.6			
65											
70											
75											
80											
85											
90											
95											
100											
105											
110											
115											
120											
125											
130											
135											
140											
145											
150											
175											
200											
225											
250											
275											
Total		18.5		59.4	190.6	22.5		291.0			
Dead P						36.4			36.4		
Dead U		3.0		2.6						5.6	
Live U											
Total Volumes (Living)											
17.5+		18.5		59.4	190.6	22.5		291.0	34.3	5.6	
22.5+		18.5		37.7	170.0	12.7		238.9	28.6	4.6	
27.5+		18.5		18.2	136.5	7.0		180.2	23.0	2.0	
32.5+		13.5		9.1	97.3			119.9	11.6	2.0	
37.5+		1.0		3.6	69.0			73.6	3.7		
42.5+		0.8			47.1			47.8	3.7		
47.5					30.8			30.8	3.7		

FLAGS: Compile All Trees, Dry Belt Fir

		F	C	B	S	PL	L	Total	DP	DU	LU
Utilization Limits											
Min DBH	cm (M)	17.5	17.5	17.5	17.5	12.50	17.5				
Stump Ht	cm (M)	30	30	30	30	30.00	30				
Top Dia	cm (M)	10.0	10.0	10.0	10.0	10.00	10.0				
Log Len	m	5.0	5.0	5.0	5.0	5.00	5.0				
DBH Class											
10											
15											
20		7.1		24.9				32.0			
25				44.5				44.5			
30				20.5	22.1	74.2		116.8			
35					46.0	27.2		73.2			
40		19.8			26.0			45.8			
45											
50											
55											
60											
65											
70											
75											
80											
85											
90											
95											
100											
105											
110											
115											
120											
125											
130											
135											
140											
145											
150											
175											
200											
225											
250											
275											
Total		26.9		90.0	94.0	101.3		312.2			
Dead P											
Dead U											
Live U											
Total Volumes (Living)											
17.5+		26.9		90.0	94.0	101.3		312.2			
22.5+		19.8		65.0	94.0	101.3		280.2			
27.5+		19.8		20.5	94.0	101.3		235.7			
32.5+		19.8			72.0	27.2		119.0			
37.5+		19.8			26.0			45.8			
42.5+											
47.5											

FLAGS: Compile All Trees, Dry Belt Fir

		F	C	B	S	PL	L	Total	DP	DU	LU
Utilization Limits											
Min DBH	cm (M)	17.5	17.5	17.5	17.5	12.50	17.5				
Stump Ht	cm (M)	30	30	30	30	30.00	30				
Top Dia	cm (M)	10.0	10.0	10.0	10.0	10.00	10.0				
Log Len	m	5.0	5.0	5.0	5.0	5.00	5.0				
DBH Class											
10											
15											
20					17.1			17.1	21.1		
25				30.6		25.1		55.7	13.7		
30				34.5	30.3			64.9			
35				24.1				24.1			
40		25.4						25.4			
45					50.0			50.0			
50											
55											
60											
65											
70											
75											
80											
85											
90											
95											
100											
105											
110											
115											
120											
125											
130											
135											
140											
145											
150											
175											
200											
225											
250											
275											
Total		25.4		89.2	97.4	25.1		237.1			
Dead P				21.1		13.7			34.8		
Dead U											
Live U											
Total Volumes (Living)											
17.5+		25.4		89.2	97.4	25.1		237.1	34.8		
22.5+		25.4		89.2	80.3	25.1		220.0	13.7		
27.5+		25.4		58.6	80.3			164.3			
32.5+		25.4		24.1	50.0			99.4			
37.5+		25.4			50.0			75.3			
42.5+					50.0			50.0			
47.5											

FLAGS: Compile All Trees, Dry Belt Fir

		F	C	B	S	PL	L	Total	DP	DU	LU
Utilization Limits											
Min DBH	cm (M)	17.5	17.5	17.5	17.5	12.50	17.5				
Stump Ht	cm (M)	30	30	30	30	30.00	30				
Top Dia	cm (M)	10.0	10.0	10.0	10.0	10.00	10.0				
Log Len	m	5.0	5.0	5.0	5.0	5.00	5.0				
DBH Class											
10											
15											
20				8.0				8.0			
25					7.8			7.8	9.8		
30					41.4			41.4			
35					76.3			76.3	10.8		
40					65.5			65.5	13.3		
45					87.7			87.7	10.7		
50					99.2			99.2			
55					21.9			21.9			
60					62.4			62.4			
65											
70											
75											
80											
85											
90											
95											
100											
105											
110											
115											
120											
125											
130											
135											
140											
145											
150											
175											
200											
225											
250											
275											
Total				8.0	462.3			470.3			
Dead P				9.8	34.8				44.6		
Dead U											
Live U											
Total Volumes (Living)											
17.5+				8.0	462.3			470.3	44.6		
22.5+					462.3			462.3	44.6		
27.5+					454.5			454.5	34.8		
32.5+					413.1			413.1	34.8		
37.5+					336.8			336.8	24.0		
42.5+					271.2			271.2	10.7		
47.5					183.6			183.6			

FLAGS: Compile All Trees, Dry Belt Fir

		F	C	B	S	PL	L	Total	DP	DU	LU
Utilization Limits											
Min DBH	cm (M)	17.5	17.5	17.5	17.5	12.50	17.5				
Stump Ht	cm (M)	30	30	30	30	30.00	30				
Top Dia	cm (M)	10.0	10.0	10.0	10.0	10.00	10.0				
Log Len	m	5.0	5.0	5.0	5.0	5.00	5.0				
DBH Class											
10											
15											
20											
25				38.8				38.8			
30					42.8			42.8			
35				51.9				51.9		41.0	
40				88.5	39.3			127.8			
45											
50					149.2			149.2			
55											
60											
65											
70											
75											
80											
85											
90											
95											
100											
105											
110											
115											
120											
125											
130											
135											
140											
145											
150											
175											
200											
225											
250											
275											
Total				179.3	231.3			410.5			
Dead P											
Dead U				41.0						41.0	
Live U											
Total Volumes (Living)											
17.5+				179.3	231.3			410.5		41.0	
22.5+				179.3	231.3			410.5		41.0	
27.5+				140.4	231.3			371.7		41.0	
32.5+				140.4	188.5			328.9		41.0	
37.5+				88.5	188.5			277.0			
42.5+					149.2			149.2			
47.5					149.2			149.2			

FLAGS: Compile All Trees, Dry Belt Fir

		F	C	B	S	PL	L	Total	DP	DU	LU
Utilization Limits											
Min DBH	cm (M)	17.5	17.5	17.5	17.5	12.50	17.5				
Stump Ht	cm (M)	30	30	30	30	30.00	30				
Top Dia	cm (M)	10.0	10.0	10.0	10.0	10.00	10.0				
Log Len	m	5.0	5.0	5.0	5.0	5.00	5.0				
DBH Class											
10											
15											
20					28.9			28.9			
25					64.1			64.1		9.0	
30					68.8			68.8	18.8		
35				19.5	117.1			136.6			
40					99.6			99.6			
45									25.4		
50					29.1			29.1			
55					28.5			28.5			
60					25.4			25.4			
65					27.0			27.0			
70											
75											
80											
85											
90											
95											
100											
105											
110											
115											
120											
125											
130											
135											
140											
145											
150											
175											
200											
225											
250											
275											
Total				19.5	488.5			508.0			
Dead P					44.3				44.3		
Dead U					9.0					9.0	
Live U											
Total Volumes (Living)											
17.5+				19.5	488.5			508.0	44.3	9.0	
22.5+				19.5	459.6			479.1	44.3	9.0	
27.5+				19.5	395.5			415.0	44.3		
32.5+				19.5	326.7			346.1	25.4		
37.5+					209.6			209.6	25.4		
42.5+					109.9			109.9	25.4		
47.5					109.9			109.9			

FLAGS: Compile All Trees, Dry Belt Fir

		F	C	B	S	PL	L	Total	DP	DU	LU
Utilization Limits											
Min DBH	cm (M)	17.5	17.5	17.5	17.5	12.50	17.5				
Stump Ht	cm (M)	30	30	30	30	30.00	30				
Top Dia	cm (M)	10.0	10.0	10.0	10.0	10.00	10.0				
Log Len	m	5.0	5.0	5.0	5.0	5.00	5.0				
DBH Class											
10											
15						97.1		97.1	11.3		
20		5.6				80.8		86.4			
25					5.4	48.6		53.9	11.7		
30		28.2						28.2			
35											
40											
45											
50		0.3						0.3			
55											
60											
65											
70											
75											
80											
85											
90											
95											
100											
105											
110											
115											
120											
125											
130											
135											
140											
145											
150											
175											
200											
225											
250											
275											
Total		34.1			5.4	226.5		265.9			
Dead P						23.0			23.0		
Dead U											
Live U											
Total Volumes (Living)											
17.5+		34.1			5.4	129.4		168.9	11.7		
22.5+		28.6			5.4	48.6		82.5	11.7		
27.5+		28.6						28.6			
32.5+		0.3						0.3			
37.5+		0.3						0.3			
42.5+		0.3						0.3			
47.5		0.3						0.3			

FLAGS: Compile All Trees, Dry Belt Fir

		F	C	B	S	PL	L	Total	DP	DU	LU
Utilization Limits											
Min DBH	cm (M)	17.5	17.5	17.5	17.5	12.50	17.5				
Stump Ht	cm (M)	30	30	30	30	30.00	30				
Top Dia	cm (M)	10.0	10.0	10.0	10.0	10.00	10.0				
Log Len	m	5.0	5.0	5.0	5.0	5.00	5.0				
DBH Class											
10											
15						37.4		37.4	6.7		
20		7.6			7.4	85.2		100.3	4.6		
25		4.2				45.7		49.9	2.7		
30		14.4				16.2		30.6			
35		0.2						0.2			
40									3.2		
45											
50											
55											
60											
65											
70											
75											
80											
85											
90											
95											
100											
105											
110											
115											
120											
125											
130											
135											
140											
145											
150											
175											
200											
225											
250											
275											
Total		26.4			7.4	184.6		218.4			
Dead P		3.2				14.0			17.3		
Dead U											
Live U											
Total Volumes (Living)											
17.5+		26.4			7.4	147.1		180.9	10.5		
22.5+		18.8				61.9		80.7	5.9		
27.5+		14.6				16.2		30.8	3.2		
32.5+		0.2						0.2	3.2		
37.5+									3.2		
42.5+											
47.5											

FLAGS: Compile All Trees, Dry Belt Fir

DBH Class (CM)	HT (M)	Average		Living Trees			Dead Potential	Total	Live Veterans	Dead U	Live U
		Gross Merch. Per Tree (M3)	Net Merch. Per Tree (M3)	Risk Group 1	Risk Group 2	Risk Group 3					
10											
15											
20											
25											
30	23.0	0.481	0.447				13.30	13.30			
35	23.4	0.729	0.714	28.48				28.48			
40	26.2	1.022	1.001	13.96				13.96			
45	26.1	0.065	0.064	0.27				0.27			
50	26.9	0.079	0.075	0.24	0.26			0.50	0.26		
55	22.8	0.623	0.580	0.36			3.57	3.93			
60											
65											
70											
75											
80											
85											
90											
95											
100											
105											
110											
115											
120											
125											
130											
135											
140											
145											
150											
175											
200											
225											
250											
275											
Total of Averages				43.31	0.26		16.88	60.45	0.26		
Percent by Risk Group				71.64	0.44		27.92	100.00	0.44		
Average DBH at 5 Levels											
Trees 12.5+				40.88	50.50		35.79	41.26	50.50		
Trees 17.5+				40.88	50.50		35.79	41.26	50.50		
Trees 22.5+				40.88	50.50		35.79	41.26	50.50		
Trees 27.5+				40.88	50.50		35.79	41.26	50.50		
Trees 32.5+				40.88	50.50		55.00	43.16	50.50		

FLAGS: Compile All Trees, Dry Belt Fir

DBH Class (CM)	HT (M)	Average		Living Trees			Dead Potential	Total	Live Veterans	Dead U	Live U
		Gross Merch. Per Tree (M3)	Net Merch. Per Tree (M3)	Risk Group 1	Risk Group 2	Risk Group 3					
10											
15											
20	11.1	0.097	0.095	41.01				41.01			
25											
30											
35	27.4	1.090	1.069	19.79				19.79			
40	30.7	1.487	1.457	8.10				8.10			
45											
50											
55											
60											
65											
70											
75											
80											
85											
90											
95											
100											
105											
110											
115											
120											
125											
130											
135											
140											
145											
150											
175											
200											
225											
250											
275											
Total of Averages				68.89				68.89			
Percent by Risk Group				100.00				100.00			
Average DBH at 5 Levels											
Trees 12.5+				27.77				27.77			
Trees 17.5+				27.77				27.77			
Trees 22.5+				37.81				37.81			
Trees 27.5+				37.81				37.81			
Trees 32.5+				37.81				37.81			

FLAGS: Compile All Trees, Dry Belt Fir

DBH Class (CM)	HT (M)	Average		Living Trees			Dead Potential	Total	Live Veterans	Dead U	Live U
		Gross Merch. Per Tree (M3)	Net Merch. Per Tree (M3)	Risk Group 1	Risk Group 2	Risk Group 3					
10											
15											
20	13.9	0.157	0.150	68.93				68.93			
25	16.0	0.266	0.256	31.30				31.30			
30											
35											
40	15.3	0.586	0.528				6.25	6.25			
45	21.2	1.161	0.658		4.26			4.26	4.26		
50	23.4	1.380	1.242				3.94	3.94			
55											
60											
65											
70											
75											
80											
85											
90											
95											
100											
105											
110											
115											
120											
125											
130											
135											
140											
145											
150											
175											
200											
225											
250											
275											
Total of Averages				100.23	4.26		10.19	114.67	4.26		
Percent by Risk Group				87.40	3.72		8.88	100.00	3.72		
Average DBH at 5 Levels											
Trees 12.5+				21.67	47.00		42.98	26.69	47.00		
Trees 17.5+				21.67	47.00		42.98	26.69	47.00		
Trees 22.5+				24.52	47.00		42.98	33.60	47.00		
Trees 27.5+					47.00		42.98	44.86	47.00		
Trees 32.5+					47.00		42.98	44.86	47.00		

FLAGS: Compile All Trees, Dry Belt Fir

DBH Class (CM)	HT (M)	Average		Living Trees			Dead Potential	Total	Live Veterans	Dead U	Live U
		Gross Merch. Per Tree (M3)	Net Merch. Per Tree (M3)	Risk Group 1	Risk Group 2	Risk Group 3					
10											
15											
20	19.7	0.220	0.211				51.57	51.57			
25	24.5	0.397	0.383	27.45				27.45			
30	24.2	0.539	0.517	9.02	8.54			17.56			
35	29.9	0.924	0.887	25.78			5.60	31.38			
40	32.0	1.309	1.257	9.25				9.25			
45	31.1	1.482	1.408		3.90			3.90			
50	29.9	0.088	0.084	0.15	0.15			0.31			
55	31.1	0.109	0.104		0.12			0.12			
60											
65											
70											
75											
80											
85											
90											
95											
100											
105											
110											
115											
120											
125											
130											
135											
140											
145											
150											
175											
200											
225											
250											
275											
Total of Averages				71.65	12.72		57.17	141.53			
Percent by Risk Group				50.62	8.99		40.39	100.00			
Average DBH at 5 Levels											
Trees 12.5+				32.29	41.05		23.03	30.40			
Trees 17.5+				32.29	41.05		23.03	30.40			
Trees 22.5+				32.29	41.05		36.80	34.32			
Trees 27.5+				35.88	41.05		36.80	37.34			
Trees 32.5+				37.33	49.04		36.80	39.61			

FLAGS: Compile All Trees, Dry Belt Fir

DBH Class (CM)	HT (M)	Average		Living Trees			Dead Potential	Total	Live Veterans	Dead U	Live U
		Gross Merch. Per Tree (M3)	Net Merch. Per Tree (M3)	Risk Group 1	Risk Group 2	Risk Group 3					
10											
15	19.7	0.142	0.138		27.30			27.30			
20	22.3	0.257	0.251	18.80				18.80			
25	22.1	0.427	0.410		22.79			22.79			
30											
35	21.2	0.765	0.721		5.85			5.85			
40	28.7	1.498	1.398		4.05			4.05			
45											
50											
55											
60											
65											
70											
75											
80											
85											
90											
95											
100											
105											
110											
115											
120											
125											
130											
135											
140											
145											
150											
175											
200											
225											
250											
275											
Total of Averages				18.80	59.98			78.78			
Percent by Risk Group				23.86	76.14			100.00			
Average DBH at 5 Levels											
Trees 12.5+				18.80	23.53			22.49			
Trees 17.5+				18.80	28.51			25.40			
Trees 22.5+					28.51			28.51			
Trees 27.5+					36.63			36.63			
Trees 32.5+					36.63			36.63			

FLAGS: Compile All Trees, Dry Belt Fir

DBH Class (CM)	HT (M)	Average		Living Trees			Dead Potential	Total	Live Veterans	Dead U	Live U
		Gross Merch. Per Tree (M3)	Net Merch. Per Tree (M3)	Risk Group 1	Risk Group 2	Risk Group 3					
10											
15											
20											
25											
30											
35	24.8	0.862	0.750	12.31	8.16			20.47	8.16		
40											
45											
50											
55											
60											
65											
70											
75											
80											
85											
90											
95											
100											
105											
110											
115											
120											
125											
130											
135											
140											
145											
150											
175											
200											
225											
250											
275											
Total of Averages				12.31	8.16			20.47	8.16		
Percent by Risk Group				60.14	39.86			100.00	39.86		
Average DBH at 5 Levels											
Trees 12.5+				34.09	33.10			33.53	33.10		
Trees 17.5+				34.09	33.10			33.53	33.10		
Trees 22.5+				34.09	33.10			33.53	33.10		
Trees 27.5+				34.09	33.10			33.53	33.10		
Trees 32.5+				34.09	33.10			33.53	33.10		

FLAGS: Compile All Trees, Dry Belt Fir

DBH Class (CM)	HT (M)	Average		Living Trees			Dead Potential	Total	Live Veterans	Dead U	Live U
		Gross Merch. Per Tree (M3)	Net Merch. Per Tree (M3)	Risk Group 1	Risk Group 2	Risk Group 3					
10											
15											
20	15.4	0.171	0.168	240.79				240.79			
25	17.9	0.304	0.298	71.19			37.15	108.34			
30	21.9	0.542	0.531	50.01				50.01			
35	24.1	0.864	0.839	68.86	16.61			85.47			
40	21.4	0.880	0.828		7.36			7.36			
45	30.2	1.629	1.542	5.62				5.62	5.62		
50	29.1	1.934	1.818		4.49			4.49			
55											
60											
65											
70											
75											
80											
85											
90											
95											
100											
105											
110											
115											
120											
125											
130											
135											
140											
145											
150											
175											
200											
225											
250											
275											
Total of Averages				436.47	28.46		37.15	502.08	5.62		
Percent by Risk Group				86.93	5.67		7.40	100.00	1.12		
Average DBH at 5 Levels											
Trees 12.5+				24.82	38.13		23.60	25.93	42.90		
Trees 17.5+				24.82	38.13		23.60	25.93	42.90		
Trees 22.5+				29.98	38.13		23.60	30.50	42.90		
Trees 27.5+				32.87	38.13			34.27	42.90		
Trees 32.5+				35.36	38.13			36.53	42.90		

FLAGS: Compile All Trees, Dry Belt Fir

DBH Class (CM)	HT (M)	Average		Living Trees			Dead Potential	Total	Live Veterans	Dead U	Live U
		Gross Merch. Per Tree (M3)	Net Merch. Per Tree (M3)	Risk Group 1	Risk Group 2	Risk Group 3					
10											
15											
20											
25											
30	20.6	0.460	0.450	17.37				17.37			
35	21.5	0.576	0.564	7.23				7.23			
40											
45	25.1	0.065	0.064	0.36				0.36			
50	25.5	0.078	0.077	0.46				0.46			
55											
60											
65											
70											
75											
80											
85											
90											
95											
100											
105											
110											
115											
120											
125											
130											
135											
140											
145											
150											
175											
200											
225											
250											
275											
Total of Averages				25.43				25.43			
Percent by Risk Group				100.00				100.00			
Average DBH at 5 Levels											
Trees 12.5+				38.60				38.60			
Trees 17.5+				38.60				38.60			
Trees 22.5+				38.60				38.60			
Trees 27.5+				38.60				38.60			
Trees 32.5+				44.03				44.03			

FLAGS: Compile All Trees, Dry Belt Fir

DBH Class (CM)	HT (M)	Average		Living Trees			Dead Potential	Total	Live Veterans	Dead U	Live U
		Gross Merch. Per Tree (M3)	Net Merch. Per Tree (M3)	Risk Group 1	Risk Group 2	Risk Group 3					
10											
15											
20											
25	20.7	0.422	0.414	65.47				65.47			
30	20.5	0.508	0.497	26.74				26.74			
35	24.8	0.913	0.895	17.94				17.94			
40											
45											
50											
55											
60											
65											
70											
75											
80											
85											
90											
95											
100											
105											
110											
115											
120											
125											
130											
135											
140											
145											
150											
175											
200											
225											
250											
275											
Total of Averages				110.15				110.15			
Percent by Risk Group				100.00				100.00			
Average DBH at 5 Levels											
Trees 12.5+				27.20				27.20			
Trees 17.5+				27.20				27.20			
Trees 22.5+				27.20				27.20			
Trees 27.5+				30.20				30.20			
Trees 32.5+				33.70				33.70			

FLAGS: Compile All Trees, Dry Belt Fir

DBH Class (CM)	HT (M)	Average		Living Trees			Dead Potential	Total	Live Veterans	Dead U	Live U
		Gross Merch. Per Tree (M3)	Net Merch. Per Tree (M3)	Risk Group 1	Risk Group 2	Risk Group 3					
10											
15											
20											
25	18.2	0.293	0.287	28.88				28.88			
30											
35											
40											
45											
50											
55											
60											
65											
70											
75											
80											
85											
90											
95											
100											
105											
110											
115											
120											
125											
130											
135											
140											
145											
150											
175											
200											
225											
250											
275											
Total of Averages				28.88				28.88			
Percent by Risk Group				100.00				100.00			
Average DBH at 5 Levels											
Trees 12.5+				23.00				23.00			
Trees 17.5+				23.00				23.00			
Trees 22.5+				23.00				23.00			
Trees 27.5+											
Trees 32.5+											

FLAGS: Compile All Trees, Dry Belt Fir

DBH Class (CM)	HT (M)	Average		Living Trees			Dead Potential	Total	Live Veterans	Dead U	Live U
		Gross Merch. Per Tree (M3)	Net Merch. Per Tree (M3)	Risk Group 1	Risk Group 2	Risk Group 3					
10											
15											
20											
25	25.6	0.472	0.458	7.20				7.20			
30											
35											
40											
45											
50											
55											
60											
65											
70											
75											
80											
85											
90											
95											
100											
105											
110											
115											
120											
125											
130											
135											
140											
145											
150											
175											
200											
225											
250											
275											
Total of Averages				7.20				7.20			
Percent by Risk Group				100.00				100.00			
Average DBH at 5 Levels											
Trees 12.5+				26.60				26.60			
Trees 17.5+				26.60				26.60			
Trees 22.5+				26.60				26.60			
Trees 27.5+											
Trees 32.5+											

FLAGS: Compile All Trees, Dry Belt Fir

DBH Class (CM)	HT (M)	Average		Living Trees			Dead Potential	Total	Live Veterans	Dead U	Live U
		Gross Merch. Per Tree (M3)	Net Merch. Per Tree (M3)	Risk Group 1	Risk Group 2	Risk Group 3					
10											
15											
20	20.4	0.233	0.227	55.03	40.46			95.49			
25	22.5	0.432	0.417	14.00	32.67			46.67		14.37	
30	22.0	0.557	0.518		17.68			17.68			
35	26.3	1.070	0.995		5.49			5.49			
40	24.7	1.349	0.893		4.05			4.05	4.05		
45											
50											
55											
60											
65											
70											
75											
80											
85											
90											
95											
100											
105											
110											
115											
120											
125											
130											
135											
140											
145											
150											
175											
200											
225											
250											
275											
Total of Averages				69.03	100.35			169.38	4.05	14.37	
Percent by Risk Group				40.75	59.25			100.00	2.39	8.49	
Average DBH at 5 Levels											
Trees 12.5+				20.53	25.54			24.11	42.40	22.50	
Trees 17.5+				20.53	25.54			24.11	42.40	22.50	
Trees 22.5+				22.80	29.16			28.08	42.40	22.50	
Trees 27.5+					32.70			34.11	42.40		
Trees 32.5+					39.06			40.08	42.40		

FLAGS: Compile All Trees, Dry Belt Fir

DBH Class (CM)	HT (M)	Average		Living Trees			Dead Potential	Total	Live Veterans	Dead U	Live U
		Gross Merch. Per Tree (M3)	Net Merch. Per Tree (M3)	Risk Group 1	Risk Group 2	Risk Group 3					
10											
15											
20	20.0	0.240	0.233	54.30	34.37			88.67			
25	19.8	0.365	0.356	71.17	22.94			94.11			
30	23.2	0.658	0.639	53.85	7.47			61.33			
35	27.0	1.017	0.983	23.27	5.46			28.73			
40	26.6	1.259	1.214	13.37	4.69			18.06			
45	27.0	1.565	1.486	3.95	6.97			10.93			
50	25.5	1.956	1.859	2.78	5.32			8.10			
55	28.8	2.311	2.013		2.58			2.58	2.58		
60	28.9	2.967	2.676		3.96			3.96	1.89		
65											
70											
75											
80											
85											
90											
95											
100											
105											
110											
115											
120											
125											
130											
135											
140											
145											
150											
175											
200											
225											
250											
275											
Total of Averages				222.70	93.77			316.47	4.47		
Percent by Risk Group				70.37	29.63			100.00	1.41		
Average DBH at 5 Levels											
Trees 12.5+				28.58	32.96			30.49	57.04		
Trees 17.5+				28.58	32.96			30.49	57.04		
Trees 22.5+				30.83	38.34			33.58	57.04		
Trees 27.5+				34.60	44.67			38.40	57.04		
Trees 32.5+				38.86	47.53			43.52	57.04		

FLAGS: Compile All Trees, Dry Belt Fir

	Average			Living Trees							
DBH Class (CM)	HT (M)	Gross Merch. Per Tree (M3)	Net Merch. Per Tree (M3)	Risk Group 1	Risk Group 2	Risk Group 3	Dead Potential	Total	Live Veterans	Dead U	Live U
10											
15	14.2	0.126	0.087				24.31	24.31			
20	19.5	0.283	0.237		34.11		31.13	65.24			
25	20.0	0.406	0.324		10.36		24.72	35.08			
30	25.3	0.734	0.555		8.42		24.75	33.17			
35	25.3	0.946	0.627				12.63	12.63			
40											
45											
50	26.1	1.795	1.149				3.20	3.20			
55											
60											
65											
70											
75											
80											
85											
90											
95											
100											
105											
110											
115											
120											
125											
130											
135											
140											
145											
150											
175											
200											
225											
250											
275											
Total of Averages					52.89		120.74	173.63			
Percent by Risk Group					30.46		69.54	100.00			
Average DBH at 5 Levels											
Trees 12.5+					23.46		25.75	25.07			
Trees 17.5+					23.46		27.47	26.12			
Trees 22.5+					27.84		29.86	29.42			
Trees 27.5+					29.40		32.80	32.24			
Trees 32.5+							37.14	37.14			

FLAGS: Compile All Trees, Dry Belt Fir

DBH Class (CM)	HT (M)	Average		Living Trees			Dead Potential	Total	Live Veterans	Dead U	Live U
		Gross Merch. Per Tree (M3)	Net Merch. Per Tree (M3)	Risk Group 1	Risk Group 2	Risk Group 3					
10											
15											
20										22.71	
25											
30	27.3	0.701	0.680	7.33				7.33			
35	23.4	0.744	0.724	17.34				17.34		5.94	
40	25.2	0.046	0.045	0.25				0.25			
45	29.5	0.073	0.069	0.18	0.37			0.55			
50											
55											
60											
65											
70											
75											
80											
85											
90											
95											
100											
105											
110											
115											
120											
125											
130											
135											
140											
145											
150											
175											
200											
225											
250											
275											
Total of Averages				25.10	0.37			25.48		28.65	
Percent by Risk Group				98.53	1.47			100.00		112.44	
Average DBH at 5 Levels											
Trees 12.5+				36.20	44.09			32.37		22.54	
Trees 17.5+				36.20	44.09			32.37		22.54	
Trees 22.5+				36.20	44.09			37.43		35.00	
Trees 27.5+				36.20	44.09			37.43		35.00	
Trees 32.5+				37.42	44.09			38.43		35.00	

FLAGS: Compile All Trees, Dry Belt Fir

DBH Class (CM)	HT (M)	Average		Living Trees			Dead Potential	Total	Live Veterans	Dead U	Live U
		Gross Merch. Per Tree (M3)	Net Merch. Per Tree (M3)	Risk Group 1	Risk Group 2	Risk Group 3					
10											
15											
20	24.3	0.369	0.362	68.89				68.89			
25	21.9	0.373	0.364	122.27				122.27			
30	24.5	0.758	0.608	33.79				33.79	33.79		
35											
40											
45											
50											
55											
60											
65											
70											
75											
80											
85											
90											
95											
100											
105											
110											
115											
120											
125											
130											
135											
140											
145											
150											
175											
200											
225											
250											
275											
Total of Averages				224.95				224.95	33.79		
Percent by Risk Group				100.00				100.00	15.02		
Average DBH at 5 Levels											
Trees 12.5+				24.57				25.61	31.70		
Trees 17.5+				24.57				25.61	31.70		
Trees 22.5+				25.55				26.75	31.70		
Trees 27.5+				31.70				31.70	31.70		
Trees 32.5+											

FLAGS: Compile All Trees, Dry Belt Fir

DBH Class (CM)	HT (M)	Average		Living Trees			Dead Potential	Total	Live Veterans	Dead U	Live U
		Gross Merch. Per Tree (M3)	Net Merch. Per Tree (M3)	Risk Group 1	Risk Group 2	Risk Group 3					
10											
15											
20											
25											
30	22.3	0.683	0.669	32.95				32.95			
35	23.5	0.817	0.797	57.72				57.72			
40	27.7	1.348	1.267		20.50			20.50			
45											
50											
55											
60											
65											
70											
75											
80											
85											
90											
95											
100											
105											
110											
115											
120											
125											
130											
135											
140											
145											
150											
175											
200											
225											
250											
275											
Total of Averages				90.67	20.50			111.16			
Percent by Risk Group				81.56	18.44			100.00			
Average DBH at 5 Levels											
Trees 12.5+				33.52	40.70			34.95			
Trees 17.5+				33.52	40.70			34.95			
Trees 22.5+				33.52	40.70			34.95			
Trees 27.5+				33.52	40.70			34.95			
Trees 32.5+				34.30	40.70			36.09			

FLAGS: Compile All Trees, Dry Belt Fir

DBH Class (CM)	HT (M)	Average		Living Trees			Dead Potential	Total	Live Veterans	Dead U	Live U
		Gross Merch. Per Tree (M3)	Net Merch. Per Tree (M3)	Risk Group 1	Risk Group 2	Risk Group 3					
10											
15											
20	9.2	0.099	0.097	73.45				73.45			
25											
30											
35											
40	23.8	0.464	0.455	21.79				21.79			
45											
50											
55											
60											
65											
70											
75											
80											
85											
90											
95											
100											
105											
110											
115											
120											
125											
130											
135											
140											
145											
150											
175											
200											
225											
250											
275											
Total of Averages				95.24				95.24			
Percent by Risk Group				100.00				100.00			
Average DBH at 5 Levels											
Trees 12.5+				29.50				29.50			
Trees 17.5+				29.50				29.50			
Trees 22.5+				39.48				39.48			
Trees 27.5+				39.48				39.48			
Trees 32.5+				39.48				39.48			

FLAGS: Compile All Trees, Dry Belt Fir

DBH Class (CM)	HT (M)	Average		Living Trees			Dead Potential	Total	Live Veterans	Dead U	Live U
		Gross Merch. Per Tree (M3)	Net Merch. Per Tree (M3)	Risk Group 1	Risk Group 2	Risk Group 3					
10											
15											
20											
25											
30	23.3	0.659	0.627		118.23			118.23			
35	26.1	0.999	0.942		28.86			28.86			
40											
45											
50											
55											
60											
65											
70											
75											
80											
85											
90											
95											
100											
105											
110											
115											
120											
125											
130											
135											
140											
145											
150											
175											
200											
225											
250											
275											
Total of Averages					147.09			147.09			
Percent by Risk Group					100.00			100.00			
Average DBH at 5 Levels											
Trees 12.5+					30.39			30.39			
Trees 17.5+					30.39			30.39			
Trees 22.5+					30.39			30.39			
Trees 27.5+					30.39			30.39			
Trees 32.5+					34.30			34.30			

FLAGS: Compile All Trees, Dry Belt Fir

DBH Class (CM)	HT (M)	Average		Living Trees			Dead Potential	Total	Live Veterans	Dead U	Live U
		Gross Merch. Per Tree (M3)	Net Merch. Per Tree (M3)	Risk Group 1	Risk Group 2	Risk Group 3					
10											
15											
20	17.2	0.172	0.168				125.36	125.36			
25	24.0	0.442	0.429	71.29				71.29			
30	28.2	0.830	0.772		44.74			44.74			
35	24.9	0.978	0.909		26.49			26.49			
40											
45											
50											
55											
60											
65											
70											
75											
80											
85											
90											
95											
100											
105											
110											
115											
120											
125											
130											
135											
140											
145											
150											
175											
200											
225											
250											
275											
Total of Averages				71.29	71.23		125.36	267.88			
Percent by Risk Group				26.61	26.59		46.80	100.00			
Average DBH at 5 Levels											
Trees 12.5+				24.40	32.75		18.40	24.54			
Trees 17.5+				24.40	32.75		18.40	24.54			
Trees 22.5+				24.40	32.75			28.88			
Trees 27.5+					32.75			32.75			
Trees 32.5+					35.80			35.80			

FLAGS: Compile All Trees, Dry Belt Fir

DBH Class (CM)	HT (M)	Average		Living Trees			Dead Potential	Total	Live Veterans	Dead U	Live U
		Gross Merch. Per Tree (M3)	Net Merch. Per Tree (M3)	Risk Group 1	Risk Group 2	Risk Group 3					
10											
15											
20											
25											
30											
35											
40	25.7	0.543	0.505		25.13			25.13			
45											
50											
55											
60											
65											
70											
75											
80											
85											
90											
95											
100											
105											
110											
115											
120											
125											
130											
135											
140											
145											
150											
175											
200											
225											
250											
275											
Total of Averages					25.13			25.13			
Percent by Risk Group					100.00			100.00			
Average DBH at 5 Levels											
Trees 12.5+					41.10			41.10			
Trees 17.5+					41.10			41.10			
Trees 22.5+					41.10			41.10			
Trees 27.5+					41.10			41.10			
Trees 32.5+					41.10			41.10			

FLAGS: Compile All Trees, Dry Belt Fir

DBH Class (CM)	HT (M)	Average		Living Trees			Dead Potential	Total	Live Veterans	Dead U	Live U
		Gross Merch. Per Tree (M3)	Net Merch. Per Tree (M3)	Risk Group 1	Risk Group 2	Risk Group 3					
10											
15											
20											
25	20.8	0.402	0.337		63.08		52.22	115.30			
30											
35											
40											
45											
50											
55											
60											
65											
70											
75											
80											
85											
90											
95											
100											
105											
110											
115											
120											
125											
130											
135											
140											
145											
150											
175											
200											
225											
250											
275											
Total of Averages					63.08		52.22	115.30			
Percent by Risk Group					54.71		45.29	100.00			
Average DBH at 5 Levels											
Trees 12.5+					23.20		25.50	24.27			
Trees 17.5+					23.20		25.50	24.27			
Trees 22.5+					23.20		25.50	24.27			
Trees 27.5+											
Trees 32.5+											

FLAGS: Compile All Trees, Dry Belt Fir

DBH Class (CM)	HT (M)	Average		Living Trees			Dead Potential	Total	Live Veterans	Dead U	Live U
		Gross Merch. Per Tree (M3)	Net Merch. Per Tree (M3)	Risk Group 1	Risk Group 2	Risk Group 3					
10											
15											
20	14.9	0.144	0.138		124.01			124.01			
25											
30	24.5	0.628	0.609	49.78				49.78			
35											
40											
45	27.0	1.542	1.449		34.47			34.47			
50											
55											
60											
65											
70											
75											
80											
85											
90											
95											
100											
105											
110											
115											
120											
125											
130											
135											
140											
145											
150											
175											
200											
225											
250											
275											
Total of Averages				49.78	158.47			208.25			
Percent by Risk Group				23.90	76.10			100.00			
Average DBH at 5 Levels											
Trees 12.5+				29.20	26.39			27.09			
Trees 17.5+				29.20	26.39			27.09			
Trees 22.5+				29.20	44.39			36.19			
Trees 27.5+				29.20	44.39			36.19			
Trees 32.5+					44.39			44.39			

FLAGS: Compile All Trees, Dry Belt Fir

DBH Class (CM)	HT (M)	Average		Living Trees			Dead Potential	Total	Live Veterans	Dead U	Live U
		Gross Merch. Per Tree (M3)	Net Merch. Per Tree (M3)	Risk Group 1	Risk Group 2	Risk Group 3					
10											
15											
20											
25	11.5	0.165	0.155		50.30			50.30	50.30		
30	28.6	0.865	0.816	26.16	24.56			50.72	50.72		
35	25.4	0.918	0.832	64.23	21.27		19.22	104.72	85.50		
40	30.0	1.396	1.219	30.60	16.24		17.82	64.66	46.83		
45	30.1	1.744	1.537	38.41	13.40		12.25	64.05	51.80		
50	35.7	2.500	2.358	42.09				42.09	42.09		
55	32.2	2.722	2.559	8.57				8.57	8.57		
60	33.8	3.458	2.978		20.95			20.95	20.95		
65											
70											
75											
80											
85											
90											
95											
100											
105											
110											
115											
120											
125											
130											
135											
140											
145											
150											
175											
200											
225											
250											
275											
Total of Averages				210.05	146.72		49.29	406.06	356.77		
Percent by Risk Group				51.73	36.13		12.14	100.00	87.86		
Average DBH at 5 Levels											
Trees 12.5+				41.20	37.26		39.37	39.61	39.63		
Trees 17.5+				41.20	37.26		39.37	39.61	39.63		
Trees 22.5+				41.20	37.26		39.37	39.61	39.63		
Trees 27.5+				41.20	43.00		39.37	41.60	41.77		
Trees 32.5+				42.43	46.11		39.37	43.15	43.50		

FLAGS: Compile All Trees, Dry Belt Fir

DBH Class (CM)	HT (M)	Average		Living Trees			Dead Potential	Total	Live Veterans	Dead U	Live U
		Gross Merch. Per Tree (M3)	Net Merch. Per Tree (M3)	Risk Group 1	Risk Group 2	Risk Group 3					
10											
15											
20	12.3	0.137	0.121	66.29				66.29	66.29		
25	13.4	0.281	0.270				36.26	36.26			
30											
35											
40											
45											
50											
55											
60											
65											
70											
75											
80											
85											
90											
95											
100											
105											
110											
115											
120											
125											
130											
135											
140											
145											
150											
175											
200											
225											
250											
275											
Total of Averages				66.29			36.26	102.55	66.29		
Percent by Risk Group				64.64			35.36	100.00	64.64		
Average DBH at 5 Levels											
Trees 12.5+				19.60			26.50	21.27	19.60		
Trees 17.5+				19.60			26.50	21.27	19.60		
Trees 22.5+							26.50	26.50			
Trees 27.5+											
Trees 32.5+											

FLAGS: Compile All Trees, Dry Belt Fir

DBH Class (CM)	HT (M)	Average		Living Trees			Dead Potential	Total	Live Veterans	Dead U	Live U
		Gross Merch. Per Tree (M3)	Net Merch. Per Tree (M3)	Risk Group 1	Risk Group 2	Risk Group 3					
10											
15											
20											
25	20.7	0.440	0.422		92.04			92.04			
30											
35	28.5	1.226	1.140		45.51			45.51		51.67	
40	28.4	1.516	1.214		72.92			72.92	37.50		
45											
50											
55											
60											
65											
70											
75											
80											
85											
90											
95											
100											
105											
110											
115											
120											
125											
130											
135											
140											
145											
150											
175											
200											
225											
250											
275											
Total of Averages					210.47			210.47	37.50	51.67	
Percent by Risk Group					100.00			100.00	17.82	24.55	
Average DBH at 5 Levels											
Trees 12.5+					34.78			35.70	41.20	35.10	
Trees 17.5+					34.78			35.70	41.20	35.10	
Trees 22.5+					34.78			35.70	41.20	35.10	
Trees 27.5+					40.16			39.16	41.20	35.10	
Trees 32.5+					40.16			39.16	41.20	35.10	

FLAGS: Compile All Trees, Dry Belt Fir

DBH Class (CM)	HT (M)	Average		Living Trees			Dead Potential	Total	Live Veterans	Dead U	Live U
		Gross Merch. Per Tree (M3)	Net Merch. Per Tree (M3)	Risk Group 1	Risk Group 2	Risk Group 3					
10											
15											
20											
25											
30	23.9	0.687	0.646		66.25			66.25			
35											
40	23.3	1.052	0.952		41.22			41.22	41.22		
45											
50	29.5	2.090	1.927		77.44			77.44	28.10		
55											
60											
65											
70											
75											
80											
85											
90											
95											
100											
105											
110											
115											
120											
125											
130											
135											
140											
145											
150											
175											
200											
225											
250											
275											
Total of Averages					184.90			184.90	69.32		
Percent by Risk Group					100.00			100.00	37.49		
Average DBH at 5 Levels											
Trees 12.5+					41.49			41.87	42.86		
Trees 17.5+					41.49			41.87	42.86		
Trees 22.5+					41.49			41.87	42.86		
Trees 27.5+					41.49			41.87	42.86		
Trees 32.5+					46.33			45.08	42.86		

FLAGS: Compile All Trees, Dry Belt Fir

DBH Class (CM)	HT (M)	Average		Living Trees			Dead Potential	Total	Live Veterans	Dead U	Live U
		Gross Merch. Per Tree (M3)	Net Merch. Per Tree (M3)	Risk Group 1	Risk Group 2	Risk Group 3					
10											
15											
20	16.4	0.189	0.181	82.86	76.49			159.35	76.49		
25	23.4	0.443	0.422	60.17	91.71			151.89	106.90	60.70	
30	24.4	0.657	0.620	30.70	71.59		39.19	141.48	61.40		
35	26.2	0.945	0.892	22.76	108.58			131.33	22.76		
40	29.1	1.349	1.231		80.92			80.92	60.83		
45	29.4	1.909	1.795				14.17	14.17			
50	33.4	2.206	2.080	13.99				13.99	13.99		
55	36.1	3.255	2.835		10.04			10.04	10.04		
60	33.1	3.463	2.982		8.53			8.53	8.53		
65	32.6	3.889	3.644	7.40				7.40	7.40		
70											
75											
80											
85											
90											
95											
100											
105											
110											
115											
120											
125											
130											
135											
140											
145											
150											
175											
200											
225											
250											
275											
Total of Averages				217.87	447.86		53.36	719.09	368.33	60.70	
Percent by Risk Group				30.30	62.28		7.42	100.00	51.22	8.44	
Average DBH at 5 Levels											
Trees 12.5+				29.61	32.65		34.54	32.03	33.52	22.90	
Trees 17.5+				29.61	32.65		34.54	32.03	33.52	22.90	
Trees 22.5+				34.33	34.64		34.54	34.44	36.18	22.90	
Trees 27.5+				41.25	36.96		34.54	38.77	41.49		
Trees 32.5+				46.51	39.11		47.40	42.38	45.40		

FLAGS: Compile All Trees, Dry Belt Fir

DBH Class (CM)	HT (M)	Average		Living Trees			Dead Potential	Total	Live Veterans	Dead U	Live U
		Gross Merch. Per Tree (M3)	Net Merch. Per Tree (M3)	Risk Group 1	Risk Group 2	Risk Group 3					
10											
15											
20											
25											
30											
35	21.5	0.694	0.646		30.14			30.14			
40											
45											
50											
55											
60											
65											
70											
75											
80											
85											
90											
95											
100											
105											
110											
115											
120											
125											
130											
135											
140											
145											
150											
175											
200											
225											
250											
275											
Total of Averages					30.14			30.14			
Percent by Risk Group					100.00			100.00			
Average DBH at 5 Levels											
Trees 12.5+					32.50			32.50			
Trees 17.5+					32.50			32.50			
Trees 22.5+					32.50			32.50			
Trees 27.5+					32.50			32.50			
Trees 32.5+					32.50			32.50			

FLAGS: Compile All Trees, Dry Belt Fir

DBH Class (CM)	HT (M)	Average		Living Trees			Dead Potential	Total	Live Veterans	Dead U	Live U
		Gross Merch. Per Tree (M3)	Net Merch. Per Tree (M3)	Risk Group 1	Risk Group 2	Risk Group 3					
10											
15											
20	19.9	0.202	0.198	28.01				28.01			
25											
30	25.0	0.579	0.561	35.53	14.86			50.39			
35											
40											
45											
50	25.0	0.072	0.067		0.24			0.24	0.24		
55											
60											
65											
70											
75											
80											
85											
90											
95											
100											
105											
110											
115											
120											
125											
130											
135											
140											
145											
150											
175											
200											
225											
250											
275											
Total of Averages				63.55	15.10			78.64	0.24		
Percent by Risk Group				80.80	19.20			100.00	0.30		
Average DBH at 5 Levels											
Trees 12.5+				26.69	33.94			30.01	48.60		
Trees 17.5+				26.69	33.94			30.01	48.60		
Trees 22.5+				30.91	33.94			33.65	48.60		
Trees 27.5+				30.91	33.94			33.65	48.60		
Trees 32.5+					48.60			48.60	48.60		

FLAGS: Compile All Trees, Dry Belt Fir

DBH Class (CM)	HT (M)	Average		Living Trees			Dead Potential	Total	Live Veterans	Dead U	Live U
		Gross Merch. Per Tree (M3)	Net Merch. Per Tree (M3)	Risk Group 1	Risk Group 2	Risk Group 3					
10											
15	18.2	0.120	0.111	224.38	538.14		212.36	974.89			
20	20.7	0.256	0.247	63.06	263.82			326.88			
25	22.5	0.430	0.384	41.35	80.90		34.85	157.10			
30											
35											
40											
45											
50											
55											
60											
65											
70											
75											
80											
85											
90											
95											
100											
105											
110											
115											
120											
125											
130											
135											
140											
145											
150											
175											
200											
225											
250											
275											
Total of Averages				328.79	882.86		247.21	1458.86			
Percent by Risk Group				22.54	60.52		16.95	100.00			
Average DBH at 5 Levels											
Trees 12.5+				17.60	17.54		16.57	17.39			
Trees 17.5+				20.82	20.66		25.49	21.08			
Trees 22.5+				23.40	23.66		25.49	24.01			
Trees 27.5+											
Trees 32.5+											

FLAGS: Compile All Trees, Dry Belt Fir

DBH Class (CM)	HT (M)	Average		Living Trees			Dead Potential	Total	Live Veterans	Dead U	Live U
		Gross Merch. Per Tree (M3)	Net Merch. Per Tree (M3)	Risk Group 1	Risk Group 2	Risk Group 3					
10											
15											
20											
25	16.5	0.247	0.242	22.16				22.16			
30											
35											
40											
45											
50											
55											
60											
65											
70											
75											
80											
85											
90											
95											
100											
105											
110											
115											
120											
125											
130											
135											
140											
145											
150											
175											
200											
225											
250											
275											
Total of Averages				22.16				22.16			
Percent by Risk Group				100.00				100.00			
Average DBH at 5 Levels											
Trees 12.5+				22.60				22.60			
Trees 17.5+				22.60				22.60			
Trees 22.5+				22.60				22.60			
Trees 27.5+											
Trees 32.5+											

FLAGS: Compile All Trees, Dry Belt Fir

DBH Class (CM)	HT (M)	Average		Living Trees			Dead Potential	Total	Live Veterans	Dead U	Live U
		Gross Merch. Per Tree (M3)	Net Merch. Per Tree (M3)	Risk Group 1	Risk Group 2	Risk Group 3					
10											
15											
20	18.3	0.191	0.187	40.79				40.79			
25	19.7	0.254	0.249	16.77				16.77			
30	23.4	0.547	0.516	9.31	18.61			27.91			
35	22.1	0.033	0.032	0.27				0.27			
40	21.9	0.771	0.717				4.53	4.53			
45											
50											
55											
60											
65											
70											
75											
80											
85											
90											
95											
100											
105											
110											
115											
120											
125											
130											
135											
140											
145											
150											
175											
200											
225											
250											
275											
Total of Averages				67.13	18.61		4.53	90.27			
Percent by Risk Group				74.37	20.61		5.02	100.00			
Average DBH at 5 Levels											
Trees 12.5+				23.63	30.21		37.50	25.84			
Trees 17.5+				23.63	30.21		37.50	25.84			
Trees 22.5+				27.26	30.21		37.50	29.25			
Trees 27.5+				31.84	30.21		37.50	31.79			
Trees 32.5+				34.50			37.50	35.91			

FLAGS: Compile All Trees, Dry Belt Fir

DBH Class (CM)	HT (M)	Average		Living Trees			Dead Potential	Total	Live Veterans	Dead U	Live U
		Gross Merch. Per Tree (M3)	Net Merch. Per Tree (M3)	Risk Group 1	Risk Group 2	Risk Group 3					
10											
15	17.9	0.110	0.100	90.36	247.65		103.95	441.95			
20	21.5	0.278	0.263	36.18	270.95		34.21	341.34			
25	23.3	0.454	0.427	13.05	87.99		12.25	113.29			
30	24.3	0.633	0.602		26.91			26.91			
35											
40											
45											
50											
55											
60											
65											
70											
75											
80											
85											
90											
95											
100											
105											
110											
115											
120											
125											
130											
135											
140											
145											
150											
175											
200											
225											
250											
275											
Total of Averages				139.60	633.50		150.40	923.49			
Percent by Risk Group				15.12	68.60		16.29	100.00			
Average DBH at 5 Levels											
Trees 12.5+				17.44	19.20		16.80	18.57			
Trees 17.5+				21.77	21.49		20.28	21.41			
Trees 22.5+				25.50	25.06		22.80	24.91			
Trees 27.5+					28.08			28.08			
Trees 32.5+											

FLAGS: Compile All Trees, Dry Belt Fir

DBH Class (CM)	HT (M)	Average		Living Trees			Dead Potential	Total	Live Veterans	Dead U	Live U
		Gross Merch. Per Tree (M3)	Net Merch. Per Tree (M3)	Risk Group 1	Risk Group 2	Risk Group 3					
10											
15											
20	17.9	0.212	0.205	15.15	21.01			36.16			
25											
30											
35											
40											
45											
50											
55											
60											
65											
70											
75											
80											
85											
90											
95											
100											
105											
110											
115											
120											
125											
130											
135											
140											
145											
150											
175											
200											
225											
250											
275											
Total of Averages				15.15	21.01			36.16			
Percent by Risk Group				41.89	58.11			100.00			
Average DBH at 5 Levels											
Trees 12.5+				20.50	20.10			20.27			
Trees 17.5+				20.50	20.10			20.27			
Trees 22.5+											
Trees 27.5+											
Trees 32.5+											

FLAGS: Compile All Trees, Dry Belt Fir

Block	Strip	Plot	Type	HM	Slope	Strip	Plot	Type	HM	Slope	Strip	Plot	Type	HM	Slope	Strip	Plot	Type	HM	Slope
463	3	12	1	SS	25	2	22	1	SS	26	1	30	1	SS	35					
	3	13	1	SS	30	2	23	1	SS	36	2	31	1	SS	22					
	3	15	1	SS	6	1	24	1	SS	30	1	32	1	SS	27					
	3	16	1	SS	27	1	25	1	SS	28	1	33	1	SS	33					
	3	17	1	SS	46	2	26	1	SS	27	1	34	1	SS	13					
	3	18	1	SS	10	2	27	1	SS	23	1	35	1	SS	28					
	3	19	1	SS	11	1	28	1	SS	17	1	36	1	SS	37					
	3	21	1	SS	12	1	29	1	SS	28										

Block Summary

Total Slope %: 577

Total Plots: 23

Weighted Avg. Slope %: 25.1

Arithmetic Avg. Slope %: 25.1

Block	Strip	Plot	Type	HM	Slope	Strip	Plot	Type	HM	Slope	Strip	Plot	Type	HM	Slope	Strip	Plot	Type	HM	Slope
466	4	53	4	SC	13	5	60	4	SC	15	2	68	4	SC	23					
	4	54	4	SC	11	2	61	4	SC	15	6	69	4	SC	18					
	4	55	4	SC	16	2	62	4	SC	14	6	70	4	SC	18					
	4	56	4	SC	17	2	63	4	SC	16	1	71	4	SC	20					
	4	57	4	SC	25	3	64	4	SC	17	1	72	4	SC	25					
	3	58	4	SC	22	5	65	4	SC	24	6	73	4	SC	33					
	3	59	4	SC	18	1	67	4	SC	20										

Block Summary

Total Slope %: 380

Total Plots: 20

Weighted Avg. Slope %: 19.0

Arithmetic Avg. Slope %: 19.0

Block	Strip	Plot	Type	HM	Slope	Strip	Plot	Type	HM	Slope	Strip	Plot	Type	HM	Slope	Strip	Plot	Type	HM	Slope
467	5	74	5	SC	18	3	81	5	SC	20	1	87	5	SC	5					
	3	75	5	SC	15	2	82	5	SC	14	1	88	5	SC	5					
	3	77	5	SC	27	3	83	5	SC	24										
	2	78	5	SC	11	2	84	5	SC	16										
	2	79	5	SC	17	1	85	5	SC	3										
	4	80	5	SC	21	1	86	5	SC	5										

Block Summary

Total Slope %: 201

Total Plots: 14

Weighted Avg. Slope %: 14.4

Arithmetic Avg. Slope %: 14.4

Block	Strip	Plot	Type	HM	Slope	Strip	Plot	Type	HM	Slope	Strip	Plot	Type	HM	Slope	Strip	Plot	Type	HM	Slope
468	2	90	6	SC	20															
	2	91	6	SC	27															
	2	92	6	SC	17															

Block Summary

Total Slope %: 64

Total Plots: 3

Weighted Avg. Slope %: 21.3

Arithmetic Avg. Slope %: 21.3

Block	Strip	Plot	Type	HM	Slope	Strip	Plot	Type	HM	Slope	Strip	Plot	Type	HM	Slope	Strip	Plot	Type	HM	Slope
469	2	105	7	SC	37															
	2	108	7	SC	42															
	2	109	7	SC	27															

Block Summary

Total Slope %: 106

Total Plots: 3

Weighted Avg. Slope %: 35.3

Arithmetic Avg. Slope %: 35.3

Block	Strip	Plot	Type	HM	Slope	Strip	Plot	Type	HM	Slope	Strip	Plot	Type	HM	Slope	Strip	Plot	Type	HM	Slope
470	1	100	8	SC	9	1	106	8	SC	46										
	1	101	8	SC	5															
	1	102	8	SC	13															
	1	103	8	SC	3															

Block Summary

Total Slope %: 76

Total Plots: 5

Weighted Avg. Slope %: 15.2

Arithmetic Avg. Slope %: 15.2

Block	Strip	Plot	Type	HM	Slope	Strip	Plot	Type	HM	Slope	Strip	Plot	Type	HM	Slope	Strip	Plot	Type	HM	Slope
471	1	98	9	SC	4															
	1	99	9	SC	5															

Block Summary

Total Slope %: 9

Total Plots: 2

Weighted Avg. Slope %: 4.5

Arithmetic Avg. Slope %: 4.5

Block	Strip	Plot	Type	HM	Slope	Strip	Plot	Type	HM	Slope	Strip	Plot	Type	HM	Slope	Strip	Plot	Type	HM	Slope
472	2	93	10	SC	50	1	96	10	SC	27										
	2	94	10	SC	5															
	1	95	10	SC	40															
Block Summary	Total Slope %: 122				Total Plots: 4				Weighted Avg. Slope %: 30.5				Arithmetic Avg. Slope %: 30.5							
Block	Strip	Plot	Type	HM	Slope	Strip	Plot	Type	HM	Slope	Strip	Plot	Type	HM	Slope	Strip	Plot	Type	HM	Slope
473	3	41	11	SC	28	5	46	11	SC	3										
	5	42	11	SC	5	2	47	11	SC	17										
	4	43	11	SC	14	2	48	11	SC	35										
	5	44	11	SC	6	1	49	11	SC	20										
	4	45	11	SC	27															
Block Summary	Total Slope %: 155				Total Plots: 9				Weighted Avg. Slope %: 17.2				Arithmetic Avg. Slope %: 17.2							
Block	Strip	Plot	Type	HM	Slope	Strip	Plot	Type	HM	Slope	Strip	Plot	Type	HM	Slope	Strip	Plot	Type	HM	Slope
475	1	110	13	SC	35	1	115	13	SC	35	2	120	13	SC	3					
	1	111	13	SC	21	1	116	13	SC	33	2	121	13	SC	5					
	1	112	13	SC	35	1	117	13	SC	27										
	1	113	13	SC	19	2	118	13	SC	8										
	1	114	13	SC	22	1	119	13	SC	35										
Block Summary	Total Slope %: 278				Total Plots: 12				Weighted Avg. Slope %: 23.2				Arithmetic Avg. Slope %: 23.2							

FLAGS: Compile All Trees, Dry Belt Fir

Harvest Method Summary				
Harvest Method	Total Slope %	# of Plots	Weighted Avg. Slope %	Arithmetic Avg. Slope %
SC	1391	72	19.6	19.3
SS	577	23	25.1	25.1
Total	1968	95	20.9	20.7

FLAGS: Compile All Trees, Dry Belt Fir

TYPE	BLOCK	STRIP
1	463	1

						# of Stems	Stems per HA		Average Diam.		Volume m3 per Hectare				Loss Table		
Plot	Plot Size	Slope %	Date	Species	L&DP	DU&LU	L&DP	DU&LU	L&DP	DU&LU	Gross Merch	Less Decay	Less DB	Less DWB	YI	OI	M
24	8.000F	30	09/01/17	Fir	1	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00			
24	8.000F	30	09/01/17	Larch	1	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00			
24	8.000F	30	09/01/17	Spruce	4	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00			
24	8.000F	30	09/01/17	All	6	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00			
25	8.000F	28	09/01/17	Larch	1	0	2.06	0.00	49.70	0.00	3.57	3.50	3.39	3.39	1002		
25	8.000F	28	09/01/17	All	1	0	2.06	0.00	49.70	0.00	3.57	3.50	3.39	3.39			
28	8.000F	17	09/01/17	Fir	5	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00			
28	8.000F	17	09/01/17	Spruce	1	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00			
28	8.000F	17	09/01/17	All	6	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00			
29	8.000F	28	09/01/17	Red Cedar	1	0	210.45	0.00	22.00	0.00	34.16	34.16	32.79	32.79	0203		
29	8.000F	28	09/01/17	Larch	1	0	75.22	0.00	36.80	0.00	76.68	75.14	72.84	72.84		1002	
29	8.000F	28	09/01/17	Spruce	1	0	76.88	0.00	36.40	0.00	78.48	78.48	76.91	76.91	0503		
29	8.000F	28	09/01/17	All	3	0	362.54	0.00	29.03	0.00	189.31	187.78	182.54	182.54			
30	8.000F	35	09/01/17	Red Cedar	5	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00			
30	8.000F	35	09/01/17	Larch	4	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00			
30	8.000F	35	09/01/17	All	9	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00			
32	8.000F	27	09/01/17	Fir	2	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00			
32	8.000F	27	09/01/17	Larch	1	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00			
32	8.000F	27	09/01/17	All	3	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00			
33	8.000F	33	09/01/17	Red Cedar	1	0	325.13	0.00	17.70	0.00	37.69	37.69	36.18	36.18	0203		
33	8.000F	33	09/01/17	Fir	2	0	131.59	0.00	39.35	0.00	134.42	134.42	131.74	131.74	0103		
33	8.000F	33	09/01/17	All	3	0	456.72	0.00	25.87	0.00	172.12	172.12	167.92	167.92			
34	8.000F	13	09/01/17	Fir	6	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00			
34	8.000F	13	09/01/17	Larch	1	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00			
34	8.000F	13	09/01/17	All	7	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00			
35	10.000F	28	09/01/17	Balsam	1	0	116.21	0.00	33.10	0.00	90.56	70.64	68.83	61.04			0414
35	10.000F	28	09/01/17	Fir	2	0	120.84	0.00	33.26	0.00	78.65	78.49	76.92	76.89	0103		0113
35	10.000F	28	09/01/17	Larch	1	0	207.02	0.00	24.80	0.00	81.88	81.88	79.42	79.42	1001		
35	10.000F	28	09/01/17	All	4	0	444.07	0.00	29.57	0.00	251.09	231.01	225.17	217.35			
36	8.000F	37	09/01/17	Red Cedar	1	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00			
36	8.000F	37	09/01/17	Fir	4	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00			
36	8.000F	37	09/01/17	Larch	2	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00			
36	8.000F	37	09/01/17	Lodgepole Pine	1	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00			
36	8.000F	37	09/01/17	All	8	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00			

TYPE	BLOCK	STRIP
1	463	2

					# of Stems		Stems per HA		Average Diam.		Volume m3 per Hectare				Loss Table		
Plot	Plot Size	Slope %	Date	Species	L&DP	DU&LU	L&DP	DU&LU	L&DP	DU&LU	Gross Merch	Less Decay	Less DB	Less DWB	YI	OI	M
22	8.000F	26	09/01/17	Lodgepole Pine	1	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00			
22	8.000F	26	09/01/17	All	1	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00			
23	8.000F	36	09/01/17	Larch	4	0	739.20	0.00	23.48	0.00	252.43	249.90	242.33	242.33		1002	
23	8.000F	36	09/01/17	Spruce	1	0	314.38	0.00	18.00	0.00	30.62	30.62	30.01	30.01	0503		
23	8.000F	36	09/01/17	All	5	0	1053.58	0.00	21.99	0.00	283.05	280.52	272.34	272.34			
26	8.000F	27	09/01/17	Fir	2	0	4.38	0.00	48.21	0.00	6.78	6.78	6.64	6.64	0103		
26	8.000F	27	09/01/17	Larch	1	0	52.37	0.00	44.10	0.00	77.62	76.07	73.74	73.74		1002	
26	8.000F	27	09/01/17	All	3	0	56.76	0.00	44.43	0.00	84.40	82.85	80.38	80.38			
27	8.000F	23	09/01/17	Fir	2	0	110.97	0.00	42.85	0.00	85.40	84.26	82.56	82.56	0103	0104	
27	8.000F	23	09/01/17	Larch	2	0	176.19	0.00	34.00	0.00	147.91	145.79	141.35	141.35		1002	
27	8.000F	23	09/01/17	All	4	0	287.17	0.00	37.67	0.00	233.32	230.05	223.91	223.91			
31	8.000F	22	09/01/17	Red Cedar	2	0	359.98	0.00	23.79	0.00	91.00	91.00	87.36	87.36	0203		
31	8.000F	22	09/01/17	Larch	1	0	94.68	0.00	32.80	0.00	71.70	71.70	69.55	69.55	1001		
31	8.000F	22	09/01/17	All	3	0	454.66	0.00	25.92	0.00	162.70	162.70	156.91	156.91			

TYPE	BLOCK	STRIP
1	463	3

					# of Stems		Stems per HA		Average Diam.		Volume m3 per Hectare				Loss Table		
Plot	Plot Size	Slope %	Date	Species	L&DP	DU&LU	L&DP	DU&LU	L&DP	DU&LU	Gross Merch	Less Decay	Less DB	Less DWB	YI	OI	M
12	8.000F	25	09/01/17	Balsam	2	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00			
12	8.000F	25	09/01/17	Red Cedar	1	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00			
12	8.000F	25	09/01/17	Larch	1	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00			
12	8.000F	25	09/01/17	Spruce	3	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00			
12	8.000F	25	09/01/17	All	7	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00			
13	8.000F	30	09/01/17	Red Cedar	1	0	189.24	0.00	23.20	0.00	44.19	44.19	42.42	42.42	0203		
13	8.000F	30	09/01/17	Fir	1	0	72.82	0.00	37.40	0.00	57.78	57.78	56.62	56.62	0103		
13	8.000F	30	09/01/17	Larch	1	0	1.67	0.00	55.20	0.00	3.66	3.59	3.48	3.48		1002	
13	8.000F	30	09/01/17	Lodgepole Pine	3	0	686.56	0.00	21.10	0.00	194.11	189.42	185.54	185.54		0804	
13	8.000F	30	09/01/17	All	6	0	950.30	0.00	23.27	0.00	299.73	294.97	288.06	288.06			
15	8.000F	6	09/01/17	Red Cedar	2	0	110.26	0.00	42.98	0.00	98.44	92.53	88.59	88.59		0204	
15	8.000F	6	09/01/17	Fir	1	0	125.40	0.00	28.50	0.00	60.31	57.29	56.09	56.09		0104	
15	8.000F	6	09/01/17	Larch	3	0	366.72	0.00	28.87	0.00	205.64	203.58	197.41	197.41		1002	
15	8.000F	6	09/01/17	All	6	0	602.39	0.00	31.85	0.00	364.39	353.41	342.10	342.10			
16	8.000F	27	09/01/17	Red Cedar	2	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00			
16	8.000F	27	09/01/17	Larch	1	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00			
16	8.000F	27	09/01/17	All	3	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00			

FLAGS: Compile All Trees, Dry Belt Fir

TYPE	BLOCK	STRIP
1	463	3

					# of Stems		Stems per HA		Average Diam.		Volume m3 per Hectare				Loss Table		
Plot	Plot Size	Slope %	Date	Species	L&DP	DU&LU	L&DP	DU&LU	L&DP	DU&LU	Gross Merch	Less Decay	Less DB	Less DWB	YI	OI	M
17	8.000F	46	09/01/17	Larch	2	0	123.18	0.00	29.47	0.00	66.03	66.03	64.05	64.05	1001		
17	8.000F	46	09/01/17	Lodgepole Pine	1	0	62.10	0.00	40.50	0.00	93.03	88.66	86.80	86.80		0804	
17	8.000F	46	09/01/17	All	3	0	185.28	0.00	33.57	0.00	159.06	154.69	150.85	150.85			
18	8.000F	10	09/01/17	Larch	2	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00			
18	8.000F	10	09/01/17	Lodgepole Pine	1	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00			
18	8.000F	10	09/01/17	All	3	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00			
19	8.000F	11	09/01/17	Balsam	2	0	175.31	0.00	34.09	0.00	160.73	160.73	157.51	157.51	0405		
19	8.000F	11	09/01/17	Red Cedar	1	0	46.11	0.00	47.00	0.00	53.53	40.84	36.56	30.35			0214
19	8.000F	11	09/01/17	Fir	1	0	2.24	0.00	47.70	0.00	4.07	4.07	3.99	3.99	0103		
19	8.000F	11	09/01/17	Spruce	1	0	74.81	0.00	36.90	0.00	86.91	86.91	85.18	85.18	0503		
19	8.000F	11	09/01/17	All	5	0	298.47	0.00	37.18	0.00	305.24	292.55	283.24	277.03			
21	8.000F	12	09/01/17	Fir	1	0	1.56	0.00	57.10	0.00	3.77	3.77	3.70	3.70	0103		
21	8.000F	12	09/01/17	Larch	1	0	62.72	0.00	40.30	0.00	79.39	78.59	76.21	76.21		1002	
21	8.000F	12	09/01/17	Lodgepole Pine	2	0	459.28	0.00	21.06	0.00	157.58	155.54	152.39	152.39		0804	
21	8.000F	12	09/01/17	Spruce	1	0	62.10	0.00	40.50	0.00	92.31	92.31	90.47	90.47	0503		
21	8.000F	12	09/01/17	All	5	0	585.66	0.00	26.54	0.00	333.05	330.22	322.76	322.76			

TYPE	BLOCK	STRIP
4	466	1

					# of Stems		Stems per HA		Average Diam.		Volume m3 per Hectare				Loss Table		
Plot	Plot Size	Slope %	Date	Species	L&DP	DU&LU	L&DP	DU&LU	L&DP	DU&LU	Gross Merch	Less Decay	Less DB	Less DWB	YI	OI	M
67	8.000F	20	11/01/17	Lodgepole Pine	2	0	276.60	0.00	27.14	0.00	138.23	138.23	135.46	135.46	0801		
67	8.000F	20	11/01/17	Spruce	4	0	613.82	0.00	25.76	0.00	216.07	213.52	209.19	209.19	0503	0504	
67	8.000F	20	11/01/17	All	6	0	890.42	0.00	26.20	0.00	354.30	351.74	344.66	344.66			
71	8.000F	20	11/01/17	Spruce	3	0	591.93	0.00	22.72	0.00	181.71	181.71	178.07	178.07	0503		
71	8.000F	20	11/01/17	All	3	0	591.93	0.00	22.72	0.00	181.71	181.71	178.07	178.07			
72	8.000F	25	11/01/17	Fir	1	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00			
72	8.000F	25	11/01/17	Lodgepole Pine	2	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00			
72	8.000F	25	11/01/17	Spruce	1	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00			
72	8.000F	25	11/01/17	All	4	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00			

TYPE	BLOCK	STRIP
4	466	2

					# of Stems		Stems per HA		Average Diam.		Volume m3 per Hectare				Loss Table		
Plot	Plot Size	Slope %	Date	Species	L&DP	DU&LU	L&DP	DU&LU	L&DP	DU&LU	Gross Merch	Less Decay	Less DB	Less DWB	YI	OI	M
61	8.000F	15	11/01/17	Balsam	1	0	192.55	0.00	23.00	0.00	56.38	56.38	55.25	55.25	0405		
61	8.000F	15	11/01/17	Spruce	1	0	86.08	0.00	34.40	0.00	62.38	62.38	61.13	61.13	0503		
61	8.000F	15	11/01/17	All	2	0	278.63	0.00	27.04	0.00	118.76	118.76	116.38	116.38			

FLAGS: Compile All Trees, Dry Belt Fir

TYPE BLOCK	STRIP
4	466
	2

					# of Stems		Stems per HA		Average Diam.		Volume m3 per Hectare				Loss Table		
Plot	Plot Size	Slope %	Date	Species	L&DP	DU&LU	L&DP	DU&LU	L&DP	DU&LU	Gross Merch	Less Decay	Less DB	Less DWB	YI	OI	M
62	8.000F	14	11/01/17	Balsam	1	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00			
62	8.000F	14	11/01/17	Spruce	3	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00			
62	8.000F	14	11/01/17	All	4	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00			
63	8.000F	16	11/01/17	Fir	2	0	4.10	0.00	49.82	0.00	6.74	6.74	6.61	6.61	0103		
63	8.000F	16	11/01/17	Spruce	3	0	665.02	0.00	21.44	0.00	121.73	121.73	119.30	119.30	0503		
63	8.000F	16	11/01/17	All	5	0	669.13	0.00	21.72	0.00	128.47	128.47	125.91	125.91			
68	8.000F	23	11/01/17	Spruce	15	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00			
68	8.000F	23	11/01/17	All	15	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00			

TYPE BLOCK	STRIP
4	466
	3

					# of Stems		Stems per HA		Average Diam.		Volume m3 per Hectare				Loss Table		
Plot	Plot Size	Slope %	Date	Species	L&DP	DU&LU	L&DP	DU&LU	L&DP	DU&LU	Gross Merch	Less Decay	Less DB	Less DWB	YI	OI	M
58	8.000F	22	11/01/17	Spruce	3	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00			
58	8.000F	22	11/01/17	All	3	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00			
59	8.000F	18	11/01/17	Spruce	2	0	203.34	0.00	31.65	0.00	130.94	130.94	128.32	128.32	0503		
59	8.000F	18	11/01/17	All	2	0	203.34	0.00	31.65	0.00	130.94	130.94	128.32	128.32			
64	8.000F	17	11/01/17	Lodgepole Pine	3	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00			
64	8.000F	17	11/01/17	Spruce	2	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00			
64	8.000F	17	11/01/17	All	5	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00			

TYPE BLOCK	STRIP
4	466
	4

					# of Stems		Stems per HA		Average Diam.		Volume m3 per Hectare				Loss Table		
Plot	Plot Size	Slope %	Date	Species	L&DP	DU&LU	L&DP	DU&LU	L&DP	DU&LU	Gross Merch	Less Decay	Less DB	Less DWB	YI	OI	M
53	8.000F	13	11/01/17	Spruce	2	0	335.93	0.00	24.63	0.00	102.87	102.87	100.82	100.82	0503		
53	8.000F	13	11/01/17	All	2	0	335.93	0.00	24.63	0.00	102.87	102.87	100.82	100.82			
54	8.000F	11	11/01/17	Fir	1	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00			
54	8.000F	11	11/01/17	Lodgepole Pine	3	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00			
54	8.000F	11	11/01/17	All	4	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00			
55	8.000F	16	11/01/17	Lodgepole Pine	1	0	184.44	0.00	23.50	0.00	67.79	67.79	66.43	66.43	0801		
55	8.000F	16	11/01/17	Spruce	3	0	593.28	0.00	22.70	0.00	164.97	164.97	161.67	161.67	0503		
55	8.000F	16	11/01/17	All	4	0	777.72	0.00	22.89	0.00	232.76	232.76	228.10	228.10			
56	8.000F	17	11/01/17	Lodgepole Pine	3	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00			
56	8.000F	17	11/01/17	All	3	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00			

FLAGS: Compile All Trees, Dry Belt Fir

TYPE	BLOCK	STRIP
4	466	4

Plot	Plot Size	Slope %	Date	Species	# of Stems		Stems per HA		Average Diam.		Volume m3 per Hectare				Loss Table		
					L&DP	DU&LU	L&DP	DU&LU	L&DP	DU&LU	Gross Merch	Less Decay	Less DB	Less DWB	YI	OI	M
57	8.000F	25	11/01/17	Fir	2	0	4.42	0.00	48.02	0.00	5.96	5.96	5.84	5.84	0103		
57	8.000F	25	11/01/17	Spruce	2	0	157.39	0.00	35.98	0.00	146.90	143.48	140.54	140.54	0503	0504	
57	8.000F	25	11/01/17	All	4	0	161.80	0.00	36.36	0.00	152.86	149.44	146.39	146.39			

TYPE	BLOCK	STRIP
4	466	5

Plot	Plot Size	Slope %	Date	Species	# of Stems		Stems per HA		Average Diam.		Volume m3 per Hectare				Loss Table		
					L&DP	DU&LU	L&DP	DU&LU	L&DP	DU&LU	Gross Merch	Less Decay	Less DB	Less DWB	YI	OI	M
60	8.000F	15	11/01/17	Balsam	1	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00			
60	8.000F	15	11/01/17	Fir	1	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00			
60	8.000F	15	11/01/17	Spruce	5	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00			
60	8.000F	15	11/01/17	All	7	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00			
65	8.000F	24	11/01/17	Fir	3	0	201.51	0.00	32.19	0.00	115.17	115.17	112.87	112.87	0103		
65	8.000F	24	11/01/17	Lodgepole Pine	1	0	89.69	0.00	33.70	0.00	81.92	81.92	80.28	80.28	0801		
65	8.000F	24	11/01/17	Spruce	1	0	86.08	0.00	34.40	0.00	83.68	83.68	82.00	82.00	0503		
65	8.000F	24	11/01/17	All	5	0	377.27	0.00	33.07	0.00	280.77	280.77	275.15	275.15			

TYPE	BLOCK	STRIP
4	466	6

Plot	Plot Size	Slope %	Date	Species	# of Stems		Stems per HA		Average Diam.		Volume m3 per Hectare				Loss Table		
					L&DP	DU&LU	L&DP	DU&LU	L&DP	DU&LU	Gross Merch	Less Decay	Less DB	Less DWB	YI	OI	M
69	8.000F	18	11/01/17	Fir	1	0	129.00	0.00	28.10	0.00	49.93	49.93	48.93	48.93	0103		
69	8.000F	18	11/01/17	Larch	1	0	143.96	0.00	26.60	0.00	67.96	67.96	65.92	65.92	1001		
69	8.000F	18	11/01/17	Spruce	3	0	341.45	0.00	29.92	0.00	203.46	203.46	199.39	199.39	0503		
69	8.000F	18	11/01/17	All	5	0	614.41	0.00	28.79	0.00	321.35	321.35	314.24	314.24			
70	8.000F	18	11/01/17	Fir	1	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00			
70	8.000F	18	11/01/17	Lodgepole Pine	1	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00			
70	8.000F	18	11/01/17	Spruce	4	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00			
70	8.000F	18	11/01/17	All	6	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00			
73	8.000F	33	11/01/17	Spruce	8	0	1269.23	0.00	25.34	0.00	548.81	539.76	528.78	528.42	0503	0504	0512
				E-Blowdown - Down	1	0	89.16	0.00	33.80	0.00	77.74	74.63	73.08	73.08	0503	0504	0512
73	8.000F	33	11/01/17	All	8	0	1269.23	0.00	25.34	0.00	548.81	539.76	528.78	528.42			

TYPE	BLOCK	STRIP
5	467	1

Plot	Plot Size	Slope %	Date	Species	# of Stems		Stems per HA		Average Diam.		Volume m3 per Hectare				Loss Table		
					L&DP	DU&LU	L&DP	DU&LU	L&DP	DU&LU	Gross Merch	Less Decay	Less DB	Less DWB	YI	OI	M
85	8.000F	3	10/01/17	Lodgepole Pine	1	0	113.94	0.00	29.90	0.00	74.37	72.29	49.97	49.97		0804	
85	8.000F	3	10/01/17	Spruce	9	0	1102.76	0.00	28.83	0.00	603.30	591.14	579.08	579.08		0504	
85	8.000F	3	10/01/17	All	10	0	1216.70	0.00	28.93	0.00	677.67	663.43	629.05	629.05			

FLAGS: Compile All Trees, Dry Belt Fir

TYPE BLOCK	STRIP
5	467
	1

					# of Stems		Stems per HA		Average Diam.		Volume m3 per Hectare				Loss Table		
Plot	Plot Size	Slope %	Date	Species	L&DP	DU&LU	L&DP	DU&LU	L&DP	DU&LU	Gross Merch	Less Decay	Less DB	Less DWB	YI	OI	M
86	8.000F	5	07/01/18	Balsam	2	1	566.50	201.20	18.96	22.50	119.71	117.31	114.92	114.92		0406	
86	8.000F	5	07/01/18	Spruce	6	0	458.67	0.00	36.50	0.00	464.62	451.96	442.67	442.67		0504	
86	8.000F	5	07/01/18	All	8	1	1025.17	201.20	28.19	22.50	584.33	569.27	557.59	557.59			
87	8.000F	5	10/01/17	Balsam	1	0	114.70	0.00	29.80	0.00	60.61	57.58	56.36	56.36		0406	
87	8.000F	5	10/01/17	Spruce	1	0	165.61	0.00	24.80	0.00	54.94	54.94	53.84	53.84	0503		
87	8.000F	5	10/01/17	All	2	0	280.31	0.00	26.96	0.00	115.55	112.52	110.21	110.21			
88	8.000F	5	07/01/18	Spruce	5	0	561.82	0.00	30.11	0.00	306.87	306.10	299.96	299.96	0503	0504	
88	8.000F	5	07/01/18	All	5	0	561.82	0.00	30.11	0.00	306.87	306.10	299.96	299.96			

TYPE BLOCK	STRIP
5	467
	2

					# of Stems		Stems per HA		Average Diam.		Volume m3 per Hectare				Loss Table		
Plot	Plot Size	Slope %	Date	Species	L&DP	DU&LU	L&DP	DU&LU	L&DP	DU&LU	Gross Merch	Less Decay	Less DB	Less DWB	YI	OI	M
78	8.000F	11	07/01/18	Lodgepole Pine	2	0	477.57	0.00	20.65	0.00	141.83	139.56	136.72	136.72		0804	
78	8.000F	11	07/01/18	Spruce	1	0	224.51	0.00	21.30	0.00	55.77	55.21	54.10	54.10		0504	
78	8.000F	11	07/01/18	All	3	0	702.08	0.00	20.86	0.00	197.60	194.77	190.82	190.82			
79	8.000F	17	10/01/17	Lodgepole Pine	1	0	194.24	0.00	22.90	0.00	44.48	43.59	30.25	30.25		0804	
				E-Blowdown - Down	1	0	194.24	0.00	22.90	0.00	44.48	43.59	30.25	30.25		0804	
79	8.000F	17	10/01/17	Spruce	2	0	250.85	0.00	28.50	0.00	123.62	122.90	120.43	120.43	0503	0504	
79	8.000F	17	10/01/17	All	3	0	445.08	0.00	26.20	0.00	168.10	166.49	150.67	150.67			
82	8.000F	14	07/01/18	Lodgepole Pine	1	0	96.43	0.00	32.50	0.00	70.14	67.54	46.50	46.50		0804	
82	8.000F	14	07/01/18	Spruce	3	0	325.82	0.00	30.62	0.00	219.39	216.63	212.24	212.24	0503	0504	
82	8.000F	14	07/01/18	All	4	0	422.25	0.00	31.06	0.00	289.53	284.17	258.74	258.74			
84	8.000F	16	07/01/18	Lodgepole Pine	6	0	814.66	0.00	27.39	0.00	493.09	480.58	356.00	356.00		0804	
				3-Insect - Grey	2	0	285.20	0.00	26.73	0.00	174.77	169.93	117.50	117.50		0804	
84	8.000F	16	07/01/18	Spruce	1	0	104.64	0.00	31.20	0.00	70.21	67.40	66.00	66.00		0504	
84	8.000F	16	07/01/18	All	7	0	919.30	0.00	27.85	0.00	563.30	547.98	421.99	421.99			

TYPE BLOCK	STRIP
5	467
	3

					# of Stems		Stems per HA		Average Diam.		Volume m3 per Hectare				Loss Table		
Plot	Plot Size	Slope %	Date	Species	L&DP	DU&LU	L&DP	DU&LU	L&DP	DU&LU	Gross Merch	Less Decay	Less DB	Less DWB	YI	OI	M
75	8.000F	15	10/01/17	Balsam	3	0	512.70	0.00	24.41	0.00	207.27	189.38	185.24	178.82	0405		0414
75	8.000F	15	10/01/17	Spruce	3	0	370.83	0.00	28.71	0.00	224.31	217.03	212.55	210.41	0503		0512
75	8.000F	15	10/01/17	All	6	0	883.52	0.00	26.30	0.00	431.58	406.42	397.78	389.23			
77	8.000F	27	10/01/17	Balsam	3	0	552.94	0.00	23.51	0.00	218.81	213.20	208.83	208.83	0405	0406	
77	8.000F	27	10/01/17	Fir	1	0	76.88	0.00	36.40	0.00	46.33	46.33	45.40	45.40	0103		
77	8.000F	27	10/01/17	Spruce	1	0	100.73	0.00	31.80	0.00	68.19	68.19	66.83	66.83	0503		
77	8.000F	27	10/01/17	All	5	0	730.54	0.00	26.40	0.00	333.33	327.72	321.06	321.06			

TYPE	BLOCK	STRIP
5	467	3

					# of Stems		Stems per HA		Average Diam.		Volume m3 per Hectare				Loss Table		
Plot	Plot Size	Slope %	Date	Species	L&DP	DU&LU	L&DP	DU&LU	L&DP	DU&LU	Gross Merch	Less Decay	Less DB	Less DWB	YI	OI	M
81	8.000F	20	10/01/17	Fir	6	1	189.57	83.15	34.38	35.00	157.99	156.14	152.98	152.98	0103	0104	
81	8.000F	20	10/01/17	Spruce	2	0	177.48	0.00	33.88	0.00	191.08	190.09	186.26	186.26	0503	0504	
81	8.000F	20	10/01/17	All	8	1	367.05	83.15	34.14	35.00	349.07	346.23	339.24	339.24			
83	8.000F	24	10/01/17	Balsam	1	0	195.94	0.00	22.80	0.00	63.60	63.60	62.33	62.33	0405		
83	8.000F	24	10/01/17	Lodgepole Pine	1	0	44.77	0.00	47.70	0.00	80.34	75.52	51.42	51.42		0804	
83	8.000F	24	10/01/17	Spruce	2	0	191.55	0.00	32.61	0.00	151.35	144.00	140.97	139.22	0503		0512
83	8.000F	24	10/01/17	All	4	0	432.26	0.00	30.70	0.00	295.28	283.12	254.72	252.97			

TYPE	BLOCK	STRIP
5	467	4

					# of Stems		Stems per HA		Average Diam.		Volume m3 per Hectare				Loss Table		
Plot	Plot Size	Slope %	Date	Species	L&DP	DU&LU	L&DP	DU&LU	L&DP	DU&LU	Gross Merch	Less Decay	Less DB	Less DWB	YI	OI	M
80	8.000F	21	07/01/18	Balsam	1	0	132.75	0.00	27.70	0.00	77.21	73.35	71.81	71.81		0406	
80	8.000F	21	07/01/18	Fir	1	1	90.22	317.90	33.60	17.90	62.88	62.25	61.00	61.00		0104	
80	8.000F	21	07/01/18	Lodgepole Pine	3	0	689.15	0.00	21.06	0.00	184.79	180.68	154.10	154.10		0804	
80	8.000F	21	07/01/18	Spruce	3	0	395.28	0.00	27.80	0.00	247.32	242.90	237.95	237.95	0503	0504	
80	8.000F	21	07/01/18	All	8	1	1307.40	317.90	24.97	17.90	572.21	559.19	524.85	524.85			

TYPE	BLOCK	STRIP
5	467	5

					# of Stems		Stems per HA		Average Diam.		Volume m3 per Hectare				Loss Table		
Plot	Plot Size	Slope %	Date	Species	L&DP	DU&LU	L&DP	DU&LU	L&DP	DU&LU	Gross Merch	Less Decay	Less DB	Less DWB	YI	OI	M
74	8.000F	18	11/01/17	Balsam	2	0	295.73	0.00	26.25	0.00	143.65	140.78	137.91	137.91		0406	
74	8.000F	18	11/01/17	All	2	0	295.73	0.00	26.25	0.00	143.65	140.78	137.91	137.91			

TYPE	BLOCK	STRIP
6	468	2

					# of Stems		Stems per HA		Average Diam.		Volume m3 per Hectare				Loss Table		
Plot	Plot Size	Slope %	Date	Species	L&DP	DU&LU	L&DP	DU&LU	L&DP	DU&LU	Gross Merch	Less Decay	Less DB	Less DWB	YI	OI	M
90	8.000F	20	10/01/17	Balsam	2	0	266.98	0.00	27.62	0.00	143.24	134.25	131.38	126.69	0405		0414
90	8.000F	20	10/01/17	Spruce	1	0	95.84	0.00	32.60	0.00	70.94	70.23	68.81	68.81		0504	
90	8.000F	20	10/01/17	All	3	0	362.82	0.00	29.02	0.00	214.18	204.48	200.19	195.50			
91	8.000F	27	10/01/17	Balsam	1	0	206.68	0.00	22.20	0.00	76.36	76.36	74.83	74.83	0405		
91	8.000F	27	10/01/17	Fir	1	0	36.22	0.00	37.50	0.00	27.77	27.77	27.22	27.22	0103		
91	8.000F	27	10/01/17	Lodgepole Pine	1	0	105.31	0.00	31.10	0.00	71.73	69.72	68.28	68.28		0804	
91	8.000F	27	10/01/17	Spruce	3	0	237.65	0.00	35.86	0.00	220.97	217.66	213.24	213.24	0503	0504	
91	8.000F	27	10/01/17	All	6	0	585.85	0.00	30.92	0.00	396.83	391.51	383.57	383.57			
92	8.000F	17	07/01/18	Balsam	1	0	201.20	0.00	22.50	0.00	70.48	69.77	68.36	68.36		0406	
92	8.000F	17	07/01/18	Fir	2	0	249.50	0.00	24.75	0.00	54.65	54.65	53.55	53.55	0103		
92	8.000F	17	07/01/18	Lodgepole Pine	3	0	335.97	0.00	30.16	0.00	248.45	240.72	235.75	235.75		0804	
92	8.000F	17	07/01/18	All	6	0	786.68	0.00	26.69	0.00	373.57	365.13	357.66	357.66			

FLAGS: Compile All Trees, Dry Belt Fir

TYPE	BLOCK	STRIP
7	469	2

					# of Stems		Stems per HA		Average Diam.		Volume m3 per Hectare				Loss Table		
Plot	Plot Size	Slope %	Date	Species	L&DP	DU&LU	L&DP	DU&LU	L&DP	DU&LU	Gross Merch	Less Decay	Less DB	Less DWB	YI	OI	M
105	8.000F	37	10/01/17	Balsam	1	0	79.48	0.00	35.80	0.00	77.72	73.84	72.28	72.28		0406	
105	8.000F	37	10/01/17	Lodgepole Pine	2	0	345.89	0.00	24.27	0.00	138.88	136.10	116.42	116.42		0804	
105	8.000F	37	10/01/17	Spruce	2	0	103.40	0.00	44.39	0.00	159.42	153.04	149.85	149.85		0504	
105	8.000F	37	10/01/17	All	5	0	528.76	0.00	31.04	0.00	376.02	362.98	338.56	338.56			
108	10.000F	42	07/01/18	Balsam	2	0	348.08	0.00	27.05	0.00	205.94	199.42	195.30	195.30		0406	
108	10.000F	42	07/01/18	Spruce	2	0	521.35	0.00	22.10	0.00	147.24	145.24	142.29	142.29		0504	
108	10.000F	42	07/01/18	All	4	0	869.43	0.00	24.20	0.00	353.18	344.66	337.60	337.60			
109	10.000F	27	10/01/17	Balsam	1	0	376.08	0.00	18.40	0.00	64.60	64.60	63.31	63.31	0405		
109	10.000F	27	10/01/17	Fir	2	0	75.38	0.00	41.10	0.00	81.92	77.82	76.18	76.18		0104	
109	10.000F	27	10/01/17	All	3	0	451.45	0.00	23.75	0.00	146.52	142.42	139.49	139.49			

TYPE	BLOCK	STRIP
8	470	1

					# of Stems		Stems per HA		Average Diam.		Volume m3 per Hectare				Loss Table		
Plot	Plot Size	Slope %	Date	Species	L&DP	DU&LU	L&DP	DU&LU	L&DP	DU&LU	Gross Merch	Less Decay	Less DB	Less DWB	YI	OI	M
100	10.000F	9	07/01/18	Balsam	1	0	181.31	0.00	26.50	0.00	50.93	49.92	48.90	48.90		0406	0512
100	10.000F	9	07/01/18	Spruce	4	0	289.64	0.00	41.93	0.00	453.72	433.63	424.55	420.28			
100	10.000F	9	07/01/18	All	5	0	470.94	0.00	36.77	0.00	504.66	483.54	473.45	469.17			
101	10.000F	5	09/01/17	Spruce	4	0	197.12	0.00	50.83	0.00	489.36	453.95	444.16	436.25			0512
101	10.000F	5	09/01/17	All	4	0	197.12	0.00	50.83	0.00	489.36	453.95	444.16	436.25			
102	10.000F	13	07/01/18	Spruce	5	0	486.87	0.00	36.16	0.00	540.75	518.26	507.45	506.61			0512
102	10.000F	13	07/01/18	All	5	0	486.87	0.00	36.16	0.00	540.75	518.26	507.45	506.61			
103	10.000F	3	09/01/17	Balsam	1	0	331.43	0.00	19.60	0.00	45.57	42.56	41.65	40.15			0414
103	10.000F	3	09/01/17	Spruce	6	0	646.55	0.00	34.37	0.00	509.42	438.83	425.97	403.32			0512
103	10.000F	3	09/01/17	All	7	0	977.99	0.00	30.19	0.00	554.98	481.39	467.62	443.47			
106	10.000F	46	09/01/17	Spruce	6	0	410.10	0.00	43.16	0.00	763.64	738.46	723.19	719.13			0512
106	10.000F	46	09/01/17	All	6	0	410.10	0.00	43.16	0.00	763.64	738.46	723.19	719.13			

TYPE	BLOCK	STRIP
9	471	1

					# of Stems		Stems per HA		Average Diam.		Volume m3 per Hectare				Loss Table		
Plot	Plot Size	Slope %	Date	Species	L&DP	DU&LU	L&DP	DU&LU	L&DP	DU&LU	Gross Merch	Less Decay	Less DB	Less DWB	YI	OI	M
98	10.000F	4	09/01/17	Balsam	1	0	75.01	0.00	41.20	0.00	106.58	81.64	79.51	70.56			0414
98	10.000F	4	09/01/17	Spruce	3	0	271.12	0.00	37.53	0.00	277.89	259.59	254.04	252.37		0504	0512
98	10.000F	4	09/01/17	All	4	0	346.13	0.00	38.36	0.00	384.47	341.23	333.54	322.93			
99	10.000F	5	10/01/17	Balsam	3	1	345.93	103.35	33.23	35.10	307.02	294.10	287.96	287.96		0406	
99	10.000F	5	10/01/17	Spruce	2	0	98.68	0.00	50.80	0.00	223.55	214.60	210.13	210.13		0504	
99	10.000F	5	10/01/17	All	5	1	444.60	103.35	37.84	35.10	530.56	508.70	498.09	498.09			

TYPE	BLOCK	STRIP
10	472	1

					# of Stems		Stems per HA		Average Diam.		Volume m3 per Hectare				Loss Table		
Plot	Plot Size	Slope %	Date	Species	L&DP	DU&LU	L&DP	DU&LU	L&DP	DU&LU	Gross Merch	Less Decay	Less DB	Less DWB	YI	OI	M
95	10.000F	40	10/01/17	Spruce	8	0	1166.98	0.00	29.54	0.00	788.81	746.81	731.04	727.13			0512
				E-Blowdown - Down	1	0	122.80	0.00	32.20	0.00	91.96	86.90	85.06	85.06			0512
95	10.000F	40	10/01/17	All	8	0	1166.98	0.00	29.54	0.00	788.81	746.81	731.04	727.13			
96	10.000F	27	07/01/18	Spruce	5	1	433.49	242.79	38.32	22.90	546.51	518.33	507.40	503.38		0504	0512
				E-Blowdown - Down	1	0	156.75	0.00	28.50	0.00	80.16	76.96	75.35	75.35		0504	
96	10.000F	27	07/01/18	All	5	1	433.49	242.79	38.32	22.90	546.51	518.33	507.40	503.38			

TYPE	BLOCK	STRIP
10	472	2

					# of Stems		Stems per HA		Average Diam.		Volume m3 per Hectare				Loss Table		
Plot	Plot Size	Slope %	Date	Species	L&DP	DU&LU	L&DP	DU&LU	L&DP	DU&LU	Gross Merch	Less Decay	Less DB	Less DWB	YI	OI	M
93	10.000F	50	10/01/17	Spruce	3	0	243.40	0.00	39.61	0.00	296.78	284.91	278.97	278.97		0504	
				E-Blowdown - Down	1	0	56.67	0.00	47.40	0.00	108.20	103.88	101.71	101.71		0504	
93	10.000F	50	10/01/17	All	3	0	243.40	0.00	39.61	0.00	296.78	284.91	278.97	278.97			
94	10.000F	5	07/01/18	Balsam	1	0	120.54	0.00	32.50	0.00	83.68	79.50	77.82	77.82		0406	
94	10.000F	5	07/01/18	Spruce	7	0	1032.49	0.00	29.38	0.00	657.61	636.00	622.85	621.58		0504	0512
94	10.000F	5	07/01/18	All	8	0	1153.04	0.00	29.72	0.00	741.29	715.50	700.67	699.41			

TYPE	BLOCK	STRIP
11	473	1

					# of Stems		Stems per HA		Average Diam.		Volume m3 per Hectare				Loss Table		
Plot	Plot Size	Slope %	Date	Species	L&DP	DU&LU	L&DP	DU&LU	L&DP	DU&LU	Gross Merch	Less Decay	Less DB	Less DWB	YI	OI	M
49	8.000F	20	11/01/17	Fir	1	0	133.72	0.00	27.60	0.00	64.37	61.15	59.86	59.86		0104	
49	8.000F	20	11/01/17	Lodgepole Pine	4	0	1453.12	0.00	16.74	0.00	197.46	194.23	149.42	149.42		0804	
				E-Blowdown - Down	3	0	940.78	0.00	18.02	0.00	145.91	143.40	99.63	99.63		0804	
49	8.000F	20	11/01/17	Spruce	1	0	199.43	0.00	22.60	0.00	49.30	49.30	48.31	48.31	0503		
49	8.000F	20	11/01/17	All	6	0	1786.26	0.00	18.50	0.00	311.13	304.68	257.60	257.60			

TYPE	BLOCK	STRIP
11	473	2

					# of Stems		Stems per HA		Average Diam.		Volume m3 per Hectare				Loss Table		
Plot	Plot Size	Slope %	Date	Species	L&DP	DU&LU	L&DP	DU&LU	L&DP	DU&LU	Gross Merch	Less Decay	Less DB	Less DWB	YI	OI	M
47	8.000F	17	11/01/17	Lodgepole Pine	3	0	798.44	0.00	19.56	0.00	201.39	197.99	172.43	172.43		0804	
				E-Blowdown - Down	1	0	173.93	0.00	24.20	0.00	76.90	75.36	52.29	52.29		0804	
47	8.000F	17	11/01/17	All	3	0	798.44	0.00	19.56	0.00	201.39	197.99	172.43	172.43			
48	8.000F	35	01/01/18	Fir	4	0	571.91	0.00	26.69	0.00	249.31	249.31	244.32	244.32	0103		
48	8.000F	35	01/01/18	Lodgepole Pine	5	0	1455.17	0.00	18.71	0.00	329.56	324.10	304.39	304.39		0804	
48	8.000F	35	01/01/18	All	9	0	2027.08	0.00	21.27	0.00	578.87	573.41	548.72	548.72			

TYPE	BLOCK	STRIP
11	473	3

					# of Stems		Stems per HA		Average Diam.		Volume m3 per Hectare				Loss Table		
Plot	Plot Size	Slope %	Date	Species	L&DP	DU&LU	L&DP	DU&LU	L&DP	DU&LU	Gross Merch	Less Decay	Less DB	Less DWB	YI	OI	M
41	8.000F	28	12/01/17	Fir	1	0	2.16	0.00	48.60	0.00	3.12	2.98	2.92	2.89			0113
41	8.000F	28	12/01/17	All	1	0	2.16	0.00	48.60	0.00	3.12	2.98	2.92	2.89			

FOR APPRAISAL PURPOSE				PERCENT REDUCTION APPLIED						Section Page: 10 Main Page: 182			
Timber Pricing Branch - 2018.00				Plot Summary (Average Line Method)						A19042-182 Oct2,2018.cpm			
CompMatePC 1.4.11.0				Useless Volume Excluded						02/10/2018 10:36:41 AM			
License Number: A19042		PSYU: 20 - Cranbrook - 186		Region: 4 - Kootenay Boundary		Licencee: Galloway Lumber Co. Ltd		Compiled By: Coastfor Enterprises					
Cutting Permit: 182		FIZ: F		District: 5 - Rocky Mountain		Cruised By: Jeff Davies, Robin Kessler, Jordan Pelton		Rob Kitamura, RFT, ATE					
Utilization:		Standard		DBH Limit: 17.5		Stump Height: 30		Top Diam.: 10.0		Log Length: 5.0			
		Exception-PL		DBH Limit: 12.5		Stump Height: 30		Top Diam.: 10.0		Log Length: 5.0			

TYPE	BLOCK	STRIP
11	473	4

					# of Stems		Stems per HA		Average Diam.		Volume m3 per Hectare				Loss Table		
Plot	Plot Size	Slope %	Date	Species	L&DP	DU&LU	L&DP	DU&LU	L&DP	DU&LU	Gross Merch	Less Decay	Less DB	Less DWB	YI	OI	M
43	8.000F	14	12/01/17	Lodgepole Pine	6	0	1700.90	0.00	18.96	0.00	397.35	390.93	382.98	382.98		0804	
43	8.000F	14	12/01/17	All	6	0	1700.90	0.00	18.96	0.00	397.35	390.93	382.98	382.98			
45	8.000F	27	12/01/17	Lodgepole Pine	1	0	484.47	0.00	14.50	0.00	57.89	57.08	55.92	55.92		0804	
45	8.000F	27	12/01/17	All	1	0	484.47	0.00	14.50	0.00	57.89	57.08	55.92	55.92			

TYPE	BLOCK	STRIP
11	473	5

					# of Stems		Stems per HA		Average Diam.		Volume m3 per Hectare				Loss Table		
Plot	Plot Size	Slope %	Date	Species	L&DP	DU&LU	L&DP	DU&LU	L&DP	DU&LU	Gross Merch	Less Decay	Less DB	Less DWB	YI	OI	M
42	8.000F	5	01/01/18	Lodgepole Pine	6	0	2355.02	0.00	16.11	0.00	349.75	345.80	338.81	338.81		0804	
42	8.000F	5	01/01/18	All	6	0	2355.02	0.00	16.11	0.00	349.75	345.80	338.81	338.81			
44	8.000F	6	01/01/18	Lodgepole Pine	5	0	1648.48	0.00	17.58	0.00	333.26	329.93	323.27	323.27		0804	
44	8.000F	6	01/01/18	All	5	0	1648.48	0.00	17.58	0.00	333.26	329.93	323.27	323.27			
46	8.000F	3	01/01/18	Lodgepole Pine	9	0	3234.17	0.00	16.84	0.00	544.71	538.74	518.32	518.32		0804	
46	8.000F	3	01/01/18	All	9	0	3234.17	0.00	16.84	0.00	544.71	538.74	518.32	518.32			

TYPE	BLOCK	STRIP
13	475	1

					# of Stems		Stems per HA		Average Diam.		Volume m3 per Hectare				Loss Table		
Plot	Plot Size	Slope %	Date	Species	L&DP	DU&LU	L&DP	DU&LU	L&DP	DU&LU	Gross Merch	Less Decay	Less DB	Less DWB	YI	OI	M
110	8.000F	35	12/01/17	Fir	2	0	216.32	0.00	30.69	0.00	125.05	121.24	118.74	118.74		0104	
110	8.000F	35	12/01/17	Lodgepole Pine	3	0	761.51	0.00	20.03	0.00	246.55	243.62	238.69	238.69		0804	
110	8.000F	35	12/01/17	All	5	0	977.83	0.00	22.82	0.00	371.61	364.86	357.43	357.43			
111	8.000F	21	01/01/18	Lodgepole Pine	2	0	392.08	0.00	22.79	0.00	144.67	143.15	140.26	140.26		0804	
111	8.000F	21	01/01/18	All	2	0	392.08	0.00	22.79	0.00	144.67	143.15	140.26	140.26			
112	8.000F	35	12/01/17	Lodgepole Pine	1	0	129.92	0.00	28.00	0.00	77.98	75.80	74.24	74.24		0804	
112	8.000F	35	12/01/17	All	1	0	129.92	0.00	28.00	0.00	77.98	75.80	74.24	74.24			
113	8.000F	19	01/01/18	Lodgepole Pine	5	0	1428.89	0.00	18.88	0.00	350.51	344.29	327.90	327.90		0804	
113	8.000F	19	01/01/18	Spruce	1	0	252.12	0.00	20.10	0.00	49.29	48.31	47.32	47.32		0504	
113	8.000F	19	01/01/18	All	6	0	1681.01	0.00	19.07	0.00	399.80	392.60	375.22	375.22			
114	8.000F	22	12/01/17	Lodgepole Pine	3	0	765.22	0.00	19.98	0.00	210.52	206.63	202.42	202.42		0804	
114	8.000F	22	12/01/17	All	3	0	765.22	0.00	19.98	0.00	210.52	206.63	202.42	202.42			
115	8.000F	35	01/01/18	Fir	1	0	118.65	0.00	29.30	0.00	58.23	55.32	54.16	54.16		0104	
115	8.000F	35	01/01/18	Lodgepole Pine	6	0	1550.93	0.00	19.85	0.00	462.17	454.57	445.32	445.32		0804	
115	8.000F	35	01/01/18	All	7	0	1669.58	0.00	20.67	0.00	520.40	509.89	499.48	499.48			

FLAGS: Compile All Trees, Dry Belt Fir

TYPE	BLOCK	STRIP
13	475	1

					# of Stems		Stems per HA		Average Diam.		Volume m3 per Hectare				Loss Table		
Plot	Plot Size	Slope %	Date	Species	L&DP	DU&LU	L&DP	DU&LU	L&DP	DU&LU	Gross Merch	Less Decay	Less DB	Less DWB	YI	OI	M
116	8.000F	33	12/01/17	Lodgepole Pine	5	0	1520.31	0.00	18.30	0.00	343.95	338.38	331.50	331.50	0804		
116	8.000F	33	12/01/17	All	5	0	1520.31	0.00	18.30	0.00	343.95	338.38	331.50	331.50			
117	8.000F	27	01/01/18	Lodgepole Pine	1	0	477.85	0.00	14.60	0.00	44.22	43.60	30.33	30.33	0804		
				E-Blowdown - Down	1	0	477.85	0.00	14.60	0.00	44.22	43.60	30.33	30.33	0804		
117	8.000F	27	01/01/18	All	1	0	477.85	0.00	14.60	0.00	44.22	43.60	30.33	30.33			
119	8.000F	35	01/01/18	Fir	3	0	690.72	0.00	21.03	0.00	144.52	144.52	141.63	141.63	0103		
	8.000F	35	01/01/18	Lodgepole Pine	1	0	465.03	0.00	14.80	0.00	44.91	44.29	43.39	43.39		0804	
	8.000F	35	01/01/18	All	4	0	1155.75	0.00	18.78	0.00	189.44	188.81	185.02	185.02			

TYPE	BLOCK	STRIP
13	475	2

					# of Stems		Stems per HA		Average Diam.		Volume m3 per Hectare				Loss Table		
Plot	Plot Size	Slope %	Date	Species	L&DP	DU&LU	L&DP	DU&LU	L&DP	DU&LU	Gross Merch	Less Decay	Less DB	Less DWB	YI	OI	M
118	6.000F	8	12/01/17	Fir	1	0	54.32	0.00	37.50	0.00	41.87	39.78	38.94	38.94	0104		
				E-Blowdown - Down	1	0	54.32	0.00	37.50	0.00	41.87	39.78	38.94	38.94	0104		
118	6.000F	8	12/01/17	Lodgepole Pine	5	0	1671.44	0.00	15.12	0.00	186.44	183.92	155.68	155.68	0804		
				E-Blowdown - Down	2	0	411.30	0.00	19.27	0.00	87.51	86.00	59.75	59.75	0804		
118	6.000F	8	12/01/17	All	6	0	1725.76	0.00	16.30	0.00	228.31	223.69	194.62	194.62			
120	6.000F	3	12/01/17	Fir	1	0	3.21	0.00	34.50	0.00	2.13	2.11	2.07	2.07	0104		
	6.000F	3	12/01/17	Lodgepole Pine	5	0	1315.31	0.00	17.04	0.00	224.84	222.62	218.12	218.12	0804		
	6.000F	3	12/01/17	All	6	0	1318.52	0.00	17.11	0.00	226.97	224.73	220.19	220.19			
121	6.000F	5	01/01/18	Lodgepole Pine	4	0	603.44	0.00	22.50	0.00	206.83	202.00	175.32	175.32	0804		
				E-Blowdown - Down	2	0	410.48	0.00	19.29	0.00	80.51	79.22	55.07	55.07	0804		
121	6.000F	5	01/01/18	Spruce	1	0	181.78	0.00	20.50	0.00	42.83	42.40	41.54	41.54	0504		
121	6.000F	5	01/01/18	All	5	0	785.22	0.00	22.06	0.00	249.65	244.40	216.86	216.86			

FLAGS: Compile All Trees, Dry Belt Fir

Balsam

Total Merch Area: 97.30001 Ha

		RISK GROUP 1				RISK GROUP 2				RISK GROUP 3			
Log Top Dia (cm)	LRF	Gross Merch	% Decay	Net Merch	FBM	Gross Merch	% Decay	Net Merch	FBM	Gross Merch	% Decay	Net Merch	FBM
0.1 - 5.49	91												
5.5 - 6.49	103												
6.5 - 7.49	113												
7.5 - 8.49	123												
8.5 - 9.9	134												
10.0 - 14.9	158	428	0.8	415	65317	284	5.0	262	40553				
15.0 - 19.9	185	471	0.6	458	84470	300	5.0	277	50020				
20.0 - 24.9	202	190	1.8	181	36293	399	7.6	354	69057				
25.0 - 29.9	217	146	2.8	136	29233	329	11.5	275	56613				
30.0 - 34.9	226					142	10.1	122	26286				
35.0 - 39.9	234					73	13.3	59	13022				
40.0 - 44.9	240												
45.0 - 49.9	246												
50.0 - 54.9	252												
55.0 - 59.9	258												
60.0 - 64.9	263												
65.0 - 69.9	266												
70.0 - 74.9	267												
75.0 - 79.9	265												
80.0 - 84.9	263												
85.0 - 89.9	261												
90.0 - 94.9	259												
95.0 - 99.9	257												
100.0+	254												
All Logs		1235	1.1	1190	215312	1528	7.9	1348	255551				

Risk Group Summary						
Risk Groups	1	2	3	1+2	2+3	1+2+3
Average LRF	181	190		185	190	185
Decay	1.1	7.9		4.9	7.9	
% Stud Log Net Merch	73.3	40.0		55.6	40.0	
% Small Log Net Merch	100.0	86.6		92.9	86.6	
% Large Log Net Merch	0.0	13.4		7.1	13.4	

FLAGS: Compile All Trees, Dry Belt Fir

Red Cedar

Total Merch Area: 97.30001 Ha

		RISK GROUP 1				RISK GROUP 2				RISK GROUP 3			
Log Top Dia (cm)	LRF	Gross Merch	% Decay	Net Merch	FBM	Gross Merch	% Decay	Net Merch	FBM	Gross Merch	% Decay	Net Merch	FBM
0.1 - 5.49	91												
5.5 - 6.49	97												
6.5 - 7.49	103												
7.5 - 8.49	108												
8.5 - 9.9	115												
10.0 - 14.9	132	262		251	33142	56	12.5	43	4655				
15.0 - 19.9	156	194		186	29010	21	6.0	19	2748				
20.0 - 24.9	177												
25.0 - 29.9	197					130	10.7	105	18875				
30.0 - 34.9	215					128	14.8	94	17950				
35.0 - 39.9	227												
40.0 - 44.9	235												
45.0 - 49.9	238												
50.0 - 54.9	239												
55.0 - 59.9	239												
60.0 - 64.9	237												
65.0 - 69.9	233												
70.0 - 74.9	228												
75.0 - 79.9	223												
80.0 - 84.9	217												
85.0 - 89.9	210												
90.0 - 94.9	201												
95.0 - 99.9	193												
100.0+	184												
All Logs		455	0.0	437	62153	334	12.2	262	44228				

Risk Group Summary						
Risk Groups	1	2	3	1+2	2+3	1+2+3
Average LRF	142	169		152	169	152
Decay	0.0	12.2		5.2	12.2	
% Stud Log Net Merch	0.0	0.0		0.0	0.0	
% Small Log Net Merch	100.0	64.2		86.6	64.2	
% Large Log Net Merch	0.0	35.8		13.4	35.8	

FLAGS: Compile All Trees, Dry Belt Fir

Fir

Total Merch Area: 97.30001 Ha

		RISK GROUP 1				RISK GROUP 2				RISK GROUP 3			
Log Top Dia (cm)	LRF	Gross Merch	% Decay	Net Merch	FBM	Gross Merch	% Decay	Net Merch	FBM	Gross Merch	% Decay	Net Merch	FBM
0.1 - 5.49	91												
5.5 - 6.49	102												
6.5 - 7.49	111												
7.5 - 8.49	120												
8.5 - 9.9	129												
10.0 - 14.9	151	461	0.1	451	68130	106	5.0	99	14545				
15.0 - 19.9	172	321	0.2	314	53984	104	5.0	97	16198				
20.0 - 24.9	187	742	0.2	726	135596	202	5.0	188	34292				
25.0 - 29.9	199	334	0.1	327	65002	124	5.0	115	22384				
30.0 - 34.9	210	99		97	20277	23	5.0	22	4408				
35.0 - 39.9	217	15		15	3256	5	4.6	5	1058				
40.0 - 44.9	222	3		3	731								
45.0 - 49.9	228												
50.0 - 54.9	233												
55.0 - 59.9	237												
60.0 - 64.9	240												
65.0 - 69.9	241												
70.0 - 74.9	240												
75.0 - 79.9	237												
80.0 - 84.9	234												
85.0 - 89.9	231												
90.0 - 94.9	227												
95.0 - 99.9	224												
100.0+	221												
All Logs		1975	0.1	1933	346976	565	5.0	525	92884				

Risk Group Summary						
Risk Groups	1	2	3	1+2	2+3	1+2+3
Average LRF	180	177		179	177	179
Decay	0.1	5.0		1.2	5.0	
% Stud Log Net Merch	39.6	37.2		39.1	37.2	
% Small Log Net Merch	94.1	95.0		94.2	95.0	
% Large Log Net Merch	5.9	5.0		5.8	5.0	

FLAGS: Compile All Trees, Dry Belt Fir

Larch

Total Merch Area: 97.30001 Ha

		RISK GROUP 1				RISK GROUP 2				RISK GROUP 3			
Log Top Dia (cm)	LRF	Gross Merch	% Decay	Net Merch	FBM	Gross Merch	% Decay	Net Merch	FBM	Gross Merch	% Decay	Net Merch	FBM
0.1 - 5.49	91												
5.5 - 6.49	103												
6.5 - 7.49	113												
7.5 - 8.49	123												
8.5 - 9.9	134												
10.0 - 14.9	158	208	0.4	200	31592	209	1.1	200	31498				
15.0 - 19.9	185	402	0.5	388	71601	168	1.5	160	29414				
20.0 - 24.9	202	418	0.7	403	81047	130	2.0	123	24662				
25.0 - 29.9	217	259	1.0	249	53702	109	2.0	104	22303				
30.0 - 34.9	226	2		2	359	49	2.0	47	10413				
35.0 - 39.9	234	2		2	513	6	2.0	6	1340				
40.0 - 44.9	240												
45.0 - 49.9	246												
50.0 - 54.9	252												
55.0 - 59.9	258												
60.0 - 64.9	263												
65.0 - 69.9	266												
70.0 - 74.9	267												
75.0 - 79.9	265												
80.0 - 84.9	263												
85.0 - 89.9	261												
90.0 - 94.9	259												
95.0 - 99.9	257												
100.0+	254												
All Logs		1290	0.6	1243	238813	671	1.6	640	119630				

Risk Group Summary						
Risk Groups	1	2	3	1+2	2+3	1+2+3
Average LRF	192	187		190	187	190
Decay	0.6	1.6		1.0	1.6	
% Stud Log Net Merch	47.3	56.3		50.4	56.3	
% Small Log Net Merch	99.7	91.8		97.0	91.8	
% Large Log Net Merch	0.3	8.2		3.0	8.2	

FLAGS: Compile All Trees, Dry Belt Fir

Lodgepole Pine - Green No Beetle

Total Merch Area: 97.30001 Ha

		RISK GROUP 1				RISK GROUP 2				RISK GROUP 3			
Log Top Dia (cm)	LRF	Gross Merch	% Decay	Net Merch	FBM	Gross Merch	% Decay	Net Merch	FBM	Gross Merch	% Decay	Net Merch	FBM
0.1 - 5.49	91												
5.5 - 6.49	103												
6.5 - 7.49	113												
7.5 - 8.49	123												
8.5 - 9.9	134												
10.0 - 14.9	158	940	0.4	918	144730	2452	1.6	2363	370342				
15.0 - 19.9	185	802	0.2	785	145004	1681	1.9	1615	295909				
20.0 - 24.9	202	414	0.0	405	81867	617	2.7	588	117208				
25.0 - 29.9	217	143		140	30481	162	3.7	153	32596				
30.0 - 34.9	226					53	4.7	50	11004				
35.0 - 39.9	234												
40.0 - 44.9	240												
45.0 - 49.9	246												
50.0 - 54.9	252												
55.0 - 59.9	258												
60.0 - 64.9	263												
65.0 - 69.9	266												
70.0 - 74.9	267												
75.0 - 79.9	265												
80.0 - 84.9	263												
85.0 - 89.9	261												
90.0 - 94.9	259												
95.0 - 99.9	257												
100.0+	254												
All Logs		2300	0.2	2248	402082	4966	2.0	4769	827060				

Risk Group Summary							
Risk Groups	1	2	3	1+2	2+3	1+2+3	PL Adjustment
Average LRF	179	173		175	173	175	
Decay	0.2	2.0		1.4	2.0		
% Stud Log Net Merch	75.7	83.4		80.9	83.4		
% Small Log Net Merch	100.0	99.0		99.3	99.0		
% Large Log Net Merch	0.0	1.0		0.7	1.0		

FLAGS: Compile All Trees, Dry Belt Fir

Total Merch Area: 97.30001 Ha

Risk Group Summary							
Risk Groups	1	2	3	1+2	2+3	1+2+3	PL Adjustment
Average LRF							3
Decay							
% Stud Log Net Merch							
% Small Log Net Merch							
% Large Log Net Merch							

FLAGS: Compile All Trees, Dry Belt Fir

Total Merch Area: 97.30001 Ha

Risk Group Summary							
Risk Groups	1	2	3	1+2	2+3	1+2+3	PL Adjustment
Average LRF							33
Decay							
% Stud Log Net Merch							
% Small Log Net Merch							
% Large Log Net Merch							

FLAGS: Compile All Trees, Dry Belt Fir

Lodgepole Pine - Grey Attack

Total Merch Area: 97.30001 Ha

		RISK GROUP 1				RISK GROUP 2				RISK GROUP 3			
Log Top Dia (cm)	LRF	Gross Merch	% Decay	Net Merch	FBM	Gross Merch	% Decay	Net Merch	FBM	Gross Merch	% Decay	Net Merch	FBM
0.1 - 5.49	91												
5.5 - 6.49	103												
6.5 - 7.49	113												
7.5 - 8.49	123												
8.5 - 9.9	134												
10.0 - 14.9	158					26	2.0	18	2739				
15.0 - 19.9	185					69	2.0	47	8649				
20.0 - 24.9	202					19	3.7	13	2527				
25.0 - 29.9	217					59	3.7	39	8348				
30.0 - 34.9	226												
35.0 - 39.9	234												
40.0 - 44.9	240												
45.0 - 49.9	246												
50.0 - 54.9	252												
55.0 - 59.9	258												
60.0 - 64.9	263												
65.0 - 69.9	266												
70.0 - 74.9	267												
75.0 - 79.9	265												
80.0 - 84.9	263												
85.0 - 89.9	261												
90.0 - 94.9	259												
95.0 - 99.9	257												
100.0+	254												
All Logs						174	2.8	117	22262				

Risk Group Summary							
Risk Groups	1	2	3	1+2	2+3	1+2+3	PL Adjustment
Average LRF		191		191	191	191	83
Decay		2.8		2.8	2.8		
% Stud Log Net Merch		55.5		55.5	55.5		
% Small Log Net Merch		100.0		100.0	100.0		
% Large Log Net Merch		0.0		0.0	0.0		

FLAGS: Compile All Trees, Dry Belt Fir

Lodgepole Pine - Dead Potential

Total Merch Area: 97.30001 Ha

		RISK GROUP 1				RISK GROUP 2				RISK GROUP 3			
Log Top Dia (cm)	LRF	Gross Merch	% Decay	Net Merch	FBM	Gross Merch	% Decay	Net Merch	FBM	Gross Merch	% Decay	Net Merch	FBM
0.1 - 5.49	91												
5.5 - 6.49	103												
6.5 - 7.49	113												
7.5 - 8.49	123												
8.5 - 9.9	134												
10.0 - 14.9	158					596	1.8	406	63651				
15.0 - 19.9	185					218	2.1	148	27064				
20.0 - 24.9	202					292	2.6	196	39157				
25.0 - 29.9	217					67	3.2	45	9549				
30.0 - 34.9	226					22	6.0	14	3140				
35.0 - 39.9	234					34	6.0	22	4981				
40.0 - 44.9	240												
45.0 - 49.9	246												
50.0 - 54.9	252												
55.0 - 59.9	258												
60.0 - 64.9	263												
65.0 - 69.9	266												
70.0 - 74.9	267												
75.0 - 79.9	265												
80.0 - 84.9	263												
85.0 - 89.9	261												
90.0 - 94.9	259												
95.0 - 99.9	257												
100.0+	254												
All Logs						1229	2.3	832	147543				

Risk Group Summary							
Risk Groups	1	2	3	1+2	2+3	1+2+3	PL Adjustment
Average LRF		177		177	177	177	
Decay		2.3		2.3	2.3		
% Stud Log Net Merch		66.6		66.6	66.6		
% Small Log Net Merch		95.6		95.6	95.6		
% Large Log Net Merch		4.4		4.4	4.4		

FLAGS: Compile All Trees, Dry Belt Fir

Spruce

Total Merch Area: 97.30001 Ha

Log Top Dia (cm)	LRF	RISK GROUP 1				RISK GROUP 2				RISK GROUP 3			
		Gross Merch	% Decay	Net Merch	FBM	Gross Merch	% Decay	Net Merch	FBM	Gross Merch	% Decay	Net Merch	FBM
0.1 - 5.49	91												
5.5 - 6.49	103												
6.5 - 7.49	113												
7.5 - 8.49	123												
8.5 - 9.9	134												
10.0 - 14.9	158	1885	0.3	1842	290564	624	3.8	587	90961	22	22.9	15	2062
15.0 - 19.9	185	1964	0.4	1917	353902	622	4.1	583	105756				
20.0 - 24.9	202	1506	0.5	1468	295767	935	4.4	874	172710	43	23.2	28	5042
25.0 - 29.9	217	1746	0.7	1697	366964	980	5.2	907	191733	68	23.2	45	8662
30.0 - 34.9	226	816	1.7	784	175577	703	5.6	648	142321	30	23.5	19	3873
35.0 - 39.9	234	268	3.0	253	58335	507	5.8	464	105509	30	26.4	18	3638
40.0 - 44.9	240	186	2.7	176	41721	351	6.6	316	73404				
45.0 - 49.9	246	31	3.2	29	7061	220	8.3	193	45429				
50.0 - 54.9	252	46	3.2	43	10668	31	9.2	26	6352				
55.0 - 59.9	258												
60.0 - 64.9	263												
65.0 - 69.9	266												
70.0 - 74.9	267												
75.0 - 79.9	265												
80.0 - 84.9	263												
85.0 - 89.9	261												
90.0 - 94.9	259												
95.0 - 99.9	257												
100.0+	254												
All Logs		8448	0.7	8208	1600558	4973	5.1	4598	934175	192	23.7	125	23276

Risk Group Summary						
Risk Groups	1	2	3	1+2	2+3	1+2+3
Average LRF	195	203	186	198	203	198
Decay	0.7	5.1	23.7	2.4	5.8	
% Stud Log Net Merch	45.8	25.4	11.8	38.5	25.1	
% Small Log Net Merch	84.3	64.2	70.2	77.1	64.3	
% Large Log Net Merch	15.7	35.8	29.8	22.9	35.7	

FLAGS: Compile All Trees, Dry Belt Fir

		Total	Conifer	Decid.	F	C	B	S	PL	L
Utilization Limits										
Min DBH	cm (M)				17.5	17.5	17.5	17.5	12.50	17.5
Stump Ht	cm (M)				30	30	30	30	30.00	30
Top Dia	cm (M)				10.0	10.0	10.0	10.0	10.00	10.0
Log Len	m				5.0	5.0	5.0	5.0	5.00	5.0
Volume and Size Data										
Gross Merchantable	m3	24562	24562		1451		2343	12718	7978	72
Net Merchantable	m3	23007	23007		1402		2173	12055	7307	70
Net Merch - All	m3/ha	313.015	313.015		19.080		29.568	164.009	99.412	0.946
Net Merch - Live	m3/ha	290.463	290.463		18.532		28.055	156.420	86.509	0.946
Net Merch - DP	m3/ha	22.552	22.552		0.547		1.513	7.589	12.903	
Decay	%	2	2		1		4	3	1	
Waste	%						1			
Total Cull (DWB)	%	6	6		3		7	5	8	3
Net Merch Vol/Tree	m3	0.37	0.37		0.44		0.39	0.56	0.24	0.46
Avg 5.0 m Log Net	m3	0.14	0.14		0.15		0.15	0.19	0.10	0.12
Useless Dead/Live	%	2	2		11		5	1		
BlowDown	%	4	4		3			4	5	
Fire	%									
HeavyFire	%									
Insect	%	1	1						2	
SlopeAverage	%	20								
LRF and Log Summary										
Net Merch - Stud	%	55	55		48		60	39	81	100
Net Merch - Small Log	%	87	87		96		92	77	100	100
Net Merch - Large Log	%	13	13		4		8	23		
Avg LRF All	bdf/m3	187	187		175		184	197	174	176

FLAGS: Compile All Trees, Dry Belt Fir

		Total	Conifer	Decid.	F	C	B	S	PL	L
Utilization Limits										
Min DBH	cm (M)				17.5	17.5	17.5	17.5	12.50	17.5
Stump Ht	cm (M)				30	30	30	30	30.00	30
Top Dia	cm (M)				10.0	10.0	10.0	10.0	10.00	10.0
Log Len	m				5.0	5.0	5.0	5.0	5.00	5.0
Volume and Size Data										
Gross Merchantable	m3	5773	5773		1089	789	420	895	690	1890
Net Merchantable	m3	5470	5470		1056	699	365	877	659	1814
Net Merch - All	m3/ha	229.844	229.844		44.368	29.353	15.350	36.855	27.699	76.219
Net Merch - Live	m3/ha	197.149	197.149		36.175	21.167	15.350	36.855	27.699	59.901
Net Merch - DP	m3/ha	32.696	32.696		8.192	8.185				16.318
Decay	%	2	2		1	5	8		2	1
Waste	%					2	4			
Total Cull (DWB)	%	5	5		3	12	13	2	4	4
Net Merch Vol/Tree	m3	0.47	0.47		0.73	0.26	0.75	0.53	0.35	0.54
Avg 5.0 m Log Net	m3	0.16	0.16		0.20	0.13	0.19	0.22	0.12	0.15
Useless Dead/Live	%									
BlowDown	%									
Fire	%									
HeavyFire	%									
Insect	%									
SlopeAverage	%	25								
LRF and Log Summary										
Net Merch - Stud	%	36	36		28		27	29	63	48
Net Merch - Small Log	%	91	91		91	87	100	77	92	97
Net Merch - Large Log	%	9	9		9	13		23	8	3
Avg LRF All	bdfm3	186	186		184	152	195	204	183	191

FLAGS: Compile All Trees, Dry Belt Fir

		Total	Conifer	Decid.	F	C	B	S	PL	L
Utilization Limits										
Min DBH	cm (M)				17.5	17.5	17.5	17.5	12.50	17.5
Stump Ht	cm (M)				30	30	30	30	30.00	30
Top Dia	cm (M)				10.0	10.0	10.0	10.0	10.00	10.0
Log Len	m				5.0	5.0	5.0	5.0	5.00	5.0
Volume and Size Data										
Gross Merchantable	m3	30335	30335		2540	789	2763	13613	8669	1961
Net Merchantable	m3	28477	28477		2458	699	2539	12932	7966	1884
Net Merch - All	m3/ha	292.671	292.671		25.265	7.180	26.090	132.907	81.871	19.358
Net Merch - Live	m3/ha	267.638	267.638		22.848	5.178	24.947	127.174	72.124	15.367
Net Merch - DP	m3/ha	25.033	25.033		2.417	2.002	1.143	5.733	9.747	3.992
Decay	%	2	2		1	5	5	3	2	1
Waste	%					2	1			
Total Cull (DWB)	%	6	6		3	12	8	5	8	4
Net Merch Vol/Tree	m3	0.39	0.39		0.54	0.26	0.42	0.55	0.24	0.54
Avg 5.0 m Log Net	m3	0.15	0.15		0.17	0.13	0.15	0.19	0.10	0.15
Useless Dead/Live	%	1	1		8		5	1		
BlowDown	%	3	3		2			3	4	
Fire	%									
HeavyFire	%									
Insect	%								1	
SlopeAverage	%									
LRF and Log Summary										
Net Merch - Stud	%	51	51		39		56	38	79	50
Net Merch - Small Log	%	88	88		94	87	93	77	99	97
Net Merch - Large Log	%	12	12		6	13	7	23	1	3
Avg LRF All	bdf/m3	187	187		179	152	185	198	174	190

FLAGS: Compile All Trees, Dry Belt Fir