BCTS

A90479 - CP# 000

Placer Creek
Block #: 1, 2, 3, and 4

SUMMARY OF VOLUMES (loss factors)
P E R C E N T R E D U C T I O N A P P L I E D

06-Mar-2017 01:00:33PM

Cruised by: PIONEER FOREST
Compiled by: BCTS-EKFT

Map Area Statement Report

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
Version: 2016.01 IFS build 6030

Card A Cruise Identity

Licence #	: A90479	Cutting Permit #	: 000
Number of Blocks	: 4	Forest Region	: Kootenay-Boundary
Forest District	: Rocky Mountain	Type	: PSYU
Unit No	: Windermere	Tenure	: Timber Sales (INTERIOR)
Quota	: Prop./Mngd.PSYU,TFL,or SSA	Sale Type	: None
Elevation	: 1600	Co-ordinates Zone	: Zone 11
East	: 550094	North	: 5585891
Total Merch Area	: 86.40	Report Type	: *** FOR APPRAISAL PURPOSES ***
Locality	: Placer Creek		

Card B Compilation Standard

Damage	: Damage	Selective	: Compile All Trees
Double Sampling	: Measure Plots Only	Special Compilation	: Interior Wet Belt Fir
Species Compilation	: Exceptions Used	Type of Compilation	: Interior

Compilation Standard	Mature	Immature	PL
DBH Limit	17.50	12.00	12.50
Stump Height	30	30	30
Top Diameter	10.00	10.00	10.00

Card C Type Description

		Silvicultural Treatment Units	
Type	Description	A	B
1	Pl636-0/18		10.5
2	Pl636-0/18		9.3
3	PlSe(Bl)\635/17		6.5
4	Pl(Fd) 437-0/18	18.0	
5	PlFd 437 0/17	1.1	
6	PlFd 437-0/18	6.1	
7	Pl 636-0/15		28.1
8	Pl 636-0/15		6.8

Card D Block Description

				Silvicultural Treatment Units	
Block	Description	Maturity	Type	A	B
001	1	M	1		10.5
			2		9.3
			3		6.5
002	2	M	4	18.0	
003	3	M	5	1.1	
			6	6.1	
004	4	M	7		28.1
			8		6.8

Card F Harvesting Description

Harvest	Harvest		Silvicultural Treatment Units	
Method	Description	Type	A	B
CC	Cable - Clearcut	1		10.5
		2		9.3
		3		6.5
		7		28.1
		8		6.8
SC	Ground Systems - Clearcut	4	18.0	
		5	1.1	
		6	6.1	

Card G Treatment Unit Description

Treatment Unit	Description
A	A
B	B

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Appraisal Summary Report

06-Mar-2017 01:00:33PM

Average Line Method
BCTS
Licence Number: A90479 CP: 000
Project:
Location : Placer Creek

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage
No Of Blocks : 4

FIZ: F
PSYU: Windermere
Region: 4 - Kootenay-Boundary
District: 05 - Rocky Mountain

Filename: a90479_march_3_new_comp.ccp
Compiled by: BCTS-EKFT
Cruised by: PIONEER FOREST
Version: 2016.01 IFS build 6030

Utilization Levels:	Minimum DBH	Top Diameter	Stump Height
Mature Blocks: (cm)	17.5	10.0	30
Immature Blocks:(cm)	12.0	10.0	30
Exception[PL]: (cm)	12.5	10.0	30
Standard Log Length:(m)	5.00		

Net Area: [All Treatment Units : 86.4]

All Method Summary

Species Code	Description	Net Volume (m3) All	Live	DP	Net Volume / ha All	Live	DP	Decay%	Stud Log%	LRF	All Burn%
BA	Balsam	1821	1821	0	21.073	21.073	0.000	2	43	195	0
FI	Doug-Fir	1022	1022	0	11.823	11.823	0.000	1	61	187	0
LO	L.P. Pine	29941	27055	2886	346.544	313.137	33.407	2	80	173	0
SP	Spruce	4105	4037	67	47.507	46.730	0.777	1	36	203	0
WH	W.W. Pine	57	57	0	0.660	0.660	0.000	1	0	162	0
AS	Aspen	0	0	0	0.000	0.000	0.000	0	0	0	0
	Conifer	36945	33992	2953	427.607	393.423	34.184	2	73		0
	Total	36945	33992	2953	427.607	393.423	34.184	2	73		0

Harvesting Method Summaries

Species	Harvest Method	Net Volume	Average Slope%	Net Vol /Tree	Net Vol/ha	Defect% (DWB)	Partial Cut%	All Fire%	Heavy Fire%	Down Tree%	Dead Useless%
All Species	CC	29682	55	0.33	485.007	7	100	0	0	3	1
	SC	7263	33	0.23	288.208	4	92	0	0	4	0
	All Methods	36945	49	0.30	427.607	7	98	0	0	3	0
Conifer	CC	29682	55	0.33	485.007	7	100	0	0	3	1
	SC	7263	33	0.23	288.208	4	92	0	0	4	0
	All Methods	36945	49	0.30	427.607	7	98	0	0	3	0

Insect Damage Net Volume (m3)

L.P. Pine		All Other Conifer	
Green Attack	Red Attack	Grey Attack	Insect Damage
605	154	1146	0

L.P. Pine Red/Grey Attack % of Conifer by Block

001: 8.6% 002: 0.0% 003: 0.0% 004: 0.9%

Cutting Authority

See pre reduction compilation for statistics
Plots/Ha 0.9
Cruised Trees/Plot 5.9
Cruise Date (yy-mm): 13-09
Plots: 80 # <= 5yrs: 80 # > 5yrs: 0 # > 10yrs: 0 # no date: 0

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Percent Reductions Applied

06-Mar-2017 01:00:33PM

Average Line Method | Grades: MOF Computerized | FIZ: F | Filename: a90479_march_3_new_comp.ccp
BCTS | Computerized Decay | PSYU: Windermere | Compiled by: BCTS-EKFT
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Cruised by: PIONEER FOREST
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Version: 2016.01 IFS build 6030

Criteria					DBH Class																				
					10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	110	115	120
Spcs	Type	TU	Class	Block	Damage																					
AT	0	-				100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100
EP	0	-				100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100
FD	4	-				0	0	0	0	0	0	0	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95
FD	5	-				0	0	0	0	16	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95
FD	6	-				0	0	0	0	0	0	0	0	0	0	44	95	95	95	95	95	95	95	95	95	95	95

DBH Class																									
125	130	135	140	145	150	175	200	225	250	275															
100	100	100	100	100	100	100	100	100	100	100															
100	100	100	100	100	100	100	100	100	100	100															
95	95	95	95	95	95	95	95	95	95	95															
95	95	95	95	95	95	95	95	95	95	95															
95	95	95	95	95	95	95	95	95	95	95															

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Partial Cut Percent

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
Version: 2016.01 IFS build 6030

Species	Type	TU	Net Volume	Reduced Net Volume	Partial Cut Pct
All Species	1		5759	5759	100%
All Species	2		4366	4366	100%
All Species	3		3193	3170	99%
All Species	4		6296	5708	91%
All Species	5		316	313	99%
All Species	6		1316	1242	94%
All Species	7		13436	13436	100%
All Species	8		2951	2951	100%

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Partial Cut Percent

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
Version: 2016.01 IFS build 6030

Species	Type	TU	Net Volume	Reduced Net Volume	Partial Cut Pct
All Species		A	7927	7263	92%
All Species		B	29705	29682	100%

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Partial Cut Percent

06-Mar-2017 01:00:33PM

Average Line Method | Grades: MOF Computerized | FIZ: F | Filename: a90479_march_3_new_comp.ccp
BCTS | Computerized Decay | PSYU: Windermere | Compiled by: BCTS-EKFT
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Cruised by: PIONEER FOREST
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Version: 2016.01 IFS build 6030

Species	Type	TU	Net Volume	Reduced Net Volume	Partial Cut Pct
All Species	1	B	5759	5759	100%
All Species	2	B	4366	4366	100%
All Species	3	B	3193	3170	99%
All Species	4	A	6296	5708	91%
All Species	5	A	316	313	99%
All Species	6	A	1316	1242	94%
All Species	7	B	13436	13436	100%
All Species	8	B	2951	2951	100%

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Cutting Permit Summary

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
Version: 2016.01 IFS build 6030

Net Area: [All Treatment Units : 86.4]
Gross Area: [R/W Removed : 2.8][WTRA/Reser : 26.7][Logged : 1.2][Grand Total : 117.1]

		Total	Conifer	Decid	F	B	S	PW	PL	AT
Utilization Limits										
Min DBH cm (M)					17.5	17.5	17.5	17.5	12.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					10.0	10.0	10.0	10.0	10.0	10.0
Log Len m					5.0	5.0	5.0	5.0	5.0	5.0
Volume and Size Data										
Gross Merchantable	m3	39547	39547		1052	1895	4245	59	32296	
Net Merchantable	m3	36945	36945		1022	1821	4105	57	29941	
Net Merch - All	m3/ha	428	428		12	21	48	1	347	
Distribution	%	100	100		3	5	11	0	81	
Decay	%	2	2		1	2	1	1	2	
Waste	%	0	0		0		0			
Waste(billing)	%	0	0		0		0			
Breakage	%	5	5		2	2	2	2	6	
Total Cull (DWB)	%	7	7		3	4	3	3	7	
Stems/Ha (Live & DP)		1412.9	1412.9		30.2	40.0	72.1	2.1	1268.5	
Avg DBH (Live & DP)	cm	21.3	21.3		26.5	27.0	30.4	24.3	20.3	
Snags/Ha		6.2	6.2						6.2	
Avg Snag DBH	cm	14.1	14.1						14.1	
Gross Merch Vol/Tree	m3	0.32	0.32		0.40	0.55	0.68	0.33	0.29	
Net Merch Vol/Tree	m3	0.30	0.30		0.39	0.53	0.66	0.32	0.27	
Avg Weight Total Ht	m	23.2	23.2		23.2	25.1	25.9	18.2	22.8	
Avg Weight Merch Ht	m	17.4	17.4		17.6	19.2	20.8	12.9	16.8	
Avg 5.0 m Log Net	m3	0.11	0.11		0.15	0.16	0.21	0.11	0.10	
Avg 5.0 m Log Gross	m3	0.11	0.11		0.15	0.17	0.21	0.11	0.11	
Avg # of 5.0 m Logs/Tree		2.83	2.83		2.75	3.30	3.18	3.00	2.80	
Net Immature	%	99.2	99.2		87.5	100.0	95.8	100.0	100.0	
Average Slope	%	49								
LRF and Log Summary										
Net Merch - Stud	%	72.8	72.8		61.1	43.3	36.2		80.1	
Net Merch - Small Log	%	94.1	94.1		86.9	78.1	67.5	100.0	99.0	
Net Merch - Large Log	%	5.9	5.9		13.1	21.9	32.5		1.0	
Avg LRF All	bdft/m3	177.6	177.6		187.1	195.3	202.6	161.7	172.9	
Statistical Summary										
Coeff. of Variation	%	39.1	39.1		272.3	217.7	162.2	894.4	52.1	
Two Standard Error	%	8.6	8.6		60.3	48.2	35.9	198.0	11.5	
Number and Type of Plots		MP = 80								
Number of Potential Trees		470								
Plots/Ha		0.9								
Cruised Trees/Plot		5.9								

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Cutting Permit Summary

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
Version: 2016.01 IFS build 6030

Net Area: [A : 25.2]

		Total	Conifer	Decid	F	B	S	PW	PL	AT
Utilization Limits										
Min DBH cm (M)					17.5	17.5	17.5	17.5	12.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					10.0	10.0	10.0	10.0	10.0	10.0
Log Len m					5.0	5.0	5.0	5.0	5.0	5.0
Volume and Size Data										
Gross Merchantable	m3	7573	7573		830	372	373		5997	
Net Merchantable	m3	7263	7263		806	365	364		5728	
Net Merch - All	m3/ha	288	288		32	14	14		227	
Distribution	%	100	100		11	5	5		79	
Decay	%	1	1		1		0		1	
Waste	%	0	0		0					
Waste(billing)	%	0	0		0					
Breakage	%	3	3		2	2	2		3	
Total Cull (DWB)	%	4	4		3	2	2		4	
Stems/Ha (Live & DP)		1248.0	1248.0		94.8	42.8	17.3		1093.1	
Avg DBH (Live & DP)	cm	19.2	19.2		25.1	22.8	33.6		18.1	
Snags/Ha										
Avg Snag DBH	cm									
Gross Merch Vol/Tree	m3	0.24	0.24		0.35	0.35	0.85		0.22	
Net Merch Vol/Tree	m3	0.23	0.23		0.34	0.34	0.83		0.21	
Avg Weight Total Ht	m	21.8	21.8		22.4	21.8	26.6		21.5	
Avg Weight Merch Ht	m	15.3	15.3		16.7	15.3	21.6		14.7	
Avg 5.0 m Log Net	m3	0.09	0.09		0.13	0.12	0.24		0.08	
Avg 5.0 m Log Gross	m3	0.09	0.09		0.13	0.12	0.24		0.08	
Avg # of 5.0 m Logs/Tree		2.60	2.60		2.64	2.78	3.58		2.57	
Net Immature	%	98.2	98.2		84.1	100.0	100.0		100.0	
Average Slope	%	49								
LRF and Log Summary										
Net Merch - Stud	%	87.5	87.5		71.2	74.7	26.2		94.5	
Net Merch - Small Log	%	96.6	96.6		88.5	100.0	67.4		99.3	
Net Merch - Large Log	%	3.4	3.4		11.5		32.6		0.7	
Avg LRF All	bdft/m3	173.2	173.2		182.8	183.3	209.1		169.0	
Statistical Summary										
Coeff. of Variation	%	39.1	39.1		272.3	217.7	162.2		52.1	
Two Standard Error	%	8.6	8.6		60.3	48.2	35.9		11.5	
Number and Type of Plots		MP = 80								
Number of Potential Trees		470								
Plots/Ha		0.9								
Cruised Trees/Plot		5.9								

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Cutting Permit Summary

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
Version: 2016.01 IFS build 6030

Net Area: [B : 61.2]

		Total	Conifer	Decid	F	B	S	PW	PL	AT
Utilization Limits										
Min DBH cm (M)					17.5	17.5	17.5	17.5	12.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					10.0	10.0	10.0	10.0	10.0	10.0
Log Len m					5.0	5.0	5.0	5.0	5.0	5.0
Volume and Size Data										
Gross Merchantable	m3	31975	31975		222	1522	3873	59	26299	
Net Merchantable	m3	29682	29682		215	1456	3741	57	24214	
Net Merch - All	m3/ha	485	485		4	24	61	1	396	
Distribution	%	100	100		1	5	13	0	82	
Decay	%	2	2		1	2	1	1	2	
Waste	%	0	0				0			
Waste(billing)	%	0	0				0			
Breakage	%	5	5		2	2	2	2	6	
Total Cull (DWB)	%	7	7		3	4	3	3	8	
Stems/Ha (Live & DP)		1480.8	1480.8		3.6	38.9	94.7	2.9	1340.7	
Avg DBH (Live & DP)	cm	21.9	21.9		38.9	28.7	30.1	24.3	20.9	
Snags/Ha		8.7	8.7						8.7	
Avg Snag DBH	cm	14.1	14.1						14.1	
Gross Merch Vol/Tree	m3	0.35	0.35		1.00	0.64	0.67	0.33	0.32	
Net Merch Vol/Tree	m3	0.33	0.33		0.97	0.61	0.65	0.32	0.30	
Avg Weight Total Ht	m	23.6	23.6		26.3	25.9	25.9	18.2	23.1	
Avg Weight Merch Ht	m	17.9	17.9		21.3	20.2	20.7	12.9	17.3	
Avg 5.0 m Log Net	m3	0.12	0.12		0.25	0.18	0.21	0.11	0.11	
Avg 5.0 m Log Gross	m3	0.12	0.12		0.25	0.18	0.21	0.11	0.11	
Avg # of 5.0 m Logs/Tree		2.92	2.92		4.00	3.54	3.15	3.00	2.88	
Net Immature	%	99.4	99.4		100.0	100.0	95.4	100.0	100.0	
Average Slope	%	49								
LRF and Log Summary										
Net Merch - Stud	%	69.2	69.2		23.0	35.4	37.2		76.7	
Net Merch - Small Log	%	93.5	93.5		80.7	72.6	67.5	100.0	98.9	
Net Merch - Large Log	%	6.5	6.5		19.3	27.4	32.5		1.1	
Avg LRF All	bdft/m3	178.7	178.7		203.1	198.4	202.0	161.7	173.8	
Statistical Summary										
Coeff. of Variation	%	39.1	39.1		272.3	217.7	162.2	894.4	52.1	
Two Standard Error	%	8.6	8.6		60.3	48.2	35.9	198.0	11.5	
Number and Type of Plots		MP = 80								
Number of Potential Trees		470								
Plots/Ha		0.9								
Cruised Trees/Plot		5.9								

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Block Summary

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
Version: 2016.01 IFS build 6030

Net Area: Block : (M) - 001:1, Plots in Block: 23, TUs: [B : 26.3]
Gross Area: [R/W Removed : 0.8][WTRA/Reser : 9.6][Logged : 1.2][Grand Total : 37.9]

		Total	Conifer	Decid	F	B	S	PW	PL	AT
Utilization Limits										
Min DBH cm (M)					17.5	17.5	17.5	17.5	12.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					10.0	10.0	10.0	10.0	10.0	10.0
Log Len m					5.0	5.0	5.0	5.0	5.0	5.0
Volume and Size Data										
Gross Merchantable	m3	14726	14726		222	278	1329		12897	
Net Merchantable	m3	13295	13295		215	264	1281		11536	
Net Merch - All	m3/ha	506	506		8	10	49		439	
Distribution	%	100	100		2	2	10		87	
Decay	%	2	2		1	3	2		2	
Waste	%									
Waste(billing)	%									
Breakage	%	8	8		2	2	2		9	
Total Cull (DWB)	%	10	10		3	5	4		11	
Stems/Ha (Live & DP)		1472.8	1472.8		8.4	6.7	49.3		1408.3	
Avg DBH (Live & DP)	cm	22.3	22.3		38.9	43.3	35.7		21.4	
Snags/Ha										
Avg Snag DBH	cm									
Gross Merch Vol/Tree	m3	0.38	0.38		1.00	1.57	1.02		0.35	
Net Merch Vol/Tree	m3	0.34	0.34		0.97	1.49	0.99		0.31	
Avg Weight Total Ht	m	24.3	24.3		26.3	27.6	27.9		23.8	
Avg Weight Merch Ht	m	18.6	18.6		21.3	22.9	22.9		18.1	
Avg 5.0 m Log Net	m3	0.12	0.12		0.25	0.33	0.26		0.11	
Avg 5.0 m Log Gross	m3	0.12	0.12		0.25	0.34	0.27		0.12	
Avg # of 5.0 m Logs/Tree		3.05	3.05		4.00	4.62	3.81		3.01	
Net Immature	%	100.0	100.0		100.0	100.0	100.0		100.0	
Average Slope	%	60								
LRF and Log Summary										
Net Merch - Stud	%	66.6	66.6		23.0	12.4	29.1		72.8	
Net Merch - Small Log	%	93.3	93.3		80.7	41.4	55.6		98.9	
Net Merch - Large Log	%	6.7	6.7		19.3	58.6	44.4		1.1	
Avg LRF All	bdft/m3	176.0	176.0		203.1	214.6	209.8		170.8	
Statistical Summary										
Coeff. of Variation	%	29.3	29.3		314.2	329.7	155.1		39.4	
Two Standard Error	%	12.7	12.7		136.7	143.4	67.5		17.2	
Number and Type of Plots		MP = 23								
Number of Potential Trees		129								
Plots/Ha		0.9								
Cruised Trees/Plot		5.6								

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Block Summary

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
Version: 2016.01 IFS build 6030

Net Area: Block : (M) - 002:2, Plots in Block: 16, TUs: [A : 18.0]
Gross Area: [R/W Removed : 0.8][WTRA/Reser : 4.8][Grand Total : 23.6]

		Total	Conifer	Decid	F	B	S	PW	PL	AT
Utilization Limits										
Min DBH cm (M)					17.5	17.5	17.5	17.5	12.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					10.0	10.0	10.0	10.0	10.0	10.0
Log Len m					5.0	5.0	5.0	5.0	5.0	5.0
Volume and Size Data										
Gross Merchantable	m3	5943	5943		705	295	350		4593	
Net Merchantable	m3	5708	5708		690	289	342		4387	
Net Merch - All	m3/ha	317	317		38	16	19		244	
Distribution	%	100	100		12	5	6		77	
Decay	%	1	1		0		0		1	
Waste	%	0	0		0					
Waste(billing)	%	0	0		0					
Breakage	%	3	3		2	2	2		3	
Total Cull (DWB)	%	4	4		2	2	2		4	
Stems/Ha (Live & DP)		1360.0	1360.0		127.9	53.9	20.3		1157.8	
Avg DBH (Live & DP)	cm	19.3	19.3		23.8	21.7	35.4		18.2	
Snags/Ha										
Avg Snag DBH	cm									
Gross Merch Vol/Tree	m3	0.24	0.24		0.31	0.30	0.96		0.22	
Net Merch Vol/Tree	m3	0.23	0.23		0.30	0.30	0.93		0.21	
Avg Weight Total Ht	m	21.9	21.9		21.8	21.2	26.9		21.6	
Avg Weight Merch Ht	m	15.4	15.4		15.7	14.4	22.1		14.9	
Avg 5.0 m Log Net	m3	0.09	0.09		0.12	0.11	0.26		0.08	
Avg 5.0 m Log Gross	m3	0.09	0.09		0.12	0.11	0.26		0.08	
Avg # of 5.0 m Logs/Tree		2.61	2.61		2.58	2.64	3.69		2.60	
Net Immature	%	99.5	99.5		96.1	100.0	100.0		100.0	
Average Slope	%	32								
LRF and Log Summary										
Net Merch - Stud	%	86.7	86.7		80.1	87.5	21.6		92.8	
Net Merch - Small Log	%	96.8	96.8		96.4	100.0	65.3		99.1	
Net Merch - Large Log	%	3.2	3.2		3.6		34.7		0.9	
Avg LRF All	bdft/m3	173.3	173.3		177.1	178.3	211.5		169.4	
Statistical Summary										
Coeff. of Variation	%	44.5	44.5		150.1	229.7	181.4		58.9	
Two Standard Error	%	23.7	23.7		80.0	122.4	96.7		31.4	
Number and Type of Plots		MP = 16								
Number of Potential Trees		87								
Plots/Ha		0.9								
Cruised Trees/Plot		5.4								

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Block Summary

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
Version: 2016.01 IFS build 6030

Net Area: Block : (M) - 003:3, Plots in Block: 8, TUs: [A : 7.2]
Gross Area: [WTRA/Reser : 3.3][Grand Total : 10.5]

		Total	Conifer	Decid	F	B	S	PW	PL	AT
Utilization Limits										
Min DBH cm (M)					17.5	17.5	17.5	17.5	12.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					10.0	10.0	10.0	10.0	10.0	10.0
Log Len m					5.0	5.0	5.0	5.0	5.0	5.0
Volume and Size Data										
Gross Merchantable	m3	1629	1629		125	78	22		1404	
Net Merchantable	m3	1555	1555		117	76	21		1340	
Net Merch - All	m3/ha	216	216		16	11	3		186	
Distribution	%	100	100		8	5	1		86	
Decay	%	1	1		4		1		1	
Waste	%	0	0		1					
Waste(billing)	%	0	0		1					
Breakage	%	3	3		2	2	2		3	
Total Cull (DWB)	%	5	5		7	2	3		5	
Stems/Ha (Live & DP)		968.2	968.2		12.2	15.0	9.8		931.2	
Avg DBH (Live & DP)	cm	18.9	18.9		47.2	31.0	22.3		17.9	
Snags/Ha										
Avg Snag DBH	cm									
Gross Merch Vol/Tree	m3	0.23	0.23		1.42	0.72	0.31		0.21	
Net Merch Vol/Tree	m3	0.22	0.22		1.33	0.71	0.30		0.20	
Avg Weight Total Ht	m	21.6	21.6		26.3	24.3	21.2		21.0	
Avg Weight Merch Ht	m	15.0	15.0		22.2	18.7	14.4		14.2	
Avg 5.0 m Log Net	m3	0.09	0.09		0.33	0.18	0.10		0.08	
Avg 5.0 m Log Gross	m3	0.09	0.09		0.34	0.18	0.10		0.08	
Avg # of 5.0 m Logs/Tree		2.54	2.54		4.14	4.00	3.00		2.49	
Net Immature	%	93.5	93.5		13.6	100.0	100.0		100.0	
Average Slope	%	35								
LRF and Log Summary										
Net Merch - Stud	%	90.3	90.3		18.6	25.9	100.0		100.0	
Net Merch - Small Log	%	95.6	95.6		41.9	100.0	100.0		100.0	
Net Merch - Large Log	%	4.4	4.4		58.1					
Avg LRF All	bdft/m3	172.9	172.9		216.1	202.2	170.6		167.6	
Statistical Summary										
Coeff. of Variation	%	44.3	44.3		240.5	282.8	282.8		59.9	
Two Standard Error	%	38.3	38.3		208.1	244.7	244.7		51.8	
Number and Type of Plots		MP = 8								
Number of Potential Trees		36								
Plots/Ha		1.1								
Cruised Trees/Plot		4.5								

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Block Summary

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
Version: 2016.01 IFS build 6030

Net Area: Block : (M) - 004:4, Plots in Block: 33, TUs: [B : 34.9]
Gross Area: [R/W Removed : 1.2][WTRA/Reser : 9.0][Grand Total : 45.1]

		Total	Conifer	Decid	F	B	S	PW	PL	AT
Utilization Limits										
Min DBH cm (M)					17.5	17.5	17.5	17.5	12.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					10.0	10.0	10.0	10.0	10.0	10.0
Log Len m					5.0	5.0	5.0	5.0	5.0	5.0
Volume and Size Data										
Gross Merchantable	m3	17249	17249			1245	2543	59	13402	
Net Merchantable	m3	16387	16387			1192	2460	57	12678	
Net Merch - All	m3/ha	470	470			34	70	2	363	
Distribution	%	100	100			7	15	0	77	
Decay	%	2	2			2	1	1	2	
Waste	%	0	0				0			
Waste(billing)	%	0	0				0			
Breakage	%	3	3			2	2	2	4	
Total Cull (DWB)	%	5	5			4	3	3	5	
Stems/Ha (Live & DP)		1486.8	1486.8			63.1	128.9	5.1	1289.7	
Avg DBH (Live & DP)	cm	21.6	21.6			27.2	28.3	24.3	20.5	
Snags/Ha		15.3	15.3						15.3	
Avg Snag DBH	cm	14.1	14.1						14.1	
Gross Merch Vol/Tree	m3	0.33	0.33			0.57	0.57	0.33	0.30	
Net Merch Vol/Tree	m3	0.32	0.32			0.54	0.55	0.32	0.28	
Avg Weight Total Ht	m	23.0	23.0			25.5	24.8	18.2	22.4	
Avg Weight Merch Ht	m	17.3	17.3			19.6	19.5	12.9	16.6	
Avg 5.0 m Log Net	m3	0.12	0.12			0.16	0.19	0.11	0.11	
Avg 5.0 m Log Gross	m3	0.12	0.12			0.16	0.19	0.11	0.11	
Avg # of 5.0 m Logs/Tree		2.82	2.82			3.45	2.96	3.00	2.77	
Net Immature	%	98.9	98.9			100.0	93.0	100.0	100.0	
Average Slope	%	52								
LRF and Log Summary										
Net Merch - Stud	%	71.3	71.3			40.5	41.4		80.3	
Net Merch - Small Log	%	93.7	93.7			79.5	73.7	100.0	98.9	
Net Merch - Large Log	%	6.3	6.3			20.5	26.3		1.1	
Avg LRF All	bdft/m3	181.0	181.0			194.8	197.9	161.7	176.5	
Statistical Summary										
Coeff. of Variation	%	42.6	42.6			173.9	139.8	574.5	58.0	
Two Standard Error	%	14.8	14.8			60.5	48.7	200.0	20.2	
Number and Type of Plots		MP = 33								
Number of Potential Trees		218								
Plots/Ha		0.9								
Cruised Trees/Plot		6.6								

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Summary

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
Version: 2016.01 IFS build 6030

Net Area: Type 1 (M):Pl636-0/18, Plots in Type: 8, TUs: [B : 10.5]

		Total	Conifer	Decid	F	B	S	PW	PL	AT
Utilization Limits										
Min DBH cm (M)					17.5	17.5	17.5	17.5	12.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					10.0	10.0	10.0	10.0	10.0	10.0
Log Len m					5.0	5.0	5.0	5.0	5.0	5.0
Volume and Size Data										
Gross Merchantable	m3	6245	6245		222				6023	
Net Merchantable	m3	5759	5759		215				5544	
Net Merch - All	m3/ha	549	549		20				528	
Distribution	%	100	100		4				96	
Decay	%	2	2		1				2	
Waste	%									
Waste(billing)	%									
Breakage	%	6	6		2				6	
Total Cull (DWB)	%	8	8		3				8	
Stems/Ha (Live & DP)		1620.1	1620.1		21.1				1599.1	
Avg DBH (Live & DP)	cm	21.5	21.5		38.9				21.2	
Snags/Ha										
Avg Snag DBH	cm									
Gross Merch Vol/Tree	m3	0.37	0.37		1.00				0.36	
Net Merch Vol/Tree	m3	0.34	0.34		0.97				0.33	
Avg Weight Total Ht	m	24.8	24.8		26.3				24.7	
Avg Weight Merch Ht	m	18.7	18.7		21.3				18.6	
Avg 5.0 m Log Net	m3	0.11	0.11		0.25				0.11	
Avg 5.0 m Log Gross	m3	0.11	0.11		0.25				0.11	
Avg # of 5.0 m Logs/Tree		3.27	3.27		4.00				3.26	
Net Immature	%	100.0	100.0		100.0				100.0	
LRF and Log Summary										
Net Merch - Stud	%	74.3	74.3		23.0				76.2	
Net Merch - Small Log	%	99.3	99.3		80.7				100.0	
Net Merch - Large Log	%	0.7	0.7		19.3					
Avg LRF All	bdft/m3	174.3	174.3		203.1				173.2	
Statistical Summary										
Coeff. of Variation	%	24.7	24.7		185.3				21.6	
Two Standard Error	%	20.7	20.7		154.9				18.1	
Number and Type of Plots		MP = 8								
Number of Potential Trees		47								
Plots/Ha		0.8								
Cruised Trees/Plot		5.9								

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Summary

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
Version: 2016.01 IFS build 6030

Net Area: Type 2 (M):Pl636-0/18, Plots in Type: 9, TUs: [B : 9.3]

		Total	Conifer	Decid	F	B	S	PW	PL	AT
Utilization Limits										
Min DBH cm (M)					17.5	17.5	17.5	17.5	12.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					10.0	10.0	10.0	10.0	10.0	10.0
Log Len m					5.0	5.0	5.0	5.0	5.0	5.0
Volume and Size Data										
Gross Merchantable	m3	5073	5073						5073	
Net Merchantable	m3	4366	4366						4366	
Net Merch - All	m3/ha	469	469						469	
Distribution	%	100	100						100	
Decay	%	2	2						2	
Waste	%									
Waste(billing)	%									
Breakage	%	12	12						12	
Total Cull (DWB)	%	14	14						14	
Stems/Ha (Live & DP)		1829.0	1829.0						1829.0	
Avg DBH (Live & DP)	cm	20.4	20.4						20.4	
Snags/Ha										
Avg Snag DBH	cm									
Gross Merch Vol/Tree	m3	0.30	0.30						0.30	
Net Merch Vol/Tree	m3	0.26	0.26						0.26	
Avg Weight Total Ht	m	22.9	22.9						22.9	
Avg Weight Merch Ht	m	17.2	17.2						17.2	
Avg 5.0 m Log Net	m3	0.11	0.11						0.11	
Avg 5.0 m Log Gross	m3	0.11	0.11						0.11	
Avg # of 5.0 m Logs/Tree		2.65	2.65						2.65	
Net Immature	%	100.0	100.0						100.0	
LRF and Log Summary										
Net Merch - Stud	%	76.7	76.7						76.7	
Net Merch - Small Log	%	98.6	98.6						98.6	
Net Merch - Large Log	%	1.4	1.4						1.4	
Avg LRF All	bdft/m3	161.0	161.0						161.0	
Statistical Summary										
Coeff. of Variation	%	28.9	28.9						28.9	
Two Standard Error	%	22.2	22.2						22.2	
Number and Type of Plots		MP = 9								
Number of Potential Trees		45								
Plots/Ha		1.0								
Cruised Trees/Plot		5.0								

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Summary

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
Version: 2016.01 IFS build 6030

Net Area: Type 3 (M):PlSe(Bl)\635/17, Plots in Type: 6, TUs: [B : 6.5]

		Total	Conifer	Decid	F	B	S	PW	PL	AT
Utilization Limits										
Min DBH cm (M)					17.5	17.5	17.5	17.5	12.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					10.0	10.0	10.0	10.0	10.0	10.0
Log Len m					5.0	5.0	5.0	5.0	5.0	5.0
Volume and Size Data										
Gross Merchantable	m3	3408	3408			278	1329		1801	
Net Merchantable	m3	3170	3170			264	1281		1626	
Net Merch - All	m3/ha	488	488			41	197		250	
Distribution	%	100	100			8	40		51	
Decay	%	2	2			3	2		2	
Waste	%									
Waste(billing)	%									
Breakage	%	5	5			2	2		8	
Total Cull (DWB)	%	7	7			5	4		10	
Stems/Ha (Live & DP)		725.2	725.2			27.2	199.7		498.3	
Avg DBH (Live & DP)	cm	30.4	30.4			43.3	35.7		27.1	
Snags/Ha										
Avg Snag DBH	cm									
Gross Merch Vol/Tree	m3	0.72	0.72			1.57	1.02		0.56	
Net Merch Vol/Tree	m3	0.67	0.67			1.49	0.99		0.50	
Avg Weight Total Ht	m	25.6	25.6			27.6	27.9		23.6	
Avg Weight Merch Ht	m	20.6	20.6			22.9	22.9		18.5	
Avg 5.0 m Log Net	m3	0.19	0.19			0.33	0.26		0.15	
Avg 5.0 m Log Gross	m3	0.20	0.20			0.34	0.27		0.16	
Avg # of 5.0 m Logs/Tree		3.67	3.67			4.62	3.81		3.56	
Net Immature	%	100.0	100.0			100.0	100.0		100.0	
LRF and Log Summary										
Net Merch - Stud	%	38.7	38.7			12.4	29.1		50.5	
Net Merch - Small Log	%	75.0	75.0			41.4	55.6		95.7	
Net Merch - Large Log	%	25.0	25.0			58.6	44.4		4.3	
Avg LRF All	bdft/m3	199.6	199.6			214.6	209.8		189.1	
Statistical Summary										
Coeff. of Variation	%	37.0	37.0			168.4	79.2		111.1	
Two Standard Error	%	38.8	38.8			176.7	83.2		116.6	
Number and Type of Plots		MP = 6								
Number of Potential Trees		37								
Plots/Ha		0.9								
Cruised Trees/Plot		6.2								

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Summary

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
Version: 2016.01 IFS build 6030

Net Area: Type 4 (M):Pl(Fd) 437-0/18, Plots in Type: 16, TUs: [A : 18.0]

		Total	Conifer	Decid	F	B	S	PW	PL	AT
Utilization Limits										
Min DBH cm (M)					17.5	17.5	17.5	17.5	12.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					10.0	10.0	10.0	10.0	10.0	10.0
Log Len m					5.0	5.0	5.0	5.0	5.0	5.0
Volume and Size Data										
Gross Merchantable	m3	5943	5943		705	295	350		4593	
Net Merchantable	m3	5708	5708		690	289	342		4387	
Net Merch - All	m3/ha	317	317		38	16	19		244	
Distribution	%	100	100		12	5	6		77	
Decay	%	1	1		0		0		1	
Waste	%	0	0		0					
Waste(billing)	%	0	0		0					
Breakage	%	3	3		2	2	2		3	
Total Cull (DWB)	%	4	4		2	2	2		4	
Stems/Ha (Live & DP)		1360.0	1360.0		127.9	53.9	20.3		1157.8	
Avg DBH (Live & DP)	cm	19.3	19.3		23.8	21.7	35.4		18.2	
Snags/Ha										
Avg Snag DBH	cm									
Gross Merch Vol/Tree	m3	0.24	0.24		0.31	0.30	0.96		0.22	
Net Merch Vol/Tree	m3	0.23	0.23		0.30	0.30	0.93		0.21	
Avg Weight Total Ht	m	21.9	21.9		21.8	21.2	26.9		21.6	
Avg Weight Merch Ht	m	15.4	15.4		15.7	14.4	22.1		14.9	
Avg 5.0 m Log Net	m3	0.09	0.09		0.12	0.11	0.26		0.08	
Avg 5.0 m Log Gross	m3	0.09	0.09		0.12	0.11	0.26		0.08	
Avg # of 5.0 m Logs/Tree		2.61	2.61		2.58	2.64	3.69		2.60	
Net Immature	%	99.5	99.5		96.1	100.0	100.0		100.0	
LRF and Log Summary										
Net Merch - Stud	%	86.7	86.7		80.1	87.5	21.6		92.8	
Net Merch - Small Log	%	96.8	96.8		96.4	100.0	65.3		99.1	
Net Merch - Large Log	%	3.2	3.2		3.6		34.7		0.9	
Avg LRF All	bdft/m3	173.3	173.3		177.1	178.3	211.5		169.4	
Statistical Summary										
Coeff. of Variation	%	44.5	44.5		150.1	229.7	181.4		58.9	
Two Standard Error	%	23.7	23.7		80.0	122.4	96.7		31.4	
Number and Type of Plots		MP = 16								
Number of Potential Trees		87								
Plots/Ha		0.9								
Cruised Trees/Plot		5.4								

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Summary

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
Version: 2016.01 IFS build 6030

Net Area: Type 5 (M):PlFd 437 0/17, Plots in Type: 2, TUs: [A : 1.1]

		Total	Conifer	Decid	F	B	S	PW	PL	AT
Utilization Limits										
Min DBH cm (M)					17.5	17.5	17.5	17.5	12.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					10.0	10.0	10.0	10.0	10.0	10.0
Log Len m					5.0	5.0	5.0	5.0	5.0	5.0
Volume and Size Data										
Gross Merchantable	m3	328	328		16		22		290	
Net Merchantable	m3	313	313		16		21		276	
Net Merch - All	m3/ha	284	284		14		20		251	
Distribution	%	100	100		5		7		88	
Decay	%	1	1				1		1	
Waste	%									
Waste(billing)	%									
Breakage	%	4	4		2		2		4	
Total Cull (DWB)	%	5	5		2		3		5	
Stems/Ha (Live & DP)		1665.2	1665.2		33.9		64.0		1567.3	
Avg DBH (Live & DP)	cm	17.4	17.4		28.1		22.3		16.9	
Snags/Ha										
Avg Snag DBH	cm									
Gross Merch Vol/Tree	m3	0.18	0.18		0.44		0.31		0.17	
Net Merch Vol/Tree	m3	0.17	0.17		0.43		0.30		0.16	
Avg Weight Total Ht	m	19.8	19.8		21.5		21.2		19.6	
Avg Weight Merch Ht	m	12.8	12.8		15.9		14.4		12.5	
Avg 5.0 m Log Net	m3	0.08	0.08		0.15		0.10		0.08	
Avg 5.0 m Log Gross	m3	0.08	0.08		0.15		0.10		0.08	
Avg # of 5.0 m Logs/Tree		2.12	2.12		3.00		3.00		2.06	
Net Immature	%	100.0	100.0		100.0		100.0		100.0	
LRF and Log Summary										
Net Merch - Stud	%	97.7	97.7		54.1		100.0		100.0	
Net Merch - Small Log	%	100.0	100.0		100.0		100.0		100.0	
Net Merch - Large Log	%									
Avg LRF All	bdft/m3	164.2	164.2		186.6		170.6		162.4	
Statistical Summary										
Coeff. of Variation	%	50.2	50.2		141.4		141.4		37.9	
Two Standard Error	%	451.3	451.3		1270.6		1270.6		340.3	
Number and Type of Plots		MP = 2								
Number of Potential Trees		16								
Plots/Ha		1.8								
Cruised Trees/Plot		8.0								

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Summary

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
Version: 2016.01 IFS build 6030

Net Area: Type 6 (M):PlFd 437-0/18, Plots in Type: 6, TUs: [A : 6.1]

		Total	Conifer	Decid	F	B	S	PW	PL	AT
Utilization Limits										
Min DBH cm (M)					17.5	17.5	17.5	17.5	12.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					10.0	10.0	10.0	10.0	10.0	10.0
Log Len m					5.0	5.0	5.0	5.0	5.0	5.0
Volume and Size Data										
Gross Merchantable	m3	1301	1301		109	78			1115	
Net Merchantable	m3	1242	1242		101	76			1065	
Net Merch - All	m3/ha	204	204		17	12			175	
Distribution	%	100	100		8	6			86	
Decay	%	1	1		5				1	
Waste	%	0	0		1					
Waste(billing)	%	0	0		1					
Breakage	%	3	3		2	2			3	
Total Cull (DWB)	%	5	5		7	2			4	
Stems/Ha (Live & DP)		842.5	842.5		8.3	17.7			816.5	
Avg DBH (Live & DP)	cm	19.4	19.4		57.2	31.0			18.2	
Snags/Ha										
Avg Snag DBH	cm									
Gross Merch Vol/Tree	m3	0.25	0.25		2.14	0.72			0.22	
Net Merch Vol/Tree	m3	0.24	0.24		1.98	0.71			0.21	
Avg Weight Total Ht	m	22.0	22.0		27.0	24.3			21.4	
Avg Weight Merch Ht	m	15.6	15.6		23.1	18.7			14.6	
Avg 5.0 m Log Net	m3	0.09	0.09		0.41	0.18			0.08	
Avg 5.0 m Log Gross	m3	0.09	0.09		0.43	0.18			0.08	
Avg # of 5.0 m Logs/Tree		2.69	2.69		4.98	4.00			2.63	
Net Immature	%	91.9	91.9			100.0			100.0	
LRF and Log Summary										
Net Merch - Stud	%	88.4	88.4		13.0	25.9			100.0	
Net Merch - Small Log	%	94.5	94.5		32.8	100.0			100.0	
Net Merch - Large Log	%	5.5	5.5		67.2					
Avg LRF All	bdft/m3	175.1	175.1		220.8	202.2			168.9	
Statistical Summary										
Coeff. of Variation	%	42.8	42.8		238.0	244.9			63.1	
Two Standard Error	%	44.9	44.9		249.8	257.1			66.2	
Number and Type of Plots		MP = 6								
Number of Potential Trees		20								
Plots/Ha		1.0								
Cruised Trees/Plot		3.3								

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Summary

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
Version: 2016.01 IFS build 6030

Net Area: Type 7 (M):Pl 636-0/15, Plots in Type: 27, TUs: [B : 28.1]

		Total	Conifer	Decid	F	B	S	PW	PL	AT
Utilization Limits										
Min DBH cm (M)					17.5	17.5	17.5	17.5	12.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					10.0	10.0	10.0	10.0	10.0	10.0
Log Len m					5.0	5.0	5.0	5.0	5.0	5.0
Volume and Size Data										
Gross Merchantable	m3	14179	14179			1245	2401	59	10475	
Net Merchantable	m3	13436	13436			1192	2322	57	9865	
Net Merch - All	m3/ha	478	478			42	83	2	351	
Distribution	%	100	100			9	17	0	73	
Decay	%	2	2			2	1	1	2	
Waste	%	0	0				0			
Waste(billing)	%	0	0				0			
Breakage	%	4	4			2	2	2	4	
Total Cull (DWB)	%	5	5			4	3	3	6	
Stems/Ha (Live & DP)		1515.3	1515.3			78.3	142.1	6.4	1288.5	
Avg DBH (Live & DP)	cm	21.7	21.7			27.2	28.9	24.3	20.3	
Snags/Ha		19.0	19.0						19.0	
Avg Snag DBH	cm	14.1	14.1						14.1	
Gross Merch Vol/Tree	m3	0.33	0.33			0.57	0.60	0.33	0.29	
Net Merch Vol/Tree	m3	0.32	0.32			0.54	0.58	0.32	0.27	
Avg Weight Total Ht	m	23.1	23.1			25.5	25.2	18.2	22.4	
Avg Weight Merch Ht	m	17.4	17.4			19.6	19.9	12.9	16.6	
Avg 5.0 m Log Net	m3	0.12	0.12			0.16	0.20	0.11	0.11	
Avg 5.0 m Log Gross	m3	0.12	0.12			0.16	0.20	0.11	0.11	
Avg # of 5.0 m Logs/Tree		2.77	2.77			3.45	3.02	3.00	2.70	
Net Immature	%	98.7	98.7			100.0	92.6	100.0	100.0	
LRF and Log Summary										
Net Merch - Stud	%	67.6	67.6			40.5	37.9		78.2	
Net Merch - Small Log	%	92.4	92.4			79.5	72.1	100.0	98.6	
Net Merch - Large Log	%	7.6	7.6			20.5	27.9		1.4	
Avg LRF All	bdft/m3	182.1	182.1			194.8	199.2	161.7	176.7	
Statistical Summary										
Coeff. of Variation	%	43.2	43.2			157.3	132.4	519.6	62.7	
Two Standard Error	%	17.1	17.1			62.2	52.4	205.6	24.8	
Number and Type of Plots		MP = 27								
Number of Potential Trees		185								
Plots/Ha		1.0								
Cruised Trees/Plot		6.9								

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Summary

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
Version: 2016.01 IFS build 6030

Net Area: Type 8 (M):Pl 636-0/15, Plots in Type: 6, TUs: [B : 6.8]

		Total	Conifer	Decid	F	B	S	PW	PL	AT
Utilization Limits										
Min DBH cm (M)					17.5	17.5	17.5	17.5	12.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					10.0	10.0	10.0	10.0	10.0	10.0
Log Len m					5.0	5.0	5.0	5.0	5.0	5.0
Volume and Size Data										
Gross Merchantable	m3	3070	3070				143		2927	
Net Merchantable	m3	2951	2951				138		2813	
Net Merch - All	m3/ha	434	434				20		414	
Distribution	%	100	100				5		95	
Decay	%	1	1				1		1	
Waste	%									
Waste(billing)	%									
Breakage	%	3	3				2		3	
Total Cull (DWB)	%	4	4				3		4	
Stems/Ha (Live & DP)		1369.0	1369.0				74.2		1294.8	
Avg DBH (Live & DP)	cm	21.5	21.5				22.7		21.4	
Snags/Ha										
Avg Snag DBH	cm									
Gross Merch Vol/Tree	m3	0.33	0.33				0.28		0.33	
Net Merch Vol/Tree	m3	0.32	0.32				0.27		0.32	
Avg Weight Total Ht	m	22.5	22.5				19.1		22.6	
Avg Weight Merch Ht	m	16.7	16.7				13.0		16.9	
Avg 5.0 m Log Net	m3	0.11	0.11				0.11		0.11	
Avg 5.0 m Log Gross	m3	0.11	0.11				0.11		0.11	
Avg # of 5.0 m Logs/Tree		3.05	3.05				2.49		3.08	
Net Immature	%	100.0	100.0				100.0		100.0	
LRF and Log Summary										
Net Merch - Stud	%	88.4	88.4				100.0		87.8	
Net Merch - Small Log	%	100.0	100.0				100.0		100.0	
Net Merch - Large Log	%									
Avg LRF All	bdft/m3	175.7	175.7				177.4		175.6	
Statistical Summary										
Coeff. of Variation	%	40.2	40.2				159.0		41.0	
Two Standard Error	%	42.2	42.2				166.9		43.0	
Number and Type of Plots		MP = 6								
Number of Potential Trees		33								
Plots/Ha		0.9								
Cruised Trees/Plot		5.5								

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Harvest Method Summary

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
Version: 2016.01 IFS build 6030

Harvest Method : CC - Cable - Clearcut [All Treatment Units : 61.2]

		Total	Conifer	Decid	F	B	S	PW	PL	AT
Utilization Limits										
Min DBH cm (M)					17.5	17.5	17.5	17.5	12.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					10.0	10.0	10.0	10.0	10.0	10.0
Log Len m					5.0	5.0	5.0	5.0	5.0	5.0
Volume and Size Data										
Gross Merchantable	m3	31975	31975		222	1522	3873	59	26299	
Net Merchantable	m3	29682	29682		215	1456	3741	57	24214	
Net Merch - All	m3/ha	485.007	485.007		3.514	23.787	61.125	0.932	395.648	
Net Merch - Live	m3/ha	440.155	440.155		3.514	23.787	60.028	0.932	351.894	
Net Merch - DP	m3/ha	44.852	44.852				1.098		43.754	
Decay	%	2	2		1	2	1	1	2	
Waste(billing)	%	0	0				0			
Total Cull (DWB)	%	7	7		3	4	3	3	8	
Net Merch Vol/Tree	m3	0.33	0.33		0.97	0.61	0.65	0.32	0.30	
Avg 5.0 m Log Net	m3	0.12	0.12		0.25	0.18	0.21	0.11	0.11	
Useless Dead/Living	%	1	1						1	
Net Second Growth	%									
All Burn Volume	%									
Heavy Fire Volume	%									
Blowdown Volume	%	3	3			6	2		3	
Insect Volume	%	6	6						8	
% Average Slope		55								
LRF and Log Summary										
Net Merch - Stud	%	69	69		23	35	37		77	
Net Merch - Small Log	%	94	94		81	73	67	100	99	
Net Merch - Large Log	%	6	6		19	27	33		1	
Avg LRF All	bdft/m3	179	179		203	198	202	162	174	

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Harvest Method Summary

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
Version: 2016.01 IFS build 6030

Harvest Method : SC - Ground Systems - Clearcut[All Treatment Units : 25.2]

		Total	Conifer	Decid	F	B	S	PW	PL	AT
Utilization Limits										
Min DBH cm (M)					17.5	17.5	17.5	17.5	12.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					10.0	10.0	10.0	10.0	10.0	10.0
Log Len m					5.0	5.0	5.0	5.0	5.0	5.0
Volume and Size Data										
Gross Merchantable	m3	7573	7573		830	372	373		5997	
Net Merchantable	m3	7263	7263		806	365	364		5728	
Net Merch - All	m3/ha	288.208	288.208		32.003	14.479	14.436		227.290	
Net Merch - Live	m3/ha	279.931	279.931		32.003	14.479	14.436		219.013	
Net Merch - DP	m3/ha	8.277	8.277						8.277	
Decay	%	1	1		1		0		1	
Waste(billing)	%	0	0		0					
Total Cull (DWB)	%	4	4		3	2	2		4	
Net Merch Vol/Tree	m3	0.23	0.23		0.34	0.34	0.83		0.21	
Avg 5.0 m Log Net	m3	0.09	0.09		0.13	0.12	0.24		0.08	
Useless Dead/Living	%									
Net Second Growth	%									
All Burn Volume	%									
Heavy Fire Volume	%									
Blowdown Volume	%	4	4						5	
Insect Volume	%	1	1						1	
% Average Slope		33								
LRF and Log Summary										
Net Merch - Stud	%	87	87		71	75	26		94	
Net Merch - Small Log	%	97	97		88	100	67		99	
Net Merch - Large Log	%	3	3		12		33		1	
Avg LRF All	bdft/m3	173	173		183	183	209		169	

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

All Method Summary

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
Version: 2016.01 IFS build 6030

[All Treatment Units : 86.4]

		Total	Conifer	Decid	F	B	S	PW	PL	AT
Utilization Limits										
Min DBH cm (M)					17.5	17.5	17.5	17.5	12.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					10.0	10.0	10.0	10.0	10.0	10.0
Log Len m					5.0	5.0	5.0	5.0	5.0	5.0
Volume and Size Data										
Gross Merchantable	m3	39547	39547		1052	1895	4245	59	32296	
Net Merchantable	m3	36945	36945		1022	1821	4105	57	29941	
Net Merch - All	m3/ha	427.607	427.607		11.823	21.073	47.507	0.660	346.544	
Net Merch - Live	m3/ha	393.423	393.423		11.823	21.073	46.730	0.660	313.137	
Net Merch - DP	m3/ha	34.184	34.184				0.777		33.407	
Decay	%	2	2		1	2	1	1	2	
Waste(billing)	%	0	0		0		0			
Total Cull (DWB)	%	7	7		3	4	3	3	7	
Net Merch Vol/Tree	m3	0.30	0.30		0.39	0.53	0.66	0.32	0.27	
Avg 5.0 m Log Net	m3	0.11	0.11		0.15	0.16	0.21	0.11	0.10	
Useless Dead/Living	%	0	0						0	
Net Second Growth	%									
All Burn Volume	%									
Heavy Fire Volume	%									
Blowdown Volume	%	3	3			5	2		3	
Insect Volume	%	5	5						6	
LRF and Log Summary										
Net Merch - Stud	%	73	73		61	43	36		80	
Net Merch - Small Log	%	94	94		87	78	67	100	99	
Net Merch - Large Log	%	6	6		13	22	33		1	
Avg LRF All	bdft/m3	178	178		187	195	203	162	173	

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

All Method Summary

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
Version: 2016.01 IFS build 6030

[A : 25.2]

		Total	Conifer	Decid	F	B	S	PW	PL	AT
Utilization Limits										
Min DBH cm (M)					17.5	17.5	17.5	17.5	12.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					10.0	10.0	10.0	10.0	10.0	10.0
Log Len m					5.0	5.0	5.0	5.0	5.0	5.0
Volume and Size Data										
Gross Merchantable	m3	7573	7573		830	372	373		5997	
Net Merchantable	m3	7263	7263		806	365	364		5728	
Net Merch - All	m3/ha	288.208	288.208		32.003	14.479	14.436		227.290	
Net Merch - Live	m3/ha	279.931	279.931		32.003	14.479	14.436		219.013	
Net Merch - DP	m3/ha	8.277	8.277						8.277	
Decay	%	1	1		1		0		1	
Waste(billing)	%	0	0		0					
Total Cull (DWB)	%	4	4		3	2	2		4	
Net Merch Vol/Tree	m3	0.23	0.23		0.34	0.34	0.83		0.21	
Avg 5.0 m Log Net	m3	0.09	0.09		0.13	0.12	0.24		0.08	
Useless Dead/Living	%									
Net Second Growth	%									
All Burn Volume	%									
Heavy Fire Volume	%									
Blowdown Volume	%	4	4						5	
Insect Volume	%	1	1						1	
LRF and Log Summary										
Net Merch - Stud	%	87	87		71	75	26		94	
Net Merch - Small Log	%	97	97		88	100	67		99	
Net Merch - Large Log	%	3	3		12		33		1	
Avg LRF All	bdft/m3	173	173		183	183	209		169	

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

All Method Summary

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
Version: 2016.01 IFS build 6030

[B : 61.2]

		Total	Conifer	Decid	F	B	S	PW	PL	AT
Utilization Limits										
Min DBH cm (M)					17.5	17.5	17.5	17.5	12.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					10.0	10.0	10.0	10.0	10.0	10.0
Log Len m					5.0	5.0	5.0	5.0	5.0	5.0
Volume and Size Data										
Gross Merchantable	m3	31975	31975		222	1522	3873	59	26299	
Net Merchantable	m3	29682	29682		215	1456	3741	57	24214	
Net Merch - All	m3/ha	485.007	485.007		3.514	23.787	61.125	0.932	395.648	
Net Merch - Live	m3/ha	440.155	440.155		3.514	23.787	60.028	0.932	351.894	
Net Merch - DP	m3/ha	44.852	44.852				1.098		43.754	
Decay	%	2	2		1	2	1	1	2	
Waste(billing)	%	0	0				0			
Total Cull (DWB)	%	7	7		3	4	3	3	8	
Net Merch Vol/Tree	m3	0.33	0.33		0.97	0.61	0.65	0.32	0.30	
Avg 5.0 m Log Net	m3	0.12	0.12		0.25	0.18	0.21	0.11	0.11	
Useless Dead/Living	%	1	1						1	
Net Second Growth	%									
All Burn Volume	%									
Heavy Fire Volume	%									
Blowdown Volume	%	3	3			6	2		3	
Insect Volume	%	6	6						8	
LRF and Log Summary										
Net Merch - Stud	%	69	69		23	35	37		77	
Net Merch - Small Log	%	94	94		81	73	67	100	99	
Net Merch - Large Log	%	6	6		19	27	33		1	
Avg LRF All	bdft/m3	179	179		203	198	202	162	174	

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Cutting Permit Damage Summary [Blowdown Damage]

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
Version: 2016.01 IFS build 6030

Net Area: [All Treatment Units : 86.4]
Gross Area: [R/W Removed : 2.8][WTRA/Reser : 26.7][Logged : 1.2][Grand Total : 117.1]
Species: Balsam

Type of Damage:		Total	Normal	E-Down
Volume and Size Data				
Gross Merchantable	m3	1895	1802	93
Net Merchantable	m3	1821	1735	86
Net Merch - All	m3/ha	21	20	1
Distribution	%	100	95	5
Decay	%	2	2	5
Waste	%			
Waste(billing)	%			
Breakage	%	2	2	2
Total Cull (DWB)	%	4	4	7
Stems/Ha (Live & DP)		40.0	39.3	0.7
Avg DBH (Live & DP)	cm	27.0	26.7	42.7
Snags/Ha				
Avg Snag DBH	cm			
Gross Merch Vol/Tree	m3	0.55	0.53	1.53
Net Merch Vol/Tree	m3	0.53	0.51	1.42
Avg Weight Total Ht	m	25.1	24.9	27.5
Avg Weight Merch Ht	m	19.2	19.0	22.8
Avg 5.0 m Log Net	m3	0.16	0.16	0.29
Avg 5.0 m Log Gross	m3	0.17	0.16	0.31
Avg # of 5.0 m Logs/Tree		3.30	3.27	5.00
Net Immature	%	100.0	100.0	100.0
LRF and Log Summary				
Net Merch - Stud	%	43.3	44.8	12.4
Net Merch - Small Log	%	78.1	80.4	31.9
Net Merch - Large Log	%	21.9	19.6	68.1
Avg LRF All	bdft/m3	195.3	194.4	213.3

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Cutting Permit Damage Summary [Blowdown Damage]

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
Version: 2016.01 IFS build 6030

Net Area: [All Treatment Units : 86.4]
Gross Area: [R/W Removed : 2.8][WTRA/Reser : 26.7][Logged : 1.2][Grand Total : 117.1]
Species: L.P. Pine

Type of Damage:		Total	Normal	E-Down	G-Shatt
Volume and Size Data					
Gross Merchantable	m3	32296	28376	1154	262
Net Merchantable	m3	29941	27047	811	179
Net Merch - All	m3/ha	347	313	9	2
Distribution	%	100	90	3	1
Decay	%	2	1	2	2
Waste	%				
Waste(billing)	%				
Breakage	%	6	3	28	30
Total Cull (DWB)	%	7	5	30	32
Stems/Ha (Live & DP)		1268.5	1110.2	99.2	8.7
Avg DBH (Live & DP)	cm	20.3	20.3	16.1	22.6
Snags/Ha		6.2	6.2		
Avg Snag DBH	cm	14.1	14.1		
Gross Merch Vol/Tree	m3	0.29	0.30	0.13	0.35
Net Merch Vol/Tree	m3	0.27	0.28	0.09	0.24
Avg Weight Total Ht	m	22.8	22.7	18.7	20.9
Avg Weight Merch Ht	m	16.8	16.7	12.1	15.4
Avg 5.0 m Log Net	m3	0.10	0.10	0.08	0.11
Avg 5.0 m Log Gross	m3	0.11	0.10	0.08	0.12
Avg # of 5.0 m Logs/Tree		2.80	2.84	1.77	3.00
Net Immature	%	100.0	100.0	100.0	100.0
LRF and Log Summary					
Net Merch - Stud	%	80.1	81.0	95.4	79.4
Net Merch - Small Log	%	99.0	99.1	100.0	100.0
Net Merch - Large Log	%	1.0	0.9		
Avg LRF All	bdft/m3	172.9	175.9	165.1	178.9

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Cutting Permit Damage Summary [Blowdown Damage]

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
Version: 2016.01 IFS build 6030

Net Area: [All Treatment Units : 86.4]
Gross Area: [R/W Removed : 2.8][WTRA/Reser : 26.7][Logged : 1.2][Grand Total : 117.1]
Species: Spruce

Type of Damage:		Total	Normal	E-Down
Volume and Size Data				
Gross Merchantable	m3	4245	4177	69
Net Merchantable	m3	4105	4037	67
Net Merch - All	m3/ha	48	47	1
Distribution	%	100	98	2
Decay	%	1	1	
Waste	%	0	0	
Waste(billing)	%	0	0	
Breakage	%	2	2	2
Total Cull (DWB)	%	3	3	2
Stems/Ha (Live & DP)		72.1	70.5	1.7
Avg DBH (Live & DP)	cm	30.4	30.4	27.2
Snags/Ha				
Avg Snag DBH	cm			
Gross Merch Vol/Tree	m3	0.68	0.69	0.48
Net Merch Vol/Tree	m3	0.66	0.66	0.47
Avg Weight Total Ht	m	25.9	26.0	21.6
Avg Weight Merch Ht	m	20.8	20.8	15.9
Avg 5.0 m Log Net	m3	0.21	0.21	0.16
Avg 5.0 m Log Gross	m3	0.21	0.22	0.16
Avg # of 5.0 m Logs/Tree		3.18	3.19	3.00
Net Immature	%	95.8	95.7	100.0
LRF and Log Summary				
Net Merch - Stud	%	36.2	35.9	51.3
Net Merch - Small Log	%	67.5	66.9	100.0
Net Merch - Large Log	%	32.5	33.1	
Avg LRF All	bdft/m3	202.6	202.9	188.1

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Cutting Permit Damage Summary [Insect Damage]

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
Version: 2016.01 IFS build 6030

Net Area: [All Treatment Units : 86.4]
Gross Area: [R/W Removed : 2.8][WTRA/Reser : 26.7][Logged : 1.2][Grand Total : 117.1]
Species: L.P. Pine

Type of Damage:		Total	Normal	1-Grn	2-Red	3-Grey
Volume and Size Data						
Gross Merchantable	m3	32296	28376	632	175	1697
Net Merchantable	m3	29941	27047	605	154	1146
Net Merch - All	m3/ha	347	313	7	2	13
Distribution	%	100	90	2	1	4
Decay	%	2	1	2	3	2
Waste	%					
Waste(billing)	%					
Breakage	%	6	3	2	10	30
Total Cull (DWB)	%	7	5	4	12	32
Stems/Ha (Live & DP)		1268.5	1110.2	15.4	3.0	32.0
Avg DBH (Live & DP)	cm	20.3	20.3	23.8	30.3	26.4
Snags/Ha		6.2	6.2			
Avg Snag DBH	cm	14.1	14.1			
Gross Merch Vol/Tree	m3	0.29	0.30	0.48	0.68	0.61
Net Merch Vol/Tree	m3	0.27	0.28	0.46	0.59	0.41
Avg Weight Total Ht	m	22.8	22.7	25.2	22.6	26.5
Avg Weight Merch Ht	m	16.8	16.7	19.5	18.1	21.1
Avg 5.0 m Log Net	m3	0.10	0.10	0.13	0.19	0.15
Avg 5.0 m Log Gross	m3	0.11	0.10	0.13	0.19	0.15
Avg # of 5.0 m Logs/Tree		2.80	2.84	3.66	3.49	4.03
Net Immature	%	100.0	100.0	100.0	100.0	100.0
LRF and Log Summary						
Net Merch - Stud	%	80.1	81.0	72.8	39.4	58.3
Net Merch - Small Log	%	99.0	99.1	100.0	100.0	94.7
Net Merch - Large Log	%	1.0	0.9			5.3
Avg LRF All	bdft/m3	172.9	175.9	179.5	159.1	105.1

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Cutting Permit Damage Summary [Blowdown Damage]

Average Line Method | Grades: MOF Computerized | FIZ: F | Filename: a90479_march_3_new_comp.ccp
BCTS | Computerized Decay | PSYU: Windermere | Compiled by: BCTS-EKFT
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Cruised by: PIONEER FOREST
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Version: 2016.01 IFS build 6030

Net Area: [A : 25.2]

Species: L.P. Pine

Type of Damage:		Total	Normal	E-Down
Volume and Size Data				
Gross Merchantable	m3	5997	5552	360
Net Merchantable	m3	5728	5378	268
Net Merch - All	m3/ha	227	213	11
Distribution	%	100	94	5
Decay	%	1	1	2
Waste	%			
Waste(billing)	%			
Breakage	%	3	2	24
Total Cull (DWB)	%	4	3	26
Stems/Ha (Live & DP)		1093.1	974.9	107.5
Avg DBH (Live & DP)	cm	18.1	18.3	15.8
Snags/Ha				
Avg Snag DBH	cm			
Gross Merch Vol/Tree	m3	0.22	0.23	0.13
Net Merch Vol/Tree	m3	0.21	0.22	0.10
Avg Weight Total Ht	m	21.5	21.6	19.1
Avg Weight Merch Ht	m	14.7	14.9	11.4
Avg 5.0 m Log Net	m3	0.08	0.08	0.07
Avg 5.0 m Log Gross	m3	0.08	0.09	0.07
Avg # of 5.0 m Logs/Tree		2.57	2.63	1.98
Net Immature	%	100.0	100.0	100.0
LRF and Log Summary				
Net Merch - Stud	%	94.5	94.1	100.0
Net Merch - Small Log	%	99.3	99.3	100.0
Net Merch - Large Log	%	0.7	0.7	
Avg LRF All	bdft/m3	169.0	169.4	160.8

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Cutting Permit Damage Summary [Insect Damage]

Average Line Method | Grades: MOF Computerized | FIZ: F | Filename: a90479_march_3_new_comp.ccp
BCTS | Computerized Decay | PSYU: Windermere | Compiled by: BCTS-EKFT
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Cruised by: PIONEER FOREST
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Version: 2016.01 IFS build 6030

Net Area: [A : 25.2]

Species: L.P. Pine

Type of Damage:		Total	Normal	1-Grn
Volume and Size Data				
Gross Merchantable	m3	5997	5552	85
Net Merchantable	m3	5728	5378	81
Net Merch - All	m3/ha	227	213	3
Distribution	%	100	94	1
Decay	%	1	1	2
Waste	%			
Waste(billing)	%			
Breakage	%	3	2	2
Total Cull (DWB)	%	4	3	4
Stems/Ha (Live & DP)		1093.1	974.9	10.7
Avg DBH (Live & DP)	cm	18.1	18.3	20.6
Snags/Ha				
Avg Snag DBH	cm			
Gross Merch Vol/Tree	m3	0.22	0.23	0.31
Net Merch Vol/Tree	m3	0.21	0.22	0.30
Avg Weight Total Ht	m	21.5	21.6	22.3
Avg Weight Merch Ht	m	14.7	14.9	16.0
Avg 5.0 m Log Net	m3	0.08	0.08	0.10
Avg 5.0 m Log Gross	m3	0.08	0.09	0.10
Avg # of 5.0 m Logs/Tree		2.57	2.63	3.00
Net Immature	%	100.0	100.0	100.0
LRF and Log Summary				
Net Merch - Stud	%	94.5	94.1	100.0
Net Merch - Small Log	%	99.3	99.3	100.0
Net Merch - Large Log	%	0.7	0.7	
Avg LRF All	bdft/m3	169.0	169.4	165.4

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Cutting Permit Damage Summary [Blowdown Damage]

Average Line Method | Grades: MOF Computerized | FIZ: F | Filename: a90479_march_3_new_comp.ccp
BCTS | Computerized Decay | PSYU: Windermere | Compiled by: BCTS-EKFT
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Cruised by: PIONEER FOREST
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Version: 2016.01 IFS build 6030

Net Area: [B : 61.2]

Species: Balsam

Type of Damage:		Total	Normal	E-Down
Volume and Size Data				
Gross Merchantable	m3	1522	1430	93
Net Merchantable	m3	1456	1370	86
Net Merch - All	m3/ha	24	22	1
Distribution	%	100	94	6
Decay	%	2	2	5
Waste	%			
Waste(billing)	%			
Breakage	%	2	2	2
Total Cull (DWB)	%	4	4	7
Stems/Ha (Live & DP)		38.9	37.9	1.0
Avg DBH (Live & DP)	cm	28.7	28.3	42.7
Snags/Ha				
Avg Snag DBH	cm			
Gross Merch Vol/Tree	m3	0.64	0.62	1.53
Net Merch Vol/Tree	m3	0.61	0.59	1.42
Avg Weight Total Ht	m	25.9	25.8	27.5
Avg Weight Merch Ht	m	20.2	20.0	22.8
Avg 5.0 m Log Net	m3	0.18	0.17	0.29
Avg 5.0 m Log Gross	m3	0.18	0.18	0.31
Avg # of 5.0 m Logs/Tree		3.54	3.50	5.00
Net Immature	%	100.0	100.0	100.0
LRF and Log Summary				
Net Merch - Stud	%	35.4	36.9	12.4
Net Merch - Small Log	%	72.6	75.2	31.9
Net Merch - Large Log	%	27.4	24.8	68.1
Avg LRF All	bdft/m3	198.4	197.4	213.3

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Cutting Permit Damage Summary [Blowdown Damage]

Net Area: [B : 61.2]

Species: L.P. Pine

Type of Damage:		Total	Normal	E-Down	G-Shatt
Volume and Size Data					
Gross Merchantable	m3	26299	22824	794	262
Net Merchantable	m3	24214	21669	543	179
Net Merch - All	m3/ha	396	354	9	3
Distribution	%	100	89	2	1
Decay	%	2	2	2	2
Waste	%				
Waste(billing)	%				
Breakage	%	6	3	30	30
Total Cull (DWB)	%	8	5	32	32
Stems/Ha (Live & DP)		1340.7	1166.0	95.7	12.2
Avg DBH (Live & DP)	cm	20.9	20.9	16.3	22.6
Snags/Ha		8.7	8.7		
Avg Snag DBH	cm	14.1	14.1		
Gross Merch Vol/Tree	m3	0.32	0.32	0.14	0.35
Net Merch Vol/Tree	m3	0.30	0.30	0.09	0.24
Avg Weight Total Ht	m	23.1	23.0	18.5	20.9
Avg Weight Merch Ht	m	17.3	17.2	12.4	15.4
Avg 5.0 m Log Net	m3	0.11	0.11	0.08	0.11
Avg 5.0 m Log Gross	m3	0.11	0.11	0.08	0.12
Avg # of 5.0 m Logs/Tree		2.88	2.92	1.67	3.00
Net Immature	%	100.0	100.0	100.0	100.0
LRF and Log Summary					
Net Merch - Stud	%	76.7	77.8	93.1	79.4
Net Merch - Small Log	%	98.9	99.0	100.0	100.0
Net Merch - Large Log	%	1.1	1.0		
Avg LRF All	bdft/m3	173.8	177.4	167.2	178.9

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Cutting Permit Damage Summary [Blowdown Damage]

Average Line Method | Grades: MOF Computerized | FIZ: F | Filename: a90479_march_3_new_comp.ccp
BCTS | Computerized Decay | PSYU: Windermere | Compiled by: BCTS-EKFT
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Cruised by: PIONEER FOREST
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Version: 2016.01 IFS build 6030

Net Area: [B : 61.2]

Species: Spruce

Type of Damage:		Total	Normal	E-Down
Volume and Size Data				
Gross Merchantable	m3	3873	3804	69
Net Merchantable	m3	3741	3674	67
Net Merch - All	m3/ha	61	60	1
Distribution	%	100	98	2
Decay	%	1	1	
Waste	%	0	0	
Waste(billing)	%	0	0	
Breakage	%	2	2	2
Total Cull (DWB)	%	3	3	2
Stems/Ha (Live & DP)		94.7	92.4	2.3
Avg DBH (Live & DP)	cm	30.1	30.2	27.2
Snags/Ha				
Avg Snag DBH	cm			
Gross Merch Vol/Tree	m3	0.67	0.67	0.48
Net Merch Vol/Tree	m3	0.65	0.65	0.47
Avg Weight Total Ht	m	25.9	26.0	21.6
Avg Weight Merch Ht	m	20.7	20.8	15.9
Avg 5.0 m Log Net	m3	0.21	0.21	0.16
Avg 5.0 m Log Gross	m3	0.21	0.21	0.16
Avg # of 5.0 m Logs/Tree		3.15	3.15	3.00
Net Immature	%	95.4	95.3	100.0
LRF and Log Summary				
Net Merch - Stud	%	37.2	36.9	51.3
Net Merch - Small Log	%	67.5	66.9	100.0
Net Merch - Large Log	%	32.5	33.1	
Avg LRF All	bdft/m3	202.0	202.2	188.1

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Cutting Permit Damage Summary [Insect Damage]

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
Version: 2016.01 IFS build 6030

Net Area: [B : 61.2]

Species: L.P. Pine

Type of Damage:		Total	Normal	1-Grn	2-Red	3-Grey
Volume and Size Data						
Gross Merchantable	m3	26299	22824	547	175	1697
Net Merchantable	m3	24214	21669	524	154	1146
Net Merch - All	m3/ha	396	354	9	3	19
Distribution	%	100	89	2	1	5
Decay	%	2	2	2	3	2
Waste	%					
Waste(billing)	%					
Breakage	%	6	3	2	10	30
Total Cull (DWB)	%	8	5	4	12	32
Stems/Ha (Live & DP)		1340.7	1166.0	17.3	4.2	45.2
Avg DBH (Live & DP)	cm	20.9	20.9	24.6	30.3	26.4
Snags/Ha		8.7	8.7			
Avg Snag DBH	cm	14.1	14.1			
Gross Merch Vol/Tree	m3	0.32	0.32	0.52	0.68	0.61
Net Merch Vol/Tree	m3	0.30	0.30	0.49	0.59	0.41
Avg Weight Total Ht	m	23.1	23.0	25.7	22.6	26.5
Avg Weight Merch Ht	m	17.3	17.2	20.1	18.1	21.1
Avg 5.0 m Log Net	m3	0.11	0.11	0.13	0.19	0.15
Avg 5.0 m Log Gross	m3	0.11	0.11	0.14	0.19	0.15
Avg # of 5.0 m Logs/Tree		2.88	2.92	3.82	3.49	4.03
Net Immature	%	100.0	100.0	100.0	100.0	100.0
LRF and Log Summary						
Net Merch - Stud	%	76.7	77.8	68.5	39.4	58.3
Net Merch - Small Log	%	98.9	99.0	100.0	100.0	94.7
Net Merch - Large Log	%	1.1	1.0			5.3
Avg LRF All	bdft/m3	173.8	177.4	181.6	159.1	105.1

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Block Damage Summary [Blowdown Damage]

06-Mar-2017 01:00:33PM

Average Line Method | Grades: MOF Computerized | FIZ: F | Filename: a90479_march_3_new_comp.ccp
BCTS | Computerized Decay | PSYU: Windermere | Compiled by: BCTS-EKFT
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Cruised by: PIONEER FOREST
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Version: 2016.01 IFS build 6030

Net Area: Block : (M) - 001:1, Plots in Block: 23, TUs: [B : 26.3]
Gross Area: [R/W Removed : 0.8][WTRA/Reser : 9.6][Logged : 1.2][Grand Total : 37.9]
Species: Balsam

Type of Damage:		Total	Normal	E-Down
Volume and Size Data				
Gross Merchantable	m3	278	185	93
Net Merchantable	m3	264	178	86
Net Merch - All	m3/ha	10	7	3
Distribution	%	100	67	33
Decay	%	3	2	5
Waste	%			
Waste(billing)	%			
Breakage	%	2	2	2
Total Cull (DWB)	%	5	4	7
Stems/Ha (Live & DP)		6.7	4.4	2.3
Avg DBH (Live & DP)	cm	43.3	43.5	42.7
Snags/Ha				
Avg Snag DBH	cm			
Gross Merch Vol/Tree	m3	1.57	1.59	1.53
Net Merch Vol/Tree	m3	1.49	1.53	1.42
Avg Weight Total Ht	m	27.6	27.6	27.5
Avg Weight Merch Ht	m	22.9	22.9	22.8
Avg 5.0 m Log Net	m3	0.33	0.35	0.29
Avg 5.0 m Log Gross	m3	0.34	0.36	0.31
Avg # of 5.0 m Logs/Tree		4.62	4.42	5.00
Net Immature	%	100.0	100.0	100.0
LRF and Log Summary				
Net Merch - Stud	%	12.4	12.4	12.4
Net Merch - Small Log	%	41.4	46.0	31.9
Net Merch - Large Log	%	58.6	54.0	68.1
Avg LRF All	bdft/m3	214.6	215.2	213.3

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Block Damage Summary [Blowdown Damage]

06-Mar-2017 01:00:33PM

Average Line Method | Grades: MOF Computerized | FIZ: F | Filename: a90479_march_3_new_comp.ccp
BCTS | Computerized Decay | PSYU: Windermere | Compiled by: BCTS-EKFT
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Cruised by: PIONEER FOREST
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Version: 2016.01 IFS build 6030

Net Area: Block : (M) - 001:1, Plots in Block: 23, TUs: [B : 26.3]
Gross Area: [R/W Removed : 0.8][WTRA/Reser : 9.6][Logged : 1.2][Grand Total : 37.9]
Species: L.P. Pine

Type of Damage:		Total	Normal	E-Down	G-Shatt
Volume and Size Data					
Gross Merchantable	m3	12897	10055	403	195
Net Merchantable	m3	11536	9458	275	132
Net Merch - All	m3/ha	439	360	10	5
Distribution	%	100	82	2	1
Decay	%	2	2	2	2
Waste	%				
Waste(billing)	%				
Breakage	%	9	4	30	30
Total Cull (DWB)	%	11	6	32	32
Stems/Ha (Live & DP)		1408.3	1121.9	123.3	17.6
Avg DBH (Live & DP)	cm	21.4	21.3	15.8	24.5
Snags/Ha					
Avg Snag DBH	cm				
Gross Merch Vol/Tree	m3	0.35	0.34	0.12	0.42
Net Merch Vol/Tree	m3	0.31	0.32	0.08	0.29
Avg Weight Total Ht	m	23.8	23.6	19.1	21.3
Avg Weight Merch Ht	m	18.1	17.7	13.4	16.1
Avg 5.0 m Log Net	m3	0.11	0.11	0.08	0.14
Avg 5.0 m Log Gross	m3	0.12	0.11	0.09	0.14
Avg # of 5.0 m Logs/Tree		3.01	3.05	1.46	3.00
Net Immature	%	100.0	100.0	100.0	100.0
LRF and Log Summary					
Net Merch - Stud	%	72.8	74.4	86.4	72.2
Net Merch - Small Log	%	98.9	99.3	100.0	100.0
Net Merch - Large Log	%	1.1	0.7		
Avg LRF All	bdft/m3	170.8	178.0	170.6	182.0

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Block Damage Summary [Insect Damage]

06-Mar-2017 01:00:33PM

Average Line Method | Grades: MOF Computerized | FIZ: F | Filename: a90479_march_3_new_comp.ccp
BCTS | Computerized Decay | PSYU: Windermere | Compiled by: BCTS-EKFT
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Cruised by: PIONEER FOREST
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Version: 2016.01 IFS build 6030

Net Area: Block : (M) - 001:1, Plots in Block: 23, TUs: [B : 26.3]
Gross Area: [R/W Removed : 0.8][WTRA/Reser : 9.6][Logged : 1.2][Grand Total : 37.9]
Species: L.P. Pine

Type of Damage:		Total	Normal	1-Grn	3-Grey
Volume and Size Data					
Gross Merchantable	m3	12897	10055	547	1697
Net Merchantable	m3	11536	9458	524	1146
Net Merch - All	m3/ha	439	360	20	44
Distribution	%	100	82	5	10
Decay	%	2	2	2	2
Waste	%				
Waste(billing)	%				
Breakage	%	9	4	2	30
Total Cull (DWB)	%	11	6	4	32
Stems/Ha (Live & DP)		1408.3	1121.9	40.3	105.2
Avg DBH (Live & DP)	cm	21.4	21.3	24.6	26.4
Snags/Ha					
Avg Snag DBH	cm				
Gross Merch Vol/Tree	m3	0.35	0.34	0.52	0.61
Net Merch Vol/Tree	m3	0.31	0.32	0.49	0.41
Avg Weight Total Ht	m	23.8	23.6	25.7	26.5
Avg Weight Merch Ht	m	18.1	17.7	20.1	21.1
Avg 5.0 m Log Net	m3	0.11	0.11	0.13	0.15
Avg 5.0 m Log Gross	m3	0.12	0.11	0.14	0.15
Avg # of 5.0 m Logs/Tree		3.01	3.05	3.82	4.03
Net Immature	%	100.0	100.0	100.0	100.0
LRF and Log Summary					
Net Merch - Stud	%	72.8	74.4	68.5	58.3
Net Merch - Small Log	%	98.9	99.3	100.0	94.7
Net Merch - Large Log	%	1.1	0.7		5.3
Avg LRF All	bdft/m3	170.8	178.0	181.6	105.1

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Block Damage Summary [Blowdown Damage]

06-Mar-2017 01:00:33PM

Average Line Method | Grades: MOF Computerized | FIZ: F | Filename: a90479_march_3_new_comp.ccp
BCTS | Computerized Decay | PSYU: Windermere | Compiled by: BCTS-EKFT
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Cruised by: PIONEER FOREST
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Version: 2016.01 IFS build 6030

Net Area: Block : (M) - 002:2, Plots in Block: 16, TUs: [A : 18.0]
Gross Area: [R/W Removed : 0.8][WTRA/Reser : 4.8][Grand Total : 23.6]
Species: L.P. Pine

Type of Damage:		Total	Normal	E-Down
Volume and Size Data				
Gross Merchantable	m3	4593	4200	308
Net Merchantable	m3	4387	4074	232
Net Merch - All	m3/ha	244	226	13
Distribution	%	100	93	5
Decay	%	1	1	2
Waste	%			
Waste(billing)	%			
Breakage	%	3	2	23
Total Cull (DWB)	%	4	3	25
Stems/Ha (Live & DP)		1157.8	1015.1	127.7
Avg DBH (Live & DP)	cm	18.2	18.4	15.8
Snags/Ha				
Avg Snag DBH	cm			
Gross Merch Vol/Tree	m3	0.22	0.23	0.13
Net Merch Vol/Tree	m3	0.21	0.22	0.10
Avg Weight Total Ht	m	21.6	21.8	19.4
Avg Weight Merch Ht	m	14.9	15.1	11.6
Avg 5.0 m Log Net	m3	0.08	0.09	0.07
Avg 5.0 m Log Gross	m3	0.08	0.09	0.07
Avg # of 5.0 m Logs/Tree		2.60	2.67	1.97
Net Immature	%	100.0	100.0	100.0
LRF and Log Summary				
Net Merch - Stud	%	92.8	92.2	100.0
Net Merch - Small Log	%	99.1	99.1	100.0
Net Merch - Large Log	%	0.9	0.9	
Avg LRF All	bdft/m3	169.4	169.9	161.4

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Block Damage Summary [Insect Damage]

06-Mar-2017 01:00:33PM

Average Line Method | Grades: MOF Computerized | FIZ: F | Filename: a90479_march_3_new_comp.ccp
BCTS | Computerized Decay | PSYU: Windermere | Compiled by: BCTS-EKFT
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Cruised by: PIONEER FOREST
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Version: 2016.01 IFS build 6030

Net Area: Block : (M) - 002:2, Plots in Block: 16, TUs: [A : 18.0]
Gross Area: [R/W Removed : 0.8][WTRA/Reser : 4.8][Grand Total : 23.6]
Species: L.P. Pine

Type of Damage:		Total	Normal	1-Grn
Volume and Size Data				
Gross Merchantable	m3	4593	4200	85
Net Merchantable	m3	4387	4074	81
Net Merch - All	m3/ha	244	226	5
Distribution	%	100	93	2
Decay	%	1	1	2
Waste	%			
Waste(billing)	%			
Breakage	%	3	2	2
Total Cull (DWB)	%	4	3	4
Stems/Ha (Live & DP)		1157.8	1015.1	15.0
Avg DBH (Live & DP)	cm	18.2	18.4	20.6
Snags/Ha				
Avg Snag DBH	cm			
Gross Merch Vol/Tree	m3	0.22	0.23	0.31
Net Merch Vol/Tree	m3	0.21	0.22	0.30
Avg Weight Total Ht	m	21.6	21.8	22.3
Avg Weight Merch Ht	m	14.9	15.1	16.0
Avg 5.0 m Log Net	m3	0.08	0.09	0.10
Avg 5.0 m Log Gross	m3	0.08	0.09	0.10
Avg # of 5.0 m Logs/Tree		2.60	2.67	3.00
Net Immature	%	100.0	100.0	100.0
LRF and Log Summary				
Net Merch - Stud	%	92.8	92.2	100.0
Net Merch - Small Log	%	99.1	99.1	100.0
Net Merch - Large Log	%	0.9	0.9	
Avg LRF All	bdft/m3	169.4	169.9	165.4

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Block Damage Summary [Blowdown Damage]

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
Version: 2016.01 IFS build 6030

Net Area: Block : (M) - 003:3, Plots in Block: 8, TUs: [A : 7.2]
Gross Area: [WTRA/Reser : 3.3][Grand Total : 10.5]
Species: L.P. Pine

Type of Damage:		Total	Normal	E-Down
Volume and Size Data				
Gross Merchantable	m3	1404	1352	52
Net Merchantable	m3	1340	1305	36
Net Merch - All	m3/ha	186	181	5
Distribution	%	100	97	3
Decay	%	1	1	1
Waste	%			
Waste(billing)	%			
Breakage	%	3	2	30
Total Cull (DWB)	%	5	4	31
Stems/Ha (Live & DP)		931.2	874.3	56.9
Avg DBH (Live & DP)	cm	17.9	18.0	15.9
Snags/Ha				
Avg Snag DBH	cm			
Gross Merch Vol/Tree	m3	0.21	0.21	0.13
Net Merch Vol/Tree	m3	0.20	0.21	0.09
Avg Weight Total Ht	m	21.0	21.2	17.1
Avg Weight Merch Ht	m	14.2	14.4	9.8
Avg 5.0 m Log Net	m3	0.08	0.08	0.06
Avg 5.0 m Log Gross	m3	0.08	0.09	0.06
Avg # of 5.0 m Logs/Tree		2.49	2.52	2.00
Net Immature	%	100.0	100.0	100.0
LRF and Log Summary				
Net Merch - Stud	%	100.0	100.0	100.0
Net Merch - Small Log	%	100.0	100.0	100.0
Net Merch - Large Log	%			
Avg LRF All	bdft/m3	167.6	167.8	156.9

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Block Damage Summary [Blowdown Damage]

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
Version: 2016.01 IFS build 6030

Net Area: Block : (M) - 004:4, Plots in Block: 33, TUs: [B : 34.9]
Gross Area: [R/W Removed : 1.2][WTRA/Reser : 9.0][Grand Total : 45.1]
Species: L.P. Pine

Type of Damage:		Total	Normal	E-Down	G-Shatt
Volume and Size Data					
Gross Merchantable	m3	13402	12768	391	67
Net Merchantable	m3	12678	12211	268	46
Net Merch - All	m3/ha	363	350	8	1
Distribution	%	100	96	2	0
Decay	%	2	2	2	2
Waste	%				
Waste(billing)	%				
Breakage	%	4	3	30	30
Total Cull (DWB)	%	5	4	32	32
Stems/Ha (Live & DP)		1289.7	1199.1	75.0	8.2
Avg DBH (Live & DP)	cm	20.5	20.7	16.8	19.3
Snags/Ha		15.3	15.3		
Avg Snag DBH	cm	14.1	14.1		
Gross Merch Vol/Tree	m3	0.30	0.31	0.15	0.24
Net Merch Vol/Tree	m3	0.28	0.29	0.10	0.16
Avg Weight Total Ht	m	22.4	22.6	17.8	19.7
Avg Weight Merch Ht	m	16.6	16.8	11.3	13.4
Avg 5.0 m Log Net	m3	0.11	0.11	0.08	0.08
Avg 5.0 m Log Gross	m3	0.11	0.11	0.08	0.08
Avg # of 5.0 m Logs/Tree		2.77	2.82	1.92	3.00
Net Immature	%	100.0	100.0	100.0	100.0
LRF and Log Summary					
Net Merch - Stud	%	80.3	80.4	100.0	100.0
Net Merch - Small Log	%	98.9	98.9	100.0	100.0
Net Merch - Large Log	%	1.1	1.1		
Avg LRF All	bdft/m3	176.5	177.0	163.7	170.1

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Block Damage Summary [Blowdown Damage]

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
Version: 2016.01 IFS build 6030

Net Area: Block : (M) - 004:4, Plots in Block: 33, TUs: [B : 34.9]
Gross Area: [R/W Removed : 1.2][WTRA/Reser : 9.0][Grand Total : 45.1]
Species: Spruce

Type of Damage:		Total	Normal	E-Down
Volume and Size Data				
Gross Merchantable	m3	2543	2475	69
Net Merchantable	m3	2460	2393	67
Net Merch - All	m3/ha	70	69	2
Distribution	%	100	97	3
Decay	%	1	1	
Waste	%	0	0	
Waste(billing)	%	0	0	
Breakage	%	2	2	2
Total Cull (DWB)	%	3	3	2
Stems/Ha (Live & DP)		128.9	124.8	4.1
Avg DBH (Live & DP)	cm	28.3	28.3	27.2
Snags/Ha				
Avg Snag DBH	cm			
Gross Merch Vol/Tree	m3	0.57	0.57	0.48
Net Merch Vol/Tree	m3	0.55	0.55	0.47
Avg Weight Total Ht	m	24.8	24.9	21.6
Avg Weight Merch Ht	m	19.5	19.6	15.9
Avg 5.0 m Log Net	m3	0.19	0.19	0.16
Avg 5.0 m Log Gross	m3	0.19	0.19	0.16
Avg # of 5.0 m Logs/Tree		2.96	2.96	3.00
Net Immature	%	93.0	92.8	100.0
LRF and Log Summary				
Net Merch - Stud	%	41.4	41.1	51.3
Net Merch - Small Log	%	73.7	73.0	100.0
Net Merch - Large Log	%	26.3	27.0	
Avg LRF All	bdft/m3	197.9	198.2	188.1

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Block Damage Summary [Insect Damage]

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
Version: 2016.01 IFS build 6030

Net Area: Block : (M) - 004:4, Plots in Block: 33, TUs: [B : 34.9]
Gross Area: [R/W Removed : 1.2][WTRA/Reser : 9.0][Grand Total : 45.1]
Species: L.P. Pine

Type of Damage:		Total	Normal	2-Red
Volume and Size Data				
Gross Merchantable	m3	13402	12768	175
Net Merchantable	m3	12678	12211	154
Net Merch - All	m3/ha	363	350	4
Distribution	%	100	96	1
Decay	%	2	2	3
Waste	%			
Waste(billing)	%			
Breakage	%	4	3	10
Total Cull (DWB)	%	5	4	12
Stems/Ha (Live & DP)		1289.7	1199.1	7.4
Avg DBH (Live & DP)	cm	20.5	20.7	30.3
Snags/Ha		15.3	15.3	
Avg Snag DBH	cm	14.1	14.1	
Gross Merch Vol/Tree	m3	0.30	0.31	0.68
Net Merch Vol/Tree	m3	0.28	0.29	0.59
Avg Weight Total Ht	m	22.4	22.6	22.6
Avg Weight Merch Ht	m	16.6	16.8	18.1
Avg 5.0 m Log Net	m3	0.11	0.11	0.19
Avg 5.0 m Log Gross	m3	0.11	0.11	0.19
Avg # of 5.0 m Logs/Tree		2.77	2.82	3.49
Net Immature	%	100.0	100.0	100.0
LRF and Log Summary				
Net Merch - Stud	%	80.3	80.4	39.4
Net Merch - Small Log	%	98.9	98.9	100.0
Net Merch - Large Log	%	1.1	1.1	
Avg LRF All	bdft/m3	176.5	177.0	159.1

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Damage Summary [Blowdown Damage]

06-Mar-2017 01:00:33PM

Average Line Method | Grades: MOF Computerized | FIZ: F | Filename: a90479_march_3_new_comp.ccp
BCTS | Computerized Decay | PSYU: Windermere | Compiled by: BCTS-EKFT
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Cruised by: PIONEER FOREST
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Version: 2016.01 IFS build 6030

Net Area: Type 1 (M):Pl636-0/18, Plots in Type: 8, TUs: [B : 10.5]

Species: L.P. Pine

Type of Damage:		Total	Normal	E-Down	G-Shatt
Volume and Size Data					
Gross Merchantable	m3	6023	5142	200	115
Net Merchantable	m3	5544	4908	136	78
Net Merch - All	m3/ha	528	467	13	7
Distribution	%	100	89	2	1
Decay	%	2	2	2	2
Waste	%				
Waste(billing)	%				
Breakage	%	6	3	30	30
Total Cull (DWB)	%	8	5	32	32
Stems/Ha (Live & DP)		1599.1	1352.7	111.8	24.1
Avg DBH (Live & DP)	cm	21.2	21.1	16.9	25.7
Snags/Ha					
Avg Snag DBH	cm				
Gross Merch Vol/Tree	m3	0.36	0.36	0.17	0.46
Net Merch Vol/Tree	m3	0.33	0.35	0.12	0.31
Avg Weight Total Ht	m	24.7	24.9	21.3	21.0
Avg Weight Merch Ht	m	18.6	18.7	15.6	16.0
Avg 5.0 m Log Net	m3	0.11	0.11	0.10	0.15
Avg 5.0 m Log Gross	m3	0.11	0.11	0.10	0.15
Avg # of 5.0 m Logs/Tree		3.26	3.37	1.62	3.00
Net Immature	%	100.0	100.0	100.0	100.0
LRF and Log Summary					
Net Merch - Stud	%	76.2	76.2	72.5	52.9
Net Merch - Small Log	%	100.0	100.0	100.0	100.0
Net Merch - Large Log	%				
Avg LRF All	bdft/m3	173.2	177.4	177.9	185.5

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Damage Summary [Insect Damage]

06-Mar-2017 01:00:33PM

Average Line Method | Grades: MOF Computerized | FIZ: F | Filename: a90479_march_3_new_comp.ccp
BCTS | Computerized Decay | PSYU: Windermere | Compiled by: BCTS-EKFT
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Cruised by: PIONEER FOREST
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Version: 2016.01 IFS build 6030

Net Area: Type 1 (M):Pl636-0/18, Plots in Type: 8, TUs: [B : 10.5]

Species: L.P. Pine

Type of Damage:		Total	Normal	1-Grn	3-Grey
Volume and Size Data					
Gross Merchantable	m3	6023	5142	128	439
Net Merchantable	m3	5544	4908	123	299
Net Merch - All	m3/ha	528	467	12	28
Distribution	%	100	89	2	5
Decay	%	2	2	2	2
Waste	%				
Waste(billing)	%				
Breakage	%	6	3	2	30
Total Cull (DWB)	%	8	5	4	32
Stems/Ha (Live & DP)		1599.1	1352.7	31.7	78.8
Avg DBH (Live & DP)	cm	21.2	21.1	22.4	24.6
Snags/Ha					
Avg Snag DBH	cm				
Gross Merch Vol/Tree	m3	0.36	0.36	0.38	0.53
Net Merch Vol/Tree	m3	0.33	0.35	0.37	0.36
Avg Weight Total Ht	m	24.7	24.9	22.9	25.9
Avg Weight Merch Ht	m	18.6	18.7	17.0	20.2
Avg 5.0 m Log Net	m3	0.11	0.11	0.13	0.13
Avg 5.0 m Log Gross	m3	0.11	0.11	0.13	0.13
Avg # of 5.0 m Logs/Tree		3.26	3.37	3.00	4.00
Net Immature	%	100.0	100.0	100.0	100.0
LRF and Log Summary					
Net Merch - Stud	%	76.2	76.2	100.0	74.9
Net Merch - Small Log	%	100.0	100.0	100.0	100.0
Net Merch - Large Log	%				
Avg LRF All	bdft/m3	173.2	177.4	173.4	99.0

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Damage Summary [Blowdown Damage]

06-Mar-2017 01:00:33PM

Average Line Method | Grades: MOF Computerized | FIZ: F | Filename: a90479_march_3_new_comp.ccp
BCTS | Computerized Decay | PSYU: Windermere | Compiled by: BCTS-EKFT
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Cruised by: PIONEER FOREST
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Version: 2016.01 IFS build 6030

Net Area: Type 2 (M):Pl636-0/18, Plots in Type: 9, TUs: [B : 9.3]

Species: L.P. Pine

Type of Damage:		Total	Normal	E-Down
Volume and Size Data				
Gross Merchantable	m3	5073	3192	203
Net Merchantable	m3	4366	2978	139
Net Merch - All	m3/ha	469	320	15
Distribution	%	100	68	3
Decay	%	2	2	2
Waste	%			
Waste(billing)	%			
Breakage	%	12	5	30
Total Cull (DWB)	%	14	7	32
Stems/Ha (Live & DP)		1829.0	1320.0	222.3
Avg DBH (Live & DP)	cm	20.4	19.6	15.1
Snags/Ha				
Avg Snag DBH	cm			
Gross Merch Vol/Tree	m3	0.30	0.26	0.10
Net Merch Vol/Tree	m3	0.26	0.24	0.07
Avg Weight Total Ht	m	22.9	21.5	17.2
Avg Weight Merch Ht	m	17.2	15.5	11.3
Avg 5.0 m Log Net	m3	0.11	0.10	0.07
Avg 5.0 m Log Gross	m3	0.11	0.10	0.07
Avg # of 5.0 m Logs/Tree		2.65	2.56	1.37
Net Immature	%	100.0	100.0	100.0
LRF and Log Summary				
Net Merch - Stud	%	76.7	85.0	100.0
Net Merch - Small Log	%	98.6	100.0	100.0
Net Merch - Large Log	%	1.4		
Avg LRF All	bdft/m3	161.0	173.0	163.5

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Damage Summary [Insect Damage]

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
Version: 2016.01 IFS build 6030

Net Area: Type 2 (M):Pl636-0/18, Plots in Type: 9, TUs: [B : 9.3]

Species: L.P. Pine

Type of Damage:		Total	Normal	1-Grn	3-Grey
Volume and Size Data					
Gross Merchantable	m3	5073	3192	420	1258
Net Merchantable	m3	4366	2978	401	847
Net Merch - All	m3/ha	469	320	43	91
Distribution	%	100	68	9	19
Decay	%	2	2	2	3
Waste	%				
Waste(billing)	%				
Breakage	%	12	5	2	30
Total Cull (DWB)	%	14	7	4	33
Stems/Ha (Live & DP)		1829.0	1320.0	78.1	208.7
Avg DBH (Live & DP)	cm	20.4	19.6	25.5	27.1
Snags/Ha					
Avg Snag DBH	cm				
Gross Merch Vol/Tree	m3	0.30	0.26	0.58	0.65
Net Merch Vol/Tree	m3	0.26	0.24	0.55	0.44
Avg Weight Total Ht	m	22.9	21.5	26.5	26.7
Avg Weight Merch Ht	m	17.2	15.5	21.0	21.4
Avg 5.0 m Log Net	m3	0.11	0.10	0.13	0.16
Avg 5.0 m Log Gross	m3	0.11	0.10	0.14	0.16
Avg # of 5.0 m Logs/Tree		2.65	2.56	4.20	4.05
Net Immature	%	100.0	100.0	100.0	100.0
LRF and Log Summary					
Net Merch - Stud	%	76.7	85.0	58.9	52.4
Net Merch - Small Log	%	98.6	100.0	100.0	92.9
Net Merch - Large Log	%	1.4			7.1
Avg LRF All	bdft/m3	161.0	173.0	184.2	107.2

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Damage Summary [Blowdown Damage]

06-Mar-2017 01:00:33PM

Average Line Method | Grades: MOF Computerized | FIZ: F | Filename: a90479_march_3_new_comp.ccp
BCTS | Computerized Decay | PSYU: Windermere | Compiled by: BCTS-EKFT
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Cruised by: PIONEER FOREST
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Version: 2016.01 IFS build 6030

Net Area: Type 3 (M):PlSe(Bl)\635/17, Plots in Type: 6, TUs: [B : 6.5]

Species: Balsam

Type of Damage:		Total	Normal	E-Down
Volume and Size Data				
Gross Merchantable	m3	278	185	93
Net Merchantable	m3	264	178	86
Net Merch - All	m3/ha	41	27	13
Distribution	%	100	67	33
Decay	%	3	2	5
Waste	%			
Waste(billing)	%			
Breakage	%	2	2	2
Total Cull (DWB)	%	5	4	7
Stems/Ha (Live & DP)		27.2	17.9	9.3
Avg DBH (Live & DP)	cm	43.3	43.5	42.7
Snags/Ha				
Avg Snag DBH	cm			
Gross Merch Vol/Tree	m3	1.57	1.59	1.53
Net Merch Vol/Tree	m3	1.49	1.53	1.42
Avg Weight Total Ht	m	27.6	27.6	27.5
Avg Weight Merch Ht	m	22.9	22.9	22.8
Avg 5.0 m Log Net	m3	0.33	0.35	0.29
Avg 5.0 m Log Gross	m3	0.34	0.36	0.31
Avg # of 5.0 m Logs/Tree		4.62	4.42	5.00
Net Immature	%	100.0	100.0	100.0
LRF and Log Summary				
Net Merch - Stud	%	12.4	12.4	12.4
Net Merch - Small Log	%	41.4	46.0	31.9
Net Merch - Large Log	%	58.6	54.0	68.1
Avg LRF All	bdft/m3	214.6	215.2	213.3

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Damage Summary [Blowdown Damage]

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
Version: 2016.01 IFS build 6030

Net Area: Type 3 (M):PlSe(Bl)\635/17, Plots in Type: 6, TUs: [B : 6.5]

Species: L.P. Pine

Type of Damage:		Total	Normal	G-Shatt
Volume and Size Data				
Gross Merchantable	m3	1801	1721	80
Net Merchantable	m3	1626	1571	54
Net Merch - All	m3/ha	250	242	8
Distribution	%	100	97	3
Decay	%	2	2	2
Waste	%			
Waste(billing)	%			
Breakage	%	8	7	30
Total Cull (DWB)	%	10	9	32
Stems/Ha (Live & DP)		498.3	465.9	32.4
Avg DBH (Live & DP)	cm	27.1	27.3	22.9
Snags/Ha				
Avg Snag DBH	cm			
Gross Merch Vol/Tree	m3	0.56	0.57	0.38
Net Merch Vol/Tree	m3	0.50	0.52	0.26
Avg Weight Total Ht	m	23.6	23.7	21.8
Avg Weight Merch Ht	m	18.5	18.6	16.2
Avg 5.0 m Log Net	m3	0.15	0.15	0.12
Avg 5.0 m Log Gross	m3	0.16	0.16	0.13
Avg # of 5.0 m Logs/Tree		3.56	3.60	3.00
Net Immature	%	100.0	100.0	100.0
LRF and Log Summary				
Net Merch - Stud	%	50.5	48.7	100.0
Net Merch - Small Log	%	95.7	95.5	100.0
Net Merch - Large Log	%	4.3	4.5	
Avg LRF All	bdft/m3	189.1	189.5	176.9

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Damage Summary [Blowdown Damage]

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
Version: 2016.01 IFS build 6030

Net Area: Type 4 (M):Pl(Fd) 437-0/18, Plots in Type: 16, TUs: [A : 18.0]

Species: L.P. Pine

Type of Damage:		Total	Normal	E-Down
Volume and Size Data				
Gross Merchantable	m3	4593	4200	308
Net Merchantable	m3	4387	4074	232
Net Merch - All	m3/ha	244	226	13
Distribution	%	100	93	5
Decay	%	1	1	2
Waste	%			
Waste(billing)	%			
Breakage	%	3	2	23
Total Cull (DWB)	%	4	3	25
Stems/Ha (Live & DP)		1157.8	1015.1	127.7
Avg DBH (Live & DP)	cm	18.2	18.4	15.8
Snags/Ha				
Avg Snag DBH	cm			
Gross Merch Vol/Tree	m3	0.22	0.23	0.13
Net Merch Vol/Tree	m3	0.21	0.22	0.10
Avg Weight Total Ht	m	21.6	21.8	19.4
Avg Weight Merch Ht	m	14.9	15.1	11.6
Avg 5.0 m Log Net	m3	0.08	0.09	0.07
Avg 5.0 m Log Gross	m3	0.08	0.09	0.07
Avg # of 5.0 m Logs/Tree		2.60	2.67	1.97
Net Immature	%	100.0	100.0	100.0
LRF and Log Summary				
Net Merch - Stud	%	92.8	92.2	100.0
Net Merch - Small Log	%	99.1	99.1	100.0
Net Merch - Large Log	%	0.9	0.9	
Avg LRF All	bdft/m3	169.4	169.9	161.4

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Damage Summary [Insect Damage]

06-Mar-2017 01:00:33PM

Average Line Method | Grades: MOF Computerized | FIZ: F | Filename: a90479_march_3_new_comp.ccp
BCTS | Computerized Decay | PSYU: Windermere | Compiled by: BCTS-EKFT
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Cruised by: PIONEER FOREST
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Version: 2016.01 IFS build 6030

Net Area: Type 4 (M):Pl(Fd) 437-0/18, Plots in Type: 16, TUs: [A : 18.0]

Species: L.P. Pine

Type of Damage:		Total	Normal	1-Grn
Volume and Size Data				
Gross Merchantable	m3	4593	4200	85
Net Merchantable	m3	4387	4074	81
Net Merch - All	m3/ha	244	226	5
Distribution	%	100	93	2
Decay	%	1	1	2
Waste	%			
Waste(billing)	%			
Breakage	%	3	2	2
Total Cull (DWB)	%	4	3	4
Stems/Ha (Live & DP)		1157.8	1015.1	15.0
Avg DBH (Live & DP)	cm	18.2	18.4	20.6
Snags/Ha				
Avg Snag DBH	cm			
Gross Merch Vol/Tree	m3	0.22	0.23	0.31
Net Merch Vol/Tree	m3	0.21	0.22	0.30
Avg Weight Total Ht	m	21.6	21.8	22.3
Avg Weight Merch Ht	m	14.9	15.1	16.0
Avg 5.0 m Log Net	m3	0.08	0.09	0.10
Avg 5.0 m Log Gross	m3	0.08	0.09	0.10
Avg # of 5.0 m Logs/Tree		2.60	2.67	3.00
Net Immature	%	100.0	100.0	100.0
LRF and Log Summary				
Net Merch - Stud	%	92.8	92.2	100.0
Net Merch - Small Log	%	99.1	99.1	100.0
Net Merch - Large Log	%	0.9	0.9	
Avg LRF All	bdft/m3	169.4	169.9	165.4

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Damage Summary [Blowdown Damage]

06-Mar-2017 01:00:33PM

Average Line Method | Grades: MOF Computerized | FIZ: F | Filename: a90479_march_3_new_comp.ccp
BCTS | Computerized Decay | PSYU: Windermere | Compiled by: BCTS-EKFT
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Cruised by: PIONEER FOREST
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Version: 2016.01 IFS build 6030

Net Area: Type 6 (M):PlFd 437-0/18, Plots in Type: 6, TUs: [A : 6.1]

Species: L.P. Pine

Type of Damage:		Total	Normal	E-Down
Volume and Size Data				
Gross Merchantable	m3	1115	1062	52
Net Merchantable	m3	1065	1029	36
Net Merch - All	m3/ha	175	169	6
Distribution	%	100	97	3
Decay	%	1	1	1
Waste	%			
Waste(billing)	%			
Breakage	%	3	2	30
Total Cull (DWB)	%	4	3	31
Stems/Ha (Live & DP)		816.5	749.3	67.2
Avg DBH (Live & DP)	cm	18.2	18.4	15.9
Snags/Ha				
Avg Snag DBH	cm			
Gross Merch Vol/Tree	m3	0.22	0.23	0.13
Net Merch Vol/Tree	m3	0.21	0.23	0.09
Avg Weight Total Ht	m	21.4	21.7	17.1
Avg Weight Merch Ht	m	14.6	14.9	9.8
Avg 5.0 m Log Net	m3	0.08	0.09	0.06
Avg 5.0 m Log Gross	m3	0.08	0.09	0.06
Avg # of 5.0 m Logs/Tree		2.63	2.69	2.00
Net Immature	%	100.0	100.0	100.0
LRF and Log Summary				
Net Merch - Stud	%	100.0	100.0	100.0
Net Merch - Small Log	%	100.0	100.0	100.0
Net Merch - Large Log	%			
Avg LRF All	bdft/m3	168.9	169.3	156.9

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Damage Summary [Blowdown Damage]

06-Mar-2017 01:00:33PM

Average Line Method | Grades: MOF Computerized | FIZ: F | Filename: a90479_march_3_new_comp.ccp
BCTS | Computerized Decay | PSYU: Windermere | Compiled by: BCTS-EKFT
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Cruised by: PIONEER FOREST
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Version: 2016.01 IFS build 6030

Net Area: Type 7 (M):Pl 636-0/15, Plots in Type: 27, TUs: [B : 28.1]

Species: L.P. Pine

Type of Damage:		Total	Normal	E-Down	G-Shatt
Volume and Size Data					
Gross Merchantable	m3	10475	9842	391	67
Net Merchantable	m3	9865	9398	268	46
Net Merch - All	m3/ha	351	334	10	2
Distribution	%	100	95	3	0
Decay	%	2	2	2	2
Waste	%				
Waste(billing)	%				
Breakage	%	4	3	30	30
Total Cull (DWB)	%	6	5	32	32
Stems/Ha (Live & DP)		1288.5	1176.0	93.2	10.1
Avg DBH (Live & DP)	cm	20.3	20.5	16.8	19.3
Snags/Ha		19.0	19.0		
Avg Snag DBH	cm	14.1	14.1		
Gross Merch Vol/Tree	m3	0.29	0.30	0.15	0.24
Net Merch Vol/Tree	m3	0.27	0.28	0.10	0.16
Avg Weight Total Ht	m	22.4	22.6	17.8	19.7
Avg Weight Merch Ht	m	16.6	16.8	11.3	13.4
Avg 5.0 m Log Net	m3	0.11	0.11	0.08	0.08
Avg 5.0 m Log Gross	m3	0.11	0.11	0.08	0.08
Avg # of 5.0 m Logs/Tree		2.70	2.75	1.92	3.00
Net Immature	%	100.0	100.0	100.0	100.0
LRF and Log Summary					
Net Merch - Stud	%	78.2	78.1	100.0	100.0
Net Merch - Small Log	%	98.6	98.6	100.0	100.0
Net Merch - Large Log	%	1.4	1.4		
Avg LRF All	bdft/m3	176.7	177.4	163.7	170.1

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Damage Summary [Blowdown Damage]

06-Mar-2017 01:00:33PM

Average Line Method | Grades: MOF Computerized | FIZ: F | Filename: a90479_march_3_new_comp.ccp
BCTS | Computerized Decay | PSYU: Windermere | Compiled by: BCTS-EKFT
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Cruised by: PIONEER FOREST
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Version: 2016.01 IFS build 6030

Net Area: Type 7 (M):Pl 636-0/15, Plots in Type: 27, TUs: [B : 28.1]

Species: Spruce

Type of Damage:		Total	Normal	E-Down
Volume and Size Data				
Gross Merchantable	m3	2401	2332	69
Net Merchantable	m3	2322	2255	67
Net Merch - All	m3/ha	83	80	2
Distribution	%	100	97	3
Decay	%	1	1	
Waste	%	0	0	
Waste(billing)	%	0	0	
Breakage	%	2	2	2
Total Cull (DWB)	%	3	3	2
Stems/Ha (Live & DP)		142.1	137.0	5.1
Avg DBH (Live & DP)	cm	28.9	29.0	27.2
Snags/Ha				
Avg Snag DBH	cm			
Gross Merch Vol/Tree	m3	0.60	0.61	0.48
Net Merch Vol/Tree	m3	0.58	0.59	0.47
Avg Weight Total Ht	m	25.2	25.3	21.6
Avg Weight Merch Ht	m	19.9	20.0	15.9
Avg 5.0 m Log Net	m3	0.20	0.20	0.16
Avg 5.0 m Log Gross	m3	0.20	0.20	0.16
Avg # of 5.0 m Logs/Tree		3.02	3.02	3.00
Net Immature	%	92.6	92.3	100.0
LRF and Log Summary				
Net Merch - Stud	%	37.9	37.5	51.3
Net Merch - Small Log	%	72.1	71.3	100.0
Net Merch - Large Log	%	27.9	28.7	
Avg LRF All	bdft/m3	199.2	199.5	188.1

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Damage Summary [Insect Damage]

06-Mar-2017 01:00:33PM

Average Line Method | Grades: MOF Computerized | FIZ: F | Filename: a90479_march_3_new_comp.ccp
BCTS | Computerized Decay | PSYU: Windermere | Compiled by: BCTS-EKFT
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Cruised by: PIONEER FOREST
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Version: 2016.01 IFS build 6030

Net Area: Type 7 (M):Pl 636-0/15, Plots in Type: 27, TUs: [B : 28.1]

Species: L.P. Pine

Type of Damage:		Total	Normal	2-Red
Volume and Size Data				
Gross Merchantable	m3	10475	9842	175
Net Merchantable	m3	9865	9398	154
Net Merch - All	m3/ha	351	334	5
Distribution	%	100	95	2
Decay	%	2	2	3
Waste	%			
Waste(billing)	%			
Breakage	%	4	3	10
Total Cull (DWB)	%	6	5	12
Stems/Ha (Live & DP)		1288.5	1176.0	9.2
Avg DBH (Live & DP)	cm	20.3	20.5	30.3
Snags/Ha		19.0	19.0	
Avg Snag DBH	cm	14.1	14.1	
Gross Merch Vol/Tree	m3	0.29	0.30	0.68
Net Merch Vol/Tree	m3	0.27	0.28	0.59
Avg Weight Total Ht	m	22.4	22.6	22.6
Avg Weight Merch Ht	m	16.6	16.8	18.1
Avg 5.0 m Log Net	m3	0.11	0.11	0.19
Avg 5.0 m Log Gross	m3	0.11	0.11	0.19
Avg # of 5.0 m Logs/Tree		2.70	2.75	3.49
Net Immature	%	100.0	100.0	100.0
LRF and Log Summary				
Net Merch - Stud	%	78.2	78.1	39.4
Net Merch - Small Log	%	98.6	98.6	100.0
Net Merch - Large Log	%	1.4	1.4	
Avg LRF All	bdft/m3	176.7	177.4	159.1

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Cutting Permit Stand Table (stems/ha)

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
Version: 2016.01 IFS build 6030

[All Treatment Units : 86.4]

	F	B	S	PW	PL	AT	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	12.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0
DBH Class										
5										
10										
15					323.2		323.2	141.8	6.2	
20	16.8	17.7	28.0		438.8		501.3	35.3		
25	5.7	8.3	17.4	2.1	217.9		251.4	44.0		
30	3.2	8.2	3.9		45.6		60.9	3.9		
35	2.6	1.9	7.8		11.8		24.1	1.4		
40	1.1	1.5	5.3		4.1		12.1	2.2		
45	0.0	1.8	4.4				6.2			
50		0.6	1.5				2.0			
55	0.4		1.3				1.7			
60	0.2		0.7				0.9			
65	0.0						0.0			
70	0.0		0.3				0.3			
75										
80	0.0						0.0			
85	0.0						0.0			
90										
95	0.0						0.0			
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	30.2	40.0	70.5	2.1	1041.4		1184.2			
Dead P			1.7		227.1			228.7		
Dead U					6.2				6.2	
Live U										
	Average DBH(cm) at 5 Levels									
12.5 +	26.5	27.0	30.4	24.3	20.6		21.7	18.7	14.1	
17.5 +	26.5	27.0	30.4	24.3	22.6		23.7	23.9		
22.5 +	33.0	31.9	35.6	24.3	26.2		28.1	26.5		
27.5 +	37.3	35.5	41.3		31.0		34.7	34.9		
32.5 +	41.4	41.9	43.0		35.4		40.3	38.8		

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Cutting Permit Stand Table (stems/ha)

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
Version: 2016.01 IFS build 6030

[A : 25.2]

	F	B	S	PW	PL	AT	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	12.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0
DBH Class										
5										
10										
15					519.6		519.6	84.1		
20	57.7	23.7	2.8		391.4		475.5			
25	19.6	14.8	6.9		78.2		119.6	7.2		
30	11.0	4.3			9.2		24.5			
35	4.1		3.5		3.4		11.0			
40			3.0				3.0			
45	0.1						0.1			
50										
55	1.3						1.3			
60	0.7		1.2				1.9			
65	0.1						0.1			
70	0.0						0.0			
75										
80	0.1						0.1			
85	0.0						0.0			
90										
95	0.0						0.0			
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	94.8	42.8	17.3		1001.8		1156.8			
Dead P					91.3			91.3		
Dead U										
Live U										
	Average DBH(cm) at 5 Levels									
12.5 +	25.1	22.8	33.6		18.3		19.4	16.1		
17.5 +	25.1	22.8	33.6		21.0		22.2	25.1		
22.5 +	31.5	26.3	35.4		25.2		27.9	25.1		
27.5 +	36.4	31.0	42.2		32.9		36.1			
32.5 +	44.6		42.2		36.7		42.1			

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Cutting Permit Stand Table (stems/ha)

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
Version: 2016.01 IFS build 6030

[B : 61.2]

	F	B	S	PW	PL	AT	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	12.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0
DBH Class										
5										
10										
15					242.3		242.3	165.6	8.7	
20		15.2	38.4		458.3		511.8	49.8		
25		5.7	21.7	2.9	275.4		305.7	59.2		
30		9.9	5.5		60.5		75.9	5.6		
35	2.0	2.6	9.6		15.3		29.5	2.0		
40	1.6	2.1	6.2		5.8		15.8	3.2		
45		2.6	6.2				8.7			
50		0.8	2.1				2.9			
55			1.8				1.8			
60			0.5				0.5			
65										
70			0.4				0.4			
75										
80										
85										
90										
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	3.6	38.9	92.4	2.9	1057.7		1195.5			
Dead P			2.3		283.0			285.3		
Dead U					8.7				8.7	
Live U										
			Average DBH(cm) at 5 Levels							
12.5 +	38.9	28.7	30.2	24.3	21.5		22.6	19.0	14.1	
17.5 +	38.9	28.7	30.2	24.3	23.0		24.1	23.9		
22.5 +	38.9	33.6	35.7	24.3	26.3		28.1	26.5		
27.5 +	38.9	35.9	41.3		30.8		34.5	34.9		
32.5 +	38.9	41.9	43.1		35.3		40.1	38.8		

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Cutting Permit Stock Table (m3/ha)

06-Mar-2017 01:00:33PM

Average Line Method | Grades: MOF Computerized | FIZ: F | Filename: a90479_march_3_new_comp.ccp
BCTS | Computerized Decay | PSYU: Windermere | Compiled by: BCTS-EKFT
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Cruised by: PIONEER FOREST
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Version: 2016.01 IFS build 6030

[All Treatment Units : 86.4]

	F	B	S	PW	PL	AT	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	12.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0
DBH Class										
5										
10										
15					39.6		39.6	8.7		
20	3.0	3.6	6.0		121.4		134.0	5.7		
25	2.2	3.6	7.1	0.7	104.7		118.3	14.7		
30	1.8	5.6	2.8		31.2		41.4	2.0		
35	2.2	2.1	7.3		11.4		23.0	1.1		
40	1.2	2.0	6.9		4.9		15.0	2.0		
45	0.0	3.0	6.8				9.9			
50		1.1	3.2				4.3			
55	0.7		3.1				3.9			
60	0.4		2.2				2.7			
65	0.1						0.1			
70	0.0		1.0				1.0			
75										
80	0.1						0.1			
85	0.1						0.1			
90										
95	0.0						0.0			
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	11.8	21.1	46.7	0.7	313.1		393.4			
Dead P			0.8		33.4			34.2		
			Total Volumes for 7 Levels							
17.5 +	11.8	21.1	46.7	0.7	273.5		353.8	25.5		
22.5 +	8.8	17.5	40.7	0.7	152.2		219.8	19.7		
27.5 +	6.7	13.8	33.6		47.4		101.5	5.1		
32.5 +	4.9	8.2	30.7		16.2		60.1	3.1		
37.5 +	2.7	6.1	23.4		4.9		37.1	2.0		
42.5 +	1.5	4.1	16.5				22.1			
47.5 +	1.5	1.1	9.6				12.2			

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Cutting Permit Stock Table (m3/ha)

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
Version: 2016.01 IFS build 6030

[A : 25.2]

	F	B	S	PW	PL	AT	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	12.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0
DBH Class										
5										
10										
15					65.2		65.2	6.5		
20	10.3	5.3	0.9		107.9		124.4			
25	7.4	6.2	2.8		35.1		51.4	1.8		
30	6.1	3.0			7.1		16.2			
35	3.0		3.1		3.7		9.8			
40			3.5				3.5			
45	0.1						0.1			
50										
55	2.5						2.5			
60	1.5		4.1				5.7			
65	0.2						0.2			
70	0.1						0.1			
75										
80	0.3						0.3			
85	0.2						0.2			
90										
95	0.1						0.1			
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	32.0	14.5	14.4		219.0		279.9			
Dead P					8.3			8.3		
			Total Volumes for 7 Levels							
17.5 +	32.0	14.5	14.4		153.8		214.7	1.8		
22.5 +	21.7	9.2	13.6		45.8		90.3	1.8		
27.5 +	14.3	3.0	10.8		10.8		38.9			
32.5 +	8.2		10.8		3.7		22.7			
37.5 +	5.2		7.7				12.9			
42.5 +	5.2		4.1				9.4			
47.5 +	5.1		4.1				9.2			

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Cutting Permit Stock Table (m3/ha)

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
Version: 2016.01 IFS build 6030

[B : 61.2]

	F	B	S	PW	PL	AT	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	12.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0
DBH Class										
5										
10										
15					29.1		29.1	9.7		
20		2.9	8.2		126.9		137.9	8.1		
25		2.6	8.9	0.9	133.4		145.9	20.0		
30		6.7	4.0		41.1		51.8	2.8		
35	1.8	2.9	9.1		14.6		28.4	1.5		
40	1.7	2.9	8.3		6.9		19.7	2.8		
45		4.3	9.6				13.9			
50		1.5	4.6				6.1			
55			4.4				4.4			
60			1.5				1.5			
65										
70			1.4				1.4			
75										
80										
85										
90										
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	3.5	23.8	60.0	0.9	351.9		440.2			
Dead P			1.1		43.8			44.9		
			Total Volumes for 7 Levels							
17.5 +	3.5	23.8	60.0	0.9	322.8		411.1	35.2		
22.5 +	3.5	20.9	51.9	0.9	195.9		273.1	27.1		
27.5 +	3.5	18.3	43.0		62.5		127.3	7.1		
32.5 +	3.5	11.6	39.0		21.4		75.5	4.3		
37.5 +	1.7	8.7	29.9		6.9		47.1	2.8		
42.5 +		5.8	21.5				27.4			
47.5 +		1.5	11.9				13.4			

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Cutting Permit Basal Area Table (m2/ha)

06-Mar-2017 01:00:33PM

Average Line Method | Grades: MOF Computerized | FIZ: F | Filename: a90479_march_3_new_comp.ccp
BCTS | Computerized Decay | PSYU: Windermere | Compiled by: BCTS-EKFT
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Cruised by: PIONEER FOREST
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Version: 2016.01 IFS build 6030

[All Treatment Units : 86.4]

	F	B	S	PW	PL	AT	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	12.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0
DBH Class										
5										
10										
15					6.0		6.0	2.4	0.1	
20	0.5	0.5	0.9		13.7		15.6	1.1		
25	0.3	0.4	0.9	0.1	10.4		12.1	2.1		
30	0.2	0.6	0.3		3.1		4.2	0.3		
35	0.3	0.2	0.8		1.1		2.3	0.1		
40	0.2	0.2	0.7		0.5		1.5	0.3		
45	0.0	0.3	0.7				1.0			
50		0.1	0.3				0.4			
55	0.1		0.3				0.4			
60	0.1		0.2				0.3			
65	0.0						0.0			
70	0.0		0.1				0.1			
75										
80	0.0						0.0			
85	0.0						0.0			
90										
95	0.0						0.0			
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	1.7	2.3	5.1	0.1	34.7		43.9			
Dead P			0.1		6.2			6.3		
Dead U					0.1				0.1	
Live U										
Average Basal Area (m2) at 5 Levels										
12.5 +	1.7	2.3	5.1	0.1	34.7		43.9	6.3	0.1	
17.5 +	1.7	2.3	5.1	0.1	28.8		38.0	3.9		
22.5 +	1.1	1.8	4.2	0.1	15.1		22.3	2.8		
27.5 +	0.8	1.4	3.4		4.6		10.2	0.7		
32.5 +	0.6	0.8	3.1		1.6		6.0	0.4		

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Cutting Permit Basal Area Table (m2/ha)

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
Version: 2016.01 IFS build 6030

[A : 25.2]

	F	B	S	PW	PL	AT	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	12.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0
DBH Class										
5										
10										
15					9.6		9.6	1.5		
20	1.8	0.7	0.1		12.2		14.8			
25	1.1	0.7	0.4		3.5		5.6	0.4		
30	0.8	0.3			0.7		1.8			
35	0.4		0.4		0.4		1.1			
40			0.4				0.4			
45	0.0						0.0			
50										
55	0.3						0.3			
60	0.2		0.4				0.6			
65	0.0						0.0			
70	0.0						0.0			
75										
80	0.0						0.0			
85	0.0						0.0			
90										
95	0.0						0.0			
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	4.7	1.8	1.5		26.3		34.2			
Dead P					1.9			1.9		
Dead U										
Live U										
	Average Basal Area (m2) at 5 Levels									
12.5 +	4.7	1.8	1.5		26.3		34.2	1.9		
17.5 +	4.7	1.8	1.5		16.7		24.7	0.4		
22.5 +	2.9	1.0	1.4		4.5		9.9	0.4		
27.5 +	1.8	0.3	1.1		1.1		4.3			
32.5 +	1.0		1.1		0.4		2.4			

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Cutting Permit Basal Area Table (m2/ha)

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
Version: 2016.01 IFS build 6030

[B : 61.2]

	F	B	S	PW	PL	AT	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	12.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0
DBH Class										
5										
10										
15					4.5		4.5	2.7	0.1	
20		0.4	1.2		14.3		16.0	1.5		
25		0.3	1.1	0.1	13.3		14.8	2.8		
30		0.7	0.4		4.0		5.1	0.4		
35	0.2	0.3	1.0		1.4		2.9	0.2		
40	0.2	0.3	0.8		0.7		2.0	0.4		
45		0.4	1.0				1.4			
50		0.1	0.4				0.6			
55			0.4				0.4			
60			0.1				0.1			
65										
70			0.1				0.1			
75										
80										
85										
90										
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	0.4	2.5	6.6	0.1	38.2		47.9			
Dead P			0.1		7.9			8.1		
Dead U					0.1				0.1	
Live U										
Average Basal Area (m2) at 5 Levels										
12.5 +	0.4	2.5	6.6	0.1	38.2		47.9	8.1	0.1	
17.5 +	0.4	2.5	6.6	0.1	33.7		43.4	5.4		
22.5 +	0.4	2.1	5.4	0.1	19.4		27.5	3.9		
27.5 +	0.4	1.8	4.3		6.1		12.7	1.0		
32.5 +	0.4	1.1	3.9		2.1		7.5	0.6		

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Block Stand Table (stems/ha)

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
| | | Version: 2016.01 IFS build 6030

Block : (M) - 001:1, Plots in Block: 23, TUs: [B : 26.3]

	F	B	S	PW	PL	AT	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	12.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0
DBH Class										
5										
10										
15					95.2		95.2	274.2		
20			12.7		511.0		523.7	40.5		
25			10.7		252.2		263.0	117.1		
30			4.0		68.6		72.6	13.0		
35	4.7		6.2		21.6		32.6	4.8		
40	3.7	2.6	7.0		2.9		16.2	7.4		
45		2.3	2.1				4.4			
50		1.8	3.1				4.9			
55			1.4				1.4			
60			1.3				1.3			
65										
70			0.8				0.8			
75										
80										
85										
90										
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	8.4	6.7	49.3		951.5		1016.0			
Dead P					456.8			456.8		
Dead U										
Live U										
			Average DBH(cm) at 5 Levels							
12.5 +	38.9	43.3	35.7		22.3		23.5	19.5		
17.5 +	38.9	43.3	35.7		22.9		24.1	25.5		
22.5 +	38.9	43.3	39.3		26.7		28.8	26.9		
27.5 +	38.9	43.3	44.1		30.7		34.9	34.9		
32.5 +	38.9	43.3	45.9		34.5		40.4	38.8		

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Block Stand Table (stems/ha)

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
| | | Version: 2016.01 IFS build 6030

Block : (M) - 002:2, Plots in Block: 16, TUs: [A : 18.0]

	F	B	S	PW	PL	AT	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	12.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0
DBH Class										
5										
10										
15					566.3		566.3	88.2		
20	80.8	33.1			399.5		513.4			
25	27.5	20.8	9.6		76.0		133.9	10.1		
30	13.3				12.9		26.2			
35	5.8		4.9		4.7		15.4			
40			4.2				4.2			
45	0.2						0.2			
50										
55										
60	0.1		1.7				1.7			
65	0.1						0.1			
70	0.1						0.1			
75										
80	0.1						0.1			
85	0.0						0.0			
90										
95	0.0						0.0			
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	127.9	53.9	20.3		1059.6		1261.7			
Dead P					98.3			98.3		
Dead U										
Live U										
			Average DBH(cm) at 5 Levels							
12.5 +	23.8	21.7	35.4		18.3		19.5	16.1		
17.5 +	23.8	21.7	35.4		21.3		22.3	25.1		
22.5 +	29.4	24.7	35.4		26.1		28.0	25.1		
27.5 +	33.2		42.2		32.9		35.3			
32.5 +	37.5		42.2		36.7		39.7			

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Block Stand Table (stems/ha)

06-Mar-2017 01:00:33PM

Average Line Method | Grades: MOF Computerized | FIZ: F | Filename: a90479_march_3_new_comp.ccp
BCTS | Computerized Decay | PSYU: Windermere | Compiled by: BCTS-EKFT
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Cruised by: PIONEER FOREST
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Version: 2016.01 IFS build 6030

Block : (M) - 003:3, Plots in Block: 8, TUs: [A : 7.2]

	F	B	S	PW	PL	AT	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	12.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0
DBH Class										
5										
10										
15					402.7		402.7	73.7		
20			9.8		371.0		380.8			
25					83.7		83.7			
30	5.2	15.0					20.1			
35										
40										
45										
50										
55	4.5						4.5			
60	2.4						2.4			
65	0.2						0.2			
70										
75										
80										
85										
90										
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	12.2	15.0	9.8		857.5		894.4			
Dead P					73.7			73.7		
Dead U										
Live U										
			Average DBH(cm) at 5 Levels							
12.5 +	47.2	31.0	22.3		18.0		19.1	16.2		
17.5 +	47.2	31.0	22.3		20.3		21.8			
22.5 +	47.2	31.0			22.7		27.6			
27.5 +	47.2	31.0					39.1			
32.5 +	57.2						57.2			

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Block Stand Table (stems/ha)

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
Version: 2016.01 IFS build 6030

Block : (M) - 004:4, Plots in Block: 33, TUs: [B : 34.9]

	F	B	S	PW	PL	AT	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	12.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0
DBH Class										
5										
10										
15					353.2		353.2	83.8	15.3	
20		26.7	57.7		418.5		502.9	56.8		
25		9.9	29.9	5.1	292.9		338.0	15.5		
30		17.3	6.6		54.5		78.4			
35		4.6	12.1		10.5		27.2			
40		1.8	5.7		8.1		15.5			
45		2.7	9.2				12.0			
50			1.3				1.3			
55			2.2				2.2			
60										
65										
70										
75										
80										
85										
90										
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total		63.1	124.8	5.1	1137.7		1330.7			
Dead P			4.1		152.0			156.1		
Dead U					15.3				15.3	
Live U										
			Average DBH(cm) at 5 Levels							
12.5 +		27.2	28.3	24.3	20.9		22.1	17.8	14.1	
17.5 +		27.2	28.3	24.3	23.0		24.1	20.5		
22.5 +		32.0	34.1	24.3	26.0		27.7	24.2		
27.5 +		34.3	39.7		31.0		34.2			
32.5 +		41.2	41.5		36.2		39.8			

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Block Stock Table (m3/ha)

06-Mar-2017 01:00:33PM

Average Line Method | Grades: MOF Computerized | FIZ: F | Filename: a90479_march_3_new_comp.ccp
BCTS | Computerized Decay | PSYU: Windermere | Compiled by: BCTS-EKFT
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Cruised by: PIONEER FOREST
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Version: 2016.01 IFS build 6030

Block : (M) - 001:1, Plots in Block: 23, TUs: [B : 26.3]

	F	B	S	PW	PL	AT	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	12.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0
DBH Class										
5										
10										
15					16.5		16.5	15.1		
20			4.4		140.2		144.6	7.0		
25			4.1		130.1		134.2	40.9		
30			3.4		48.8		52.2	6.6		
35	4.2		6.2		20.8		31.3	3.5		
40	4.0	3.3	9.5		2.6		19.3	6.5		
45		3.3	3.3				6.6			
50		3.5	7.5				11.0			
55			3.6				3.6			
60			3.4				3.4			
65										
70			3.3				3.3			
75										
80										
85										
90										
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	8.2	10.0	48.7		359.0		425.9			
Dead P					79.7			79.7		
			Total Volumes for 7 Levels							
17.5 +	8.2	10.0	48.7		342.5		409.4	64.5		
22.5 +	8.2	10.0	44.3		202.3		264.8	57.5		
27.5 +	8.2	10.0	40.2		72.2		130.6	16.6		
32.5 +	8.2	10.0	36.8		23.4		78.4	10.0		
37.5 +	4.0	10.0	30.6		2.6		47.1	6.5		
42.5 +		6.8	21.1				27.8			
47.5 +		3.5	17.7				21.2			

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Block Stock Table (m3/ha)

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
| | | Version: 2016.01 IFS build 6030

Block : (M) - 002:2, Plots in Block: 16, TUs: [A : 18.0]

	F	B	S	PW	PL	AT	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	12.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0
DBH Class										
5										
10										
15					71.7		71.7	6.4		
20	14.4	7.4			112.4		134.3			
25	10.3	8.6	4.0		35.6		58.5	2.5		
30	7.7				9.9		17.6			
35	4.2		4.3		5.2		13.7			
40			5.0				5.0			
45	0.2						0.2			
50										
55										
60	0.2		5.8				6.0			
65	0.2						0.2			
70	0.2						0.2			
75										
80	0.5						0.5			
85	0.2						0.2			
90										
95	0.2						0.2			
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	38.3	16.0	19.0		234.8		308.2			
Dead P					8.9			8.9		
			Total Volumes for 7 Levels							
17.5 +	38.3	16.0	19.0		163.1		236.5	2.5		
22.5 +	23.9	8.6	19.0		50.7		102.2	2.5		
27.5 +	13.6		15.1		15.1		43.7			
32.5 +	5.9		15.1		5.2		26.1			
37.5 +	1.7		10.8				12.5			
42.5 +	1.7		5.8				7.5			
47.5 +	1.5		5.8				7.3			

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Block Stock Table (m3/ha)

06-Mar-2017 01:00:33PM

Average Line Method | Grades: MOF Computerized | FIZ: F | Filename: a90479_march_3_new_comp.ccp
BCTS | Computerized Decay | PSYU: Windermere | Compiled by: BCTS-EKFT
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Cruised by: PIONEER FOREST
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Version: 2016.01 IFS build 6030

Block : (M) - 003:3, Plots in Block: 8, TUs: [A : 7.2]

	F	B	S	PW	PL	AT	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	12.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0
DBH Class										
5										
10										
15					49.0		49.0	6.7		
20			3.0		96.7		99.7			
25					33.7		33.7			
30	2.2	10.6					12.8			
35										
40										
45										
50										
55	8.8						8.8			
60	4.9						4.9			
65	0.3						0.3			
70										
75										
80										
85										
90										
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	16.2	10.6	3.0		179.4		209.2			
Dead P					6.7			6.7		
Total Volumes for 7 Levels										
17.5 +	16.2	10.6	3.0		130.4		160.2			
22.5 +	16.2	10.6			33.7		60.5			
27.5 +	16.2	10.6					26.8			
32.5 +	14.0						14.0			
37.5 +	14.0						14.0			
42.5 +	14.0						14.0			
47.5 +	14.0						14.0			

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Block Stock Table (m3/ha)

06-Mar-2017 01:00:33PM

Average Line Method | Grades: MOF Computerized | FIZ: F | Filename: a90479_march_3_new_comp.ccp
BCTS | Computerized Decay | PSYU: Windermere | Compiled by: BCTS-EKFT
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Cruised by: PIONEER FOREST
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Version: 2016.01 IFS build 6030

Block : (M) - 004:4, Plots in Block: 33, TUs: [B : 34.9]

	F	B	S	PW	PL	AT	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	12.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0
DBH Class										
5										
10										
15					38.6		38.6	5.5		
20		5.1	11.0		116.8		132.9	8.9		
25		4.5	12.6	1.6	135.9		154.7	4.2		
30		11.7	4.4		35.3		51.5			
35		5.1	11.3		9.8		26.3			
40		2.6	7.4		10.1		20.1			
45		5.1	14.4				19.5			
50			2.4				2.4			
55			5.1				5.1			
60										
65										
70										
75										
80										
85										
90										
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total		34.2	68.6	1.6	346.6		450.9			
Dead P			1.9		16.7			18.6		
			Total Volumes for 7 Levels							
17.5 +		34.2	68.6	1.6	308.0		412.3	13.1		
22.5 +		29.1	57.6	1.6	191.1		279.4	4.2		
27.5 +		24.5	45.0		55.2		124.8			
32.5 +		12.8	40.6		19.9		73.3			
37.5 +		7.7	29.3		10.1		47.1			
42.5 +		5.1	21.9				27.0			
47.5 +			7.5				7.5			

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Block Basal Area Table (m2/ha)

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
Version: 2016.01 IFS build 6030

Block : (M) - 001:1, Plots in Block: 23, TUs: [B : 26.3]

	F	B	S	PW	PL	AT	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	12.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0
DBH Class										
5										
10										
15					2.0		2.0	4.3		
20			0.5		15.7		16.2	1.3		
25			0.5		12.5		13.0	5.7		
30			0.3		4.6		4.9	1.0		
35	0.5		0.7		2.0		3.1	0.5		
40	0.5	0.3	1.0		0.3		2.1	1.0		
45		0.3	0.3				0.7			
50		0.3	0.7				1.0			
55			0.3				0.3			
60			0.3				0.3			
65										
70			0.3				0.3			
75										
80										
85										
90										
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	1.0	1.0	4.9		37.1		44.0			
Dead P					13.7			13.7		
Dead U										
Live U										
Average Basal Area (m2) at 5 Levels										
12.5 +	1.0	1.0	4.9		37.1		44.0	13.7		
17.5 +	1.0	1.0	4.9		35.1		42.1	9.3		
22.5 +	1.0	1.0	4.4		19.4		25.8	8.1		
27.5 +	1.0	1.0	4.0		6.9		12.8	2.4		
32.5 +	1.0	1.0	3.6		2.3		7.9	1.4		

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Block Basal Area Table (m2/ha)

06-Mar-2017 01:00:33PM

Average Line Method | Grades: MOF Computerized | FIZ: F | Filename: a90479_march_3_new_comp.ccp
BCTS | Computerized Decay | PSYU: Windermere | Compiled by: BCTS-EKFT
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Cruised by: PIONEER FOREST
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Version: 2016.01 IFS build 6030

Block : (M) - 002:2, Plots in Block: 16, TUs: [A : 18.0]

	F	B	S	PW	PL	AT	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	12.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0
DBH Class										
5										
10										
15					10.5		10.5	1.5		
20	2.5	1.0			12.5		16.0			
25	1.5	1.0	0.5		3.5		6.5	0.5		
30	1.0				1.0		2.0			
35	0.5		0.5		0.5		1.5			
40			0.5				0.5			
45	0.0						0.0			
50										
55										
60	0.0		0.5				0.5			
65	0.0						0.0			
70	0.0						0.0			
75										
80	0.1						0.1			
85	0.0						0.0			
90										
95	0.0						0.0			
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	5.7	2.0	2.0		28.0		37.7			
Dead P					2.0			2.0		
Dead U										
Live U										
	Average Basal Area (m2) at 5 Levels									
12.5 +	5.7	2.0	2.0		28.0		37.7	2.0		
17.5 +	5.7	2.0	2.0		17.5		27.2	0.5		
22.5 +	3.2	1.0	2.0		5.0		11.2	0.5		
27.5 +	1.7		1.5		1.5		4.7			
32.5 +	0.7		1.5		0.5		2.7			

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Block Basal Area Table (m2/ha)

06-Mar-2017 01:00:33PM

Average Line Method | Grades: MOF Computerized | FIZ: F | Filename: a90479_march_3_new_comp.ccp
BCTS | Computerized Decay | PSYU: Windermere | Compiled by: BCTS-EKFT
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Cruised by: PIONEER FOREST
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Version: 2016.01 IFS build 6030

Block : (M) - 003:3, Plots in Block: 8, TUs: [A : 7.2]

	F	B	S	PW	PL	AT	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	12.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0
DBH Class										
5										
10										
15					7.2		7.2	1.5		
20			0.4		11.3		11.7			
25					3.4		3.4			
30	0.3	1.1					1.5			
35										
40										
45										
50										
55	1.1						1.1			
60	0.6						0.6			
65	0.1						0.1			
70										
75										
80										
85										
90										
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	2.1	1.1	0.4		21.9		25.6			
Dead P					1.5			1.5		
Dead U										
Live U										
	Average Basal Area (m2) at 5 Levels									
12.5 +	2.1	1.1	0.4		21.9		25.6	1.5		
17.5 +	2.1	1.1	0.4		14.7		18.4			
22.5 +	2.1	1.1			3.4		6.7			
27.5 +	2.1	1.1					3.3			
32.5 +	1.8						1.8			

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Block Basal Area Table (m2/ha)

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
Version: 2016.01 IFS build 6030

Block : (M) - 004:4, Plots in Block: 33, TUs: [B : 34.9]

	F	B	S	PW	PL	AT	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	12.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0
DBH Class										
5										
10										
15					6.4		6.4	1.5	0.2	
20		0.7	1.8		13.3		15.8	1.7		
25		0.5	1.5	0.2	13.9		16.1	0.7		
30		1.2	0.5		3.6		5.3			
35		0.5	1.2		1.0		2.7			
40		0.2	0.7		1.0		1.9			
45		0.5	1.4				1.9			
50			0.2				0.2			
55			0.5				0.5			
60										
65										
70										
75										
80										
85										
90										
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total		3.7	7.9	0.2	39.1		50.8			
Dead P			0.2		3.6			3.9		
Dead U					0.2				0.2	
Live U										
			Average Basal Area (m2) at 5 Levels							
12.5 +		3.7	7.9	0.2	39.1		50.8	3.9	0.2	
17.5 +		3.7	7.9	0.2	32.7		44.5	2.4		
22.5 +		2.9	6.1	0.2	19.4		28.7	0.7		
27.5 +		2.4	4.6		5.5		12.5			
32.5 +		1.2	4.1		1.9		7.2			

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Stand Table (stems/ha)

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
| | | Version: 2016.01 IFS build 6030

Type 1 (M):P1636-0/18, Plots in Type: 8, TUs: [B : 10.5]

	F	B	S	PW	PL	AT	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	12.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0
DBH Class										
5										
10										
15					174.2		174.2	226.2		
20					657.8		657.8			
25					327.6		327.6	126.0		
30					74.5		74.5			
35	11.9				12.7		24.6			
40	9.2						9.2			
45										
50										
55										
60										
65										
70										
75										
80										
85										
90										
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	21.1				1246.8		1267.9			
Dead P					352.3			352.3		
Dead U										
Live U										
				Average DBH(cm) at 5 Levels						
12.5 +	38.9				21.7		22.1	19.0		
17.5 +	38.9				22.5		22.9	25.1		
22.5 +	38.9				26.3		27.0	25.1		
27.5 +	38.9				30.2		32.1			
32.5 +	38.9				35.4		37.6			

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Stand Table (stems/ha)

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
Version: 2016.01 IFS build 6030

Type 2 (M):P1636-0/18, Plots in Type: 9, TUs: [B : 9.3]

	F	B	S	PW	PL	AT	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	12.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0
DBH Class										
5										
10										
15					72.5		72.5	519.9		
20					613.5		613.5	85.4		
25					271.5		271.5	166.1		
30					41.8		41.8	18.5		
35					15.7		15.7	13.5		
40								10.6		
45										
50										
55										
60										
65										
70										
75										
80										
85										
90										
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total					1015.1		1015.1			
Dead P					813.9			813.9		
Dead U										
Live U										
				Average DBH(cm) at 5 Levels						
12.5 +					21.6		21.6	18.8		
17.5 +					22.1		22.1	25.2		
22.5 +					25.9		25.9	27.1		
27.5 +					29.8		29.8	34.6		
32.5 +					32.9		32.9	37.6		

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Stand Table (stems/ha)

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
| | | Version: 2016.01 IFS build 6030

Type 3 (M):PlSe(Bl)\635/17, Plots in Type: 6, TUs: [B : 6.5]

	F	B	S	PW	PL	AT	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	12.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0
DBH Class										
5										
10										
15										
20			51.2		127.2		178.4	41.6		
25			43.5		102.9		146.4	32.4		
30			16.3		97.3		113.6	26.0		
35			25.3		44.6		69.9			
40		10.5	28.5		11.6		50.6	14.7		
45		9.3	8.4				17.7			
50		7.5	12.4				19.9			
55			5.6				5.6			
60			5.1				5.1			
65										
70			3.4				3.4			
75										
80										
85										
90										
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total		27.2	199.7		383.6		610.5			
Dead P					114.7			114.7		
Dead U										
Live U										
			Average DBH(cm) at 5 Levels							
12.5 +		43.3	35.7		27.0		31.0	27.2		
17.5 +		43.3	35.7		27.0		31.0	27.2		
22.5 +		43.3	39.3		29.3		34.0	30.5		
27.5 +		43.3	44.1		31.5		37.8	35.4		
32.5 +		43.3	45.9		34.7		42.1	41.6		

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Stand Table (stems/ha)

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
| | | Version: 2016.01 IFS build 6030

Type 4 (M):Pl(Fd) 437-0/18, Plots in Type: 16, TUs: [A : 18.0]

	F	B	S	PW	PL	AT	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	12.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0
DBH Class										
5										
10										
15					566.3		566.3	88.2		
20	80.8	33.1			399.5		513.4			
25	27.5	20.8	9.6		76.0		133.9	10.1		
30	13.3				12.9		26.2			
35	5.8		4.9		4.7		15.4			
40			4.2				4.2			
45	0.2						0.2			
50										
55										
60	0.1		1.7				1.7			
65	0.1						0.1			
70	0.1						0.1			
75										
80	0.1						0.1			
85	0.0						0.0			
90										
95	0.0						0.0			
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	127.9	53.9	20.3		1059.6		1261.7			
Dead P					98.3			98.3		
Dead U										
Live U										
			Average DBH(cm) at 5 Levels							
12.5 +	23.8	21.7	35.4		18.3		19.5	16.1		
17.5 +	23.8	21.7	35.4		21.3		22.3	25.1		
22.5 +	29.4	24.7	35.4		26.1		28.0	25.1		
27.5 +	33.2		42.2		32.9		35.3			
32.5 +	37.5		42.2		36.7		39.7			

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Stand Table (stems/ha)

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
Version: 2016.01 IFS build 6030

Type 5 (M):PlFd 437 0/17, Plots in Type: 2, TUs: [A : 1.1]

	F	B	S	PW	PL	AT	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	12.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0
DBH Class										
5										
10										
15					922.0		922.0	110.1		
20			64.0		535.2		599.2			
25										
30	33.9						33.9			
35										
40										
45										
50										
55										
60										
65										
70										
75										
80										
85										
90										
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	33.9		64.0		1457.1		1555.0			
Dead P					110.1			110.1		
Dead U										
Live U										
			Average DBH(cm) at 5 Levels							
12.5 +	28.1		22.3		16.9		17.4	17.0		
17.5 +	28.1		22.3		18.9		19.9			
22.5 +	28.1						28.1			
27.5 +	28.1						28.1			
32.5 +										

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Stand Table (stems/ha)

06-Mar-2017 01:00:33PM

Average Line Method | Grades: MOF Computerized | FIZ: F | Filename: a90479_march_3_new_comp.ccp
BCTS | Computerized Decay | PSYU: Windermere | Compiled by: BCTS-EKFT
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Cruised by: PIONEER FOREST
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Version: 2016.01 IFS build 6030

Type 6 (M):PlFd 437-0/18, Plots in Type: 6, TUs: [A : 6.1]

	F	B	S	PW	PL	AT	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	12.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0
DBH Class										
5										
10										
15					309.0		309.0	67.2		
20					341.4		341.4			
25					98.8		98.8			
30		17.7					17.7			
35										
40										
45										
50										
55	5.3						5.3			
60	2.8						2.8			
65	0.2						0.2			
70										
75										
80										
85										
90										
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	8.3	17.7			749.3		775.3			
Dead P					67.2			67.2		
Dead U										
Live U										
			Average DBH(cm) at 5 Levels							
12.5 +	57.2	31.0			18.4		19.6	15.9		
17.5 +	57.2	31.0			20.6		22.3			
22.5 +	57.2	31.0			22.7		27.6			
27.5 +	57.2	31.0					41.3			
32.5 +	57.2						57.2			

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Stand Table (stems/ha)

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
Version: 2016.01 IFS build 6030

Type 7 (M):Pl 636-0/15, Plots in Type: 27, TUs: [B : 28.1]

	F	B	S	PW	PL	AT	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	12.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0
DBH Class										
5										
10										
15					407.6		407.6	86.4	19.0	
20		33.1	62.5		368.9		464.5	70.5		
25		12.3	28.5	6.4	261.4		308.6	19.3		
30		21.5	8.3		56.3		86.0			
35		5.8	15.0		13.0		33.8			
40		2.2	7.0		10.0		19.3			
45		3.4	11.5				14.9			
50			1.7				1.7			
55			2.7				2.7			
60										
65										
70										
75										
80										
85										
90										
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total		78.3	137.0	6.4	1117.3		1339.0			
Dead P			5.1		171.2			176.3		
Dead U					19.0				19.0	
Live U										
			Average DBH(cm) at 5 Levels							
12.5 +		27.2	29.0	24.3	20.7		22.1	17.9	14.1	
17.5 +		27.2	29.0	24.3	23.4		24.6	20.5		
22.5 +		32.0	35.1	24.3	26.4		28.5	24.2		
27.5 +		34.3	39.7		31.3		34.6			
32.5 +		41.2	41.5		36.2		39.8			

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Stand Table (stems/ha)

06-Mar-2017 01:00:33PM

Average Line Method | Grades: MOF Computerized | FIZ: F | Filename: a90479_march_3_new_comp.ccp
BCTS | Computerized Decay | PSYU: Windermere | Compiled by: BCTS-EKFT
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Cruised by: PIONEER FOREST
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Version: 2016.01 IFS build 6030

Type 8 (M):Pl 636-0/15, Plots in Type: 6, TUs: [B : 6.8]

	F	B	S	PW	PL	AT	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	12.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0
DBH Class										
5										
10										
15					128.4		128.4	72.8		
20			38.1		623.5		661.6			
25			36.1		423.1		459.2			
30					47.1		47.1			
35										
40										
45										
50										
55										
60										
65										
70										
75										
80										
85										
90										
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total			74.2		1222.1		1296.2			
Dead P					72.8			72.8		
Dead U										
Live U										
			Average DBH(cm) at 5 Levels							
12.5 +			22.7		21.7		21.7	16.2		
17.5 +			22.7		22.1		22.1			
22.5 +			23.0		24.7		24.6			
27.5 +					28.5		28.5			
32.5 +										

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Stock Table (m3/ha)

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
Version: 2016.01 IFS build 6030

Type 1 (M):Pl636-0/18, Plots in Type: 8, TUs: [B : 10.5]

	F	B	S	PW	PL	AT	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	12.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0
DBH										
Class										
5										
10										
15					33.3		33.3	14.3		
20					185.0		185.0			
25					176.9		176.9	45.0		
30					58.8		58.8			
35	10.6				14.7		25.3			
40	9.9						9.9			
45										
50										
55										
60										
65										
70										
75										
80										
85										
90										
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	20.5				468.8		489.3			
Dead P					59.2			59.2		
				Total Volumes for 7 Levels						
17.5 +	20.5				435.5		456.0	45.0		
22.5 +	20.5				250.5		271.0	45.0		
27.5 +	20.5				73.5		94.0			
32.5 +	20.5				14.7		35.2			
37.5 +	9.9						9.9			
42.5 +										
47.5 +										

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Stock Table (m3/ha)

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
Version: 2016.01 IFS build 6030

Type 2 (M):Pl636-0/18, Plots in Type: 9, TUs: [B : 9.3]

	F	B	S	PW	PL	AT	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	12.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0
DBH										
Class										
5										
10										
15					9.0		9.0	26.7		
20					156.6		156.6	14.1		
25					134.2		134.2	59.2		
30					22.8		22.8	11.1		
35					14.9		14.9	9.9		
40								11.0		
45										
50										
55										
60										
65										
70										
75										
80										
85										
90										
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total					337.5		337.5			
Dead P					132.0			132.0		
Total Volumes for 7 Levels										
17.5 +					328.5		328.5	105.2		
22.5 +					171.9		171.9	91.1		
27.5 +					37.7		37.7	32.0		
32.5 +					14.9		14.9	20.9		
37.5 +								11.0		
42.5 +										
47.5 +										

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Stock Table (m3/ha)

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
Version: 2016.01 IFS build 6030

Type 3 (M):PlSe(Bl)\635/17, Plots in Type: 6, TUs: [B : 6.5]

	F	B	S	PW	PL	AT	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	12.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0
DBH Class										
5										
10										
15										
20			18.0		44.3		62.3	8.0		
25			16.5		48.7		65.2	8.3		
30			13.7		69.7		83.4	10.8		
35			25.2		39.2		64.4			
40		13.2	38.5		10.4		62.1	10.7		
45		13.2	13.4				26.7			
50		14.2	30.3				44.5			
55			14.4				14.4			
60			13.8				13.8			
65										
70			13.3				13.3			
75										
80										
85										
90										
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total		40.6	197.1		212.3		449.9			
Dead P					37.8			37.8		
			Total Volumes for 7 Levels							
17.5 +		40.6	197.1		212.3		449.9	37.8		
22.5 +		40.6	179.1		168.0		387.7	29.8		
27.5 +		40.6	162.6		119.3		322.5	21.5		
32.5 +		40.6	148.9		49.5		239.1	10.7		
37.5 +		40.6	123.7		10.4		174.7	10.7		
42.5 +		27.4	85.2				112.6			
47.5 +		14.2	71.8				85.9			

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Stock Table (m3/ha)

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
| | | Version: 2016.01 IFS build 6030

Type 4 (M):Pl(Fd) 437-0/18, Plots in Type: 16, TUs: [A : 18.0]

	F	B	S	PW	PL	AT	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	12.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0
DBH Class										
5										
10										
15					71.7		71.7	6.4		
20	14.4	7.4			112.4		134.3			
25	10.3	8.6	4.0		35.6		58.5	2.5		
30	7.7				9.9		17.6			
35	4.2		4.3		5.2		13.7			
40			5.0				5.0			
45	0.2						0.2			
50										
55										
60	0.2		5.8				6.0			
65	0.2						0.2			
70	0.2						0.2			
75										
80	0.5						0.5			
85	0.2						0.2			
90										
95	0.2						0.2			
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	38.3	16.0	19.0		234.8		308.2			
Dead P					8.9			8.9		
			Total Volumes for 7 Levels							
17.5 +	38.3	16.0	19.0		163.1		236.5	2.5		
22.5 +	23.9	8.6	19.0		50.7		102.2	2.5		
27.5 +	13.6		15.1		15.1		43.7			
32.5 +	5.9		15.1		5.2		26.1			
37.5 +	1.7		10.8				12.5			
42.5 +	1.7		5.8				7.5			
47.5 +	1.5		5.8				7.3			

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Stock Table (m3/ha)

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
Version: 2016.01 IFS build 6030

Type 5 (M):PlFd 437 0/17, Plots in Type: 2, TUs: [A : 1.1]

	F	B	S	PW	PL	AT	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	12.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0
DBH Class										
5										
10										
15					110.1		110.1	11.6		
20			19.5		128.8		148.3			
25										
30	14.4						14.4			
35										
40										
45										
50										
55										
60										
65										
70										
75										
80										
85										
90										
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	14.4		19.5		238.9		272.9			
Dead P					11.6			11.6		
			Total Volumes for 7 Levels							
17.5 +	14.4		19.5		128.8		162.8			
22.5 +	14.4						14.4			
27.5 +	14.4						14.4			
32.5 +										
37.5 +										
42.5 +										
47.5 +										

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Stock Table (m3/ha)

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
| | | Version: 2016.01 IFS build 6030

Type 6 (M):PlFd 437-0/18, Plots in Type: 6, TUs: [A : 6.1]

	F	B	S	PW	PL	AT	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	12.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0
DBH Class										
5										
10										
15					38.0		38.0	5.9		
20					90.9		90.9			
25					39.8		39.8			
30		12.5					12.5			
35										
40										
45										
50										
55	10.3						10.3			
60	5.8						5.8			
65	0.4						0.4			
70										
75										
80										
85										
90										
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	16.5	12.5			168.7		197.7			
Dead P					5.9			5.9		
			Total Volumes for 7 Levels							
17.5 +	16.5	12.5			130.7		159.7			
22.5 +	16.5	12.5			39.8		68.8			
27.5 +	16.5	12.5					29.0			
32.5 +	16.5						16.5			
37.5 +	16.5						16.5			
42.5 +	16.5						16.5			
47.5 +	16.5						16.5			

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Stock Table (m3/ha)

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
Version: 2016.01 IFS build 6030

Type 7 (M):Pl 636-0/15, Plots in Type: 27, TUs: [B : 28.1]

	F	B	S	PW	PL	AT	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	12.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0
DBH Class										
5										
10										
15					44.3		44.3	5.3		
20		6.3	11.6		104.8		122.7	11.1		
25		5.6	12.7	2.0	122.6		143.0	5.2		
30		14.5	5.5		35.4		55.5			
35		6.4	14.0		12.2		32.6			
40		3.2	9.2		12.5		24.9			
45		6.3	17.9				24.2			
50			3.0				3.0			
55			6.3				6.3			
60										
65										
70										
75										
80										
85										
90										
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total		42.4	80.2	2.0	331.9		456.5			
Dead P			2.4		19.2			21.6		
			Total Volumes for 7 Levels							
17.5 +		42.4	80.2	2.0	287.6		412.2	16.3		
22.5 +		36.1	68.6	2.0	182.8		289.5	5.2		
27.5 +		30.5	55.9		60.1		146.5			
32.5 +		15.9	50.4		24.8		91.1			
37.5 +		9.5	36.4		12.5		58.4			
42.5 +		6.3	27.2				33.5			
47.5 +			9.3				9.3			

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Stock Table (m3/ha)

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
Version: 2016.01 IFS build 6030

Type 8 (M):Pl 636-0/15, Plots in Type: 6, TUs: [B : 6.8]

	F	B	S	PW	PL	AT	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	12.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0
DBH Class										
5										
10										
15					14.9		14.9	6.3		
20			8.3		166.6		174.9			
25			12.1		190.8		202.9			
30					35.0		35.0			
35										
40										
45										
50										
55										
60										
65										
70										
75										
80										
85										
90										
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total			20.3		407.3		427.7			
Dead P					6.3			6.3		
			Total Volumes for 7 Levels							
17.5 +			20.3		392.4		412.8			
22.5 +			12.1		225.8		237.9			
27.5 +					35.0		35.0			
32.5 +										
37.5 +										
42.5 +										
47.5 +										

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Basal Area Table (m2/ha)

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
Version: 2016.01 IFS build 6030

Type 1 (M):Pl636-0/18, Plots in Type: 8, TUs: [B : 10.5]

	F	B	S	PW	PL	AT	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	12.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0
DBH Class										
5										
10										
15					3.8		3.8	3.8		
20					20.0		20.0			
25					16.3		16.3	6.3		
30					5.0		5.0			
35	1.2				1.3		2.5			
40	1.3						1.3			
45										
50										
55										
60										
65										
70										
75										
80										
85										
90										
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	2.5				46.3		48.8			
Dead P					10.0			10.0		
Dead U										
Live U										
				Average Basal Area (m2) at 5 Levels						
12.5 +	2.5				46.3		48.8	10.0		
17.5 +	2.5				42.5		45.0	6.3		
22.5 +	2.5				22.5		25.0	6.3		
27.5 +	2.5				6.3		8.8			
32.5 +	2.5				1.3		3.7			

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Basal Area Table (m2/ha)

06-Mar-2017 01:00:33PM

Average Line Method | Grades: MOF Computerized | FIZ: F | Filename: a90479_march_3_new_comp.ccp
BCTS | Computerized Decay | PSYU: Windermere | Compiled by: BCTS-EKFT
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Cruised by: PIONEER FOREST
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Version: 2016.01 IFS build 6030

Type 2 (M):P1636-0/18, Plots in Type: 9, TUs: [B : 9.3]

	F	B	S	PW	PL	AT	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	12.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0
DBH Class										
5										
10										
15					1.3		1.3	8.0		
20					18.7		18.7	2.7		
25					13.3		13.3	8.0		
30					2.7		2.7	1.3		
35					1.3		1.3	1.3		
40								1.3		
45										
50										
55										
60										
65										
70										
75										
80										
85										
90										
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total					37.3		37.3			
Dead P					22.7			22.7		
Dead U										
Live U										
				Average Basal Area (m2) at 5 Levels						
12.5 +					37.3		37.3	22.7		
17.5 +					36.0		36.0	14.7		
22.5 +					17.3		17.3	12.0		
27.5 +					4.0		4.0	4.0		
32.5 +					1.3		1.3	2.7		

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Basal Area Table (m2/ha)

06-Mar-2017 01:00:33PM

Average Line Method | Grades: MOF Computerized | FIZ: F | Filename: a90479_march_3_new_comp.ccp
BCTS | Computerized Decay | PSYU: Windermere | Compiled by: BCTS-EKFT
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Cruised by: PIONEER FOREST
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Version: 2016.01 IFS build 6030

Type 3 (M):PlSe(Bl)\635/17, Plots in Type: 6, TUs: [B : 6.5]

	F	B	S	PW	PL	AT	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	12.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0
DBH Class										
5										
10										
15										
20			2.0		4.7		6.7	1.3		
25			2.0		5.3		7.3	1.3		
30			1.3		6.7		8.0	2.0		
35			2.7		4.0		6.7			
40		1.3	4.0		1.3		6.7	2.0		
45		1.3	1.3				2.7			
50		1.3	2.7				4.0			
55			1.3				1.3			
60			1.3				1.3			
65										
70			1.3				1.3			
75										
80										
85										
90										
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total		4.0	20.0		22.0		46.0			
Dead P					6.7			6.7		
Dead U										
Live U										
			Average Basal Area (m2) at 5 Levels							
12.5 +		4.0	20.0		22.0		46.0	6.7		
17.5 +		4.0	20.0		22.0		46.0	6.7		
22.5 +		4.0	18.0		17.3		39.3	5.3		
27.5 +		4.0	16.0		12.0		32.0	4.0		
32.5 +		4.0	14.7		5.3		24.0	2.0		

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Basal Area Table (m2/ha)

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
Version: 2016.01 IFS build 6030

Type 4 (M):Pl(Fd) 437-0/18, Plots in Type: 16, TUs: [A : 18.0]

	F	B	S	PW	PL	AT	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	12.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0
DBH Class										
5										
10										
15					10.5		10.5	1.5		
20	2.5	1.0			12.5		16.0			
25	1.5	1.0	0.5		3.5		6.5	0.5		
30	1.0				1.0		2.0			
35	0.5		0.5		0.5		1.5			
40			0.5				0.5			
45	0.0						0.0			
50										
55										
60	0.0		0.5				0.5			
65	0.0						0.0			
70	0.0						0.0			
75										
80	0.1						0.1			
85	0.0						0.0			
90										
95	0.0						0.0			
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	5.7	2.0	2.0		28.0		37.7			
Dead P					2.0			2.0		
Dead U										
Live U										
	Average Basal Area (m2) at 5 Levels									
12.5 +	5.7	2.0	2.0		28.0		37.7	2.0		
17.5 +	5.7	2.0	2.0		17.5		27.2	0.5		
22.5 +	3.2	1.0	2.0		5.0		11.2	0.5		
27.5 +	1.7		1.5		1.5		4.7			
32.5 +	0.7		1.5		0.5		2.7			

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Basal Area Table (m2/ha)

06-Mar-2017 01:00:33PM

Average Line Method | Grades: MOF Computerized | FIZ: F | Filename: a90479_march_3_new_comp.ccp
BCTS | Computerized Decay | PSYU: Windermere | Compiled by: BCTS-EKFT
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Cruised by: PIONEER FOREST
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Version: 2016.01 IFS build 6030

Type 5 (M):PlFd 437 0/17, Plots in Type: 2, TUs: [A : 1.1]

	F	B	S	PW	PL	AT	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	12.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0
DBH Class										
5										
10										
15					17.5		17.5	2.5		
20			2.5		15.0		17.5			
25										
30	2.1						2.1			
35										
40										
45										
50										
55										
60										
65										
70										
75										
80										
85										
90										
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	2.1		2.5		32.5		37.1			
Dead P					2.5			2.5		
Dead U										
Live U										
			Average Basal Area (m2) at 5 Levels							
12.5 +	2.1		2.5		32.5		37.1	2.5		
17.5 +	2.1		2.5		15.0		19.6			
22.5 +	2.1						2.1			
27.5 +	2.1						2.1			
32.5 +										

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Basal Area Table (m2/ha)

06-Mar-2017 01:00:33PM

Average Line Method | Grades: MOF Computerized | FIZ: F | Filename: a90479_march_3_new_comp.ccp
BCTS | Computerized Decay | PSYU: Windermere | Compiled by: BCTS-EKFT
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Cruised by: PIONEER FOREST
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Version: 2016.01 IFS build 6030

Type 6 (M):PlFd 437-0/18, Plots in Type: 6, TUs: [A : 6.1]

	F	B	S	PW	PL	AT	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	12.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0
DBH Class										
5										
10										
15					5.3		5.3	1.3		
20					10.7		10.7			
25					4.0		4.0			
30		1.3					1.3			
35										
40										
45										
50										
55	1.3						1.3			
60	0.7						0.7			
65	0.1						0.1			
70										
75										
80										
85										
90										
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	2.1	1.3			20.0		23.5			
Dead P					1.3			1.3		
Dead U										
Live U										
	Average Basal Area (m2) at 5 Levels									
12.5 +	2.1	1.3			20.0		23.5	1.3		
17.5 +	2.1	1.3			14.7		18.1			
22.5 +	2.1	1.3			4.0		7.5			
27.5 +	2.1	1.3					3.5			
32.5 +	2.1						2.1			

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Basal Area Table (m2/ha)

06-Mar-2017 01:00:33PM

Average Line Method | Grades: MOF Computerized | FIZ: F | Filename: a90479_march_3_new_comp.ccp
BCTS | Computerized Decay | PSYU: Windermere | Compiled by: BCTS-EKFT
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Cruised by: PIONEER FOREST
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Version: 2016.01 IFS build 6030

Type 7 (M):Pl 636-0/15, Plots in Type: 27, TUs: [B : 28.1]

	F	B	S	PW	PL	AT	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	12.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0
DBH Class										
5										
10										
15					7.2		7.2	1.5	0.3	
20		0.9	1.8		11.8		14.5	2.1		
25		0.6	1.5	0.3	12.6		15.0	0.9		
30		1.5	0.6		3.7		5.9			
35		0.6	1.5		1.2		3.3			
40		0.3	0.9		1.2		2.4			
45		0.6	1.8				2.4			
50			0.3				0.3			
55			0.6				0.6			
60										
65										
70										
75										
80										
85										
90										
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total		4.6	9.0	0.3	37.6		51.5			
Dead P			0.3		4.1			4.4		
Dead U					0.3				0.3	
Live U										
			Average Basal Area (m2) at 5 Levels							
12.5 +		4.6	9.0	0.3	37.6		51.5	4.4	0.3	
17.5 +		4.6	9.0	0.3	30.4		44.3	3.0		
22.5 +		3.6	7.2	0.3	18.7		29.8	0.9		
27.5 +		3.0	5.7		6.1		14.9			
32.5 +		1.5	5.1		2.4		9.0			

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Basal Area Table (m2/ha)

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
Version: 2016.01 IFS build 6030

Type 8 (M):Pl 636-0/15, Plots in Type: 6, TUs: [B : 6.8]

	F	B	S	PW	PL	AT	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	17.5	17.5	12.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0
DBH Class										
5										
10										
15					3.0		3.0	1.5		
20			1.5		19.5		21.0			
25			1.5		19.5		21.0			
30					3.0		3.0			
35										
40										
45										
50										
55										
60										
65										
70										
75										
80										
85										
90										
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total			3.0		45.0		48.0			
Dead P					1.5			1.5		
Dead U										
Live U										
			Average Basal Area (m2) at 5 Levels							
12.5 +			3.0		45.0		48.0	1.5		
17.5 +			3.0		42.0		45.0			
22.5 +			1.5		22.5		24.0			
27.5 +					3.0		3.0			
32.5 +										

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Plot Frequency Report

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
Version: 2016.01 IFS build 6030

Measure Plots

Blocks	Timber Type 1	2	3	4	5	6	7	8
BLOCK 001 (M)								
# of Plots	8	9	6					
ha / Plot	1.31	1.03	1.08					
BLOCK 002 (M)								
# of Plots				16				
ha / Plot				1.13				
BLOCK 003 (M)								
# of Plots					2	6		
ha / Plot					0.55	1.02		
BLOCK 004 (M)								
# of Plots							27	6
ha / Plot							1.04	1.13
Cutting Permit								
# of Plots	8	9	6	16	2	6	27	6
ha / Plot	1.31	1.03	1.08	1.13	0.55	1.02	1.04	1.13

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Plot Frequency Report

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
Version: 2016.01 IFS build 6030

Measure Plots

Harvest Methods	Timber Type 1	2	3	4	5	6	7	8
METHOD CC								
# of Plots	8	9	6				27	6
ha / Plot	1.31	1.03	1.08				1.04	1.13
METHOD SC								
# of Plots				16	2	6		
ha / Plot				1.13	0.55	1.02		
All Methods								
# of Plots	8	9	6	16	2	6	27	6
ha / Plot	1.31	1.03	1.08	1.13	0.55	1.02	1.04	1.13

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Average Line Method | Grades: MOF Computerized | FIZ: F | Filename: a90479_march_3_new_comp.ccp
BCTS | Computerized Decay | PSYU: Windermere | Compiled by: BCTS-EKFT
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Cruised by: PIONEER FOREST
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Version: 2016.01 IFS build 6030

Count Plots

Blocks	Timber Type 1	2	3	4	5	6	7	8
BLOCK 001 (M)								
# of Plots								
ha / Plot								
BLOCK 002 (M)								
# of Plots								
ha / Plot								
BLOCK 003 (M)								
# of Plots								
ha / Plot								
BLOCK 004 (M)								
# of Plots								
ha / Plot								
Cutting Permit								
# of Plots								
ha / Plot								

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Plot Frequency Report

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
Version: 2016.01 IFS build 6030

Count Plots

Harvest Methods	Timber Type 1	2	3	4	5	6	7	8
METHOD CC								
# of Plots								
ha / Plot								
METHOD SC								
# of Plots								
ha / Plot								
All Methods								
# of Plots								
ha / Plot								

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Extended CP Summary

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
Version: 2016.01 IFS build 6030

Net Area: [All Treatment Units : 86.4]
Gross Area: [R/W Removed : 2.8][WTRA/Reser : 26.7][Logged : 1.2][Grand Total : 117.1]

		Total	Conifer	Decid	F	B	S	PW	PL	AT
Utilization Limits										
Min DBH cm (M)					17.5	17.5	17.5	17.5	12.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					10.0	10.0	10.0	10.0	10.0	10.0
Log Len m					5.0	5.0	5.0	5.0	5.0	5.0
Volume and Size Data										
Gross Merchantable	m3	39547	39547		1052	1895	4245	59	32296	
Net Merchantable	m3	36945	36945		1022	1821	4105	57	29941	
Net Merch - All	m3/ha	428	428		12	21	48	1	347	
Net Merch - Live	m3/ha	393	393		12	21	47	1	313	
Net Merch - DP	m3/ha	34	34				1		33	
Distribution	%	100	100		3	5	11	0	81	
Decay	%	2	2		1	2	1	1	2	
Waste	%	0	0		0		0			
Waste(billing)	%	0	0		0		0			
Breakage	%	5	5		2	2	2	2	6	
Total Cull (DWB)	%	7	7		3	4	3	3	7	
Stems/Ha (Live & DP)		1412.9	1412.9		30.2	40.0	72.1	2.1	1268.5	
Avg DBH (Live & DP)	cm	21.3	21.3		26.5	27.0	30.4	24.3	20.3	
Snags/Ha		6.2	6.2						6.2	
Avg Snag DBH	cm	14.1	14.1						14.1	
Gross Merch Vol/Tree	m3	0.32	0.32		0.40	0.55	0.68	0.33	0.29	
Net Merch Vol/Tree	m3	0.30	0.30		0.39	0.53	0.66	0.32	0.27	
Avg Weight Total Ht	m	23.2	23.2		23.2	25.1	25.9	18.2	22.8	
Avg Weight Merch Ht	m	17.4	17.4		17.6	19.2	20.8	12.9	16.8	
Avg 5.0 m Log Net	m3	0.11	0.11		0.15	0.16	0.21	0.11	0.10	
Avg 5.0 m Log Gross	m3	0.11	0.11		0.15	0.17	0.21	0.11	0.11	
Avg # of 5.0 m Logs/Tree		2.83	2.83		2.75	3.30	3.18	3.00	2.80	
Net Immature	%	99.2	99.2		87.5	100.0	95.8	100.0	100.0	
Average Slope	%	49								
All Burn Volume	%									
Heavy Fire Volume	%									
Blowdown Volume	%	3.1	3.1			4.7	1.6		3.3	
Insect Volume	%	5.2	5.2						6.4	
LRF and Log Summary										
Net Merch - Stud	%	72.8	72.8		61.1	43.3	36.2		80.1	
Net Merch - Small Log	%	94.1	94.1		86.9	78.1	67.5	100.0	99.0	
Net Merch - Large Log	%	5.9	5.9		13.1	21.9	32.5		1.0	
Avg LRF All	bdft/m3	177.6	177.6		187.1	195.3	202.6	161.7	172.9	

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Extended CP Summary

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
Version: 2016.01 IFS build 6030

Net Area: [A : 25.2]

		Total	Conifer	Decid	F	B	S	PW	PL	AT
Utilization Limits										
Min DBH cm (M)					17.5	17.5	17.5	17.5	12.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					10.0	10.0	10.0	10.0	10.0	10.0
Log Len m					5.0	5.0	5.0	5.0	5.0	5.0
Volume and Size Data										
Gross Merchantable	m3	7573	7573		830	372	373		5997	
Net Merchantable	m3	7263	7263		806	365	364		5728	
Net Merch - All	m3/ha	288	288		32	14	14		227	
Net Merch - Live	m3/ha	280	280		32	14	14		219	
Net Merch - DP	m3/ha	8	8						8	
Distribution	%	100	100		11	5	5		79	
Decay	%	1	1		1		0		1	
Waste	%	0	0		0					
Waste(billing)	%	0	0		0					
Breakage	%	3	3		2	2	2		3	
Total Cull (DWB)	%	4	4		3	2	2		4	
Stems/Ha (Live & DP)		1248.0	1248.0		94.8	42.8	17.3		1093.1	
Avg DBH (Live & DP)	cm	19.2	19.2		25.1	22.8	33.6		18.1	
Snags/Ha										
Avg Snag DBH	cm									
Gross Merch Vol/Tree	m3	0.24	0.24		0.35	0.35	0.85		0.22	
Net Merch Vol/Tree	m3	0.23	0.23		0.34	0.34	0.83		0.21	
Avg Weight Total Ht	m	21.8	21.8		22.4	21.8	26.6		21.5	
Avg Weight Merch Ht	m	15.3	15.3		16.7	15.3	21.6		14.7	
Avg 5.0 m Log Net	m3	0.09	0.09		0.13	0.12	0.24		0.08	
Avg 5.0 m Log Gross	m3	0.09	0.09		0.13	0.12	0.24		0.08	
Avg # of 5.0 m Logs/Tree		2.60	2.60		2.64	2.78	3.58		2.57	
Net Immature	%	98.2	98.2		84.1	100.0	100.0		100.0	
Average Slope	%	49								
All Burn Volume	%									
Heavy Fire Volume	%									
Blowdown Volume	%	3.7	3.7						4.7	
Insect Volume	%	1.1	1.1						1.4	
LRF and Log Summary										
Net Merch - Stud	%	87.5	87.5		71.2	74.7	26.2		94.5	
Net Merch - Small Log	%	96.6	96.6		88.5	100.0	67.4		99.3	
Net Merch - Large Log	%	3.4	3.4		11.5		32.6		0.7	
Avg LRF All	bdft/m3	173.2	173.2		182.8	183.3	209.1		169.0	

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Extended CP Summary

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
Version: 2016.01 IFS build 6030

Net Area: [B : 61.2]

		Total	Conifer	Decid	F	B	S	PW	PL	AT
Utilization Limits										
Min DBH cm (M)					17.5	17.5	17.5	17.5	12.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					10.0	10.0	10.0	10.0	10.0	10.0
Log Len m					5.0	5.0	5.0	5.0	5.0	5.0
Volume and Size Data										
Gross Merchantable	m3	31975	31975		222	1522	3873	59	26299	
Net Merchantable	m3	29682	29682		215	1456	3741	57	24214	
Net Merch - All	m3/ha	485	485		4	24	61	1	396	
Net Merch - Live	m3/ha	440	440		4	24	60	1	352	
Net Merch - DP	m3/ha	45	45				1		44	
Distribution	%	100	100		1	5	13	0	82	
Decay	%	2	2		1	2	1	1	2	
Waste	%	0	0				0			
Waste(billing)	%	0	0				0			
Breakage	%	5	5		2	2	2	2	6	
Total Cull (DWB)	%	7	7		3	4	3	3	8	
Stems/Ha (Live & DP)		1480.8	1480.8		3.6	38.9	94.7	2.9	1340.7	
Avg DBH (Live & DP)	cm	21.9	21.9		38.9	28.7	30.1	24.3	20.9	
Snags/Ha		8.7	8.7						8.7	
Avg Snag DBH	cm	14.1	14.1						14.1	
Gross Merch Vol/Tree	m3	0.35	0.35		1.00	0.64	0.67	0.33	0.32	
Net Merch Vol/Tree	m3	0.33	0.33		0.97	0.61	0.65	0.32	0.30	
Avg Weight Total Ht	m	23.6	23.6		26.3	25.9	25.9	18.2	23.1	
Avg Weight Merch Ht	m	17.9	17.9		21.3	20.2	20.7	12.9	17.3	
Avg 5.0 m Log Net	m3	0.12	0.12		0.25	0.18	0.21	0.11	0.11	
Avg 5.0 m Log Gross	m3	0.12	0.12		0.25	0.18	0.21	0.11	0.11	
Avg # of 5.0 m Logs/Tree		2.92	2.92		4.00	3.54	3.15	3.00	2.88	
Net Immature	%	99.4	99.4		100.0	100.0	95.4	100.0	100.0	
Average Slope	%	49								
All Burn Volume	%									
Heavy Fire Volume	%									
Blowdown Volume	%	2.9	2.9			5.9	1.8		3.0	
Insect Volume	%	6.1	6.1						7.5	
LRF and Log Summary										
Net Merch - Stud	%	69.2	69.2		23.0	35.4	37.2		76.7	
Net Merch - Small Log	%	93.5	93.5		80.7	72.6	67.5	100.0	98.9	
Net Merch - Large Log	%	6.5	6.5		19.3	27.4	32.5		1.1	
Avg LRF All	bdft/m3	178.7	178.7		203.1	198.4	202.0	161.7	173.8	

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Extended Block Summary

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
Version: 2016.01 IFS build 6030

Net Area: Block : (M) - 001:1, Plots in Block: 23, TUs: [B : 26.3]
Gross Area: [R/W Removed : 0.8][WTRA/Reser : 9.6][Logged : 1.2][Grand Total : 37.9]

		Total	Conifer	Decid	F	B	S	PW	PL	AT
Utilization Limits										
Min DBH cm (M)					17.5	17.5	17.5	17.5	12.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					10.0	10.0	10.0	10.0	10.0	10.0
Log Len m					5.0	5.0	5.0	5.0	5.0	5.0
Volume and Size Data										
Gross Merchantable	m3	14726	14726		222	278	1329		12897	
Net Merchantable	m3	13295	13295		215	264	1281		11536	
Net Merch - All	m3/ha	506	506		8	10	49		439	
Net Merch - Live	m3/ha	426	426		8	10	49		359	
Net Merch - DP	m3/ha	80	80						80	
Distribution	%	100	100		2	2	10		87	
Decay	%	2	2		1	3	2		2	
Waste	%									
Waste(billing)	%									
Breakage	%	8	8		2	2	2		9	
Total Cull (DWB)	%	10	10		3	5	4		11	
Stems/Ha (Live & DP)		1472.8	1472.8		8.4	6.7	49.3		1408.3	
Avg DBH (Live & DP)	cm	22.3	22.3		38.9	43.3	35.7		21.4	
Snags/Ha										
Avg Snag DBH	cm									
Gross Merch Vol/Tree	m3	0.38	0.38		1.00	1.57	1.02		0.35	
Net Merch Vol/Tree	m3	0.34	0.34		0.97	1.49	0.99		0.31	
Avg Weight Total Ht	m	24.3	24.3		26.3	27.6	27.9		23.8	
Avg Weight Merch Ht	m	18.6	18.6		21.3	22.9	22.9		18.1	
Avg 5.0 m Log Net	m3	0.12	0.12		0.25	0.33	0.26		0.11	
Avg 5.0 m Log Gross	m3	0.12	0.12		0.25	0.34	0.27		0.12	
Avg # of 5.0 m Logs/Tree		3.05	3.05		4.00	4.62	3.81		3.01	
Net Immature	%	100.0	100.0		100.0	100.0	100.0		100.0	
Average Slope	%	60								
All Burn Volume	%									
Heavy Fire Volume	%									
Blowdown Volume	%	3.7	3.7			32.6			3.5	
Insect Volume	%	12.6	12.6						14.5	
LRF and Log Summary										
Net Merch - Stud	%	66.6	66.6		23.0	12.4	29.1		72.8	
Net Merch - Small Log	%	93.3	93.3		80.7	41.4	55.6		98.9	
Net Merch - Large Log	%	6.7	6.7		19.3	58.6	44.4		1.1	
Avg LRF All	bdft/m3	176.0	176.0		203.1	214.6	209.8		170.8	

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Extended Block Summary

Average Line Method	Grades: MOF Computerized	FIZ: F	06-Mar-2017 01:00:33PM
BCTS	Computerized Decay	PSYU: Windermere	Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000	Computerized Waste	Region: 4 - Kootenay-Boundary	Compiled by: BCTS-EKFT
Project:	Computerized Breakage	District: 05 - Rocky Mountain	Cruised by: PIONEER FOREST
			Version: 2016.01 IFS build 6030

Net Area: Block : (M) - 002:2, Plots in Block: 16, TUs: [A : 18.0]
Gross Area: [R/W Removed : 0.8][WTRA/Reser : 4.8][Grand Total : 23.6]

		Total	Conifer	Decid	F	B	S	PW	PL	AT
Utilization Limits										
Min DBH cm (M)					17.5	17.5	17.5	17.5	12.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					10.0	10.0	10.0	10.0	10.0	10.0
Log Len m					5.0	5.0	5.0	5.0	5.0	5.0
Volume and Size Data										
Gross Merchantable	m3	5943	5943		705	295	350		4593	
Net Merchantable	m3	5708	5708		690	289	342		4387	
Net Merch - All	m3/ha	317	317		38	16	19		244	
Net Merch - Live	m3/ha	308	308		38	16	19		235	
Net Merch - DP	m3/ha	9	9						9	
Distribution	%	100	100		12	5	6		77	
Decay	%	1	1		0		0		1	
Waste	%	0	0		0					
Waste(billing)	%	0	0		0					
Breakage	%	3	3		2	2	2		3	
Total Cull (DWB)	%	4	4		2	2	2		4	
Stems/Ha (Live & DP)		1360.0	1360.0		127.9	53.9	20.3		1157.8	
Avg DBH (Live & DP)	cm	19.3	19.3		23.8	21.7	35.4		18.2	
Snags/Ha										
Avg Snag DBH	cm									
Gross Merch Vol/Tree	m3	0.24	0.24		0.31	0.30	0.96		0.22	
Net Merch Vol/Tree	m3	0.23	0.23		0.30	0.30	0.93		0.21	
Avg Weight Total Ht	m	21.9	21.9		21.8	21.2	26.9		21.6	
Avg Weight Merch Ht	m	15.4	15.4		15.7	14.4	22.1		14.9	
Avg 5.0 m Log Net	m3	0.09	0.09		0.12	0.11	0.26		0.08	
Avg 5.0 m Log Gross	m3	0.09	0.09		0.12	0.11	0.26		0.08	
Avg # of 5.0 m Logs/Tree		2.61	2.61		2.58	2.64	3.69		2.60	
Net Immature	%	99.5	99.5		96.1	100.0	100.0		100.0	
Average Slope	%	32								
All Burn Volume	%									
Heavy Fire Volume	%									
Blowdown Volume	%	4.1	4.1						5.3	
Insect Volume	%	1.4	1.4						1.9	
LRF and Log Summary										
Net Merch - Stud	%	86.7	86.7		80.1	87.5	21.6		92.8	
Net Merch - Small Log	%	96.8	96.8		96.4	100.0	65.3		99.1	
Net Merch - Large Log	%	3.2	3.2		3.6		34.7		0.9	
Avg LRF All	bdft/m3	173.3	173.3		177.1	178.3	211.5		169.4	

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Extended Block Summary

06-Mar-2017 01:00:33PM

Average Line Method | Grades: MOF Computerized | FIZ: F | Filename: a90479_march_3_new_comp.ccp
BCTS | Computerized Decay | PSYU: Windermere | Compiled by: BCTS-EKFT
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Cruised by: PIONEER FOREST
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Version: 2016.01 IFS build 6030

Net Area: Block : (M) - 003:3, Plots in Block: 8, TUs: [A : 7.2]
Gross Area: [WTRA/Reser : 3.3][Grand Total : 10.5]

		Total	Conifer	Decid	F	B	S	PW	PL	AT
Utilization Limits										
Min DBH cm (M)					17.5	17.5	17.5	17.5	12.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					10.0	10.0	10.0	10.0	10.0	10.0
Log Len m					5.0	5.0	5.0	5.0	5.0	5.0
Volume and Size Data										
Gross Merchantable	m3	1629	1629		125	78	22		1404	
Net Merchantable	m3	1555	1555		117	76	21		1340	
Net Merch - All	m3/ha	216	216		16	11	3		186	
Net Merch - Live	m3/ha	209	209		16	11	3		179	
Net Merch - DP	m3/ha	7	7						7	
Distribution	%	100	100		8	5	1		86	
Decay	%	1	1		4		1		1	
Waste	%	0	0		1					
Waste(billing)	%	0	0		1					
Breakage	%	3	3		2	2	2		3	
Total Cull (DWB)	%	5	5		7	2	3		5	
Stems/Ha (Live & DP)		968.2	968.2		12.2	15.0	9.8		931.2	
Avg DBH (Live & DP)	cm	18.9	18.9		47.2	31.0	22.3		17.9	
Snags/Ha										
Avg Snag DBH	cm									
Gross Merch Vol/Tree	m3	0.23	0.23		1.42	0.72	0.31		0.21	
Net Merch Vol/Tree	m3	0.22	0.22		1.33	0.71	0.30		0.20	
Avg Weight Total Ht	m	21.6	21.6		26.3	24.3	21.2		21.0	
Avg Weight Merch Ht	m	15.0	15.0		22.2	18.7	14.4		14.2	
Avg 5.0 m Log Net	m3	0.09	0.09		0.33	0.18	0.10		0.08	
Avg 5.0 m Log Gross	m3	0.09	0.09		0.34	0.18	0.10		0.08	
Avg # of 5.0 m Logs/Tree		2.54	2.54		4.14	4.00	3.00		2.49	
Net Immature	%	93.5	93.5		13.6	100.0	100.0		100.0	
Average Slope	%	35								
All Burn Volume	%									
Heavy Fire Volume	%									
Blowdown Volume	%	2.3	2.3						2.7	
Insect Volume	%									
LRF and Log Summary										
Net Merch - Stud	%	90.3	90.3		18.6	25.9	100.0		100.0	
Net Merch - Small Log	%	95.6	95.6		41.9	100.0	100.0		100.0	
Net Merch - Large Log	%	4.4	4.4		58.1					
Avg LRF All	bdft/m3	172.9	172.9		216.1	202.2	170.6		167.6	

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Extended Block Summary

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
Version: 2016.01 IFS build 6030

Net Area: Block : (M) - 004:4, Plots in Block: 33, TUs: [B : 34.9]
Gross Area: [R/W Removed : 1.2][WTRA/Reser : 9.0][Grand Total : 45.1]

		Total	Conifer	Decid	F	B	S	PW	PL	AT
Utilization Limits										
Min DBH cm (M)					17.5	17.5	17.5	17.5	12.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					10.0	10.0	10.0	10.0	10.0	10.0
Log Len m					5.0	5.0	5.0	5.0	5.0	5.0
Volume and Size Data										
Gross Merchantable	m3	17249	17249			1245	2543	59	13402	
Net Merchantable	m3	16387	16387			1192	2460	57	12678	
Net Merch - All	m3/ha	470	470			34	70	2	363	
Net Merch - Live	m3/ha	451	451			34	69	2	347	
Net Merch - DP	m3/ha	19	19				2		17	
Distribution	%	100	100			7	15	0	77	
Decay	%	2	2			2	1	1	2	
Waste	%	0	0				0			
Waste(billing)	%	0	0				0			
Breakage	%	3	3			2	2	2	4	
Total Cull (DWB)	%	5	5			4	3	3	5	
Stems/Ha (Live & DP)		1486.8	1486.8			63.1	128.9	5.1	1289.7	
Avg DBH (Live & DP)	cm	21.6	21.6			27.2	28.3	24.3	20.5	
Snags/Ha		15.3	15.3						15.3	
Avg Snag DBH	cm	14.1	14.1						14.1	
Gross Merch Vol/Tree	m3	0.33	0.33			0.57	0.57	0.33	0.30	
Net Merch Vol/Tree	m3	0.32	0.32			0.54	0.55	0.32	0.28	
Avg Weight Total Ht	m	23.0	23.0			25.5	24.8	18.2	22.4	
Avg Weight Merch Ht	m	17.3	17.3			19.6	19.5	12.9	16.6	
Avg 5.0 m Log Net	m3	0.12	0.12			0.16	0.19	0.11	0.11	
Avg 5.0 m Log Gross	m3	0.12	0.12			0.16	0.19	0.11	0.11	
Avg # of 5.0 m Logs/Tree		2.82	2.82			3.45	2.96	3.00	2.77	
Net Immature	%	98.9	98.9			100.0	93.0	100.0	100.0	
Average Slope	%	52								
All Burn Volume	%									
Heavy Fire Volume	%									
Blowdown Volume	%	2.3	2.3				2.7		2.5	
Insect Volume	%	0.9	0.9						1.2	
LRF and Log Summary										
Net Merch - Stud	%	71.3	71.3			40.5	41.4		80.3	
Net Merch - Small Log	%	93.7	93.7			79.5	73.7	100.0	98.9	
Net Merch - Large Log	%	6.3	6.3			20.5	26.3		1.1	
Avg LRF All	bdft/m3	181.0	181.0			194.8	197.9	161.7	176.5	

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Extended Type Summary

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
Version: 2016.01 IFS build 6030

Net Area: Type 1 (M):Pl636-0/18, Plots in Type: 8, TUs: [B : 10.5]

		Total	Conifer	Decid	F	B	S	PW	PL	AT
Utilization Limits										
Min DBH cm (M)					17.5	17.5	17.5	17.5	12.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					10.0	10.0	10.0	10.0	10.0	10.0
Log Len m					5.0	5.0	5.0	5.0	5.0	5.0
Volume and Size Data										
Gross Merchantable	m3	6245	6245		222				6023	
Net Merchantable	m3	5759	5759		215				5544	
Net Merch - All	m3/ha	549	549		20				528	
Net Merch - Live	m3/ha	489	489		20				469	
Net Merch - DP	m3/ha	59	59						59	
Distribution	%	100	100		4				96	
Decay	%	2	2		1				2	
Waste	%									
Waste(billing)	%									
Breakage	%	6	6		2				6	
Total Cull (DWB)	%	8	8		3				8	
Stems/Ha (Live & DP)		1620.1	1620.1		21.1				1599.1	
Avg DBH (Live & DP)	cm	21.5	21.5		38.9				21.2	
Snags/Ha										
Avg Snag DBH	cm									
Gross Merch Vol/Tree	m3	0.37	0.37		1.00				0.36	
Net Merch Vol/Tree	m3	0.34	0.34		0.97				0.33	
Avg Weight Total Ht	m	24.8	24.8		26.3				24.7	
Avg Weight Merch Ht	m	18.7	18.7		21.3				18.6	
Avg 5.0 m Log Net	m3	0.11	0.11		0.25				0.11	
Avg 5.0 m Log Gross	m3	0.11	0.11		0.25				0.11	
Avg # of 5.0 m Logs/Tree		3.27	3.27		4.00				3.26	
Net Immature	%	100.0	100.0		100.0				100.0	
All Burn Volume	%									
Heavy Fire Volume	%									
Blowdown Volume	%	3.7	3.7						3.9	
Insect Volume	%	7.3	7.3						7.6	
LRF and Log Summary										
Net Merch - Stud	%	74.3	74.3		23.0				76.2	
Net Merch - Small Log	%	99.3	99.3		80.7				100.0	
Net Merch - Large Log	%	0.7	0.7		19.3					
Avg LRF All	bdft/m3	174.3	174.3		203.1				173.2	

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Extended Type Summary

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
Version: 2016.01 IFS build 6030

Net Area: Type 2 (M):Pl636-0/18, Plots in Type: 9, TUs: [B : 9.3]

		Total	Conifer	Decid	F	B	S	PW	PL	AT
Utilization Limits										
Min DBH cm (M)					17.5	17.5	17.5	17.5	12.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					10.0	10.0	10.0	10.0	10.0	10.0
Log Len m					5.0	5.0	5.0	5.0	5.0	5.0
Volume and Size Data										
Gross Merchantable	m3	5073	5073						5073	
Net Merchantable	m3	4366	4366						4366	
Net Merch - All	m3/ha	469	469						469	
Net Merch - Live	m3/ha	337	337						337	
Net Merch - DP	m3/ha	132	132						132	
Distribution	%	100	100						100	
Decay	%	2	2						2	
Waste	%									
Waste(billing)	%									
Breakage	%	12	12						12	
Total Cull (DWB)	%	14	14						14	
Stems/Ha (Live & DP)		1829.0	1829.0						1829.0	
Avg DBH (Live & DP)	cm	20.4	20.4						20.4	
Snags/Ha										
Avg Snag DBH	cm									
Gross Merch Vol/Tree	m3	0.30	0.30						0.30	
Net Merch Vol/Tree	m3	0.26	0.26						0.26	
Avg Weight Total Ht	m	22.9	22.9						22.9	
Avg Weight Merch Ht	m	17.2	17.2						17.2	
Avg 5.0 m Log Net	m3	0.11	0.11						0.11	
Avg 5.0 m Log Gross	m3	0.11	0.11						0.11	
Avg # of 5.0 m Logs/Tree		2.65	2.65						2.65	
Net Immature	%	100.0	100.0						100.0	
All Burn Volume	%									
Heavy Fire Volume	%									
Blowdown Volume	%	3.2	3.2						3.2	
Insect Volume	%	28.6	28.6						28.6	
LRF and Log Summary										
Net Merch - Stud	%	76.7	76.7						76.7	
Net Merch - Small Log	%	98.6	98.6						98.6	
Net Merch - Large Log	%	1.4	1.4						1.4	
Avg LRF All	bdft/m3	161.0	161.0						161.0	

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Extended Type Summary

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
Version: 2016.01 IFS build 6030

Net Area: Type 3 (M):PlSe(Bl)\635/17, Plots in Type: 6, TUs: [B : 6.5]

		Total	Conifer	Decid	F	B	S	PW	PL	AT
Utilization Limits										
Min DBH cm (M)					17.5	17.5	17.5	17.5	12.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					10.0	10.0	10.0	10.0	10.0	10.0
Log Len m					5.0	5.0	5.0	5.0	5.0	5.0
Volume and Size Data										
Gross Merchantable	m3	3408	3408			278	1329		1801	
Net Merchantable	m3	3170	3170			264	1281		1626	
Net Merch - All	m3/ha	488	488			41	197		250	
Net Merch - Live	m3/ha	450	450			41	197		212	
Net Merch - DP	m3/ha	38	38						38	
Distribution	%	100	100			8	40		51	
Decay	%	2	2			3	2		2	
Waste	%									
Waste(billing)	%									
Breakage	%	5	5			2	2		8	
Total Cull (DWB)	%	7	7			5	4		10	
Stems/Ha (Live & DP)		725.2	725.2			27.2	199.7		498.3	
Avg DBH (Live & DP)	cm	30.4	30.4			43.3	35.7		27.1	
Snags/Ha										
Avg Snag DBH	cm									
Gross Merch Vol/Tree	m3	0.72	0.72			1.57	1.02		0.56	
Net Merch Vol/Tree	m3	0.67	0.67			1.49	0.99		0.50	
Avg Weight Total Ht	m	25.6	25.6			27.6	27.9		23.6	
Avg Weight Merch Ht	m	20.6	20.6			22.9	22.9		18.5	
Avg 5.0 m Log Net	m3	0.19	0.19			0.33	0.26		0.15	
Avg 5.0 m Log Gross	m3	0.20	0.20			0.34	0.27		0.16	
Avg # of 5.0 m Logs/Tree		3.67	3.67			4.62	3.81		3.56	
Net Immature	%	100.0	100.0			100.0	100.0		100.0	
All Burn Volume	%									
Heavy Fire Volume	%									
Blowdown Volume	%	4.4	4.4			32.6			3.3	
Insect Volume	%									
LRF and Log Summary										
Net Merch - Stud	%	38.7	38.7			12.4	29.1		50.5	
Net Merch - Small Log	%	75.0	75.0			41.4	55.6		95.7	
Net Merch - Large Log	%	25.0	25.0			58.6	44.4		4.3	
Avg LRF All	bdft/m3	199.6	199.6			214.6	209.8		189.1	

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Extended Type Summary

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
Version: 2016.01 IFS build 6030

Net Area: Type 4 (M):Pl(Fd) 437-0/18, Plots in Type: 16, TUs: [A : 18.0]

		Total	Conifer	Decid	F	B	S	PW	PL	AT
Utilization Limits										
Min DBH cm (M)					17.5	17.5	17.5	17.5	12.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					10.0	10.0	10.0	10.0	10.0	10.0
Log Len m					5.0	5.0	5.0	5.0	5.0	5.0
Volume and Size Data										
Gross Merchantable	m3	5943	5943		705	295	350		4593	
Net Merchantable	m3	5708	5708		690	289	342		4387	
Net Merch - All	m3/ha	317	317		38	16	19		244	
Net Merch - Live	m3/ha	308	308		38	16	19		235	
Net Merch - DP	m3/ha	9	9						9	
Distribution	%	100	100		12	5	6		77	
Decay	%	1	1		0		0		1	
Waste	%	0	0		0					
Waste(billing)	%	0	0		0					
Breakage	%	3	3		2	2	2		3	
Total Cull (DWB)	%	4	4		2	2	2		4	
Stems/Ha (Live & DP)		1360.0	1360.0		127.9	53.9	20.3		1157.8	
Avg DBH (Live & DP)	cm	19.3	19.3		23.8	21.7	35.4		18.2	
Snags/Ha										
Avg Snag DBH	cm									
Gross Merch Vol/Tree	m3	0.24	0.24		0.31	0.30	0.96		0.22	
Net Merch Vol/Tree	m3	0.23	0.23		0.30	0.30	0.93		0.21	
Avg Weight Total Ht	m	21.9	21.9		21.8	21.2	26.9		21.6	
Avg Weight Merch Ht	m	15.4	15.4		15.7	14.4	22.1		14.9	
Avg 5.0 m Log Net	m3	0.09	0.09		0.12	0.11	0.26		0.08	
Avg 5.0 m Log Gross	m3	0.09	0.09		0.12	0.11	0.26		0.08	
Avg # of 5.0 m Logs/Tree		2.61	2.61		2.58	2.64	3.69		2.60	
Net Immature	%	99.5	99.5		96.1	100.0	100.0		100.0	
All Burn Volume	%									
Heavy Fire Volume	%									
Blowdown Volume	%	4.1	4.1						5.3	
Insect Volume	%	1.4	1.4						1.9	
LRF and Log Summary										
Net Merch - Stud	%	86.7	86.7		80.1	87.5	21.6		92.8	
Net Merch - Small Log	%	96.8	96.8		96.4	100.0	65.3		99.1	
Net Merch - Large Log	%	3.2	3.2		3.6		34.7		0.9	
Avg LRF All	bdft/m3	173.3	173.3		177.1	178.3	211.5		169.4	

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Extended Type Summary

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
Version: 2016.01 IFS build 6030

Net Area: Type 5 (M):PlFd 437 0/17, Plots in Type: 2, TUs: [A : 1.1]

		Total	Conifer	Decid	F	B	S	PW	PL	AT
Utilization Limits										
Min DBH cm (M)					17.5	17.5	17.5	17.5	12.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					10.0	10.0	10.0	10.0	10.0	10.0
Log Len m					5.0	5.0	5.0	5.0	5.0	5.0
Volume and Size Data										
Gross Merchantable	m3	328	328		16		22		290	
Net Merchantable	m3	313	313		16		21		276	
Net Merch - All	m3/ha	284	284		14		20		251	
Net Merch - Live	m3/ha	273	273		14		20		239	
Net Merch - DP	m3/ha	12	12						12	
Distribution	%	100	100		5		7		88	
Decay	%	1	1				1		1	
Waste	%									
Waste(billing)	%									
Breakage	%	4	4		2		2		4	
Total Cull (DWB)	%	5	5		2		3		5	
Stems/Ha (Live & DP)		1665.2	1665.2		33.9		64.0		1567.3	
Avg DBH (Live & DP)	cm	17.4	17.4		28.1		22.3		16.9	
Snags/Ha										
Avg Snag DBH	cm									
Gross Merch Vol/Tree	m3	0.18	0.18		0.44		0.31		0.17	
Net Merch Vol/Tree	m3	0.17	0.17		0.43		0.30		0.16	
Avg Weight Total Ht	m	19.8	19.8		21.5		21.2		19.6	
Avg Weight Merch Ht	m	12.8	12.8		15.9		14.4		12.5	
Avg 5.0 m Log Net	m3	0.08	0.08		0.15		0.10		0.08	
Avg 5.0 m Log Gross	m3	0.08	0.08		0.15		0.10		0.08	
Avg # of 5.0 m Logs/Tree		2.12	2.12		3.00		3.00		2.06	
Net Immature	%	100.0	100.0		100.0		100.0		100.0	
All Burn Volume	%									
Heavy Fire Volume	%									
Blowdown Volume	%									
Insect Volume	%									
LRF and Log Summary										
Net Merch - Stud	%	97.7	97.7		54.1		100.0		100.0	
Net Merch - Small Log	%	100.0	100.0		100.0		100.0		100.0	
Net Merch - Large Log	%									
Avg LRF All	bdft/m3	164.2	164.2		186.6		170.6		162.4	

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Extended Type Summary

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
Version: 2016.01 IFS build 6030

Net Area: Type 6 (M):PlFd 437-0/18, Plots in Type: 6, TUs: [A : 6.1]

		Total	Conifer	Decid	F	B	S	PW	PL	AT
Utilization Limits										
Min DBH cm (M)					17.5	17.5	17.5	17.5	12.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					10.0	10.0	10.0	10.0	10.0	10.0
Log Len m					5.0	5.0	5.0	5.0	5.0	5.0
Volume and Size Data										
Gross Merchantable	m3	1301	1301		109	78			1115	
Net Merchantable	m3	1242	1242		101	76			1065	
Net Merch - All	m3/ha	204	204		17	12			175	
Net Merch - Live	m3/ha	198	198		17	12			169	
Net Merch - DP	m3/ha	6	6						6	
Distribution	%	100	100		8	6			86	
Decay	%	1	1		5				1	
Waste	%	0	0		1					
Waste(billing)	%	0	0		1					
Breakage	%	3	3		2	2			3	
Total Cull (DWB)	%	5	5		7	2			4	
Stems/Ha (Live & DP)		842.5	842.5		8.3	17.7			816.5	
Avg DBH (Live & DP)	cm	19.4	19.4		57.2	31.0			18.2	
Snags/Ha										
Avg Snag DBH	cm									
Gross Merch Vol/Tree	m3	0.25	0.25		2.14	0.72			0.22	
Net Merch Vol/Tree	m3	0.24	0.24		1.98	0.71			0.21	
Avg Weight Total Ht	m	22.0	22.0		27.0	24.3			21.4	
Avg Weight Merch Ht	m	15.6	15.6		23.1	18.7			14.6	
Avg 5.0 m Log Net	m3	0.09	0.09		0.41	0.18			0.08	
Avg 5.0 m Log Gross	m3	0.09	0.09		0.43	0.18			0.08	
Avg # of 5.0 m Logs/Tree		2.69	2.69		4.98	4.00			2.63	
Net Immature	%	91.9	91.9			100.0			100.0	
All Burn Volume	%									
Heavy Fire Volume	%									
Blowdown Volume	%	2.9	2.9						3.4	
Insect Volume	%									
LRF and Log Summary										
Net Merch - Stud	%	88.4	88.4		13.0	25.9			100.0	
Net Merch - Small Log	%	94.5	94.5		32.8	100.0			100.0	
Net Merch - Large Log	%	5.5	5.5		67.2					
Avg LRF All	bdft/m3	175.1	175.1		220.8	202.2			168.9	

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Extended Type Summary

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
Version: 2016.01 IFS build 6030

Net Area: Type 7 (M):Pl 636-0/15, Plots in Type: 27, TUs: [B : 28.1]

		Total	Conifer	Decid	F	B	S	PW	PL	AT
Utilization Limits										
Min DBH cm (M)					17.5	17.5	17.5	17.5	12.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					10.0	10.0	10.0	10.0	10.0	10.0
Log Len m					5.0	5.0	5.0	5.0	5.0	5.0
Volume and Size Data										
Gross Merchantable	m3	14179	14179			1245	2401	59	10475	
Net Merchantable	m3	13436	13436			1192	2322	57	9865	
Net Merch - All	m3/ha	478	478			42	83	2	351	
Net Merch - Live	m3/ha	457	457			42	80	2	332	
Net Merch - DP	m3/ha	22	22				2		19	
Distribution	%	100	100			9	17	0	73	
Decay	%	2	2			2	1	1	2	
Waste	%	0	0				0			
Waste(billing)	%	0	0				0			
Breakage	%	4	4			2	2	2	4	
Total Cull (DWB)	%	5	5			4	3	3	6	
Stems/Ha (Live & DP)		1515.3	1515.3			78.3	142.1	6.4	1288.5	
Avg DBH (Live & DP)	cm	21.7	21.7			27.2	28.9	24.3	20.3	
Snags/Ha		19.0	19.0						19.0	
Avg Snag DBH	cm	14.1	14.1						14.1	
Gross Merch Vol/Tree	m3	0.33	0.33			0.57	0.60	0.33	0.29	
Net Merch Vol/Tree	m3	0.32	0.32			0.54	0.58	0.32	0.27	
Avg Weight Total Ht	m	23.1	23.1			25.5	25.2	18.2	22.4	
Avg Weight Merch Ht	m	17.4	17.4			19.6	19.9	12.9	16.6	
Avg 5.0 m Log Net	m3	0.12	0.12			0.16	0.20	0.11	0.11	
Avg 5.0 m Log Gross	m3	0.12	0.12			0.16	0.20	0.11	0.11	
Avg # of 5.0 m Logs/Tree		2.77	2.77			3.45	3.02	3.00	2.70	
Net Immature	%	98.7	98.7			100.0	92.6	100.0	100.0	
All Burn Volume	%									
Heavy Fire Volume	%									
Blowdown Volume	%	2.8	2.8				2.9		3.2	
Insect Volume	%	1.1	1.1						1.6	
LRF and Log Summary										
Net Merch - Stud	%	67.6	67.6			40.5	37.9		78.2	
Net Merch - Small Log	%	92.4	92.4			79.5	72.1	100.0	98.6	
Net Merch - Large Log	%	7.6	7.6			20.5	27.9		1.4	
Avg LRF All	bdft/m3	182.1	182.1			194.8	199.2	161.7	176.7	

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Extended Type Summary

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
Version: 2016.01 IFS build 6030

Net Area: Type 8 (M):Pl 636-0/15, Plots in Type: 6, TUs: [B : 6.8]

		Total	Conifer	Decid	F	B	S	PW	PL	AT
Utilization Limits										
Min DBH cm (M)					17.5	17.5	17.5	17.5	12.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					10.0	10.0	10.0	10.0	10.0	10.0
Log Len m					5.0	5.0	5.0	5.0	5.0	5.0
Volume and Size Data										
Gross Merchantable	m3	3070	3070				143		2927	
Net Merchantable	m3	2951	2951				138		2813	
Net Merch - All	m3/ha	434	434				20		414	
Net Merch - Live	m3/ha	428	428				20		407	
Net Merch - DP	m3/ha	6	6						6	
Distribution	%	100	100				5		95	
Decay	%	1	1				1		1	
Waste	%									
Waste(billing)	%									
Breakage	%	3	3				2		3	
Total Cull (DWB)	%	4	4				3		4	
Stems/Ha (Live & DP)		1369.0	1369.0				74.2		1294.8	
Avg DBH (Live & DP)	cm	21.5	21.5				22.7		21.4	
Snags/Ha										
Avg Snag DBH	cm									
Gross Merch Vol/Tree	m3	0.33	0.33				0.28		0.33	
Net Merch Vol/Tree	m3	0.32	0.32				0.27		0.32	
Avg Weight Total Ht	m	22.5	22.5				19.1		22.6	
Avg Weight Merch Ht	m	16.7	16.7				13.0		16.9	
Avg 5.0 m Log Net	m3	0.11	0.11				0.11		0.11	
Avg 5.0 m Log Gross	m3	0.11	0.11				0.11		0.11	
Avg # of 5.0 m Logs/Tree		3.05	3.05				2.49		3.08	
Net Immature	%	100.0	100.0				100.0		100.0	
All Burn Volume	%									
Heavy Fire Volume	%									
Blowdown Volume	%									
Insect Volume	%									
LRF and Log Summary										
Net Merch - Stud	%	88.4	88.4				100.0		87.8	
Net Merch - Small Log	%	100.0	100.0				100.0		100.0	
Net Merch - Large Log	%									
Avg LRF All	bdft/m3	175.7	175.7				177.4		175.6	

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

CP Stand Damage Table (stems/ha) [Blowdown Damage]

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
Version: 2016.01 IFS build 6030

[All Treatment Units : 86.4]
Species: Balsam

Type of Damage: DBH Class	Total	Normal	E-Down
5			
10			
15			
20	17.7	17.7	
25	8.3	8.3	
30	8.2	8.2	
35	1.9	1.9	
40	1.5	1.5	
45	1.8	1.1	0.7
50	0.6	0.6	
55			
60			
65			
70			
75			
80			
85			
90			
95			
100			
105			
110			
115			
120			
125			
130			
135			
140			
145			
150			
175			
200			
225			
250			
275			
Total	40.0	39.3	0.7
Dead P			
Dead U			
Live U			

	Average DBH(cm) at 5 Levels		
12.5 +	27.0	26.7	42.7
17.5 +	27.0	26.7	42.7
22.5 +	31.9	31.5	42.7
27.5 +	35.5	35.1	42.7
32.5 +	41.9	41.8	42.7

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

CP Stand Damage Table (stems/ha) [Blowdown Damage]

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
Version: 2016.01 IFS build 6030

[All Treatment Units : 86.4]
Species: L.P. Pine

Type of Damage:	Total	Normal	E-Down	G-Shatt
DBH Class				
5				
10				
15	323.2	317.1	6.1	
20	438.8	427.8		
25	217.9	215.2		
30	45.6	42.6		
35	11.8	10.1		
40	4.1	4.1		
45				
50				
55				
60				
65				
70				
75				
80				
85				
90				
95				
100				
105				
110				
115				
120				
125				
130				
135				
140				
145				
150				
175				
200				
225				
250				
275				
Total	1041.4	1016.9	6.1	
Dead P	227.1	93.3	93.0	8.7
Dead U	6.2	6.2		
Live U				
	Average DBH(cm) at 5 Levels			
12.5 +	20.6	20.5	14.7	
17.5 +	22.6	22.5		
22.5 +	26.2	26.1		
27.5 +	31.0	30.9		
32.5 +	35.4	35.7		

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

CP Stand Damage Table (stems/ha) [Blowdown Damage]

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
Version: 2016.01 IFS build 6030

[All Treatment Units : 86.4]
Species: Spruce

Type of Damage: DBH Class	Total	Normal	E-Down
5			
10			
15			
20	28.0	28.0	
25	17.4	17.4	
30	3.9	3.9	
35	7.8	7.8	
40	5.3	5.3	
45	4.4	4.4	
50	1.5	1.5	
55	1.3	1.3	
60	0.7	0.7	
65			
70	0.3	0.3	
75			
80			
85			
90			
95			
100			
105			
110			
115			
120			
125			
130			
135			
140			
145			
150			
175			
200			
225			
250			
275			
Total	70.5	70.5	
Dead P	1.7		1.7
Dead U			
Live U			

	Average DBH(cm) at 5 Levels		
12.5 +	30.4	30.4	
17.5 +	30.4	30.4	
22.5 +	35.6	35.6	
27.5 +	41.3	41.3	
32.5 +	43.0	43.0	

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

CP Stand Damage Table (stems/ha) [Insect Damage]

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
Version: 2016.01 IFS build 6030

[All Treatment Units : 86.4]
Species: L.P. Pine

Type of Damage:	Total	Normal	1-Grn	2-Red	3-Grey
DBH Class					
5					
10					
15	323.2	317.1			
20	438.8	427.8	11.0		
25	217.9	215.2	2.7		
30	45.6	42.6		3.0	
35	11.8	10.1	1.7		
40	4.1	4.1			
45					
50					
55					
60					
65					
70					
75					
80					
85					
90					
95					
100					
105					
110					
115					
120					
125					
130					
135					
140					
145					
150					
175					
200					
225					
250					
275					
Total	1041.4	1016.9	15.4	3.0	
Dead P	227.1	93.3			32.0
Dead U	6.2	6.2			
Live U					
		Average DBH(cm) at 5 Levels			
12.5 +	20.6	20.5	23.8	30.3	
17.5 +	22.6	22.5	23.8	30.3	
22.5 +	26.2	26.1	28.8	30.3	
27.5 +	31.0	30.9	32.9	30.3	
32.5 +	35.4	35.7	32.9		

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

CP Stand Damage Table (stems/ha) [Blowdown Damage]

Average Line Method	Grades: MOF Computerized	FIZ: F	06-Mar-2017 01:00:33PM
BCTS	Computerized Decay	PSYU: Windermere	Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000	Computerized Waste	Region: 4 - Kootenay-Boundary	Compiled by: BCTS-EKFT
Project:	Computerized Breakage	District: 05 - Rocky Mountain	Cruised by: PIONEER FOREST
			Version: 2016.01 IFS build 6030

[A : 25.2]
Species: L.P. Pine
Type of Damage:

DBH Class	Total	Normal	E-Down
5			
10			
15	519.6	498.5	21.0
20	391.4	380.7	
25	78.2	78.2	
30	9.2	9.2	
35	3.4	3.4	
40			
45			
50			
55			
60			
65			
70			
75			
80			
85			
90			
95			
100			
105			
110			
115			
120			
125			
130			
135			
140			
145			
150			
175			
200			
225			
250			
275			
Total	1001.8	970.1	21.0
Dead P	91.3	4.8	86.5
Dead U			
Live U			

Average DBH(cm) at 5 Levels

12.5 +	18.3	18.3	14.7
17.5 +	21.0	21.0	
22.5 +	25.2	25.2	
27.5 +	32.9	32.9	
32.5 +	36.7	36.7	

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

CP Stand Damage Table (stems/ha) [Insect Damage]

[A : 25.2]
Species: L.P. Pine
Type of Damage:

DBH Class	Total	Normal	1-Grn
5			
10			
15	519.6	498.5	
20	391.4	380.7	10.7
25	78.2	78.2	
30	9.2	9.2	
35	3.4	3.4	
40			
45			
50			
55			
60			
65			
70			
75			
80			
85			
90			
95			
100			
105			
110			
115			
120			
125			
130			
135			
140			
145			
150			
175			
200			
225			
250			
275			
Total	1001.8	970.1	10.7
Dead P	91.3	4.8	
Dead U			
Live U			

Average DBH(cm) at 5 Levels

12.5 +	18.3	18.3	20.6
17.5 +	21.0	21.0	20.6
22.5 +	25.2	25.2	
27.5 +	32.9	32.9	
32.5 +	36.7	36.7	

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

CP Stand Damage Table (stems/ha) [Blowdown Damage]

06-Mar-2017 01:00:33PM

Average Line Method | Grades: MOF Computerized | FIZ: F | Filename: a90479_march_3_new_comp.ccp
BCTS | Computerized Decay | PSYU: Windermere | Compiled by: BCTS-EKFT
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Cruised by: PIONEER FOREST
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Version: 2016.01 IFS build 6030

[B : 61.2]
Species: Balsam

Type of Damage: DBH Class	Total	Normal	E-Down
5			
10			
15			
20	15.2	15.2	
25	5.7	5.7	
30	9.9	9.9	
35	2.6	2.6	
40	2.1	2.1	
45	2.6	1.6	1.0
50	0.8	0.8	
55			
60			
65			
70			
75			
80			
85			
90			
95			
100			
105			
110			
115			
120			
125			
130			
135			
140			
145			
150			
175			
200			
225			
250			
275			
Total	38.9	37.9	1.0
Dead P			
Dead U			
Live U			

Average DBH(cm) at 5 Levels

12.5 +	28.7	28.3	42.7
17.5 +	28.7	28.3	42.7
22.5 +	33.6	33.1	42.7
27.5 +	35.9	35.4	42.7
32.5 +	41.9	41.8	42.7

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

CP Stand Damage Table (stems/ha) [Blowdown Damage]

Average Line Method	Grades: MOF Computerized	FIZ: F	06-Mar-2017 01:00:33PM
BCTS	Computerized Decay	PSYU: Windermere	Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000	Computerized Waste	Region: 4 - Kootenay-Boundary	Compiled by: BCTS-EKFT
Project:	Computerized Breakage	District: 05 - Rocky Mountain	Cruised by: PIONEER FOREST
			Version: 2016.01 IFS build 6030

[B : 61.2]
Species: L.P. Pine

Type of Damage:	Total	Normal	E-Down	G-Shatt
DBH Class				
5				
10				
15	242.3	242.3		
20	458.3	447.2		
25	275.4	271.6		
30	60.5	56.3		
35	15.3	12.9		
40	5.8	5.8		
45				
50				
55				
60				
65				
70				
75				
80				
85				
90				
95				
100				
105				
110				
115				
120				
125				
130				
135				
140				
145				
150				
175				
200				
225				
250				
275				
Total	1057.7	1036.2		
Dead P	283.0	129.8	95.7	12.2
Dead U	8.7	8.7		
Live U				

Average DBH(cm) at 5 Levels

12.5 +	21.5	21.3		
17.5 +	23.0	22.9		
22.5 +	26.3	26.2		
27.5 +	30.8	30.8		
32.5 +	35.3	35.6		

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

CP Stand Damage Table (stems/ha) [Blowdown Damage]

06-Mar-2017 01:00:33PM

Average Line Method | Grades: MOF Computerized | FIZ: F | Filename: a90479_march_3_new_comp.ccp
BCTS | Computerized Decay | PSYU: Windermere | Compiled by: BCTS-EKFT
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Cruised by: PIONEER FOREST
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Version: 2016.01 IFS build 6030

[B : 61.2]
Species: Spruce

Type of Damage:	Total	Normal	E-Down
DBH Class			
5			
10			
15			
20	38.4	38.4	
25	21.7	21.7	
30	5.5	5.5	
35	9.6	9.6	
40	6.2	6.2	
45	6.2	6.2	
50	2.1	2.1	
55	1.8	1.8	
60	0.5	0.5	
65			
70	0.4	0.4	
75			
80			
85			
90			
95			
100			
105			
110			
115			
120			
125			
130			
135			
140			
145			
150			
175			
200			
225			
250			
275			
Total	92.4	92.4	
Dead P	2.3		2.3
Dead U			
Live U			

Average DBH(cm) at 5 Levels

12.5 +	30.2	30.2	
17.5 +	30.2	30.2	
22.5 +	35.7	35.7	
27.5 +	41.3	41.3	
32.5 +	43.1	43.1	

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

CP Stand Damage Table (stems/ha) [Insect Damage]

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
Version: 2016.01 IFS build 6030

[B : 61.2]
Species: L.P. Pine

Type of Damage:	Total	Normal	1-Grn	2-Red	3-Grey
DBH Class					
5					
10					
15	242.3	242.3			
20	458.3	447.2	11.1		
25	275.4	271.6	3.8		
30	60.5	56.3		4.2	
35	15.3	12.9	2.4		
40	5.8	5.8			
45					
50					
55					
60					
65					
70					
75					
80					
85					
90					
95					
100					
105					
110					
115					
120					
125					
130					
135					
140					
145					
150					
175					
200					
225					
250					
275					
Total	1057.7	1036.2	17.3	4.2	
Dead P	283.0	129.8			45.2
Dead U	8.7	8.7			
Live U					
		Average DBH(cm) at 5 Levels			
12.5 +	21.5	21.3	24.6	30.3	
17.5 +	23.0	22.9	24.6	30.3	
22.5 +	26.3	26.2	28.8	30.3	
27.5 +	30.8	30.8	32.9	30.3	
32.5 +	35.3	35.6	32.9		

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Average Line Method | Grades: MOF Computerized | FIZ: F | Filename: a90479_march_3_new_comp.ccp
BCTS | Computerized Decay | PSYU: Windermere | Compiled by: BCTS-EKFT
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Cruised by: PIONEER FOREST
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Version: 2016.01 IFS build 6030

[All Treatment Units : 86.4]
Species: Balsam

Type of Damage: DBH Class	Total	Normal	E-Down
5			
10			
15			
20	3.6	3.6	
25	3.6	3.6	
30	5.6	5.6	
35	2.1	2.1	
40	2.0	2.0	
45	3.0	2.1	1.0
50	1.1	1.1	
55			
60			
65			
70			
75			
80			
85			
90			
95			
100			
105			
110			
115			
120			
125			
130			
135			
140			
145			
150			
175			
200			
225			
250			
275			
Total	21.1	20.1	1.0
Dead P			

Total Volumes for 7 Levels

17.5 +	21.1	20.1	1.0
22.5 +	17.5	16.5	1.0
27.5 +	13.8	12.8	1.0
32.5 +	8.2	7.2	1.0
37.5 +	6.1	5.2	1.0
42.5 +	4.1	3.1	1.0
47.5 +	1.1	1.1	

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Average Line Method | Grades: MOF Computerized | FIZ: F | Filename: a90479_march_3_new_comp.ccp
BCTS | Computerized Decay | PSYU: Windermere | Compiled by: BCTS-EKFT
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Cruised by: PIONEER FOREST
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Version: 2016.01 IFS build 6030

[All Treatment Units : 86.4]
Species: L.P. Pine

DBH Class	Total	Normal	E-Down	G-Shatt
5				
10				
15	39.6	38.8	0.8	
20	121.4	117.6		
25	104.7	103.1		
30	31.2	29.4		
35	11.4	9.8		
40	4.9	4.9		
45				
50				
55				
60				
65				
70				
75				
80				
85				
90				
95				
100				
105				
110				
115				
120				
125				
130				
135				
140				
145				
150				
175				
200				
225				
250				
275				
Total	313.1	303.5	0.8	
Dead P	33.4	9.5	8.5	2.1

Total Volumes for 7 Levels

17.5 +	273.5	264.7
22.5 +	152.2	147.2
27.5 +	47.4	44.0
32.5 +	16.2	14.6
37.5 +	4.9	4.9
42.5 +		
47.5 +		

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Average Line Method | Grades: MOF Computerized | FIZ: F | Filename: a90479_march_3_new_comp.ccp
BCTS | Computerized Decay | PSYU: Windermere | Compiled by: BCTS-EKFT
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Cruised by: PIONEER FOREST
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Version: 2016.01 IFS build 6030

[All Treatment Units : 86.4]
Species: Spruce

DBH Class	Total	Normal	E-Down
5			
10			
15			
20	6.0	6.0	
25	7.1	7.1	
30	2.8	2.8	
35	7.3	7.3	
40	6.9	6.9	
45	6.8	6.8	
50	3.2	3.2	
55	3.1	3.1	
60	2.2	2.2	
65			
70	1.0	1.0	
75			
80			
85			
90			
95			
100			
105			
110			
115			
120			
125			
130			
135			
140			
145			
150			
175			
200			
225			
250			
275			
Total	46.7	46.7	
Dead P	0.8		0.8

Total Volumes for 7 Levels

17.5 +	46.7	46.7
22.5 +	40.7	40.7
27.5 +	33.6	33.6
32.5 +	30.7	30.7
37.5 +	23.4	23.4
42.5 +	16.5	16.5
47.5 +	9.6	9.6

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

CP Stock Damage Table (m3/ha) [Insect Damage]

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
Version: 2016.01 IFS build 6030

[All Treatment Units : 86.4]
Species: L.P. Pine

DBH Class	Total	Normal	1-Grn	2-Red	3-Grey
5					
10					
15	39.6	38.8			
20	121.4	117.6	3.8		
25	104.7	103.1	1.6		
30	31.2	29.4		1.8	
35	11.4	9.8	1.6		
40	4.9	4.9			
45					
50					
55					
60					
65					
70					
75					
80					
85					
90					
95					
100					
105					
110					
115					
120					
125					
130					
135					
140					
145					
150					
175					
200					
225					
250					
275					
Total	313.1	303.5	7.0	1.8	
Dead P	33.4	9.5			13.3
		Total Volumes for 7 Levels			
17.5 +	273.5	264.7	7.0	1.8	
22.5 +	152.2	147.2	3.2	1.8	
27.5 +	47.4	44.0	1.6	1.8	
32.5 +	16.2	14.6	1.6		
37.5 +	4.9	4.9			
42.5 +					
47.5 +					

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Average Line Method | Grades: MOF Computerized | FIZ: F | Filename: a90479_march_3_new_comp.ccp
BCTS | Computerized Decay | PSYU: Windermere | Compiled by: BCTS-EKFT
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Cruised by: PIONEER FOREST
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Version: 2016.01 IFS build 6030

[A : 25.2]
Species: L.P. Pine
Type of Damage: Total Normal E-Down

DBH Class	Total	Normal	E-Down
5			
10			
15	65.2	62.4	2.9
20	107.9	104.7	
25	35.1	35.1	
30	7.1	7.1	
35	3.7	3.7	
40			
45			
50			
55			
60			
65			
70			
75			
80			
85			
90			
95			
100			
105			
110			
115			
120			
125			
130			
135			
140			
145			
150			
175			
200			
225			
250			
275			
Total	219.0	212.9	2.9
Dead P	8.3	0.5	7.8

Total Volumes for 7 Levels

17.5 +	153.8	150.5	
22.5 +	45.8	45.8	
27.5 +	10.8	10.8	
32.5 +	3.7	3.7	
37.5 +			
42.5 +			
47.5 +			

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

CP Stock Damage Table (m3/ha) [Insect Damage]

06-Mar-2017 01:00:33PM

Average Line Method | Grades: MOF Computerized | FIZ: F | Filename: a90479_march_3_new_comp.ccp
BCTS | Computerized Decay | PSYU: Windermere | Compiled by: BCTS-EKFT
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Cruised by: PIONEER FOREST
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Version: 2016.01 IFS build 6030

[A : 25.2]
Species: L.P. Pine

DBH Class	Total	Normal	1-Grn
5			
10			
15	65.2	62.4	
20	107.9	104.7	3.2
25	35.1	35.1	
30	7.1	7.1	
35	3.7	3.7	
40			
45			
50			
55			
60			
65			
70			
75			
80			
85			
90			
95			
100			
105			
110			
115			
120			
125			
130			
135			
140			
145			
150			
175			
200			
225			
250			
275			
Total	219.0	212.9	3.2
Dead P	8.3	0.5	

Total Volumes for 7 Levels

17.5 +	153.8	150.5	3.2
22.5 +	45.8	45.8	
27.5 +	10.8	10.8	
32.5 +	3.7	3.7	
37.5 +			
42.5 +			
47.5 +			

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Average Line Method | Grades: MOF Computerized | FIZ: F | Filename: a90479_march_3_new_comp.ccp
BCTS | Computerized Decay | PSYU: Windermere | Compiled by: BCTS-EKFT
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Cruised by: PIONEER FOREST
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Version: 2016.01 IFS build 6030

[B : 61.2]
Species: Balsam

DBH Class	Total	Normal	E-Down
5			
10			
15			
20	2.9	2.9	
25	2.6	2.6	
30	6.7	6.7	
35	2.9	2.9	
40	2.9	2.9	
45	4.3	2.9	1.4
50	1.5	1.5	
55			
60			
65			
70			
75			
80			
85			
90			
95			
100			
105			
110			
115			
120			
125			
130			
135			
140			
145			
150			
175			
200			
225			
250			
275			
Total	23.8	22.4	1.4
Dead P			

Total Volumes for 7 Levels

17.5 +	23.8	22.4	1.4
22.5 +	20.9	19.5	1.4
27.5 +	18.3	16.9	1.4
32.5 +	11.6	10.2	1.4
37.5 +	8.7	7.3	1.4
42.5 +	5.8	4.4	1.4
47.5 +	1.5	1.5	

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Average Line Method | Grades: MOF Computerized | FIZ: F | Filename: a90479_march_3_new_comp.ccp
BCTS | Computerized Decay | PSYU: Windermere | Compiled by: BCTS-EKFT
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Cruised by: PIONEER FOREST
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Version: 2016.01 IFS build 6030

[B : 61.2]
Species: L.P. Pine

DBH Class	Total	Normal	E-Down	G-Shatt
5				
10				
15	29.1	29.1		
20	126.9	122.8		
25	133.4	131.2		
30	41.1	38.6		
35	14.6	12.3		
40	6.9	6.9		
45				
50				
55				
60				
65				
70				
75				
80				
85				
90				
95				
100				
105				
110				
115				
120				
125				
130				
135				
140				
145				
150				
175				
200				
225				
250				
275				
Total	351.9	340.8		
Dead P	43.8	13.2	8.9	2.9

Total Volumes for 7 Levels

17.5 +	322.8	311.8
22.5 +	195.9	188.9
27.5 +	62.5	57.8
32.5 +	21.4	19.1
37.5 +	6.9	6.9
42.5 +		
47.5 +		

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

CP Stock Damage Table (m3/ha) [Blowdown Damage]

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
Version: 2016.01 IFS build 6030

[B : 61.2]
Species: Spruce

DBH Class	Total	Normal	E-Down
5			
10			
15			
20	8.2	8.2	
25	8.9	8.9	
30	4.0	4.0	
35	9.1	9.1	
40	8.3	8.3	
45	9.6	9.6	
50	4.6	4.6	
55	4.4	4.4	
60	1.5	1.5	
65			
70	1.4	1.4	
75			
80			
85			
90			
95			
100			
105			
110			
115			
120			
125			
130			
135			
140			
145			
150			
175			
200			
225			
250			
275			
Total	60.0	60.0	
Dead P	1.1		1.1

Total Volumes for 7 Levels

17.5 +	60.0	60.0
22.5 +	51.9	51.9
27.5 +	43.0	43.0
32.5 +	39.0	39.0
37.5 +	29.9	29.9
42.5 +	21.5	21.5
47.5 +	11.9	11.9

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

CP Stock Damage Table (m3/ha) [Insect Damage]

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
Version: 2016.01 IFS build 6030

[B : 61.2]
Species: L.P. Pine

Type of Damage: / DBH Class	Total	Normal	1-Grn	2-Red	3-Grey
5					
10					
15	29.1	29.1			
20	126.9	122.8	4.0		
25	133.4	131.2	2.3		
30	41.1	38.6		2.5	
35	14.6	12.3	2.3		
40	6.9	6.9			
45					
50					
55					
60					
65					
70					
75					
80					
85					
90					
95					
100					
105					
110					
115					
120					
125					
130					
135					
140					
145					
150					
175					
200					
225					
250					
275					
Total	351.9	340.8	8.6	2.5	
Dead P	43.8	13.2			18.7
		Total Volumes for 7 Levels			
17.5 +	322.8	311.8	8.6	2.5	
22.5 +	195.9	188.9	4.5	2.5	
27.5 +	62.5	57.8	2.3	2.5	
32.5 +	21.4	19.1	2.3		
37.5 +	6.9	6.9			
42.5 +					
47.5 +					

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Block Stock Damage Table (m3/ha) [Blowdown Damage]

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
Version: 2016.01 IFS build 6030

Block : (M) - 001:1, Plots in Block: 23, TUs: [B : 26.3]
Species: Balsam
Type of Damage: Total Normal E-Down

DBH Class			
5			
10			
15			
20			
25			
30			
35			
40	3.3	3.3	
45	3.3		3.3
50	3.5	3.5	
55			
60			
65			
70			
75			
80			
85			
90			
95			
100			
105			
110			
115			
120			
125			
130			
135			
140			
145			
150			
175			
200			
225			
250			
275			
Total	10.0	6.8	3.3
Dead P			

Total Volumes for 7 Levels

17.5 +	10.0	6.8	3.3
22.5 +	10.0	6.8	3.3
27.5 +	10.0	6.8	3.3
32.5 +	10.0	6.8	3.3
37.5 +	10.0	6.8	3.3
42.5 +	6.8	3.5	3.3
47.5 +	3.5	3.5	

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Block Stock Damage Table (m3/ha) [Blowdown Damage]

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
| | | Version: 2016.01 IFS build 6030

Block : (M) - 001:1, Plots in Block: 23, TUs: [B : 26.3]
Species: L.P. Pine

Type of Damage:	Total	Normal	E-Down	G-Shatt
DBH Class				
5				
10				
15	16.5	16.5		
20	140.2	130.8		
25	130.1	124.9		
30	48.8	48.8		
35	20.8	15.6		
40	2.6	2.6		
45				
50				
55				
60				
65				
70				
75				
80				
85				
90				
95				
100				
105				
110				
115				
120				
125				
130				
135				
140				
145				
150				
175				
200				
225				
250				
275				
Total	359.0	339.0		
Dead P	79.7	20.6	10.5	5.0

Total Volumes for 7 Levels

17.5 +	342.5	322.6
22.5 +	202.3	191.8
27.5 +	72.2	66.9
32.5 +	23.4	18.1
37.5 +	2.6	2.6
42.5 +		
47.5 +		

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Block Stock Damage Table (m3/ha) [Insect Damage]

Average Line Method	Grades: MOF Computerized	FIZ: F	06-Mar-2017 01:00:33PM
BCTS	Computerized Decay	PSYU: Windermere	Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000	Computerized Waste	Region: 4 - Kootenay-Boundary	Compiled by: BCTS-EKFT
Project:	Computerized Breakage	District: 05 - Rocky Mountain	Cruised by: PIONEER FOREST
			Version: 2016.01 IFS build 6030

Block : (M) - 001:1, Plots in Block: 23, TUs: [B : 26.3]
Species: L.P. Pine

Type of Damage:	Total	Normal	1-Grn	3-Grey
DBH Class				
5				
10				
15	16.5	16.5		
20	140.2	130.8	9.4	
25	130.1	124.9	5.3	
30	48.8	48.8		
35	20.8	15.6	5.3	
40	2.6	2.6		
45				
50				
55				
60				
65				
70				
75				
80				
85				
90				
95				
100				
105				
110				
115				
120				
125				
130				
135				
140				
145				
150				
175				
200				
225				
250				
275				
Total	359.0	339.0	19.9	
Dead P	79.7	20.6		43.6

Total Volumes for 7 Levels

17.5 +	342.5	322.6	19.9	
22.5 +	202.3	191.8	10.5	
27.5 +	72.2	66.9	5.3	
32.5 +	23.4	18.1	5.3	
37.5 +	2.6	2.6		
42.5 +				
47.5 +				

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Block Stock Damage Table (m3/ha) [Blowdown Damage]

Average Line Method	Grades: MOF Computerized	FIZ: F	06-Mar-2017 01:00:33PM
BCTS	Computerized Decay	PSYU: Windermere	Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000	Computerized Waste	Region: 4 - Kootenay-Boundary	Compiled by: BCTS-EKFT
Project:	Computerized Breakage	District: 05 - Rocky Mountain	Cruised by: PIONEER FOREST
			Version: 2016.01 IFS build 6030

Block : (M) - 002:2, Plots in Block: 16, TUs: [A : 18.0]
Species: L.P. Pine

Type of Damage: / DBH Class	Total	Normal	E-Down
5			
10			
15	71.7	67.7	4.0
20	112.4	107.9	
25	35.6	35.6	
30	9.9	9.9	
35	5.2	5.2	
40			
45			
50			
55			
60			
65			
70			
75			
80			
85			
90			
95			
100			
105			
110			
115			
120			
125			
130			
135			
140			
145			
150			
175			
200			
225			
250			
275			
Total	234.8	226.3	4.0
Dead P	8.9		8.9
	Total Volumes for 7 Levels		
17.5 +	163.1	158.6	
22.5 +	50.7	50.7	
27.5 +	15.1	15.1	
32.5 +	5.2	5.2	
37.5 +			
42.5 +			
47.5 +			

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Block Stock Damage Table (m3/ha) [Insect Damage]

Block : (M) - 002:2, Plots in Block: 16, TUs: [A : 18.0]
Species: L.P. Pine

Type of Damage: DBH Class	Total	Normal	1-Grn
5			
10			
15	71.7	67.7	
20	112.4	107.9	4.5
25	35.6	35.6	
30	9.9	9.9	
35	5.2	5.2	
40			
45			
50			
55			
60			
65			
70			
75			
80			
85			
90			
95			
100			
105			
110			
115			
120			
125			
130			
135			
140			
145			
150			
175			
200			
225			
250			
275			
Total	234.8	226.3	4.5
Dead P	8.9		

Total Volumes for 7 Levels

17.5 +	163.1	158.6	4.5
22.5 +	50.7	50.7	
27.5 +	15.1	15.1	
32.5 +	5.2	5.2	
37.5 +			
42.5 +			
47.5 +			

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Block Stock Damage Table (m3/ha) [Blowdown Damage]

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
Version: 2016.01 IFS build 6030

Block : (M) - 003:3, Plots in Block: 8, TUs: [A : 7.2]
Species: L.P. Pine

Type of Damage: DBH Class	Total	Normal	E-Down
5			
10			
15	49.0	49.0	
20	96.7	96.7	
25	33.7	33.7	
30			
35			
40			
45			
50			
55			
60			
65			
70			
75			
80			
85			
90			
95			
100			
105			
110			
115			
120			
125			
130			
135			
140			
145			
150			
175			
200			
225			
250			
275			
Total	179.4	179.4	
Dead P	6.7	1.8	5.0

Total Volumes for 7 Levels

17.5 +	130.4	130.4	
22.5 +	33.7	33.7	
27.5 +			
32.5 +			
37.5 +			
42.5 +			
47.5 +			

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Block Stock Damage Table (m3/ha) [Blowdown Damage]

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
Version: 2016.01 IFS build 6030

Block : (M) - 004:4, Plots in Block: 33, TUs: [B : 34.9]
Species: L.P. Pine

Type of Damage:	Total	Normal	E-Down	G-Shatt
DBH Class				
5				
10				
15	38.6	38.6		
20	116.8	116.8		
25	135.9	135.9		
30	35.3	30.9		
35	9.8	9.8		
40	10.1	10.1		
45				
50				
55				
60				
65				
70				
75				
80				
85				
90				
95				
100				
105				
110				
115				
120				
125				
130				
135				
140				
145				
150				
175				
200				
225				
250				
275				
Total	346.6	342.2		
Dead P	16.7	7.7	7.7	1.3

Total Volumes for 7 Levels

17.5 +	308.0	303.6
22.5 +	191.1	186.7
27.5 +	55.2	50.8
32.5 +	19.9	19.9
37.5 +	10.1	10.1
42.5 +		
47.5 +		

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Block Stock Damage Table (m3/ha) [Blowdown Damage]

06-Mar-2017 01:00:33PM

Average Line Method	Grades: MOF Computerized	FIZ: F	Filename: a90479_march_3_new_comp.ccp
BCTS	Computerized Decay	PSYU: Windermere	Compiled by: BCTS-EKFT
Licence Number: A90479 CP: 000	Computerized Waste	Region: 4 - Kootenay-Boundary	Cruised by: PIONEER FOREST
Project:	Computerized Breakage	District: 05 - Rocky Mountain	Version: 2016.01 IFS build 6030

Block : (M) - 004:4, Plots in Block: 33, TUs: [B : 34.9]
Species: Spruce

DBH Class	Type of Damage: Total	Normal	E-Down
5			
10			
15			
20	11.0	11.0	
25	12.6	12.6	
30	4.4	4.4	
35	11.3	11.3	
40	7.4	7.4	
45	14.4	14.4	
50	2.4	2.4	
55	5.1	5.1	
60			
65			
70			
75			
80			
85			
90			
95			
100			
105			
110			
115			
120			
125			
130			
135			
140			
145			
150			
175			
200			
225			
250			
275			
Total	68.6	68.6	
Dead P	1.9		1.9

Total Volumes for 7 Levels

17.5 +	68.6	68.6
22.5 +	57.6	57.6
27.5 +	45.0	45.0
32.5 +	40.6	40.6
37.5 +	29.3	29.3
42.5 +	21.9	21.9
47.5 +	7.5	7.5

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Block Stock Damage Table (m3/ha) [Insect Damage]

Block : (M) - 004:4, Plots in Block: 33, TUs: [B : 34.9]
Species: L.P. Pine

Type of Damage: DBH Class	Total	Normal	2-Red
5			
10			
15	38.6	38.6	
20	116.8	116.8	
25	135.9	135.9	
30	35.3	30.9	4.4
35	9.8	9.8	
40	10.1	10.1	
45			
50			
55			
60			
65			
70			
75			
80			
85			
90			
95			
100			
105			
110			
115			
120			
125			
130			
135			
140			
145			
150			
175			
200			
225			
250			
275			
Total	346.6	342.2	4.4
Dead P	16.7	7.7	

Total Volumes for 7 Levels

17.5 +	308.0	303.6	4.4
22.5 +	191.1	186.7	4.4
27.5 +	55.2	50.8	4.4
32.5 +	19.9	19.9	
37.5 +	10.1	10.1	
42.5 +			
47.5 +			

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Block Stand Damage Table (stems/ha) [Blowdown Damage]

Average Line Method
BCTS
Licence Number: A90479 CP: 000
Project:

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: F
PSYU: Windermere
Region: 4 - Kootenay-Boundary
District: 05 - Rocky Mountain

06-Mar-2017 01:00:33PM
Filename: a90479_march_3_new_comp.ccp
Compiled by: BCTS-EKFT
Cruised by: PIONEER FOREST
Version: 2016.01   IFS build 6030

Block : (M) - 001:1, Plots in Block: 23,   TUs: [B : 26.3]
Species: Balsam

Type of Damage: DBH Class	Total	Normal	E-Down
5			
10			
15			
20			
25			
30			
35			
40	2.6	2.6	
45	2.3		2.3
50	1.8	1.8	
55			
60			
65			
70			
75			
80			
85			
90			
95			
100			
105			
110			
115			
120			
125			
130			
135			
140			
145			
150			
175			
200			
225			
250			
275			
Total	6.7	4.4	2.3
Dead P			
Dead U			
Live U			

	Average DBH(cm) at 5 Levels		
12.5 +	43.3	43.5	42.7
17.5 +	43.3	43.5	42.7
22.5 +	43.3	43.5	42.7
27.5 +	43.3	43.5	42.7
32.5 +	43.3	43.5	42.7

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Block Stand Damage Table (stems/ha) [Blowdown Damage]

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
Version: 2016.01 IFS build 6030

Block : (M) - 001:1, Plots in Block: 23, TUs: [B : 26.3]
Species: L.P. Pine

Type of Damage: / DBH Class	Total	Normal	E-Down	G-Shatt
5				
10				
15	95.2	95.2		
20	511.0	485.3		
25	252.2	243.3		
30	68.6	68.6		
35	21.6	16.1		
40	2.9	2.9		
45				
50				
55				
60				
65				
70				
75				
80				
85				
90				
95				
100				
105				
110				
115				
120				
125				
130				
135				
140				
145				
150				
175				
200				
225				
250				
275				
Total	951.5	911.2		
Dead P	456.8	210.7	123.3	17.6
Dead U				
Live U				

Average DBH(cm) at 5 Levels

12.5 +	22.3	22.2
17.5 +	22.9	22.8
22.5 +	26.7	26.7
27.5 +	30.7	30.5
32.5 +	34.5	34.9

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Block Stand Damage Table (stems/ha) [Insect Damage]

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
Version: 2016.01 IFS build 6030

Block : (M) - 001:1, Plots in Block: 23, TUs: [B : 26.3]
Species: L.P. Pine

Type of Damage: DBH Class	Total	Normal	1-Grn	3-Grey
5				
10				
15	95.2	95.2		
20	511.0	485.3	25.8	
25	252.2	243.3	8.9	
30	68.6	68.6		
35	21.6	16.1	5.5	
40	2.9	2.9		
45				
50				
55				
60				
65				
70				
75				
80				
85				
90				
95				
100				
105				
110				
115				
120				
125				
130				
135				
140				
145				
150				
175				
200				
225				
250				
275				
Total	951.5	911.2	40.3	
Dead P	456.8	210.7		105.2
Dead U				
Live U				

	Average DBH(cm) at 5 Levels			
12.5 +	22.3	22.2	24.6	
17.5 +	22.9	22.8	24.6	
22.5 +	26.7	26.7	28.8	
27.5 +	30.7	30.5	32.9	
32.5 +	34.5	34.9	32.9	

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Block Stand Damage Table (stems/ha) [Blowdown Damage]

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
Version: 2016.01 IFS build 6030

Block : (M) - 002:2, Plots in Block: 16, TUs: [A : 18.0]
Species: L.P. Pine

Type of Damage:	Total	Normal	E-Down
DBH Class			
5			
10			
15	566.3	536.9	29.5
20	399.5	384.5	
25	76.0	76.0	
30	12.9	12.9	
35	4.7	4.7	
40			
45			
50			
55			
60			
65			
70			
75			
80			
85			
90			
95			
100			
105			
110			
115			
120			
125			
130			
135			
140			
145			
150			
175			
200			
225			
250			
275			
Total	1059.6	1015.1	29.5
Dead P	98.3		98.3
Dead U			
Live U			
	Average DBH(cm) at 5 Levels		
12.5 +	18.3	18.4	14.7
17.5 +	21.3	21.3	
22.5 +	26.1	26.1	
27.5 +	32.9	32.9	
32.5 +	36.7	36.7	

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Block Stand Damage Table (stems/ha) [Insect Damage]

Average Line Method
BCTS
Licence Number: A90479 CP: 000
Project:

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: F
PSYU: Windermere
Region: 4 - Kootenay-Boundary
District: 05 - Rocky Mountain

06-Mar-2017 01:00:33PM
Filename: a90479_march_3_new_comp.ccp
Compiled by: BCTS-EKFT
Cruised by: PIONEER FOREST
Version: 2016.01   IFS build 6030

Block : (M) - 002:2, Plots in Block: 16,   TUs: [A : 18.0]
Species: L.P. Pine

Type of Damage:	Total	Normal	1-Grn
DBH Class			
5			
10			
15	566.3	536.9	
20	399.5	384.5	15.0
25	76.0	76.0	
30	12.9	12.9	
35	4.7	4.7	
40			
45			
50			
55			
60			
65			
70			
75			
80			
85			
90			
95			
100			
105			
110			
115			
120			
125			
130			
135			
140			
145			
150			
175			
200			
225			
250			
275			
Total	1059.6	1015.1	15.0
Dead P	98.3		
Dead U			
Live U			
	Average DBH(cm) at 5 Levels		
12.5 +	18.3	18.4	20.6
17.5 +	21.3	21.3	20.6
22.5 +	26.1	26.1	
27.5 +	32.9	32.9	
32.5 +	36.7	36.7	

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Block Stand Damage Table (stems/ha) [Blowdown Damage]

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
Version: 2016.01 IFS build 6030

Block : (M) - 003:3, Plots in Block: 8, TUs: [A : 7.2]
Species: L.P. Pine

Type of Damage:	Total	Normal	E-Down
DBH Class			
5			
10			
15	402.7	402.7	
20	371.0	371.0	
25	83.7	83.7	
30			
35			
40			
45			
50			
55			
60			
65			
70			
75			
80			
85			
90			
95			
100			
105			
110			
115			
120			
125			
130			
135			
140			
145			
150			
175			
200			
225			
250			
275			
Total	857.5	857.5	
Dead P	73.7	16.8	56.9
Dead U			
Live U			
	Average DBH(cm) at 5 Levels		
12.5 +	18.0	18.0	
17.5 +	20.3	20.3	
22.5 +	22.7	22.7	
27.5 +			
32.5 +			

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Block Stand Damage Table (stems/ha) [Blowdown Damage]

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
Version: 2016.01 IFS build 6030

Block : (M) - 004:4, Plots in Block: 33, TUs: [B : 34.9]
Species: L.P. Pine

Type of Damage: DBH Class	Total	Normal	E-Down	G-Shatt
5				
10				
15	353.2	353.2		
20	418.5	418.5		
25	292.9	292.9		
30	54.5	47.0		
35	10.5	10.5		
40	8.1	8.1		
45				
50				
55				
60				
65				
70				
75				
80				
85				
90				
95				
100				
105				
110				
115				
120				
125				
130				
135				
140				
145				
150				
175				
200				
225				
250				
275				
Total	1137.7	1130.3		
Dead P	152.0	68.8	75.0	8.2
Dead U	15.3	15.3		
Live U				

Average DBH(cm) at 5 Levels

12.5 +	20.9	20.8
17.5 +	23.0	23.0
22.5 +	26.0	25.9
27.5 +	31.0	31.1
32.5 +	36.2	36.2

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Block Stand Damage Table (stems/ha) [Blowdown Damage]

Average Line Method
BCTS
Licence Number: A90479 CP: 000
Project:

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: F
PSYU: Windermere
Region: 4 - Kootenay-Boundary
District: 05 - Rocky Mountain

06-Mar-2017 01:00:33PM
Filename: a90479_march_3_new_comp.ccp
Compiled by: BCTS-EKFT
Cruised by: PIONEER FOREST
Version: 2016.01   IFS build 6030

Block : (M) - 004:4, Plots in Block: 33,   TUs: [B : 34.9]
Species: Spruce

Type of Damage:	Total	Normal	E-Down
DBH Class			
5			
10			
15			
20	57.7	57.7	
25	29.9	29.9	
30	6.6	6.6	
35	12.1	12.1	
40	5.7	5.7	
45	9.2	9.2	
50	1.3	1.3	
55	2.2	2.2	
60			
65			
70			
75			
80			
85			
90			
95			
100			
105			
110			
115			
120			
125			
130			
135			
140			
145			
150			
175			
200			
225			
250			
275			
Total	124.8	124.8	
Dead P	4.1		4.1
Dead U			
Live U			

	Average DBH(cm) at 5 Levels		
12.5 +	28.3	28.3	
17.5 +	28.3	28.3	
22.5 +	34.1	34.1	
27.5 +	39.7	39.7	
32.5 +	41.5	41.5	

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Block Stand Damage Table (stems/ha) [Insect Damage]

Average Line Method
BCTS
Licence Number: A90479 CP: 000
Project:

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: F
PSYU: Windermere
Region: 4 - Kootenay-Boundary
District: 05 - Rocky Mountain

06-Mar-2017 01:00:33PM
Filename: a90479_march_3_new_comp.ccp
Compiled by: BCTS-EKFT
Cruised by: PIONEER FOREST
Version: 2016.01   IFS build 6030

Block : (M) - 004:4, Plots in Block: 33,   TUs: [B : 34.9]
Species: L.P. Pine

Type of Damage:	Total	Normal	2-Red
DBH Class			
5			
10			
15	353.2	353.2	
20	418.5	418.5	
25	292.9	292.9	
30	54.5	47.0	7.4
35	10.5	10.5	
40	8.1	8.1	
45			
50			
55			
60			
65			
70			
75			
80			
85			
90			
95			
100			
105			
110			
115			
120			
125			
130			
135			
140			
145			
150			
175			
200			
225			
250			
275			
Total	1137.7	1130.3	7.4
Dead P	152.0	68.8	
Dead U	15.3	15.3	
Live U			
	Average DBH(cm) at 5 Levels		
12.5 +	20.9	20.8	30.3
17.5 +	23.0	23.0	30.3
22.5 +	26.0	25.9	30.3
27.5 +	31.0	31.1	30.3
32.5 +	36.2	36.2	

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Stock Damage Table (m3/ha) [Blowdown Damage]

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
Version: 2016.01 IFS build 6030

Type 1 (M):Pl636-0/18, Plots in Type: 8, TUs: [B : 10.5]
Species: L.P. Pine

DBH Class	Total	Normal	E-Down	G-Shatt
5				
10				
15	33.3	33.3		
20	185.0	173.3		
25	176.9	176.9		
30	58.8	58.8		
35	14.7	14.7		
40				
45				
50				
55				
60				
65				
70				
75				
80				
85				
90				
95				
100				
105				
110				
115				
120				
125				
130				
135				
140				
145				
150				
175				
200				
225				
250				
275				
Total	468.8	457.1		
Dead P	59.2	10.4	13.0	7.5

Total Volumes for 7 Levels

17.5 +	435.5	423.8
22.5 +	250.5	250.5
27.5 +	73.5	73.5
32.5 +	14.7	14.7
37.5 +		
42.5 +		
47.5 +		

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Stock Damage Table (m3/ha) [Insect Damage]

			06-Mar-2017 01:00:33PM
Average Line Method	Grades: MOF Computerized	FIZ: F	Filename: a90479_march_3_new_comp.ccp
BCTS	Computerized Decay	PSYU: Windermere	Compiled by: BCTS-EKFT
Licence Number: A90479 CP: 000	Computerized Waste	Region: 4 - Kootenay-Boundary	Cruised by: PIONEER FOREST
Project:	Computerized Breakage	District: 05 - Rocky Mountain	Version: 2016.01 IFS build 6030

Type 1 (M):P1636-0/18, Plots in Type: 8, TUs: [B : 10.5]
Species: L.P. Pine

Type of Damage:	Total	Normal	1-Grn	3-Grey
DBH Class				
5				
10				
15	33.3	33.3		
20	185.0	173.3	11.7	
25	176.9	176.9		
30	58.8	58.8		
35	14.7	14.7		
40				
45				
50				
55				
60				
65				
70				
75				
80				
85				
90				
95				
100				
105				
110				
115				
120				
125				
130				
135				
140				
145				
150				
175				
200				
225				
250				
275				
Total	468.8	457.1	11.7	
Dead P	59.2	10.4		28.4

Total Volumes for 7 Levels

17.5 +	435.5	423.8	11.7	
22.5 +	250.5	250.5		
27.5 +	73.5	73.5		
32.5 +	14.7	14.7		
37.5 +				
42.5 +				
47.5 +				

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Stock Damage Table (m3/ha) [Blowdown Damage]

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
Version: 2016.01 IFS build 6030

Type 2 (M):Pl636-0/18, Plots in Type: 9, TUs: [B : 9.3]
Species: L.P. Pine

Type of Damage:	Total	Normal	E-Down
DBH Class			
5			
10			
15	9.0	9.0	
20	156.6	143.3	
25	134.2	119.3	
30	22.8	22.8	
35	14.9		
40			
45			
50			
55			
60			
65			
70			
75			
80			
85			
90			
95			
100			
105			
110			
115			
120			
125			
130			
135			
140			
145			
150			
175			
200			
225			
250			
275			
Total	337.5	294.4	
Dead P	132.0	25.9	15.0

Total Volumes for 7 Levels

17.5 +	328.5	285.4	
22.5 +	171.9	142.1	
27.5 +	37.7	22.8	
32.5 +	14.9		
37.5 +			
42.5 +			
47.5 +			

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Stock Damage Table (m3/ha) [Insect Damage]

Average Line Method	Grades: MOF Computerized	FIZ: F	06-Mar-2017 01:00:33PM
BCTS	Computerized Decay	PSYU: Windermere	Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000	Computerized Waste	Region: 4 - Kootenay-Boundary	Compiled by: BCTS-EKFT
Project:	Computerized Breakage	District: 05 - Rocky Mountain	Cruised by: PIONEER FOREST
			Version: 2016.01 IFS build 6030

Type 2 (M):Pl636-0/18, Plots in Type: 9, TUs: [B : 9.3]
Species: L.P. Pine

Type of Damage: / DBH Class	Total	Normal	1-Grn	3-Grey
5				
10				
15	9.0	9.0		
20	156.6	143.3	13.3	
25	134.2	119.3	14.9	
30	22.8	22.8		
35	14.9		14.9	
40				
45				
50				
55				
60				
65				
70				
75				
80				
85				
90				
95				
100				
105				
110				
115				
120				
125				
130				
135				
140				
145				
150				
175				
200				
225				
250				
275				
Total	337.5	294.4	43.1	
Dead P	132.0	25.9		91.1

Total Volumes for 7 Levels

17.5 +	328.5	285.4	43.1	
22.5 +	171.9	142.1	29.8	
27.5 +	37.7	22.8	14.9	
32.5 +	14.9		14.9	
37.5 +				
42.5 +				
47.5 +				

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Stock Damage Table (m3/ha) [Blowdown Damage]

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
Version: 2016.01 IFS build 6030

Type 3 (M):PlSe(Bl)\635/17, Plots in Type: 6, TUs: [B : 6.5]
Species: Balsam

Type of Damage: DBH Class	Total	Normal	E-Down
5			
10			
15			
20			
25			
30			
35			
40	13.2	13.2	
45	13.2		13.2
50	14.2	14.2	
55			
60			
65			
70			
75			
80			
85			
90			
95			
100			
105			
110			
115			
120			
125			
130			
135			
140			
145			
150			
175			
200			
225			
250			
275			
Total	40.6	27.4	13.2

Dead P

Total Volumes for 7 Levels

17.5 +	40.6	27.4	13.2
22.5 +	40.6	27.4	13.2
27.5 +	40.6	27.4	13.2
32.5 +	40.6	27.4	13.2
37.5 +	40.6	27.4	13.2
42.5 +	27.4	14.2	13.2
47.5 +	14.2	14.2	

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Stock Damage Table (m3/ha) [Blowdown Damage]

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
Version: 2016.01 IFS build 6030

Type 3 (M):PlSe(Bl)\635/17, Plots in Type: 6, TUs: [B : 6.5]
Species: L.P. Pine
Type of Damage: Total Normal G-Shatt

DBH Class			
5			
10			
15			
20	44.3	44.3	
25	48.7	48.7	
30	69.7	69.7	
35	39.2	39.2	
40	10.4	10.4	
45			
50			
55			
60			
65			
70			
75			
80			
85			
90			
95			
100			
105			
110			
115			
120			
125			
130			
135			
140			
145			
150			
175			
200			
225			
250			
275			
Total	212.3	212.3	
Dead P	37.8	29.5	8.3

Total Volumes for 7 Levels

17.5 +	212.3	212.3	
22.5 +	168.0	168.0	
27.5 +	119.3	119.3	
32.5 +	49.5	49.5	
37.5 +	10.4	10.4	
42.5 +			
47.5 +			

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Stock Damage Table (m3/ha) [Blowdown Damage]

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
Version: 2016.01 IFS build 6030

Type 4 (M):Pl(Fd) 437-0/18, Plots in Type: 16, TUs: [A : 18.0]
Species: L.P. Pine

Type of Damage:	Total	Normal	E-Down
DBH Class			
5			
10			
15	71.7	67.7	4.0
20	112.4	107.9	
25	35.6	35.6	
30	9.9	9.9	
35	5.2	5.2	
40			
45			
50			
55			
60			
65			
70			
75			
80			
85			
90			
95			
100			
105			
110			
115			
120			
125			
130			
135			
140			
145			
150			
175			
200			
225			
250			
275			
Total	234.8	226.3	4.0
Dead P	8.9		8.9

Total Volumes for 7 Levels

17.5 +	163.1	158.6	
22.5 +	50.7	50.7	
27.5 +	15.1	15.1	
32.5 +	5.2	5.2	
37.5 +			
42.5 +			
47.5 +			

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Average Line Method | Grades: MOF Computerized | FIZ: F | Filename: a90479_march_3_new_comp.ccp
BCTS | Computerized Decay | PSYU: Windermere | Compiled by: BCTS-EKFT
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Cruised by: PIONEER FOREST
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Version: 2016.01 IFS build 6030

Type 4 (M):Pl(Fd) 437-0/18, Plots in Type: 16, TUs: [A : 18.0]
Species: L.P. Pine

Type of Damage: DBH Class	Total	Normal	1-Grn
5			
10			
15	71.7	67.7	
20	112.4	107.9	4.5
25	35.6	35.6	
30	9.9	9.9	
35	5.2	5.2	
40			
45			
50			
55			
60			
65			
70			
75			
80			
85			
90			
95			
100			
105			
110			
115			
120			
125			
130			
135			
140			
145			
150			
175			
200			
225			
250			
275			
Total	234.8	226.3	4.5
Dead P	8.9		

Total Volumes for 7 Levels

17.5 +	163.1	158.6	4.5
22.5 +	50.7	50.7	
27.5 +	15.1	15.1	
32.5 +	5.2	5.2	
37.5 +			
42.5 +			
47.5 +			

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Stock Damage Table (m3/ha) [Blowdown Damage]

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
Version: 2016.01 IFS build 6030

Type 6 (M):PlFd 437-0/18, Plots in Type: 6, TUs: [A : 6.1]
Species: L.P. Pine

Type of Damage: DBH Class	Total	Normal	E-Down
5			
10			
15	38.0	38.0	
20	90.9	90.9	
25	39.8	39.8	
30			
35			
40			
45			
50			
55			
60			
65			
70			
75			
80			
85			
90			
95			
100			
105			
110			
115			
120			
125			
130			
135			
140			
145			
150			
175			
200			
225			
250			
275			
Total	168.7	168.7	
Dead P	5.9		5.9

Total Volumes for 7 Levels

17.5 +	130.7	130.7	
22.5 +	39.8	39.8	
27.5 +			
32.5 +			
37.5 +			
42.5 +			
47.5 +			

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Stock Damage Table (m3/ha) [Blowdown Damage]

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
Version: 2016.01 IFS build 6030

Type 7 (M):Pl 636-0/15, Plots in Type: 27, TUs: [B : 28.1]
Species: L.P. Pine

Type of Damage:	Total	Normal	E-Down	G-Shatt
DBH Class				
5				
10				
15	44.3	44.3		
20	104.8	104.8		
25	122.6	122.6		
30	35.4	29.9		
35	12.2	12.2		
40	12.5	12.5		
45				
50				
55				
60				
65				
70				
75				
80				
85				
90				
95				
100				
105				
110				
115				
120				
125				
130				
135				
140				
145				
150				
175				
200				
225				
250				
275				
Total	331.9	326.4		
Dead P	19.2	8.0	9.5	1.6

Total Volumes for 7 Levels

17.5 +	287.6	282.1		
22.5 +	182.8	177.3		
27.5 +	60.1	54.7		
32.5 +	24.8	24.8		
37.5 +	12.5	12.5		
42.5 +				
47.5 +				

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Stock Damage Table (m3/ha) [Blowdown Damage]

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
Version: 2016.01 IFS build 6030

Type 7 (M):Pl 636-0/15, Plots in Type: 27, TUs: [B : 28.1]
Species: Spruce

Type of Damage: DBH Class	Total	Normal	E-Down
5			
10			
15			
20	11.6	11.6	
25	12.7	12.7	
30	5.5	5.5	
35	14.0	14.0	
40	9.2	9.2	
45	17.9	17.9	
50	3.0	3.0	
55	6.3	6.3	
60			
65			
70			
75			
80			
85			
90			
95			
100			
105			
110			
115			
120			
125			
130			
135			
140			
145			
150			
175			
200			
225			
250			
275			
Total	80.2	80.2	
Dead P	2.4		2.4

Total Volumes for 7 Levels

17.5 +	80.2	80.2
22.5 +	68.6	68.6
27.5 +	55.9	55.9
32.5 +	50.4	50.4
37.5 +	36.4	36.4
42.5 +	27.2	27.2
47.5 +	9.3	9.3

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Average Line Method | Grades: MOF Computerized | FIZ: F | Filename: a90479_march_3_new_comp.ccp
BCTS | Computerized Decay | PSYU: Windermere | Compiled by: BCTS-EKFT
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Cruised by: PIONEER FOREST
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Version: 2016.01 IFS build 6030

Type 7 (M):Pl 636-0/15, Plots in Type: 27, TUs: [B : 28.1]
Species: L.P. Pine

Type of Damage: DBH Class	Total	Normal	2-Red
5			
10			
15	44.3	44.3	
20	104.8	104.8	
25	122.6	122.6	
30	35.4	29.9	5.5
35	12.2	12.2	
40	12.5	12.5	
45			
50			
55			
60			
65			
70			
75			
80			
85			
90			
95			
100			
105			
110			
115			
120			
125			
130			
135			
140			
145			
150			
175			
200			
225			
250			
275			
Total	331.9	326.4	5.5
Dead P	19.2	8.0	

Total Volumes for 7 Levels

17.5 +	287.6	282.1	5.5
22.5 +	182.8	177.3	5.5
27.5 +	60.1	54.7	5.5
32.5 +	24.8	24.8	
37.5 +	12.5	12.5	
42.5 +			
47.5 +			

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Stand Damage Table (stems/ha) [Blowdown Damage]

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
Version: 2016.01 IFS build 6030

Type 1 (M):Pl636-0/18, Plots in Type: 8, TUs: [B : 10.5]
Species: L.P. Pine

Type of Damage:	Total	Normal	E-Down	G-Shatt
DBH Class				
5				
10				
15	174.2	174.2		
20	657.8	626.1		
25	327.6	327.6		
30	74.5	74.5		
35	12.7	12.7		
40				
45				
50				
55				
60				
65				
70				
75				
80				
85				
90				
95				
100				
105				
110				
115				
120				
125				
130				
135				
140				
145				
150				
175				
200				
225				
250				
275				
Total	1246.8	1215.1		
Dead P	352.3	137.6	111.8	24.1
Dead U				
Live U				
	Average DBH(cm) at 5 Levels			
12.5 +	21.7	21.7		
17.5 +	22.5	22.5		
22.5 +	26.3	26.3		
27.5 +	30.2	30.2		
32.5 +	35.4	35.4		

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Stand Damage Table (stems/ha) [Insect Damage]

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
Version: 2016.01 IFS build 6030

Type 1 (M):Pl636-0/18, Plots in Type: 8, TUs: [B : 10.5]
Species: L.P. Pine

Type of Damage:	Total	Normal	1-Grn	3-Grey
DBH Class				
5				
10				
15	174.2	174.2		
20	657.8	626.1	31.7	
25	327.6	327.6		
30	74.5	74.5		
35	12.7	12.7		
40				
45				
50				
55				
60				
65				
70				
75				
80				
85				
90				
95				
100				
105				
110				
115				
120				
125				
130				
135				
140				
145				
150				
175				
200				
225				
250				
275				
Total	1246.8	1215.1	31.7	
Dead P	352.3	137.6		78.8
Dead U				
Live U				
	Average DBH(cm) at 5 Levels			
12.5 +	21.7	21.7	22.4	
17.5 +	22.5	22.5	22.4	
22.5 +	26.3	26.3		
27.5 +	30.2	30.2		
32.5 +	35.4	35.4		

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Stand Damage Table (stems/ha) [Blowdown Damage]

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
Version: 2016.01 IFS build 6030

Type 2 (M):Pl636-0/18, Plots in Type: 9, TUs: [B : 9.3]
Species: L.P. Pine

Type of Damage: DBH Class	Total	Normal	E-Down
5			
10			
15	72.5	72.5	
20	613.5	576.5	
25	271.5	246.2	
30	41.8	41.8	
35	15.7		
40			
45			
50			
55			
60			
65			
70			
75			
80			
85			
90			
95			
100			
105			
110			
115			
120			
125			
130			
135			
140			
145			
150			
175			
200			
225			
250			
275			
Total	1015.1	937.0	
Dead P	813.9	383.0	222.3
Dead U			
Live U			

Average DBH(cm) at 5 Levels

12.5 +	21.6	21.3	
17.5 +	22.1	21.7	
22.5 +	25.9	25.5	
27.5 +	29.8	28.5	
32.5 +	32.9		

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Stand Damage Table (stems/ha) [Insect Damage]

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
Version: 2016.01 IFS build 6030

Type 2 (M):Pl636-0/18, Plots in Type: 9, TUs: [B : 9.3]
Species: L.P. Pine

Type of Damage: DBH Class	Total	Normal	1-Grn	3-Grey
5				
10				
15	72.5	72.5		
20	613.5	576.5	37.1	
25	271.5	246.2	25.3	
30	41.8	41.8		
35	15.7		15.7	
40				
45				
50				
55				
60				
65				
70				
75				
80				
85				
90				
95				
100				
105				
110				
115				
120				
125				
130				
135				
140				
145				
150				
175				
200				
225				
250				
275				
Total	1015.1	937.0	78.1	
Dead P	813.9	383.0		208.7
Dead U				
Live U				

Average DBH(cm) at 5 Levels

12.5 +	21.6	21.3	25.5	
17.5 +	22.1	21.7	25.5	
22.5 +	25.9	25.5	28.8	
27.5 +	29.8	28.5	32.9	
32.5 +	32.9		32.9	

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Stand Damage Table (stems/ha) [Blowdown Damage]

Average Line Method
BCTS
Licence Number: A90479 CP: 000
Project:

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: F
PSYU: Windermere
Region: 4 - Kootenay-Boundary
District: 05 - Rocky Mountain

06-Mar-2017 01:00:33PM
Filename: a90479_march_3_new_comp.ccp
Compiled by: BCTS-EKFT
Cruised by: PIONEER FOREST
Version: 2016.01   IFS build 6030

Type 3 (M):PlSe(Bl)\635/17, Plots in Type: 6, TUs: [B : 6.5]
Species: Balsam

DBH Class	Total	Normal	E-Down
5			
10			
15			
20			
25			
30			
35			
40	10.5	10.5	
45	9.3		9.3
50	7.5	7.5	
55			
60			
65			
70			
75			
80			
85			
90			
95			
100			
105			
110			
115			
120			
125			
130			
135			
140			
145			
150			
175			
200			
225			
250			
275			
Total	27.2	17.9	9.3
Dead P			
Dead U			
Live U			

	Average DBH(cm) at 5 Levels		
12.5 +	43.3	43.5	42.7
17.5 +	43.3	43.5	42.7
22.5 +	43.3	43.5	42.7
27.5 +	43.3	43.5	42.7
32.5 +	43.3	43.5	42.7

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Stand Damage Table (stems/ha) [Blowdown Damage]

Average Line Method
BCTS
Licence Number: A90479 CP: 000
Project:

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: F
PSYU: Windermere
Region: 4 - Kootenay-Boundary
District: 05 - Rocky Mountain

06-Mar-2017 01:00:33PM
Filename: a90479_march_3_new_comp.ccp
Compiled by: BCTS-EKFT
Cruised by: PIONEER FOREST
Version: 2016.01   IFS build 6030

Type 3 (M):PlSe(Bl)\635/17, Plots in Type: 6, TUs: [B : 6.5]
Species: L.P. Pine

Type of Damage:	Total	Normal	G-Shatt
DBH Class			
5			
10			
15			
20	127.2	127.2	
25	102.9	102.9	
30	97.3	97.3	
35	44.6	44.6	
40	11.6	11.6	
45			
50			
55			
60			
65			
70			
75			
80			
85			
90			
95			
100			
105			
110			
115			
120			
125			
130			
135			
140			
145			
150			
175			
200			
225			
250			
275			
Total	383.6	383.6	
Dead P	114.7	82.3	32.4
Dead U			
Live U			

Average DBH(cm) at 5 Levels

12.5 +	27.0	27.0	
17.5 +	27.0	27.0	
22.5 +	29.3	29.3	
27.5 +	31.5	31.5	
32.5 +	34.7	34.7	

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Stand Damage Table (stems/ha) [Blowdown Damage]

Average Line Method
BCTS
Licence Number: A90479 CP: 000
Project:

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: F
PSYU: Windermere
Region: 4 - Kootenay-Boundary
District: 05 - Rocky Mountain

06-Mar-2017 01:00:33PM
Filename: a90479_march_3_new_comp.ccp
Compiled by: BCTS-EKFT
Cruised by: PIONEER FOREST
Version: 2016.01   IFS build 6030

Type 4 (M):Pl(Fd) 437-0/18, Plots in Type: 16, TUs: [A : 18.0]
Species: L.P. Pine

Type of Damage:	Total	Normal	E-Down
DBH Class			
5			
10			
15	566.3	536.9	29.5
20	399.5	384.5	
25	76.0	76.0	
30	12.9	12.9	
35	4.7	4.7	
40			
45			
50			
55			
60			
65			
70			
75			
80			
85			
90			
95			
100			
105			
110			
115			
120			
125			
130			
135			
140			
145			
150			
175			
200			
225			
250			
275			
Total	1059.6	1015.1	29.5
Dead P	98.3		98.3
Dead U			
Live U			
	Average DBH(cm) at 5 Levels		
12.5 +	18.3	18.4	14.7
17.5 +	21.3	21.3	
22.5 +	26.1	26.1	
27.5 +	32.9	32.9	
32.5 +	36.7	36.7	

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Stand Damage Table (stems/ha) [Insect Damage]

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
Version: 2016.01 IFS build 6030

Type 4 (M):Pl(Fd) 437-0/18, Plots in Type: 16, TUs: [A : 18.0]
Species: L.P. Pine

Type of Damage:	Total	Normal	1-Grn
DBH Class			
5			
10			
15	566.3	536.9	
20	399.5	384.5	15.0
25	76.0	76.0	
30	12.9	12.9	
35	4.7	4.7	
40			
45			
50			
55			
60			
65			
70			
75			
80			
85			
90			
95			
100			
105			
110			
115			
120			
125			
130			
135			
140			
145			
150			
175			
200			
225			
250			
275			
Total	1059.6	1015.1	15.0
Dead P	98.3		
Dead U			
Live U			
	Average DBH(cm) at 5 Levels		
12.5 +	18.3	18.4	20.6
17.5 +	21.3	21.3	20.6
22.5 +	26.1	26.1	
27.5 +	32.9	32.9	
32.5 +	36.7	36.7	

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Stand Damage Table (stems/ha) [Blowdown Damage]

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
Version: 2016.01 IFS build 6030

Type 6 (M):PlFd 437-0/18, Plots in Type: 6, TUs: [A : 6.1]
Species: L.P. Pine

DBH Class	Total	Normal	E-Down
5			
10			
15	309.0	309.0	
20	341.4	341.4	
25	98.8	98.8	
30			
35			
40			
45			
50			
55			
60			
65			
70			
75			
80			
85			
90			
95			
100			
105			
110			
115			
120			
125			
130			
135			
140			
145			
150			
175			
200			
225			
250			
275			
Total	749.3	749.3	
Dead P	67.2		67.2
Dead U			
Live U			

Average DBH(cm) at 5 Levels

12.5 +	18.4	18.4	
17.5 +	20.6	20.6	
22.5 +	22.7	22.7	
27.5 +			
32.5 +			

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Stand Damage Table (stems/ha) [Blowdown Damage]

Average Line Method
BCTS
Licence Number: A90479 CP: 000
Project:

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: F
PSYU: Windermere
Region: 4 - Kootenay-Boundary
District: 05 - Rocky Mountain

06-Mar-2017 01:00:33PM
Filename: a90479_march_3_new_comp.ccp
Compiled by: BCTS-EKFT
Cruised by: PIONEER FOREST
Version: 2016.01   IFS build 6030

Type 7 (M):Pl 636-0/15, Plots in Type: 27, TUs: [B : 28.1]
Species: L.P. Pine

Type of Damage:	Total	Normal	E-Down	G-Shatt
DBH Class				
5				
10				
15	407.6	407.6		
20	368.9	368.9		
25	261.4	261.4		
30	56.3	47.0		
35	13.0	13.0		
40	10.0	10.0		
45				
50				
55				
60				
65				
70				
75				
80				
85				
90				
95				
100				
105				
110				
115				
120				
125				
130				
135				
140				
145				
150				
175				
200				
225				
250				
275				
Total	1117.3	1108.1		
Dead P	171.2	67.9	93.2	10.1
Dead U	19.0	19.0		
Live U				

Average DBH(cm) at 5 Levels

12.5 +	20.7	20.6		
17.5 +	23.4	23.3		
22.5 +	26.4	26.3		
27.5 +	31.3	31.4		
32.5 +	36.2	36.2		

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Stand Damage Table (stems/ha) [Blowdown Damage]

Average Line Method
BCTS
Licence Number: A90479 CP: 000
Project:

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: F
PSYU: Windermere
Region: 4 - Kootenay-Boundary
District: 05 - Rocky Mountain

06-Mar-2017 01:00:33PM
Filename: a90479_march_3_new_comp.ccp
Compiled by: BCTS-EKFT
Cruised by: PIONEER FOREST
Version: 2016.01   IFS build 6030

Type 7 (M):Pl 636-0/15, Plots in Type: 27, TUs: [B : 28.1]
Species: Spruce

Type of Damage: DBH Class	Total	Normal	E-Down
5			
10			
15			
20	62.5	62.5	
25	28.5	28.5	
30	8.3	8.3	
35	15.0	15.0	
40	7.0	7.0	
45	11.5	11.5	
50	1.7	1.7	
55	2.7	2.7	
60			
65			
70			
75			
80			
85			
90			
95			
100			
105			
110			
115			
120			
125			
130			
135			
140			
145			
150			
175			
200			
225			
250			
275			
Total	137.0	137.0	
Dead P	5.1		5.1
Dead U			
Live U			

Average DBH(cm) at 5 Levels			
12.5 +	29.0	29.0	
17.5 +	29.0	29.0	
22.5 +	35.1	35.1	
27.5 +	39.7	39.7	
32.5 +	41.5	41.5	

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Stand Damage Table (stems/ha) [Insect Damage]

Type 7 (M):Pl 636-0/15, Plots in Type: 27, TUs: [B : 28.1]
Species: L.P. Pine

Type of Damage: DBH Class	Total	Normal	2-Red
5			
10			
15	407.6	407.6	
20	368.9	368.9	
25	261.4	261.4	
30	56.3	47.0	9.2
35	13.0	13.0	
40	10.0	10.0	
45			
50			
55			
60			
65			
70			
75			
80			
85			
90			
95			
100			
105			
110			
115			
120			
125			
130			
135			
140			
145			
150			
175			
200			
225			
250			
275			
Total	1117.3	1108.1	9.2
Dead P	171.2	67.9	
Dead U	19.0	19.0	
Live U			

	Average DBH(cm) at 5 Levels		
12.5 +	20.7	20.6	30.3
17.5 +	23.4	23.3	30.3
22.5 +	26.4	26.3	30.3
27.5 +	31.3	31.4	30.3
32.5 +	36.2	36.2	

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Extended Type Stand & Stock Table

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
| | | Version: 2016.01 IFS build 6030

Type : 1 (M) P1636-0/18 [Species:Doug-Fir][B : 10.5]

	AVERAGE			LIVING TREES							
DBH	Height	Gross Volume Per Tree	Net Volume Per Tree	Risk Group 1	Risk Group 2	Risk Group 3	Dead Potential	Total	Live Veterans	Dead Useless	Live Useless
(cm)	(m)	(m3)	(m3)	(stems/ha)	(stems/ha)	(stems/ha)	(stems/ha)	(stems/ha)	(stems/ha)	(stems/ha)	(stems/ha)
5											
10											
15											
20											
25											
30											
35	26.9	0.918	0.891	11.88				11.88			
40	25.6	1.110	1.076	9.20				9.20			
45											
50											
55											
60											
65											
70											
75											
80											
85											
90											
95											
100											
105											
110											
115											
120											
125											
130											
135											
140											
145											
150											
175											
200											
225											
250											
275											
Total of Averages				21.08				21.08			
Percent by Tree Class				100.00				100.00			

Average DBH(cm) at 5 Levels

Trees 12.5 +				38.86				38.86			
Trees 17.5 +				38.86				38.86			
Trees 22.5 +				38.86				38.86			
Trees 27.5 +				38.86				38.86			
Trees 32.5 +				38.86				38.86			

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Extended Type Stand & Stock Table

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
| | | Version: 2016.01 IFS build 6030

Type : 1 (M) Pl636-0/18 [Species:L.P. Pine][B : 10.5]

AVERAGE			LIVING TREES							
DBH	Height	Gross Volume Per Tree	Net Volume Per Tree	Risk Group 1	Risk Group 2	Risk Group 3	Dead Potential	Total	Live Veterans	Dead Useless	Live Useless
(cm)	(m)	(m3)	(m3)	(stems/ha)	(stems/ha)	(stems/ha)	(stems/ha)	(stems/ha)	(stems/ha)	(stems/ha)	(stems/ha)
5											
10											
15	20.3	0.138	0.119		174.20		226.23	400.43			
20	23.0	0.292	0.281		657.85			657.85			
25	26.1	0.552	0.489	24.86	302.70		126.04	453.60			
30	28.5	0.820	0.790	37.50	36.97			74.47			
35	29.0	1.191	1.158	12.70				12.70			
40											
45											
50											
55											
60											
65											
70											
75											
80											
85											
90											
95											
100											
105											
110											
115											
120											
125											
130											
135											
140											
145											
150											
175											
200											
225											
250											
275											
Total of Averages				75.07	1171.72		352.27	1599.05			
Percent by Tree Class				4.69	73.28		22.03	100.00			

Average DBH(cm) at 5 Levels

Trees 12.5 +	29.12	21.17		19.01	21.16
Trees 17.5 +	29.12	21.88		25.13	22.76
Trees 22.5 +	29.12	25.61		25.13	26.02
Trees 27.5 +	30.84	29.34			30.21
Trees 32.5 +	35.40				35.40

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Extended Type Stand & Stock Table

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
Version: 2016.01 IFS build 6030

Type : 2 (M) Pl636-0/18 [Species:L.P. Pine][B : 9.3]

	AVERAGE			LIVING TREES							
DBH	Height	Gross Volume Per Tree	Net Volume Per Tree	Risk Group 1	Risk Group 2	Risk Group 3	Dead Potential	Total	Live Veterans	Dead Useless	Live Useless
(cm)	(m)	(m3)	(m3)	(stems/ha)	(stems/ha)	(stems/ha)	(stems/ha)	(stems/ha)	(stems/ha)	(stems/ha)	(stems/ha)
5											
10											
15	16.4	0.081	0.060		72.52		519.89	592.41			
20	21.0	0.262	0.244	92.30	521.23		85.39	698.92			
25	24.9	0.517	0.442	56.67	214.86		166.14	437.67			
30	24.6	0.671	0.562		41.80		18.49	60.29			
35	27.6	1.051	0.849		15.68		13.47	29.15			
40	30.9	1.598	1.044				10.56	10.56			
45											
50											
55											
60											
65											
70											
75											
80											
85											
90											
95											
100											
105											
110											
115											
120											
125											
130											
135											
140											
145											
150											
175											
200											
225											
250											
275											
Total of Averages				148.96	866.10		813.93	1829.00			
Percent by Tree Class				8.14	47.35		44.50	100.00			
Average DBH(cm) at 5 Levels											
Trees 12.5 +				21.35	21.69		18.83	20.44			
Trees 17.5 +				21.35	22.18		25.20	22.84			
Trees 22.5 +				24.48	26.19		27.06	26.36			
Trees 27.5 +					29.77		34.61	31.91			
Trees 32.5 +					32.90		37.59	35.81			

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Extended Type Stand & Stock Table

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
| | | Version: 2016.01 IFS build 6030

Type : 3 (M) PlSe(Bl)\635/17 [Species:Aspen][B : 6.5]

	AVERAGE			LIVING TREES							
DBH	Height	Gross Volume Per Tree	Net Volume Per Tree	Risk Group 1	Risk Group 2	Risk Group 3	Dead Potential	Total	Live Veterans	Dead Useless	Live Useless
(cm)	(m)	(m3)	(m3)	(stems/ha)	(stems/ha)	(stems/ha)	(stems/ha)	(stems/ha)	(stems/ha)	(stems/ha)	(stems/ha)
5											
10											
15											
20		0.157	0.076								
25											
30											
35											
40											
45											
50											
55											
60											
65											
70											
75											
80											
85											
90											
95											
100											
105											
110											
115											
120											
125											
130											
135											
140											
145											
150											
175											
200											
225											
250											
275											

Total of Averages
Percent by Tree Class

Average DBH(cm) at 5 Levels

Trees 12.5 +	19.20		19.20	19.20
Trees 17.5 +	19.20		19.20	19.20
Trees 22.5 +				
Trees 27.5 +				
Trees 32.5 +				

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Extended Type Stand & Stock Table

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
| | | Version: 2016.01 IFS build 6030

Type : 3 (M) PlSe(Bl)\635/17 [Species:Balsam][B : 6.5]

AVERAGE			LIVING TREES							
DBH	Height	Gross Volume Per Tree	Net Volume Per Tree	Risk Group 1	Risk Group 2	Risk Group 3	Dead Potential	Total	Live Veterans	Dead Useless	Live Useless
(cm)	(m)	(m3)	(m3)	(stems/ha)	(stems/ha)	(stems/ha)	(stems/ha)	(stems/ha)	(stems/ha)	(stems/ha)	(stems/ha)
5											
10											
15											
20											
25											
30											
35											
40	26.5	1.315	1.262	10.45				10.45			
45	27.5	1.529	1.422		9.31			9.31			
50	28.6	1.978	1.899	7.46				7.46			
55											
60											
65											
70											
75											
80											
85											
90											
95											
100											
105											
110											
115											
120											
125											
130											
135											
140											
145											
150											
175											
200											
225											
250											
275											
Total of Averages				17.91	9.31			27.23			
Percent by Tree Class				65.80	34.20			100.00			

Average DBH(cm) at 5 Levels

Trees 12.5 +			43.54	42.70	43.25
Trees 17.5 +			43.54	42.70	43.25
Trees 22.5 +			43.54	42.70	43.25
Trees 27.5 +			43.54	42.70	43.25
Trees 32.5 +			43.54	42.70	43.25

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Extended Type Stand & Stock Table

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
| | | Version: 2016.01 IFS build 6030

Type : 3 (M) PlSe(Bl)\635/17 [Species:L.P. Pine][B : 6.5]

AVERAGE			LIVING TREES							
DBH	Height	Gross Volume Per Tree	Net Volume Per Tree	Risk Group 1	Risk Group 2	Risk Group 3	Dead Potential	Total	Live Veterans	Dead Useless	Live Useless
(cm)	(m)	(m3)	(m3)	(stems/ha)	(stems/ha)	(stems/ha)	(stems/ha)	(stems/ha)	(stems/ha)	(stems/ha)	(stems/ha)
5											
10											
15											
20	22.8	0.341	0.310		127.20		41.61	168.80			
25	22.7	0.466	0.422		102.88		32.37	135.26			
30	24.8	0.717	0.653	62.84	34.44		25.99	123.27			
35	25.0	0.910	0.878	29.40	15.22			44.62			
40	21.1	1.043	0.799		11.63		14.71	26.35			
45											
50											
55											
60											
65											
70											
75											
80											
85											
90											
95											
100											
105											
110											
115											
120											
125											
130											
135											
140											
145											
150											
175											
200											
225											
250											
275											
Total of Averages				92.24	291.38		114.69	498.30			
Percent by Tree Class				18.51	58.47		23.02	100.00			

Average DBH(cm) at 5 Levels

Trees 12.5 +	30.33	25.88		27.21	27.06
Trees 17.5 +	30.33	25.88		27.21	27.06
Trees 22.5 +	30.33	28.76		30.48	29.60
Trees 27.5 +	30.33	33.29		35.37	32.38
Trees 32.5 +	33.98	35.56		41.60	36.27

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Extended Type Stand & Stock Table

06-Mar-2017 01:00:33PM

Average Line Method | Grades: MOF Computerized | FIZ: F | Filename: a90479_march_3_new_comp.ccp
BCTS | Computerized Decay | PSYU: Windermere | Compiled by: BCTS-EKFT
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Cruised by: PIONEER FOREST
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Version: 2016.01 IFS build 6030

Type : 3 (M) PlSe(Bl)\635/17 [Species:Spruce][B : 6.5]

	AVERAGE			LIVING TREES							
DBH	Height	Gross Volume Per Tree	Net Volume Per Tree	Risk Group 1	Risk Group 2	Risk Group 3	Dead Potential	Total	Live Veterans	Dead Useless	Live Useless
(cm)	(m)	(m3)	(m3)	(stems/ha)	(stems/ha)	(stems/ha)	(stems/ha)	(stems/ha)	(stems/ha)	(stems/ha)	(stems/ha)
5											
10											
15											
20	24.2	0.362	0.351	51.21				51.21			
25	22.2	0.390	0.378	43.48				43.48			
30	27.7	0.868	0.842	16.27				16.27			
35	25.9	1.028	0.997	25.28				25.28			
40	26.9	1.393	1.351	28.51				28.51			
45	28.1	1.653	1.603	8.38				8.38			
50	32.6	2.549	2.435	6.23	6.21			12.44			
55	30.8	2.663	2.583	5.57				5.57			
60	30.7	2.872	2.700		5.12			5.12			
65											
70	30.4	4.137	3.889		3.42			3.42			
75											
80											
85											
90											
95											
100											
105											
110											
115											
120											
125											
130											
135											
140											
145											
150											
175											
200											
225											
250											
275											
Total of Averages				184.94	14.74			199.67			
Percent by Tree Class				92.62	7.38			100.00			

Average DBH(cm) at 5 Levels

Trees 12.5 +			33.19	58.78	35.71
Trees 17.5 +			33.19	58.78	35.71
Trees 22.5 +			36.51	58.78	39.29
Trees 27.5 +			41.15	58.78	44.05
Trees 32.5 +			42.85	58.78	45.88

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Extended Type Stand & Stock Table

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
| | | Version: 2016.01 IFS build 6030

Type : 4 (M) Pl(Fd) 437-0/18 [Species:Balsam][A : 18.0]

	AVERAGE			LIVING TREES							
DBH	Height	Gross Volume Per Tree	Net Volume Per Tree	Risk Group 1	Risk Group 2	Risk Group 3	Dead Potential	Total	Live Veterans	Dead Useless	Live Useless
(cm)	(m)	(m3)	(m3)	(stems/ha)	(stems/ha)	(stems/ha)	(stems/ha)	(stems/ha)	(stems/ha)	(stems/ha)	(stems/ha)
5											
10											
15											
20	19.8	0.228	0.224	33.12				33.12			
25	22.5	0.424	0.416	20.79				20.79			
30											
35											
40											
45											
50											
55											
60											
65											
70											
75											
80											
85											
90											
95											
100											
105											
110											
115											
120											
125											
130											
135											
140											
145											
150											
175											
200											
225											
250											
275											
Total of Averages				53.91				53.91			
Percent by Tree Class				100.00				100.00			

Average DBH(cm) at 5 Levels

Trees 12.5 +				21.73				21.73			
Trees 17.5 +				21.73				21.73			
Trees 22.5 +				24.75				24.75			
Trees 27.5 +											
Trees 32.5 +											

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Extended Type Stand & Stock Table

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
Version: 2016.01 IFS build 6030

Type : 4 (M) Pl(Fd) 437-0/18 [Species:Doug-Fir][A : 18.0]

	AVERAGE			LIVING TREES							
DBH	Height	Gross Volume Per Tree	Net Volume Per Tree	Risk Group 1	Risk Group 2	Risk Group 3	Dead Potential	Total	Live Veterans	Dead Useless	Live Useless
(cm)	(m)	(m3)	(m3)	(stems/ha)	(stems/ha)	(stems/ha)	(stems/ha)	(stems/ha)	(stems/ha)	(stems/ha)	(stems/ha)
5											
10											
15											
20	18.7	0.182	0.179	80.76				80.76			
25	21.5	0.383	0.376	27.49				27.49			
30	24.1	0.590	0.579	13.29				13.29			
35	26.0	0.736	0.721	5.78				5.78			
40											
45	27.0	1.357	1.329	0.16				0.16			
50											
55											
60	26.3	2.398	2.221		0.08			0.08	0.08		
65	29.8	3.036	2.814		0.08			0.08	0.08		
70	28.3	3.447	3.198		0.06			0.06	0.06		
75											
80	33.5	5.242	4.885		0.10			0.10	0.10		
85	35.0	6.214	5.804		0.04			0.04	0.04		
90											
95	28.7	5.859	5.496		0.04			0.04	0.04		
100											
105											
110											
115											
120											
125											
130											
135											
140											
145											
150											
175											
200											
225											
250											
275											
Total of Averages				127.48	0.40			127.87	0.40		
Percent by Tree Class				99.69	0.31			100.00	0.31		

Average DBH(cm) at 5 Levels

Trees 12.5 +	24.20	75.08			29.56	75.08
Trees 17.5 +	24.20	75.08			29.56	75.08
Trees 22.5 +	29.94	75.08			39.33	75.08
Trees 27.5 +	33.85	75.08			48.21	75.08
Trees 32.5 +	37.75	75.08			58.33	75.08

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Extended Type Stand & Stock Table

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
| | | Version: 2016.01 IFS build 6030

Type : 4 (M) Pl(Fd) 437-0/18 [Species:L.P. Pine][A : 18.0]

	AVERAGE			LIVING TREES							
DBH	Height	Gross Volume Per Tree	Net Volume Per Tree	Risk Group 1	Risk Group 2	Risk Group 3	Dead Potential	Total	Live Veterans	Dead Useless	Live Useless
(cm)	(m)	(m3)	(m3)	(stems/ha)	(stems/ha)	(stems/ha)	(stems/ha)	(stems/ha)	(stems/ha)	(stems/ha)	(stems/ha)
5											
10											
15	19.3	0.127	0.119	331.02	235.32		88.18	654.52			
20	22.2	0.290	0.281	247.00	152.55			399.55			
25	24.1	0.471	0.443	33.27	42.75		10.10	86.13			
30	24.6	0.794	0.765	6.34	6.58			12.92			
35	26.1	1.129	1.099	4.73				4.73			
40											
45											
50											
55											
60											
65											
70											
75											
80											
85											
90											
95											
100											
105											
110											
115											
120											
125											
130											
135											
140											
145											
150											
175											
200											
225											
250											
275											
Total of Averages				622.35	437.20		98.29	1157.84			
Percent by Tree Class				53.75	37.76		8.49	100.00			

Average DBH(cm) at 5 Levels

Trees 12.5 +	18.09	18.69		16.10	18.16
Trees 17.5 +	20.91	21.75		25.10	21.34
Trees 22.5 +	26.79	25.40		25.10	25.98
Trees 27.5 +	33.93	31.10			32.90
Trees 32.5 +	36.70				36.70

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Extended Type Stand & Stock Table

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
| | | Version: 2016.01 IFS build 6030

Type : 4 (M) Pl(Fd) 437-0/18 [Species:Spruce][A : 18.0]

	AVERAGE			LIVING TREES							
DBH	Height	Gross Volume Per Tree	Net Volume Per Tree	Risk Group 1	Risk Group 2	Risk Group 3	Dead Potential	Total	Live Veterans	Dead Useless	Live Useless
(cm)	(m)	(m3)	(m3)	(stems/ha)	(stems/ha)	(stems/ha)	(stems/ha)	(stems/ha)	(stems/ha)	(stems/ha)	(stems/ha)
5											
10											
15											
20											
25	21.2	0.419	0.411	9.64				9.64			
30											
35	23.4	0.904	0.886	4.86				4.86			
40	27.0	1.210	1.186	4.19				4.19			
45											
50											
55											
60	33.5	3.592	3.484	1.66				1.66			
65											
70											
75											
80											
85											
90											
95											
100											
105											
110											
115											
120											
125											
130											
135											
140											
145											
150											
175											
200											
225											
250											
275											
Total of Averages				20.34				20.34			
Percent by Tree Class				100.00				100.00			

Average DBH(cm) at 5 Levels

Trees 12.5 +				35.38				35.38			
Trees 17.5 +				35.38				35.38			
Trees 22.5 +				35.38				35.38			
Trees 27.5 +				42.24				42.24			
Trees 32.5 +				42.24				42.24			

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Extended Type Stand & Stock Table

Average Line Method	Grades: MOF Computerized	FIZ: F	06-Mar-2017 01:00:33PM Filename: a90479_march_3_new_comp.ccp
BCTS	Computerized Decay	PSYU: Windermere	Compiled by: BCTS-EKFT
Licence Number: A90479 CP: 000	Computerized Waste	Region: 4 - Kootenay-Boundary	Cruised by: PIONEER FOREST
Project:	Computerized Breakage	District: 05 - Rocky Mountain	Version: 2016.01 IFS build 6030

Type : 5 (M) PlFd 437 0/17 [Species:Doug-Fir][A : 1.1]

	AVERAGE			LIVING TREES							
DBH	Height	Gross Volume Per Tree	Net Volume Per Tree	Risk Group 1	Risk Group 2	Risk Group 3	Dead Potential	Total	Live Veterans	Dead Useless	Live Useless
(cm)	(m)	(m3)	(m3)	(stems/ha)	(stems/ha)	(stems/ha)	(stems/ha)	(stems/ha)	(stems/ha)	(stems/ha)	(stems/ha)
5											
10											
15											
20											
25											
30	21.5	0.435	0.426	33.86				33.86			
35											
40											
45											
50											
55											
60											
65											
70											
75											
80											
85											
90											
95											
100											
105											
110											
115											
120											
125											
130											
135											
140											
145											
150											
175											
200											
225											
250											
275											
Total of Averages				33.86				33.86			
Percent by Tree Class				100.00				100.00			

Average DBH(cm) at 5 Levels

Trees 12.5 +	28.10				28.10
Trees 17.5 +	28.10				28.10
Trees 22.5 +	28.10				28.10
Trees 27.5 +	28.10				28.10
Trees 32.5 +					

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Extended Type Stand & Stock Table

Average Line Method	Grades: MOF Computerized	FIZ: F	06-Mar-2017 01:00:33PM
BCTS	Computerized Decay	PSYU: Windermere	Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000	Computerized Waste	Region: 4 - Kootenay-Boundary	Compiled by: BCTS-EKFT
Project:	Computerized Breakage	District: 05 - Rocky Mountain	Cruised by: PIONEER FOREST
			Version: 2016.01 IFS build 6030

Type : 5 (M) PlFd 437 0/17 [Species:L.P. Pine][A : 1.1]

	AVERAGE			LIVING TREES							
DBH	Height	Gross Volume Per Tree	Net Volume Per Tree	Risk Group 1	Risk Group 2	Risk Group 3	Dead Potential	Total	Live Veterans	Dead Useless	Live Useless
(cm)	(m)	(m3)	(m3)	(stems/ha)	(stems/ha)	(stems/ha)	(stems/ha)	(stems/ha)	(stems/ha)	(stems/ha)	(stems/ha)
5											
10											
15	17.9	0.127	0.118	108.86	813.10		110.14	1032.10			
20	21.5	0.248	0.241	260.45	274.73			535.18			
25											
30											
35											
40											
45											
50											
55											
60											
65											
70											
75											
80											
85											
90											
95											
100											
105											
110											
115											
120											
125											
130											
135											
140											
145											
150											
175											
200											
225											
250											
275											
Total of Averages				369.31	1087.83		110.14	1567.29			
Percent by Tree Class				23.56	69.41		7.03	100.00			

Average DBH(cm) at 5 Levels

Trees 12.5 +	18.57	16.23	17.00	16.86	
Trees 17.5 +	19.15	18.64		18.89	
Trees 22.5 +					
Trees 27.5 +					
Trees 32.5 +					

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Extended Type Stand & Stock Table

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
| | | Version: 2016.01 IFS build 6030

Type : 5 (M) PlFd 437 0/17 [Species:Spruce][A : 1.1]

AVERAGE			LIVING TREES							
DBH	Height	Gross Volume Per Tree	Net Volume Per Tree	Risk Group 1	Risk Group 2	Risk Group 3	Dead Potential	Total	Live Veterans	Dead Useless	Live Useless
(cm)	(m)	(m3)	(m3)	(stems/ha)	(stems/ha)	(stems/ha)	(stems/ha)	(stems/ha)	(stems/ha)	(stems/ha)	(stems/ha)
5											
10											
15											
20	21.2	0.314	0.305	64.01				64.01			
25											
30											
35											
40											
45											
50											
55											
60											
65											
70											
75											
80											
85											
90											
95											
100											
105											
110											
115											
120											
125											
130											
135											
140											
145											
150											
175											
200											
225											
250											
275											
Total of Averages				64.01				64.01			
Percent by Tree Class				100.00				100.00			

Average DBH(cm) at 5 Levels

Trees 12.5 +	22.30	22.30
Trees 17.5 +	22.30	22.30
Trees 22.5 +		
Trees 27.5 +		
Trees 32.5 +		

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Extended Type Stand & Stock Table

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
| | | Version: 2016.01 IFS build 6030

Type : 6 (M) PlFd 437-0/18 [Species:Balsam][A : 6.1]

AVERAGE			LIVING TREES							
DBH	Height	Gross Volume Per Tree	Net Volume Per Tree	Risk Group 1	Risk Group 2	Risk Group 3	Dead Potential	Total	Live Veterans	Dead Useless	Live Useless
(cm)	(m)	(m3)	(m3)	(stems/ha)	(stems/ha)	(stems/ha)	(stems/ha)	(stems/ha)	(stems/ha)	(stems/ha)	(stems/ha)
5											
10											
15											
20											
25											
30	24.3	0.720	0.705	17.67				17.67			
35											
40											
45											
50											
55											
60											
65											
70											
75											
80											
85											
90											
95											
100											
105											
110											
115											
120											
125											
130											
135											
140											
145											
150											
175											
200											
225											
250											
275											
Total of Averages				17.67				17.67			
Percent by Tree Class				100.00				100.00			

Average DBH(cm) at 5 Levels

Trees 12.5 +	31.00		31.00
Trees 17.5 +	31.00		31.00
Trees 22.5 +	31.00		31.00
Trees 27.5 +	31.00		31.00
Trees 32.5 +			

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Extended Type Stand & Stock Table

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
| | | Version: 2016.01 IFS build 6030

Type : 6 (M) PlFd 437-0/18 [Species:Doug-Fir][A : 6.1]

AVERAGE			LIVING TREES							
DBH	Height	Gross Volume Per Tree	Net Volume Per Tree	Risk Group 1	Risk Group 2	Risk Group 3	Dead Potential	Total	Live Veterans	Dead Useless	Live Useless
(cm)	(m)	(m3)	(m3)	(stems/ha)	(stems/ha)	(stems/ha)	(stems/ha)	(stems/ha)	(stems/ha)	(stems/ha)	(stems/ha)
5											
10											
15											
20											
25											
30											
35											
40											
45											
50											
55	27.1	2.092	1.937		5.34			5.34	5.34		
60	27.3	2.237	2.071		2.81			2.81	2.81		
65	21.5	2.150	1.993		0.20			0.20	0.20		
70											
75											
80											
85											
90											
95											
100											
105											
110											
115											
120											
125											
130											
135											
140											
145											
150											
175											
200											
225											
250											
275											
Total of Averages					8.34			8.34	8.34		
Percent by Tree Class					100.00			100.00	100.00		

Average DBH(cm) at 5 Levels

Trees 12.5 +			59.64	59.64	59.64
Trees 17.5 +			59.64	59.64	59.64
Trees 22.5 +			59.64	59.64	59.64
Trees 27.5 +			59.64	59.64	59.64
Trees 32.5 +			59.64	59.64	59.64

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Extended Type Stand & Stock Table

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
| | | Version: 2016.01 IFS build 6030

Type : 6 (M) PlFd 437-0/18 [Species:L.P. Pine][A : 6.1]

	AVERAGE			LIVING TREES							
DBH	Height	Gross Volume Per Tree	Net Volume Per Tree	Risk Group 1	Risk Group 2	Risk Group 3	Dead Potential	Total	Live Veterans	Dead Useless	Live Useless
(cm)	(m)	(m3)	(m3)	(stems/ha)	(stems/ha)	(stems/ha)	(stems/ha)	(stems/ha)	(stems/ha)	(stems/ha)	(stems/ha)
5											
10											
15	19.9	0.127	0.117		309.02		67.15	376.17			
20	21.2	0.275	0.266	163.79	177.66			341.45			
25	24.1	0.415	0.403	66.19	32.66			98.85			
30											
35											
40											
45											
50											
55											
60											
65											
70											
75											
80											
85											
90											
95											
100											
105											
110											
115											
120											
125											
130											
135											
140											
145											
150											
175											
200											
225											
250											
275											
Total of Averages				229.98	519.34		67.15	816.47			
Percent by Tree Class				28.17	63.61		8.22	100.00			
Average DBH(cm) at 5 Levels											
Trees 12.5 +				21.05	17.15		15.90	18.24			
Trees 17.5 +				21.05	20.09			20.59			
Trees 22.5 +				22.65	22.80			22.70			
Trees 27.5 +											
Trees 32.5 +											

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Extended Type Stand & Stock Table

06-Mar-2017 01:00:33PM

Average Line Method | Grades: MOF Computerized | FIZ: F | Filename: a90479_march_3_new_comp.ccp
BCTS | Computerized Decay | PSYU: Windermere | Compiled by: BCTS-EKFT
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Cruised by: PIONEER FOREST
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Version: 2016.01 IFS build 6030

Type : 7 (M) Pl 636-0/15 [Species:Balsam][B : 28.1]

	AVERAGE			LIVING TREES							
DBH	Height	Gross Volume Per Tree	Net Volume Per Tree	Risk Group 1	Risk Group 2	Risk Group 3	Dead Potential	Total	Live Veterans	Dead Useless	Live Useless
(cm)	(m)	(m3)	(m3)	(stems/ha)	(stems/ha)	(stems/ha)	(stems/ha)	(stems/ha)	(stems/ha)	(stems/ha)	(stems/ha)
5											
10											
15											
20	18.9	0.196	0.191	19.25	13.86			33.11			
25	24.9	0.472	0.458	12.34				12.34			
30	25.7	0.707	0.677	17.59	3.90			21.49			
35	27.1	1.154	1.108	5.76				5.76			
40	28.9	1.502	1.442	2.22				2.22			
45	29.6	1.996	1.856		3.40			3.40			
50											
55											
60											
65											
70											
75											
80											
85											
90											
95											
100											
105											
110											
115											
120											
125											
130											
135											
140											
145											
150											
175											
200											
225											
250											
275											
Total of Averages				57.16	21.16			78.32			
Percent by Tree Class				72.98	27.02			100.00			
Average DBH(cm) at 5 Levels											
Trees 12.5 +				27.25	27.12			27.21			
Trees 17.5 +				27.25	27.12			27.21			
Trees 22.5 +				30.34	39.37			31.97			
Trees 27.5 +				32.70	39.37			34.30			
Trees 32.5 +				38.42	47.10			41.20			

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Extended Type Stand & Stock Table

06-Mar-2017 01:00:33PM

Average Line Method | Grades: MOF Computerized | FIZ: F | Filename: a90479_march_3_new_comp.ccp
BCTS | Computerized Decay | PSYU: Windermere | Compiled by: BCTS-EKFT
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Cruised by: PIONEER FOREST
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Version: 2016.01 IFS build 6030

Type : 7 (M) Pl 636-0/15 [Species:L.P. Pine][B : 28.1]

	AVERAGE			LIVING TREES							
DBH	Height	Gross Volume Per Tree	Net Volume Per Tree	Risk Group 1	Risk Group 2	Risk Group 3	Dead Potential	Total	Live Veterans	Dead Useless	Live Useless
(cm)	(m)	(m3)	(m3)	(stems/ha)	(stems/ha)	(stems/ha)	(stems/ha)	(stems/ha)	(stems/ha)	(stems/ha)	(stems/ha)
5											
10											
15	17.9	0.108	0.100	180.13	227.51		86.44	494.08		18.98	
20	21.9	0.283	0.264	114.23	254.70		70.54	439.47			
25	23.8	0.476	0.455	85.81	175.63		14.20	275.64			
30	24.1	0.666	0.629	14.47	41.79			56.26			
35	26.4	0.995	0.938		13.02			13.02			
40	27.4	1.313	1.250	5.14	4.89			10.03			
45											
50											
55											
60											
65											
70											
75											
80											
85											
90											
95											
100											
105											
110											
115											
120											
125											
130											
135											
140											
145											
150											
175											
200											
225											
250											
275											
Total of Averages				399.77	717.54		171.18	1288.49		18.98	
Percent by Tree Class				31.03	55.69		13.29	100.00		1.47	
Average DBH(cm) at 5 Levels											
Trees 12.5 +				19.97	21.11		17.57	20.32		14.10	
Trees 17.5 +				23.26	23.42		20.02	23.04			
Trees 22.5 +				26.16	26.52		23.05	26.28			
Trees 27.5 +				31.41	31.30			31.32			
Trees 32.5 +				38.33	35.55			36.19			

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Extended Type Stand & Stock Table

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
| | | Version: 2016.01 IFS build 6030

Type : 7 (M) Pl 636-0/15 [Species:W.W. Pine][B : 28.1]

	AVERAGE			LIVING TREES							
DBH	Height	Gross Volume Per Tree	Net Volume Per Tree	Risk Group 1	Risk Group 2	Risk Group 3	Dead Potential	Total	Live Veterans	Dead Useless	Live Useless
(cm)	(m)	(m3)	(m3)	(stems/ha)	(stems/ha)	(stems/ha)	(stems/ha)	(stems/ha)	(stems/ha)	(stems/ha)	(stems/ha)
5											
10											
15											
20											
25	18.2	0.327	0.318		6.39			6.39			
30											
35											
40											
45											
50											
55											
60											
65											
70											
75											
80											
85											
90											
95											
100											
105											
110											
115											
120											
125											
130											
135											
140											
145											
150											
175											
200											
225											
250											
275											
Total of Averages					6.39			6.39			
Percent by Tree Class					100.00			100.00			

Average DBH(cm) at 5 Levels

Trees 12.5 +		24.30	24.30
Trees 17.5 +		24.30	24.30
Trees 22.5 +		24.30	24.30
Trees 27.5 +			
Trees 32.5 +			

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Extended Type Stand & Stock Table

06-Mar-2017 01:00:33PM

Average Line Method | Grades: MOF Computerized | FIZ: F | Filename: a90479_march_3_new_comp.ccp
BCTS | Computerized Decay | PSYU: Windermere | Compiled by: BCTS-EKFT
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Cruised by: PIONEER FOREST
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Version: 2016.01 IFS build 6030

Type : 7 (M) Pl 636-0/15 [Species:Spruce][B : 28.1]

	AVERAGE			LIVING TREES							
DBH	Height	Gross Volume Per Tree	Net Volume Per Tree	Risk Group 1	Risk Group 2	Risk Group 3	Dead Potential	Total	Live Veterans	Dead Useless	Live Useless
(cm)	(m)	(m3)	(m3)	(stems/ha)	(stems/ha)	(stems/ha)	(stems/ha)	(stems/ha)	(stems/ha)	(stems/ha)	(stems/ha)
5											
10											
15											
20	17.9	0.191	0.186	62.49				62.49			
25	22.6	0.462	0.449	23.35	5.10		5.10	33.55			
30	25.5	0.701	0.669	4.28	3.98			8.25			
35	26.3	0.969	0.935	12.15	2.83			14.98			
40	27.6	1.359	1.309	7.02				7.02	2.37		
45	28.3	1.611	1.561	9.45	2.01			11.46			
50	28.2	1.857	1.802	1.65				1.65			
55	29.3	2.438	2.328	2.72				2.72	1.36		
60											
65											
70											
75											
80											
85											
90											
95											
100											
105											
110											
115											
120											
125											
130											
135											
140											
145											
150											
175											
200											
225											
250											
275											
Total of Averages				123.11	13.92		5.10	142.13	3.73		
Percent by Tree Class				86.62	9.79		3.59	100.00	2.62		

Average DBH(cm) at 5 Levels

Trees 12.5 +	28.50	32.93	27.20	28.92	47.70
Trees 17.5 +	28.50	32.93	27.20	28.92	47.70
Trees 22.5 +	35.61	32.93	27.20	34.67	47.70
Trees 27.5 +	40.56	35.82		39.70	47.70
Trees 32.5 +	41.76	39.47		41.47	47.70

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Extended Type Stand & Stock Table

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
Version: 2016.01 IFS build 6030

Type : 8 (M) Pl 636-0/15 [Species:L.P. Pine][B : 6.8]

	AVERAGE			LIVING TREES							
DBH	Height	Gross Volume Per Tree	Net Volume Per Tree	Risk Group 1	Risk Group 2	Risk Group 3	Dead Potential	Total	Live Veterans	Dead Useless	Live Useless
(cm)	(m)	(m3)	(m3)	(stems/ha)	(stems/ha)	(stems/ha)	(stems/ha)	(stems/ha)	(stems/ha)	(stems/ha)	(stems/ha)
5											
10											
15	14.7	0.122	0.106	63.81	64.56		72.77	201.14			
20	21.3	0.276	0.267	239.05	384.47			623.52			
25	23.9	0.467	0.451	199.79	223.33			423.12			
30	28.3	0.772	0.744	22.87	24.19			47.05			
35											
40											
45											
50											
55											
60											
65											
70											
75											
80											
85											
90											
95											
100											
105											
110											
115											
120											
125											
130											
135											
140											
145											
150											
175											
200											
225											
250											
275											
Total of Averages				525.52	696.54		72.77	1294.84			
Percent by Tree Class				40.59	53.79		5.62	100.00			

Average DBH(cm) at 5 Levels

Trees 12.5 +	21.74	21.59	16.20	21.38	
Trees 17.5 +	22.28	21.99		22.11	
Trees 22.5 +	24.50	24.85		24.68	
Trees 27.5 +	28.90	28.10		28.49	
Trees 32.5 +					

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Extended Type Stand & Stock Table

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
| | | Version: 2016.01 IFS build 6030

Type : 8 (M) Pl 636-0/15 [Species:Spruce][B : 6.8]

AVERAGE			LIVING TREES							
DBH	Height	Gross Volume Per Tree	Net Volume Per Tree	Risk Group 1	Risk Group 2	Risk Group 3	Dead Potential	Total	Live Veterans	Dead Useless	Live Useless
(cm)	(m)	(m3)	(m3)	(stems/ha)	(stems/ha)	(stems/ha)	(stems/ha)	(stems/ha)	(stems/ha)	(stems/ha)	(stems/ha)
5											
10											
15											
20	15.3	0.224	0.217	38.06				38.06			
25	21.8	0.345	0.335	36.10				36.10			
30											
35											
40											
45											
50											
55											
60											
65											
70											
75											
80											
85											
90											
95											
100											
105											
110											
115											
120											
125											
130											
135											
140											
145											
150											
175											
200											
225											
250											
275											
Total of Averages				74.17				74.17			
Percent by Tree Class				100.00				100.00			

Average DBH(cm) at 5 Levels

Trees 12.5 +				22.69				22.69			
Trees 17.5 +				22.69				22.69			
Trees 22.5 +				23.00				23.00			
Trees 27.5 +											
Trees 32.5 +											

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Plot Summary

06-Mar-2017 01:00:33PM

Average Line Method
BCTS
Licence Number: A90479 CP: 000
Project:

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: F
PSYU: Windermere
Region: 4 - Kootenay-Boundary
District: 05 - Rocky Mountain

Filename: a90479_march_3_new_comp.ccp
Compiled by: BCTS-EKFT
Cruised by: PIONEER FOREST
Version: 2016.01 IFS build 6030

Utilization Levels:	Minimum DBH	Top Diameter	Stump Height
Mature Blocks: (cm)	17.5	10.0	30
Immature Blocks:(cm)	12.0	10.0	30
Exception[PL]: (cm)	12.5	10.0	30

Standard Log Length:(m) 5.00

Forest Type	Block	Strip	Plot #	Size	Slope %	Species	# of Stems	Stems / Ha	Avg Diam	Gross Merch	Less Decay	Less DB	Less DWB	Cruise Date	Loss Ref No. YI	OI	M
1-Pl636-0/18	001		1	10.000F	60	L.P. Pine	3	560.20	26.11	349.87	344.29	337.30	337.30			804	
						All Sp.	3	560.20	26.11	349.87	344.29	337.30	337.30	1309			
			3	10.000F	62	L.P. Pine	5	980.49	25.48	558.45	548.38	512.65	512.65			804	
						G-Shatt	1	192.77	25.70	87.73	85.97	59.65	59.65			804	
						All Sp.	5	980.49	25.48	558.45	548.38	512.65	512.65	1309			
			4	10.000F	68	Doug-Fir	1	95.05	36.60	87.30	86.43	84.68	84.68			104	
						L.P. Pine	5	782.90	28.52	591.52	582.02	540.32	540.32			804	
						E-Down	1	185.48	26.20	106.68	104.55	72.54	72.54			804	
						All Sp.	6	877.95	29.50	678.82	668.45	625.00	625.00	1309			
			5	10.000F	65	Doug-Fir	1	73.57	41.60	81.63	80.82	79.18	79.18			104	
						L.P. Pine	7	2156.87	20.33	715.02	702.45	688.15	688.15			804	
						All Sp.	8	2230.44	21.37	796.65	783.27	767.34	767.34	1309			
			6	10.000F	64	L.P. Pine	5	1444.39	20.99	537.49	527.71	516.97	516.97			804	
						All Sp.	5	1444.39	20.99	537.49	527.71	516.97	516.97	1309			
			7	10.000F	57	L.P. Pine	8	2434.76	20.45	797.60	783.82	653.94	653.94			804	
						1-Grn	1	253.75	22.40	97.16	95.61	93.67	93.67			804	
						3-Grey	3	630.08	24.62	334.59	327.90	227.52	227.52			804	
						All Sp.	8	2434.76	20.45	797.60	783.82	653.94	653.94	1309			
			8	10.000F	65	L.P. Pine	7	2737.61	18.04	605.40	595.07	556.64	556.64			804	
						E-Down	1	709.09	13.40	45.42	44.78	31.16	31.16			804	
						All Sp.	7	2737.61	18.04	605.40	595.07	556.64	556.64	1309			
			12	10.000F	50	L.P. Pine	5	1695.19	19.38	433.87	426.93	418.25	418.25			804	
						All Sp.	5	1695.19	19.38	433.87	426.93	418.25	418.25	1309			
2-Pl636-0/18	001		10	12.000F	63	L.P. Pine	3	962.63	21.82	349.72	343.64	304.82	304.82			804	
						E-Down	1	370.77	20.30	113.68	111.86	77.76	77.76			804	
						All Sp.	3	962.63	21.82	349.72	343.64	304.82	304.82	1309			
			11	12.000F	67	L.P. Pine	6	1797.49	22.58	731.01	718.99	704.37	704.37			804	
						All Sp.	6	1797.49	22.58	731.01	718.99	704.37	704.37	1309			
			15	12.000F	61	L.P. Pine	7	2377.64	21.21	788.82	774.10	611.41	611.41			804	
						E-Down	1	697.54	14.80	45.85	45.20	31.45	31.45			804	
						1-Grn	2	561.40	23.33	264.13	259.35	254.06	254.06			804	
						3-Grey	3	720.98	25.21	406.78	398.65	276.61	276.61			804	
						All Sp.	7	2377.64	21.21	788.82	774.10	611.41	611.41	1310			
			16	12.000F	64	L.P. Pine	5	1836.63	20.39	493.82	485.43	475.55	475.55			804	
						All Sp.	5	1836.63	20.39	493.82	485.43	475.55	475.55	1309			
			17	12.000F	67	L.P. Pine	4	1694.50	18.99	419.41	412.38	403.99	403.99			804	
						All Sp.	4	1694.50	18.99	419.41	412.38	403.99	403.99	1309			
			20	12.000F	58	L.P. Pine	6	1607.61	23.88	759.15	734.31	546.31	546.31			804	
						1-Grn	1	141.16	32.90	141.93	136.68	133.84	133.84			804	
						3-Grey	4	652.41	30.61	563.86	545.02	375.86	375.86			804	
						All Sp.	6	1607.61	23.88	759.15	734.31	546.31	546.31	1309			
			21	12.000F	59	L.P. Pine	6	2750.26	18.26	617.27	609.20	492.00	492.00			804	
						E-Down	1	932.55	12.80	37.16	36.64	25.49	25.49			804	
						3-Grey	2	504.55	24.61	246.56	241.63	167.66	167.66			804	
						All Sp.	6	2750.26	18.26	617.27	609.20	492.00	492.00	1309			
			22	12.000F	61	L.P. Pine	3	767.56	24.44	322.64	316.82	310.37	310.37			804	
						All Sp.	3	767.56	24.44	322.64	316.82	310.37	310.37	1309			
			23	12.000F	34	L.P. Pine	5	2666.71	16.93	427.25	419.33	376.19	376.19			804	
						All Sp.	5	2666.71	16.93	427.25	419.33	376.19	376.19	1309			
3-PlSe(Bl)\635/17	001		9	8.000F	58	L.P. Pine	3	312.15	31.29	216.31	212.28	207.95	207.95			804	
						Spruce	2	113.85	42.30	147.62	146.14	143.19	143.19			504	
						All Sp.	5	426.01	34.58	363.93	358.42	351.14	351.14	1309			
			14	12.000F	55	L.P. Pine	5	999.10	27.65	515.22	501.93	437.15	437.15			804	
						Spruce	2	568.13	23.19	212.88	210.76	206.50	206.50			504	
						All Sp.	7	1567.23	26.12	728.11	712.69	643.64	643.64	1309			
			18	8.000F	67	L.P. Pine	2	173.05	34.31	149.99	146.98	143.98	143.98			804	
						Spruce	1	50.30	45.00	83.12	82.29	80.63	80.63			504	
						All Sp.	3	223.35	36.99	233.12	229.27	224.61	224.61	1309			
			19	8.000F	59	Balsam	2	107.49	43.54	170.99	167.57	164.15	164.15			406	
						Spruce	4	267.02	39.06	351.65	348.14	341.10	341.10			504	
						All Sp.	6	374.50	40.40	522.64	515.70	505.25	505.25	1309			
			24	8.000F	52	L.P. Pine	9	1505.53	24.68	780.98	767.24	711.42	711.42			804	
						G-Shatt	1	194.24	22.90	73.53	72.06	50.00	50.00			804	
						All Sp.	9	1505.53	24.68	780.98	767.24	711.42	711.42	1309			
			25	8.000F	53	Aspen	1										1510
						Balsam	1	55.87	42.70	85.44	81.17	79.46	79.46			406	
						E-Down	1	55.87	42.70	85.44	81.17	79.46	79.46			406	
						Spruce	5	198.74	50.62	431.84	419.54	410.90	410.90			504	
						All Sp.	7	254.61	48.99	517.28	500.70	490.36	490.36	1309			
4-Pl(Fd) 437-0/18	002		1	8.000F	35	L.P. Pine	4	1454.22	16.74	257.17	254.91	236.25	236.25			804	
						E-Down	1	491.22	14.40	48.27	47.59	33.11	33.11			804	
						All Sp.	4	1454.22	16.74	257.17	254.91	236.25	236.25	1309			
			2	8.000F	38	L.P. Pine	3	696.20	20.95	220.39	217.83	193.35	193.35			804	
						E-Down	1	352.45	17.00	71.67	70.67	49.17	49.17			804	
						All Sp.	3	696.20	20.95	220.39	217.83	193.35	193.35	1309			

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Plot Summary

06-Mar-2017 01:00:33PM

Average Line Method
BCTS
Licence Number: A90479 CP: 000
Project:

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: F
PSYU: Windermere
Region: 4 - Kootenay-Boundary
District: 05 - Rocky Mountain

Filename: a90479_march_3_new_comp.ccp
Compiled by: BCTS-EKFT
Cruised by: PIONEER FOREST
Version: 2016.01 IFS build 6030

Utilization Levels:	Minimum DBH	Top Diameter	Stump Height
Mature Blocks: (cm)	17.5	10.0	30
Immature Blocks:(cm)	12.0	10.0	30
Exception[PL]: (cm)	12.5	10.0	30

Standard Log Length:(m) 5.00

Forest Type	Block	Strip	Plot #	Plot Size	Slope %	Species	# of Stems	Stems / Ha	Avg Diam	Gross Merch	Less Decay	Less DB	Less DWB	Cruise Date	Loss YI	Loss OI	Ref No. M
4-Pl(Fd) 437-0/18	002		3	8.000F	37	Doug-Fir	1	145.05	26.50	59.10	59.10	57.92	57.92		103		
						L.P. Pine	6	1894.59	17.96	405.02	400.80	392.70	392.70			804	
						1-Grn	1	240.03	20.60	75.13	73.93	72.42	72.42			804	
						All Sp.	7	2039.63	18.70	464.12	459.90	450.61	450.61	1309			
			4	8.000F	38	Balsam	1	222.42	21.40	59.73	59.73	58.54	58.54		405		
						Doug-Fir	4	3.97	71.59	14.96	14.33	14.03	13.92				113
						All Sp.	5	226.39	23.24	74.70	74.06	72.57	72.46	1309			
			5	8.000F	23	Doug-Fir	4	1010.00	20.08	186.42	186.42	182.69	182.69		103		
						L.P. Pine	5	1641.91	17.61	360.99	356.20	348.98	348.98			804	
						Spruce	1	154.22	25.70	64.63	64.63	63.34	63.34		503		
						All Sp.	10	2806.13	19.05	612.05	607.25	595.01	595.01	1309			
			6	8.000F	24	Doug-Fir	2	241.29	29.06	114.37	114.37	112.08	112.08		103		
						L.P. Pine	2	346.96	24.23	161.82	158.59	155.35	155.35			804	
						Spruce	1	66.97	39.00	81.06	81.06	79.44	79.44		503		
						All Sp.	5	655.22	27.88	357.26	354.02	346.88	346.88	1309			
			7	8.000F	17	L.P. Pine	5	1817.37	16.74	257.41	253.54	240.46	240.46			804	
						E-Down	1	567.27	13.40	28.32	27.92	19.43	19.43			804	
						Spruce	1	26.58	61.90	95.48	94.52	92.61	92.61			504	
						All Sp.	6	1843.95	18.21	352.89	348.06	333.08	333.08	1309			
			9	8.000F	44	Doug-Fir	2	1.36	86.59	7.55	7.25	7.10	7.06				113
						L.P. Pine	7	2575.27	16.64	467.99	465.57	456.21	456.21			804	
						All Sp.	9	2576.63	16.75	475.54	472.82	463.31	463.27	1309			
			10	8.000F	34	L.P. Pine	5	1312.80	19.70	368.15	363.03	355.67	355.67			804	
						All Sp.	5	1312.80	19.70	368.15	363.03	355.67	355.67	1309			
			11	8.000F	28	L.P. Pine	3	342.62	29.86	227.30	223.21	201.96	201.96			804	
						E-Down	1	161.68	25.10	59.68	58.48	40.58	40.58			804	
						All Sp.	3	342.62	29.86	227.30	223.21	201.96	201.96	1309			
			12	8.000F	32	Balsam	1	136.67	27.30	73.93	73.93	72.45	72.45		405		
						Doug-Fir	1	0.99	71.70	3.41	3.27	3.20	3.17				113
						L.P. Pine	4	1220.29	18.27	290.22	288.20	282.40	282.40			804	
						All Sp.	6	1357.95	19.46	367.56	365.40	358.05	358.02	1309			
			13	8.000F	45	Balsam	2	503.45	20.12	128.37	128.37	125.80	125.80		405		
						Doug-Fir	1	153.02	25.80	52.93	52.93	51.87	51.87		103		
						L.P. Pine	1	471.37	14.70	66.19	65.26	63.94	63.94			804	
						E-Down	1	471.37	14.70	66.19	65.26	63.94	63.94			804	
						All Sp.	4	1127.85	19.01	247.49	246.56	241.61	241.61	1309			
			14	8.000F	27	Doug-Fir	3	208.11	31.68	139.12	139.12	136.33	136.33		103		
						All Sp.	3	208.11	31.68	139.12	139.12	136.33	136.33	1309			
			15	8.000F	22	Doug-Fir	1	282.16	19.00	48.97	48.97	48.00	48.00		103		
						L.P. Pine	6	1406.50	20.85	487.91	484.35	474.59	474.59			804	
						All Sp.	7	1688.66	20.55	536.88	533.33	522.59	522.59	1309			
			16	8.000F	45	L.P. Pine	5	1929.15	16.25	273.36	270.69	265.23	265.23			804	
						All Sp.	5	1929.15	16.25	273.36	270.69	265.23	265.23	1309			
			17	8.000F	26	L.P. Pine	4	1416.26	16.96	238.62	237.43	232.66	232.66			804	
						Spruce	1	77.73	36.20	70.30	70.30	68.89	68.89		503		
						All Sp.	5	1493.98	18.46	308.92	307.73	301.55	301.55	1309			
5-PlFd 437 0/17	003		1	5.000F	42	Doug-Fir	1	67.72	28.10	29.47	29.47	28.88	28.88		103		
						L.P. Pine	8	1587.24	17.91	337.16	333.85	317.63	317.63			804	
						Spruce	1	128.02	22.30	40.24	39.83	39.03	39.03			504	
						All Sp.	10	1782.99	18.74	406.87	403.15	385.54	385.54	1309			
			2	5.000F	53	L.P. Pine	6	1547.33	15.71	189.98	187.24	183.44	183.44			804	
						All Sp.	6	1547.33	15.71	189.98	187.24	183.44	183.44	1309			
6-PlFd 437-0/18	003		3	8.000F	37	Doug-Fir	2	48.86	57.03	104.64	99.87	97.77	96.90				113
						L.P. Pine	1	195.94	22.80	85.04	84.53	82.83	82.83			804	
						All Sp.	3	244.80	32.64	189.68	184.40	180.60	179.73	1309			
			4	8.000F	29	L.P. Pine	2	551.25	19.22	127.35	126.72	124.17	124.17			804	
						All Sp.	2	551.25	19.22	127.35	126.72	124.17	124.17	1309			
			5	8.000F	33	L.P. Pine	6	2533.35	15.53	357.06	351.92	330.43	330.43			804	
						E-Down	1	402.91	15.90	51.24	50.52	35.15	35.15			804	
						All Sp.	6	2533.35	15.53	357.06	351.92	330.43	330.43	1309			
			6	8.000F	27	L.P. Pine	4	929.30	20.94	303.84	300.63	294.56	294.56			804	
						All Sp.	4	929.30	20.94	303.84	300.63	294.56	294.56	1309			
			7	8.000F	33	Balsam	1	105.99	31.00	76.27	76.27	74.74	74.74		405		
						Doug-Fir	1	1.19	65.40	2.56	2.45	2.40	2.37				113
						L.P. Pine	1	195.94	22.80	79.28	77.69	76.11	76.11			804	
						All Sp.	3	303.13	26.25	158.11	156.41	153.25	153.22	1309			
			8	8.000F	38	L.P. Pine	2	493.02	20.33	143.66	142.23	139.35	139.35			804	
						All Sp.	2	493.02	20.33	143.66	142.23	139.35	139.35	1309			
7-Pl 636-0/15	004		1	9.000F	59	L.P. Pine	5	2053.35	16.70	315.42	313.01	306.70	306.70			804	
						All Sp.	5	2053.35	16.70	315.42	313.01	306.70	306.70	1410			
			2	9.000F	60	Balsam	2	225.89	31.85	175.15	171.64	168.14	168.14			406	
						L.P. Pine	1	192.47	24.40	73.61	72.14	70.67	70.67			804	
						Spruce	4	568.54	28.39	308.40	302.06	295.89	294.83			504	512
						All Sp.	7	986.91	28.51	557.16	545.85	534.70	533.64	1410			

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Plot Summary

06-Mar-2017 01:00:33PM

Average Line Method | Grades: MOF Computerized | FIZ: F | Filename: a90479_march_3_new_comp.ccp
BCTS | Computerized Decay | PSYU: Windermere | Compiled by: BCTS-EKFT
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Cruised by: PIONEER FOREST
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Version: 2016.01 IFS build 6030

Utilization Levels:	Minimum DBH	Top Diameter	Stump Height
Mature Blocks: (cm)	17.5	10.0	30
Immature Blocks:(cm)	12.0	10.0	30
Exception[PL]: (cm)	12.5	10.0	30

Standard Log Length:(m) 5.00

Forest Type	Block	Strip	Plot #	Plot Size	Slope %	Species	# of Stems	Stems / Ha	Avg Diam	Gross Merch	Less Decay	Less DB	Less DWB	Cruise Date	Loss Ref No. YI	Loss Ref No. OI	Loss Ref No. M
7-Pl 636-0/15	004		3	9.000F	54	Balsam	1	374.18	17.50	73.40	71.93	70.46	70.46			406	
						L.P. Pine	6	2711.43	15.92	350.48	346.31	339.30	339.30			804	
						All Sp.	7	3085.61	16.12	423.88	418.24	409.76	409.76	1410			
			4	8.000F	46	L.P. Pine	11	2435.55	21.45	877.09	865.84	811.81	811.81			804	
						E-Down	1	294.42	18.60	64.64	63.61	44.21	44.21			804	
						All Sp.	11	2435.55	21.45	877.09	865.84	811.81	811.81	1410			
			5	9.000F	52	L.P. Pine	9	3291.82	17.70	593.06	583.49	571.63	571.63			804	
						All Sp.	9	3291.82	17.70	593.06	583.49	571.63	571.63	1410			
			6	8.000F	52	L.P. Pine	9	2045.64	21.17	706.41	698.86	668.47	668.47			804	
						E-Down	1	383.38	16.30	58.07	57.26	39.84	39.84			804	
						All Sp.	9	2045.64	21.17	706.41	698.86	668.47	668.47	1410			
			7	8.000F	46	Balsam	2	91.84	47.10	183.29	174.12	170.46	170.46			406	
						L.P. Pine	2	299.92	26.06	157.73	153.85	150.69	150.69			804	
						Spruce	4	352.20	34.01	338.54	332.71	325.94	325.94			504	
						All Sp.	8	743.95	33.10	679.56	660.68	647.09	647.09	1410			
			8	8.000F	48	L.P. Pine	4	658.48	24.87	321.86	316.45	293.11	293.11			804	
						E-Down	1	237.72	20.70	60.35	59.39	41.28	41.28			804	
						Spruce	1	36.82	52.60	89.90	89.00	87.20	87.20			504	
						All Sp.	5	695.29	27.06	411.76	405.45	380.32	380.32	1410			
			9	8.000F	57	Balsam	1	254.65	20.00	48.56	48.56	47.59	47.59		405		
						L.P. Pine	4	932.62	20.90	237.35	233.29	228.55	228.55			804	
						W.W. Pine	1	172.50	24.30	56.47	55.91	54.78	54.78			704	
						All Sp.	6	1359.77	21.20	342.39	337.76	330.92	330.92	1410			
			10	9.000F	58	L.P. Pine	3	380.58	30.05	250.80	245.59	227.96	227.96			804	
						2-Red	2	248.91	30.34	168.26	163.55	147.56	147.56			804	
						All Sp.	3	380.58	30.05	250.80	245.59	227.96	227.96	1410			
			11	8.000F	54	Balsam	1	173.93	24.20	77.92	77.14	75.59	75.59			406	
						L.P. Pine	3	234.91	36.07	245.75	238.99	234.07	234.07			804	
						Spruce	2	194.07	32.40	154.53	154.53	151.44	151.44		503		
						E-Down	1	137.68	27.20	65.86	65.86	64.54	64.54		503		
						All Sp.	6	602.91	31.84	478.21	470.66	461.10	461.10	1410			
			12	8.000F	54	L.P. Pine	3	233.63	36.17	264.53	257.25	251.96	251.96			804	
						Spruce	2	101.03	44.90	181.38	179.56	175.94	175.94			504	
						All Sp.	5	334.67	39.01	445.91	436.82	427.90	427.90	1410			
			13	8.000F	36	L.P. Pine	4	581.93	26.46	340.69	332.32	325.51	325.51			804	
						All Sp.	4	581.93	26.46	340.69	332.32	325.51	325.51	1410			
			14	8.000F	54	L.P. Pine	7	1300.55	23.41	596.36	581.97	551.92	551.92			804	
						G-Shatt	1	273.45	19.30	64.72	63.68	44.27	44.27			804	
						Spruce	3	442.49	26.28	212.63	210.50	206.25	206.25			504	
						All Sp.	10	1743.04	24.17	808.98	792.47	758.17	758.17	1410			
			15	8.000F	53	Balsam	3	261.83	34.16	273.78	268.31	262.83	262.83			406	
						L.P. Pine	8	2163.97	19.41	579.87	569.53	541.40	541.40			804	
						Spruce	3	566.64	23.22	208.58	205.70	201.52	201.52			504	
						All Sp.	14	2992.44	21.83	1062.24	1043.54	1005.76	1005.76	1410			
			16	8.000F	42	Balsam	1	105.31	31.10	80.86	76.82	75.20	75.20			406	
						L.P. Pine	2	303.95	25.89	125.24	122.11	106.42	106.42			804	
						Spruce	3	368.08	28.81	224.70	222.45	217.96	217.96			504	
						All Sp.	6	777.34	28.04	430.80	421.38	399.58	399.58	1410			
			17	8.000F	54	L.P. Pine	10	2239.68	21.33	760.29	745.96	702.29	702.29			804	
						All Sp.	10	2239.68	21.33	760.29	745.96	702.29	702.29	1410			
			18	8.000F	48	Balsam	1	98.85	32.10	70.58	70.58	69.17	69.17		405		
						Spruce	2	131.29	39.39	160.03	158.43	155.23	155.23			504	
						All Sp.	3	230.14	36.44	230.61	229.01	224.40	224.40	1410			
			19	8.000F	46	L.P. Pine	5	1527.78	18.26	310.12	305.32	276.35	276.35			804	
						E-Down	1	452.71	15.00	36.89	36.37	25.31	25.31			804	
						All Sp.	5	1527.78	18.26	310.12	305.32	276.35	276.35	1410			
			20	8.000F	61	Balsam	1	265.15	19.60	53.60	53.60	52.53	52.53		405		
						L.P. Pine	6	2165.16	16.80	295.43	292.76	286.85	286.85			804	
						All Sp.	7	2430.31	17.13	349.03	346.37	339.39	339.39	1410			
			21	8.000F	51	L.P. Pine	6	1798.63	18.43	433.35	427.73	419.07	419.07			804	
						All Sp.	6	1798.63	18.43	433.35	427.73	419.07	419.07	1410			
			22	8.000F	43	Balsam	1	159.13	25.30	79.28	78.49	76.90	76.90			406	
						L.P. Pine	3	594.32	22.68	225.27	221.01	198.96	198.96			804	
						E-Down	1	282.16	19.00	62.67	61.66	42.86	42.86			804	
						All Sp.	4	753.45	23.25	304.55	299.50	275.86	275.86	1410			
			24	8.000F	41	L.P. Pine	9	2043.91	21.18	710.14	701.07	669.96	669.96			804	
						E-Down	1	314.38	18.00	60.41	59.44	41.32	41.32			804	
						All Sp.	9	2043.91	21.18	710.14	701.07	669.96	669.96	1410			
			25	8.000F	55	L.P. Pine	8	1462.90	23.60	631.65	626.12	613.48	613.48			804	
						All Sp.	8	1462.90	23.60	631.65	626.12	613.48	613.48	1410			
			26	8.000F	55	L.P. Pine	5	1649.87	17.57	299.49	294.95	279.87	279.87			804	
						E-Down	1	550.71	13.60	32.43	31.98	22.25	22.25			804	
						All Sp.	5	1649.87	17.57	299.49	294.95	279.87	279.87	1410			
			28	8.000F	46	Spruce	4	590.37	26.27	228.55	223.43	218.86	218.86		503	504	
						All Sp.	4	590.37	26.27	228.55	223.43	218.86	218.86	1410			

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Plot Summary

Average Line Method
BCTS
Licence Number: A90479 CP: 000
Project:

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: F
PSYU: Windermere
Region: 4 - Kootenay-Boundary
District: 05 - Rocky Mountain

06-Mar-2017 01:00:33PM
Filename: a90479_march_3_new_comp.ccp
Compiled by: BCTS-EKFT
Cruised by: PIONEER FOREST
Version: 2016.01 IFS build 6030

Utilization Levels:	Minimum DBH	Top Diameter	Stump Height
Mature Blocks: (cm)	17.5	10.0	30
Immature Blocks:(cm)	12.0	10.0	30
Exception[PL]: (cm)	12.5	10.0	30

Standard Log Length:(m) 5.00

Forest Type	Block	Strip	Plot #	Plot Size	Slope %	Species	# of Stems	Stems / Ha	Avg Diam	Gross Merch	Less Decay	Less DB	Less DWB	Cruise Date	Loss YI	Ref No. OI	Ref No. M
7-Pl 636-0/15	004		29	8.000F	45	Balsam	1	103.97	31.30	79.53	77.94	76.35	76.35			406	
						L.P. Pine	6	1998.45	17.49	362.73	359.13	351.88	351.88			804	
						Spruce	3	485.88	25.08	199.61	199.61	195.62	195.62		503		
						All Sp.	10	2588.30	19.84	641.87	636.68	623.84	623.84	1410			
8-Pl 636-0/15	004		27	9.000F	50	L.P. Pine	9	2330.52	21.04	735.21	727.72	697.47	697.47			804	
						All Sp.	9	2330.52	21.04	735.21	727.72	697.47	697.47	1410			
			30	9.000F	66	L.P. Pine	3	722.59	21.81	259.03	255.79	250.61	250.61			804	
						All Sp.	3	722.59	21.81	259.03	255.79	250.61	250.61	1410			
			31	9.000F	55	L.P. Pine	5	1236.82	21.52	417.01	412.25	403.91	403.91			804	
						Spruce	1	216.62	23.00	74.74	74.00	72.50	72.50			504	
						All Sp.	6	1453.44	21.75	491.76	486.25	476.41	476.41	1410			
			32	9.000F	53	L.P. Pine	5	1024.30	23.65	457.93	448.65	439.49	439.49			804	
						All Sp.	5	1024.30	23.65	457.93	448.65	439.49	439.49	1410			
			33	9.000F	51	L.P. Pine	6	1591.93	20.78	476.83	470.30	460.77	460.77			804	
						Spruce	1	228.38	22.40	51.10	50.59	49.56	49.56			504	
						All Sp.	7	1820.31	20.99	527.92	520.89	510.33	510.33	1410			
			34	9.000F	62	L.P. Pine	3	862.86	19.96	236.55	234.50	229.76	229.76			804	
						All Sp.	3	862.86	19.96	236.55	234.50	229.76	229.76	1410			

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Block Volume And Lumber Recovery Information

Average Line Method	Grades: MOF Computerized	FIZ: F	06-Mar-2017 01:00:33PM
BCTS	Computerized Decay	PSYU: Windermere	Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000	Computerized Waste	Region: 4 - Kootenay-Boundary	Compiled by: BCTS-EKFT
Project:	Computerized Breakage	District: 05 - Rocky Mountain	Cruised by: PIONEER FOREST
			Version: 2016.01 IFS build 6030

Block : (M) - 001:1 Aspen

		R I S K G R O U P # 1				R I S K G R O U P # 2				R I S K G R O U P # 3			
Log Top Dia(cm)	LRF	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM
0.1 - 4.4	0												
4.5 - 5.4	91												
5.5 - 6.4	103												
6.5 - 7.4	113												
7.5 - 8.4	123												
8.5 - 9.9	134												
10.0 - 14.9	158												
15.0 - 19.9	185												
20.0 - 24.9	202												
25.0 - 29.9	217												
30.0 - 34.9	226												
35.0 - 39.9	234												
40.0 - 44.9	240												
45.0 - 49.9	246												
50.0 - 54.9	252												
55.0 - 59.9	258												
60.0 - 64.9	263												
65.0 - 69.9	266												
70.0 - 74.9	267												
75.0 - 79.9	265												
80.0 - 84.9	263												
85.0 - 89.9	261												
90.0 - 94.9	259												
95.0 - 99.9	257												
100.0+	254												
All Logs													

LRF and Log Summary

Risk Groups	1	2	3	1+2	2+3	1+2+3
Average LRF						
Decay %						
Stud Log Net Merch %						
Small Log Net Merch %						
Large Log Net Merch %						

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Block Volume And Lumber Recovery Information

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
Version: 2016.01 IFS build 6030

Block : (M) - 001:1 Balsam

Log Top Dia(cm)	LRF	R I S K G R O U P # 1 Gross Merch	Decay %	Net Merch	FBM	R I S K G R O U P # 2 Gross Merch	Decay %	Net Merch	FBM	R I S K G R O U P # 3 Gross Merch	Decay %	Net Merch	FBM
0.1 - 4.4	0												
4.5 - 5.4	91												
5.5 - 6.4	103												
6.5 - 7.4	113												
7.5 - 8.4	123												
8.5 - 9.9	134												
10.0 - 14.9	158	13	2.0	12	1932	2	5.0	2	307				
15.0 - 19.9	185	10	2.0	10	1792	9	5.0	9	1567				
20.0 - 24.9	202	17	2.0	17	3318	18	5.0	17	3304				
25.0 - 29.9	217	45	2.0	43	9263								
30.0 - 34.9	226	63	2.0	61	13562	27	5.0	25	5458				
35.0 - 39.9	234					36	5.0	34	7723				
40.0 - 44.9	240	37	2.0	35	8402								
45.0 - 49.9	246												
50.0 - 54.9	252												
55.0 - 59.9	258												
60.0 - 64.9	263												
65.0 - 69.9	266												
70.0 - 74.9	267												
75.0 - 79.9	265												
80.0 - 84.9	263												
85.0 - 89.9	261												
90.0 - 94.9	259												
95.0 - 99.9	257												
100.0+	254												
All Logs		185	2.0	178	38270	93	5.0	86	18359				

LRF and Log Summary

Risk Groups		1	2	3	1+2	2+3	1+2+3
Average LRF		215	213		215	213	215
Decay	%	2.0			3.0	5.0	
Stud Log Net Merch	%	12.4			12.4	12.4	
Small Log Net Merch	%	46.0			41.4	31.9	
Large Log Net Merch	%	54.0			58.6	68.1	

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Block Volume And Lumber Recovery Information

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
| | | Version: 2016.01 IFS build 6030

Block : (M) - 001:1 Doug-Fir [Interior Wet Belt Fir]

		R I S K G R O U P # 1				R I S K G R O U P # 2				R I S K G R O U P # 3			
Log Top Dia(cm)	LRF	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM
0.1 - 4.4	0												
4.5 - 5.4	91												
5.5 - 6.4	103												
6.5 - 7.4	113												
7.5 - 8.4	123												
8.5 - 9.9	134												
10.0 - 14.9	156	27	1.0	26	4093								
15.0 - 19.9	185	24	1.0	23	4271								
20.0 - 24.9	202	54	1.0	52	10503								
25.0 - 29.9	217	74	1.0	72	15503								
30.0 - 34.9	226	43	1.0	41	9319								
35.0 - 39.9	234												
40.0 - 44.9	240												
45.0 - 49.9	246												
50.0 - 54.9	252												
55.0 - 59.9	258												
60.0 - 64.9	263												
65.0 - 69.9	266												
70.0 - 74.9	267												
75.0 - 79.9	265												
80.0 - 84.9	263												
85.0 - 89.9	261												
90.0 - 94.9	259												
95.0 - 99.9	257												
100.0+	254												
All Logs		222	1.0	215	43689								

LRF and Log Summary

Risk Groups		1	2	3	1+2	2+3	1+2+3
Average LRF		203			203		203
Decay	%	1.0			1.0		
Stud Log Net Merch	%	23.0			23.0		
Small Log Net Merch	%	80.7			80.7		
Large Log Net Merch	%	19.3			19.3		

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Block Volume And Lumber Recovery Information

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
| | | Version: 2016.01 IFS build 6030

Block : (M) - 001:1 Doug-Fir [Quality 1]: [Interior Wet Belt Fir]

		R I S K G R O U P # 1				R I S K G R O U P # 2				R I S K G R O U P # 3			
Log Top Dia(cm)	LRF	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM
0.1 - 4.4	0												
4.5 - 5.4	100												
5.5 - 6.4	109												
6.5 - 7.4	118												
7.5 - 8.4	128												
8.5 - 9.9	139												
10.0 - 14.9	170	27	1.0	26	4460								
15.0 - 19.9	217	24	1.0	23	5010								
20.0 - 24.9	246	54	1.0	52	12790								
25.0 - 29.9	266	74	1.0	72	19004								
30.0 - 34.9	279	43	1.0	41	11504								
35.0 - 39.9	287												
40.0 - 44.9	292												
45.0 - 49.9	297												
50.0 - 54.9	299												
55.0 - 59.9	302												
60.0 - 64.9	302												
65.0 - 69.9	303												
70.0 - 74.9	302												
75.0 - 79.9	302												
80.0 - 84.9	301												
85.0 - 89.9	298												
90.0 - 94.9	297												
95.0 - 99.9	295												
100.0+	295												
All Logs		222	1.0	215	52769								

LRF and Log Summary

Risk Groups		1	2	3	1+2	2+3	1+2+3
Average LRF		245			245		245
Decay	%	1.0			1.0		
Stud Log Net Merch	%	23.0			23.0		
Small Log Net Merch	%	80.7			80.7		
Large Log Net Merch	%	19.3			19.3		

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Block Volume And Lumber Recovery Information

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
Version: 2016.01 IFS build 6030

Block : (M) - 001:1 Doug-Fir [Quality 2]: [Interior Wet Belt Fir]

		RISK GROUP #1				RISK GROUP #2				RISK GROUP #3			
Top Log Dia(cm)	LRF	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM
0.1 - 4.4	0												
4.5 - 5.4	91												
5.5 - 6.4	100												
6.5 - 7.4	109												
7.5 - 8.4	119												
8.5 - 9.9	130												
10.0 - 14.9	160												
15.0 - 19.9	206												
20.0 - 24.9	234												
25.0 - 29.9	251												
30.0 - 34.9	262												
35.0 - 39.9	270												
40.0 - 44.9	275												
45.0 - 49.9	279												
50.0 - 54.9	281												
55.0 - 59.9	282												
60.0 - 64.9	282												
65.0 - 69.9	281												
70.0 - 74.9	280												
75.0 - 79.9	279												
80.0 - 84.9	277												
85.0 - 89.9	275												
90.0 - 94.9	273												
95.0 - 99.9	272												
100.0+	269												
All Logs													

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Block Volume And Lumber Recovery Information

06-Mar-2017 01:00:33PM

Average Line Method | Grades: MOF Computerized | FIZ: F | Filename: a90479_march_3_new_comp.ccp
BCTS | Computerized Decay | PSYU: Windermere | Compiled by: BCTS-EKFT
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Cruised by: PIONEER FOREST
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Version: 2016.01 IFS build 6030

Block : (M) - 001:1 L.P. Pine -Green Non Beetle

Log Top Dia(cm)	LRF	R I S K G R O U P # 1 Gross Merch	Decay %	Net Merch	FBM	R I S K G R O U P # 2 Gross Merch	Decay %	Net Merch	FBM	R I S K G R O U P # 3 Gross Merch	Decay %	Net Merch	FBM
0.1 - 4.4	0												
4.5 - 5.4	91												
5.5 - 6.4	103												
6.5 - 7.4	113												
7.5 - 8.4	123												
8.5 - 9.9	134												
10.0 - 14.9	158	382	0.6	372	58647	3094	1.7	2978	466467				
15.0 - 19.9	185	367	0.6	358	66029	2995	1.8	2880	527978				
20.0 - 24.9	202	539	0.6	525	105638	1426	2.3	1366	272720				
25.0 - 29.9	217	253	0.7	246	53305	166	3.0	158	33679				
30.0 - 34.9	226					37	4.7	34	7540				
35.0 - 39.9	234												
40.0 - 44.9	240												
45.0 - 49.9	246												
50.0 - 54.9	252												
55.0 - 59.9	258												
60.0 - 64.9	263												
65.0 - 69.9	266												
70.0 - 74.9	267												
75.0 - 79.9	265												
80.0 - 84.9	263												
85.0 - 89.9	261												
90.0 - 94.9	259												
95.0 - 99.9	257												
100.0+	254												
All Logs		1541	0.6	1501	283619	7717	1.9	7416	1308384				

LRF and Log Summary

Risk Groups		1	2	3	1+2	2+3	1+2+3	- Adj Factor	**= Adj 1+2+3**
Average LRF		189	176		179	176	179		**179**
Decay	%	0.6			1.7	1.9			
Stud Log Net Merch	%	48.6			73.9	79.0			
Small Log Net Merch	%	100.0			99.6	99.5			
Large Log Net Merch	%				0.4	0.5			

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Block Volume And Lumber Recovery Information

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
Version: 2016.01 IFS build 6030

Block : (M) - 001:1 L.P. Pine -Green Attack

Log Top Dia(cm)	LRF	R I S K G R O U P # 1 Gross Merch	Decay %	Net Merch	FBM	R I S K G R O U P # 2 Gross Merch	Decay %	Net Merch	FBM	R I S K G R O U P # 3 Gross Merch	Decay %	Net Merch	FBM
0.1 - 4.4	0												
4.5 - 5.4	91												
5.5 - 6.4	103												
6.5 - 7.4	113												
7.5 - 8.4	123												
8.5 - 9.9	134												
10.0 - 14.9	158					101	1.8	97	15139				
15.0 - 19.9	185					273	1.8	262	48067				
20.0 - 24.9	202					121	3.0	115	22875				
25.0 - 29.9	217					53	3.7	50	10628				
30.0 - 34.9	226												
35.0 - 39.9	234												
40.0 - 44.9	240												
45.0 - 49.9	246												
50.0 - 54.9	252												
55.0 - 59.9	258												
60.0 - 64.9	263												
65.0 - 69.9	266												
70.0 - 74.9	267												
75.0 - 79.9	265												
80.0 - 84.9	263												
85.0 - 89.9	261												
90.0 - 94.9	259												
95.0 - 99.9	257												
100.0+	254												
All Logs						547	2.3	524	96709				

LRF and Log Summary

Risk Groups		1	2	3	1+2	2+3	1+2+3	- Adj Factor	**= Adj 1+2+3**
Average LRF			185		185	185	185	3	**182**
Decay	%				2.3	2.3			
Stud Log Net Merch	%				68.5	68.5			
Small Log Net Merch	%				100.0	100.0			
Large Log Net Merch	%								

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Block Volume And Lumber Recovery Information

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
Version: 2016.01 IFS build 6030

Block : (M) - 001:1 L.P. Pine -Red Attack

		R I S K G R O U P # 1				R I S K G R O U P # 2				R I S K G R O U P # 3			
Top	Log Dia(cm)	LRF	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM
0.1 -	4.4	0												
4.5 -	5.4	91												
5.5 -	6.4	103												
6.5 -	7.4	113												
7.5 -	8.4	123												
8.5 -	9.9	134												
10.0 -	14.9	158												
15.0 -	19.9	185												
20.0 -	24.9	202												
25.0 -	29.9	217												
30.0 -	34.9	226												
35.0 -	39.9	234												
40.0 -	44.9	240												
45.0 -	49.9	246												
50.0 -	54.9	252												
55.0 -	59.9	258												
60.0 -	64.9	263												
65.0 -	69.9	266												
70.0 -	74.9	267												
75.0 -	79.9	265												
80.0 -	84.9	263												
85.0 -	89.9	261												
90.0 -	94.9	259												
95.0 -	99.9	257												
100.0+		254												
All Logs														

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Block Volume And Lumber Recovery Information

Average Line Method	Grades: MOF Computerized	FIZ: F	06-Mar-2017 01:00:33PM
BCTS	Computerized Decay	PSYU: Windermere	Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000	Computerized Waste	Region: 4 - Kootenay-Boundary	Compiled by: BCTS-EKFT
Project:	Computerized Breakage	District: 05 - Rocky Mountain	Cruised by: PIONEER FOREST
			Version: 2016.01 IFS build 6030

Block : (M) - 001:1 L.P. Pine -Grey Attack

		R I S K G R O U P # 1				R I S K G R O U P # 2				R I S K G R O U P # 3			
Log Top Dia(cm)	LRF	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM
0.1 - 4.4	0												
4.5 - 5.4	91												
5.5 - 6.4	103												
6.5 - 7.4	113												
7.5 - 8.4	123												
8.5 - 9.9	134												
10.0 - 14.9	158					276	2.3	187	29217				
15.0 - 19.9	185					708	2.1	481	88065				
20.0 - 24.9	202					446	2.3	302	60264				
25.0 - 29.9	217					174	3.6	116	24664				
30.0 - 34.9	226					93	4.7	61	13363				
35.0 - 39.9	234												
40.0 - 44.9	240												
45.0 - 49.9	246												
50.0 - 54.9	252												
55.0 - 59.9	258												
60.0 - 64.9	263												
65.0 - 69.9	266												
70.0 - 74.9	267												
75.0 - 79.9	265												
80.0 - 84.9	263												
85.0 - 89.9	261												
90.0 - 94.9	259												
95.0 - 99.9	257												
100.0+	254												
All Logs						1697	2.5	1146	215572				

LRF and Log Summary

Risk Groups		1	2	3	1+2	2+3	1+2+3	- Adj Factor	**= Adj 1+2+3**
Average LRF			188		188	188	188	83	**105**
Decay	%				2.5	2.5			
Stud Log Net Merch	%				58.3	58.3			
Small Log Net Merch	%				94.7	94.7			
Large Log Net Merch	%				5.3	5.3			

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Block Volume And Lumber Recovery Information

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
Version: 2016.01 IFS build 6030

Block : (M) - 001:1 L.P. Pine -Dead Potential

Log Top Dia(cm)	LRF	R I S K G R O U P # 1 Gross Merch	Decay %	Net Merch	FBM	R I S K G R O U P # 2 Gross Merch	Decay %	Net Merch	FBM	R I S K G R O U P # 3 Gross Merch	Decay %	Net Merch	FBM
0.1 - 4.4	0												
4.5 - 5.4	91												
5.5 - 6.4	103												
6.5 - 7.4	113												
7.5 - 8.4	123												
8.5 - 9.9	134												
10.0 - 14.9	158					808	1.6	553	86663				
15.0 - 19.9	185					335	1.9	228	41830				
20.0 - 24.9	202					163	2.3	111	22081				
25.0 - 29.9	217					32	4.7	21	4470				
30.0 - 34.9	226					55	4.7	36	7952				
35.0 - 39.9	234												
40.0 - 44.9	240												
45.0 - 49.9	246												
50.0 - 54.9	252												
55.0 - 59.9	258												
60.0 - 64.9	263												
65.0 - 69.9	266												
70.0 - 74.9	267												
75.0 - 79.9	265												
80.0 - 84.9	263												
85.0 - 89.9	261												
90.0 - 94.9	259												
95.0 - 99.9	257												
100.0+	254												
All Logs						1394	1.9	949	162996				

LRF and Log Summary

Risk Groups		1	2	3	1+2	2+3	1+2+3	- Adj Factor	**= Adj 1+2+3**
Average LRF			172		172	172	172		**172**
Decay	%				1.9	1.9			
Stud Log Net Merch	%				82.3	82.3			
Small Log Net Merch	%				96.2	96.2			
Large Log Net Merch	%				3.8	3.8			

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Block Volume And Lumber Recovery Information

06-Mar-2017 01:00:33PM

Average Line Method | Grades: MOF Computerized | FIZ: F | Filename: a90479_march_3_new_comp.ccp
BCTS | Computerized Decay | PSYU: Windermere | Compiled by: BCTS-EKFT
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Cruised by: PIONEER FOREST
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Version: 2016.01 IFS build 6030

Block : (M) - 001:1 W.W. Pine

		R I S K G R O U P # 1				R I S K G R O U P # 2				R I S K G R O U P # 3			
Top	Log Dia(cm)	LRF	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM
0.1 -	4.4	0												
4.5 -	5.4	91												
5.5 -	6.4	102												
6.5 -	7.4	111												
7.5 -	8.4	120												
8.5 -	9.9	129												
10.0 -	14.9	151												
15.0 -	19.9	172												
20.0 -	24.9	187												
25.0 -	29.9	199												
30.0 -	34.9	210												
35.0 -	39.9	217												
40.0 -	44.9	222												
45.0 -	49.9	228												
50.0 -	54.9	233												
55.0 -	59.9	237												
60.0 -	64.9	240												
65.0 -	69.9	241												
70.0 -	74.9	240												
75.0 -	79.9	237												
80.0 -	84.9	234												
85.0 -	89.9	231												
90.0 -	94.9	227												
95.0 -	99.9	224												
100.0+		221												
All Logs														

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Block Volume And Lumber Recovery Information

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
Version: 2016.01 IFS build 6030

Block : (M) - 001:1 Spruce

Log Top Dia(cm)	LRF	R I S K G R O U P # 1 Gross Merch	Decay %	Net Merch	FBM	R I S K G R O U P # 2 Gross Merch	Decay %	Net Merch	FBM	R I S K G R O U P # 3 Gross Merch	Decay %	Net Merch	FBM
0.1 - 4.4	0												
4.5 - 5.4	91												
5.5 - 6.4	103												
6.5 - 7.4	113												
7.5 - 8.4	123												
8.5 - 9.9	134												
10.0 - 14.9	158	110	1.0	107	16775	17	4.0	16	2481				
15.0 - 19.9	185	258	1.0	250	45987								
20.0 - 24.9	202	107	1.0	104	20874	23	4.0	22	4323				
25.0 - 29.9	217	211	1.0	204	44115	10	4.0	9	1917				
30.0 - 34.9	226	196	1.0	190	42646	37	4.0	35	7699				
35.0 - 39.9	234	87	1.0	84	19628	42	4.0	40	9102				
40.0 - 44.9	240	73	1.0	71	16966	61	4.0	58	13590				
45.0 - 49.9	246					61	4.0	57	13782				
50.0 - 54.9	252												
55.0 - 59.9	258					37	4.0	35	8816				
60.0 - 64.9	263												
65.0 - 69.9	266												
70.0 - 74.9	267												
75.0 - 79.9	265												
80.0 - 84.9	263												
85.0 - 89.9	261												
90.0 - 94.9	259												
95.0 - 99.9	257												
100.0+	254												
All Logs		1041	1.0	1010	206992	288	4.0	271	61710				

LRF and Log Summary

Risk Groups		1	2	3	1+2	2+3	1+2+3
Average LRF		205	228		210	228	210
Decay	%	1.0			1.7	4.0	
Stud Log Net Merch	%	35.3			29.1	5.9	
Small Log Net Merch	%	65.8			55.6	17.3	
Large Log Net Merch	%	34.2			44.4	82.7	

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Block Volume And Lumber Recovery Information

06-Mar-2017 01:00:33PM

Average Line Method	Grades: MOF Computerized	FIZ: F	Filename: a90479_march_3_new_comp.ccp
BCTS	Computerized Decay	PSYU: Windermere	Compiled by: BCTS-EKFT
Licence Number: A90479 CP: 000	Computerized Waste	Region: 4 - Kootenay-Boundary	Cruised by: PIONEER FOREST
Project:	Computerized Breakage	District: 05 - Rocky Mountain	Version: 2016.01 IFS build 6030

Block : (M) - 001:1 ALL SPECIES

		R I S K G R O U P # 1				R I S K G R O U P # 2				R I S K G R O U P # 3			
Log Top Dia(cm)	LRF	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM
0.1 - 4.4													
4.5 - 5.4													
5.5 - 6.4													
6.5 - 7.4													
7.5 - 8.4													
8.5 - 9.9													
10.0 - 14.9		532	0.7	518	81447	4298	1.8	3833	600273				
15.0 - 19.9		659	0.8	641	118079	4320	1.9	3860	707507				
20.0 - 24.9		717	0.7	697	140333	2198	2.3	1931	385567				
25.0 - 29.9		583	0.9	566	122187	435	3.5	353	75358				
30.0 - 34.9		301	1.2	292	65527	248	4.6	190	42012				
35.0 - 39.9		87	1.0	84	19628	79	4.5	74	16824				
40.0 - 44.9		110	1.3	106	25368	61	4.0	58	13590				
45.0 - 49.9						61	4.0	57	13782				
50.0 - 54.9													
55.0 - 59.9						37	4.0	35	8816				
60.0 - 64.9													
65.0 - 69.9													
70.0 - 74.9													
75.0 - 79.9													
80.0 - 84.9													
85.0 - 89.9													
90.0 - 94.9													
95.0 - 99.9													
100.0+													
All Logs		2989	0.9	2904	572569	11737	2.1	10392	1863730				

LRF and Log Summary

Risk Groups		1	2	3	1+2	2+3	1+2+3
Average LRF (unadjusted)		197	179		183	179	183
Decay	%	0.9			1.8	2.1	
Stud Log Net Merch	%	39.9			66.6	74.0	
Small Log Net Merch	%	83.4			93.3	96.0	
Large Log Net Merch	%	16.6			6.7	4.0	

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Block Volume And Lumber Recovery Information

06-Mar-2017 01:00:33PM

Average Line Method | Grades: MOF Computerized | FIZ: F | Filename: a90479_march_3_new_comp.ccp
BCTS | Computerized Decay | PSYU: Windermere | Compiled by: BCTS-EKFT
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Cruised by: PIONEER FOREST
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Version: 2016.01 IFS build 6030

Block : (M) - 002:2 Aspen

		R I S K G R O U P # 1				R I S K G R O U P # 2				R I S K G R O U P # 3			
Top	Log Dia(cm) LRF	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM
0.1 - 4.4	0												
4.5 - 5.4	91												
5.5 - 6.4	103												
6.5 - 7.4	113												
7.5 - 8.4	123												
8.5 - 9.9	134												
10.0 - 14.9	158												
15.0 - 19.9	185												
20.0 - 24.9	202												
25.0 - 29.9	217												
30.0 - 34.9	226												
35.0 - 39.9	234												
40.0 - 44.9	240												
45.0 - 49.9	246												
50.0 - 54.9	252												
55.0 - 59.9	258												
60.0 - 64.9	263												
65.0 - 69.9	266												
70.0 - 74.9	267												
75.0 - 79.9	265												
80.0 - 84.9	263												
85.0 - 89.9	261												
90.0 - 94.9	259												
95.0 - 99.9	257												
100.0+	254												
All Logs													

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Block Volume And Lumber Recovery Information

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
Version: 2016.01 IFS build 6030

Block : (M) - 002:2 Balsam

		R I S K G R O U P # 1				R I S K G R O U P # 2				R I S K G R O U P # 3			
Log Top Dia(cm)	LRF	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM
0.1 - 4.4	0												
4.5 - 5.4	91												
5.5 - 6.4	103												
6.5 - 7.4	113												
7.5 - 8.4	123												
8.5 - 9.9	134												
10.0 - 14.9	158	96		94	14921								
15.0 - 19.9	185	162		158	29303								
20.0 - 24.9	202	37		36	7284								
25.0 - 29.9	217												
30.0 - 34.9	226												
35.0 - 39.9	234												
40.0 - 44.9	240												
45.0 - 49.9	246												
50.0 - 54.9	252												
55.0 - 59.9	258												
60.0 - 64.9	263												
65.0 - 69.9	266												
70.0 - 74.9	267												
75.0 - 79.9	265												
80.0 - 84.9	263												
85.0 - 89.9	261												
90.0 - 94.9	259												
95.0 - 99.9	257												
100.0+	254												
All Logs		295		289	51508								

LRF and Log Summary

Risk Groups		1	2	3	1+2	2+3	1+2+3
Average LRF		178			178		178
Decay	%						
Stud Log Net Merch	%	87.5			87.5		
Small Log Net Merch	%	100.0			100.0		
Large Log Net Merch	%						

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Block Volume And Lumber Recovery Information

Average Line Method	Grades: MOF Computerized	FIZ: F	06-Mar-2017 01:00:33PM
BCTS	Computerized Decay	PSYU: Windermere	Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000	Computerized Waste	Region: 4 - Kootenay-Boundary	Compiled by: BCTS-EKFT
Project:	Computerized Breakage	District: 05 - Rocky Mountain	Cruised by: PIONEER FOREST
			Version: 2016.01 IFS build 6030

Block : (M) - 002:2 Doug-Fir [Interior Wet Belt Fir]

		R I S K G R O U P # 1				R I S K G R O U P # 2				R I S K G R O U P # 3			
Log Top Dia(cm)	LRF	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM
0.1 - 4.4	0												
4.5 - 5.4	91												
5.5 - 6.4	103												
6.5 - 7.4	113												
7.5 - 8.4	123												
8.5 - 9.9	134												
10.0 - 14.9	156	309		303	47226	1	4.2	1	128				
15.0 - 19.9	185	254		249	45979	0	4.5	0	58				
20.0 - 24.9	202	111		109	21966	1	4.2	1	129				
25.0 - 29.9	217	1		1	228	2	4.3	2	386				
30.0 - 34.9	226	1		1	326	0	3.8	0	81				
35.0 - 39.9	234					4	4.3	4	804				
40.0 - 44.9	240					3	4.4	3	695				
45.0 - 49.9	246					5	4.2	5	1115				
50.0 - 54.9	252					5	4.2	4	1054				
55.0 - 59.9	258					4	4.0	3	871				
60.0 - 64.9	263					3	4.1	3	745				
65.0 - 69.9	266					2	3.8	1	379				
70.0 - 74.9	267												
75.0 - 79.9	265												
80.0 - 84.9	263												
85.0 - 89.9	261												
90.0 - 94.9	259												
95.0 - 99.9	257												
100.0+	254												
All Logs		676		663	115726	29	4.2	27	6445				

LRF and Log Summary

Risk Groups		1	2	3	1+2	2+3	1+2+3
Average LRF		175	237		177	237	177
Decay	%				0.2	4.2	
Stud Log Net Merch	%	83.2			80.1	4.3	
Small Log Net Merch	%	99.8			96.4	13.4	
Large Log Net Merch	%	0.2			3.6	86.6	

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Block Volume And Lumber Recovery Information

Average Line Method
BCTS
Licence Number: A90479 CP: 000
Project:

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: F
PSYU: Windermere
Region: 4 - Kootenay-Boundary
District: 05 - Rocky Mountain

06-Mar-2017 01:00:33PM
Filename: a90479_march_3_new_comp.ccp
Compiled by: BCTS-EKFT
Cruised by: PIONEER FOREST
Version: 2016.01   IFS build 6030

Block : (M) - 002:2 Doug-Fir [Quality 1]: [Interior Wet Belt Fir]

		R I S K G R O U P # 1				R I S K G R O U P # 2				R I S K G R O U P # 3			
Top Log Dia(cm)	LRF	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM
0.1 - 4.4	0												
4.5 - 5.4	100												
5.5 - 6.4	109												
6.5 - 7.4	118												
7.5 - 8.4	128												
8.5 - 9.9	139												
10.0 - 14.9	170	309		303	51464								
15.0 - 19.9	217	254		249	53933								
20.0 - 24.9	246	111		109	26751								
25.0 - 29.9	266	1		1	279								
30.0 - 34.9	279	1		1	403								
35.0 - 39.9	287												
40.0 - 44.9	292												
45.0 - 49.9	297												
50.0 - 54.9	299												
55.0 - 59.9	302												
60.0 - 64.9	302												
65.0 - 69.9	303												
70.0 - 74.9	302												
75.0 - 79.9	302												
80.0 - 84.9	301												
85.0 - 89.9	298												
90.0 - 94.9	297												
95.0 - 99.9	295												
100.0+	295												
All Logs		676		663	132830								

LRF and Log Summary

Risk Groups		1	2	3	1+2	2+3	1+2+3
Average LRF		200			200		200
Decay	%						
Stud Log Net Merch	%	83.2			83.2		
Small Log Net Merch	%	99.8			99.8		
Large Log Net Merch	%	0.2			0.2		

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Block Volume And Lumber Recovery Information

Average Line Method	Grades: MOF Computerized	FIZ: F	06-Mar-2017 01:00:33PM
BCTS	Computerized Decay	PSYU: Windermere	Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000	Computerized Waste	Region: 4 - Kootenay-Boundary	Compiled by: BCTS-EKFT
Project:	Computerized Breakage	District: 05 - Rocky Mountain	Cruised by: PIONEER FOREST
			Version: 2016.01 IFS build 6030

Block : (M) - 002:2 Doug-Fir [Quality 2]: [Interior Wet Belt Fir]

		R I S K G R O U P # 1				R I S K G R O U P # 2				R I S K G R O U P # 3			
Log Top Dia(cm)	LRF	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM
0.1 - 4.4	0												
4.5 - 5.4	91												
5.5 - 6.4	100												
6.5 - 7.4	109												
7.5 - 8.4	119												
8.5 - 9.9	130												
10.0 - 14.9	160					1	4.2	1	132				
15.0 - 19.9	206					0	4.5	0	65				
20.0 - 24.9	234					1	4.2	1	150				
25.0 - 29.9	251					2	4.3	2	446				
30.0 - 34.9	262					0	3.8	0	94				
35.0 - 39.9	270					4	4.3	4	927				
40.0 - 44.9	275					3	4.4	3	796				
45.0 - 49.9	279					5	4.2	5	1265				
50.0 - 54.9	281					5	4.2	4	1175				
55.0 - 59.9	282					4	4.0	3	952				
60.0 - 64.9	282					3	4.1	3	799				
65.0 - 69.9	281					2	3.8	1	401				
70.0 - 74.9	280												
75.0 - 79.9	279												
80.0 - 84.9	277												
85.0 - 89.9	275												
90.0 - 94.9	273												
95.0 - 99.9	272												
100.0+	269												
All Logs						29	4.2	27	7201				

LRF and Log Summary

Risk Groups		1	2	3	1+2	2+3	1+2+3
Average LRF			265		265	265	265
Decay	%				4.2	4.2	
Stud Log Net Merch	%				4.3	4.3	
Small Log Net Merch	%				13.4	13.4	
Large Log Net Merch	%				86.6	86.6	

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Block Volume And Lumber Recovery Information

Average Line Method	Grades: MOF Computerized	FIZ: F	06-Mar-2017 01:00:33PM
BCTS	Computerized Decay	PSYU: Windermere	Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000	Computerized Waste	Region: 4 - Kootenay-Boundary	Compiled by: BCTS-EKFT
Project:	Computerized Breakage	District: 05 - Rocky Mountain	Cruised by: PIONEER FOREST
			Version: 2016.01 IFS build 6030

Block : (M) - 002:2 L.P. Pine -Green Non Beetle

		R I S K G R O U P # 1				R I S K G R O U P # 2				R I S K G R O U P # 3			
Log Top Dia(cm)	LRF	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM
0.1 - 4.4	0												
4.5 - 5.4	91												
5.5 - 6.4	103												
6.5 - 7.4	113												
7.5 - 8.4	123												
8.5 - 9.9	134												
10.0 - 14.9	158	1521	0.5	1483	233730	1056	1.5	1019	159754				
15.0 - 19.9	185	757	0.5	738	136192	613	1.8	590	108122				
20.0 - 24.9	202	83	0.6	81	16348	102	2.2	98	19537				
25.0 - 29.9	217	65	0.6	63	13690	38	2.8	36	7748				
30.0 - 34.9	226	38	0.7	37	8428								
35.0 - 39.9	234												
40.0 - 44.9	240												
45.0 - 49.9	246												
50.0 - 54.9	252												
55.0 - 59.9	258												
60.0 - 64.9	263												
65.0 - 69.9	266												
70.0 - 74.9	267												
75.0 - 79.9	265												
80.0 - 84.9	263												
85.0 - 89.9	261												
90.0 - 94.9	259												
95.0 - 99.9	257												
100.0+	254												
All Logs		2465	0.5	2403	408388	1809	1.7	1743	295161				

LRF and Log Summary

Risk Groups		1	2	3	1+2	2+3	1+2+3	- Adj Factor	**= Adj 1+2+3**
Average LRF		170	169		170	169	170		**170**
Decay	%	0.5			1.0	1.7			
Stud Log Net Merch	%	92.4			92.4	92.3			
Small Log Net Merch	%	98.4			99.1	100.0			
Large Log Net Merch	%	1.6			0.9				

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Block Volume And Lumber Recovery Information

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
Version: 2016.01 IFS build 6030

Block : (M) - 002:2 L.P. Pine -Green Attack

Log Top Dia(cm)	LRF	R I S K G R O U P # 1 Gross Merch	Decay %	Net Merch	FBM	R I S K G R O U P # 2 Gross Merch	Decay %	Net Merch	FBM	R I S K G R O U P # 3 Gross Merch	Decay %	Net Merch	FBM
0.1 - 4.4	0												
4.5 - 5.4	91												
5.5 - 6.4	103												
6.5 - 7.4	113												
7.5 - 8.4	123												
8.5 - 9.9	134												
10.0 - 14.9	158					48	1.6	46	7199				
15.0 - 19.9	185					37	1.6	36	6524				
20.0 - 24.9	202												
25.0 - 29.9	217												
30.0 - 34.9	226												
35.0 - 39.9	234												
40.0 - 44.9	240												
45.0 - 49.9	246												
50.0 - 54.9	252												
55.0 - 59.9	258												
60.0 - 64.9	263												
65.0 - 69.9	266												
70.0 - 74.9	267												
75.0 - 79.9	265												
80.0 - 84.9	263												
85.0 - 89.9	261												
90.0 - 94.9	259												
95.0 - 99.9	257												
100.0+	254												
All Logs						85	1.6	81	13723				

LRF and Log Summary

Risk Groups		1	2	3	1+2	2+3	1+2+3	- Adj Factor	**= Adj 1+2+3**
Average LRF			168		168	168	168	3	**165**
Decay	%				1.6	1.6			
Stud Log Net Merch	%				100.0	100.0			
Small Log Net Merch	%				100.0	100.0			
Large Log Net Merch	%								

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Block Volume And Lumber Recovery Information

06-Mar-2017 01:00:33PM

Average Line Method | Grades: MOF Computerized | FIZ: F | Filename: a90479_march_3_new_comp.ccp
BCTS | Computerized Decay | PSYU: Windermere | Compiled by: BCTS-EKFT
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Cruised by: PIONEER FOREST
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Version: 2016.01 IFS build 6030

Block : (M) - 002:2 L.P. Pine -Red Attack

		R I S K G R O U P # 1				R I S K G R O U P # 2				R I S K G R O U P # 3			
Top	Log Dia(cm)	LRF	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM
0.1 -	4.4	0												
4.5 -	5.4	91												
5.5 -	6.4	103												
6.5 -	7.4	113												
7.5 -	8.4	123												
8.5 -	9.9	134												
10.0 -	14.9	158												
15.0 -	19.9	185												
20.0 -	24.9	202												
25.0 -	29.9	217												
30.0 -	34.9	226												
35.0 -	39.9	234												
40.0 -	44.9	240												
45.0 -	49.9	246												
50.0 -	54.9	252												
55.0 -	59.9	258												
60.0 -	64.9	263												
65.0 -	69.9	266												
70.0 -	74.9	267												
75.0 -	79.9	265												
80.0 -	84.9	263												
85.0 -	89.9	261												
90.0 -	94.9	259												
95.0 -	99.9	257												
100.0+		254												
All Logs														

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Block Volume And Lumber Recovery Information

06-Mar-2017 01:00:33PM

Average Line Method | Grades: MOF Computerized | FIZ: F | Filename: a90479_march_3_new_comp.ccp
BCTS | Computerized Decay | PSYU: Windermere | Compiled by: BCTS-EKFT
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Cruised by: PIONEER FOREST
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Version: 2016.01 IFS build 6030

Block : (M) - 002:2 L.P. Pine -Grey Attack

		R I S K G R O U P # 1				R I S K G R O U P # 2				R I S K G R O U P # 3			
Top	Log Dia(cm)	LRF	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM
0.1 -	4.4	0												
4.5 -	5.4	91												
5.5 -	6.4	103												
6.5 -	7.4	113												
7.5 -	8.4	123												
8.5 -	9.9	134												
10.0 -	14.9	158												
15.0 -	19.9	185												
20.0 -	24.9	202												
25.0 -	29.9	217												
30.0 -	34.9	226												
35.0 -	39.9	234												
40.0 -	44.9	240												
45.0 -	49.9	246												
50.0 -	54.9	252												
55.0 -	59.9	258												
60.0 -	64.9	263												
65.0 -	69.9	266												
70.0 -	74.9	267												
75.0 -	79.9	265												
80.0 -	84.9	263												
85.0 -	89.9	261												
90.0 -	94.9	259												
95.0 -	99.9	257												
100.0+		254												
All Logs														

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Block Volume And Lumber Recovery Information

Average Line Method	Grades: MOF Computerized	FIZ: F	06-Mar-2017 01:00:33PM
BCTS	Computerized Decay	PSYU: Windermere	Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000	Computerized Waste	Region: 4 - Kootenay-Boundary	Compiled by: BCTS-EKFT
Project:	Computerized Breakage	District: 05 - Rocky Mountain	Cruised by: PIONEER FOREST
			Version: 2016.01 IFS build 6030

Block : (M) - 002:2 L.P. Pine -Dead Potential

		R I S K G R O U P # 1				R I S K G R O U P # 2				R I S K G R O U P # 3			
Log Top Dia(cm)	LRF	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM
0.1 - 4.4	0												
4.5 - 5.4	91												
5.5 - 6.4	103												
6.5 - 7.4	113												
7.5 - 8.4	123												
8.5 - 9.9	134												
10.0 - 14.9	158					175	1.4	120	18818				
15.0 - 19.9	185					59	2.0	40	7347				
20.0 - 24.9	202												
25.0 - 29.9	217												
30.0 - 34.9	226												
35.0 - 39.9	234												
40.0 - 44.9	240												
45.0 - 49.9	246												
50.0 - 54.9	252												
55.0 - 59.9	258												
60.0 - 64.9	263												
65.0 - 69.9	266												
70.0 - 74.9	267												
75.0 - 79.9	265												
80.0 - 84.9	263												
85.0 - 89.9	261												
90.0 - 94.9	259												
95.0 - 99.9	257												
100.0+	254												
All Logs						234	1.6	160	26165				

LRF and Log Summary

Risk Groups		1	2	3	1+2	2+3	1+2+3	- Adj Factor	**= Adj 1+2+3**
Average LRF			163		163	163	163		**163**
Decay	%				1.6	1.6			
Stud Log Net Merch	%				100.0	100.0			
Small Log Net Merch	%				100.0	100.0			
Large Log Net Merch	%								

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Block Volume And Lumber Recovery Information

06-Mar-2017 01:00:33PM

Average Line Method | Grades: MOF Computerized | FIZ: F | Filename: a90479_march_3_new_comp.ccp
BCTS | Computerized Decay | PSYU: Windermere | Compiled by: BCTS-EKFT
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Cruised by: PIONEER FOREST
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Version: 2016.01 IFS build 6030

Block : (M) - 002:2 W.W. Pine

		R I S K G R O U P # 1				R I S K G R O U P # 2				R I S K G R O U P # 3			
Top	Log Dia(cm)	LRF	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM
0.1 -	4.4	0												
4.5 -	5.4	91												
5.5 -	6.4	102												
6.5 -	7.4	111												
7.5 -	8.4	120												
8.5 -	9.9	129												
10.0 -	14.9	151												
15.0 -	19.9	172												
20.0 -	24.9	187												
25.0 -	29.9	199												
30.0 -	34.9	210												
35.0 -	39.9	217												
40.0 -	44.9	222												
45.0 -	49.9	228												
50.0 -	54.9	233												
55.0 -	59.9	237												
60.0 -	64.9	240												
65.0 -	69.9	241												
70.0 -	74.9	240												
75.0 -	79.9	237												
80.0 -	84.9	234												
85.0 -	89.9	231												
90.0 -	94.9	227												
95.0 -	99.9	224												
100.0+		221												
All Logs														

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Block Volume And Lumber Recovery Information

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
Version: 2016.01 IFS build 6030

Block : (M) - 002:2 Spruce

Log Top Dia(cm)	LRF	R I S K G R O U P # 1 Gross Merch	Decay %	Net Merch	FBM	R I S K G R O U P # 2 Gross Merch	Decay %	Net Merch	FBM	R I S K G R O U P # 3 Gross Merch	Decay %	Net Merch	FBM
0.1 - 4.4	0												
4.5 - 5.4	91												
5.5 - 6.4	103												
6.5 - 7.4	113												
7.5 - 8.4	123												
8.5 - 9.9	134												
10.0 - 14.9	158	31	0.1	30	4761								
15.0 - 19.9	185	45	0.2	44	8111								
20.0 - 24.9	202	77		76	15336								
25.0 - 29.9	217	75	0.2	74	15993								
30.0 - 34.9	226	37		36	8224								
35.0 - 39.9	234	20	1.0	19	4500								
40.0 - 44.9	240	26	1.0	26	6131								
45.0 - 49.9	246												
50.0 - 54.9	252	38	1.0	37	9334								
55.0 - 59.9	258												
60.0 - 64.9	263												
65.0 - 69.9	266												
70.0 - 74.9	267												
75.0 - 79.9	265												
80.0 - 84.9	263												
85.0 - 89.9	261												
90.0 - 94.9	259												
95.0 - 99.9	257												
100.0+	254												
All Logs		350	0.3	342	72390								

LRF and Log Summary

Risk Groups		1	2	3	1+2	2+3	1+2+3
Average LRF		211			211		211
Decay	%	0.3			0.3		
Stud Log Net Merch	%	21.6			21.6		
Small Log Net Merch	%	65.3			65.3		
Large Log Net Merch	%	34.7			34.7		

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Block Volume And Lumber Recovery Information

06-Mar-2017 01:00:33PM

Average Line Method	Grades: MOF Computerized	FIZ: F	Filename: a90479_march_3_new_comp.ccp
BCTS	Computerized Decay	PSYU: Windermere	Compiled by: BCTS-EKFT
Licence Number: A90479 CP: 000	Computerized Waste	Region: 4 - Kootenay-Boundary	Cruised by: PIONEER FOREST
Project:	Computerized Breakage	District: 05 - Rocky Mountain	Version: 2016.01 IFS build 6030

Block : (M) - 002:2 ALL SPECIES

		R I S K G R O U P # 1				R I S K G R O U P # 2				R I S K G R O U P # 3			
Top	Log Dia(cm) LRF	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM
0.1 - 4.4													
4.5 - 5.4													
5.5 - 6.4													
6.5 - 7.4													
7.5 - 8.4													
8.5 - 9.9													
10.0 - 14.9		1957	0.4	1910	300639	1280	1.5	1186	185899				
15.0 - 19.9		1217	0.3	1189	219585	709	1.8	666	122052				
20.0 - 24.9		309	0.2	302	60933	103	2.2	98	19666				
25.0 - 29.9		141	0.4	138	29911	40	2.9	38	8134				
30.0 - 34.9		77	0.3	75	16978	0	3.8	0	81				
35.0 - 39.9		20	1.0	19	4500	4	4.3	4	804				
40.0 - 44.9		26	1.0	26	6131	3	4.4	3	695				
45.0 - 49.9						5	4.2	5	1115				
50.0 - 54.9		38	1.0	37	9334	5	4.2	4	1054				
55.0 - 59.9						4	4.0	3	871				
60.0 - 64.9						3	4.1	3	745				
65.0 - 69.9						2	3.8	1	379				
70.0 - 74.9													
75.0 - 79.9													
80.0 - 84.9													
85.0 - 89.9													
90.0 - 94.9													
95.0 - 99.9													
100.0+													
All Logs		3786	0.4	3697	648011	2157	1.7	2011	341494				

LRF and Log Summary

Risk Groups		1	2	3	1+2	2+3	1+2+3
Average LRF (unadjusted)		175	170		173	170	173
Decay	%	0.4			0.9	1.7	
Stud Log Net Merch	%	83.8			86.7	92.0	
Small Log Net Merch	%	95.7			96.8	98.8	
Large Log Net Merch	%	4.3			3.2	1.2	

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Block Volume And Lumber Recovery Information

06-Mar-2017 01:00:33PM

Average Line Method | Grades: MOF Computerized | FIZ: F | Filename: a90479_march_3_new_comp.ccp
BCTS | Computerized Decay | PSYU: Windermere | Compiled by: BCTS-EKFT
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Cruised by: PIONEER FOREST
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Version: 2016.01 IFS build 6030

Block : (M) - 003:3 Aspen

		R I S K G R O U P # 1				R I S K G R O U P # 2				R I S K G R O U P # 3			
Top	Log Dia(cm)	LRF	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM
0.1 -	4.4	0												
4.5 -	5.4	91												
5.5 -	6.4	103												
6.5 -	7.4	113												
7.5 -	8.4	123												
8.5 -	9.9	134												
10.0 -	14.9	158												
15.0 -	19.9	185												
20.0 -	24.9	202												
25.0 -	29.9	217												
30.0 -	34.9	226												
35.0 -	39.9	234												
40.0 -	44.9	240												
45.0 -	49.9	246												
50.0 -	54.9	252												
55.0 -	59.9	258												
60.0 -	64.9	263												
65.0 -	69.9	266												
70.0 -	74.9	267												
75.0 -	79.9	265												
80.0 -	84.9	263												
85.0 -	89.9	261												
90.0 -	94.9	259												
95.0 -	99.9	257												
100.0+		254												
All Logs														

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Block Volume And Lumber Recovery Information

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
Version: 2016.01 IFS build 6030

Block : (M) - 003:3 Balsam

		R I S K G R O U P # 1				R I S K G R O U P # 2				R I S K G R O U P # 3			
Top Log Dia(cm)	LRF	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM
0.1 - 4.4	0												
4.5 - 5.4	91												
5.5 - 6.4	103												
6.5 - 7.4	113												
7.5 - 8.4	123												
8.5 - 9.9	134												
10.0 - 14.9	158	5		5	803								
15.0 - 19.9	185	15		15	2700								
20.0 - 24.9	202	24		24	4768								
25.0 - 29.9	217	33		33	7097								
30.0 - 34.9	226												
35.0 - 39.9	234												
40.0 - 44.9	240												
45.0 - 49.9	246												
50.0 - 54.9	252												
55.0 - 59.9	258												
60.0 - 64.9	263												
65.0 - 69.9	266												
70.0 - 74.9	267												
75.0 - 79.9	265												
80.0 - 84.9	263												
85.0 - 89.9	261												
90.0 - 94.9	259												
95.0 - 99.9	257												
100.0+	254												
All Logs		78		76	15369								

LRF and Log Summary

Risk Groups		1	2	3	1+2	2+3	1+2+3
Average LRF		202			202		202
Decay	%						
Stud Log Net Merch	%	25.9			25.9		
Small Log Net Merch	%	100.0			100.0		
Large Log Net Merch	%						

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Block Volume And Lumber Recovery Information

Average Line Method	Grades: MOF Computerized	FIZ: F	06-Mar-2017 01:00:33PM
BCTS	Computerized Decay	PSYU: Windermere	Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000	Computerized Waste	Region: 4 - Kootenay-Boundary	Compiled by: BCTS-EKFT
Project:	Computerized Breakage	District: 05 - Rocky Mountain	Cruised by: PIONEER FOREST
			Version: 2016.01 IFS build 6030

Block : (M) - 003:3 Doug-Fir [Interior Wet Belt Fir]

		R I S K G R O U P # 1				R I S K G R O U P # 2				R I S K G R O U P # 3			
Log Top Dia(cm)	LRF	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM
0.1 - 4.4	0												
4.5 - 5.4	91												
5.5 - 6.4	103												
6.5 - 7.4	113												
7.5 - 8.4	123												
8.5 - 9.9	134												
10.0 - 14.9	156	3		3	532	3	4.6	3	386				
15.0 - 19.9	185	5		5	957	11	4.6	11	1915				
20.0 - 24.9	202	7		7	1474	0	4.4	0	76				
25.0 - 29.9	217					21	4.6	20	4153				
30.0 - 34.9	226												
35.0 - 39.9	234					30	4.6	28	6409				
40.0 - 44.9	240					42	4.6	39	9051				
45.0 - 49.9	246					1	4.4	1	291				
50.0 - 54.9	252												
55.0 - 59.9	258												
60.0 - 64.9	263												
65.0 - 69.9	266												
70.0 - 74.9	267												
75.0 - 79.9	265												
80.0 - 84.9	263												
85.0 - 89.9	261												
90.0 - 94.9	259												
95.0 - 99.9	257												
100.0+	254												
All Logs		16		16	2963	109	4.6	101	22281				

LRF and Log Summary

Risk Groups		1	2	3	1+2	2+3	1+2+3
Average LRF		187	221		216	221	216
Decay	%				4.0	4.6	
Stud Log Net Merch	%	54.1			18.6	13.0	
Small Log Net Merch	%	100.0			41.9	32.8	
Large Log Net Merch	%				58.1	67.2	

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Block Volume And Lumber Recovery Information

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
| | | Version: 2016.01 IFS build 6030

Block : (M) - 003:3 Doug-Fir [Quality 1]: [Interior Wet Belt Fir]

		RISK GROUP #1				RISK GROUP #2				RISK GROUP #3			
Top Log Dia(cm)	LRF	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM
0.1 - 4.4	0												
4.5 - 5.4	100												
5.5 - 6.4	109												
6.5 - 7.4	118												
7.5 - 8.4	128												
8.5 - 9.9	139												
10.0 - 14.9	170	3		3	580								
15.0 - 19.9	217	5		5	1123								
20.0 - 24.9	246	7		7	1795								
25.0 - 29.9	266												
30.0 - 34.9	279												
35.0 - 39.9	287												
40.0 - 44.9	292												
45.0 - 49.9	297												
50.0 - 54.9	299												
55.0 - 59.9	302												
60.0 - 64.9	302												
65.0 - 69.9	303												
70.0 - 74.9	302												
75.0 - 79.9	302												
80.0 - 84.9	301												
85.0 - 89.9	298												
90.0 - 94.9	297												
95.0 - 99.9	295												
100.0+	295												
All Logs		16		16	3498								

LRF and Log Summary

Risk Groups		1	2	3	1+2	2+3	1+2+3
Average LRF		220			220		220
Decay	%						
Stud Log Net Merch	%	54.1			54.1		
Small Log Net Merch	%	100.0			100.0		
Large Log Net Merch	%						

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Block Volume And Lumber Recovery Information

Average Line Method	Grades: MOF Computerized	FIZ: F	06-Mar-2017 01:00:33PM
BCTS	Computerized Decay	PSYU: Windermere	Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000	Computerized Waste	Region: 4 - Kootenay-Boundary	Compiled by: BCTS-EKFT
Project:	Computerized Breakage	District: 05 - Rocky Mountain	Cruised by: PIONEER FOREST
			Version: 2016.01 IFS build 6030

Block : (M) - 003:3 Doug-Fir [Quality 2]: [Interior Wet Belt Fir]

		R I S K G R O U P # 1				R I S K G R O U P # 2				R I S K G R O U P # 3			
Log Top Dia(cm)	LRF	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM
0.1 - 4.4	0												
4.5 - 5.4	91												
5.5 - 6.4	100												
6.5 - 7.4	109												
7.5 - 8.4	119												
8.5 - 9.9	130												
10.0 - 14.9	160					3	4.6	3	396				
15.0 - 19.9	206					11	4.6	11	2132				
20.0 - 24.9	234					0	4.4	0	88				
25.0 - 29.9	251					21	4.6	20	4803				
30.0 - 34.9	262												
35.0 - 39.9	270					30	4.6	28	7395				
40.0 - 44.9	275					42	4.6	39	10371				
45.0 - 49.9	279					1	4.4	1	330				
50.0 - 54.9	281												
55.0 - 59.9	282												
60.0 - 64.9	282												
65.0 - 69.9	281												
70.0 - 74.9	280												
75.0 - 79.9	279												
80.0 - 84.9	277												
85.0 - 89.9	275												
90.0 - 94.9	273												
95.0 - 99.9	272												
100.0+	269												
All Logs						109	4.6	101	25516				

LRF and Log Summary

Risk Groups		1	2	3	1+2	2+3	1+2+3
Average LRF			253		253	253	253
Decay	%				4.6	4.6	
Stud Log Net Merch	%				13.0	13.0	
Small Log Net Merch	%				32.8	32.8	
Large Log Net Merch	%				67.2	67.2	

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Block Volume And Lumber Recovery Information

06-Mar-2017 01:00:33PM

Average Line Method	Grades: MOF Computerized	FIZ: F	Filename: a90479_march_3_new_comp.ccp
BCTS	Computerized Decay	PSYU: Windermere	Compiled by: BCTS-EKFT
Licence Number: A90479 CP: 000	Computerized Waste	Region: 4 - Kootenay-Boundary	Cruised by: PIONEER FOREST
Project:	Computerized Breakage	District: 05 - Rocky Mountain	Version: 2016.01 IFS build 6030

Block : (M) - 003:3 L.P. Pine -Green Non Beetle

		R I S K G R O U P # 1				R I S K G R O U P # 2				R I S K G R O U P # 3			
Log Top Dia(cm)	LRF	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM
0.1 - 4.4	0												
4.5 - 5.4	91												
5.5 - 6.4	103												
6.5 - 7.4	113												
7.5 - 8.4	123												
8.5 - 9.9	134												
10.0 - 14.9	158	252	0.5	246	38738	543	1.5	524	82240				
15.0 - 19.9	185	301	0.5	293	54135	237	1.7	228	41887				
20.0 - 24.9	202												
25.0 - 29.9	217												
30.0 - 34.9	226												
35.0 - 39.9	234												
40.0 - 44.9	240												
45.0 - 49.9	246												
50.0 - 54.9	252												
55.0 - 59.9	258												
60.0 - 64.9	263												
65.0 - 69.9	266												
70.0 - 74.9	267												
75.0 - 79.9	265												
80.0 - 84.9	263												
85.0 - 89.9	261												
90.0 - 94.9	259												
95.0 - 99.9	257												
100.0+	254												
All Logs		553	0.5	539	92873	780	1.6	753	124126				

LRF and Log Summary

Risk Groups		1	2	3	1+2	2+3	1+2+3	- Adj Factor	**= Adj 1+2+3**
Average LRF		172	165		168	165	168		**168**
Decay	%	0.5			1.1	1.6			
Stud Log Net Merch	%	100.0			100.0	100.0			
Small Log Net Merch	%	100.0			100.0	100.0			
Large Log Net Merch	%								

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Block Volume And Lumber Recovery Information

06-Mar-2017 01:00:33PM

Average Line Method | Grades: MOF Computerized | FIZ: F | Filename: a90479_march_3_new_comp.ccp
BCTS | Computerized Decay | PSYU: Windermere | Compiled by: BCTS-EKFT
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Cruised by: PIONEER FOREST
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Version: 2016.01 IFS build 6030

Block : (M) - 003:3 L.P. Pine -Green Attack

		R I S K G R O U P # 1				R I S K G R O U P # 2				R I S K G R O U P # 3			
Top	Log Dia(cm)	LRF	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM
0.1 -	4.4	0												
4.5 -	5.4	91												
5.5 -	6.4	103												
6.5 -	7.4	113												
7.5 -	8.4	123												
8.5 -	9.9	134												
10.0 -	14.9	158												
15.0 -	19.9	185												
20.0 -	24.9	202												
25.0 -	29.9	217												
30.0 -	34.9	226												
35.0 -	39.9	234												
40.0 -	44.9	240												
45.0 -	49.9	246												
50.0 -	54.9	252												
55.0 -	59.9	258												
60.0 -	64.9	263												
65.0 -	69.9	266												
70.0 -	74.9	267												
75.0 -	79.9	265												
80.0 -	84.9	263												
85.0 -	89.9	261												
90.0 -	94.9	259												
95.0 -	99.9	257												
100.0+		254												
All Logs														

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Block Volume And Lumber Recovery Information

06-Mar-2017 01:00:33PM

Average Line Method | Grades: MOF Computerized | FIZ: F | Filename: a90479_march_3_new_comp.ccp
BCTS | Computerized Decay | PSYU: Windermere | Compiled by: BCTS-EKFT
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Cruised by: PIONEER FOREST
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Version: 2016.01 IFS build 6030

Block : (M) - 003:3 L.P. Pine -Red Attack

		R I S K G R O U P # 1				R I S K G R O U P # 2				R I S K G R O U P # 3			
Top	Log Dia(cm)	LRF	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM
0.1 -	4.4	0												
4.5 -	5.4	91												
5.5 -	6.4	103												
6.5 -	7.4	113												
7.5 -	8.4	123												
8.5 -	9.9	134												
10.0 -	14.9	158												
15.0 -	19.9	185												
20.0 -	24.9	202												
25.0 -	29.9	217												
30.0 -	34.9	226												
35.0 -	39.9	234												
40.0 -	44.9	240												
45.0 -	49.9	246												
50.0 -	54.9	252												
55.0 -	59.9	258												
60.0 -	64.9	263												
65.0 -	69.9	266												
70.0 -	74.9	267												
75.0 -	79.9	265												
80.0 -	84.9	263												
85.0 -	89.9	261												
90.0 -	94.9	259												
95.0 -	99.9	257												
100.0+		254												
All Logs														

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Block Volume And Lumber Recovery Information

06-Mar-2017 01:00:33PM

Average Line Method | Grades: MOF Computerized | FIZ: F | Filename: a90479_march_3_new_comp.ccp
BCTS | Computerized Decay | PSYU: Windermere | Compiled by: BCTS-EKFT
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Cruised by: PIONEER FOREST
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Version: 2016.01 IFS build 6030

Block : (M) - 003:3 L.P. Pine -Grey Attack

		R I S K G R O U P # 1				R I S K G R O U P # 2				R I S K G R O U P # 3			
Top	Log Dia(cm)	LRF	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM
0.1 -	4.4	0												
4.5 -	5.4	91												
5.5 -	6.4	103												
6.5 -	7.4	113												
7.5 -	8.4	123												
8.5 -	9.9	134												
10.0 -	14.9	158												
15.0 -	19.9	185												
20.0 -	24.9	202												
25.0 -	29.9	217												
30.0 -	34.9	226												
35.0 -	39.9	234												
40.0 -	44.9	240												
45.0 -	49.9	246												
50.0 -	54.9	252												
55.0 -	59.9	258												
60.0 -	64.9	263												
65.0 -	69.9	266												
70.0 -	74.9	267												
75.0 -	79.9	265												
80.0 -	84.9	263												
85.0 -	89.9	261												
90.0 -	94.9	259												
95.0 -	99.9	257												
100.0+		254												
All Logs														

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Block Volume And Lumber Recovery Information

Average Line Method	Grades: MOF Computerized	FIZ: F	06-Mar-2017 01:00:33PM
BCTS	Computerized Decay	PSYU: Windermere	Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000	Computerized Waste	Region: 4 - Kootenay-Boundary	Compiled by: BCTS-EKFT
Project:	Computerized Breakage	District: 05 - Rocky Mountain	Cruised by: PIONEER FOREST
			Version: 2016.01 IFS build 6030

Block : (M) - 003:3 L.P. Pine -Dead Potential

		R I S K G R O U P # 1				R I S K G R O U P # 2				R I S K G R O U P # 3			
Log Top Dia(cm)	LRF	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM
0.1 - 4.4	0												
4.5 - 5.4	91												
5.5 - 6.4	103												
6.5 - 7.4	113												
7.5 - 8.4	123												
8.5 - 9.9	134												
10.0 - 14.9	158					71	1.4	49	7610				
15.0 - 19.9	185												
20.0 - 24.9	202												
25.0 - 29.9	217												
30.0 - 34.9	226												
35.0 - 39.9	234												
40.0 - 44.9	240												
45.0 - 49.9	246												
50.0 - 54.9	252												
55.0 - 59.9	258												
60.0 - 64.9	263												
65.0 - 69.9	266												
70.0 - 74.9	267												
75.0 - 79.9	265												
80.0 - 84.9	263												
85.0 - 89.9	261												
90.0 - 94.9	259												
95.0 - 99.9	257												
100.0+	254												
All Logs						71	1.4	49	7610				

LRF and Log Summary

Risk Groups		1	2	3	1+2	2+3	1+2+3	- Adj Factor	**= Adj 1+2+3**
Average LRF			157		157	157	157		**157**
Decay	%				1.4	1.4			
Stud Log Net Merch	%				100.0	100.0			
Small Log Net Merch	%				100.0	100.0			
Large Log Net Merch	%								

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Block Volume And Lumber Recovery Information

06-Mar-2017 01:00:33PM

Average Line Method | Grades: MOF Computerized | FIZ: F | Filename: a90479_march_3_new_comp.ccp
BCTS | Computerized Decay | PSYU: Windermere | Compiled by: BCTS-EKFT
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Cruised by: PIONEER FOREST
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Version: 2016.01 IFS build 6030

Block : (M) - 003:3 W.W. Pine

		R I S K G R O U P # 1				R I S K G R O U P # 2				R I S K G R O U P # 3			
Top	Log Dia(cm)	LRF	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM
0.1 -	4.4	0												
4.5 -	5.4	91												
5.5 -	6.4	102												
6.5 -	7.4	111												
7.5 -	8.4	120												
8.5 -	9.9	129												
10.0 -	14.9	151												
15.0 -	19.9	172												
20.0 -	24.9	187												
25.0 -	29.9	199												
30.0 -	34.9	210												
35.0 -	39.9	217												
40.0 -	44.9	222												
45.0 -	49.9	228												
50.0 -	54.9	233												
55.0 -	59.9	237												
60.0 -	64.9	240												
65.0 -	69.9	241												
70.0 -	74.9	240												
75.0 -	79.9	237												
80.0 -	84.9	234												
85.0 -	89.9	231												
90.0 -	94.9	227												
95.0 -	99.9	224												
100.0+		221												
All Logs														

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Block Volume And Lumber Recovery Information

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
Version: 2016.01 IFS build 6030

Block : (M) - 003:3 Spruce

		R I S K G R O U P # 1				R I S K G R O U P # 2				R I S K G R O U P # 3			
Top	Log Dia(cm)	LRF	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM
0.1 -	4.4	0												
4.5 -	5.4	91												
5.5 -	6.4	103												
6.5 -	7.4	113												
7.5 -	8.4	123												
8.5 -	9.9	134												
10.0 -	14.9	158	11	1.0	11	1695								
15.0 -	19.9	185	11	1.0	11	1967								
20.0 -	24.9	202												
25.0 -	29.9	217												
30.0 -	34.9	226												
35.0 -	39.9	234												
40.0 -	44.9	240												
45.0 -	49.9	246												
50.0 -	54.9	252												
55.0 -	59.9	258												
60.0 -	64.9	263												
65.0 -	69.9	266												
70.0 -	74.9	267												
75.0 -	79.9	265												
80.0 -	84.9	263												
85.0 -	89.9	261												
90.0 -	94.9	259												
95.0 -	99.9	257												
100.0+		254												
All Logs			22	1.0	21	3662								

LRF and Log Summary

Risk Groups		1	2	3	1+2	2+3	1+2+3
Average LRF		171			171		171
Decay	%	1.0			1.0		
Stud Log Net Merch	%	100.0			100.0		
Small Log Net Merch	%	100.0			100.0		
Large Log Net Merch	%						

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Block Volume And Lumber Recovery Information

06-Mar-2017 01:00:33PM

Average Line Method | Grades: MOF Computerized | FIZ: F | Filename: a90479_march_3_new_comp.ccp
BCTS | Computerized Decay | PSYU: Windermere | Compiled by: BCTS-EKFT
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Cruised by: PIONEER FOREST
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Version: 2016.01 IFS build 6030

Block : (M) - 003:3 ALL SPECIES

		R I S K G R O U P # 1				R I S K G R O U P # 2				R I S K G R O U P # 3			
Top Log Dia(cm)	LRF	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM
0.1 - 4.4													
4.5 - 5.4													
5.5 - 6.4													
6.5 - 7.4													
7.5 - 8.4													
8.5 - 9.9													
10.0 - 14.9		272	0.5	265	41768	617	1.5	575	90236				
15.0 - 19.9		332	0.5	324	59760	249	1.8	239	43801				
20.0 - 24.9		32		31	6242	0	4.4	0	76				
25.0 - 29.9		33		33	7097	21	4.6	20	4153				
30.0 - 34.9													
35.0 - 39.9						30	4.6	28	6409				
40.0 - 44.9						42	4.6	39	9051				
45.0 - 49.9						1	4.4	1	291				
50.0 - 54.9													
55.0 - 59.9													
60.0 - 64.9													
65.0 - 69.9													
70.0 - 74.9													
75.0 - 79.9													
80.0 - 84.9													
85.0 - 89.9													
90.0 - 94.9													
95.0 - 99.9													
100.0+													
All Logs		669	0.5	653	114867	960	1.9	902	154018				

LRF and Log Summary

Risk Groups		1	2	3	1+2	2+3	1+2+3
Average LRF (unadjusted)		176	171		173	171	173
Decay	%	0.5			1.3	1.9	
Stud Log Net Merch	%	90.3			90.3	90.3	
Small Log Net Merch	%	100.0			95.6	92.5	
Large Log Net Merch	%				4.4	7.5	

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Block Volume And Lumber Recovery Information

06-Mar-2017 01:00:33PM

Average Line Method | Grades: MOF Computerized | FIZ: F | Filename: a90479_march_3_new_comp.ccp
BCTS | Computerized Decay | PSYU: Windermere | Compiled by: BCTS-EKFT
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Cruised by: PIONEER FOREST
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Version: 2016.01 IFS build 6030

Block : (M) - 004:4 Aspen

		R I S K G R O U P # 1				R I S K G R O U P # 2				R I S K G R O U P # 3			
Top	Log Dia(cm)	LRF	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM
0.1 -	4.4	0												
4.5 -	5.4	91												
5.5 -	6.4	103												
6.5 -	7.4	113												
7.5 -	8.4	123												
8.5 -	9.9	134												
10.0 -	14.9	158												
15.0 -	19.9	185												
20.0 -	24.9	202												
25.0 -	29.9	217												
30.0 -	34.9	226												
35.0 -	39.9	234												
40.0 -	44.9	240												
45.0 -	49.9	246												
50.0 -	54.9	252												
55.0 -	59.9	258												
60.0 -	64.9	263												
65.0 -	69.9	266												
70.0 -	74.9	267												
75.0 -	79.9	265												
80.0 -	84.9	263												
85.0 -	89.9	261												
90.0 -	94.9	259												
95.0 -	99.9	257												
100.0+		254												
All Logs														

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Block Volume And Lumber Recovery Information

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
Version: 2016.01 IFS build 6030

Block : (M) - 004:4 Balsam

Log Top Dia(cm)	LRF	RISK GROUP #1 Gross Merch	Decay %	Net Merch	FBM	RISK GROUP #2 Gross Merch	Decay %	Net Merch	FBM	RISK GROUP #3 Gross Merch	Decay %	Net Merch	FBM
0.1 - 4.4	0												
4.5 - 5.4	91												
5.5 - 6.4	103												
6.5 - 7.4	113												
7.5 - 8.4	123												
8.5 - 9.9	134												
10.0 - 14.9	158	171	1.1	166	26080	93	2.5	88	13803				
15.0 - 19.9	185	210	1.1	204	37497	27	5.0	25	4500				
20.0 - 24.9	202	254	1.5	245	49183	37	5.0	34	6744				
25.0 - 29.9	217	123	1.4	118	25504	72	5.0	67	14105				
30.0 - 34.9	226	135	2.0	129	28938	53	5.0	49	10765				
35.0 - 39.9	234					71	5.0	66	15017				
40.0 - 44.9	240												
45.0 - 49.9	246												
50.0 - 54.9	252												
55.0 - 59.9	258												
60.0 - 64.9	263												
65.0 - 69.9	266												
70.0 - 74.9	267												
75.0 - 79.9	265												
80.0 - 84.9	263												
85.0 - 89.9	261												
90.0 - 94.9	259												
95.0 - 99.9	257												
100.0+	254												
All Logs		893	1.4	863	167202	351	4.3	329	64934				

LRF and Log Summary

Risk Groups		1	2	3	1+2	2+3	1+2+3
Average LRF		194	197		195	197	195
Decay	%	1.4			2.2	4.3	
Stud Log Net Merch	%	42.9			40.5	34.5	
Small Log Net Merch	%	85.0			79.5	65.1	
Large Log Net Merch	%	15.0			20.5	34.9	

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Block Volume And Lumber Recovery Information

06-Mar-2017 01:00:33PM

Average Line Method | Grades: MOF Computerized | FIZ: F | Filename: a90479_march_3_new_comp.ccp
BCTS | Computerized Decay | PSYU: Windermere | Compiled by: BCTS-EKFT
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Cruised by: PIONEER FOREST
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Version: 2016.01 IFS build 6030

Block : (M) - 004:4 Doug-Fir [Interior Wet Belt Fir]

		R I S K G R O U P # 1				R I S K G R O U P # 2				R I S K G R O U P # 3			
Log Top Dia(cm)	LRF	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM
0.1 - 4.4	0												
4.5 - 5.4	91												
5.5 - 6.4	103												
6.5 - 7.4	113												
7.5 - 8.4	123												
8.5 - 9.9	134												
10.0 - 14.9	156												
15.0 - 19.9	185												
20.0 - 24.9	202												
25.0 - 29.9	217												
30.0 - 34.9	226												
35.0 - 39.9	234												
40.0 - 44.9	240												
45.0 - 49.9	246												
50.0 - 54.9	252												
55.0 - 59.9	258												
60.0 - 64.9	263												
65.0 - 69.9	266												
70.0 - 74.9	267												
75.0 - 79.9	265												
80.0 - 84.9	263												
85.0 - 89.9	261												
90.0 - 94.9	259												
95.0 - 99.9	257												
100.0+	254												
All Logs													

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Block Volume And Lumber Recovery Information

Average Line Method
BCTS
Licence Number: A90479 CP: 000
Project:

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: F
PSYU: Windermere
Region: 4 - Kootenay-Boundary
District: 05 - Rocky Mountain

06-Mar-2017 01:00:33PM
Filename: a90479_march_3_new_comp.ccp
Compiled by: BCTS-EKFT
Cruised by: PIONEER FOREST
Version: 2016.01   IFS build 6030

Block : (M) - 004:4 Doug-Fir [Quality 1]: [Interior Wet Belt Fir]

		R I S K G R O U P # 1				R I S K G R O U P # 2				R I S K G R O U P # 3			
Top	Log Dia(cm)	LRF	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM
0.1 -	4.4	0												
4.5 -	5.4	100												
5.5 -	6.4	109												
6.5 -	7.4	118												
7.5 -	8.4	128												
8.5 -	9.9	139												
10.0 -	14.9	170												
15.0 -	19.9	217												
20.0 -	24.9	246												
25.0 -	29.9	266												
30.0 -	34.9	279												
35.0 -	39.9	287												
40.0 -	44.9	292												
45.0 -	49.9	297												
50.0 -	54.9	299												
55.0 -	59.9	302												
60.0 -	64.9	302												
65.0 -	69.9	303												
70.0 -	74.9	302												
75.0 -	79.9	302												
80.0 -	84.9	301												
85.0 -	89.9	298												
90.0 -	94.9	297												
95.0 -	99.9	295												
100.0+		295												
All Logs														

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Block Volume And Lumber Recovery Information

Average Line Method	Grades: MOF Computerized	FIZ: F	06-Mar-2017 01:00:33PM
BCTS	Computerized Decay	PSYU: Windermere	Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000	Computerized Waste	Region: 4 - Kootenay-Boundary	Compiled by: BCTS-EKFT
Project:	Computerized Breakage	District: 05 - Rocky Mountain	Cruised by: PIONEER FOREST
			Version: 2016.01 IFS build 6030

Block : (M) - 004:4 Doug-Fir [Quality 2]: [Interior Wet Belt Fir]

		R I S K G R O U P # 1				R I S K G R O U P # 2				R I S K G R O U P # 3			
Log Top Dia(cm)	LRF	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM
0.1 - 4.4	0												
4.5 - 5.4	91												
5.5 - 6.4	100												
6.5 - 7.4	109												
7.5 - 8.4	119												
8.5 - 9.9	130												
10.0 - 14.9	160												
15.0 - 19.9	206												
20.0 - 24.9	234												
25.0 - 29.9	251												
30.0 - 34.9	262												
35.0 - 39.9	270												
40.0 - 44.9	275												
45.0 - 49.9	279												
50.0 - 54.9	281												
55.0 - 59.9	282												
60.0 - 64.9	282												
65.0 - 69.9	281												
70.0 - 74.9	280												
75.0 - 79.9	279												
80.0 - 84.9	277												
85.0 - 89.9	275												
90.0 - 94.9	273												
95.0 - 99.9	272												
100.0+	269												
All Logs													

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Block Volume And Lumber Recovery Information

06-Mar-2017 01:00:33PM

Average Line Method | Grades: MOF Computerized | FIZ: F | Filename: a90479_march_3_new_comp.ccp
BCTS | Computerized Decay | PSYU: Windermere | Compiled by: BCTS-EKFT
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Cruised by: PIONEER FOREST
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Version: 2016.01 IFS build 6030

Block : (M) - 004:4 L.P. Pine -Green Non Beetle

		R I S K G R O U P # 1				R I S K G R O U P # 2				R I S K G R O U P # 3			
Log Top Dia(cm)	LRF	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM
0.1 - 4.4	0												
4.5 - 5.4	91												
5.5 - 6.4	103												
6.5 - 7.4	113												
7.5 - 8.4	123												
8.5 - 9.9	134												
10.0 - 14.9	158	1771	0.5	1726	271986	3007	1.7	2895	453441				
15.0 - 19.9	185	1842	0.6	1795	331185	3253	1.9	3126	572930				
20.0 - 24.9	202	656	0.6	639	128735	1400	2.5	1337	266752				
25.0 - 29.9	217	50	0.8	48	10405	253	3.8	239	50811				
30.0 - 34.9	226	71	0.8	69	15602	72	4.7	67	14736				
35.0 - 39.9	234												
40.0 - 44.9	240												
45.0 - 49.9	246												
50.0 - 54.9	252												
55.0 - 59.9	258												
60.0 - 64.9	263												
65.0 - 69.9	266												
70.0 - 74.9	267												
75.0 - 79.9	265												
80.0 - 84.9	263												
85.0 - 89.9	261												
90.0 - 94.9	259												
95.0 - 99.9	257												
100.0+	254												
All Logs		4390	0.6	4278	757913	7984	2.0	7664	1358670				

LRF and Log Summary

Risk Groups		1	2	3	1+2	2+3	1+2+3	- Adj Factor	**= Adj 1+2+3**
Average LRF		177	177		177	177	177		**177**
Decay	%	0.6			1.5	2.0			
Stud Log Net Merch	%	82.3			79.9	78.6			
Small Log Net Merch	%	98.4			98.9	99.1			
Large Log Net Merch	%	1.6			1.1	0.9			

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Block Volume And Lumber Recovery Information

06-Mar-2017 01:00:33PM

Average Line Method | Grades: MOF Computerized | FIZ: F | Filename: a90479_march_3_new_comp.ccp
BCTS | Computerized Decay | PSYU: Windermere | Compiled by: BCTS-EKFT
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Cruised by: PIONEER FOREST
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Version: 2016.01 IFS build 6030

Block : (M) - 004:4 L.P. Pine -Green Attack

		R I S K G R O U P # 1				R I S K G R O U P # 2				R I S K G R O U P # 3			
Top	Log Dia(cm)	LRF	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM
0.1 -	4.4	0												
4.5 -	5.4	91												
5.5 -	6.4	103												
6.5 -	7.4	113												
7.5 -	8.4	123												
8.5 -	9.9	134												
10.0 -	14.9	158												
15.0 -	19.9	185												
20.0 -	24.9	202												
25.0 -	29.9	217												
30.0 -	34.9	226												
35.0 -	39.9	234												
40.0 -	44.9	240												
45.0 -	49.9	246												
50.0 -	54.9	252												
55.0 -	59.9	258												
60.0 -	64.9	263												
65.0 -	69.9	266												
70.0 -	74.9	267												
75.0 -	79.9	265												
80.0 -	84.9	263												
85.0 -	89.9	261												
90.0 -	94.9	259												
95.0 -	99.9	257												
100.0+		254												
All Logs														

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Block Volume And Lumber Recovery Information

Average Line Method	Grades: MOF Computerized	FIZ: F	06-Mar-2017 01:00:33PM
BCTS	Computerized Decay	PSYU: Windermere	Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000	Computerized Waste	Region: 4 - Kootenay-Boundary	Compiled by: BCTS-EKFT
Project:	Computerized Breakage	District: 05 - Rocky Mountain	Cruised by: PIONEER FOREST
			Version: 2016.01 IFS build 6030

Block : (M) - 004:4 L.P. Pine -Red Attack

		R I S K G R O U P # 1				R I S K G R O U P # 2				R I S K G R O U P # 3			
Log Top Dia(cm)	LRF	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM
0.1 - 4.4	0												
4.5 - 5.4	91												
5.5 - 6.4	103												
6.5 - 7.4	113												
7.5 - 8.4	123												
8.5 - 9.9	134												
10.0 - 14.9	158					25	2.8	22	3399				
15.0 - 19.9	185					44	2.8	39	7057				
20.0 - 24.9	202					67	2.8	58	11642				
25.0 - 29.9	217					39	2.8	35	7408				
30.0 - 34.9	226												
35.0 - 39.9	234												
40.0 - 44.9	240												
45.0 - 49.9	246												
50.0 - 54.9	252												
55.0 - 59.9	258												
60.0 - 64.9	263												
65.0 - 69.9	266												
70.0 - 74.9	267												
75.0 - 79.9	265												
80.0 - 84.9	263												
85.0 - 89.9	261												
90.0 - 94.9	259												
95.0 - 99.9	257												
100.0+	254												
All Logs						175	2.8	154	29505				

LRF and Log Summary

Risk Groups		1	2	3	1+2	2+3	1+2+3	- Adj Factor	**= Adj 1+2+3**
Average LRF			192		192	192	192	33	**159**
Decay	%				2.8	2.8			
Stud Log Net Merch	%				39.4	39.4			
Small Log Net Merch	%				100.0	100.0			
Large Log Net Merch	%								

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Block Volume And Lumber Recovery Information

06-Mar-2017 01:00:33PM

Average Line Method | Grades: MOF Computerized | FIZ: F | Filename: a90479_march_3_new_comp.ccp
BCTS | Computerized Decay | PSYU: Windermere | Compiled by: BCTS-EKFT
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Cruised by: PIONEER FOREST
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Version: 2016.01 IFS build 6030

Block : (M) - 004:4 L.P. Pine -Grey Attack

		R I S K G R O U P # 1				R I S K G R O U P # 2				R I S K G R O U P # 3			
Top	Log Dia(cm)	LRF	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM
0.1 -	4.4	0												
4.5 -	5.4	91												
5.5 -	6.4	103												
6.5 -	7.4	113												
7.5 -	8.4	123												
8.5 -	9.9	134												
10.0 -	14.9	158												
15.0 -	19.9	185												
20.0 -	24.9	202												
25.0 -	29.9	217												
30.0 -	34.9	226												
35.0 -	39.9	234												
40.0 -	44.9	240												
45.0 -	49.9	246												
50.0 -	54.9	252												
55.0 -	59.9	258												
60.0 -	64.9	263												
65.0 -	69.9	266												
70.0 -	74.9	267												
75.0 -	79.9	265												
80.0 -	84.9	263												
85.0 -	89.9	261												
90.0 -	94.9	259												
95.0 -	99.9	257												
100.0+		254												
All Logs														

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Block Volume And Lumber Recovery Information

Average Line Method	Grades: MOF Computerized	FIZ: F	06-Mar-2017 01:00:33PM
BCTS	Computerized Decay	PSYU: Windermere	Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000	Computerized Waste	Region: 4 - Kootenay-Boundary	Compiled by: BCTS-EKFT
Project:	Computerized Breakage	District: 05 - Rocky Mountain	Cruised by: PIONEER FOREST
			Version: 2016.01 IFS build 6030

Block : (M) - 004:4 L.P. Pine -Dead Potential

		R I S K G R O U P # 1				R I S K G R O U P # 2				R I S K G R O U P # 3			
Log Top Dia(cm)	LRF	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM
0.1 - 4.4	0												
4.5 - 5.4	91												
5.5 - 6.4	103												
6.5 - 7.4	113												
7.5 - 8.4	123												
8.5 - 9.9	134												
10.0 - 14.9	158					585	1.5	400	62750				
15.0 - 19.9	185					267	1.7	183	33489				
20.0 - 24.9	202												
25.0 - 29.9	217												
30.0 - 34.9	226												
35.0 - 39.9	234												
40.0 - 44.9	240												
45.0 - 49.9	246												
50.0 - 54.9	252												
55.0 - 59.9	258												
60.0 - 64.9	263												
65.0 - 69.9	266												
70.0 - 74.9	267												
75.0 - 79.9	265												
80.0 - 84.9	263												
85.0 - 89.9	261												
90.0 - 94.9	259												
95.0 - 99.9	257												
100.0+	254												
All Logs						852	1.6	583	96238				

LRF and Log Summary

Risk Groups		1	2	3	1+2	2+3	1+2+3	- Adj Factor	**= Adj 1+2+3**
Average LRF			165		165	165	165		**165**
Decay	%				1.6	1.6			
Stud Log Net Merch	%				100.0	100.0			
Small Log Net Merch	%				100.0	100.0			
Large Log Net Merch	%								

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Block Volume And Lumber Recovery Information

Average Line Method	Grades: MOF Computerized	FIZ: F	06-Mar-2017 01:00:33PM
BCTS	Computerized Decay	PSYU: Windermere	Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000	Computerized Waste	Region: 4 - Kootenay-Boundary	Compiled by: BCTS-EKFT
Project:	Computerized Breakage	District: 05 - Rocky Mountain	Cruised by: PIONEER FOREST
			Version: 2016.01 IFS build 6030

Block : (M) - 004:4 W.W. Pine

		R I S K G R O U P # 1				R I S K G R O U P # 2				R I S K G R O U P # 3			
Log Top Dia(cm)	LRF	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM
0.1 - 4.4	0												
4.5 - 5.4	91												
5.5 - 6.4	102												
6.5 - 7.4	111												
7.5 - 8.4	120												
8.5 - 9.9	129												
10.0 - 14.9	151					27	1.0	26	3865				
15.0 - 19.9	172					32	1.0	31	5355				
20.0 - 24.9	187												
25.0 - 29.9	199												
30.0 - 34.9	210												
35.0 - 39.9	217												
40.0 - 44.9	222												
45.0 - 49.9	228												
50.0 - 54.9	233												
55.0 - 59.9	237												
60.0 - 64.9	240												
65.0 - 69.9	241												
70.0 - 74.9	240												
75.0 - 79.9	237												
80.0 - 84.9	234												
85.0 - 89.9	231												
90.0 - 94.9	227												
95.0 - 99.9	224												
100.0+	221												
All Logs						59	1.0	57	9219				

LRF and Log Summary

Risk Groups		1	2	3	1+2	2+3	1+2+3
Average LRF			162		162	162	162
Decay	%				1.0	1.0	
Stud Log Net Merch	%						
Small Log Net Merch	%				100.0	100.0	
Large Log Net Merch	%						

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Block Volume And Lumber Recovery Information

06-Mar-2017 01:00:33PM

Average Line Method | Grades: MOF Computerized | FIZ: F | Filename: a90479_march_3_new_comp.ccp
BCTS | Computerized Decay | PSYU: Windermere | Compiled by: BCTS-EKFT
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Cruised by: PIONEER FOREST
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Version: 2016.01 IFS build 6030

Block : (M) - 004:4 Spruce

Log Top Dia(cm)	LRF	R I S K G R O U P # 1 Gross Merch	Decay %	Net Merch	FBM	R I S K G R O U P # 2 Gross Merch	Decay %	Net Merch	FBM	R I S K G R O U P # 3 Gross Merch	Decay %	Net Merch	FBM
0.1 - 4.4	0												
4.5 - 5.4	91												
5.5 - 6.4	103												
6.5 - 7.4	113												
7.5 - 8.4	123												
8.5 - 9.9	134												
10.0 - 14.9	158	473	0.7	461	72545	47	3.0	45	6997				
15.0 - 19.9	185	475	0.9	461	84993	53	3.1	51	9229				
20.0 - 24.9	202	346	0.8	336	67661	78	3.1	74	14697				
25.0 - 29.9	217	312	1.2	302	65038	89	4.0	83	17755				
30.0 - 34.9	226	338	0.9	328	73802	34	4.0	32	7064				
35.0 - 39.9	234	223	1.1	216	50318								
40.0 - 44.9	240	74	2.1	71	16833								
45.0 - 49.9	246												
50.0 - 54.9	252												
55.0 - 59.9	258												
60.0 - 64.9	263												
65.0 - 69.9	266												
70.0 - 74.9	267												
75.0 - 79.9	265												
80.0 - 84.9	263												
85.0 - 89.9	261												
90.0 - 94.9	259												
95.0 - 99.9	257												
100.0+	254												
All Logs		2242	0.9	2175	431188	301	3.4	285	55742				

LRF and Log Summary

Risk Groups		1	2	3	1+2	2+3	1+2+3
Average LRF		198	196		198	196	198
Decay	%	0.9			1.2	3.4	
Stud Log Net Merch	%	42.4			41.4	33.6	
Small Log Net Merch	%	71.7			73.7	88.8	
Large Log Net Merch	%	28.3			26.3	11.2	

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Block Volume And Lumber Recovery Information

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
Version: 2016.01 IFS build 6030

Block : (M) - 004:4 ALL SPECIES

Log Top Dia(cm)	LRF	R I S K G R O U P # 1 Gross Merch	Decay %	Net Merch	FBM	R I S K G R O U P # 2 Gross Merch	Decay %	Net Merch	FBM	R I S K G R O U P # 3 Gross Merch	Decay %	Net Merch	FBM
0.1 - 4.4													
4.5 - 5.4													
5.5 - 6.4													
6.5 - 7.4													
7.5 - 8.4													
8.5 - 9.9													
10.0 - 14.9		2415	0.6	2353	370611	3783	1.7	3476	544254				
15.0 - 19.9		2528	0.7	2460	453675	3677	1.9	3455	632558				
20.0 - 24.9		1257	0.8	1221	245580	1581	2.6	1504	299835				
25.0 - 29.9		484	1.3	468	100946	453	3.9	423	90079				
30.0 - 34.9		544	1.2	527	118342	158	4.6	148	32565				
35.0 - 39.9		223	1.1	216	50318	71	5.0	66	15017				
40.0 - 44.9		74	2.1	71	16833								
45.0 - 49.9													
50.0 - 54.9													
55.0 - 59.9													
60.0 - 64.9													
65.0 - 69.9													
70.0 - 74.9													
75.0 - 79.9													
80.0 - 84.9													
85.0 - 89.9													
90.0 - 94.9													
95.0 - 99.9													
100.0+													
All Logs		7526	0.8	7316	1356304	9723	2.1	9071	1614308				

LRF and Log Summary

Risk Groups		1	2	3	1+2	2+3	1+2+3
Average LRF (unadjusted)		185	178		181	178	181
Decay	%	0.8			1.5	2.1	
Stud Log Net Merch	%	65.8			71.3	75.8	
Small Log Net Merch	%	88.9			93.7	97.6	
Large Log Net Merch	%	11.1			6.3	2.4	

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Volume And Lumber Recovery Information

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
Version: 2016.01 IFS build 6030

Type : 1 (M) Pl636-0/18 Aspen

		R I S K G R O U P # 1				R I S K G R O U P # 2				R I S K G R O U P # 3			
Top	Log Dia(cm)	LRF	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM
0.1 -	4.4	0												
4.5 -	5.4	91												
5.5 -	6.4	103												
6.5 -	7.4	113												
7.5 -	8.4	123												
8.5 -	9.9	134												
10.0 -	14.9	158												
15.0 -	19.9	185												
20.0 -	24.9	202												
25.0 -	29.9	217												
30.0 -	34.9	226												
35.0 -	39.9	234												
40.0 -	44.9	240												
45.0 -	49.9	246												
50.0 -	54.9	252												
55.0 -	59.9	258												
60.0 -	64.9	263												
65.0 -	69.9	266												
70.0 -	74.9	267												
75.0 -	79.9	265												
80.0 -	84.9	263												
85.0 -	89.9	261												
90.0 -	94.9	259												
95.0 -	99.9	257												
100.0+		254												
All Logs														

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Volume And Lumber Recovery Information

06-Mar-2017 01:00:33PM

Average Line Method | Grades: MOF Computerized | FIZ: F | Filename: a90479_march_3_new_comp.ccp
BCTS | Computerized Decay | PSYU: Windermere | Compiled by: BCTS-EKFT
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Cruised by: PIONEER FOREST
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Version: 2016.01 IFS build 6030

Type : 1 (M) Pl636-0/18 Balsam

		R I S K G R O U P # 1				R I S K G R O U P # 2				R I S K G R O U P # 3			
Top Log Dia(cm)	LRF	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM
0.1 - 4.4	0												
4.5 - 5.4	91												
5.5 - 6.4	103												
6.5 - 7.4	113												
7.5 - 8.4	123												
8.5 - 9.9	134												
10.0 - 14.9	158												
15.0 - 19.9	185												
20.0 - 24.9	202												
25.0 - 29.9	217												
30.0 - 34.9	226												
35.0 - 39.9	234												
40.0 - 44.9	240												
45.0 - 49.9	246												
50.0 - 54.9	252												
55.0 - 59.9	258												
60.0 - 64.9	263												
65.0 - 69.9	266												
70.0 - 74.9	267												
75.0 - 79.9	265												
80.0 - 84.9	263												
85.0 - 89.9	261												
90.0 - 94.9	259												
95.0 - 99.9	257												
100.0+	254												
All Logs													

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Volume And Lumber Recovery Information

06-Mar-2017 01:00:33PM

Average Line Method | Grades: MOF Computerized | FIZ: F | Filename: a90479_march_3_new_comp.ccp
BCTS | Computerized Decay | PSYU: Windermere | Compiled by: BCTS-EKFT
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Cruised by: PIONEER FOREST
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Version: 2016.01 IFS build 6030

Type : 1 (M) Pl636-0/18 Doug-Fir [Interior Wet Belt Fir]

		R I S K G R O U P # 1				R I S K G R O U P # 2				R I S K G R O U P # 3			
Top Log Dia(cm)	LRF	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM
0.1 - 4.4	0												
4.5 - 5.4	91												
5.5 - 6.4	103												
6.5 - 7.4	113												
7.5 - 8.4	123												
8.5 - 9.9	134												
10.0 - 14.9	156	27	1.0	26	4093								
15.0 - 19.9	185	24	1.0	23	4271								
20.0 - 24.9	202	54	1.0	52	10503								
25.0 - 29.9	217	74	1.0	72	15503								
30.0 - 34.9	226	43	1.0	41	9319								
35.0 - 39.9	234												
40.0 - 44.9	240												
45.0 - 49.9	246												
50.0 - 54.9	252												
55.0 - 59.9	258												
60.0 - 64.9	263												
65.0 - 69.9	266												
70.0 - 74.9	267												
75.0 - 79.9	265												
80.0 - 84.9	263												
85.0 - 89.9	261												
90.0 - 94.9	259												
95.0 - 99.9	257												
100.0+	254												
All Logs		222	1.0	215	43689								

LRF and Log Summary

Risk Groups		1	2	3	1+2	2+3	1+2+3
Average LRF		203			203		203
Decay	%	1.0			1.0		
Stud Log Net Merch	%	23.0			23.0		
Small Log Net Merch	%	80.7			80.7		
Large Log Net Merch	%	19.3			19.3		

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Volume And Lumber Recovery Information

Average Line Method	Grades: MOF Computerized	FIZ: F	06-Mar-2017 01:00:33PM
BCTS	Computerized Decay	PSYU: Windermere	Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000	Computerized Waste	Region: 4 - Kootenay-Boundary	Compiled by: BCTS-EKFT
Project:	Computerized Breakage	District: 05 - Rocky Mountain	Cruised by: PIONEER FOREST
			Version: 2016.01 IFS build 6030

Type : 1 (M) Pl636-0/18 Doug-Fir [Quality 1]: [Interior Wet Belt Fir]

		R I S K G R O U P # 1				R I S K G R O U P # 2				R I S K G R O U P # 3			
Log Top Dia(cm)	LRF	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM
0.1 - 4.4	0												
4.5 - 5.4	100												
5.5 - 6.4	109												
6.5 - 7.4	118												
7.5 - 8.4	128												
8.5 - 9.9	139												
10.0 - 14.9	170	27	1.0	26	4460								
15.0 - 19.9	217	24	1.0	23	5010								
20.0 - 24.9	246	54	1.0	52	12790								
25.0 - 29.9	266	74	1.0	72	19004								
30.0 - 34.9	279	43	1.0	41	11504								
35.0 - 39.9	287												
40.0 - 44.9	292												
45.0 - 49.9	297												
50.0 - 54.9	299												
55.0 - 59.9	302												
60.0 - 64.9	302												
65.0 - 69.9	303												
70.0 - 74.9	302												
75.0 - 79.9	302												
80.0 - 84.9	301												
85.0 - 89.9	298												
90.0 - 94.9	297												
95.0 - 99.9	295												
100.0+	295												
All Logs		222	1.0	215	52769								

LRF and Log Summary

Risk Groups		1	2	3	1+2	2+3	1+2+3
Average LRF		245			245		245
Decay	%	1.0			1.0		
Stud Log Net Merch	%	23.0			23.0		
Small Log Net Merch	%	80.7			80.7		
Large Log Net Merch	%	19.3			19.3		

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Volume And Lumber Recovery Information

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
| | | Version: 2016.01 IFS build 6030

Type : 1 (M) Pl636-0/18 Doug-Fir [Quality 2]: [Interior Wet Belt Fir]

		RISK GROUP #1				RISK GROUP #2				RISK GROUP #3			
Top	Log Dia(cm)	LRF	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM
0.1 - 4.4		0												
4.5 - 5.4		91												
5.5 - 6.4		100												
6.5 - 7.4		109												
7.5 - 8.4		119												
8.5 - 9.9		130												
10.0 - 14.9		160												
15.0 - 19.9		206												
20.0 - 24.9		234												
25.0 - 29.9		251												
30.0 - 34.9		262												
35.0 - 39.9		270												
40.0 - 44.9		275												
45.0 - 49.9		279												
50.0 - 54.9		281												
55.0 - 59.9		282												
60.0 - 64.9		282												
65.0 - 69.9		281												
70.0 - 74.9		280												
75.0 - 79.9		279												
80.0 - 84.9		277												
85.0 - 89.9		275												
90.0 - 94.9		273												
95.0 - 99.9		272												
100.0+		269												
All Logs														

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Volume And Lumber Recovery Information

06-Mar-2017 01:00:33PM

Average Line Method | Grades: MOF Computerized | FIZ: F | Filename: a90479_march_3_new_comp.ccp
BCTS | Computerized Decay | PSYU: Windermere | Compiled by: BCTS-EKFT
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Cruised by: PIONEER FOREST
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Version: 2016.01 IFS build 6030

Type : 1 (M) Pl636-0/18 L.P. Pine -Green Non Beetle

		R I S K G R O U P # 1				R I S K G R O U P # 2				R I S K G R O U P # 3			
Log Top Dia(cm)	LRF	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM
0.1 - 4.4	0												
4.5 - 5.4	91												
5.5 - 6.4	103												
6.5 - 7.4	113												
7.5 - 8.4	123												
8.5 - 9.9	134												
10.0 - 14.9	158	106	0.6	104	16325	1812	1.7	1745	273459				
15.0 - 19.9	185	127	0.6	123	22744	1725	1.8	1659	304070				
20.0 - 24.9	202	227	0.6	221	44431	777	2.1	745	148925				
25.0 - 29.9	217	153	0.7	149	32301	56	2.8	53	11356				
30.0 - 34.9	226												
35.0 - 39.9	234												
40.0 - 44.9	240												
45.0 - 49.9	246												
50.0 - 54.9	252												
55.0 - 59.9	258												
60.0 - 64.9	263												
65.0 - 69.9	266												
70.0 - 74.9	267												
75.0 - 79.9	265												
80.0 - 84.9	263												
85.0 - 89.9	261												
90.0 - 94.9	259												
95.0 - 99.9	257												
100.0+	254												
All Logs		613	0.6	597	115801	4370	1.8	4203	737810				

LRF and Log Summary

Risk Groups		1	2	3	1+2	2+3	1+2+3	- Adj Factor	**= Adj 1+2+3**
Average LRF		194	176		178	176	178		**178**
Decay	%	0.6			1.7	1.8			
Stud Log Net Merch	%	38.0			75.7	81.0			
Small Log Net Merch	%	100.0			100.0	100.0			
Large Log Net Merch	%								

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Volume And Lumber Recovery Information

Average Line Method | Grades: MOF Computerized | FIZ: F | Filename: a90479_march_3_new_comp.ccp
BCTS | Computerized Decay | PSYU: Windermere | Compiled by: BCTS-EKFT
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Cruised by: PIONEER FOREST
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Version: 2016.01 IFS build 6030

Type : 1 (M) Pl636-0/18 L.P. Pine -Green Attack

		R I S K G R O U P # 1				R I S K G R O U P # 2				R I S K G R O U P # 3			
Log Top Dia(cm)	LRF	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM
0.1 - 4.4	0												
4.5 - 5.4	91												
5.5 - 6.4	103												
6.5 - 7.4	113												
7.5 - 8.4	123												
8.5 - 9.9	134												
10.0 - 14.9	158					34	1.6	32	5090				
15.0 - 19.9	185					94	1.6	90	16601				
20.0 - 24.9	202												
25.0 - 29.9	217												
30.0 - 34.9	226												
35.0 - 39.9	234												
40.0 - 44.9	240												
45.0 - 49.9	246												
50.0 - 54.9	252												
55.0 - 59.9	258												
60.0 - 64.9	263												
65.0 - 69.9	266												
70.0 - 74.9	267												
75.0 - 79.9	265												
80.0 - 84.9	263												
85.0 - 89.9	261												
90.0 - 94.9	259												
95.0 - 99.9	257												
100.0+	254												
All Logs						128	1.6	123	21692				

LRF and Log Summary

Risk Groups		1	2	3	1+2	2+3	1+2+3	- Adj Factor	**= Adj 1+2+3**
Average LRF			176		176	176	176	3	**173**
Decay	%				1.6	1.6			
Stud Log Net Merch	%				100.0	100.0			
Small Log Net Merch	%				100.0	100.0			
Large Log Net Merch	%								

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Volume And Lumber Recovery Information

06-Mar-2017 01:00:33PM

Average Line Method | Grades: MOF Computerized | FIZ: F | Filename: a90479_march_3_new_comp.ccp
BCTS | Computerized Decay | PSYU: Windermere | Compiled by: BCTS-EKFT
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Cruised by: PIONEER FOREST
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Version: 2016.01 IFS build 6030

Type : 1 (M) Pl636-0/18 L.P. Pine -Red Attack

		R I S K G R O U P # 1				R I S K G R O U P # 2				R I S K G R O U P # 3			
Top	Log Dia(cm)	LRF	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM
0.1 -	4.4	0												
4.5 -	5.4	91												
5.5 -	6.4	103												
6.5 -	7.4	113												
7.5 -	8.4	123												
8.5 -	9.9	134												
10.0 -	14.9	158												
15.0 -	19.9	185												
20.0 -	24.9	202												
25.0 -	29.9	217												
30.0 -	34.9	226												
35.0 -	39.9	234												
40.0 -	44.9	240												
45.0 -	49.9	246												
50.0 -	54.9	252												
55.0 -	59.9	258												
60.0 -	64.9	263												
65.0 -	69.9	266												
70.0 -	74.9	267												
75.0 -	79.9	265												
80.0 -	84.9	263												
85.0 -	89.9	261												
90.0 -	94.9	259												
95.0 -	99.9	257												
100.0+		254												
All Logs														

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Volume And Lumber Recovery Information

Average Line Method	Grades: MOF Computerized	FIZ: F	06-Mar-2017 01:00:33PM
BCTS	Computerized Decay	PSYU: Windermere	Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000	Computerized Waste	Region: 4 - Kootenay-Boundary	Compiled by: BCTS-EKFT
Project:	Computerized Breakage	District: 05 - Rocky Mountain	Cruised by: PIONEER FOREST
			Version: 2016.01 IFS build 6030

Type : 1 (M) Pl636-0/18 L.P. Pine -Grey Attack

		R I S K G R O U P # 1				R I S K G R O U P # 2				R I S K G R O U P # 3			
Log Top Dia(cm)	LRF	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM
0.1 - 4.4	0												
4.5 - 5.4	91												
5.5 - 6.4	103												
6.5 - 7.4	113												
7.5 - 8.4	123												
8.5 - 9.9	134												
10.0 - 14.9	158					88	2.0	60	9346				
15.0 - 19.9	185					241	2.0	164	30039				
20.0 - 24.9	202					110	2.0	75	14971				
25.0 - 29.9	217												
30.0 - 34.9	226												
35.0 - 39.9	234												
40.0 - 44.9	240												
45.0 - 49.9	246												
50.0 - 54.9	252												
55.0 - 59.9	258												
60.0 - 64.9	263												
65.0 - 69.9	266												
70.0 - 74.9	267												
75.0 - 79.9	265												
80.0 - 84.9	263												
85.0 - 89.9	261												
90.0 - 94.9	259												
95.0 - 99.9	257												
100.0+	254												
All Logs						439	2.0	299	54356				

LRF and Log Summary

Risk Groups		1	2	3	1+2	2+3	1+2+3	- Adj Factor	**= Adj 1+2+3**
Average LRF			182		182	182	182	83	**99**
Decay	%				2.0	2.0			
Stud Log Net Merch	%				74.9	74.9			
Small Log Net Merch	%				100.0	100.0			
Large Log Net Merch	%								

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Volume And Lumber Recovery Information

Average Line Method | Grades: MOF Computerized | FIZ: F | Filename: a90479_march_3_new_comp.ccp
BCTS | Computerized Decay | PSYU: Windermere | Compiled by: BCTS-EKFT
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Cruised by: PIONEER FOREST
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Version: 2016.01 IFS build 6030

Type : 1 (M) Pl636-0/18 L.P. Pine -Dead Potential

Log Top Dia(cm)	LRF	R I S K G R O U P # 1 Gross Merch	Decay %	Net Merch	FBM	R I S K G R O U P # 2 Gross Merch	Decay %	Net Merch	FBM	R I S K G R O U P # 3 Gross Merch	Decay %	Net Merch	FBM
0.1 - 4.4	0												
4.5 - 5.4	91												
5.5 - 6.4	103												
6.5 - 7.4	113												
7.5 - 8.4	123												
8.5 - 9.9	134												
10.0 - 14.9	158					257	1.5	176	27659				
15.0 - 19.9	185					107	2.0	73	13298				
20.0 - 24.9	202					109	2.0	74	14855				
25.0 - 29.9	217												
30.0 - 34.9	226												
35.0 - 39.9	234												
40.0 - 44.9	240												
45.0 - 49.9	246												
50.0 - 54.9	252												
55.0 - 59.9	258												
60.0 - 64.9	263												
65.0 - 69.9	266												
70.0 - 74.9	267												
75.0 - 79.9	265												
80.0 - 84.9	263												
85.0 - 89.9	261												
90.0 - 94.9	259												
95.0 - 99.9	257												
100.0+	254												
All Logs						473	1.7	323	55812				

LRF and Log Summary

Risk Groups		1	2	3	1+2	2+3	1+2+3	- Adj Factor	**= Adj 1+2+3**
Average LRF			173		173	173	173		**173**
Decay	%				1.7	1.7			
Stud Log Net Merch	%				77.0	77.0			
Small Log Net Merch	%				100.0	100.0			
Large Log Net Merch	%								

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Volume And Lumber Recovery Information

06-Mar-2017 01:00:33PM

Average Line Method | Grades: MOF Computerized | FIZ: F | Filename: a90479_march_3_new_comp.ccp
BCTS | Computerized Decay | PSYU: Windermere | Compiled by: BCTS-EKFT
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Cruised by: PIONEER FOREST
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Version: 2016.01 IFS build 6030

Type : 1 (M) Pl636-0/18 W.W. Pine

		R I S K G R O U P # 1				R I S K G R O U P # 2				R I S K G R O U P # 3			
Top	Log Dia(cm) LRF	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM
0.1 - 4.4	0												
4.5 - 5.4	91												
5.5 - 6.4	102												
6.5 - 7.4	111												
7.5 - 8.4	120												
8.5 - 9.9	129												
10.0 - 14.9	151												
15.0 - 19.9	172												
20.0 - 24.9	187												
25.0 - 29.9	199												
30.0 - 34.9	210												
35.0 - 39.9	217												
40.0 - 44.9	222												
45.0 - 49.9	228												
50.0 - 54.9	233												
55.0 - 59.9	237												
60.0 - 64.9	240												
65.0 - 69.9	241												
70.0 - 74.9	240												
75.0 - 79.9	237												
80.0 - 84.9	234												
85.0 - 89.9	231												
90.0 - 94.9	227												
95.0 - 99.9	224												
100.0+	221												
All Logs													

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Volume And Lumber Recovery Information

06-Mar-2017 01:00:33PM

Average Line Method | Grades: MOF Computerized | FIZ: F | Filename: a90479_march_3_new_comp.ccp
BCTS | Computerized Decay | PSYU: Windermere | Compiled by: BCTS-EKFT
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Cruised by: PIONEER FOREST
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Version: 2016.01 IFS build 6030

Type : 1 (M) Pl636-0/18 Spruce

		R I S K G R O U P # 1				R I S K G R O U P # 2				R I S K G R O U P # 3			
Top	Log Dia(cm)	LRF	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM
0.1 -	4.4	0												
4.5 -	5.4	91												
5.5 -	6.4	103												
6.5 -	7.4	113												
7.5 -	8.4	123												
8.5 -	9.9	134												
10.0 -	14.9	158												
15.0 -	19.9	185												
20.0 -	24.9	202												
25.0 -	29.9	217												
30.0 -	34.9	226												
35.0 -	39.9	234												
40.0 -	44.9	240												
45.0 -	49.9	246												
50.0 -	54.9	252												
55.0 -	59.9	258												
60.0 -	64.9	263												
65.0 -	69.9	266												
70.0 -	74.9	267												
75.0 -	79.9	265												
80.0 -	84.9	263												
85.0 -	89.9	261												
90.0 -	94.9	259												
95.0 -	99.9	257												
100.0+		254												
All Logs														

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Volume And Lumber Recovery Information

06-Mar-2017 01:00:33PM

Average Line Method	Grades: MOF Computerized	FIZ: F	Filename: a90479_march_3_new_comp.ccp
BCTS	Computerized Decay	PSYU: Windermere	Compiled by: BCTS-EKFT
Licence Number: A90479 CP: 000	Computerized Waste	Region: 4 - Kootenay-Boundary	Cruised by: PIONEER FOREST
Project:	Computerized Breakage	District: 05 - Rocky Mountain	Version: 2016.01 IFS build 6030

Type : 1 (M) Pl636-0/18 ALL SPECIES

		R I S K G R O U P # 1				R I S K G R O U P # 2				R I S K G R O U P # 3			
Top	Log Dia(cm) LRF	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM
0.1 - 4.4													
4.5 - 5.4													
5.5 - 6.4													
6.5 - 7.4													
7.5 - 8.4													
8.5 - 9.9													
10.0 - 14.9		134	0.7	130	20418	2191	1.7	2014	315554				
15.0 - 19.9		151	0.7	147	27015	2166	1.8	1986	364009				
20.0 - 24.9		280	0.7	273	54934	997	2.1	894	178751				
25.0 - 29.9		227	0.8	221	47805	56	2.8	53	11356				
30.0 - 34.9		43	1.0	41	9319								
35.0 - 39.9													
40.0 - 44.9													
45.0 - 49.9													
50.0 - 54.9													
55.0 - 59.9													
60.0 - 64.9													
65.0 - 69.9													
70.0 - 74.9													
75.0 - 79.9													
80.0 - 84.9													
85.0 - 89.9													
90.0 - 94.9													
95.0 - 99.9													
100.0+													
All Logs		835	0.7	812	159491	5410	1.8	4947	869670				

LRF and Log Summary

Risk Groups		1	2	3	1+2	2+3	1+2+3
Average LRF (unadjusted)		196	176		179	176	179
Decay	%	0.7			1.7	1.8	
Stud Log Net Merch	%	34.1			74.3	80.8	
Small Log Net Merch	%	94.9			99.3	100.0	
Large Log Net Merch	%	5.1			0.7		

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Volume And Lumber Recovery Information

06-Mar-2017 01:00:33PM

Average Line Method | Grades: MOF Computerized | FIZ: F | Filename: a90479_march_3_new_comp.ccp
BCTS | Computerized Decay | PSYU: Windermere | Compiled by: BCTS-EKFT
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Cruised by: PIONEER FOREST
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Version: 2016.01 IFS build 6030

Type : 2 (M) Pl636-0/18 Aspen

		R I S K G R O U P # 1				R I S K G R O U P # 2				R I S K G R O U P # 3			
Top	Log Dia(cm) LRF	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM
0.1 - 4.4	0												
4.5 - 5.4	91												
5.5 - 6.4	103												
6.5 - 7.4	113												
7.5 - 8.4	123												
8.5 - 9.9	134												
10.0 - 14.9	158												
15.0 - 19.9	185												
20.0 - 24.9	202												
25.0 - 29.9	217												
30.0 - 34.9	226												
35.0 - 39.9	234												
40.0 - 44.9	240												
45.0 - 49.9	246												
50.0 - 54.9	252												
55.0 - 59.9	258												
60.0 - 64.9	263												
65.0 - 69.9	266												
70.0 - 74.9	267												
75.0 - 79.9	265												
80.0 - 84.9	263												
85.0 - 89.9	261												
90.0 - 94.9	259												
95.0 - 99.9	257												
100.0+	254												
All Logs													

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Volume And Lumber Recovery Information

06-Mar-2017 01:00:33PM

Average Line Method | Grades: MOF Computerized | FIZ: F | Filename: a90479_march_3_new_comp.ccp
BCTS | Computerized Decay | PSYU: Windermere | Compiled by: BCTS-EKFT
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Cruised by: PIONEER FOREST
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Version: 2016.01 IFS build 6030

Type : 2 (M) Pl636-0/18 Balsam

		R I S K G R O U P # 1				R I S K G R O U P # 2				R I S K G R O U P # 3			
Top	Log Dia(cm)	LRF	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM
0.1 -	4.4	0												
4.5 -	5.4	91												
5.5 -	6.4	103												
6.5 -	7.4	113												
7.5 -	8.4	123												
8.5 -	9.9	134												
10.0 -	14.9	158												
15.0 -	19.9	185												
20.0 -	24.9	202												
25.0 -	29.9	217												
30.0 -	34.9	226												
35.0 -	39.9	234												
40.0 -	44.9	240												
45.0 -	49.9	246												
50.0 -	54.9	252												
55.0 -	59.9	258												
60.0 -	64.9	263												
65.0 -	69.9	266												
70.0 -	74.9	267												
75.0 -	79.9	265												
80.0 -	84.9	263												
85.0 -	89.9	261												
90.0 -	94.9	259												
95.0 -	99.9	257												
100.0+		254												
All Logs														

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Volume And Lumber Recovery Information

Average Line Method | Grades: MOF Computerized | FIZ: F | Filename: a90479_march_3_new_comp.ccp
BCTS | Computerized Decay | PSYU: Windermere | Compiled by: BCTS-EKFT
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Cruised by: PIONEER FOREST
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Version: 2016.01 IFS build 6030

Type : 2 (M) Pl636-0/18 Doug-Fir [Interior Wet Belt Fir]

		R I S K G R O U P # 1				R I S K G R O U P # 2				R I S K G R O U P # 3			
Top	Log Dia(cm) LRF	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM
0.1 - 4.4	0												
4.5 - 5.4	91												
5.5 - 6.4	103												
6.5 - 7.4	113												
7.5 - 8.4	123												
8.5 - 9.9	134												
10.0 - 14.9	156												
15.0 - 19.9	185												
20.0 - 24.9	202												
25.0 - 29.9	217												
30.0 - 34.9	226												
35.0 - 39.9	234												
40.0 - 44.9	240												
45.0 - 49.9	246												
50.0 - 54.9	252												
55.0 - 59.9	258												
60.0 - 64.9	263												
65.0 - 69.9	266												
70.0 - 74.9	267												
75.0 - 79.9	265												
80.0 - 84.9	263												
85.0 - 89.9	261												
90.0 - 94.9	259												
95.0 - 99.9	257												
100.0+	254												
All Logs													

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Volume And Lumber Recovery Information

06-Mar-2017 01:00:33PM

Average Line Method | Grades: MOF Computerized | FIZ: F | Filename: a90479_march_3_new_comp.ccp
BCTS | Computerized Decay | PSYU: Windermere | Compiled by: BCTS-EKFT
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Cruised by: PIONEER FOREST
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Version: 2016.01 IFS build 6030

Type : 2 (M) Pl636-0/18 Doug-Fir [Quality 1]: [Interior Wet Belt Fir]

		R I S K G R O U P # 1				R I S K G R O U P # 2				R I S K G R O U P # 3			
Top	Log Dia(cm) LRF	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM
0.1 - 4.4	0												
4.5 - 5.4	100												
5.5 - 6.4	109												
6.5 - 7.4	118												
7.5 - 8.4	128												
8.5 - 9.9	139												
10.0 - 14.9	170												
15.0 - 19.9	217												
20.0 - 24.9	246												
25.0 - 29.9	266												
30.0 - 34.9	279												
35.0 - 39.9	287												
40.0 - 44.9	292												
45.0 - 49.9	297												
50.0 - 54.9	299												
55.0 - 59.9	302												
60.0 - 64.9	302												
65.0 - 69.9	303												
70.0 - 74.9	302												
75.0 - 79.9	302												
80.0 - 84.9	301												
85.0 - 89.9	298												
90.0 - 94.9	297												
95.0 - 99.9	295												
100.0+	295												
All Logs													

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Volume And Lumber Recovery Information

Average Line Method
BCTS
Licence Number: A90479 CP: 000
Project:

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: F
PSYU: Windermere
Region: 4 - Kootenay-Boundary
District: 05 - Rocky Mountain

06-Mar-2017 01:00:33PM
Filename: a90479_march_3_new_comp.ccp
Compiled by: BCTS-EKFT
Cruised by: PIONEER FOREST
Version: 2016.01   IFS build 6030

Type : 2 (M) Pl636-0/18 Doug-Fir [Quality 2]: [Interior Wet Belt Fir]

			R I S K G R O U P # 1				R I S K G R O U P # 2				R I S K G R O U P # 3			
Top	Log Dia(cm)	LRF	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM
0.1 -	4.4	0												
4.5 -	5.4	91												
5.5 -	6.4	100												
6.5 -	7.4	109												
7.5 -	8.4	119												
8.5 -	9.9	130												
10.0 -	14.9	160												
15.0 -	19.9	206												
20.0 -	24.9	234												
25.0 -	29.9	251												
30.0 -	34.9	262												
35.0 -	39.9	270												
40.0 -	44.9	275												
45.0 -	49.9	279												
50.0 -	54.9	281												
55.0 -	59.9	282												
60.0 -	64.9	282												
65.0 -	69.9	281												
70.0 -	74.9	280												
75.0 -	79.9	279												
80.0 -	84.9	277												
85.0 -	89.9	275												
90.0 -	94.9	273												
95.0 -	99.9	272												
100.0+		269												
All Logs														

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Volume And Lumber Recovery Information

06-Mar-2017 01:00:33PM

Average Line Method | Grades: MOF Computerized | FIZ: F | Filename: a90479_march_3_new_comp.ccp
BCTS | Computerized Decay | PSYU: Windermere | Compiled by: BCTS-EKFT
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Cruised by: PIONEER FOREST
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Version: 2016.01 IFS build 6030

Type : 2 (M) Pl636-0/18 L.P. Pine -Green Non Beetle

		R I S K G R O U P # 1				R I S K G R O U P # 2				R I S K G R O U P # 3			
Top Log Dia(cm)	LRF	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM
0.1 - 4.4	0												
4.5 - 5.4	91												
5.5 - 6.4	103												
6.5 - 7.4	113												
7.5 - 8.4	123												
8.5 - 9.9	134												
10.0 - 14.9	158	195	0.5	190	29934	1086	1.7	1046	163800				
15.0 - 19.9	185	177	0.5	173	31850	917	1.9	881	161528				
20.0 - 24.9	202	103	0.6	101	20296	363	2.2	347	69353				
25.0 - 29.9	217												
30.0 - 34.9	226												
35.0 - 39.9	234												
40.0 - 44.9	240												
45.0 - 49.9	246												
50.0 - 54.9	252												
55.0 - 59.9	258												
60.0 - 64.9	263												
65.0 - 69.9	266												
70.0 - 74.9	267												
75.0 - 79.9	265												
80.0 - 84.9	263												
85.0 - 89.9	261												
90.0 - 94.9	259												
95.0 - 99.9	257												
100.0+	254												
All Logs		476	0.6	463	82080	2365	1.9	2274	394681				

LRF and Log Summary

Risk Groups		1	2	3	1+2	2+3	1+2+3	- Adj Factor	**= Adj 1+2+3**
Average LRF		177	174		174	174	174		**174**
Decay	%	0.6			1.6	1.9			
Stud Log Net Merch	%	78.3			83.6	84.7			
Small Log Net Merch	%	100.0			100.0	100.0			
Large Log Net Merch	%								

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Volume And Lumber Recovery Information

06-Mar-2017 01:00:33PM

Average Line Method | Grades: MOF Computerized | FIZ: F | Filename: a90479_march_3_new_comp.ccp
BCTS | Computerized Decay | PSYU: Windermere | Compiled by: BCTS-EKFT
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Cruised by: PIONEER FOREST
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Version: 2016.01 IFS build 6030

Type : 2 (M) Pl636-0/18 L.P. Pine -Green Attack

Log Top Dia(cm)	LRF	R I S K G R O U P # 1 Gross Merch	Decay %	Net Merch	FBM	R I S K G R O U P # 2 Gross Merch	Decay %	Net Merch	FBM	R I S K G R O U P # 3 Gross Merch	Decay %	Net Merch	FBM
0.1 - 4.4	0												
4.5 - 5.4	91												
5.5 - 6.4	103												
6.5 - 7.4	113												
7.5 - 8.4	123												
8.5 - 9.9	134												
10.0 - 14.9	158					67	1.9	64	10048				
15.0 - 19.9	185					179	2.0	172	31465				
20.0 - 24.9	202					121	3.0	115	22875				
25.0 - 29.9	217					53	3.7	50	10628				
30.0 - 34.9	226												
35.0 - 39.9	234												
40.0 - 44.9	240												
45.0 - 49.9	246												
50.0 - 54.9	252												
55.0 - 59.9	258												
60.0 - 64.9	263												
65.0 - 69.9	266												
70.0 - 74.9	267												
75.0 - 79.9	265												
80.0 - 84.9	263												
85.0 - 89.9	261												
90.0 - 94.9	259												
95.0 - 99.9	257												
100.0+	254												
All Logs						420	2.5	401	75017				

LRF and Log Summary

Risk Groups		1	2	3	1+2	2+3	1+2+3	- Adj Factor	**= Adj 1+2+3**
Average LRF			187		187	187	187	3	**184**
Decay	%				2.5	2.5			
Stud Log Net Merch	%				58.9	58.9			
Small Log Net Merch	%				100.0	100.0			
Large Log Net Merch	%								

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Volume And Lumber Recovery Information

Average Line Method | Grades: MOF Computerized | FIZ: F | Filename: a90479_march_3_new_comp.ccp
BCTS | Computerized Decay | PSYU: Windermere | Compiled by: BCTS-EKFT
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Cruised by: PIONEER FOREST
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Version: 2016.01 IFS build 6030

Type : 2 (M) Pl636-0/18 L.P. Pine -Red Attack

		R I S K G R O U P # 1				R I S K G R O U P # 2				R I S K G R O U P # 3			
Top Log Dia(cm)	LRF	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM
0.1 - 4.4	0												
4.5 - 5.4	91												
5.5 - 6.4	103												
6.5 - 7.4	113												
7.5 - 8.4	123												
8.5 - 9.9	134												
10.0 - 14.9	158												
15.0 - 19.9	185												
20.0 - 24.9	202												
25.0 - 29.9	217												
30.0 - 34.9	226												
35.0 - 39.9	234												
40.0 - 44.9	240												
45.0 - 49.9	246												
50.0 - 54.9	252												
55.0 - 59.9	258												
60.0 - 64.9	263												
65.0 - 69.9	266												
70.0 - 74.9	267												
75.0 - 79.9	265												
80.0 - 84.9	263												
85.0 - 89.9	261												
90.0 - 94.9	259												
95.0 - 99.9	257												
100.0+	254												
All Logs													

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Volume And Lumber Recovery Information

06-Mar-2017 01:00:33PM

Average Line Method | Grades: MOF Computerized | FIZ: F | Filename: a90479_march_3_new_comp.ccp
BCTS | Computerized Decay | PSYU: Windermere | Compiled by: BCTS-EKFT
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Cruised by: PIONEER FOREST
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Version: 2016.01 IFS build 6030

Type : 2 (M) Pl636-0/18 L.P. Pine -Grey Attack

Log Top Dia(cm)	LRF	R I S K G R O U P # 1 Gross Merch	Decay %	Net Merch	FBM	R I S K G R O U P # 2 Gross Merch	Decay %	Net Merch	FBM	R I S K G R O U P # 3 Gross Merch	Decay %	Net Merch	FBM
0.1 - 4.4	0												
4.5 - 5.4	91												
5.5 - 6.4	103												
6.5 - 7.4	113												
7.5 - 8.4	123												
8.5 - 9.9	134												
10.0 - 14.9	158					188	2.4	127	19871				
15.0 - 19.9	185					467	2.1	317	58025				
20.0 - 24.9	202					336	2.4	227	45293				
25.0 - 29.9	217					174	3.6	116	24664				
30.0 - 34.9	226					93	4.7	61	13363				
35.0 - 39.9	234												
40.0 - 44.9	240												
45.0 - 49.9	246												
50.0 - 54.9	252												
55.0 - 59.9	258												
60.0 - 64.9	263												
65.0 - 69.9	266												
70.0 - 74.9	267												
75.0 - 79.9	265												
80.0 - 84.9	263												
85.0 - 89.9	261												
90.0 - 94.9	259												
95.0 - 99.9	257												
100.0+	254												
All Logs						1258	2.6	847	161216				

LRF and Log Summary

Risk Groups		1	2	3	1+2	2+3	1+2+3	- Adj Factor	**= Adj 1+2+3**
Average LRF			190		190	190	190	83	**107**
Decay	%				2.6	2.6			
Stud Log Net Merch	%				52.4	52.4			
Small Log Net Merch	%				92.9	92.9			
Large Log Net Merch	%				7.1	7.1			

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Volume And Lumber Recovery Information

Average Line Method	Grades: MOF Computerized	FIZ: F	06-Mar-2017 01:00:33PM
BCTS	Computerized Decay	PSYU: Windermere	Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000	Computerized Waste	Region: 4 - Kootenay-Boundary	Compiled by: BCTS-EKFT
Project:	Computerized Breakage	District: 05 - Rocky Mountain	Cruised by: PIONEER FOREST
			Version: 2016.01 IFS build 6030

Type : 2 (M) Pl636-0/18 L.P. Pine -Dead Potential

		R I S K G R O U P # 1				R I S K G R O U P # 2				R I S K G R O U P # 3			
Log Top Dia(cm)	LRF	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM
0.1 - 4.4	0												
4.5 - 5.4	91												
5.5 - 6.4	103												
6.5 - 7.4	113												
7.5 - 8.4	123												
8.5 - 9.9	134												
10.0 - 14.9	158					455	1.4	312	48970				
15.0 - 19.9	185					99	1.6	68	12425				
20.0 - 24.9	202												
25.0 - 29.9	217												
30.0 - 34.9	226												
35.0 - 39.9	234												
40.0 - 44.9	240												
45.0 - 49.9	246												
50.0 - 54.9	252												
55.0 - 59.9	258												
60.0 - 64.9	263												
65.0 - 69.9	266												
70.0 - 74.9	267												
75.0 - 79.9	265												
80.0 - 84.9	263												
85.0 - 89.9	261												
90.0 - 94.9	259												
95.0 - 99.9	257												
100.0+	254												
All Logs						554	1.5	380	61395				

LRF and Log Summary

Risk Groups		1	2	3	1+2	2+3	1+2+3	- Adj Factor	**= Adj 1+2+3**
Average LRF			162		162	162	162		**162**
Decay	%				1.5	1.5			
Stud Log Net Merch	%				100.0	100.0			
Small Log Net Merch	%				100.0	100.0			
Large Log Net Merch	%								

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Volume And Lumber Recovery Information

06-Mar-2017 01:00:33PM

Average Line Method | Grades: MOF Computerized | FIZ: F | Filename: a90479_march_3_new_comp.ccp
BCTS | Computerized Decay | PSYU: Windermere | Compiled by: BCTS-EKFT
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Cruised by: PIONEER FOREST
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Version: 2016.01 IFS build 6030

Type : 2 (M) Pl636-0/18 W.W. Pine

		R I S K G R O U P # 1				R I S K G R O U P # 2				R I S K G R O U P # 3			
Top	Log Dia(cm)	LRF	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM
0.1 -	4.4	0												
4.5 -	5.4	91												
5.5 -	6.4	102												
6.5 -	7.4	111												
7.5 -	8.4	120												
8.5 -	9.9	129												
10.0 -	14.9	151												
15.0 -	19.9	172												
20.0 -	24.9	187												
25.0 -	29.9	199												
30.0 -	34.9	210												
35.0 -	39.9	217												
40.0 -	44.9	222												
45.0 -	49.9	228												
50.0 -	54.9	233												
55.0 -	59.9	237												
60.0 -	64.9	240												
65.0 -	69.9	241												
70.0 -	74.9	240												
75.0 -	79.9	237												
80.0 -	84.9	234												
85.0 -	89.9	231												
90.0 -	94.9	227												
95.0 -	99.9	224												
100.0+		221												
All Logs														

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Volume And Lumber Recovery Information

06-Mar-2017 01:00:33PM

Average Line Method | Grades: MOF Computerized | FIZ: F | Filename: a90479_march_3_new_comp.ccp
BCTS | Computerized Decay | PSYU: Windermere | Compiled by: BCTS-EKFT
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Cruised by: PIONEER FOREST
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Version: 2016.01 IFS build 6030

Type : 2 (M) Pl636-0/18 Spruce

		R I S K G R O U P # 1				R I S K G R O U P # 2				R I S K G R O U P # 3			
Top	Log Dia(cm)	LRF	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM
0.1 - 4.4		0												
4.5 - 5.4		91												
5.5 - 6.4		103												
6.5 - 7.4		113												
7.5 - 8.4		123												
8.5 - 9.9		134												
10.0 - 14.9		158												
15.0 - 19.9		185												
20.0 - 24.9		202												
25.0 - 29.9		217												
30.0 - 34.9		226												
35.0 - 39.9		234												
40.0 - 44.9		240												
45.0 - 49.9		246												
50.0 - 54.9		252												
55.0 - 59.9		258												
60.0 - 64.9		263												
65.0 - 69.9		266												
70.0 - 74.9		267												
75.0 - 79.9		265												
80.0 - 84.9		263												
85.0 - 89.9		261												
90.0 - 94.9		259												
95.0 - 99.9		257												
100.0+		254												
All Logs														

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Volume And Lumber Recovery Information

Average Line Method	Grades: MOF Computerized	FIZ: F	06-Mar-2017 01:00:33PM
BCTS	Computerized Decay	PSYU: Windermere	Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000	Computerized Waste	Region: 4 - Kootenay-Boundary	Compiled by: BCTS-EKFT
Project:	Computerized Breakage	District: 05 - Rocky Mountain	Cruised by: PIONEER FOREST
			Version: 2016.01 IFS build 6030

Type : 2 (M) Pl636-0/18 ALL SPECIES

		R I S K G R O U P # 1				R I S K G R O U P # 2				R I S K G R O U P # 3			
Log Top Dia(cm)	LRF	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM
0.1 - 4.4													
4.5 - 5.4													
5.5 - 6.4													
6.5 - 7.4													
7.5 - 8.4													
8.5 - 9.9													
10.0 - 14.9		195	0.5	190	29934	1797	1.7	1549	242690				
15.0 - 19.9		177	0.5	173	31850	1661	1.9	1438	263444				
20.0 - 24.9		103	0.6	101	20296	819	2.4	689	137521				
25.0 - 29.9						227	3.6	166	35292				
30.0 - 34.9						93	4.7	61	13363				
35.0 - 39.9													
40.0 - 44.9													
45.0 - 49.9													
50.0 - 54.9													
55.0 - 59.9													
60.0 - 64.9													
65.0 - 69.9													
70.0 - 74.9													
75.0 - 79.9													
80.0 - 84.9													
85.0 - 89.9													
90.0 - 94.9													
95.0 - 99.9													
100.0+													
All Logs		476	0.6	463	82080	4597	2.1	3902	692309				

LRF and Log Summary

Risk Groups		1	2	3	1+2	2+3	1+2+3
Average LRF (unadjusted)		177	177		177	177	177
Decay	%	0.6			1.9	2.1	
Stud Log Net Merch	%	78.3			76.7	76.5	
Small Log Net Merch	%	100.0			98.6	98.4	
Large Log Net Merch	%				1.4	1.6	

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Volume And Lumber Recovery Information

06-Mar-2017 01:00:33PM

Average Line Method | Grades: MOF Computerized | FIZ: F | Filename: a90479_march_3_new_comp.ccp
BCTS | Computerized Decay | PSYU: Windermere | Compiled by: BCTS-EKFT
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Cruised by: PIONEER FOREST
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Version: 2016.01 IFS build 6030

Type : 3 (M) PlSe(Bl)\635/17 Aspen

		R I S K G R O U P # 1				R I S K G R O U P # 2				R I S K G R O U P # 3			
Top	Log Dia(cm) LRF	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM
0.1 - 4.4	0												
4.5 - 5.4	91												
5.5 - 6.4	103												
6.5 - 7.4	113												
7.5 - 8.4	123												
8.5 - 9.9	134												
10.0 - 14.9	158												
15.0 - 19.9	185												
20.0 - 24.9	202												
25.0 - 29.9	217												
30.0 - 34.9	226												
35.0 - 39.9	234												
40.0 - 44.9	240												
45.0 - 49.9	246												
50.0 - 54.9	252												
55.0 - 59.9	258												
60.0 - 64.9	263												
65.0 - 69.9	266												
70.0 - 74.9	267												
75.0 - 79.9	265												
80.0 - 84.9	263												
85.0 - 89.9	261												
90.0 - 94.9	259												
95.0 - 99.9	257												
100.0+	254												
All Logs													

LRF and Log Summary

Risk Groups	1	2	3	1+2	2+3	1+2+3
Average LRF						
Decay %						
Stud Log Net Merch %						
Small Log Net Merch %						
Large Log Net Merch %						

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Volume And Lumber Recovery Information

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
Version: 2016.01 IFS build 6030

Type : 3 (M) PlSe(Bl)\635/17 Balsam

Log Top Dia(cm)	LRF	R I S K G R O U P # 1 Gross Merch	Decay %	Net Merch	FBM	R I S K G R O U P # 2 Gross Merch	Decay %	Net Merch	FBM	R I S K G R O U P # 3 Gross Merch	Decay %	Net Merch	FBM
0.1 - 4.4	0												
4.5 - 5.4	91												
5.5 - 6.4	103												
6.5 - 7.4	113												
7.5 - 8.4	123												
8.5 - 9.9	134												
10.0 - 14.9	158	13	2.0	12	1932	2	5.0	2	307				
15.0 - 19.9	185	10	2.0	10	1792	9	5.0	9	1567				
20.0 - 24.9	202	17	2.0	17	3318	18	5.0	17	3304				
25.0 - 29.9	217	45	2.0	43	9263								
30.0 - 34.9	226	63	2.0	61	13562	27	5.0	25	5458				
35.0 - 39.9	234					36	5.0	34	7723				
40.0 - 44.9	240	37	2.0	35	8402								
45.0 - 49.9	246												
50.0 - 54.9	252												
55.0 - 59.9	258												
60.0 - 64.9	263												
65.0 - 69.9	266												
70.0 - 74.9	267												
75.0 - 79.9	265												
80.0 - 84.9	263												
85.0 - 89.9	261												
90.0 - 94.9	259												
95.0 - 99.9	257												
100.0+	254												
All Logs		185	2.0	178	38270	93	5.0	86	18359				

LRF and Log Summary

Risk Groups		1	2	3	1+2	2+3	1+2+3
Average LRF		215	213		215	213	215
Decay	%	2.0			3.0	5.0	
Stud Log Net Merch	%	12.4			12.4	12.4	
Small Log Net Merch	%	46.0			41.4	31.9	
Large Log Net Merch	%	54.0			58.6	68.1	

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Volume And Lumber Recovery Information

Average Line Method | Grades: MOF Computerized | FIZ: F | Filename: a90479_march_3_new_comp.ccp
BCTS | Computerized Decay | PSYU: Windermere | Compiled by: BCTS-EKFT
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Cruised by: PIONEER FOREST
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Version: 2016.01 IFS build 6030

Type : 3 (M) PlSe(Bl)\635/17 Doug-Fir [Interior Wet Belt Fir]

		R I S K G R O U P # 1				R I S K G R O U P # 2				R I S K G R O U P # 3			
Top	Log Dia(cm)	LRF	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM
0.1 - 4.4		0												
4.5 - 5.4		91												
5.5 - 6.4		103												
6.5 - 7.4		113												
7.5 - 8.4		123												
8.5 - 9.9		134												
10.0 - 14.9		156												
15.0 - 19.9		185												
20.0 - 24.9		202												
25.0 - 29.9		217												
30.0 - 34.9		226												
35.0 - 39.9		234												
40.0 - 44.9		240												
45.0 - 49.9		246												
50.0 - 54.9		252												
55.0 - 59.9		258												
60.0 - 64.9		263												
65.0 - 69.9		266												
70.0 - 74.9		267												
75.0 - 79.9		265												
80.0 - 84.9		263												
85.0 - 89.9		261												
90.0 - 94.9		259												
95.0 - 99.9		257												
100.0+		254												
All Logs														

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Volume And Lumber Recovery Information

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
| | | Version: 2016.01 IFS build 6030

Type : 3 (M) PlSe(Bl)\635/17 Doug-Fir [Quality 1]: [Interior Wet Belt Fir]

		R I S K G R O U P # 1				R I S K G R O U P # 2				R I S K G R O U P # 3			
Top	Log Dia(cm) LRF	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM
0.1 - 4.4	0												
4.5 - 5.4	100												
5.5 - 6.4	109												
6.5 - 7.4	118												
7.5 - 8.4	128												
8.5 - 9.9	139												
10.0 - 14.9	170												
15.0 - 19.9	217												
20.0 - 24.9	246												
25.0 - 29.9	266												
30.0 - 34.9	279												
35.0 - 39.9	287												
40.0 - 44.9	292												
45.0 - 49.9	297												
50.0 - 54.9	299												
55.0 - 59.9	302												
60.0 - 64.9	302												
65.0 - 69.9	303												
70.0 - 74.9	302												
75.0 - 79.9	302												
80.0 - 84.9	301												
85.0 - 89.9	298												
90.0 - 94.9	297												
95.0 - 99.9	295												
100.0+	295												
All Logs													

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Volume And Lumber Recovery Information

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
| | | Version: 2016.01 IFS build 6030

Type : 3 (M) PlSe(Bl)\635/17 Doug-Fir [Quality 2]: [Interior Wet Belt Fir]

		R I S K G R O U P # 1				R I S K G R O U P # 2				R I S K G R O U P # 3			
Top	Log Dia(cm)	LRF	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM
0.1 - 4.4		0												
4.5 - 5.4		91												
5.5 - 6.4		100												
6.5 - 7.4		109												
7.5 - 8.4		119												
8.5 - 9.9		130												
10.0 - 14.9		160												
15.0 - 19.9		206												
20.0 - 24.9		234												
25.0 - 29.9		251												
30.0 - 34.9		262												
35.0 - 39.9		270												
40.0 - 44.9		275												
45.0 - 49.9		279												
50.0 - 54.9		281												
55.0 - 59.9		282												
60.0 - 64.9		282												
65.0 - 69.9		281												
70.0 - 74.9		280												
75.0 - 79.9		279												
80.0 - 84.9		277												
85.0 - 89.9		275												
90.0 - 94.9		273												
95.0 - 99.9		272												
100.0+		269												
All Logs														

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Volume And Lumber Recovery Information

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
Version: 2016.01 IFS build 6030

Type : 3 (M) PlSe(Bl)\635/17 L.P. Pine -Green Non Beetle

		R I S K G R O U P # 1				R I S K G R O U P # 2				R I S K G R O U P # 3			
Top Log Dia(cm)	LRF	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM
0.1 - 4.4	0												
4.5 - 5.4	91												
5.5 - 6.4	103												
6.5 - 7.4	113												
7.5 - 8.4	123												
8.5 - 9.9	134												
10.0 - 14.9	158	81	0.6	79	12388	195	2.2	187	29208				
15.0 - 19.9	185	64	0.6	62	11435	354	1.8	340	62380				
20.0 - 24.9	202	209	0.6	203	40911	286	2.6	273	54442				
25.0 - 29.9	217	100	0.7	97	21004	110	3.1	104	22323				
30.0 - 34.9	226					37	4.7	34	7540				
35.0 - 39.9	234												
40.0 - 44.9	240												
45.0 - 49.9	246												
50.0 - 54.9	252												
55.0 - 59.9	258												
60.0 - 64.9	263												
65.0 - 69.9	266												
70.0 - 74.9	267												
75.0 - 79.9	265												
80.0 - 84.9	263												
85.0 - 89.9	261												
90.0 - 94.9	259												
95.0 - 99.9	257												
100.0+	254												
All Logs		453	0.6	441	85737	982	2.4	939	175893				

LRF and Log Summary

Risk Groups		1	2	3	1+2	2+3	1+2+3	- Adj Factor	**= Adj 1+2+3**
Average LRF		194	187		190	187	190		**190**
Decay	%	0.6			1.8	2.4			
Stud Log Net Merch	%	31.9			48.4	56.1			
Small Log Net Merch	%	100.0			97.5	96.4			
Large Log Net Merch	%				2.5	3.6			

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Volume And Lumber Recovery Information

06-Mar-2017 01:00:33PM

Average Line Method | Grades: MOF Computerized | FIZ: F | Filename: a90479_march_3_new_comp.ccp
BCTS | Computerized Decay | PSYU: Windermere | Compiled by: BCTS-EKFT
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Cruised by: PIONEER FOREST
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Version: 2016.01 IFS build 6030

Type : 3 (M) PlSe(Bl)\635/17 L.P. Pine -Green Attack

		R I S K G R O U P # 1				R I S K G R O U P # 2				R I S K G R O U P # 3			
Top	Log Dia(cm)	LRF	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM
0.1 - 4.4		0												
4.5 - 5.4		91												
5.5 - 6.4		103												
6.5 - 7.4		113												
7.5 - 8.4		123												
8.5 - 9.9		134												
10.0 - 14.9		158												
15.0 - 19.9		185												
20.0 - 24.9		202												
25.0 - 29.9		217												
30.0 - 34.9		226												
35.0 - 39.9		234												
40.0 - 44.9		240												
45.0 - 49.9		246												
50.0 - 54.9		252												
55.0 - 59.9		258												
60.0 - 64.9		263												
65.0 - 69.9		266												
70.0 - 74.9		267												
75.0 - 79.9		265												
80.0 - 84.9		263												
85.0 - 89.9		261												
90.0 - 94.9		259												
95.0 - 99.9		257												
100.0+		254												
All Logs														

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Volume And Lumber Recovery Information

06-Mar-2017 01:00:33PM

Average Line Method | Grades: MOF Computerized | FIZ: F | Filename: a90479_march_3_new_comp.ccp
BCTS | Computerized Decay | PSYU: Windermere | Compiled by: BCTS-EKFT
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Cruised by: PIONEER FOREST
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Version: 2016.01 IFS build 6030

Type : 3 (M) PlSe(Bl)\635/17 L.P. Pine -Red Attack

		R I S K G R O U P # 1				R I S K G R O U P # 2				R I S K G R O U P # 3			
Top	Log Dia(cm)	LRF	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM
0.1 - 4.4		0												
4.5 - 5.4		91												
5.5 - 6.4		103												
6.5 - 7.4		113												
7.5 - 8.4		123												
8.5 - 9.9		134												
10.0 - 14.9		158												
15.0 - 19.9		185												
20.0 - 24.9		202												
25.0 - 29.9		217												
30.0 - 34.9		226												
35.0 - 39.9		234												
40.0 - 44.9		240												
45.0 - 49.9		246												
50.0 - 54.9		252												
55.0 - 59.9		258												
60.0 - 64.9		263												
65.0 - 69.9		266												
70.0 - 74.9		267												
75.0 - 79.9		265												
80.0 - 84.9		263												
85.0 - 89.9		261												
90.0 - 94.9		259												
95.0 - 99.9		257												
100.0+		254												
All Logs														

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Volume And Lumber Recovery Information

Type : 3 (M) PlSe(Bl)\635/17 L.P. Pine -Grey Attack

			R I S K G R O U P # 1				R I S K G R O U P # 2				R I S K G R O U P # 3			
Top	Log Dia(cm)	LRF	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM
0.1 -	4.4	0												
4.5 -	5.4	91												
5.5 -	6.4	103												
6.5 -	7.4	113												
7.5 -	8.4	123												
8.5 -	9.9	134												
10.0 -	14.9	158												
15.0 -	19.9	185												
20.0 -	24.9	202												
25.0 -	29.9	217												
30.0 -	34.9	226												
35.0 -	39.9	234												
40.0 -	44.9	240												
45.0 -	49.9	246												
50.0 -	54.9	252												
55.0 -	59.9	258												
60.0 -	64.9	263												
65.0 -	69.9	266												
70.0 -	74.9	267												
75.0 -	79.9	265												
80.0 -	84.9	263												
85.0 -	89.9	261												
90.0 -	94.9	259												
95.0 -	99.9	257												
100.0+		254												
All Logs														

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Volume And Lumber Recovery Information

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
Version: 2016.01 IFS build 6030

Type : 3 (M) PlSe(Bl)\635/17 L.P. Pine -Dead Potential

		R I S K G R O U P # 1				R I S K G R O U P # 2				R I S K G R O U P # 3			
Log Top Dia(cm)	LRF	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM
0.1 - 4.4	0												
4.5 - 5.4	91												
5.5 - 6.4	103												
6.5 - 7.4	113												
7.5 - 8.4	123												
8.5 - 9.9	134												
10.0 - 14.9	158					95	2.5	64	10034				
15.0 - 19.9	185					130	2.1	88	16107				
20.0 - 24.9	202					54	2.8	36	7226				
25.0 - 29.9	217					32	4.7	21	4470				
30.0 - 34.9	226					55	4.7	36	7952				
35.0 - 39.9	234												
40.0 - 44.9	240												
45.0 - 49.9	246												
50.0 - 54.9	252												
55.0 - 59.9	258												
60.0 - 64.9	263												
65.0 - 69.9	266												
70.0 - 74.9	267												
75.0 - 79.9	265												
80.0 - 84.9	263												
85.0 - 89.9	261												
90.0 - 94.9	259												
95.0 - 99.9	257												
100.0+	254												
All Logs						366	2.9	246	45789				

LRF and Log Summary

Risk Groups		1	2	3	1+2	2+3	1+2+3	- Adj Factor	**= Adj 1+2+3**
Average LRF			186		186	186	186		**186**
Decay	%				2.9	2.9			
Stud Log Net Merch	%				62.0	62.0			
Small Log Net Merch	%				85.3	85.3			
Large Log Net Merch	%				14.7	14.7			

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Volume And Lumber Recovery Information

Average Line Method	Grades: MOF Computerized	FIZ: F	06-Mar-2017 01:00:33PM
BCTS	Computerized Decay	PSYU: Windermere	Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000	Computerized Waste	Region: 4 - Kootenay-Boundary	Compiled by: BCTS-EKFT
Project:	Computerized Breakage	District: 05 - Rocky Mountain	Cruised by: PIONEER FOREST
			Version: 2016.01 IFS build 6030

Type : 3 (M) PlSe(Bl)\635/17 W.W. Pine

		R I S K G R O U P # 1				R I S K G R O U P # 2				R I S K G R O U P # 3			
Top	Log Dia(cm)	LRF	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM
0.1 -	4.4	0												
4.5 -	5.4	91												
5.5 -	6.4	102												
6.5 -	7.4	111												
7.5 -	8.4	120												
8.5 -	9.9	129												
10.0 -	14.9	151												
15.0 -	19.9	172												
20.0 -	24.9	187												
25.0 -	29.9	199												
30.0 -	34.9	210												
35.0 -	39.9	217												
40.0 -	44.9	222												
45.0 -	49.9	228												
50.0 -	54.9	233												
55.0 -	59.9	237												
60.0 -	64.9	240												
65.0 -	69.9	241												
70.0 -	74.9	240												
75.0 -	79.9	237												
80.0 -	84.9	234												
85.0 -	89.9	231												
90.0 -	94.9	227												
95.0 -	99.9	224												
100.0+		221												
All Logs														

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Volume And Lumber Recovery Information

06-Mar-2017 01:00:33PM

Average Line Method | Grades: MOF Computerized | FIZ: F | Filename: a90479_march_3_new_comp.ccp
BCTS | Computerized Decay | PSYU: Windermere | Compiled by: BCTS-EKFT
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Cruised by: PIONEER FOREST
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Version: 2016.01 IFS build 6030

Type : 3 (M) PlSe(Bl)\635/17 Spruce

		R I S K G R O U P # 1				R I S K G R O U P # 2				R I S K G R O U P # 3			
Log Top Dia(cm)	LRF	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM
0.1 - 4.4	0												
4.5 - 5.4	91												
5.5 - 6.4	103												
6.5 - 7.4	113												
7.5 - 8.4	123												
8.5 - 9.9	134												
10.0 - 14.9	158	110	1.0	107	16775	17	4.0	16	2481				
15.0 - 19.9	185	258	1.0	250	45987								
20.0 - 24.9	202	107	1.0	104	20874	23	4.0	22	4323				
25.0 - 29.9	217	211	1.0	204	44115	10	4.0	9	1917				
30.0 - 34.9	226	196	1.0	190	42646	37	4.0	35	7699				
35.0 - 39.9	234	87	1.0	84	19628	42	4.0	40	9102				
40.0 - 44.9	240	73	1.0	71	16966	61	4.0	58	13590				
45.0 - 49.9	246					61	4.0	57	13782				
50.0 - 54.9	252												
55.0 - 59.9	258					37	4.0	35	8816				
60.0 - 64.9	263												
65.0 - 69.9	266												
70.0 - 74.9	267												
75.0 - 79.9	265												
80.0 - 84.9	263												
85.0 - 89.9	261												
90.0 - 94.9	259												
95.0 - 99.9	257												
100.0+	254												
All Logs		1041	1.0	1010	206992	288	4.0	271	61710				

LRF and Log Summary

Risk Groups		1	2	3	1+2	2+3	1+2+3
Average LRF		205	228		210	228	210
Decay	%	1.0			1.7	4.0	
Stud Log Net Merch	%	35.3			29.1	5.9	
Small Log Net Merch	%	65.8			55.6	17.3	
Large Log Net Merch	%	34.2			44.4	82.7	

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Volume And Lumber Recovery Information

06-Mar-2017 01:00:33PM

Average Line Method	Grades: MOF Computerized	FIZ: F	Filename: a90479_march_3_new_comp.ccp
BCTS	Computerized Decay	PSYU: Windermere	Compiled by: BCTS-EKFT
Licence Number: A90479 CP: 000	Computerized Waste	Region: 4 - Kootenay-Boundary	Cruised by: PIONEER FOREST
Project:	Computerized Breakage	District: 05 - Rocky Mountain	Version: 2016.01 IFS build 6030

Type : 3 (M) PlSe(Bl)\635/17 ALL SPECIES

		R I S K G R O U P # 1				R I S K G R O U P # 2				R I S K G R O U P # 3			
Log Top Dia(cm)	LRF	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM
0.1 - 4.4													
4.5 - 5.4													
5.5 - 6.4													
6.5 - 7.4													
7.5 - 8.4													
8.5 - 9.9													
10.0 - 14.9		204	0.9	198	31095	310	2.4	269	42030				
15.0 - 19.9		331	1.0	322	59213	493	1.9	437	80054				
20.0 - 24.9		333	0.8	324	65103	382	2.8	348	69295				
25.0 - 29.9		355	1.0	345	74382	152	3.5	135	28710				
30.0 - 34.9		259	1.2	250	56208	155	4.6	130	28650				
35.0 - 39.9		87	1.0	84	19628	79	4.5	74	16824				
40.0 - 44.9		110	1.3	106	25368	61	4.0	58	13590				
45.0 - 49.9						61	4.0	57	13782				
50.0 - 54.9													
55.0 - 59.9						37	4.0	35	8816				
60.0 - 64.9													
65.0 - 69.9													
70.0 - 74.9													
75.0 - 79.9													
80.0 - 84.9													
85.0 - 89.9													
90.0 - 94.9													
95.0 - 99.9													
100.0+													
All Logs		1679	1.0	1628	330999	1729	2.9	1542	301751				

LRF and Log Summary

Risk Groups		1	2	3	1+2	2+3	1+2+3
Average LRF (unadjusted)		203	196		200	196	200
Decay	%	1.0			2.0	2.9	
Stud Log Net Merch	%	31.9			38.7	45.8	
Small Log Net Merch	%	72.9			75.0	77.1	
Large Log Net Merch	%	27.1			25.0	22.9	

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Volume And Lumber Recovery Information

06-Mar-2017 01:00:33PM

Average Line Method | Grades: MOF Computerized | FIZ: F | Filename: a90479_march_3_new_comp.ccp
BCTS | Computerized Decay | PSYU: Windermere | Compiled by: BCTS-EKFT
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Cruised by: PIONEER FOREST
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Version: 2016.01 IFS build 6030

Type : 4 (M) Pl(Fd) 437-0/18 Aspen

		R I S K G R O U P # 1				R I S K G R O U P # 2				R I S K G R O U P # 3			
Top	Log Dia(cm) LRF	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM
0.1 - 4.4	0												
4.5 - 5.4	91												
5.5 - 6.4	103												
6.5 - 7.4	113												
7.5 - 8.4	123												
8.5 - 9.9	134												
10.0 - 14.9	158												
15.0 - 19.9	185												
20.0 - 24.9	202												
25.0 - 29.9	217												
30.0 - 34.9	226												
35.0 - 39.9	234												
40.0 - 44.9	240												
45.0 - 49.9	246												
50.0 - 54.9	252												
55.0 - 59.9	258												
60.0 - 64.9	263												
65.0 - 69.9	266												
70.0 - 74.9	267												
75.0 - 79.9	265												
80.0 - 84.9	263												
85.0 - 89.9	261												
90.0 - 94.9	259												
95.0 - 99.9	257												
100.0+	254												
All Logs													

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Volume And Lumber Recovery Information

Average Line Method	Grades: MOF Computerized	FIZ: F	06-Mar-2017 01:00:33PM
BCTS	Computerized Decay	PSYU: Windermere	Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000	Computerized Waste	Region: 4 - Kootenay-Boundary	Compiled by: BCTS-EKFT
Project:	Computerized Breakage	District: 05 - Rocky Mountain	Cruised by: PIONEER FOREST
			Version: 2016.01 IFS build 6030

Type : 4 (M) Pl(Fd) 437-0/18 Balsam

		R I S K G R O U P # 1				R I S K G R O U P # 2				R I S K G R O U P # 3			
Log Top Dia(cm)	LRF	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM
0.1 - 4.4	0												
4.5 - 5.4	91												
5.5 - 6.4	103												
6.5 - 7.4	113												
7.5 - 8.4	123												
8.5 - 9.9	134												
10.0 - 14.9	158	96		94	14921								
15.0 - 19.9	185	162		158	29303								
20.0 - 24.9	202	37		36	7284								
25.0 - 29.9	217												
30.0 - 34.9	226												
35.0 - 39.9	234												
40.0 - 44.9	240												
45.0 - 49.9	246												
50.0 - 54.9	252												
55.0 - 59.9	258												
60.0 - 64.9	263												
65.0 - 69.9	266												
70.0 - 74.9	267												
75.0 - 79.9	265												
80.0 - 84.9	263												
85.0 - 89.9	261												
90.0 - 94.9	259												
95.0 - 99.9	257												
100.0+	254												
All Logs		295		289	51508								

LRF and Log Summary

Risk Groups		1	2	3	1+2	2+3	1+2+3
Average LRF		178			178		178
Decay	%						
Stud Log Net Merch	%	87.5			87.5		
Small Log Net Merch	%	100.0			100.0		
Large Log Net Merch	%						

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Volume And Lumber Recovery Information

06-Mar-2017 01:00:33PM

Average Line Method | Grades: MOF Computerized | FIZ: F | Filename: a90479_march_3_new_comp.ccp
BCTS | Computerized Decay | PSYU: Windermere | Compiled by: BCTS-EKFT
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Cruised by: PIONEER FOREST
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Version: 2016.01 IFS build 6030

Type : 4 (M) Pl(Fd) 437-0/18 Doug-Fir [Interior Wet Belt Fir]

		R I S K G R O U P # 1				R I S K G R O U P # 2				R I S K G R O U P # 3			
Log Top Dia(cm)	LRF	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM
0.1 - 4.4	0												
4.5 - 5.4	91												
5.5 - 6.4	103												
6.5 - 7.4	113												
7.5 - 8.4	123												
8.5 - 9.9	134												
10.0 - 14.9	156	309		303	47226	1	4.2	1	128				
15.0 - 19.9	185	254		249	45979	0	4.5	0	58				
20.0 - 24.9	202	111		109	21966	1	4.2	1	129				
25.0 - 29.9	217	1		1	228	2	4.3	2	386				
30.0 - 34.9	226	1		1	326	0	3.8	0	81				
35.0 - 39.9	234					4	4.3	4	804				
40.0 - 44.9	240					3	4.4	3	695				
45.0 - 49.9	246					5	4.2	5	1115				
50.0 - 54.9	252					5	4.2	4	1054				
55.0 - 59.9	258					4	4.0	3	871				
60.0 - 64.9	263					3	4.1	3	745				
65.0 - 69.9	266					2	3.8	1	379				
70.0 - 74.9	267												
75.0 - 79.9	265												
80.0 - 84.9	263												
85.0 - 89.9	261												
90.0 - 94.9	259												
95.0 - 99.9	257												
100.0+	254												
All Logs		676		663	115726	29	4.2	27	6445				

LRF and Log Summary

Risk Groups		1	2	3	1+2	2+3	1+2+3
Average LRF		175	237		177	237	177
Decay	%				0.2	4.2	
Stud Log Net Merch	%	83.2			80.1	4.3	
Small Log Net Merch	%	99.8			96.4	13.4	
Large Log Net Merch	%	0.2			3.6	86.6	

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Volume And Lumber Recovery Information

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
| | | Version: 2016.01 IFS build 6030

Type : 4 (M) Pl(Fd) 437-0/18 Doug-Fir [Quality 1]: [Interior Wet Belt Fir]

		R I S K G R O U P # 1				R I S K G R O U P # 2				R I S K G R O U P # 3			
Log Top Dia(cm)	LRF	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM
0.1 - 4.4	0												
4.5 - 5.4	100												
5.5 - 6.4	109												
6.5 - 7.4	118												
7.5 - 8.4	128												
8.5 - 9.9	139												
10.0 - 14.9	170	309		303	51464								
15.0 - 19.9	217	254		249	53933								
20.0 - 24.9	246	111		109	26751								
25.0 - 29.9	266	1		1	279								
30.0 - 34.9	279	1		1	403								
35.0 - 39.9	287												
40.0 - 44.9	292												
45.0 - 49.9	297												
50.0 - 54.9	299												
55.0 - 59.9	302												
60.0 - 64.9	302												
65.0 - 69.9	303												
70.0 - 74.9	302												
75.0 - 79.9	302												
80.0 - 84.9	301												
85.0 - 89.9	298												
90.0 - 94.9	297												
95.0 - 99.9	295												
100.0+	295												
All Logs		676		663	132830								

LRF and Log Summary

Risk Groups		1	2	3	1+2	2+3	1+2+3
Average LRF		200			200		200
Decay	%						
Stud Log Net Merch	%	83.2			83.2		
Small Log Net Merch	%	99.8			99.8		
Large Log Net Merch	%	0.2			0.2		

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Volume And Lumber Recovery Information

Average Line Method
BCTS
Licence Number: A90479 CP: 000
Project:

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: F
PSYU: Windermere
Region: 4 - Kootenay-Boundary
District: 05 - Rocky Mountain

06-Mar-2017 01:00:33PM
Filename: a90479_march_3_new_comp.ccp
Compiled by: BCTS-EKFT
Cruised by: PIONEER FOREST
Version: 2016.01   IFS build 6030

Type : 4 (M) Pl(Fd) 437-0/18 Doug-Fir [Quality 2]: [Interior Wet Belt Fir]

		R I S K G R O U P # 1				R I S K G R O U P # 2				R I S K G R O U P # 3			
Top Log Dia(cm)	LRF	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM
0.1 - 4.4	0												
4.5 - 5.4	91												
5.5 - 6.4	100												
6.5 - 7.4	109												
7.5 - 8.4	119												
8.5 - 9.9	130												
10.0 - 14.9	160					1	4.2	1	132				
15.0 - 19.9	206					0	4.5	0	65				
20.0 - 24.9	234					1	4.2	1	150				
25.0 - 29.9	251					2	4.3	2	446				
30.0 - 34.9	262					0	3.8	0	94				
35.0 - 39.9	270					4	4.3	4	927				
40.0 - 44.9	275					3	4.4	3	796				
45.0 - 49.9	279					5	4.2	5	1265				
50.0 - 54.9	281					5	4.2	4	1175				
55.0 - 59.9	282					4	4.0	3	952				
60.0 - 64.9	282					3	4.1	3	799				
65.0 - 69.9	281					2	3.8	1	401				
70.0 - 74.9	280												
75.0 - 79.9	279												
80.0 - 84.9	277												
85.0 - 89.9	275												
90.0 - 94.9	273												
95.0 - 99.9	272												
100.0+	269												
All Logs						29	4.2	27	7201				

LRF and Log Summary

Risk Groups		1	2	3	1+2	2+3	1+2+3
Average LRF			265		265	265	265
Decay	%				4.2	4.2	
Stud Log Net Merch	%				4.3	4.3	
Small Log Net Merch	%				13.4	13.4	
Large Log Net Merch	%				86.6	86.6	

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Volume And Lumber Recovery Information

06-Mar-2017 01:00:33PM

Average Line Method | Grades: MOF Computerized | FIZ: F | Filename: a90479_march_3_new_comp.ccp
BCTS | Computerized Decay | PSYU: Windermere | Compiled by: BCTS-EKFT
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Cruised by: PIONEER FOREST
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Version: 2016.01 IFS build 6030

Type : 4 (M) Pl(Fd) 437-0/18 L.P. Pine -Green Non Beetle

Log Top Dia(cm)	LRF	R I S K G R O U P # 1 Gross Merch	Decay %	Net Merch	FBM	R I S K G R O U P # 2 Gross Merch	Decay %	Net Merch	FBM	R I S K G R O U P # 3 Gross Merch	Decay %	Net Merch	FBM
0.1 - 4.4	0												
4.5 - 5.4	91												
5.5 - 6.4	103												
6.5 - 7.4	113												
7.5 - 8.4	123												
8.5 - 9.9	134												
10.0 - 14.9	158	1521	0.5	1483	233730	1056	1.5	1019	159754				
15.0 - 19.9	185	757	0.5	738	136192	613	1.8	590	108122				
20.0 - 24.9	202	83	0.6	81	16348	102	2.2	98	19537				
25.0 - 29.9	217	65	0.6	63	13690	38	2.8	36	7748				
30.0 - 34.9	226	38	0.7	37	8428								
35.0 - 39.9	234												
40.0 - 44.9	240												
45.0 - 49.9	246												
50.0 - 54.9	252												
55.0 - 59.9	258												
60.0 - 64.9	263												
65.0 - 69.9	266												
70.0 - 74.9	267												
75.0 - 79.9	265												
80.0 - 84.9	263												
85.0 - 89.9	261												
90.0 - 94.9	259												
95.0 - 99.9	257												
100.0+	254												
All Logs		2465	0.5	2403	408388	1809	1.7	1743	295161				

LRF and Log Summary

Risk Groups		1	2	3	1+2	2+3	1+2+3	- Adj Factor	**= Adj 1+2+3**
Average LRF		170	169		170	169	170		**170**
Decay	%	0.5			1.0	1.7			
Stud Log Net Merch	%	92.4			92.4	92.3			
Small Log Net Merch	%	98.4			99.1	100.0			
Large Log Net Merch	%	1.6			0.9				

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Volume And Lumber Recovery Information

06-Mar-2017 01:00:33PM

Average Line Method | Grades: MOF Computerized | FIZ: F | Filename: a90479_march_3_new_comp.ccp
BCTS | Computerized Decay | PSYU: Windermere | Compiled by: BCTS-EKFT
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Cruised by: PIONEER FOREST
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Version: 2016.01 IFS build 6030

Type : 4 (M) Pl(Fd) 437-0/18 L.P. Pine -Green Attack

		RISK GROUP #1				RISK GROUP #2				RISK GROUP #3			
Top Log Dia(cm)	LRF	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM
0.1 - 4.4	0												
4.5 - 5.4	91												
5.5 - 6.4	103												
6.5 - 7.4	113												
7.5 - 8.4	123												
8.5 - 9.9	134												
10.0 - 14.9	158					48	1.6	46	7199				
15.0 - 19.9	185					37	1.6	36	6524				
20.0 - 24.9	202												
25.0 - 29.9	217												
30.0 - 34.9	226												
35.0 - 39.9	234												
40.0 - 44.9	240												
45.0 - 49.9	246												
50.0 - 54.9	252												
55.0 - 59.9	258												
60.0 - 64.9	263												
65.0 - 69.9	266												
70.0 - 74.9	267												
75.0 - 79.9	265												
80.0 - 84.9	263												
85.0 - 89.9	261												
90.0 - 94.9	259												
95.0 - 99.9	257												
100.0+	254												
All Logs						85	1.6	81	13723				

LRF and Log Summary

Risk Groups		1	2	3	1+2	2+3	1+2+3	- Adj Factor	**= Adj 1+2+3**
Average LRF			168		168	168	168	3	**165**
Decay	%				1.6	1.6			
Stud Log Net Merch	%				100.0	100.0			
Small Log Net Merch	%				100.0	100.0			
Large Log Net Merch	%								

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Volume And Lumber Recovery Information

06-Mar-2017 01:00:33PM

Average Line Method | Grades: MOF Computerized | FIZ: F | Filename: a90479_march_3_new_comp.ccp
BCTS | Computerized Decay | PSYU: Windermere | Compiled by: BCTS-EKFT
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Cruised by: PIONEER FOREST
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Version: 2016.01 IFS build 6030

Type : 4 (M) Pl(Fd) 437-0/18 L.P. Pine -Red Attack

		R I S K G R O U P # 1				R I S K G R O U P # 2				R I S K G R O U P # 3			
Top	Log Dia(cm)	LRF	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM
0.1 -	4.4	0												
4.5 -	5.4	91												
5.5 -	6.4	103												
6.5 -	7.4	113												
7.5 -	8.4	123												
8.5 -	9.9	134												
10.0 -	14.9	158												
15.0 -	19.9	185												
20.0 -	24.9	202												
25.0 -	29.9	217												
30.0 -	34.9	226												
35.0 -	39.9	234												
40.0 -	44.9	240												
45.0 -	49.9	246												
50.0 -	54.9	252												
55.0 -	59.9	258												
60.0 -	64.9	263												
65.0 -	69.9	266												
70.0 -	74.9	267												
75.0 -	79.9	265												
80.0 -	84.9	263												
85.0 -	89.9	261												
90.0 -	94.9	259												
95.0 -	99.9	257												
100.0+		254												
All Logs														

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Volume And Lumber Recovery Information

06-Mar-2017 01:00:33PM

Average Line Method | Grades: MOF Computerized | FIZ: F | Filename: a90479_march_3_new_comp.ccp
BCTS | Computerized Decay | PSYU: Windermere | Compiled by: BCTS-EKFT
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Cruised by: PIONEER FOREST
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Version: 2016.01 IFS build 6030

Type : 4 (M) Pl(Fd) 437-0/18 L.P. Pine -Grey Attack

		R I S K G R O U P # 1				R I S K G R O U P # 2				R I S K G R O U P # 3			
Top	Log Dia(cm)	LRF	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM
0.1 -	4.4	0												
4.5 -	5.4	91												
5.5 -	6.4	103												
6.5 -	7.4	113												
7.5 -	8.4	123												
8.5 -	9.9	134												
10.0 -	14.9	158												
15.0 -	19.9	185												
20.0 -	24.9	202												
25.0 -	29.9	217												
30.0 -	34.9	226												
35.0 -	39.9	234												
40.0 -	44.9	240												
45.0 -	49.9	246												
50.0 -	54.9	252												
55.0 -	59.9	258												
60.0 -	64.9	263												
65.0 -	69.9	266												
70.0 -	74.9	267												
75.0 -	79.9	265												
80.0 -	84.9	263												
85.0 -	89.9	261												
90.0 -	94.9	259												
95.0 -	99.9	257												
100.0+		254												
All Logs														

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Volume And Lumber Recovery Information

Average Line Method	Grades: MOF Computerized	FIZ: F	06-Mar-2017 01:00:33PM
BCTS	Computerized Decay	PSYU: Windermere	Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000	Computerized Waste	Region: 4 - Kootenay-Boundary	Compiled by: BCTS-EKFT
Project:	Computerized Breakage	District: 05 - Rocky Mountain	Cruised by: PIONEER FOREST
			Version: 2016.01 IFS build 6030

Type : 4 (M) Pl(Fd) 437-0/18 L.P. Pine -Dead Potential

		R I S K G R O U P # 1				R I S K G R O U P # 2				R I S K G R O U P # 3			
Log Top Dia(cm)	LRF	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM
0.1 - 4.4	0												
4.5 - 5.4	91												
5.5 - 6.4	103												
6.5 - 7.4	113												
7.5 - 8.4	123												
8.5 - 9.9	134												
10.0 - 14.9	158					175	1.4	120	18818				
15.0 - 19.9	185					59	2.0	40	7347				
20.0 - 24.9	202												
25.0 - 29.9	217												
30.0 - 34.9	226												
35.0 - 39.9	234												
40.0 - 44.9	240												
45.0 - 49.9	246												
50.0 - 54.9	252												
55.0 - 59.9	258												
60.0 - 64.9	263												
65.0 - 69.9	266												
70.0 - 74.9	267												
75.0 - 79.9	265												
80.0 - 84.9	263												
85.0 - 89.9	261												
90.0 - 94.9	259												
95.0 - 99.9	257												
100.0+	254												
All Logs						234	1.6	160	26165				

LRF and Log Summary

Risk Groups		1	2	3	1+2	2+3	1+2+3	- Adj Factor	**= Adj 1+2+3**
Average LRF			163		163	163	163		**163**
Decay	%				1.6	1.6			
Stud Log Net Merch	%				100.0	100.0			
Small Log Net Merch	%				100.0	100.0			
Large Log Net Merch	%								

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Volume And Lumber Recovery Information

06-Mar-2017 01:00:33PM

Average Line Method | Grades: MOF Computerized | FIZ: F | Filename: a90479_march_3_new_comp.ccp
BCTS | Computerized Decay | PSYU: Windermere | Compiled by: BCTS-EKFT
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Cruised by: PIONEER FOREST
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Version: 2016.01 IFS build 6030

Type : 4 (M) Pl(Fd) 437-0/18 W.W. Pine

		R I S K G R O U P # 1				R I S K G R O U P # 2				R I S K G R O U P # 3			
Top	Log Dia(cm)	LRF	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM
0.1 -	4.4	0												
4.5 -	5.4	91												
5.5 -	6.4	102												
6.5 -	7.4	111												
7.5 -	8.4	120												
8.5 -	9.9	129												
10.0 -	14.9	151												
15.0 -	19.9	172												
20.0 -	24.9	187												
25.0 -	29.9	199												
30.0 -	34.9	210												
35.0 -	39.9	217												
40.0 -	44.9	222												
45.0 -	49.9	228												
50.0 -	54.9	233												
55.0 -	59.9	237												
60.0 -	64.9	240												
65.0 -	69.9	241												
70.0 -	74.9	240												
75.0 -	79.9	237												
80.0 -	84.9	234												
85.0 -	89.9	231												
90.0 -	94.9	227												
95.0 -	99.9	224												
100.0+		221												
All Logs														

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Volume And Lumber Recovery Information

06-Mar-2017 01:00:33PM

Average Line Method | Grades: MOF Computerized | FIZ: F | Filename: a90479_march_3_new_comp.ccp
BCTS | Computerized Decay | PSYU: Windermere | Compiled by: BCTS-EKFT
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Cruised by: PIONEER FOREST
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Version: 2016.01 IFS build 6030

Type : 4 (M) Pl(Fd) 437-0/18 Spruce

		R I S K G R O U P # 1				R I S K G R O U P # 2				R I S K G R O U P # 3			
Top Log Dia(cm)	LRF	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM
0.1 - 4.4	0												
4.5 - 5.4	91												
5.5 - 6.4	103												
6.5 - 7.4	113												
7.5 - 8.4	123												
8.5 - 9.9	134												
10.0 - 14.9	158	31	0.1	30	4761								
15.0 - 19.9	185	45	0.2	44	8111								
20.0 - 24.9	202	77		76	15336								
25.0 - 29.9	217	75	0.2	74	15993								
30.0 - 34.9	226	37		36	8224								
35.0 - 39.9	234	20	1.0	19	4500								
40.0 - 44.9	240	26	1.0	26	6131								
45.0 - 49.9	246												
50.0 - 54.9	252	38	1.0	37	9334								
55.0 - 59.9	258												
60.0 - 64.9	263												
65.0 - 69.9	266												
70.0 - 74.9	267												
75.0 - 79.9	265												
80.0 - 84.9	263												
85.0 - 89.9	261												
90.0 - 94.9	259												
95.0 - 99.9	257												
100.0+	254												
All Logs		350	0.3	342	72390								

LRF and Log Summary

Risk Groups		1	2	3	1+2	2+3	1+2+3
Average LRF		211			211		211
Decay	%	0.3			0.3		
Stud Log Net Merch	%	21.6			21.6		
Small Log Net Merch	%	65.3			65.3		
Large Log Net Merch	%	34.7			34.7		

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Volume And Lumber Recovery Information

06-Mar-2017 01:00:33PM

Average Line Method	Grades: MOF Computerized	FIZ: F	Filename: a90479_march_3_new_comp.ccp
BCTS	Computerized Decay	PSYU: Windermere	Compiled by: BCTS-EKFT
Licence Number: A90479 CP: 000	Computerized Waste	Region: 4 - Kootenay-Boundary	Cruised by: PIONEER FOREST
Project:	Computerized Breakage	District: 05 - Rocky Mountain	Version: 2016.01 IFS build 6030

Type : 4 (M) Pl(Fd) 437-0/18 ALL SPECIES

		R I S K G R O U P # 1				R I S K G R O U P # 2				R I S K G R O U P # 3			
Top	Log Dia(cm) LRF	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM
0.1 - 4.4													
4.5 - 5.4													
5.5 - 6.4													
6.5 - 7.4													
7.5 - 8.4													
8.5 - 9.9													
10.0 - 14.9		1957	0.4	1910	300639	1280	1.5	1186	185899				
15.0 - 19.9		1217	0.3	1189	219585	709	1.8	666	122052				
20.0 - 24.9		309	0.2	302	60933	103	2.2	98	19666				
25.0 - 29.9		141	0.4	138	29911	40	2.9	38	8134				
30.0 - 34.9		77	0.3	75	16978	0	3.8	0	81				
35.0 - 39.9		20	1.0	19	4500	4	4.3	4	804				
40.0 - 44.9		26	1.0	26	6131	3	4.4	3	695				
45.0 - 49.9						5	4.2	5	1115				
50.0 - 54.9		38	1.0	37	9334	5	4.2	4	1054				
55.0 - 59.9						4	4.0	3	871				
60.0 - 64.9						3	4.1	3	745				
65.0 - 69.9						2	3.8	1	379				
70.0 - 74.9													
75.0 - 79.9													
80.0 - 84.9													
85.0 - 89.9													
90.0 - 94.9													
95.0 - 99.9													
100.0+													
All Logs		3786	0.4	3697	648011	2157	1.7	2011	341494				

LRF and Log Summary

Risk Groups		1	2	3	1+2	2+3	1+2+3
Average LRF (unadjusted)		175	170		173	170	173
Decay	%	0.4			0.9	1.7	
Stud Log Net Merch	%	83.8			86.7	92.0	
Small Log Net Merch	%	95.7			96.8	98.8	
Large Log Net Merch	%	4.3			3.2	1.2	

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Volume And Lumber Recovery Information

06-Mar-2017 01:00:33PM

Average Line Method | Grades: MOF Computerized | FIZ: F | Filename: a90479_march_3_new_comp.ccp
BCTS | Computerized Decay | PSYU: Windermere | Compiled by: BCTS-EKFT
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Cruised by: PIONEER FOREST
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Version: 2016.01 IFS build 6030

Type : 5 (M) PlFd 437 0/17 Aspen

		R I S K G R O U P # 1				R I S K G R O U P # 2				R I S K G R O U P # 3			
Top	Log Dia(cm) LRF	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM
0.1 - 4.4	0												
4.5 - 5.4	91												
5.5 - 6.4	103												
6.5 - 7.4	113												
7.5 - 8.4	123												
8.5 - 9.9	134												
10.0 - 14.9	158												
15.0 - 19.9	185												
20.0 - 24.9	202												
25.0 - 29.9	217												
30.0 - 34.9	226												
35.0 - 39.9	234												
40.0 - 44.9	240												
45.0 - 49.9	246												
50.0 - 54.9	252												
55.0 - 59.9	258												
60.0 - 64.9	263												
65.0 - 69.9	266												
70.0 - 74.9	267												
75.0 - 79.9	265												
80.0 - 84.9	263												
85.0 - 89.9	261												
90.0 - 94.9	259												
95.0 - 99.9	257												
100.0+	254												
All Logs													

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Volume And Lumber Recovery Information

06-Mar-2017 01:00:33PM

Average Line Method | Grades: MOF Computerized | FIZ: F | Filename: a90479_march_3_new_comp.ccp
BCTS | Computerized Decay | PSYU: Windermere | Compiled by: BCTS-EKFT
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Cruised by: PIONEER FOREST
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Version: 2016.01 IFS build 6030

Type : 5 (M) PlFd 437 0/17 Balsam

		R I S K G R O U P # 1				R I S K G R O U P # 2				R I S K G R O U P # 3			
Top	Log Dia(cm) LRF	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM
0.1 - 4.4	0												
4.5 - 5.4	91												
5.5 - 6.4	103												
6.5 - 7.4	113												
7.5 - 8.4	123												
8.5 - 9.9	134												
10.0 - 14.9	158												
15.0 - 19.9	185												
20.0 - 24.9	202												
25.0 - 29.9	217												
30.0 - 34.9	226												
35.0 - 39.9	234												
40.0 - 44.9	240												
45.0 - 49.9	246												
50.0 - 54.9	252												
55.0 - 59.9	258												
60.0 - 64.9	263												
65.0 - 69.9	266												
70.0 - 74.9	267												
75.0 - 79.9	265												
80.0 - 84.9	263												
85.0 - 89.9	261												
90.0 - 94.9	259												
95.0 - 99.9	257												
100.0+	254												
All Logs													

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Volume And Lumber Recovery Information

06-Mar-2017 01:00:33PM

Average Line Method | Grades: MOF Computerized | FIZ: F | Filename: a90479_march_3_new_comp.ccp
BCTS | Computerized Decay | PSYU: Windermere | Compiled by: BCTS-EKFT
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Cruised by: PIONEER FOREST
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Version: 2016.01 IFS build 6030

Type : 5 (M) PlFd 437 0/17 Doug-Fir [Interior Wet Belt Fir]

		R I S K G R O U P # 1				R I S K G R O U P # 2				R I S K G R O U P # 3			
Log Top Dia(cm)	LRF	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM
0.1 - 4.4	0												
4.5 - 5.4	91												
5.5 - 6.4	103												
6.5 - 7.4	113												
7.5 - 8.4	123												
8.5 - 9.9	134												
10.0 - 14.9	156	3		3	532								
15.0 - 19.9	185	5		5	957								
20.0 - 24.9	202	7		7	1474								
25.0 - 29.9	217												
30.0 - 34.9	226												
35.0 - 39.9	234												
40.0 - 44.9	240												
45.0 - 49.9	246												
50.0 - 54.9	252												
55.0 - 59.9	258												
60.0 - 64.9	263												
65.0 - 69.9	266												
70.0 - 74.9	267												
75.0 - 79.9	265												
80.0 - 84.9	263												
85.0 - 89.9	261												
90.0 - 94.9	259												
95.0 - 99.9	257												
100.0+	254												
All Logs		16		16	2963								

LRF and Log Summary

Risk Groups		1	2	3	1+2	2+3	1+2+3
Average LRF		187			187		187
Decay	%						
Stud Log Net Merch	%	54.1			54.1		
Small Log Net Merch	%	100.0			100.0		
Large Log Net Merch	%						

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Volume And Lumber Recovery Information

Average Line Method
BCTS
Licence Number: A90479 CP: 000
Project:

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: F
PSYU: Windermere
Region: 4 - Kootenay-Boundary
District: 05 - Rocky Mountain

06-Mar-2017 01:00:33PM
Filename: a90479_march_3_new_comp.ccp
Compiled by: BCTS-EKFT
Cruised by: PIONEER FOREST
Version: 2016.01   IFS build 6030

Type : 5 (M) PlFd 437 0/17 Doug-Fir [Quality 1]: [Interior Wet Belt Fir]

		R I S K G R O U P # 1				R I S K G R O U P # 2				R I S K G R O U P # 3			
Log Top Dia(cm)	LRF	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM
0.1 - 4.4	0												
4.5 - 5.4	100												
5.5 - 6.4	109												
6.5 - 7.4	118												
7.5 - 8.4	128												
8.5 - 9.9	139												
10.0 - 14.9	170	3		3	580								
15.0 - 19.9	217	5		5	1123								
20.0 - 24.9	246	7		7	1795								
25.0 - 29.9	266												
30.0 - 34.9	279												
35.0 - 39.9	287												
40.0 - 44.9	292												
45.0 - 49.9	297												
50.0 - 54.9	299												
55.0 - 59.9	302												
60.0 - 64.9	302												
65.0 - 69.9	303												
70.0 - 74.9	302												
75.0 - 79.9	302												
80.0 - 84.9	301												
85.0 - 89.9	298												
90.0 - 94.9	297												
95.0 - 99.9	295												
100.0+	295												
All Logs		16		16	3498								

LRF and Log Summary

Risk Groups		1	2	3	1+2	2+3	1+2+3
Average LRF		220			220		220
Decay	%						
Stud Log Net Merch	%	54.1			54.1		
Small Log Net Merch	%	100.0			100.0		
Large Log Net Merch	%						

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Volume And Lumber Recovery Information

06-Mar-2017 01:00:33PM

Average Line Method
BCTS
Licence Number: A90479 CP: 000
Project:

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: F
PSYU: Windermere
Region: 4 - Kootenay-Boundary
District: 05 - Rocky Mountain

Filename: a90479_march_3_new_comp.ccp
Compiled by: BCTS-EKFT
Cruised by: PIONEER FOREST
Version: 2016.01 IFS build 6030

Type : 5 (M) PlFd 437 0/17 Doug-Fir [Quality 2]: [Interior Wet Belt Fir]

		R I S K G R O U P # 1				R I S K G R O U P # 2				R I S K G R O U P # 3			
Top	Log Dia(cm) LRF	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM
0.1 - 4.4	0												
4.5 - 5.4	91												
5.5 - 6.4	100												
6.5 - 7.4	109												
7.5 - 8.4	119												
8.5 - 9.9	130												
10.0 - 14.9	160												
15.0 - 19.9	206												
20.0 - 24.9	234												
25.0 - 29.9	251												
30.0 - 34.9	262												
35.0 - 39.9	270												
40.0 - 44.9	275												
45.0 - 49.9	279												
50.0 - 54.9	281												
55.0 - 59.9	282												
60.0 - 64.9	282												
65.0 - 69.9	281												
70.0 - 74.9	280												
75.0 - 79.9	279												
80.0 - 84.9	277												
85.0 - 89.9	275												
90.0 - 94.9	273												
95.0 - 99.9	272												
100.0+	269												
All Logs													

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Volume And Lumber Recovery Information

06-Mar-2017 01:00:33PM

Average Line Method | Grades: MOF Computerized | FIZ: F | Filename: a90479_march_3_new_comp.ccp
BCTS | Computerized Decay | PSYU: Windermere | Compiled by: BCTS-EKFT
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Cruised by: PIONEER FOREST
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Version: 2016.01 IFS build 6030

Type : 5 (M) PlFd 437 0/17 L.P. Pine -Green Non Beetle

		R I S K G R O U P # 1				R I S K G R O U P # 2				R I S K G R O U P # 3			
Log Top Dia(cm)	LRF	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM
0.1 - 4.4	0												
4.5 - 5.4	91												
5.5 - 6.4	103												
6.5 - 7.4	113												
7.5 - 8.4	123												
8.5 - 9.9	134												
10.0 - 14.9	158	63	0.5	62	9719	152	1.5	147	23027				
15.0 - 19.9	185	34	0.5	33	6047	22	1.6	22	3959				
20.0 - 24.9	202												
25.0 - 29.9	217												
30.0 - 34.9	226												
35.0 - 39.9	234												
40.0 - 44.9	240												
45.0 - 49.9	246												
50.0 - 54.9	252												
55.0 - 59.9	258												
60.0 - 64.9	263												
65.0 - 69.9	266												
70.0 - 74.9	267												
75.0 - 79.9	265												
80.0 - 84.9	263												
85.0 - 89.9	261												
90.0 - 94.9	259												
95.0 - 99.9	257												
100.0+	254												
All Logs		97	0.5	94	15766	174	1.5	168	26986				

LRF and Log Summary

Risk Groups		1	2	3	1+2	2+3	1+2+3	- Adj Factor	**= Adj 1+2+3**
Average LRF		167	160		163	160	163		**163**
Decay	%	0.5			1.1	1.5			
Stud Log Net Merch	%	100.0			100.0	100.0			
Small Log Net Merch	%	100.0			100.0	100.0			
Large Log Net Merch	%								

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Volume And Lumber Recovery Information

06-Mar-2017 01:00:33PM

Average Line Method	Grades: MOF Computerized	FIZ: F	Filename: a90479_march_3_new_comp.ccp
BCTS	Computerized Decay	PSYU: Windermere	Compiled by: BCTS-EKFT
Licence Number: A90479 CP: 000	Computerized Waste	Region: 4 - Kootenay-Boundary	Cruised by: PIONEER FOREST
Project:	Computerized Breakage	District: 05 - Rocky Mountain	Version: 2016.01 IFS build 6030

Type : 5 (M) PlFd 437 0/17 L.P. Pine -Green Attack

		R I S K G R O U P # 1				R I S K G R O U P # 2				R I S K G R O U P # 3			
Top	Log Dia(cm) LRF	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM
0.1 - 4.4	0												
4.5 - 5.4	91												
5.5 - 6.4	103												
6.5 - 7.4	113												
7.5 - 8.4	123												
8.5 - 9.9	134												
10.0 - 14.9	158												
15.0 - 19.9	185												
20.0 - 24.9	202												
25.0 - 29.9	217												
30.0 - 34.9	226												
35.0 - 39.9	234												
40.0 - 44.9	240												
45.0 - 49.9	246												
50.0 - 54.9	252												
55.0 - 59.9	258												
60.0 - 64.9	263												
65.0 - 69.9	266												
70.0 - 74.9	267												
75.0 - 79.9	265												
80.0 - 84.9	263												
85.0 - 89.9	261												
90.0 - 94.9	259												
95.0 - 99.9	257												
100.0+	254												
All Logs													

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Volume And Lumber Recovery Information

06-Mar-2017 01:00:33PM

Average Line Method	Grades: MOF Computerized	FIZ: F	Filename: a90479_march_3_new_comp.ccp
BCTS	Computerized Decay	PSYU: Windermere	Compiled by: BCTS-EKFT
Licence Number: A90479 CP: 000	Computerized Waste	Region: 4 - Kootenay-Boundary	Cruised by: PIONEER FOREST
Project:	Computerized Breakage	District: 05 - Rocky Mountain	Version: 2016.01 IFS build 6030

Type : 5 (M) PlFd 437 0/17 L.P. Pine -Red Attack

		R I S K G R O U P # 1				R I S K G R O U P # 2				R I S K G R O U P # 3			
Top	Log Dia(cm)	LRF	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM
0.1 -	4.4	0												
4.5 -	5.4	91												
5.5 -	6.4	103												
6.5 -	7.4	113												
7.5 -	8.4	123												
8.5 -	9.9	134												
10.0 -	14.9	158												
15.0 -	19.9	185												
20.0 -	24.9	202												
25.0 -	29.9	217												
30.0 -	34.9	226												
35.0 -	39.9	234												
40.0 -	44.9	240												
45.0 -	49.9	246												
50.0 -	54.9	252												
55.0 -	59.9	258												
60.0 -	64.9	263												
65.0 -	69.9	266												
70.0 -	74.9	267												
75.0 -	79.9	265												
80.0 -	84.9	263												
85.0 -	89.9	261												
90.0 -	94.9	259												
95.0 -	99.9	257												
100.0+		254												
All Logs														

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Volume And Lumber Recovery Information

06-Mar-2017 01:00:33PM

Average Line Method | Grades: MOF Computerized | FIZ: F | Filename: a90479_march_3_new_comp.ccp
BCTS | Computerized Decay | PSYU: Windermere | Compiled by: BCTS-EKFT
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Cruised by: PIONEER FOREST
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Version: 2016.01 IFS build 6030

Type : 5 (M) PlFd 437 0/17 L.P. Pine -Grey Attack

		R I S K G R O U P # 1				R I S K G R O U P # 2				R I S K G R O U P # 3			
Top	Log Dia(cm) LRF	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM
0.1 - 4.4	0												
4.5 - 5.4	91												
5.5 - 6.4	103												
6.5 - 7.4	113												
7.5 - 8.4	123												
8.5 - 9.9	134												
10.0 - 14.9	158												
15.0 - 19.9	185												
20.0 - 24.9	202												
25.0 - 29.9	217												
30.0 - 34.9	226												
35.0 - 39.9	234												
40.0 - 44.9	240												
45.0 - 49.9	246												
50.0 - 54.9	252												
55.0 - 59.9	258												
60.0 - 64.9	263												
65.0 - 69.9	266												
70.0 - 74.9	267												
75.0 - 79.9	265												
80.0 - 84.9	263												
85.0 - 89.9	261												
90.0 - 94.9	259												
95.0 - 99.9	257												
100.0+	254												
All Logs													

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Volume And Lumber Recovery Information

Average Line Method	Grades: MOF Computerized	FIZ: F	06-Mar-2017 01:00:33PM
BCTS	Computerized Decay	PSYU: Windermere	Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000	Computerized Waste	Region: 4 - Kootenay-Boundary	Compiled by: BCTS-EKFT
Project:	Computerized Breakage	District: 05 - Rocky Mountain	Cruised by: PIONEER FOREST
			Version: 2016.01 IFS build 6030

Type : 5 (M) PlFd 437 0/17 L.P. Pine -Dead Potential

		R I S K G R O U P # 1				R I S K G R O U P # 2				R I S K G R O U P # 3			
Log Top Dia(cm)	LRF	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM
0.1 - 4.4	0												
4.5 - 5.4	91												
5.5 - 6.4	103												
6.5 - 7.4	113												
7.5 - 8.4	123												
8.5 - 9.9	134												
10.0 - 14.9	158					19	1.4	13	2004				
15.0 - 19.9	185												
20.0 - 24.9	202												
25.0 - 29.9	217												
30.0 - 34.9	226												
35.0 - 39.9	234												
40.0 - 44.9	240												
45.0 - 49.9	246												
50.0 - 54.9	252												
55.0 - 59.9	258												
60.0 - 64.9	263												
65.0 - 69.9	266												
70.0 - 74.9	267												
75.0 - 79.9	265												
80.0 - 84.9	263												
85.0 - 89.9	261												
90.0 - 94.9	259												
95.0 - 99.9	257												
100.0+	254												
All Logs						19	1.4	13	2004				

LRF and Log Summary

Risk Groups		1	2	3	1+2	2+3	1+2+3	- Adj Factor	**= Adj 1+2+3**
Average LRF			157		157	157	157		**157**
Decay	%				1.4	1.4			
Stud Log Net Merch	%				100.0	100.0			
Small Log Net Merch	%				100.0	100.0			
Large Log Net Merch	%								

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Volume And Lumber Recovery Information

06-Mar-2017 01:00:33PM

Average Line Method | Grades: MOF Computerized | FIZ: F | Filename: a90479_march_3_new_comp.ccp
BCTS | Computerized Decay | PSYU: Windermere | Compiled by: BCTS-EKFT
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Cruised by: PIONEER FOREST
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Version: 2016.01 IFS build 6030

Type : 5 (M) PlFd 437 0/17 W.W. Pine

		R I S K G R O U P # 1				R I S K G R O U P # 2				R I S K G R O U P # 3			
Top	Log Dia(cm)	LRF	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM
0.1 -	4.4	0												
4.5 -	5.4	91												
5.5 -	6.4	102												
6.5 -	7.4	111												
7.5 -	8.4	120												
8.5 -	9.9	129												
10.0 -	14.9	151												
15.0 -	19.9	172												
20.0 -	24.9	187												
25.0 -	29.9	199												
30.0 -	34.9	210												
35.0 -	39.9	217												
40.0 -	44.9	222												
45.0 -	49.9	228												
50.0 -	54.9	233												
55.0 -	59.9	237												
60.0 -	64.9	240												
65.0 -	69.9	241												
70.0 -	74.9	240												
75.0 -	79.9	237												
80.0 -	84.9	234												
85.0 -	89.9	231												
90.0 -	94.9	227												
95.0 -	99.9	224												
100.0+		221												
All Logs														

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Volume And Lumber Recovery Information

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
| | | Version: 2016.01 IFS build 6030

Type : 5 (M) PlFd 437 0/17 Spruce

		R I S K G R O U P # 1				R I S K G R O U P # 2				R I S K G R O U P # 3			
Top Log Dia(cm)	LRF	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM
0.1 - 4.4	0												
4.5 - 5.4	91												
5.5 - 6.4	103												
6.5 - 7.4	113												
7.5 - 8.4	123												
8.5 - 9.9	134												
10.0 - 14.9	158	11	1.0	11	1695								
15.0 - 19.9	185	11	1.0	11	1967								
20.0 - 24.9	202												
25.0 - 29.9	217												
30.0 - 34.9	226												
35.0 - 39.9	234												
40.0 - 44.9	240												
45.0 - 49.9	246												
50.0 - 54.9	252												
55.0 - 59.9	258												
60.0 - 64.9	263												
65.0 - 69.9	266												
70.0 - 74.9	267												
75.0 - 79.9	265												
80.0 - 84.9	263												
85.0 - 89.9	261												
90.0 - 94.9	259												
95.0 - 99.9	257												
100.0+	254												
All Logs		22	1.0	21	3662								

LRF and Log Summary

Risk Groups		1	2	3	1+2	2+3	1+2+3
Average LRF		171			171		171
Decay	%	1.0			1.0		
Stud Log Net Merch	%	100.0			100.0		
Small Log Net Merch	%	100.0			100.0		
Large Log Net Merch	%						

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Volume And Lumber Recovery Information

06-Mar-2017 01:00:33PM

Average Line Method | Grades: MOF Computerized | FIZ: F | Filename: a90479_march_3_new_comp.ccp
BCTS | Computerized Decay | PSYU: Windermere | Compiled by: BCTS-EKFT
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Cruised by: PIONEER FOREST
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Version: 2016.01 IFS build 6030

Type : 5 (M) PlFd 437 0/17 ALL SPECIES

		R I S K G R O U P # 1				R I S K G R O U P # 2				R I S K G R O U P # 3			
Log Top Dia(cm)	LRF	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM
0.1 - 4.4													
4.5 - 5.4													
5.5 - 6.4													
6.5 - 7.4													
7.5 - 8.4													
8.5 - 9.9													
10.0 - 14.9		78	0.5	76	11945	171	1.5	160	25031				
15.0 - 19.9		50	0.6	49	8971	22	1.6	22	3959				
20.0 - 24.9		7		7	1474								
25.0 - 29.9													
30.0 - 34.9													
35.0 - 39.9													
40.0 - 44.9													
45.0 - 49.9													
50.0 - 54.9													
55.0 - 59.9													
60.0 - 64.9													
65.0 - 69.9													
70.0 - 74.9													
75.0 - 79.9													
80.0 - 84.9													
85.0 - 89.9													
90.0 - 94.9													
95.0 - 99.9													
100.0+													
All Logs		135	0.5	132	22391	193	1.5	181	28990				

LRF and Log Summary

Risk Groups		1	2	3	1+2	2+3	1+2+3
Average LRF (unadjusted)		170	160		164	160	164
Decay	%	0.5			1.1	1.5	
Stud Log Net Merch	%	94.5			97.7	100.0	
Small Log Net Merch	%	100.0			100.0	100.0	
Large Log Net Merch	%						

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Volume And Lumber Recovery Information

06-Mar-2017 01:00:33PM

Average Line Method | Grades: MOF Computerized | FIZ: F | Filename: a90479_march_3_new_comp.ccp
BCTS | Computerized Decay | PSYU: Windermere | Compiled by: BCTS-EKFT
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Cruised by: PIONEER FOREST
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Version: 2016.01 IFS build 6030

Type : 6 (M) PlFd 437-0/18 Aspen

		R I S K G R O U P # 1				R I S K G R O U P # 2				R I S K G R O U P # 3			
Top	Log Dia(cm) LRF	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM
0.1 - 4.4	0												
4.5 - 5.4	91												
5.5 - 6.4	103												
6.5 - 7.4	113												
7.5 - 8.4	123												
8.5 - 9.9	134												
10.0 - 14.9	158												
15.0 - 19.9	185												
20.0 - 24.9	202												
25.0 - 29.9	217												
30.0 - 34.9	226												
35.0 - 39.9	234												
40.0 - 44.9	240												
45.0 - 49.9	246												
50.0 - 54.9	252												
55.0 - 59.9	258												
60.0 - 64.9	263												
65.0 - 69.9	266												
70.0 - 74.9	267												
75.0 - 79.9	265												
80.0 - 84.9	263												
85.0 - 89.9	261												
90.0 - 94.9	259												
95.0 - 99.9	257												
100.0+	254												
All Logs													

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Volume And Lumber Recovery Information

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
| | | Version: 2016.01 IFS build 6030

Type : 6 (M) PlFd 437-0/18 Balsam

		R I S K G R O U P # 1				R I S K G R O U P # 2				R I S K G R O U P # 3			
Top	Log Dia(cm)	LRF	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM
0.1 - 4.4		0												
4.5 - 5.4		91												
5.5 - 6.4		103												
6.5 - 7.4		113												
7.5 - 8.4		123												
8.5 - 9.9		134												
10.0 - 14.9		158	5		5	803								
15.0 - 19.9		185	15		15	2700								
20.0 - 24.9		202	24		24	4768								
25.0 - 29.9		217	33		33	7097								
30.0 - 34.9		226												
35.0 - 39.9		234												
40.0 - 44.9		240												
45.0 - 49.9		246												
50.0 - 54.9		252												
55.0 - 59.9		258												
60.0 - 64.9		263												
65.0 - 69.9		266												
70.0 - 74.9		267												
75.0 - 79.9		265												
80.0 - 84.9		263												
85.0 - 89.9		261												
90.0 - 94.9		259												
95.0 - 99.9		257												
100.0+		254												
All Logs			78		76	15369								

LRF and Log Summary

Risk Groups		1	2	3	1+2	2+3	1+2+3
Average LRF		202			202		202
Decay	%						
Stud Log Net Merch	%	25.9			25.9		
Small Log Net Merch	%	100.0			100.0		
Large Log Net Merch	%						

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Volume And Lumber Recovery Information

Average Line Method	Grades: MOF Computerized	FIZ: F	06-Mar-2017 01:00:33PM
BCTS	Computerized Decay	PSYU: Windermere	Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000	Computerized Waste	Region: 4 - Kootenay-Boundary	Compiled by: BCTS-EKFT
Project:	Computerized Breakage	District: 05 - Rocky Mountain	Cruised by: PIONEER FOREST
			Version: 2016.01 IFS build 6030

Type : 6 (M) PlFd 437-0/18 Doug-Fir [Interior Wet Belt Fir]

		R I S K G R O U P # 1				R I S K G R O U P # 2				R I S K G R O U P # 3			
Log Top Dia(cm)	LRF	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM
0.1 - 4.4	0												
4.5 - 5.4	91												
5.5 - 6.4	103												
6.5 - 7.4	113												
7.5 - 8.4	123												
8.5 - 9.9	134												
10.0 - 14.9	156					3	4.6	3	386				
15.0 - 19.9	185					11	4.6	11	1915				
20.0 - 24.9	202					0	4.4	0	76				
25.0 - 29.9	217					21	4.6	20	4153				
30.0 - 34.9	226												
35.0 - 39.9	234					30	4.6	28	6409				
40.0 - 44.9	240					42	4.6	39	9051				
45.0 - 49.9	246					1	4.4	1	291				
50.0 - 54.9	252												
55.0 - 59.9	258												
60.0 - 64.9	263												
65.0 - 69.9	266												
70.0 - 74.9	267												
75.0 - 79.9	265												
80.0 - 84.9	263												
85.0 - 89.9	261												
90.0 - 94.9	259												
95.0 - 99.9	257												
100.0+	254												
All Logs						109	4.6	101	22281				

LRF and Log Summary

Risk Groups		1	2	3	1+2	2+3	1+2+3
Average LRF			221		221	221	221
Decay	%				4.6	4.6	
Stud Log Net Merch	%				13.0	13.0	
Small Log Net Merch	%				32.8	32.8	
Large Log Net Merch	%				67.2	67.2	

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Volume And Lumber Recovery Information

			06-Mar-2017 01:00:33PM
Average Line Method	Grades: MOF Computerized	FIZ: F	Filename: a90479_march_3_new_comp.ccp
BCTS	Computerized Decay	PSYU: Windermere	Compiled by: BCTS-EKFT
Licence Number: A90479 CP: 000	Computerized Waste	Region: 4 - Kootenay-Boundary	Cruised by: PIONEER FOREST
Project:	Computerized Breakage	District: 05 - Rocky Mountain	Version: 2016.01 IFS build 6030

Type : 6 (M) PlFd 437-0/18 Doug-Fir [Quality 1]: [Interior Wet Belt Fir]

		R I S K G R O U P # 1				R I S K G R O U P # 2				R I S K G R O U P # 3			
Log Top Dia(cm)	LRF	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM
0.1 - 4.4	0												
4.5 - 5.4	100												
5.5 - 6.4	109												
6.5 - 7.4	118												
7.5 - 8.4	128												
8.5 - 9.9	139												
10.0 - 14.9	170												
15.0 - 19.9	217												
20.0 - 24.9	246												
25.0 - 29.9	266												
30.0 - 34.9	279												
35.0 - 39.9	287												
40.0 - 44.9	292												
45.0 - 49.9	297												
50.0 - 54.9	299												
55.0 - 59.9	302												
60.0 - 64.9	302												
65.0 - 69.9	303												
70.0 - 74.9	302												
75.0 - 79.9	302												
80.0 - 84.9	301												
85.0 - 89.9	298												
90.0 - 94.9	297												
95.0 - 99.9	295												
100.0+	295												
All Logs													

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Volume And Lumber Recovery Information

Average Line Method
BCTS
Licence Number: A90479 CP: 000
Project:

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: F
PSYU: Windermere
Region: 4 - Kootenay-Boundary
District: 05 - Rocky Mountain

06-Mar-2017 01:00:33PM
Filename: a90479_march_3_new_comp.ccp
Compiled by: BCTS-EKFT
Cruised by: PIONEER FOREST
Version: 2016.01   IFS build 6030

Type : 6 (M) PlFd 437-0/18 Doug-Fir [Quality 2]: [Interior Wet Belt Fir]

		R I S K G R O U P # 1				R I S K G R O U P # 2				R I S K G R O U P # 3			
Top Log Dia(cm)	LRF	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM
0.1 - 4.4	0												
4.5 - 5.4	91												
5.5 - 6.4	100												
6.5 - 7.4	109												
7.5 - 8.4	119												
8.5 - 9.9	130												
10.0 - 14.9	160					3	4.6	3	396				
15.0 - 19.9	206					11	4.6	11	2132				
20.0 - 24.9	234					0	4.4	0	88				
25.0 - 29.9	251					21	4.6	20	4803				
30.0 - 34.9	262												
35.0 - 39.9	270					30	4.6	28	7395				
40.0 - 44.9	275					42	4.6	39	10371				
45.0 - 49.9	279					1	4.4	1	330				
50.0 - 54.9	281												
55.0 - 59.9	282												
60.0 - 64.9	282												
65.0 - 69.9	281												
70.0 - 74.9	280												
75.0 - 79.9	279												
80.0 - 84.9	277												
85.0 - 89.9	275												
90.0 - 94.9	273												
95.0 - 99.9	272												
100.0+	269												
All Logs						109	4.6	101	25516				

LRF and Log Summary

Risk Groups		1	2	3	1+2	2+3	1+2+3
Average LRF			253		253	253	253
Decay	%				4.6	4.6	
Stud Log Net Merch	%				13.0	13.0	
Small Log Net Merch	%				32.8	32.8	
Large Log Net Merch	%				67.2	67.2	

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Volume And Lumber Recovery Information

06-Mar-2017 01:00:33PM

Average Line Method | Grades: MOF Computerized | FIZ: F | Filename: a90479_march_3_new_comp.ccp
BCTS | Computerized Decay | PSYU: Windermere | Compiled by: BCTS-EKFT
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Cruised by: PIONEER FOREST
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Version: 2016.01 IFS build 6030

Type : 6 (M) PlFd 437-0/18 L.P. Pine -Green Non Beetle

		R I S K G R O U P # 1				R I S K G R O U P # 2				R I S K G R O U P # 3			
Log Top Dia(cm)	LRF	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM
0.1 - 4.4	0												
4.5 - 5.4	91												
5.5 - 6.4	103												
6.5 - 7.4	113												
7.5 - 8.4	123												
8.5 - 9.9	134												
10.0 - 14.9	158	189	0.5	184	29019	391	1.5	378	59212				
15.0 - 19.9	185	267	0.5	261	48088	215	1.7	207	37928				
20.0 - 24.9	202												
25.0 - 29.9	217												
30.0 - 34.9	226												
35.0 - 39.9	234												
40.0 - 44.9	240												
45.0 - 49.9	246												
50.0 - 54.9	252												
55.0 - 59.9	258												
60.0 - 64.9	263												
65.0 - 69.9	266												
70.0 - 74.9	267												
75.0 - 79.9	265												
80.0 - 84.9	263												
85.0 - 89.9	261												
90.0 - 94.9	259												
95.0 - 99.9	257												
100.0+	254												
All Logs		456	0.5	445	77107	606	1.6	584	97140				

LRF and Log Summary

Risk Groups		1	2	3	1+2	2+3	1+2+3	- Adj Factor	**= Adj 1+2+3**
Average LRF		173	166		169	166	169		**169**
Decay	%	0.5			1.1	1.6			
Stud Log Net Merch	%	100.0			100.0	100.0			
Small Log Net Merch	%	100.0			100.0	100.0			
Large Log Net Merch	%								

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Volume And Lumber Recovery Information

06-Mar-2017 01:00:33PM

Average Line Method	Grades: MOF Computerized	FIZ: F	Filename: a90479_march_3_new_comp.ccp
BCTS	Computerized Decay	PSYU: Windermere	Compiled by: BCTS-EKFT
Licence Number: A90479 CP: 000	Computerized Waste	Region: 4 - Kootenay-Boundary	Cruised by: PIONEER FOREST
Project:	Computerized Breakage	District: 05 - Rocky Mountain	Version: 2016.01 IFS build 6030

Type : 6 (M) PlFd 437-0/18 L.P. Pine -Green Attack

		R I S K G R O U P # 1				R I S K G R O U P # 2				R I S K G R O U P # 3			
Top	Log Dia(cm) LRF	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM
0.1 - 4.4	0												
4.5 - 5.4	91												
5.5 - 6.4	103												
6.5 - 7.4	113												
7.5 - 8.4	123												
8.5 - 9.9	134												
10.0 - 14.9	158												
15.0 - 19.9	185												
20.0 - 24.9	202												
25.0 - 29.9	217												
30.0 - 34.9	226												
35.0 - 39.9	234												
40.0 - 44.9	240												
45.0 - 49.9	246												
50.0 - 54.9	252												
55.0 - 59.9	258												
60.0 - 64.9	263												
65.0 - 69.9	266												
70.0 - 74.9	267												
75.0 - 79.9	265												
80.0 - 84.9	263												
85.0 - 89.9	261												
90.0 - 94.9	259												
95.0 - 99.9	257												
100.0+	254												
All Logs													

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Volume And Lumber Recovery Information

06-Mar-2017 01:00:33PM

Average Line Method | Grades: MOF Computerized | FIZ: F | Filename: a90479_march_3_new_comp.ccp
BCTS | Computerized Decay | PSYU: Windermere | Compiled by: BCTS-EKFT
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Cruised by: PIONEER FOREST
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Version: 2016.01 IFS build 6030

Type : 6 (M) PlFd 437-0/18 L.P. Pine -Red Attack

			R I S K G R O U P # 1				R I S K G R O U P # 2				R I S K G R O U P # 3			
Top	Log Dia(cm)	LRF	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM
0.1 - 4.4		0												
4.5 - 5.4		91												
5.5 - 6.4		103												
6.5 - 7.4		113												
7.5 - 8.4		123												
8.5 - 9.9		134												
10.0 - 14.9		158												
15.0 - 19.9		185												
20.0 - 24.9		202												
25.0 - 29.9		217												
30.0 - 34.9		226												
35.0 - 39.9		234												
40.0 - 44.9		240												
45.0 - 49.9		246												
50.0 - 54.9		252												
55.0 - 59.9		258												
60.0 - 64.9		263												
65.0 - 69.9		266												
70.0 - 74.9		267												
75.0 - 79.9		265												
80.0 - 84.9		263												
85.0 - 89.9		261												
90.0 - 94.9		259												
95.0 - 99.9		257												
100.0+		254												
All Logs														

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Volume And Lumber Recovery Information

06-Mar-2017 01:00:33PM

Average Line Method | Grades: MOF Computerized | FIZ: F | Filename: a90479_march_3_new_comp.ccp
BCTS | Computerized Decay | PSYU: Windermere | Compiled by: BCTS-EKFT
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Cruised by: PIONEER FOREST
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Version: 2016.01 IFS build 6030

Type : 6 (M) PlFd 437-0/18 L.P. Pine -Grey Attack

		R I S K G R O U P # 1				R I S K G R O U P # 2				R I S K G R O U P # 3			
Top	Log Dia(cm)	LRF	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM
0.1 -	4.4	0												
4.5 -	5.4	91												
5.5 -	6.4	103												
6.5 -	7.4	113												
7.5 -	8.4	123												
8.5 -	9.9	134												
10.0 -	14.9	158												
15.0 -	19.9	185												
20.0 -	24.9	202												
25.0 -	29.9	217												
30.0 -	34.9	226												
35.0 -	39.9	234												
40.0 -	44.9	240												
45.0 -	49.9	246												
50.0 -	54.9	252												
55.0 -	59.9	258												
60.0 -	64.9	263												
65.0 -	69.9	266												
70.0 -	74.9	267												
75.0 -	79.9	265												
80.0 -	84.9	263												
85.0 -	89.9	261												
90.0 -	94.9	259												
95.0 -	99.9	257												
100.0+		254												
All Logs														

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Volume And Lumber Recovery Information

Average Line Method	Grades: MOF Computerized	FIZ: F	06-Mar-2017 01:00:33PM
BCTS	Computerized Decay	PSYU: Windermere	Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000	Computerized Waste	Region: 4 - Kootenay-Boundary	Compiled by: BCTS-EKFT
Project:	Computerized Breakage	District: 05 - Rocky Mountain	Cruised by: PIONEER FOREST
			Version: 2016.01 IFS build 6030

Type : 6 (M) PlFd 437-0/18 L.P. Pine -Dead Potential

		R I S K G R O U P # 1				R I S K G R O U P # 2				R I S K G R O U P # 3			
Top	Log Dia(cm)	LRF	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM
0.1 -	4.4	0												
4.5 -	5.4	91												
5.5 -	6.4	103												
6.5 -	7.4	113												
7.5 -	8.4	123												
8.5 -	9.9	134												
10.0 -	14.9	158					52	1.4	36	5607				
15.0 -	19.9	185												
20.0 -	24.9	202												
25.0 -	29.9	217												
30.0 -	34.9	226												
35.0 -	39.9	234												
40.0 -	44.9	240												
45.0 -	49.9	246												
50.0 -	54.9	252												
55.0 -	59.9	258												
60.0 -	64.9	263												
65.0 -	69.9	266												
70.0 -	74.9	267												
75.0 -	79.9	265												
80.0 -	84.9	263												
85.0 -	89.9	261												
90.0 -	94.9	259												
95.0 -	99.9	257												
100.0+		254												
All Logs							52	1.4	36	5607				

LRF and Log Summary

Risk Groups		1	2	3	1+2	2+3	1+2+3	- Adj Factor	**= Adj 1+2+3**
Average LRF			157		157	157	157		**157**
Decay	%				1.4	1.4			
Stud Log Net Merch	%				100.0	100.0			
Small Log Net Merch	%				100.0	100.0			
Large Log Net Merch	%								

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Volume And Lumber Recovery Information

06-Mar-2017 01:00:33PM

Average Line Method | Grades: MOF Computerized | FIZ: F | Filename: a90479_march_3_new_comp.ccp
BCTS | Computerized Decay | PSYU: Windermere | Compiled by: BCTS-EKFT
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Cruised by: PIONEER FOREST
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Version: 2016.01 IFS build 6030

Type : 6 (M) PlFd 437-0/18 W.W. Pine

		R I S K G R O U P # 1				R I S K G R O U P # 2				R I S K G R O U P # 3			
Top	Log Dia(cm)	LRF	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM
0.1 -	4.4	0												
4.5 -	5.4	91												
5.5 -	6.4	102												
6.5 -	7.4	111												
7.5 -	8.4	120												
8.5 -	9.9	129												
10.0 -	14.9	151												
15.0 -	19.9	172												
20.0 -	24.9	187												
25.0 -	29.9	199												
30.0 -	34.9	210												
35.0 -	39.9	217												
40.0 -	44.9	222												
45.0 -	49.9	228												
50.0 -	54.9	233												
55.0 -	59.9	237												
60.0 -	64.9	240												
65.0 -	69.9	241												
70.0 -	74.9	240												
75.0 -	79.9	237												
80.0 -	84.9	234												
85.0 -	89.9	231												
90.0 -	94.9	227												
95.0 -	99.9	224												
100.0+		221												
All Logs														

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Volume And Lumber Recovery Information

06-Mar-2017 01:00:33PM

Average Line Method | Grades: MOF Computerized | FIZ: F | Filename: a90479_march_3_new_comp.ccp
BCTS | Computerized Decay | PSYU: Windermere | Compiled by: BCTS-EKFT
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Cruised by: PIONEER FOREST
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Version: 2016.01 IFS build 6030

Type : 6 (M) PlFd 437-0/18 Spruce

			R I S K G R O U P # 1				R I S K G R O U P # 2				R I S K G R O U P # 3			
Top	Log Dia(cm)	LRF	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM
0.1 -	4.4	0												
4.5 -	5.4	91												
5.5 -	6.4	103												
6.5 -	7.4	113												
7.5 -	8.4	123												
8.5 -	9.9	134												
10.0 -	14.9	158												
15.0 -	19.9	185												
20.0 -	24.9	202												
25.0 -	29.9	217												
30.0 -	34.9	226												
35.0 -	39.9	234												
40.0 -	44.9	240												
45.0 -	49.9	246												
50.0 -	54.9	252												
55.0 -	59.9	258												
60.0 -	64.9	263												
65.0 -	69.9	266												
70.0 -	74.9	267												
75.0 -	79.9	265												
80.0 -	84.9	263												
85.0 -	89.9	261												
90.0 -	94.9	259												
95.0 -	99.9	257												
100.0+		254												
All Logs														

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Volume And Lumber Recovery Information

06-Mar-2017 01:00:33PM

Average Line Method | Grades: MOF Computerized | FIZ: F | Filename: a90479_march_3_new_comp.ccp
BCTS | Computerized Decay | PSYU: Windermere | Compiled by: BCTS-EKFT
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Cruised by: PIONEER FOREST
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Version: 2016.01 IFS build 6030

Type : 6 (M) PlFd 437-0/18 ALL SPECIES

		R I S K G R O U P # 1				R I S K G R O U P # 2				R I S K G R O U P # 3			
Top	Log Dia(cm) LRF	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM
0.1 - 4.4													
4.5 - 5.4													
5.5 - 6.4													
6.5 - 7.4													
7.5 - 8.4													
8.5 - 9.9													
10.0 - 14.9		194	0.5	189	29822	446	1.5	416	65205				
15.0 - 19.9		282	0.5	275	50788	226	1.9	217	39843				
20.0 - 24.9		24		24	4768	0	4.4	0	76				
25.0 - 29.9		33		33	7097	21	4.6	20	4153				
30.0 - 34.9													
35.0 - 39.9						30	4.6	28	6409				
40.0 - 44.9						42	4.6	39	9051				
45.0 - 49.9						1	4.4	1	291				
50.0 - 54.9													
55.0 - 59.9													
60.0 - 64.9													
65.0 - 69.9													
70.0 - 74.9													
75.0 - 79.9													
80.0 - 84.9													
85.0 - 89.9													
90.0 - 94.9													
95.0 - 99.9													
100.0+													
All Logs		534	0.5	521	92476	767	2.0	721	125028				

LRF and Log Summary

Risk Groups		1	2	3	1+2	2+3	1+2+3
Average LRF (unadjusted)		178	173		175	173	175
Decay	%	0.5			1.4	2.0	
Stud Log Net Merch	%	89.2			88.4	87.8	
Small Log Net Merch	%	100.0			94.5	90.6	
Large Log Net Merch	%				5.5	9.4	

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Volume And Lumber Recovery Information

Average Line Method	Grades: MOF Computerized	FIZ: F	06-Mar-2017 01:00:33PM
BCTS	Computerized Decay	PSYU: Windermere	Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000	Computerized Waste	Region: 4 - Kootenay-Boundary	Compiled by: BCTS-EKFT
Project:	Computerized Breakage	District: 05 - Rocky Mountain	Cruised by: PIONEER FOREST
			Version: 2016.01 IFS build 6030

Type : 7 (M) Pl 636-0/15 Aspen

		R I S K G R O U P # 1				R I S K G R O U P # 2				R I S K G R O U P # 3			
Top	Log Dia(cm) LRF	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM
0.1 - 4.4	0												
4.5 - 5.4	91												
5.5 - 6.4	103												
6.5 - 7.4	113												
7.5 - 8.4	123												
8.5 - 9.9	134												
10.0 - 14.9	158												
15.0 - 19.9	185												
20.0 - 24.9	202												
25.0 - 29.9	217												
30.0 - 34.9	226												
35.0 - 39.9	234												
40.0 - 44.9	240												
45.0 - 49.9	246												
50.0 - 54.9	252												
55.0 - 59.9	258												
60.0 - 64.9	263												
65.0 - 69.9	266												
70.0 - 74.9	267												
75.0 - 79.9	265												
80.0 - 84.9	263												
85.0 - 89.9	261												
90.0 - 94.9	259												
95.0 - 99.9	257												
100.0+	254												
All Logs													

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Volume And Lumber Recovery Information

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
| | | Version: 2016.01 IFS build 6030

Type : 7 (M) Pl 636-0/15 Balsam

		R I S K G R O U P # 1				R I S K G R O U P # 2				R I S K G R O U P # 3			
Log Top Dia(cm)	LRF	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM
0.1 - 4.4	0												
4.5 - 5.4	91												
5.5 - 6.4	103												
6.5 - 7.4	113												
7.5 - 8.4	123												
8.5 - 9.9	134												
10.0 - 14.9	158	171	1.1	166	26080	93	2.5	88	13803				
15.0 - 19.9	185	210	1.1	204	37497	27	5.0	25	4500				
20.0 - 24.9	202	254	1.5	245	49183	37	5.0	34	6744				
25.0 - 29.9	217	123	1.4	118	25504	72	5.0	67	14105				
30.0 - 34.9	226	135	2.0	129	28938	53	5.0	49	10765				
35.0 - 39.9	234					71	5.0	66	15017				
40.0 - 44.9	240												
45.0 - 49.9	246												
50.0 - 54.9	252												
55.0 - 59.9	258												
60.0 - 64.9	263												
65.0 - 69.9	266												
70.0 - 74.9	267												
75.0 - 79.9	265												
80.0 - 84.9	263												
85.0 - 89.9	261												
90.0 - 94.9	259												
95.0 - 99.9	257												
100.0+	254												
All Logs		893	1.4	863	167202	351	4.3	329	64934				

LRF and Log Summary

Risk Groups		1	2	3	1+2	2+3	1+2+3
Average LRF		194	197		195	197	195
Decay	%	1.4			2.2	4.3	
Stud Log Net Merch	%	42.9			40.5	34.5	
Small Log Net Merch	%	85.0			79.5	65.1	
Large Log Net Merch	%	15.0			20.5	34.9	

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Volume And Lumber Recovery Information

Average Line Method	Grades: MOF Computerized	FIZ: F	06-Mar-2017 01:00:33PM
BCTS	Computerized Decay	PSYU: Windermere	Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000	Computerized Waste	Region: 4 - Kootenay-Boundary	Compiled by: BCTS-EKFT
Project:	Computerized Breakage	District: 05 - Rocky Mountain	Cruised by: PIONEER FOREST
			Version: 2016.01 IFS build 6030

Type : 7 (M) Pl 636-0/15 Doug-Fir [Interior Wet Belt Fir]

		R I S K G R O U P # 1				R I S K G R O U P # 2				R I S K G R O U P # 3			
Top	Log Dia(cm)	LRF	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM
0.1 - 4.4		0												
4.5 - 5.4		91												
5.5 - 6.4		103												
6.5 - 7.4		113												
7.5 - 8.4		123												
8.5 - 9.9		134												
10.0 - 14.9		156												
15.0 - 19.9		185												
20.0 - 24.9		202												
25.0 - 29.9		217												
30.0 - 34.9		226												
35.0 - 39.9		234												
40.0 - 44.9		240												
45.0 - 49.9		246												
50.0 - 54.9		252												
55.0 - 59.9		258												
60.0 - 64.9		263												
65.0 - 69.9		266												
70.0 - 74.9		267												
75.0 - 79.9		265												
80.0 - 84.9		263												
85.0 - 89.9		261												
90.0 - 94.9		259												
95.0 - 99.9		257												
100.0+		254												
All Logs														

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Volume And Lumber Recovery Information

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
| | | Version: 2016.01 IFS build 6030

Type : 7 (M) Pl 636-0/15 Doug-Fir [Quality 1]: [Interior Wet Belt Fir]

		R I S K G R O U P # 1				R I S K G R O U P # 2				R I S K G R O U P # 3			
Top	Log Dia(cm)	LRF	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM
0.1 - 4.4		0												
4.5 - 5.4		100												
5.5 - 6.4		109												
6.5 - 7.4		118												
7.5 - 8.4		128												
8.5 - 9.9		139												
10.0 - 14.9		170												
15.0 - 19.9		217												
20.0 - 24.9		246												
25.0 - 29.9		266												
30.0 - 34.9		279												
35.0 - 39.9		287												
40.0 - 44.9		292												
45.0 - 49.9		297												
50.0 - 54.9		299												
55.0 - 59.9		302												
60.0 - 64.9		302												
65.0 - 69.9		303												
70.0 - 74.9		302												
75.0 - 79.9		302												
80.0 - 84.9		301												
85.0 - 89.9		298												
90.0 - 94.9		297												
95.0 - 99.9		295												
100.0+		295												
All Logs														

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Volume And Lumber Recovery Information

Average Line Method
BCTS
Licence Number: A90479 CP: 000
Project:

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: F
PSYU: Windermere
Region: 4 - Kootenay-Boundary
District: 05 - Rocky Mountain

06-Mar-2017 01:00:33PM
Filename: a90479_march_3_new_comp.ccp
Compiled by: BCTS-EKFT
Cruised by: PIONEER FOREST
Version: 2016.01 IFS build 6030

Type : 7 (M) Pl 636-0/15 Doug-Fir [Quality 2]: [Interior Wet Belt Fir]

		RISK GROUP #1				RISK GROUP #2				RISK GROUP #3			
Top Log Dia(cm)	LRF	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM
0.1 - 4.4	0												
4.5 - 5.4	91												
5.5 - 6.4	100												
6.5 - 7.4	109												
7.5 - 8.4	119												
8.5 - 9.9	130												
10.0 - 14.9	160												
15.0 - 19.9	206												
20.0 - 24.9	234												
25.0 - 29.9	251												
30.0 - 34.9	262												
35.0 - 39.9	270												
40.0 - 44.9	275												
45.0 - 49.9	279												
50.0 - 54.9	281												
55.0 - 59.9	282												
60.0 - 64.9	282												
65.0 - 69.9	281												
70.0 - 74.9	280												
75.0 - 79.9	279												
80.0 - 84.9	277												
85.0 - 89.9	275												
90.0 - 94.9	273												
95.0 - 99.9	272												
100.0+	269												
All Logs													

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Volume And Lumber Recovery Information

Average Line Method	Grades: MOF Computerized	FIZ: F	06-Mar-2017 01:00:33PM
BCTS	Computerized Decay	PSYU: Windermere	Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000	Computerized Waste	Region: 4 - Kootenay-Boundary	Compiled by: BCTS-EKFT
Project:	Computerized Breakage	District: 05 - Rocky Mountain	Cruised by: PIONEER FOREST
			Version: 2016.01 IFS build 6030

Type : 7 (M) Pl 636-0/15 L.P. Pine -Green Non Beetle

		R I S K G R O U P # 1				R I S K G R O U P # 2				R I S K G R O U P # 3			
Log Top Dia(cm)	LRF	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM
0.1 - 4.4	0												
4.5 - 5.4	91												
5.5 - 6.4	103												
6.5 - 7.4	113												
7.5 - 8.4	123												
8.5 - 9.9	134												
10.0 - 14.9	158	1340	0.5	1306	205772	2370	1.7	2282	357470				
15.0 - 19.9	185	1137	0.6	1108	204396	2518	1.9	2419	443326				
20.0 - 24.9	202	537	0.6	523	105282	1164	2.5	1111	221601				
25.0 - 29.9	217	50	0.8	48	10405	253	3.8	239	50811				
30.0 - 34.9	226	71	0.8	69	15602	72	4.7	67	14736				
35.0 - 39.9	234												
40.0 - 44.9	240												
45.0 - 49.9	246												
50.0 - 54.9	252												
55.0 - 59.9	258												
60.0 - 64.9	263												
65.0 - 69.9	266												
70.0 - 74.9	267												
75.0 - 79.9	265												
80.0 - 84.9	263												
85.0 - 89.9	261												
90.0 - 94.9	259												
95.0 - 99.9	257												
100.0+	254												
All Logs		3134	0.6	3054	541458	6376	2.1	6118	1087944				

LRF and Log Summary

Risk Groups		1	2	3	1+2	2+3	1+2+3	- Adj Factor	**= Adj 1+2+3**
Average LRF		177	178		178	178	178		**178**
Decay	%	0.6			1.6	2.1			
Stud Log Net Merch	%	79.0			77.6	76.8			
Small Log Net Merch	%	97.7			98.5	98.9			
Large Log Net Merch	%	2.3			1.5	1.1			

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Volume And Lumber Recovery Information

06-Mar-2017 01:00:33PM

Average Line Method | Grades: MOF Computerized | FIZ: F | Filename: a90479_march_3_new_comp.ccp
BCTS | Computerized Decay | PSYU: Windermere | Compiled by: BCTS-EKFT
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Cruised by: PIONEER FOREST
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Version: 2016.01 IFS build 6030

Type : 7 (M) Pl 636-0/15 L.P. Pine -Green Attack

		R I S K G R O U P # 1				R I S K G R O U P # 2				R I S K G R O U P # 3			
Top	Log Dia(cm) LRF	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM
0.1 - 4.4	0												
4.5 - 5.4	91												
5.5 - 6.4	103												
6.5 - 7.4	113												
7.5 - 8.4	123												
8.5 - 9.9	134												
10.0 - 14.9	158												
15.0 - 19.9	185												
20.0 - 24.9	202												
25.0 - 29.9	217												
30.0 - 34.9	226												
35.0 - 39.9	234												
40.0 - 44.9	240												
45.0 - 49.9	246												
50.0 - 54.9	252												
55.0 - 59.9	258												
60.0 - 64.9	263												
65.0 - 69.9	266												
70.0 - 74.9	267												
75.0 - 79.9	265												
80.0 - 84.9	263												
85.0 - 89.9	261												
90.0 - 94.9	259												
95.0 - 99.9	257												
100.0+	254												
All Logs													

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Volume And Lumber Recovery Information

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
Version: 2016.01 IFS build 6030

Type : 7 (M) Pl 636-0/15 L.P. Pine -Red Attack

Log Top Dia(cm)	LRF	R I S K G R O U P # 1 Gross Merch	Decay %	Net Merch	FBM	R I S K G R O U P # 2 Gross Merch	Decay %	Net Merch	FBM	R I S K G R O U P # 3 Gross Merch	Decay %	Net Merch	FBM
0.1 - 4.4	0												
4.5 - 5.4	91												
5.5 - 6.4	103												
6.5 - 7.4	113												
7.5 - 8.4	123												
8.5 - 9.9	134												
10.0 - 14.9	158					25	2.8	22	3399				
15.0 - 19.9	185					44	2.8	39	7057				
20.0 - 24.9	202					67	2.8	58	11642				
25.0 - 29.9	217					39	2.8	35	7408				
30.0 - 34.9	226												
35.0 - 39.9	234												
40.0 - 44.9	240												
45.0 - 49.9	246												
50.0 - 54.9	252												
55.0 - 59.9	258												
60.0 - 64.9	263												
65.0 - 69.9	266												
70.0 - 74.9	267												
75.0 - 79.9	265												
80.0 - 84.9	263												
85.0 - 89.9	261												
90.0 - 94.9	259												
95.0 - 99.9	257												
100.0+	254												
All Logs						175	2.8	154	29505				

LRF and Log Summary

Risk Groups		1	2	3	1+2	2+3	1+2+3	- Adj Factor	**= Adj 1+2+3**
Average LRF			192		192	192	192	33	**159**
Decay	%				2.8	2.8			
Stud Log Net Merch	%				39.4	39.4			
Small Log Net Merch	%				100.0	100.0			
Large Log Net Merch	%								

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Volume And Lumber Recovery Information

06-Mar-2017 01:00:33PM

Average Line Method | Grades: MOF Computerized | FIZ: F | Filename: a90479_march_3_new_comp.ccp
BCTS | Computerized Decay | PSYU: Windermere | Compiled by: BCTS-EKFT
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Cruised by: PIONEER FOREST
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Version: 2016.01 IFS build 6030

Type : 7 (M) Pl 636-0/15 L.P. Pine -Grey Attack

		R I S K G R O U P # 1				R I S K G R O U P # 2				R I S K G R O U P # 3			
Top	Log Dia(cm) LRF	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM
0.1 - 4.4	0												
4.5 - 5.4	91												
5.5 - 6.4	103												
6.5 - 7.4	113												
7.5 - 8.4	123												
8.5 - 9.9	134												
10.0 - 14.9	158												
15.0 - 19.9	185												
20.0 - 24.9	202												
25.0 - 29.9	217												
30.0 - 34.9	226												
35.0 - 39.9	234												
40.0 - 44.9	240												
45.0 - 49.9	246												
50.0 - 54.9	252												
55.0 - 59.9	258												
60.0 - 64.9	263												
65.0 - 69.9	266												
70.0 - 74.9	267												
75.0 - 79.9	265												
80.0 - 84.9	263												
85.0 - 89.9	261												
90.0 - 94.9	259												
95.0 - 99.9	257												
100.0+	254												
All Logs													

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Volume And Lumber Recovery Information

06-Mar-2017 01:00:33PM

Average Line Method | Grades: MOF Computerized | FIZ: F | Filename: a90479_march_3_new_comp.ccp
BCTS | Computerized Decay | PSYU: Windermere | Compiled by: BCTS-EKFT
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Cruised by: PIONEER FOREST
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Version: 2016.01 IFS build 6030

Type : 7 (M) Pl 636-0/15 L.P. Pine -Dead Potential

		R I S K G R O U P # 1				R I S K G R O U P # 2				R I S K G R O U P # 3			
Top Log Dia(cm)	LRF	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM
0.1 - 4.4	0												
4.5 - 5.4	91												
5.5 - 6.4	103												
6.5 - 7.4	113												
7.5 - 8.4	123												
8.5 - 9.9	134												
10.0 - 14.9	158					522	1.6	357	55978				
15.0 - 19.9	185					267	1.7	183	33489				
20.0 - 24.9	202												
25.0 - 29.9	217												
30.0 - 34.9	226												
35.0 - 39.9	234												
40.0 - 44.9	240												
45.0 - 49.9	246												
50.0 - 54.9	252												
55.0 - 59.9	258												
60.0 - 64.9	263												
65.0 - 69.9	266												
70.0 - 74.9	267												
75.0 - 79.9	265												
80.0 - 84.9	263												
85.0 - 89.9	261												
90.0 - 94.9	259												
95.0 - 99.9	257												
100.0+	254												
All Logs						789	1.6	540	89466				

LRF and Log Summary

Risk Groups		1	2	3	1+2	2+3	1+2+3	- Adj Factor	**= Adj 1+2+3**
Average LRF			166		166	166	166		**166**
Decay	%				1.6	1.6			
Stud Log Net Merch	%				100.0	100.0			
Small Log Net Merch	%				100.0	100.0			
Large Log Net Merch	%								

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Volume And Lumber Recovery Information

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
Version: 2016.01 IFS build 6030

Type : 7 (M) Pl 636-0/15 W.W. Pine

		R I S K G R O U P # 1				R I S K G R O U P # 2				R I S K G R O U P # 3			
Log Top Dia(cm)	LRF	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM
0.1 - 4.4	0												
4.5 - 5.4	91												
5.5 - 6.4	102												
6.5 - 7.4	111												
7.5 - 8.4	120												
8.5 - 9.9	129												
10.0 - 14.9	151					27	1.0	26	3865				
15.0 - 19.9	172					32	1.0	31	5355				
20.0 - 24.9	187												
25.0 - 29.9	199												
30.0 - 34.9	210												
35.0 - 39.9	217												
40.0 - 44.9	222												
45.0 - 49.9	228												
50.0 - 54.9	233												
55.0 - 59.9	237												
60.0 - 64.9	240												
65.0 - 69.9	241												
70.0 - 74.9	240												
75.0 - 79.9	237												
80.0 - 84.9	234												
85.0 - 89.9	231												
90.0 - 94.9	227												
95.0 - 99.9	224												
100.0+	221												
All Logs						59	1.0	57	9219				

LRF and Log Summary

Risk Groups		1	2	3	1+2	2+3	1+2+3
Average LRF			162		162	162	162
Decay	%				1.0	1.0	
Stud Log Net Merch	%						
Small Log Net Merch	%				100.0	100.0	
Large Log Net Merch	%						

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Volume And Lumber Recovery Information

06-Mar-2017 01:00:33PM

Average Line Method | Grades: MOF Computerized | FIZ: F | Filename: a90479_march_3_new_comp.ccp
BCTS | Computerized Decay | PSYU: Windermere | Compiled by: BCTS-EKFT
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Cruised by: PIONEER FOREST
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Version: 2016.01 IFS build 6030

Type : 7 (M) Pl 636-0/15 Spruce

Log Top Dia(cm)	LRF	R I S K G R O U P # 1 Gross Merch	Decay %	Net Merch	FBM	R I S K G R O U P # 2 Gross Merch	Decay %	Net Merch	FBM	R I S K G R O U P # 3 Gross Merch	Decay %	Net Merch	FBM
0.1 - 4.4	0												
4.5 - 5.4	91												
5.5 - 6.4	103												
6.5 - 7.4	113												
7.5 - 8.4	123												
8.5 - 9.9	134												
10.0 - 14.9	158	438	0.7	426	67157	47	3.0	45	6997				
15.0 - 19.9	185	368	0.8	357	65835	53	3.1	51	9229				
20.0 - 24.9	202	346	0.8	336	67661	78	3.1	74	14697				
25.0 - 29.9	217	312	1.2	302	65038	89	4.0	83	17755				
30.0 - 34.9	226	338	0.9	328	73802	34	4.0	32	7064				
35.0 - 39.9	234	223	1.1	216	50318								
40.0 - 44.9	240	74	2.1	71	16833								
45.0 - 49.9	246												
50.0 - 54.9	252												
55.0 - 59.9	258												
60.0 - 64.9	263												
65.0 - 69.9	266												
70.0 - 74.9	267												
75.0 - 79.9	265												
80.0 - 84.9	263												
85.0 - 89.9	261												
90.0 - 94.9	259												
95.0 - 99.9	257												
100.0+	254												
All Logs		2100	0.9	2037	406644	301	3.4	285	55742				

LRF and Log Summary

Risk Groups		1	2	3	1+2	2+3	1+2+3
Average LRF		200	196		199	196	199
Decay	%	0.9			1.3	3.4	
Stud Log Net Merch	%	38.5			37.9	33.6	
Small Log Net Merch	%	69.8			72.1	88.8	
Large Log Net Merch	%	30.2			27.9	11.2	

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Volume And Lumber Recovery Information

06-Mar-2017 01:00:33PM

Average Line Method | Grades: MOF Computerized | FIZ: F | Filename: a90479_march_3_new_comp.ccp
BCTS | Computerized Decay | PSYU: Windermere | Compiled by: BCTS-EKFT
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Cruised by: PIONEER FOREST
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Version: 2016.01 IFS build 6030

Type : 7 (M) Pl 636-0/15 ALL SPECIES

		R I S K G R O U P # 1				R I S K G R O U P # 2				R I S K G R O U P # 3			
Top	Log Dia(cm) LRF	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM
0.1 - 4.4													
4.5 - 5.4													
5.5 - 6.4													
6.5 - 7.4													
7.5 - 8.4													
8.5 - 9.9													
10.0 - 14.9		1949	0.6	1898	299010	3083	1.7	2820	441511				
15.0 - 19.9		1715	0.7	1669	307728	2941	1.9	2747	502954				
20.0 - 24.9		1137	0.9	1104	222126	1345	2.6	1278	254684				
25.0 - 29.9		484	1.3	468	100946	453	3.9	423	90079				
30.0 - 34.9		544	1.2	527	118342	158	4.6	148	32565				
35.0 - 39.9		223	1.1	216	50318	71	5.0	66	15017				
40.0 - 44.9		74	2.1	71	16833								
45.0 - 49.9													
50.0 - 54.9													
55.0 - 59.9													
60.0 - 64.9													
65.0 - 69.9													
70.0 - 74.9													
75.0 - 79.9													
80.0 - 84.9													
85.0 - 89.9													
90.0 - 94.9													
95.0 - 99.9													
100.0+													
All Logs		6127	0.8	5954	1115303	8052	2.2	7482	1336810				

LRF and Log Summary

Risk Groups		1	2	3	1+2	2+3	1+2+3
Average LRF (unadjusted)		187	179		183	179	183
Decay	%	0.8			1.6	2.2	
Stud Log Net Merch	%	59.9			67.6	73.7	
Small Log Net Merch	%	86.3			92.4	97.1	
Large Log Net Merch	%	13.7			7.6	2.9	

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Volume And Lumber Recovery Information

06-Mar-2017 01:00:33PM

Average Line Method | Grades: MOF Computerized | FIZ: F | Filename: a90479_march_3_new_comp.ccp
BCTS | Computerized Decay | PSYU: Windermere | Compiled by: BCTS-EKFT
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Cruised by: PIONEER FOREST
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Version: 2016.01 IFS build 6030

Type : 8 (M) Pl 636-0/15 Aspen

		R I S K G R O U P # 1				R I S K G R O U P # 2				R I S K G R O U P # 3			
Top	Log Dia(cm)	LRF	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM
0.1 - 4.4		0												
4.5 - 5.4		91												
5.5 - 6.4		103												
6.5 - 7.4		113												
7.5 - 8.4		123												
8.5 - 9.9		134												
10.0 - 14.9		158												
15.0 - 19.9		185												
20.0 - 24.9		202												
25.0 - 29.9		217												
30.0 - 34.9		226												
35.0 - 39.9		234												
40.0 - 44.9		240												
45.0 - 49.9		246												
50.0 - 54.9		252												
55.0 - 59.9		258												
60.0 - 64.9		263												
65.0 - 69.9		266												
70.0 - 74.9		267												
75.0 - 79.9		265												
80.0 - 84.9		263												
85.0 - 89.9		261												
90.0 - 94.9		259												
95.0 - 99.9		257												
100.0+		254												
All Logs														

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Volume And Lumber Recovery Information

06-Mar-2017 01:00:33PM

Average Line Method | Grades: MOF Computerized | FIZ: F | Filename: a90479_march_3_new_comp.ccp
BCTS | Computerized Decay | PSYU: Windermere | Compiled by: BCTS-EKFT
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Cruised by: PIONEER FOREST
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Version: 2016.01 IFS build 6030

Type : 8 (M) Pl 636-0/15 Balsam

		R I S K G R O U P # 1				R I S K G R O U P # 2				R I S K G R O U P # 3			
Top	Log Dia(cm)	LRF	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM
0.1 - 4.4		0												
4.5 - 5.4		91												
5.5 - 6.4		103												
6.5 - 7.4		113												
7.5 - 8.4		123												
8.5 - 9.9		134												
10.0 - 14.9		158												
15.0 - 19.9		185												
20.0 - 24.9		202												
25.0 - 29.9		217												
30.0 - 34.9		226												
35.0 - 39.9		234												
40.0 - 44.9		240												
45.0 - 49.9		246												
50.0 - 54.9		252												
55.0 - 59.9		258												
60.0 - 64.9		263												
65.0 - 69.9		266												
70.0 - 74.9		267												
75.0 - 79.9		265												
80.0 - 84.9		263												
85.0 - 89.9		261												
90.0 - 94.9		259												
95.0 - 99.9		257												
100.0+		254												
All Logs														

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Volume And Lumber Recovery Information

06-Mar-2017 01:00:33PM

Average Line Method | Grades: MOF Computerized | FIZ: F | Filename: a90479_march_3_new_comp.ccp
BCTS | Computerized Decay | PSYU: Windermere | Compiled by: BCTS-EKFT
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Cruised by: PIONEER FOREST
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Version: 2016.01 IFS build 6030

Type : 8 (M) Pl 636-0/15 Doug-Fir [Interior Wet Belt Fir]

		R I S K G R O U P # 1				R I S K G R O U P # 2				R I S K G R O U P # 3			
Top	Log Dia(cm) LRF	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM
0.1 - 4.4	0												
4.5 - 5.4	91												
5.5 - 6.4	103												
6.5 - 7.4	113												
7.5 - 8.4	123												
8.5 - 9.9	134												
10.0 - 14.9	156												
15.0 - 19.9	185												
20.0 - 24.9	202												
25.0 - 29.9	217												
30.0 - 34.9	226												
35.0 - 39.9	234												
40.0 - 44.9	240												
45.0 - 49.9	246												
50.0 - 54.9	252												
55.0 - 59.9	258												
60.0 - 64.9	263												
65.0 - 69.9	266												
70.0 - 74.9	267												
75.0 - 79.9	265												
80.0 - 84.9	263												
85.0 - 89.9	261												
90.0 - 94.9	259												
95.0 - 99.9	257												
100.0+	254												
All Logs													

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Volume And Lumber Recovery Information

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
| | | Version: 2016.01 IFS build 6030

Type : 8 (M) Pl 636-0/15 Doug-Fir [Quality 1]: [Interior Wet Belt Fir]

		R I S K G R O U P # 1				R I S K G R O U P # 2				R I S K G R O U P # 3			
Top	Log Dia(cm)	LRF	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM
0.1 - 4.4		0												
4.5 - 5.4		100												
5.5 - 6.4		109												
6.5 - 7.4		118												
7.5 - 8.4		128												
8.5 - 9.9		139												
10.0 - 14.9		170												
15.0 - 19.9		217												
20.0 - 24.9		246												
25.0 - 29.9		266												
30.0 - 34.9		279												
35.0 - 39.9		287												
40.0 - 44.9		292												
45.0 - 49.9		297												
50.0 - 54.9		299												
55.0 - 59.9		302												
60.0 - 64.9		302												
65.0 - 69.9		303												
70.0 - 74.9		302												
75.0 - 79.9		302												
80.0 - 84.9		301												
85.0 - 89.9		298												
90.0 - 94.9		297												
95.0 - 99.9		295												
100.0+		295												
All Logs														

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Volume And Lumber Recovery Information

Average Line Method	Grades: MOF Computerized	FIZ: F	06-Mar-2017 01:00:33PM
BCTS	Computerized Decay	PSYU: Windermere	Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000	Computerized Waste	Region: 4 - Kootenay-Boundary	Compiled by: BCTS-EKFT
Project:	Computerized Breakage	District: 05 - Rocky Mountain	Cruised by: PIONEER FOREST
			Version: 2016.01 IFS build 6030

Type : 8 (M) Pl 636-0/15 Doug-Fir [Quality 2]: [Interior Wet Belt Fir]

		RISK GROUP #1				RISK GROUP #2				RISK GROUP #3			
Top	Log Dia(cm)	LRF	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM
0.1 - 4.4		0												
4.5 - 5.4		91												
5.5 - 6.4		100												
6.5 - 7.4		109												
7.5 - 8.4		119												
8.5 - 9.9		130												
10.0 - 14.9		160												
15.0 - 19.9		206												
20.0 - 24.9		234												
25.0 - 29.9		251												
30.0 - 34.9		262												
35.0 - 39.9		270												
40.0 - 44.9		275												
45.0 - 49.9		279												
50.0 - 54.9		281												
55.0 - 59.9		282												
60.0 - 64.9		282												
65.0 - 69.9		281												
70.0 - 74.9		280												
75.0 - 79.9		279												
80.0 - 84.9		277												
85.0 - 89.9		275												
90.0 - 94.9		273												
95.0 - 99.9		272												
100.0+		269												
All Logs														

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Volume And Lumber Recovery Information

06-Mar-2017 01:00:33PM

Average Line Method | Grades: MOF Computerized | FIZ: F | Filename: a90479_march_3_new_comp.ccp
BCTS | Computerized Decay | PSYU: Windermere | Compiled by: BCTS-EKFT
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Cruised by: PIONEER FOREST
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Version: 2016.01 IFS build 6030

Type : 8 (M) Pl 636-0/15 L.P. Pine -Green Non Beetle

Log Top Dia(cm)	LRF	R I S K G R O U P # 1 Gross Merch	Decay %	Net Merch	FBM	R I S K G R O U P # 2 Gross Merch	Decay %	Net Merch	FBM	R I S K G R O U P # 3 Gross Merch	Decay %	Net Merch	FBM
0.1 - 4.4	0												
4.5 - 5.4	91												
5.5 - 6.4	103												
6.5 - 7.4	113												
7.5 - 8.4	123												
8.5 - 9.9	134												
10.0 - 14.9	158	431	0.5	420	66213	636	1.7	613	95971				
15.0 - 19.9	185	705	0.6	687	126789	735	1.9	707	129604				
20.0 - 24.9	202	120	0.6	116	23453	236	2.3	226	45151				
25.0 - 29.9	217												
30.0 - 34.9	226												
35.0 - 39.9	234												
40.0 - 44.9	240												
45.0 - 49.9	246												
50.0 - 54.9	252												
55.0 - 59.9	258												
60.0 - 64.9	263												
65.0 - 69.9	266												
70.0 - 74.9	267												
75.0 - 79.9	265												
80.0 - 84.9	263												
85.0 - 89.9	261												
90.0 - 94.9	259												
95.0 - 99.9	257												
100.0+	254												
All Logs		1256	0.6	1224	216456	1608	1.9	1546	270726				

LRF and Log Summary

Risk Groups		1	2	3	1+2	2+3	1+2+3	- Adj Factor	**= Adj 1+2+3**
Average LRF		177	175		176	175	176		**176**
Decay	%	0.6			1.3	1.9			
Stud Log Net Merch	%	90.5			87.6	85.4			
Small Log Net Merch	%	100.0			100.0	100.0			
Large Log Net Merch	%								

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Volume And Lumber Recovery Information

06-Mar-2017 01:00:33PM

Average Line Method | Grades: MOF Computerized | FIZ: F | Filename: a90479_march_3_new_comp.ccp
BCTS | Computerized Decay | PSYU: Windermere | Compiled by: BCTS-EKFT
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Cruised by: PIONEER FOREST
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Version: 2016.01 IFS build 6030

Type : 8 (M) Pl 636-0/15 L.P. Pine -Green Attack

		R I S K G R O U P # 1				R I S K G R O U P # 2				R I S K G R O U P # 3			
Top	Log Dia(cm) LRF	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM
0.1 - 4.4	0												
4.5 - 5.4	91												
5.5 - 6.4	103												
6.5 - 7.4	113												
7.5 - 8.4	123												
8.5 - 9.9	134												
10.0 - 14.9	158												
15.0 - 19.9	185												
20.0 - 24.9	202												
25.0 - 29.9	217												
30.0 - 34.9	226												
35.0 - 39.9	234												
40.0 - 44.9	240												
45.0 - 49.9	246												
50.0 - 54.9	252												
55.0 - 59.9	258												
60.0 - 64.9	263												
65.0 - 69.9	266												
70.0 - 74.9	267												
75.0 - 79.9	265												
80.0 - 84.9	263												
85.0 - 89.9	261												
90.0 - 94.9	259												
95.0 - 99.9	257												
100.0+	254												
All Logs													

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Volume And Lumber Recovery Information

06-Mar-2017 01:00:33PM

Average Line Method | Grades: MOF Computerized | FIZ: F | Filename: a90479_march_3_new_comp.ccp
BCTS | Computerized Decay | PSYU: Windermere | Compiled by: BCTS-EKFT
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Cruised by: PIONEER FOREST
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Version: 2016.01 IFS build 6030

Type : 8 (M) Pl 636-0/15 L.P. Pine -Red Attack

		R I S K G R O U P # 1				R I S K G R O U P # 2				R I S K G R O U P # 3			
Top	Log Dia(cm) LRF	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM
0.1 - 4.4	0												
4.5 - 5.4	91												
5.5 - 6.4	103												
6.5 - 7.4	113												
7.5 - 8.4	123												
8.5 - 9.9	134												
10.0 - 14.9	158												
15.0 - 19.9	185												
20.0 - 24.9	202												
25.0 - 29.9	217												
30.0 - 34.9	226												
35.0 - 39.9	234												
40.0 - 44.9	240												
45.0 - 49.9	246												
50.0 - 54.9	252												
55.0 - 59.9	258												
60.0 - 64.9	263												
65.0 - 69.9	266												
70.0 - 74.9	267												
75.0 - 79.9	265												
80.0 - 84.9	263												
85.0 - 89.9	261												
90.0 - 94.9	259												
95.0 - 99.9	257												
100.0+	254												
All Logs													

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Volume And Lumber Recovery Information

06-Mar-2017 01:00:33PM

Average Line Method	Grades: MOF Computerized	FIZ: F	Filename: a90479_march_3_new_comp.ccp
BCTS	Computerized Decay	PSYU: Windermere	Compiled by: BCTS-EKFT
Licence Number: A90479 CP: 000	Computerized Waste	Region: 4 - Kootenay-Boundary	Cruised by: PIONEER FOREST
Project:	Computerized Breakage	District: 05 - Rocky Mountain	Version: 2016.01 IFS build 6030

Type : 8 (M) Pl 636-0/15 L.P. Pine -Grey Attack

		R I S K G R O U P # 1				R I S K G R O U P # 2				R I S K G R O U P # 3			
Top	Log Dia(cm)	LRF	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM
0.1 -	4.4	0												
4.5 -	5.4	91												
5.5 -	6.4	103												
6.5 -	7.4	113												
7.5 -	8.4	123												
8.5 -	9.9	134												
10.0 -	14.9	158												
15.0 -	19.9	185												
20.0 -	24.9	202												
25.0 -	29.9	217												
30.0 -	34.9	226												
35.0 -	39.9	234												
40.0 -	44.9	240												
45.0 -	49.9	246												
50.0 -	54.9	252												
55.0 -	59.9	258												
60.0 -	64.9	263												
65.0 -	69.9	266												
70.0 -	74.9	267												
75.0 -	79.9	265												
80.0 -	84.9	263												
85.0 -	89.9	261												
90.0 -	94.9	259												
95.0 -	99.9	257												
100.0+		254												
All Logs														

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Volume And Lumber Recovery Information

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
Version: 2016.01 IFS build 6030

Type : 8 (M) Pl 636-0/15 L.P. Pine -Dead Potential

		R I S K G R O U P # 1				R I S K G R O U P # 2				R I S K G R O U P # 3			
Top Log Dia(cm)	LRF	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM
0.1 - 4.4	0												
4.5 - 5.4	91												
5.5 - 6.4	103												
6.5 - 7.4	113												
7.5 - 8.4	123												
8.5 - 9.9	134												
10.0 - 14.9	158					63	1.4	43	6772				
15.0 - 19.9	185												
20.0 - 24.9	202												
25.0 - 29.9	217												
30.0 - 34.9	226												
35.0 - 39.9	234												
40.0 - 44.9	240												
45.0 - 49.9	246												
50.0 - 54.9	252												
55.0 - 59.9	258												
60.0 - 64.9	263												
65.0 - 69.9	266												
70.0 - 74.9	267												
75.0 - 79.9	265												
80.0 - 84.9	263												
85.0 - 89.9	261												
90.0 - 94.9	259												
95.0 - 99.9	257												
100.0+	254												
All Logs						63	1.4	43	6772				

LRF and Log Summary

Risk Groups		1	2	3	1+2	2+3	1+2+3	- Adj Factor	**= Adj 1+2+3**
Average LRF			157		157	157	157		**157**
Decay	%				1.4	1.4			
Stud Log Net Merch	%				100.0	100.0			
Small Log Net Merch	%				100.0	100.0			
Large Log Net Merch	%								

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Volume And Lumber Recovery Information

06-Mar-2017 01:00:33PM

Average Line Method	Grades: MOF Computerized	FIZ: F	Filename: a90479_march_3_new_comp.ccp
BCTS	Computerized Decay	PSYU: Windermere	Compiled by: BCTS-EKFT
Licence Number: A90479 CP: 000	Computerized Waste	Region: 4 - Kootenay-Boundary	Cruised by: PIONEER FOREST
Project:	Computerized Breakage	District: 05 - Rocky Mountain	Version: 2016.01 IFS build 6030

Type : 8 (M) Pl 636-0/15 W.W. Pine

		R I S K G R O U P # 1				R I S K G R O U P # 2				R I S K G R O U P # 3			
Top	Log Dia(cm)	LRF	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM
0.1 -	4.4	0												
4.5 -	5.4	91												
5.5 -	6.4	102												
6.5 -	7.4	111												
7.5 -	8.4	120												
8.5 -	9.9	129												
10.0 -	14.9	151												
15.0 -	19.9	172												
20.0 -	24.9	187												
25.0 -	29.9	199												
30.0 -	34.9	210												
35.0 -	39.9	217												
40.0 -	44.9	222												
45.0 -	49.9	228												
50.0 -	54.9	233												
55.0 -	59.9	237												
60.0 -	64.9	240												
65.0 -	69.9	241												
70.0 -	74.9	240												
75.0 -	79.9	237												
80.0 -	84.9	234												
85.0 -	89.9	231												
90.0 -	94.9	227												
95.0 -	99.9	224												
100.0+		221												
All Logs														

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Volume And Lumber Recovery Information

06-Mar-2017 01:00:33PM

Average Line Method | Grades: MOF Computerized | FIZ: F | Filename: a90479_march_3_new_comp.ccp
BCTS | Computerized Decay | PSYU: Windermere | Compiled by: BCTS-EKFT
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Cruised by: PIONEER FOREST
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Version: 2016.01 IFS build 6030

Type : 8 (M) Pl 636-0/15 Spruce

		R I S K G R O U P # 1				R I S K G R O U P # 2				R I S K G R O U P # 3			
Top Log Dia(cm)	LRF	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM
0.1 - 4.4	0												
4.5 - 5.4	91												
5.5 - 6.4	103												
6.5 - 7.4	113												
7.5 - 8.4	123												
8.5 - 9.9	134												
10.0 - 14.9	158	35	1.0	34	5387								
15.0 - 19.9	185	107	1.0	104	19158								
20.0 - 24.9	202												
25.0 - 29.9	217												
30.0 - 34.9	226												
35.0 - 39.9	234												
40.0 - 44.9	240												
45.0 - 49.9	246												
50.0 - 54.9	252												
55.0 - 59.9	258												
60.0 - 64.9	263												
65.0 - 69.9	266												
70.0 - 74.9	267												
75.0 - 79.9	265												
80.0 - 84.9	263												
85.0 - 89.9	261												
90.0 - 94.9	259												
95.0 - 99.9	257												
100.0+	254												
All Logs		143	1.0	138	24545								

LRF and Log Summary

Risk Groups		1	2	3	1+2	2+3	1+2+3
Average LRF		177			177		177
Decay	%	1.0			1.0		
Stud Log Net Merch	%	100.0			100.0		
Small Log Net Merch	%	100.0			100.0		
Large Log Net Merch	%						

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

Type Volume And Lumber Recovery Information

06-Mar-2017 01:00:33PM

Average Line Method | Grades: MOF Computerized | FIZ: F | Filename: a90479_march_3_new_comp.ccp
BCTS | Computerized Decay | PSYU: Windermere | Compiled by: BCTS-EKFT
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Cruised by: PIONEER FOREST
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Version: 2016.01 IFS build 6030

Type : 8 (M) Pl 636-0/15 ALL SPECIES

		R I S K G R O U P # 1				R I S K G R O U P # 2				R I S K G R O U P # 3			
Top	Log Dia(cm) LRF	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM
0.1 - 4.4													
4.5 - 5.4													
5.5 - 6.4													
6.5 - 7.4													
7.5 - 8.4													
8.5 - 9.9													
10.0 - 14.9		466	0.6	454	71600	699	1.7	656	102743				
15.0 - 19.9		813	0.6	791	145947	735	1.9	707	129604				
20.0 - 24.9		120	0.6	116	23453	236	2.3	226	45151				
25.0 - 29.9													
30.0 - 34.9													
35.0 - 39.9													
40.0 - 44.9													
45.0 - 49.9													
50.0 - 54.9													
55.0 - 59.9													
60.0 - 64.9													
65.0 - 69.9													
70.0 - 74.9													
75.0 - 79.9													
80.0 - 84.9													
85.0 - 89.9													
90.0 - 94.9													
95.0 - 99.9													
100.0+													
All Logs		1399	0.6	1362	241000	1671	1.8	1589	277498				

LRF and Log Summary

Risk Groups		1	2	3	1+2	2+3	1+2+3
Average LRF (unadjusted)		177	175		176	175	176
Decay	%	0.6			1.3	1.8	
Stud Log Net Merch	%	91.5			88.4	85.8	
Small Log Net Merch	%	100.0			100.0	100.0	
Large Log Net Merch	%						

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

CP Volume And Lumber Recovery Information

06-Mar-2017 01:00:33PM

Average Line Method | Grades: MOF Computerized | FIZ: F | Filename: a90479_march_3_new_comp.ccp
BCTS | Computerized Decay | PSYU: Windermere | Compiled by: BCTS-EKFT
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Cruised by: PIONEER FOREST
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Version: 2016.01 IFS build 6030

Aspen

		R I S K G R O U P # 1				R I S K G R O U P # 2				R I S K G R O U P # 3			
Top	Log Dia(cm) LRF	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM
0.1 - 4.4	0												
4.5 - 5.4	91												
5.5 - 6.4	103												
6.5 - 7.4	113												
7.5 - 8.4	123												
8.5 - 9.9	134												
10.0 - 14.9	158												
15.0 - 19.9	185												
20.0 - 24.9	202												
25.0 - 29.9	217												
30.0 - 34.9	226												
35.0 - 39.9	234												
40.0 - 44.9	240												
45.0 - 49.9	246												
50.0 - 54.9	252												
55.0 - 59.9	258												
60.0 - 64.9	263												
65.0 - 69.9	266												
70.0 - 74.9	267												
75.0 - 79.9	265												
80.0 - 84.9	263												
85.0 - 89.9	261												
90.0 - 94.9	259												
95.0 - 99.9	257												
100.0+	254												
All Logs													

LRF and Log Summary

Risk Groups	1	2	3	1+2	2+3	1+2+3
Average LRF						
Decay %						
Stud Log Net Merch %						
Small Log Net Merch %						
Large Log Net Merch %						

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

CP Volume And Lumber Recovery Information

06-Mar-2017 01:00:33PM

Average Line Method | Grades: MOF Computerized | FIZ: F | Filename: a90479_march_3_new_comp.ccp
BCTS | Computerized Decay | PSYU: Windermere | Compiled by: BCTS-EKFT
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Cruised by: PIONEER FOREST
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Version: 2016.01 IFS build 6030

Balsam

Log Top Dia(cm)	LRF	RISK GROUP #1 Gross Merch	Decay %	Net Merch	FBM	RISK GROUP #2 Gross Merch	Decay %	Net Merch	FBM	RISK GROUP #3 Gross Merch	Decay %	Net Merch	FBM
0.1 - 4.4	0												
4.5 - 5.4	91												
5.5 - 6.4	103												
6.5 - 7.4	113												
7.5 - 8.4	123												
8.5 - 9.9	134												
10.0 - 14.9	158	286	0.7	278	43737	95	2.6	90	14110				
15.0 - 19.9	185	397	0.7	387	71291	36	5.0	34	6067				
20.0 - 24.9	202	333	1.3	322	64553	55	5.0	51	10048				
25.0 - 29.9	217	201	1.3	194	41865	72	5.0	67	14105				
30.0 - 34.9	226	198	2.0	190	42500	79	5.0	74	16224				
35.0 - 39.9	234					107	5.0	100	22740				
40.0 - 44.9	240	37	2.0	35	8402								
45.0 - 49.9	246												
50.0 - 54.9	252												
55.0 - 59.9	258												
60.0 - 64.9	263												
65.0 - 69.9	266												
70.0 - 74.9	267												
75.0 - 79.9	265												
80.0 - 84.9	263												
85.0 - 89.9	261												
90.0 - 94.9	259												
95.0 - 99.9	257												
100.0+	254												
All Logs		1451	1.1	1406	272349	444	4.5	415	83293				

LRF and Log Summary

Risk Groups		1	2	3	1+2	2+3	1+2+3
Average LRF		194	201		195	201	195
Decay	%	1.1			1.9	4.5	
Stud Log Net Merch	%	47.3			43.3	29.9	
Small Log Net Merch	%	84.0			78.1	58.2	
Large Log Net Merch	%	16.0			21.9	41.8	

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

CP Volume And Lumber Recovery Information

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
Version: 2016.01 IFS build 6030

Doug-Fir [Interior Wet Belt Fir]

		R I S K G R O U P # 1				R I S K G R O U P # 2				R I S K G R O U P # 3			
Log Top Dia(cm)	LRF	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM
0.1 - 4.4	0												
4.5 - 5.4	91												
5.5 - 6.4	103												
6.5 - 7.4	113												
7.5 - 8.4	123												
8.5 - 9.9	134												
10.0 - 14.9	156	340	0.1	333	51851	4	4.5	3	515				
15.0 - 19.9	185	283	0.1	277	51208	12	4.6	11	1973				
20.0 - 24.9	202	172	0.3	168	33943	1	4.3	1	205				
25.0 - 29.9	217	75	1.0	73	15731	23	4.5	21	4539				
30.0 - 34.9	226	44	1.0	43	9645	0	3.8	0	81				
35.0 - 39.9	234					34	4.5	32	7213				
40.0 - 44.9	240					45	4.6	42	9746				
45.0 - 49.9	246					6	4.2	6	1406				
50.0 - 54.9	252					5	4.2	4	1054				
55.0 - 59.9	258					4	4.0	3	871				
60.0 - 64.9	263					3	4.1	3	745				
65.0 - 69.9	266					2	3.8	1	379				
70.0 - 74.9	267												
75.0 - 79.9	265												
80.0 - 84.9	263												
85.0 - 89.9	261												
90.0 - 94.9	259												
95.0 - 99.9	257												
100.0+	254												
All Logs		914	0.2	893	162379	138	4.5	128	28726				

LRF and Log Summary

Risk Groups		1	2	3	1+2	2+3	1+2+3
Average LRF		182	224		187	224	187
Decay	%	0.2			0.8	4.5	
Stud Log Net Merch	%	68.2			61.1	11.2	
Small Log Net Merch	%	95.2			86.9	28.7	
Large Log Net Merch	%	4.8			13.1	71.3	

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

CP Volume And Lumber Recovery Information

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
Version: 2016.01 IFS build 6030

Doug-Fir [Quality 1]: [Interior Wet Belt Fir]

		R I S K G R O U P # 1				R I S K G R O U P # 2				R I S K G R O U P # 3			
Log Top Dia(cm)	LRF	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM
0.1 - 4.4	0												
4.5 - 5.4	100												
5.5 - 6.4	109												
6.5 - 7.4	118												
7.5 - 8.4	128												
8.5 - 9.9	139												
10.0 - 14.9	170	340	0.1	333	56504								
15.0 - 19.9	217	283	0.1	277	60066								
20.0 - 24.9	246	172	0.3	168	41336								
25.0 - 29.9	266	75	1.0	73	19283								
30.0 - 34.9	279	44	1.0	43	11907								
35.0 - 39.9	287												
40.0 - 44.9	292												
45.0 - 49.9	297												
50.0 - 54.9	299												
55.0 - 59.9	302												
60.0 - 64.9	302												
65.0 - 69.9	303												
70.0 - 74.9	302												
75.0 - 79.9	302												
80.0 - 84.9	301												
85.0 - 89.9	298												
90.0 - 94.9	297												
95.0 - 99.9	295												
100.0+	295												
All Logs		914	0.2	893	189097								

LRF and Log Summary

Risk Groups		1	2	3	1+2	2+3	1+2+3
Average LRF		212			212		212
Decay	%	0.2			0.2		
Stud Log Net Merch	%	68.2			68.2		
Small Log Net Merch	%	95.2			95.2		
Large Log Net Merch	%	4.8			4.8		

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

CP Volume And Lumber Recovery Information

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
Version: 2016.01 IFS build 6030

Doug-Fir [Quality 2]: [Interior Wet Belt Fir]

Log Top Dia(cm)	LRF	R I S K G R O U P # 1 Gross Merch	Decay %	Net Merch	FBM	R I S K G R O U P # 2 Gross Merch	Decay %	Net Merch	FBM	R I S K G R O U P # 3 Gross Merch	Decay %	Net Merch	FBM
0.1 - 4.4	0												
4.5 - 5.4	91												
5.5 - 6.4	100												
6.5 - 7.4	109												
7.5 - 8.4	119												
8.5 - 9.9	130												
10.0 - 14.9	160					4	4.5	3	528				
15.0 - 19.9	206					12	4.6	11	2197				
20.0 - 24.9	234					1	4.3	1	238				
25.0 - 29.9	251					23	4.5	21	5250				
30.0 - 34.9	262					0	3.8	0	94				
35.0 - 39.9	270					34	4.5	32	8322				
40.0 - 44.9	275					45	4.6	42	11167				
45.0 - 49.9	279					6	4.2	6	1595				
50.0 - 54.9	281					5	4.2	4	1175				
55.0 - 59.9	282					4	4.0	3	952				
60.0 - 64.9	282					3	4.1	3	799				
65.0 - 69.9	281					2	3.8	1	401				
70.0 - 74.9	280												
75.0 - 79.9	279												
80.0 - 84.9	277												
85.0 - 89.9	275												
90.0 - 94.9	273												
95.0 - 99.9	272												
100.0+	269												
All Logs						138	4.5	128	32717				

LRF and Log Summary

Risk Groups		1	2	3	1+2	2+3	1+2+3
Average LRF			255		255	255	255
Decay	%				4.5	4.5	
Stud Log Net Merch	%				11.2	11.2	
Small Log Net Merch	%				28.7	28.7	
Large Log Net Merch	%				71.3	71.3	

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

CP Volume And Lumber Recovery Information

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
Version: 2016.01 IFS build 6030

L.P. Pine -Green Non Beetle

Log Top Dia(cm)	LRF	R I S K G R O U P # 1 Gross Merch	Decay %	Net Merch	FBM	R I S K G R O U P # 2 Gross Merch	Decay %	Net Merch	FBM	R I S K G R O U P # 3 Gross Merch	Decay %	Net Merch	FBM
0.1 - 4.4	0												
4.5 - 5.4	91												
5.5 - 6.4	103												
6.5 - 7.4	113												
7.5 - 8.4	123												
8.5 - 9.9	134												
10.0 - 14.9	158	3926	0.5	3827	603100	7700	1.7	7416	1161902				
15.0 - 19.9	185	3268	0.6	3185	587541	7098	1.8	6825	1250917				
20.0 - 24.9	202	1278	0.6	1245	250721	2928	2.4	2800	559009				
25.0 - 29.9	217	368	0.7	358	77399	457	3.4	432	92238				
30.0 - 34.9	226	110	0.8	107	24030	108	4.7	101	22276				
35.0 - 39.9	234												
40.0 - 44.9	240												
45.0 - 49.9	246												
50.0 - 54.9	252												
55.0 - 59.9	258												
60.0 - 64.9	263												
65.0 - 69.9	266												
70.0 - 74.9	267												
75.0 - 79.9	265												
80.0 - 84.9	263												
85.0 - 89.9	261												
90.0 - 94.9	259												
95.0 - 99.9	257												
100.0+	254												
All Logs		8950	0.6	8722	1542793	18291	1.9	17575	3086342				

LRF and Log Summary

Risk Groups		1	2	3	1+2	2+3	1+2+3	- Adj Factor	**= Adj 1+2+3**
Average LRF		177	176		176	176	176		**176**
Decay	%	0.6			1.5	1.9			
Stud Log Net Merch	%	80.4			80.8	81.0			
Small Log Net Merch	%	98.8			99.2	99.4			
Large Log Net Merch	%	1.2			0.8	0.6			

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

CP Volume And Lumber Recovery Information

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
Version: 2016.01 IFS build 6030

L.P. Pine -Green Attack

		R I S K G R O U P # 1				R I S K G R O U P # 2				R I S K G R O U P # 3			
Top	Log Dia(cm) LRF	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM
0.1 - 4.4	0												
4.5 - 5.4	91												
5.5 - 6.4	103												
6.5 - 7.4	113												
7.5 - 8.4	123												
8.5 - 9.9	134												
10.0 - 14.9	158					148	1.7	143	22337				
15.0 - 19.9	185					310	1.8	298	54591				
20.0 - 24.9	202					121	3.0	115	22875				
25.0 - 29.9	217					53	3.7	50	10628				
30.0 - 34.9	226												
35.0 - 39.9	234												
40.0 - 44.9	240												
45.0 - 49.9	246												
50.0 - 54.9	252												
55.0 - 59.9	258												
60.0 - 64.9	263												
65.0 - 69.9	266												
70.0 - 74.9	267												
75.0 - 79.9	265												
80.0 - 84.9	263												
85.0 - 89.9	261												
90.0 - 94.9	259												
95.0 - 99.9	257												
100.0+	254												
All Logs						632	2.2	605	110431				

LRF and Log Summary

Risk Groups		1	2	3	1+2	2+3	1+2+3	- Adj Factor	**= Adj 1+2+3**
Average LRF			182		182	182	182	3	**179**
Decay	%				2.2	2.2			
Stud Log Net Merch	%				72.8	72.8			
Small Log Net Merch	%				100.0	100.0			
Large Log Net Merch	%								

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

CP Volume And Lumber Recovery Information

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
Version: 2016.01 IFS build 6030

L.P. Pine -Red Attack

		R I S K G R O U P # 1				R I S K G R O U P # 2				R I S K G R O U P # 3			
Log Top Dia(cm)	LRF	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM
0.1 - 4.4	0												
4.5 - 5.4	91												
5.5 - 6.4	103												
6.5 - 7.4	113												
7.5 - 8.4	123												
8.5 - 9.9	134												
10.0 - 14.9	158					25	2.8	22	3399				
15.0 - 19.9	185					44	2.8	39	7057				
20.0 - 24.9	202					67	2.8	58	11642				
25.0 - 29.9	217					39	2.8	35	7408				
30.0 - 34.9	226												
35.0 - 39.9	234												
40.0 - 44.9	240												
45.0 - 49.9	246												
50.0 - 54.9	252												
55.0 - 59.9	258												
60.0 - 64.9	263												
65.0 - 69.9	266												
70.0 - 74.9	267												
75.0 - 79.9	265												
80.0 - 84.9	263												
85.0 - 89.9	261												
90.0 - 94.9	259												
95.0 - 99.9	257												
100.0+	254												
All Logs						175	2.8	154	29505				

LRF and Log Summary

Risk Groups		1	2	3	1+2	2+3	1+2+3	- Adj Factor	**= Adj 1+2+3**
Average LRF			192		192	192	192	33	**159**
Decay	%				2.8	2.8			
Stud Log Net Merch	%				39.4	39.4			
Small Log Net Merch	%				100.0	100.0			
Large Log Net Merch	%								

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

CP Volume And Lumber Recovery Information

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
Version: 2016.01 IFS build 6030

L.P. Pine -Grey Attack

		R I S K G R O U P # 1				R I S K G R O U P # 2				R I S K G R O U P # 3			
Log Top Dia(cm)	LRF	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM
0.1 - 4.4	0												
4.5 - 5.4	91												
5.5 - 6.4	103												
6.5 - 7.4	113												
7.5 - 8.4	123												
8.5 - 9.9	134												
10.0 - 14.9	158					276	2.3	187	29217				
15.0 - 19.9	185					708	2.1	481	88065				
20.0 - 24.9	202					446	2.3	302	60264				
25.0 - 29.9	217					174	3.6	116	24664				
30.0 - 34.9	226					93	4.7	61	13363				
35.0 - 39.9	234												
40.0 - 44.9	240												
45.0 - 49.9	246												
50.0 - 54.9	252												
55.0 - 59.9	258												
60.0 - 64.9	263												
65.0 - 69.9	266												
70.0 - 74.9	267												
75.0 - 79.9	265												
80.0 - 84.9	263												
85.0 - 89.9	261												
90.0 - 94.9	259												
95.0 - 99.9	257												
100.0+	254												
All Logs						1697	2.5	1146	215572				

LRF and Log Summary

Risk Groups		1	2	3	1+2	2+3	1+2+3	- Adj Factor	**= Adj 1+2+3**
Average LRF			188		188	188	188	83	**105**
Decay	%				2.5	2.5			
Stud Log Net Merch	%				58.3	58.3			
Small Log Net Merch	%				94.7	94.7			
Large Log Net Merch	%				5.3	5.3			

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

CP Volume And Lumber Recovery Information

Average Line Method	Grades: MOF Computerized	FIZ: F	06-Mar-2017 01:00:33PM
BCTS	Computerized Decay	PSYU: Windermere	Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000	Computerized Waste	Region: 4 - Kootenay-Boundary	Compiled by: BCTS-EKFT
Project:	Computerized Breakage	District: 05 - Rocky Mountain	Cruised by: PIONEER FOREST
			Version: 2016.01 IFS build 6030

L.P. Pine -Dead Potential

		R I S K G R O U P # 1				R I S K G R O U P # 2				R I S K G R O U P # 3			
Log Top Dia(cm)	LRF	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM
0.1 - 4.4	0												
4.5 - 5.4	91												
5.5 - 6.4	103												
6.5 - 7.4	113												
7.5 - 8.4	123												
8.5 - 9.9	134												
10.0 - 14.9	158					1638	1.5	1122	175841				
15.0 - 19.9	185					662	1.8	451	82666				
20.0 - 24.9	202					163	2.3	111	22081				
25.0 - 29.9	217					32	4.7	21	4470				
30.0 - 34.9	226					55	4.7	36	7952				
35.0 - 39.9	234												
40.0 - 44.9	240												
45.0 - 49.9	246												
50.0 - 54.9	252												
55.0 - 59.9	258												
60.0 - 64.9	263												
65.0 - 69.9	266												
70.0 - 74.9	267												
75.0 - 79.9	265												
80.0 - 84.9	263												
85.0 - 89.9	261												
90.0 - 94.9	259												
95.0 - 99.9	257												
100.0+	254												
All Logs						2551	1.8	1740	293009				

LRF and Log Summary

Risk Groups		1	2	3	1+2	2+3	1+2+3	- Adj Factor	**= Adj 1+2+3**
Average LRF			168		168	168	168		**168**
Decay	%				1.8	1.8			
Stud Log Net Merch	%				90.4	90.4			
Small Log Net Merch	%				97.9	97.9			
Large Log Net Merch	%				2.1	2.1			

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

CP Volume And Lumber Recovery Information

06-Mar-2017 01:00:33PM

Average Line Method	Grades: MOF Computerized	FIZ: F	Filename: a90479_march_3_new_comp.ccp
BCTS	Computerized Decay	PSYU: Windermere	Compiled by: BCTS-EKFT
Licence Number: A90479 CP: 000	Computerized Waste	Region: 4 - Kootenay-Boundary	Cruised by: PIONEER FOREST
Project:	Computerized Breakage	District: 05 - Rocky Mountain	Version: 2016.01 IFS build 6030

W.W. Pine

		R I S K G R O U P # 1				R I S K G R O U P # 2				R I S K G R O U P # 3			
Top Log Dia(cm)	LRF	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM
0.1 - 4.4	0												
4.5 - 5.4	91												
5.5 - 6.4	102												
6.5 - 7.4	111												
7.5 - 8.4	120												
8.5 - 9.9	129												
10.0 - 14.9	151					27	1.0	26	3865				
15.0 - 19.9	172					32	1.0	31	5355				
20.0 - 24.9	187												
25.0 - 29.9	199												
30.0 - 34.9	210												
35.0 - 39.9	217												
40.0 - 44.9	222												
45.0 - 49.9	228												
50.0 - 54.9	233												
55.0 - 59.9	237												
60.0 - 64.9	240												
65.0 - 69.9	241												
70.0 - 74.9	240												
75.0 - 79.9	237												
80.0 - 84.9	234												
85.0 - 89.9	231												
90.0 - 94.9	227												
95.0 - 99.9	224												
100.0+	221												
All Logs						59	1.0	57	9219				

LRF and Log Summary

Risk Groups		1	2	3	1+2	2+3	1+2+3
Average LRF			162		162	162	162
Decay	%				1.0	1.0	
Stud Log Net Merch	%						
Small Log Net Merch	%				100.0	100.0	
Large Log Net Merch	%						

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

CP Volume And Lumber Recovery Information

06-Mar-2017 01:00:33PM

Average Line Method | Grades: MOF Computerized | FIZ: F | Filename: a90479_march_3_new_comp.ccp
BCTS | Computerized Decay | PSYU: Windermere | Compiled by: BCTS-EKFT
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Cruised by: PIONEER FOREST
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Version: 2016.01 IFS build 6030

Spruce

		R I S K G R O U P # 1				R I S K G R O U P # 2				R I S K G R O U P # 3			
Log Top Dia(cm)	LRF	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM
0.1 - 4.4	0												
4.5 - 5.4	91												
5.5 - 6.4	103												
6.5 - 7.4	113												
7.5 - 8.4	123												
8.5 - 9.9	134												
10.0 - 14.9	158	625	0.7	608	95775	64	3.2	61	9477				
15.0 - 19.9	185	788	0.9	766	141058	53	3.1	51	9229				
20.0 - 24.9	202	531	0.7	516	103871	101	3.3	96	19020				
25.0 - 29.9	217	598	1.0	580	125146	98	4.0	93	19673				
30.0 - 34.9	226	571	0.9	554	124672	71	4.0	67	14762				
35.0 - 39.9	234	330	1.1	320	74446	42	4.0	40	9102				
40.0 - 44.9	240	174	1.5	168	39930	61	4.0	58	13590				
45.0 - 49.9	246					61	4.0	57	13782				
50.0 - 54.9	252	38	1.0	37	9334								
55.0 - 59.9	258					37	4.0	35	8816				
60.0 - 64.9	263												
65.0 - 69.9	266												
70.0 - 74.9	267												
75.0 - 79.9	265												
80.0 - 84.9	263												
85.0 - 89.9	261												
90.0 - 94.9	259												
95.0 - 99.9	257												
100.0+	254												
All Logs		3656	0.9	3549	714231	590	3.7	556	117451				

LRF and Log Summary

Risk Groups		1	2	3	1+2	2+3	1+2+3
Average LRF		201	211		203	211	203
Decay	%	0.9			1.3	3.7	
Stud Log Net Merch	%	38.7			36.2	20.1	
Small Log Net Merch	%	69.6			67.5	53.9	
Large Log Net Merch	%	30.4			32.5	46.1	

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.

CP Volume And Lumber Recovery Information

Average Line Method | Grades: MOF Computerized | FIZ: F | 06-Mar-2017 01:00:33PM
BCTS | Computerized Decay | PSYU: Windermere | Filename: a90479_march_3_new_comp.ccp
Licence Number: A90479 CP: 000 | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS-EKFT
Project: | Computerized Breakage | District: 05 - Rocky Mountain | Cruised by: PIONEER FOREST
Version: 2016.01 IFS build 6030

ALL SPECIES

		R I S K G R O U P # 1				R I S K G R O U P # 2				R I S K G R O U P # 3			
Top Log Dia(cm)	LRF	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM	Gross Merch	Decay %	Net Merch	FBM
0.1 - 4.4													
4.5 - 5.4													
5.5 - 6.4													
6.5 - 7.4													
7.5 - 8.4													
8.5 - 9.9													
10.0 - 14.9		5177	0.5	5046	794464	9977	1.7	9070	1420662				
15.0 - 19.9		4737	0.6	4614	851098	8955	1.9	8220	1505919				
20.0 - 24.9		2314	0.7	2251	453088	3882	2.4	3534	705144				
25.0 - 29.9		1242	1.0	1205	260141	949	3.7	834	177724				
30.0 - 34.9		923	1.1	894	200848	407	4.6	338	74658				
35.0 - 39.9		330	1.1	320	74446	183	4.7	171	39054				
40.0 - 44.9		211	1.6	203	48332	106	4.2	99	23336				
45.0 - 49.9						67	4.0	63	15188				
50.0 - 54.9		38	1.0	37	9334	5	4.2	4	1054				
55.0 - 59.9						41	4.0	38	9686				
60.0 - 64.9						3	4.1	3	745				
65.0 - 69.9						2	3.8	1	379				
70.0 - 74.9													
75.0 - 79.9													
80.0 - 84.9													
85.0 - 89.9													
90.0 - 94.9													
95.0 - 99.9													
100.0+													
All Logs		14971	0.7	14569	2691751	24576	2.1	22376	3973550				

LRF and Log Summary

Risk Groups		1	2	3	1+2	2+3	1+2+3
Average LRF (unadjusted)		185	178		180	178	180
Decay	%	0.7			1.5	2.1	
Stud Log Net Merch	%	66.3			72.8	77.0	
Small Log Net Merch	%	90.0			94.1	96.8	
Large Log Net Merch	%	10.0			5.9	3.2	

FLAGS: Percent Reduction Applied, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage, , Wet Belt Fir

CruiseComp Copyright© 1996-2016, Industrial Forestry Service Ltd.