



Iron Lake May 1st 2001

Images are stored in Photo folder titled

----- notes are summarized in a table at the end of photobook



14



15







Plot: D7 Overview of D7 taken from D8

















Photo #	INGA (May 01, 2001 (1))
	Some snow on main road on north side of tall trees and by creeks. But gone from open areas and my plots. However, light snow today.
15-17	Three shots from turn around showing snow on trees. Plus a close-up of tree I always look at in turn around.
18-20	Rabbit damage on aspen very low as not much snow.
21	Rabbits only take smallest aspen 1-2 cm in diameter at ground.
22	Same so rabbits do not help reduce aspen competition.
23	Minor browse on willow.
24	Minor browse on birch.
25	Minor browse on cottonwood but aspen definitely preferred.
26	Double Tuttle 'A'. mostly alder and willow clumps. Willow from side and middle of Tuttle alder from undisturbed. Quite uniform distribution of clumps. This photo shows alder clumps.
27	Willow on Tuttle 'A'
28	Willow on mound alder between. This plot has dense cover and holes.
29	Herbicide Block 'A', rabbits take top small willow. Top still on ground
30	Rabbits have nipped off almost all of the willow.
31	Tops in the plot. Note: Sharp cut, pieces on ground and terds.
32	UNT Block 'A' -Almost all willow with a 'Rim' of aspen by open top.
33	Patches of alder and willow together. Alder is about 4 m willow about 6 m. Aspen when it has got through also in 6 m range.
34	Plots C1 - Madge. Note: Willow, cottonwood and birch in wet area below plot.
35	Plot AF windrow, 5-6 m wide. Gave protection long enough for spruce to come up. Fine now spruces averages 4.25 m and tons of tree from willow and alder so o.k.! HDR 61 so no problem.
36	Breakplow, Block C. Good control at first. Alder has seeded in so is fairly dense but short and not a problem for spruce. Not much willow seed in.