

Reference Guide for FDP Stocking Standards**

Cariboo Forest Region

See the 'Instructions' worksheet (click on tab at bottom of screen)
for tips on using features in this workbook.

BGC		Regeneration Guide										Free Growing Guide			
Classification		Species					Stocking(I)			Regen Delay (Max yrs)	Assessment		Min. Height(ii)		
Zone/SZ	Series	Conifer					Broadleaf	Target (well-spaced/ha)	MIN pa		MIN p	Earliest (yrs)	Latest (yrs)	Species	Ht (m)
		Primary	Preferred (p)	Secondary	Acceptable (a)	Tertiary									
ESSFdc ²	01	PI Se	PI Se	BI	BI			1200	700	600	4	12	20	PI 1.6 Others 0.8	
	02*	PI ⁵²	PI ⁵²		BI ¹³ Se BI ¹³ Pa ^{9,17} Se	BI ¹³ Se BI ¹³ Pa ^{9,17} Se		-	-	-	-	-	-	-	
	03	PI	PI		BI ¹³ Se	BI ¹³ Se		1000	500	400	7	15	20	PI 1.2 Others 0.6	
	04	PI	PI		BI ¹³ Se	BI ¹³ Se		1000	500	400	7	15	20	PI 1.2 Others 0.6	
	05	PI Se	PI Se	BI ^{10,13}	BI ^{10,13}			1000	500	400	7	15	20	PI 1.2 Others 0.6	
	06	PI Se	PI Se	BI	BI			1200	700	600	4	12	20	PI 1.6 Others 0.8	
	07	PI Se ³²	PI Se ³²	BI	BI			1200	700	600	4	12	20	PI 1.6 Others 0.8	
	08	PI ¹ Se ^{1,32}	PI ¹ Se ^{1,32}	BI ^{1,32}	BI ^{1,32}			1000	500	400	4	12	20	PI 1.2 Others 0.6	
	09	non-forested	non-forested					-	-	-	-	-	-	-	-
ESSFmv1	01	BI Se	BI Se	PI	PI			1200	700	600	4	12	20	PI 1.6 Others 0.8	
	02	PI	PI		BI	BI		1000	500	400	7	12	15	PI 1.2 BI 0.6	
	03	BI PI Se	BI PI Se					1000	500	400	7	15	20	PI 1.2 Others 0.6	
	04	BI Se	BI Se	PI	PI			1000	500	400	7	15	20	PI 1.2 Others 0.6	
	05	BI ^{1,32} Se ^{1,32}	BI ^{1,32} Se ^{1,32}	PI ¹	PI ¹			1000	500	400	4	12	20	PI 1.2 Others 0.6	
ESSFwc3	01	BI Se	BI Se	PI ³⁴	PI ³⁴			1200	700	600	4	12	20	PI 1.6 Others 0.8	
	02	BI Se	BI Se PI ³⁴	PI ³⁴				1000	500	400	7	15	20	PI 1.2 Others 0.6	
	03*	BI ^{1,32,34} Se ^{1,32,34}	BI ^{1,32,34} Se ^{1,32,34}					600	400	400	7	15	20	All 0.6	
ESSFwk1	01	BI Se	BI Se PI ³⁴	PI ³⁴				1200	700	600	4	12	20	PI 2.0 Others 1.0	
	02*	BI PI Se	BI PI Se					1000	500	400	7	15	20	PI 1.4 Others 0.8	
	03	PI ³⁴ Se	PI ³⁴ Se	BI	BI			1200	700	600	4	12	20	PI 2.0 Others 1.0	
	04	BI ³² Se ³²	BI ³² Se ³²	PI ³⁴	PI ³⁴			1200	700	600	4	12	20	PI 2.0 Others 1.0	
	05	BI Se	BI Se	PI ³⁴	PI ³⁴			1200	700	600	4	12	20	PI 2.0 Others 1.0	
	06	BI ^{1,32} Se ^{1,32}	BI ^{1,32} Se ^{1,32}					1000	500	400	4	12	20	All 0.8	
	07	BI ^{1,32} Se ^{1,32}	BI ^{1,32} Se ^{1,32}					1000	500	400	4	12	20	All 0.8	
ESSFxc	01	PI Se ³²	PI Se ³²	BI ^{10,13}	BI ^{10,13}			1200	700	600	4	12	20	PI 1.6 Others 0.8	
	02	PI	PI		BI ¹³ Se	BI ¹³ Se		600	400	400	7	15	20	PI 1.2 Others 0.6	
	03	non-forested	non-forested					-	-	-	-	-	-	-	-

1,2 etc - see "Footnotes"

*Avoid logging

** Additional information or recommended standards are contained in the text portion of the reference guide.

Reference Guide for FDP Stocking Standards**

Cariboo Forest Region

BGC		Regeneration Guide										Free Growing Guide			
Classification		Species						Stocking(i)			Regen Delay (Max yrs)	Assessment		Min. Height(ii)	
Zone/SZ	Series	Conifer					Broadleaf	Target	MIN pa	MIN p		Earliest	Latest	Species	Ht
		Primary	Preferred (p)	Secondary	Acceptable (a)	Tertiary		(well-spaced/ha)				(yrs)	(yrs)		(m)
04 05 06 07 08 09 10	04	non-forested	non-forested					-	-	-	-	-	-	-	-
	05	PI	PI		Bl ¹³ Se	Bl ¹³ Se		1000	500	400	7	15	20	PI	1.2
	06	PI Se	PI Se	Bl ¹³	Bl ¹³			1200	700	600	7	15	20	PI	1.6
	07	PI Se ³²	PI Se ³²	Bl ³²	Bl ³²			1200	700	600	4	12	20	PI	1.6
	08	PI ¹	PI ¹ Se ^{1,32}	Bl ^{1,32} Se ^{1,32}	Bl ^{1,32}			1000	500	400	4	12	20	PI	1.2
	09	non-forested	non-forested					-	-	-	-	-	-	-	-
	10	non-forested	non-forested					-	-	-	-	-	-	-	-
ESSFvx1	01	PI ³² Se ³² Bl ^{32,50}	PI ³² Se ³²	Pa	Bl ^{32,50} Pa			1200	700	600	7	12	15	PI	1.0
	02*	PI Pa	PI Pa		Bl ²⁸	Bl ²⁸		800	500	400	7	12	15	PI	0.8
	03*	PI	PI Pa	Pa				800	500	400	7	12	15	PI	0.8
	04	PI Pa	PI Pa		Bl ²⁸ Se ²⁸	Bl ²⁸ Se ²⁸		1000	600	500	7	12	15	Pa	0.6
	05	PI Pa	PI Pa	Bl ²⁸ Se ²⁸	Bl ²⁸ Se ²⁸			1200	700	600	7	12	15	PI	1.0
	06	PI	PI Se ³²	Bl ³² Se ³²	Bl ³²	Pa		1200	700	600	7	12	15	PI	1.0
	07	PI ³² Bl ³² Se ³²	PI ³² Se ³²		Bl ³²	Pa		1200	700	600	4	12	15	PI	1.0
	08	PI ^{1,32} Se ^{1,32} Bl ^{1,32}	PI ^{1,32} Se ^{1,32}		Bl ^{1,32}			600	400	300	4	12	15	PI	0.8
	09	Se ^{1,32} Bl ^{1,32}	Se ^{1,32} Bl ^{1,32}	PI ¹	PI ¹			800	500	400	4	12	15	PI	0.8
ESSFvx2	01	PI Se ³² Bl ³²	PI Se ³²		Bl ³² Pa	Pa		1200	700	600	7	12	15	PI	1.0
	02*	PI	PI Pa	Pa	Bl ^{28,53}	Bl ^{28,53}		800	500	400	7	12	15	PI	0.8
	03*	PI	PI	Pa	Pa			600	400	300	7	12	15	PI	0.8
	04	PI	PI	Bl ²⁸ Pa	Bl ²⁸ Pa			1200	700	600	7	12	15	Pa	0.6
	05	PI	PI Se	PaSeBl	Pa Bl			1200	700	600	7	12	15	PI	1.0
	06	PI	PI Se	SeBl	Bl	Pa		1200	700	600	7	12	15	PI	1.0
	07	PI Se ³² Bl ³²	PI Se ³²		Bl ³²			1200	700	600	4	12	15	PI	1.0
	08	Se ^{1,32} Bl ^{1,32}	Se ^{1,32} Bl ^{1,32}	PI ¹	PI ¹			600	400	300	4	12	15	PI	0.8
	09	Se ^{1,32} Bl ^{1,32}	Se ^{1,32} Bl ^{1,32}	PI ^{1,32}	PI ^{1,32}			600	400	300	4	12	15	PI	0.8
	10	Se ^{1,32} Bl ^{1,32}	Se ^{1,32} Bl ^{1,32}	PI ^{1,32}	PI ^{1,32}			600	400	300	4	12	15	PI	0.8
ICHdk	01	Fd PI Sx	Fd PI Sx	Bl	Bl Cw ³⁷	Cw ³⁷	At ^a Ep ^a	1200	700	600	4	9	15	PI	2.0
														Fd	1.4
														Others	1.0

1,2 etc - see "Footnotes"

*Avoid logging

** Additional information or recommended standards are contained in the text portion of the reference guide.

Reference Guide for FDP Stocking Standards**

Cariboo Forest Region

BGC		Regeneration Guide										Free Growing Guide			
Classification		Species						Stocking(i)			Regen Delay (Max yrs)	Assessment		Min. Height(ii)	
Zone/SZ	Series	Conifer					Broadleaf	Target (well-spaced/ha)	MIN pa	MIN p		Earliest (yrs)	Latest (yrs)	Species	Ht (m)
		Primary	Preferred (p)	Secondary	Acceptable (a)	Tertiary									
	02	Fd ²⁸ PI	Fd ²⁸ PI		Cw ^{28,37,53} Sx ²⁸	Bl ²⁸ Cw ^{28,37,53} Sx ²⁸	At ^b	1000	500	400	7	12	15	PI 1.4 Fd 1.0 Others 0.8	
	03	Fd ²⁸ PI	Fd ²⁸ PI		Cw ^{28,37,53} Sx ^{28,53}	Cw ^{28,37,53} Sx ^{28,53}	At ^b	1200	700	600	7	12	15	PI 2.0 Fd 1.4 Others 1.0	
	04	Fd PI Sx ²⁸	Fd PI Sx ²⁸	Bl ²⁸	Cw ^{28,37,53} Bl ²⁸	Cw ^{28,37,53}	At ^a Ep ^a	1200	700	600	4	9	15	PI 2.0 Fd 1.4 Others 1.0	
	05	Fd PI Sx	Fd PI Sx	Bl Cw ³⁷	Bl Cw ³⁷		Act ^a At ^a Ep ^a	1200	700	600	4	9	15	PI 2.0 Fd 1.4 Others 1.0	
	06	Fd PI Sx	Fd PI Sx	Bl Cw ³⁷	Bl Cw ³⁷		Act ^a At ^a Ep ^a	1200	700	600	4	9	15	PI 2.0 Fd 1.4 Others 1.0	
	07	Fd ^{1,32} PI Sx	Fd ^{1,32} PI Sx	Bl	Bl		Act ^a At ^b	1200	700	600	4	9	15	PI 2.0 Fd 1.4 Others 1.0	
	08	Fd ³² Sx	Fd ³² Sx	Bl Cw ^{32,37} PI	Bl Cw ^{32,37} PI		Act ^a At ^a Ep ^a	1000	500	400	4	9	15	PI 1.4 Fd 1.0 Others 0.8	
	09	Sx ³²	Sx ³²	Bl ³² PI	Bl ³² PI		Act ^a	1000	500	400	4	9	15	PI 1.4 Others 0.8	
ICHmk3	01	Fd PI Sx	Fd PI Sx	Bl Cw ³⁷	Bl Cw ³⁷		Act ^a At ^a Ep ^a	1200	700	600	4	9	15	PI 2.0 Fd 1.4 Others 1.0	
	02*	Fd PI	Fd PI		Sx ²⁸	Bl Sx ²⁸	At ^b	1000	500	400	7	12	15	PI 1.4 Fd 1.0 Others 0.8	
	03	Fd PI	Fd PI		Cw ²⁸ Sx ²⁸	Bl ²⁸ Cw ²⁸ Sx ²⁸	At ^b	1000	500	400	7	12	15	PI 1.4 Fd 1.0 Others 0.8	
	04	Fd ³² Sx	Fd ³² Sx	Bl Cw ^{32,37} PI	Bl Cw ^{32,37} PI		Act ^a At ^a Ep ^a	1200	700	600	4	9	15	PI 2.0 Fd 1.4 Others 1.0	
	05	Sx ³² PI	Sx ³² PI	Cw ^{32,37} Bl ³²	Cw ^{32,37} Bl ³²		Act ^a At ^b	1200	700	600	4	9	15	PI 2.0 Others 1.0	
	06	Fd ^{32,34} Sx ³⁴	Fd ^{32,34} Sx ³⁴ Cw ^{32,34,37}	Bl ³⁴ Cw ^{32,34,37} PI ³⁴	Bl ³⁴ PI ³⁴		Act ^a At ^b Ep ^a	1200	700	600	4	9	15	PI 2.0 Fd 1.4 Others 1.0	
	07	Sx ^{1,32}	Sx ^{1,32} Cw ^{1,32,37}	Bl ^{1,32} Cw ^{1,32,37} PI ¹	Bl ^{1,32} PI ¹		Act ^a	1000	500	400	4	9	15	PI 1.4 Others 0.8	
ICHmw3	01	Fd	Fd Sx ^{10,13}	PI Sx ^{10,13}	PI Cw ^{10,13}	Bl ^{10,13} Cw ^{10,13} Hw ^{10,13}	Act ^b At ^a Ep ^a	1200	700	600	4	9	15	PI, Pw 2.0 Lw 2.0 Fd 1.4 Others 1.0	
	01-YC	Fd	Fd Sx ^{10,13}	PI Sx ^{10,13}	PI Cw ^{10,13}	Bl ^{10,13} Cw ^{10,13} Hw ^{10,13}	Act ^b At ^a Ep ^a	1200	700	600	4	9	15	PI, Pw 2.0 Lw 2.0 Fd 1.4 Others 1.0	
	02	Fd PI	Fd PI		Cw ^{10,13}	Cw ^{10,13}	Ep ^b	1000	500	400	7	12	15	PI, Pw 1.4 Fd 1.0 Others 0.8	

1,2 etc - see "Footnotes"

*Avoid logging

** Additional information or recommended standards are contained in the text portion of the reference guide.

Reference Guide for FDP Stocking Standards**

Cariboo Forest Region

BGC		Regeneration Guide												Free Growing Guide			
Classification		Species						Stocking(l)			Regen Delay (Max yrs)	Assessment		Min. Height(ii)			
Zone/SZ	Series	Conifer					Broadleaf	Target	MIN pa	MIN p		Earliest (yrs)	Latest (yrs)	Species	Ht (m)		
		Primary	Preferred (p)	Secondary	Acceptable (a)	Tertiary											
	03	Fd ³² PI	Fd ³² PI		Cw ^{10,13} Hw Sx ^{10,13}	Bl ^{10,13} Cw ^{10,13} Hw Sx ^{10,13}	At ^{53,a} Ep ^{53,a}	1000	500	400	7	12	15	PI, Pw	1.4		
	04	Fd PI	Fd PI		Cw ^{10,13} Sx ^{10,13}	Bl Cw ^{10,13} Hw ^{10,13} Sx ^{10,13}	At ^a Ep ^a	1200	700	600	7	12	15	PI, Pw	2.0		
	05	Fd	Fd Sx ^{10,13}	Bl ^{10,13} Hw ^{10,13} PI Sx ^{10,13}	Bl ^{10,13} Hw ^{10,13} PI Cw ^{10,13}	Cw ^{10,13}	Act ^b At ^a Ep ^a	1200	700	600	7	12	15	PI, Pw	2.0		
	06	Cw Fd ¹⁴ Hw Sx	Cw Fd ¹⁴ Hw Sx	Bl ^{10,13} PI	Bl ^{10,13} PI		Act ^a At ^a Ep ^a	1200	700	600	4	9	15	PI, Pw	2.0		
	07	Cw ³² Sx	Cw ³² Sx Fd ^{1,32}	Bl Fd ^{1,32} Hw ³² PI	Bl Hw ³² PI		Act ^a At ^a Ep ^a	1200	700	600	4	9	15	PI, Pw	2.0		
	08	Cw ^{1,32} Hw ^{1,32} PI ¹ Sx ¹	Cw ^{1,32} PI ¹ Sx ¹ Hw ^{1,32}	Bl ¹	Bl ¹		Act ^a At ^b Ep ^b	1000	500	400	4	9	15	PI	1.4		
	09	non-forested	non-forested					-	-	-	-	-	-	-	-		
ICHwk2	01	Fd PI Sx	Fd PI Sx	Bl Cw ³⁷ Hw ³⁷	Bl Cw ³⁷ Hw ³⁷		Act ^a At ^a Ep ^a	1200	700	600	4	9	15	PI	2.0		
	02*	Fd PI	Fd PI		Bl ²⁸ Hw ^{28,37}	Bl ²⁸ Cw ^{28,37,53} Hw ^{28,37}	At ^b	1000	500	400	7	12	15	Others	1.0		
	03*	Fd PI	Fd PI		Bl ²⁸	Bl ²⁸ Cw ^{28,37,53} Hw ^{28,37}	At ^b	1000	500	400	7	12	15	PI	1.4		
	04	Fd PI	Fd PI	Hw ³⁷	Hw ³⁷	Bl ²⁸ Cw ^{28,37} Sx	At ^a Ep ^a	1200	700	600	4	9	15	PI	2.0		
	05	PI Sx	PI Sx	Bl Cw ³⁷	Bl Cw ³⁷		Act ^a	1200	700	600	4	9	15	Others	1.0		
	06	Sx ³²	Sx ³² PI	Bl ³² PI	Bl ³²		Act ^a	1200	700	600	4	9	15	PI	2.0		
	07	Fd ^{1,32} Sx	Fd ^{1,32} Sx Cw ^{32,37}	Bl Cw ^{32,37} Hw ^{32,37} PI	Bl Hw ^{32,37} PI		Act ^a At ^b Ep ^a	1200	700	600	4	9	15	Others	1.0		
	08	Sx ^{1,32}	Sx ^{1,32} Cw ^{1,32,37}	Bl ^{1,32} Cw ^{1,32,37}	Bl ^{1,32}	Hw ^{1,32,37}	Act ^a	1000	500	400	4	9	15	PI	2.0		
ICHwk4	01	Fd PI Sx	Fd PI Sx	Bl Cw ³⁷ Hw ³⁷	Bl Cw ³⁷ Hw ³⁷		Act ^a At ^a Ep ^a	1200	700	600	4	9	15	PI	2.0		
	02*	Fd PI	Fd PI		Bl ²⁸ Hw ^{28,37}	Bl ²⁸ Hw ^{28,37}	At ^b	1000	500	400	7	12	15	Others	1.0		
	03*	Fd PI	Fd PI		Sx ²⁸	Hw ^{28,37} Sx ²⁸	At ^b	1000	500	400	7	12	15	PI	1.4		
	04	Fd ³² PI Sx ²⁸	Fd ³² PI Sx ²⁸	Bl ²⁸ Hw ³²	Bl ²⁸ Hw ³²		At ^b	1200	700	600	4	9	15	Others	0.8		

1,2 etc - see "Footnotes"

*Avoid logging

** Additional information or recommended standards are contained in the text portion of the reference guide.

Reference Guide for FDP Stocking Standards**

Cariboo Forest Region

BGC		Regeneration Guide										Free Growing Guide			
Classification		Species						Stocking(i)			Regen Delay	Assessment		Min. Height(ii)	
Zone/SZ	Series	Conifer					Broadleaf	Target	MIN pa	MIN p	Delay (Max yrs)	Earliest (yrs)	Latest (yrs)	Species	Ht (m)
		Primary	Preferred (p)	Secondary	Acceptable (a)	Tertiary									
	05	Fd PI	Fd PI	Hw ³⁷	Hw ³⁷	Bl ²⁸ Cw ^{28,37} Sx ²⁸	At ^a Ep ^a	1200	700	600	4	9	15	Fd Others PI	1.4 1.0 2.0
	06	Sx ³²	Sx ³² PI	Bl ³² PI	Bl ³²	Hw ^{32,37,53}	Act ^a	1200	700	600	4	9	15	Fd Others PI	1.4 1.0 2.0
	07	Fd ^{1,32} Sx	Fd ^{1,32} Sx Cw ^{32,37}	Bl Cw ^{32,37} Hw ^{32,37} PI	Bl Hw ^{32,37} PI		Act ^a At ^b Ep ^a	1200	700	600	4	9	15	PI F Others	2.0 1.4 1.0
	08	Sx ^{1,32}	Sx ^{1,32} Cw ^{1,32,37}	Bl ^{1,32} PI ¹ Cw ^{1,32,37}	Bl ^{1,32} PI ¹		Act ^a	1000	500	400	4	9	15	PI Others	1.4 0.8
IDFdk1	01	Fd ³² PI	Fd ³² PI		Sx ^{10,13}	Sx ^{10,13}	At ^a	1000	500	400	7	12	15	PI Lw F Sx Py	1.0 1.0 0.8 0.6 0.6
	02	Fd ²⁷	Fd ²⁷				At ^b	600	400	400	7	12	15	PI F Py	1.0 0.8 0.6
	03	Fd PI	Fd PI				At ^b	600	400	400	7	12	15	PI F Py	1.0 0.8 0.6
	04	Fd PI	Fd PI		Sx ^{10,13}	Sx ^{10,13}	At ^b	1000	500	400	7	12	15	PI F Others	1.0 0.8 0.6
	05	Fd ^{9,14,32} Sx	Fd ^{9,14,32} Sx	PI	PI	Bl ^{10,13}	Act ^a At ^a Ep ^b	1000	500	400	7	12	15	PI, Lw F Others	1.0 0.8 0.6
	06	PI ¹ Sx ¹	PI ¹ Sx ¹ Fd ^{1,32}	Fd ^{1,32}		Bl ¹	Act ^a At ^a Ep ^b	1000	500	400	4	9	15	PI F Others	1.0 0.8 0.6
	07	non-forested	non-forested					-	-	-	-	-	-	-	-
IDFdk3	01	Fd ^{27,32} PI	Fd ^{27,32} PI		Sx ^{13,28}	Sx ^{13,28}	At ^a	1200	700	600	7	12	15	PI F Sx	1.4 1.0 0.8
	02*	Fd ^{27,28} PI	Fd ^{27,28} PI					800	500	400	7	12	15	PI F	1.0 0.8
	03*	Fd ^{27,28} PI ²⁸	Fd ^{27,28} PI ²⁸					800	500	400	7	12	15	PI F	1.0 0.8
	04	Fd ^{27,28} PI ²⁸	Fd ^{27,28} PI ²⁸				At ^b	1000	500	400	7	12	15	PI F	1.0 0.8
	05	Fd ²⁷ PI	Fd ²⁷ PI				At ^b	1200	700	600	7	12	15	PI F	1.4 1.0
	06	Fd ^{27,28} PI	Fd ^{27,28} PI				At ^b	1200	700	600	7	12	15	PI F	1.4 1.0
	07	Fd ³² PI Sx ²⁸	Fd ³² PI Sx ²⁸				At ^a Ep ^b	1200	700	600	4	9	15	PI F Sx	1.4 1.0 0.8
	08	Fd ^{1,32} PI Sx	Fd ^{1,32} PI Sx				Act ^a At ^a Ep ^b	1200	700	600	4	9	15	PI F Sx	1.4 1.0 0.8
	09	Sx ^{1,32}	Sx ^{1,32}	PI ¹	PI ¹		Act ^a	1000	500	400	4	9	15	PI	1.0

1,2 etc - see "Footnotes"

*Avoid logging

** Additional information or recommended standards are contained in the text portion of the reference guide.

Reference Guide for FDP Stocking Standards**

Cariboo Forest Region

BGC		Regeneration Guide										Free Growing Guide			
Classification		Species						Stocking(i)			Regen Delay (Max yrs)	Assessment		Min. Height(ii)	
Zone/SZ	Series	Conifer					Broadleaf	Target (well-spaced/ha)	MIN pa	MIN p		Earliest (yrs)	Latest (yrs)	Species	Ht (m)
		Primary	Preferred (p)	Secondary	Acceptable (a)	Tertiary									
														Sx	0.6
IDFdk4	01	Fd ^{27,32} Pl	Fd ^{27,32} Pl		Sx ^{13,28}	Sx ^{13,28}	At ^a	1200	700	600	7	12	15	Pl	1.4
														Fd	1.0
														Sx	0.8
	02*	Fd ^{27,28} Pl ²⁸	Fd ^{27,28} Pl ²⁸					800	500	400	7	12	15	Pl	1.0
														Fd	0.8
	03*	Fd ^{27,28}	Fd ^{27,28}					800	500	400	7	12	15	Fd	0.8
	04*	Fd ^{27,28} Pl ²⁸	Fd ^{27,28} Pl ²⁸				At ^b	1000	500	400	7	12	15	Pl	1.0
														Fd	0.8
	05	Fd ^{27,28} Pl	Fd ^{27,28} Pl				At ^b	1200	700	600	7	12	15	Pl	1.4
														Fd	1.0
	06	Pl	Pl		Sx ^{28,32}	Sx ^{28,32}	At ^b	1000	500	400	7	12	15	Pl	1.0
													Sx	0.6	
	07	Fd ²⁷ Pl	Fd ²⁷ Pl				At ^b	1200	700	600	7	12	15	Pl	1.4
													Fd	1.0	
	08	Pl Sx ³²	Pl Sx ³²				At ^b	1000	500	400	4	9	15	Pl	1.0
													Sx	0.6	
	09	Fd ^{1,32} Pl Sx	Fd ^{1,32} Pl Sx				Act ^a At ^a	1200	700	600	4	9	15	Pl	1.4
													Fd	1.0	
													Sx	0.8	
	10	Sx ^{1,32}	Sx ^{1,32}	Pl ¹	Pl ¹		Act ^a At ^a	1000	500	400	4	9	15	Pl	1.0
													Sx	0.6	
IDFdw	Insufficient data to develop species selection and stocking guidelines by site series. (Contact Forest Practices Section, Cariboo Forest Region for further information.)														
IDFmw2	01	Fd Pl	Fd Pl		Cw ^{10,13} Sx ^{10,13}	Cw ^{10,13} Sx ^{10,13}	At ^a Ep ^a	1200	700	600	7	12	15	Pl, Lw	1.6
													Fd	1.0	
													Others	0.8	
	01-YC	Fd Pl	Fd Pl		Cw ^{10,13} Sx ^{10,13}	Bl ^{10,13} Cw ^{10,13} Sx ^{10,13}	At ^a Ep ^a Act ^b	1200	700	600	7	12	15	Pl, Lw	1.6
													Fd	1.0	
													Others	0.8	
	01-YS	Fd	Fd Pl	Pl	Sx ^{10,13}	Sx ^{10,13}	At ^a Ep ^a	1200	700	600	7	12	15	Pl, Lw	1.6
													Fd	1.0	
	02	Fd ²⁷	Fd ²⁷				At ^b	600	400	400	7	12	15	Sx	0.8
													Pl	1.2	
													Fd	0.8	
													Py	0.6	
	03	Fd ¹⁴ Pl	Fd ¹⁴ Pl		Cw ^{10,13} Sx ^{10,13}	Cw ^{10,13} Sx ^{10,13}	At ^b Ep ^b	1000	500	400	7	12	15	Pl, Lw	1.6
													Fd	1.0	
	04	Fd ³² Sx	Fd ³² Sx	Pl	Pl Cw ^{32,37}	Bl ¹³ Cw ^{32,37}	Act ^a At ^a Ep ^a	1200	700	600	4	9	15	Pl, Lw	1.6
													Fd	1.0	
													Others	0.8	
	05*	Sx ¹ Pl ¹	Sx ¹ Pl ¹		Cw ^{1,32}	Bl ¹ Cw ^{1,32}	Act ^a At ^b Ep ^b	400	200	200	4	9	15	Pl	1.2
													Others	0.6	
IDFxm	01a	Fd ^{27,28}	Fd ^{27,28}				At ^a	1200	700	600	7	12	15	All	0.8
	01b	Fd ^{27,28} Pl	Fd ^{27,28} Pl				At ^a	1200	700	600	7	12	15	All	0.8
	02*	Fd ^{27,28}	Fd ^{27,28}					1000	500	400	7	12	15	Fd	0.6
	03	Fd ^{27,28} Pl	Fd ^{27,28} Pl					1000	500	400	7	12	15	Pl	0.8
													Fd	0.6	
	04	Fd ^{27,28}	Fd ^{27,28}				At ^b	1000	500	400	7	12	15	Fd	0.6

1,2 etc - see "Footnotes"

*Avoid logging

** Additional information or recommended standards are contained in the text portion of the reference guide.

Reference Guide for FDP Stocking Standards**

Cariboo Forest Region

BGC		Regeneration Guide										Free Growing Guide			
Classification		Species					Stocking(i)			Regen Delay	Assessment		Min. Height(ii)		
Zone/SZ	Series	Conifer					Broadleaf	Target (well-spaced/ha)	MIN pa	MIN p	(Max yrs)	Earliest (yrs)	Latest (yrs)	Species	Ht (m)
		Primary	Preferred (p)	Secondary	Acceptable (a)	Tertiary									
	05	Fd ²⁷	Fd ²⁷				At ^b	1200	700	600	7	12	15	Fd	0.8
	06	Fd ³²	Fd ³²				At ^a	1200	700	600	7	12	15	Fd	0.8
	06	Fd ³²	Fd ³²				At ^a	1200	700	600	7	12	15	Fd	0.8
	07	Fd	Fd				At ^a Ep ^a	1200	700	600	7	12	15	Fd	0.8
	08	Fd ³² Sx	Fd ³² Sx		PI	PI	Act ^a At ^a	1200	700	600	4	9	15	Fd, Sx	0.8
	09	PI ¹ Sx ¹	PI ¹ Sx ¹				Act ^b At ^b	1000	500	400	4	9	15	PI Sx	0.8 0.6
	IDF _{xw}	01	Fd ²⁷ Py	Fd ²⁷ Py				At ^b	1200	700	600	7	12	15	Fd, Py
02*		Fd ^{27,28} Py ²⁸	Fd ^{27,28} Py ²⁸					600	400	400	7	12	15	Fd, Py	0.6
03*		Fd ^{27,28} Py ²⁸	Fd ^{27,28} Py ²⁸					600	400	400	7	12	15	Fd, Py	0.6
04		Fd ^{27,28} Py ²⁸	Fd ^{27,28} Py ²⁸				At ^b	800	500	400	7	12	15	Fd, Py	0.6
05		Fd ²⁷	Fd ²⁷				At ^b	1200	700	600	7	12	15	Fd	0.8
06		Fd Sx	Fd Sx				Act ^a At ^a Ep ^a	1200	700	600	4	9	15	Fd, Sx	0.6
07		Fd Sx	Fd Sx				Act ^a At ^a Ep ^a	1000	500	400	4	9	15	Fd, Sx	0.6
MHmm2		Insufficient data to develop species selection and stocking guidelines by site series. (Contact Forest Practices Section, Cariboo Forest Region for further information.)													
MSdc2	01	PI Sx ²⁸	PI Sx ²⁸	Bl ²⁸ Fd ³²	Bl ²⁸ Fd ³²	Pa ⁵³		1200	700	600	7	12	15	PI Others	1.0 0.8
	02*	Fd ²⁸ PI	Fd ²⁸ PI		Bl ²⁸ Pa ⁵³	Bl ²⁸ Pa ⁵³		1000	500	400	7	12	15	PI Others	0.8 0.6
	03	Fd PI	Fd PI		Bl ²⁸ Pa ⁵³	Bl ²⁸ Pa ⁵³		1000	500	400	7	12	15	PI Others	0.8 0.6
	04	PI	PI Sx ²⁸	Sx ²⁸ Bl ²⁸	Bl ²⁸	Pa ⁵³		1200	700	600	7	12	15	PI Others	1.0 0.8
	05	Sx ³² PI ¹	Sx ³² PI ¹	Bl ³²	Bl ³²			1200	700	600	7	12	15	PI Others	1.0 0.8
	06	Sx ³² Bl ³² PI ¹	Sx ³² PI ¹		Bl ³²			1200	700	600	4	9	15	PI Others	1.0 0.8
	07	Sx Bl	Sx Bl	PI ¹	PI ¹			1200	700	600	4	9	15	PI Others	1.0 0.8
	08	Sx ^{1,32}	Sx ^{1,32}	Bl ^{1,32} PI ^{1,32}	Bl ^{1,32} PI ^{1,32}			1000	500	400	4	9	15	PI Others	0.8 0.6
MSdv	01	PI Sx ³²	PI Sx ³²	Bl ³²	Bl ³²			1200	700	600	7	12	15	PI Others	1.0 0.8
	02*	PI ²⁸	PI ²⁸					1000	500	400	7	12	15	PI	0.8
	03	PI	PI		Sx ^{28, 32} Bl ^{28, 32}	Sx ^{28, 32} Bl ^{28, 32}		1200	700	600	7	12	15	PI Others	1.0 0.8
	04	PI	PI		Sx ²⁸ Bl ²⁸	Sx ²⁸ Bl ²⁸		1200	700	600	7	12	15	PI Others	1.0 0.8
	05	PI	PI		Sx ²⁸ Bl ²⁸	Sx ²⁸ Bl ²⁸		1200	700	600	7	12	15	PI Others	1.0 0.8
	06	PI Sx ³²	PI Sx ³²	Bl ³²	Bl ³²			1200	700	600	7	12	15	PI Others	1.0 0.8
	07	PI Sx ³²	PI Sx ³²	Bl ³²	Bl ³²			1200	700	600	7	12	15	PI Others	1.0 0.8
	08	Sx ³²	Sx ³² PI ^{1,32}	Bl ³² PI ^{1,32}	Bl ³²			1000	500	400	4	9	15	PI Others	0.8 0.6
	09	Sx ^{1,32}	Sx ^{1,32}	PI ³² Bl ³²	PI ³² Bl ³²			1000	500	400	4	9	15	PI Others	0.8 0.6

1,2 etc - see "Footnotes"

*Avoid logging

** Additional information or recommended standards are contained in the text portion of the reference guide.

Reference Guide for FDP Stocking Standards**

Cariboo Forest Region

BGC		Regeneration Guide										Free Growing Guide			
Classification		Species						Stocking(i)			Regen Delay	Assessment		Min. Height(ii)	
Zone/SZ	Series	Conifer					Broadleaf	Target (well-spaced/ha)	MIN pa	MIN p	(Max yrs)	Earliest (yrs)	Latest (yrs)	Species	Ht (m)
		Primary	Preferred (p)	Secondary	Acceptable (a)	Tertiary									
MSxv	01	PI Sx ^{28,32}	PI Sx ^{28,32}		BI ^{16,28,32}	BI ^{16,28,32}		1200	700	600	7	12	15	PI Others	1.0 0.8
	02	PI ³²	PI ³²					1000	500	400	7	12	15	PI	0.8
	03	PI	PI					1000	500	400	7	12	15	PI	0.8
	04	PI Sx ³²	PI Sx ³²		BI ^{16,28,32}	BI ^{16,28,32}		1200	700	600	7	12	15	PI Others	1.0 0.8
	05	PI Sx ³²	PI Sx ³²		BI ³²	BI ³²		1200	700	600	7	12	15	PI Others	1.0 0.8
	06	PI Sx ³²	PI Sx ³²		BI ^{16,32}	BI ^{16,32}		1200	700	600	7	12	15	PI Others	1.0 0.8
	07	PI Sx ³²	PI Sx ³²		BI ^{16,32}	BI ^{16,32}		1000	500	400	4	9	15	PI Others	0.8 0.6
	08	Sx ³²	Sx ^{1,32}	PI	PI BI ^{1,16,32}	BI ^{16,32}		1000	500	400	4	9	15	PI Others	0.8 0.6
	09	Sx ^{1,32}	Sx ^{1,32}		BI ^{1,32} PI ¹	BI ^{1,32} PI ¹		400	200	200	4	9	15	PI Others	0.8 0.6
SBPSdc	01	PI Sx ²⁸	PI Sx ²⁸		Sb ²⁸	Sb ²⁸	At ^a	1200	700	600	7	12	15	PI Others	1.4 0.8
	02*	PI ²⁸	PI ²⁸				At ^b	1000	500	400	7	12	15	PI	1.0
	03	PI	PI		Sb ^{4,15,28} Sx ^{4,28}	Sb ^{4,15,28} Sx ^{4,28}	At ^b	1200	700	600	7	12	15	PI Others	1.4 0.8
	04	PI Sx	PI Sx		Sb ¹⁵	Sb ¹⁵	At ^b	1200	700	600	7	12	15	PI Others	1.4 0.8
	05	PI Sx	PI Sx		Sb ¹⁵	Sb ¹⁵	At ^b	1000	500	400	4	9	15	PI Others	1.0 0.6
	06	PI Sx ³²	PI Sx ³²		Sb ¹⁵	Sb ¹⁵	Act ^a At ^a	1000	500	400	4	9	15	PI Others	1.0 0.6
	07	Sx ^{1,32}	Sx ^{1,32} PI ¹	PI ¹	Sb ¹	Sb ¹		400	200	200	4	9	15	PI Others	1.0 0.6
	08	Sx ^{1,32}	Sx ^{1,32}	PI ¹	PI ¹ Sb ¹⁵	Sb ¹⁵	Act ^a	1000	500	400	4	9	15	PI Others	1.0 0.6
SBPSmc	01	PI	PI		Sb Sx	Sb Sx	At ^b	1200	700	600	7	12	15	PI Others	1.6 0.8
	02*	PI	PI		Sb Sx	Sb Sx	At ^b	1000	500	400	7	12	15	PI Others	1.2 0.6
	03	PI	PI		Sb Sx	Sb Sx	At ^b	1200	700	600	7	12	15	PI Others	1.6 0.8
	04	PI Sb Sx ³²	PI Sx ³²		Sb		At ^b	1000	500	400	4	9	15	PI Others	1.2 0.6
	05	Sx ^{1,32}	Sx ^{1,32}	PI ¹	PI ¹ Sb ⁵³	Sb ⁵³	Act ^a	1000	500	400	4	9	15	PI Others	1.2 0.6
	06	Sx ^{1,32}	Sx ^{1,32} PI ¹	PI ¹	Sb ⁵³	Sb ⁵³	Act ^b	1000	500	400	4	9	15	PI Others	1.2 0.6
	07*	PI ¹ Sb ¹ Sx ^{1,32}	PI ¹ Sx ^{1,32}		Sb ¹			400	200	200	4	9	15	PI Others	1.2 0.6
SBPSmk	01	Fd ^{14,32} PI Sx	Fd ^{14,32} PI Sx				At ^a	1200	700	600	7	12	15	PI Fd Sx	1.6 1.0 0.8
	02*	Fd ^{14,28} PI	Fd ^{14,28} PI		Sx ²⁸	Sx ²⁸		1000	500	400	7	12	15	PI Fd	1.2 0.4

1,2 etc - see "Footnotes"

*Avoid logging

** Additional information or recommended standards are contained in the text portion of the reference guide.

Reference Guide for FDP Stocking Standards**

Cariboo Forest Region

BGC		Regeneration Guide										Free Growing Guide			
Classification		Species						Stocking(i)			Regen Delay	Assessment		Min. Height(ii)	
Zone/SZ	Series	Conifer					Broadleaf	Target (well-spaced/ha)	MIN pa	MIN p	Delay (Max yrs)	Earliest (yrs)	Latest (yrs)	Species	Ht (m)
		Primary	Preferred (p)	Secondary	Acceptable (a)	Tertiary									
	03	Fd ²⁸ PI	Fd ²⁸ PI				At ^a	1200	700	600	7	12	15	Sx	0.6
	04	Fd ^{14,28,32} PI Sx ²⁸	Fd ^{14,28,32} PI Sx ²⁸			Sb ^{14,15}	At ^a	1200	700	600	7	12	15	PI	1.6
	05	Fd ^{14,28} PI Sx ²⁸	Fd ^{14,28} PI Sx ²⁸				At ^b	1200	700	600	7	12	15	Fd	1.0
	06	PI Sx	PI Sx				Act ^a At ^a	1200	700	600	4	9	15	PI	1.6
	07	Sx ^{1,32}	Sx ^{1,32}	BI ^{1,32} PI ¹	PI ¹ BI ^{1,32}		Act ^a At ^a	1000	500	400	4	9	15	Sx	0.8
	08	Sx ^{1,32}	Sx ^{1,32} PI ¹	PI ¹	Sb ¹	Sb ¹		400	200	200	4	9	15	PI	1.2
														Others	0.6
SBPSxc	01	PI	PI				At ^a	1200	700	600	7	12	15	PI	1.4
	02a	Fd ^{9,11,18,28} PI	Fd ^{9,11,18,28} PI				At ^b	1000	500	400	7	12	15	PI	1.0
	02b	PI	PI				At ^b	1000	500	400	7	12	15	Fd	0.6
	02c*	Fd ^{9,11,18,28} PI	Fd ^{9,11,18,28} PI				At ^b	1000	500	400	7	12	15	PI	1.0
	03	PI Sw ³²	PI Sw ³²				At ^b	1000	500	400	4	9	15	Fd	0.6
	04	PI Sw ³²	PI Sw ³²				At ^a	1200	700	600	4	9	15	PI	1.0
	05	PI ¹ Sw ^{1,32}	PI ¹ Sw ^{1,32}				Act ^a At ^a	1000	500	400	4	9	15	Sx	0.6
	06	PI Sw ³²	PI Sw ³²				Act ^a At ^a	1000	500	400	4	9	15	PI	1.0
													Sx	0.6	
SBSdw1	01	Fd PI Sx ²⁸	Fd PI Sx ²⁸		BI ^{28,53}	BI ^{28,53}	At ^a Ep ^a	1200	700	600	7	12	15	PI	2.0
	02*	Fd ²⁸ PI	Fd ²⁸ PI				At ^b	1000	500	400	7	12	15	Fd	1.4
	03	Fd ²⁷ PI	Fd ²⁷ PI				At ^a	1200	700	600	7	12	15	Others	1.0
	04	Fd ³² PI Sx ²⁸	Fd ³² PI Sx ²⁸				At ^a Ep ^b	1200	700	600	7	12	15	PI	1.4
	05	Fd PI Sx	Fd PI Sx				At ^a Ep ^a	1200	700	600	7	12	15	Fd	1.0
	06	Fd PI Sx	Fd PI Sx	BI	BI		Act ^a At ^a Ep ^a	1200	700	600	7	12	15	Sx	1.0
	07	Fd ^{1,32} PI Sx	Fd ^{1,32} PI Sx	BI	BI		Act ^a At ^a Ep ^b	1200	700	600	4	9	15	PI	2.0
	08	Fd ^{1,32} PI Sx	Fd ^{1,32} PI Sx	BI ³²	BI ³²		Act ^a At ^a Ep ^a	1200	700	600	4	9	15	Fd	1.4
	09	Sx ^{1,32}	Sx ^{1,32}	BI ^{1,32} PI ¹	BI ^{1,32} PI ¹		Act ^a	1000	500	400	4	9	15	Others	1.0
													PI	1.4	

1,2 etc - see "Footnotes"

*Avoid logging

** Additional information or recommended standards are contained in the text portion of the reference guide.

Reference Guide for FDP Stocking Standards**

Cariboo Forest Region

BGC		Regeneration Guide										Free Growing Guide			
Classification		Species						Stocking(i)			Regen Delay (Max yrs)	Assessment		Min. Height(ii)	
Zone/SZ	Series	Conifer					Broadleaf	Target	MIN pa	MIN p		Earliest (yrs)	Latest (yrs)	Species	Ht (m)
		Primary	Preferred (p)	Secondary	Acceptable (a)	Tertiary		(well-spaced/ha)							
														Others	0.8
SBSdw2	01	Fd ³² PI Sx	Fd ³² PI Sx				At ^a Ep ^a	1200	700	600	7	12	15	PI	2.0
	02*	Fd ²⁸ PI	Fd ²⁸ PI					1000	500	400	7	12	15	Fd	1.4
	03	Fd ^{28,32} PI	Fd ^{28,32} PI				At ^b	1200	700	600	7	12	15	Sx	1.0
	04	Fd ²⁷ PI	Fd ²⁷ PI				At ^b	1200	700	600	7	12	15	PI	1.4
	05	Fd PI Sx	Fd PI Sx				At ^a Ep ^{28,b}	1200	700	600	7	12	15	Fd	1.4
	06	Fd ³² PI Sx ²⁸	Fd ³² PI Sx ²⁸				At ^a Ep ^b	1200	700	600	7	12	15	PI	2.0
	07	PI Sx	PI Sx		Sb	Sb	At ^a	1200	700	600	7	12	15	Fd	1.4
	08	Fd ^{1,32} PI Sx	Fd ^{1,32} PI Sx	BI	BI		Act ^a At ^a Ep ^b	1200	700	600	4	9	15	Sx	1.0
	09	Fd PI Sx	Fd PI Sx	BI	BI		Act ^a At ^a Ep ^a	1200	700	600	4	9	15	Sb	0.8
	10	Sx ^{1,32}	Sx ^{1,32}	BI ^{1,32} PI ¹	BI ^{1,32} PI ¹		Act ^a	1000	500	400	4	9	15	PI	2.0
	11*	Sx ^{1,32}	Sx ^{1,32} PI ¹	PI ¹	Sb ¹	Sb ¹		400	200	200	4	9	15	Fd	1.4
SBSmc1	01	Fd ^{15,32} PI Sx ²⁸	Fd ^{15,32} PI Sx ²⁸	BI ²⁸	BI ²⁸		Act ^b	1200	700	600	7	12	15	PI	1.6
	02*	PI	PI		BI ²⁸ Sx ²⁸	BI ²⁸ Sx ²⁸		1000	500	400	7	12	15	Fd	1.0
	03	Fd PI	Fd PI				At ^b	1200	700	600	7	12	15	Others	0.8
	04	PI Sx ³²	PI Sx ³²	BI ³²	BI ³²			1200	700	600	7	12	15	PI	1.2
	05	PI Sx ³²	PI Sx ³²	BI ³²	BI ³²			1200	700	600	7	12	15	Others	0.6
	06	Fd ^{15,32} PI Sx	Fd ^{15,32} PI Sx	BI	BI		Act ^a	1200	700	600	4	12	15	PI	1.6
	07	Fd ^{15,32} PI Sx	Fd ^{15,32} PI Sx	BI	BI		Act ^a	1200	700	600	4	12	15	Fd	1.0
	08	Sx ^{1,32}	Sx ^{1,32}	BI ^{1,32} PI ¹	BI ^{1,32} PI ¹		Act ^b	1000	500	400	4	9	15	Others	0.8
SBSmc2	01	PI Sx	PI Sx	BI	BI			1200	700	600	7	12	15	PI	1.6
	02	PI	PI		BI ²⁸ Sx ²⁸	BI ²⁸ Sx ²⁸		1000	500	400	7	12	15	Others	0.8
														PI	1.2
														Others	0.6

1,2 etc - see "Footnotes"

*Avoid logging

** Additional information or recommended standards are contained in the text portion of the reference guide.

Reference Guide for FDP Stocking Standards**

Cariboo Forest Region

BGC		Regeneration Guide										Free Growing Guide			
Classification		Species					Stocking(i)			Regen Delay	Assessment		Min. Height(ii)		
Zone/SZ	Series	Conifer					Broadleaf	Target (well-spaced/ha)	MIN pa	MIN p	Delay (Max yrs)	Earliest (yrs)	Latest (yrs)	Species	Ht (m)
		Primary	Preferred (p)	Secondary	Acceptable (a)	Tertiary									
	03‡	PI	PI Sx ³²	Bl ²⁹ Sb Sx ³²	Bl ²⁹ Sb		At ^b	1200	700	600	7	12	15	PI	1.6
	04	PI Sx	PI Sx	Bl	Bl			1200	700	600	4	9	15	Others	0.8
	05‡	PI Sx	PI Sx	Bl ²⁹	Bl ²⁹		Act ^a At ^a	1200	700	600	4	9	15	PI	1.6
	06	PI Sx	PI Sx	Bl	Bl		Act ^b	1200	700	600	4	9	15	Others	0.8
	07‡	PI Sb Sx ³²	PI Sx ³²		Sb	Bl ⁵³	At ^b	1000	500	400	4	9	15	PI	1.2
	08	Sx	Sx PI	Bl PI	Bl		Act ^b	1200	700	600	4	9	15	Others	0.6
	09‡	Sx	Sx PI	Bl ²⁹ PI	Bl ²⁹		Act ^b At ^a	1200	700	600	4	9	15	PI	1.6
	10‡	Sx ^{1,32}	Sx ^{1,32} PI ¹	Bl ^{1,29,32} PI ¹	Bl ^{1,29,32}		Act ^b At ^b	1000	500	400	4	9	15	Others	0.8
	11	Sx ^{1,32}	Sx ^{1,32}	Bl ^{1,32} PI ¹	Bl ^{1,32} PI ¹		Act ^b	1000	500	400	4	9	15	PI	1.2
	12*‡	PI ¹ Sb ¹ Sx ^{1,32}	PI ¹ Sx ^{1,32}		Sb ¹			400	200	200	4	9	15	Others	0.6
SBSmh	01	Fd Sx	Fd Sx	Bl ¹⁵	Bl ¹⁵		Act ^a At ^a Ep ^a	1200	700	600	7	12	15	Fd	1.4
	02*	Fd ²⁸ PI	Fd ²⁸ PI				At ^b Ep ^b	1000	500	400	7	12	15	Others	1.0
	03	Fd PI Sx ²⁸	Fd PI Sx ²⁸	Bl ¹⁵	Bl ¹⁵		At ^a Ep ^b	1200	700	600	7	12	15	PI	1.4
	04	Fd ²⁸	Fd ²⁸		Bl ^{15,28} Sx ²⁸	Bl ^{15,28} Sx ²⁸	At ^a Ep ^a	1200	700	600	7	12	15	Fd	2.0
	05	Fd ³² Sx	Fd ³² Sx	Bl ¹⁵	Bl ¹⁵		Act ^b At ^a Ep ^a	1200	700	600	7	12	15	Fd	1.4
	06	Fd ³² PI Sx	Fd ³² PI Sx	Bl ¹⁵	Bl ¹⁵		Act ^a At ^a Ep ^a	1200	700	600	7	12	15	Others	1.0
	07	Fd Sx	Fd Sx	Bl	Bl		Act ^a At ^a Ep ^a	1200	700	600	4	9	15	PI	2.0
	08	Fd Sx	Fd Sx	Bl ¹⁵	Bl ¹⁵		Act ^a At ^a Ep ^a	1200	700	600	4	9	15	Fd	1.4
	09	Sx ^{1,32}	Sx ^{1,32}	Bl ¹	Bl ¹		Act ^a	1000	500	400	4	9	15	Others	1.0
SBSmm	01	PI Sx	PI Sx Fd ^{9,14,32}	Bl ^{10,13} Fd ^{9,14,32}	Bl ^{10,13}		Act ^b At ^a	1200	700	600	7	12	15	PI, Lw	2.0
	02	PI	PI Fd ^{9,13,32}	Fd ^{9,13,32}	Bl ^{10,13} Sx ^{10,13}	Bl ^{10,13} Sx ^{10,13}	At ^b	1000	500	400	7	12	15	Fd	1.4
	03	Fd ^{9,14,32} PI	Fd ^{9,14,32} PI		Bl ^{10,13} Sx ^{10,13}	Bl ^{10,13} Sx ^{10,13}		1000	500	400	7	12	15	Others	0.8
	04	PI	PI Fd ^{9,14,32}	Fd ^{9,14,32}	Bl ^{10,13} Sx ^{10,13}	Bl ^{10,13} Sx ^{10,13}	At ^b	1000	500	400	7	12	15	PI	1.4
	05	PI	PI Fd ^{9,14,32} Sx	Bl ^{10,13} Fd ^{9,14,32} Sx	Bl ^{10,13}		At ^a	1200	700	600	7	12	15	Fd	1.0

1,2 etc - see "Footnotes"

*Avoid logging

** Additional information or recommended standards are contained in the text portion of the reference guide.

Reference Guide for FDP Stocking Standards**

Cariboo Forest Region

BGC		Regeneration Guide										Free Growing Guide			
Classification		Species						Stocking(i)			Regen Delay (Max yrs)	Assessment		Min. Height(ii)	
Zone/SZ	Series	Conifer					Broadleaf	Target (well-spaced/ha)	MIN pa	MIN p		Earliest (yrs)	Latest (yrs)	Species	Ht (m)
		Primary	Preferred (p)	Secondary	Acceptable (a)	Tertiary									
	06	PI Sx	PI Sx	Bl ^{10,13} Fd ^{9,14,32}	Bl ^{10,13} Fd ^{9,14,32}		At ^a	1200	700	600	7	12	15	Others	1.0
	07	PI Sx	PI Sx Fd ^{9,14,32}	Bl Fd ^{9,14,32}	Bl Cw ³²	Cw ³²	Act ^a At ^a	1200	700	600	4	9	15	PI, Lw	2.0
	08	Pl ¹ Sx ¹	Sx ¹	Bl ¹	Pl ¹ Bl ¹		Act ^a At ^b Ep ^b	1000	500	400	4	9	15	Fd	1.4
	09	Non-forested	Non-forested											Others	1.0
SBSmw	01	Fd PI Sx	Fd PI Sx	Bl	Bl		Act ^b At ^a Ep ^a	1200	700	600	7	12	15	PI	2.0
	02*	Fd PI	Fd PI		Bl ²⁸ Sx ²⁸	Bl ²⁸ Sx ²⁸	At ^b Ep ^b	1000	500	400	7	12	15	Fd	1.4
	03	Fd ³² PI	Fd ³² PI		Sx ³²	Bl ³² Sx ³²	At ^b	1200	700	600	7	12	15	Others	1.0
	04	Fd PI Sx ²⁸	Fd PI Sx ²⁸	Bl ²⁸	Bl ²⁸		At ^a Ep ^{9,a}	1200	700	600	7	12	15	PI	2.0
	05	PI Sx ³²	PI Sx ³²	Bl ³²	Bl ³²		Act ^a At ^a	1200	700	600	4	9	15	Fd	1.4
	06	Fd PI Sx	Fd PI Sx	Bl	Bl		Act ^a At ^a Ep ^a	1200	700	600	4	9	15	Others	1.0
	07	Sx ³²	Sx ³² PI	Bl ³² PI	Bl ³²		Act ^a At ^b	1200	700	600	4	9	15	PI	2.0
	08	Fd ³² Sx	Fd ³² Sx	Bl PI	Bl PI		Act ^a At ^a Ep ^a	1200	700	600	4	9	15	Others	1.0
	09	Sx ^{1,32}	Sx ^{1,32}	Bl ^{1,32} Pl ¹	Bl ^{1,32} Pl ¹		Act ^a	1000	500	400	4	9	15	Fd	1.4
	10*	Pl ¹ Sx ^{1,32}	Pl ¹ Sx ^{1,32}		Sb	Sb			400	200	200	4	9	15	Others
SBSwk1	01	Fd ¹⁷ PI Sx	Fd ¹⁷ PI Sx	Bl	Bl		Act ^b	1200	700	600	4	9	15	PI	2.0
	02*	Fd ¹⁷ PI	Fd ¹⁷ PI		Bl Sx	Bl Sx		1000	500	400	7	12	15	Fd	1.4
	03	Fd ^{4,17,32} PI	Fd ^{4,17,32} PI		Sx ³²	Bl ³² Sx ³²		1200	700	600	7	12	15	Others	1.0
	04	Fd PI Sx ²⁸	Fd PI Sx ²⁸	Bl ²⁸	Bl ²⁸		At ^b Ep ^b	1200	700	600	7	12	15	PI	2.0
	05	PI Sx	PI Sx	Bl	Bl			1200	700	600	7	12	15	Fd	1.4
	06	PI Sx ³²	PI Sx ³²	Bl ³²	Bl ³²	Sb	Act ^b	1200	700	600	4	9	15	Others	1.0
	07	PI Sx ³²	PI Sx ³²	Bl ³²	Bl ³²		Act ^a At ^{17,b} Ep ^{17,b}	1200	700	600	4	9	15	PI	2.0

1,2 etc - see "Footnotes"

*Avoid logging

** Additional information or recommended standards are contained in the text portion of the reference guide.

Reference Guide for FDP Stocking Standards**

Cariboo Forest Region

BGC		Regeneration Guide										Free Growing Guide				
Classification		Species							Stocking(i)			Regen Delay (Max yrs)	Assessment		Min. Height(ii)	
Zone/SZ	Series	Conifer					Broadleaf	Target	MIN pa	MIN p	Earliest (yrs)		Latest (yrs)	Species	Ht (m)	
		Primary	Preferred (p)	Secondary	Acceptable (a)	Tertiary		(well-spaced/ha)								
	08	Sx	Sx Pl	Bl Pl	Bl		Act ^a Al ^{17,b} Ep ^{17,b}	1200	700	600	4	9	15	Others	1.0	
	09	Sx ^{1,32}	Sx ^{1,32}	Bl ^{1,32} Pl ¹	Bl ¹ Pl ¹		Act ^a	1000	500	400	4	9	15	Pl	2.0	
	11*	Pl ¹ Sx ^{1,32}	Pl ¹ Sx ^{1,32}	Sb	Sb	Bl ^{1,32}		400	200	200	4	9	15	Others	1.0	
														Pl	1.4	
														Others	0.8	
														Pl	1.4	
														Others	0.8	

1,2 etc - see "Footnotes"

*Avoid logging

** Additional information or recommended standards are contained in the text portion of the reference guide.