

See the 'Instructions' worksheet (click on tab at bottom of screen)
for tips on using features in this workbook.

BGC			Regeneration Guide					Free Growing Guide								
Classification			Species		Stocking(i)		Regen Delay (Max yrs)	Assessment		Min. Height(ii)						
Zone/SZ	Series	Standards ID	Conifer		Target	MIN pa		MIN p	Earliest	Latest	Species	Ht				
			Preferred (p)	Acceptable (a)	(well-spaced/ha)			(yrs)	(yrs)		(m)					
ESSFdc1	01	83000	PI	Se	BI	1200	700	600	4	12	20	PI	1.6			
	02	83001		PI	Se	1000	500	400	7	15	20	Others	0.8			
	03	83002		PI	Se	1000	500	400	7	15	20	PI	1.2			
	04	83003		PI	Se	1000	500	400	7	15	20	PI	1.2			
	05	83004		PI	Se	1000	500	400	7	15	20	Others	0.6			
	06	83005		PI ¹	Se ^{1,32}	BI ^{10,13}	1000	500	400	7	15	20	PI	1.6		
	07	-		non-forested			1000	500	400	4	12	20	Others	0.6		
ESSFdk	01	83006	PI	Se	Fd ¹⁴	Lw ¹⁴	BI	1200	700	600	7	15	20	PI, Lw	1.6	
	02	83007		Fd ^{9,14}	Lw ^{9,14}	PI	Se	1000	500	400	7	15	20	Fd	1.0	
	03	83008		PI	Fd ¹⁴	Lw ¹⁴	Se	BI	1200	700	600	7	15	20	Others	0.8
	04	83009		PI	Se	Fd ¹⁴	Lw ¹⁴	BI	1200	700	600	7	15	20	PI, Lw	1.6
	05	83010		BI ³²	PI	Se ³²			1200	700	600	4	12	20	Fd	1.0
	06	83011		BI ³²	PI	Se ³²			1200	700	600	4	12	20	Others	0.8
	07	-		non-forested					-	-	-	-	-	-	PI	1.6
ESSFvc	01	83012		BI	Se	Hm	1200	700	600	4	12	20	All	0.8		
	02	83013		Se	BI	Hm	1000	500	400	7	15	20	PI	1.2		
	03	83014		BI	Se	Hm	1000	500	400	7	15	20	Others	0.6		
	04	83015		BI	Se	Hm	1200	700	600	4	12	20	All	0.8		
	05	83016		BI ^{1,32}	Se ^{1,32}	Hm ¹	1000	500	400	4	12	20	All	0.6		
	06	-		non-forested					-	-	-	-	-	-	PI	1.6
ESSFwc1	01	83017		BI	Se	PI ³⁴	Cw ^{9,32}	1200	700	600	4	12	20	PI	1.6	
	02	83018		PI	Se	BI	Cw ⁵⁵	1000	500	400	7	15	20	Others	0.8	
	03	83019		BI	Se	Cw ^{9,32}		1200	700	600	4	12	20	PI	1.2	
	04	83020		BI ^{1,32}	Se ^{1,32}	PI ^{1,34}		1200	700	600	7	15	20	Others	0.6	
	05	-		non-forested					-	-	-	-	-	-	PI	1.6
ESSFwc2	01	83021		BI	Se			1200	700	600	4	12	20	PI	1.6	
	02	83022		Se ^{10,13}		PI	BI ^{10,13,14}	1000	500	400	7	15	20	Others	0.8	
	03	83023		BI	Se			1000	500	400	7	15	20	PI	1.2	
	04	83024		BI	Se			1200	700	600	7	15	20	Others	0.6	
	05	83025		BI	Se			1200	700	600	7	15	20	PI	1.6	
	06	83026		BI ³²	Se ³²			1200	700	600	4	12	20	Others	0.8	

1,2 etc - see "Footnotes"

*Avoid logging

** Additional information or requirements may be contained in the text portion of the reference guide.

BGC			Regeneration Guide						Free Growing Guide			
Classification			Species		Stocking(i)			Regen Delay (Max yrs)	Assessment		Min. Height(ii)	
Zone/SZ	Series	Standards ID	Conifer		Target	MIN pa	MIN p		Earliest	Latest	Species	Ht
			Preferred (p)	Acceptable (a)	(well-spaced/ha)				(yrs)	(yrs)		(m)
	07	83027	Bl ³² Se ³²		1200	700	600	4	12	20	PI	1.6
	08	83028	Bl ^{1,32} Se ^{1,32}		1000	500	400	4	12	20	Others	0.8
	09*	83029	Se ^{1,32}	PI ¹ Bl ^{1,32}	400	200	200	4	12	20	PI	1.2
	10	-	non-forested		-	-	-	-	-	-	Others	0.6
ESSFwc4	01	83030	Bl Se	PI ³⁴	1200	700	600	4	12	20	PI	1.6
	02	83031	Se PI ³⁴	Bl ⁵⁴	1000	500	400	7	15	20	Others	0.8
	03	83032	Se Bl	PI ³⁴	1000	500	400	7	15	20	PI	1.2
	04	83033	Se Bl	PI ³⁴	1200	700	600	4	12	20	Others	0.6
	05	83034	Bl Se		1200	700	600	4	12	20	PI	1.6
	06	83035	Bl ^{1,32} Se ^{1,32}		1200	700	600	4	12	20	Others	0.8
	07	83036	Se ¹ Bl ¹	PI ^{1,34}	1000	500	400	4	12	20	All	0.8
	08	-	non-forested		-	-	-	-	12	20	PI	1.2
ESSFwm	01	83037	Bl Se Fd ¹⁴ Lw ¹⁴	PI ³⁴	1200	700	600	4	12	20	Others	0.6
	02	83038	Se PI ³⁴	Bl	1200	700	600	7	15	20	Lw, PI	2.0
	03	83039	Fd ^{9,32} Lw ^{9,32} Se	Bl PI ³⁴ Pw ^{9,31,32,49}	1200	700	600	4	12	20	Others	1.0
	04	83040	Bl Se	PI ³⁴	1200	700	600	4	12	20	PI, Pw	2.0
ICHdw	01a	83041	Fd ⁵⁸ Lw Py Pw ^{31,49,57}	Bg ²⁸ PI Cw Sx ^{10,13}	1200	700	600	7	12	15	Lw	2.0
	01b	83042	Fd ⁵⁸ Lw PI Py ^{9,14} Cw Pw ^{31,49,57} Sx ^{10,13}		1200	700	600	7	12	15	Fd	1.4
	02	83043	Fd ⁵⁸ Lw Py	Cw	1000	500	400	7	12	15	Others	1.0
	03	83044	Fd ^{1,32,58} Lw ^{1,32} Sx Cw ³² Pw ^{31,49,57}	Bg ³² Hw ³² PI ¹	1200	700	600	4	9	15	PI, Lw	1.4
	04	83045	Cw ³² Sx Fd ^{1,32,58} Lw ^{1,32} Pw ^{1,31,49,57}	Bg ^{1,32} PI ¹	1200	700	600	4	9	15	Fd	1.0
											Others	1.0
ICHmk1	01	83046	Fd ^{9,14,32} Lw ^{9,14,32} PI Sx ^{10,13}	Bl ^{10,13} Cw ^{10,13,32}	1200	700	600	7	12	15	PI, Lw	2.0
	02	83047	Fd PI	Sx ^{10,13} Py ^{9,14}	600	400	400	7	12	15	Fd	1.4
	03	83048	Fd Lw PI Sx ^{10,13}	Cw ^{10,13}	1000	500	400	7	12	15	Others	1.0
	04	83049	Fd ³² Lw ³² PI Sx ^{10,13}	Cw ^{10,13}	1200	700	600	7	12	15	PI, Lw	2.0
											Fd	1.4
											Others	1.0

1,2 etc - see "Footnotes"

*Avoid logging

** Additional information or requirements may be contained in the text portion of the reference guide.

BGC			Regeneration Guide						Free Growing Guide			
Classification			Species		Stocking(i)			Regen Delay	Assessment		Min. Height(ii)	
Zone/SZ	Series	Standards ID	Conifer		Target	MIN pa	MIN p	Regen Delay (Max yrs)	Earliest	Latest	Species	Ht
			Preferred (p)	Acceptable (a)	(well-spaced/ha)				(yrs)	(yrs)		(m)
	05	83050	PI Sx Fd ^{9,14,32}	BI Lw ^{9,14,32} Cw ³²	1200	700	600	4	9	15	PI, Lw Fd Others	2.0 1.4 1.0
	06	83051	PI Sx Fd ^{9,14,32}	BI Lw ^{9,14,32} Cw ³²	1200	700	600	4	9	15	PI, Lw Fd Others	2.0 1.4 1.0
	07	83052	PI ¹ Sx ¹ Fd ^{1,32} Lw ^{1,32}	BI ¹ Cw ³²	1000	500	400	4	9	15	PI, Lw Fd Others	1.4 1.0 0.8
	08	-	non-forested		-	-	-	-	-	-	-	-
ICHmw1	01	83053	Fd PI Cw Pw ^{31,49} Sx		1200	700	600	4	9	15	PI, Pw Lw Fd Others	2.0 2.0 1.4 1.0
	02	83054	Fd Pw ^{31,49}	PI ⁴⁹ Cw ²⁸ Sx ²⁸	1200	700	600	7	12	15	PI, Pw Lw Fd Others	2.0 2.0 1.4 1.0
	03	83055	Fd PI Pw ^{31,49} Sx ^{10,13,28}	BI ²⁸ Cw ²⁸	1200	700	600	7	12	15	PI, Pw Lw Fd Others	2.0 2.0 1.4 1.0
	04	83056	Fd PI Pw ^{31,49}	BI ²⁸ Cw ²⁸ Sx ²⁸	1200	700	600	7	12	15	PI, Pw Lw Fd Others	2.0 2.0 1.4 1.0
	05	83057	Cw ³² Fd ^{1,32} Hw ³² Sx Pw ^{1,32,49}	BI PI	1200	700	600	4	9	15	PI, Pw Fd Others	2.0 1.4 1.0
	06	83058	BI Cw Fd ^{9,14} Hw Sx Pw ^{31,49}	PI	1200	700	600	4	9	15	PI, Pw Lw Fd Others	2.0 2.0 1.4 1.0
	07	83059	Cw ³² Hw ³² Sx Fd ^{1,14,32}	BI PI	1000	500	400	4	9	15	PI Fd Others	1.4 1.0 0.8
ICHmw2	01	83060	Fd ⁵⁸ Lw Cw Sx ^{10,13}	Pw ^{31,57}	1200	700	600	4	9	15	PI, Pw Lw Fd Others	2.0 2.0 1.4 1.0
	02	-	non-forested		-	-	-	-	-	-	-	-
	03	83061	Fd ⁵⁸ Lw	PI Cw Pw ^{31,57} Sx ^{10,13}	1200	700	600	7	12	15	PI, Pw Lw Fd Others	2.0 2.0 1.4 1.0
	04	83062	Fd ⁵⁸ Lw Sx ^{10,13}	PI Cw Pw ^{31,57}	1200	700	600	7	12	15	PI, Pw Lw Fd Others	2.0 2.0 1.4 1.0
	05	83063	Cw Fd ^{9,14,58} Hw Lw ^{9,14} Sx	BI Pw ^{31,57}	1200	700	600	4	9	15	PI, Pw Lw Fd Others	2.0 2.0 1.4 1.0
	06	83064	Cw ³² Sx Fd ^{1,32,58} Lw ^{1,32}	BI Hw ³² Pw ^{31,57}	1200	700	600	4	9	15	PI, Pw Lw Fd Others	2.0 2.0 1.4 1.0
	07	83065	Cw ^{1,32} Sx ¹	BI ¹ Hw ^{1,32} Pw ^{1,31}	1000	500	400	4	9	15	PI, Pw Others	1.4 0.8
	08	83066	Cw ^{1,32} PI ¹ Sx ¹	BI ¹ Hw ^{1,32}	1000	500	400	4	9	15	PI Others	1.4 0.8
	09	-	non-forested		-	-	-	-	-	-	-	-
ICHmw3	01	83067	Fd Cw ^{10,13} Sx ^{10,13}	Pw ³¹	1200	700	600	4	9	15	PI, Pw	2.0

1,2 etc - see "Footnotes"

*Avoid logging

** Additional information or requirements may be contained in the text portion of the reference guide.

BGC			Regeneration Guide						Free Growing Guide			
Classification			Species		Stocking(i)			Regen Delay (Max yrs)	Assessment		Min. Height(ii)	
Zone/SZ	Series	Standards ID	Conifer		Target	MIN pa	MIN p		Earliest	Latest	Species	Ht
			Preferred (p)	Acceptable (a)	(well-spaced/ha)				(yrs)	(yrs)		(m)
	01-YC	83068	Fd Cw ^{10,13} Sx ^{10,13}	Hw ^{10,13} Pw ³¹	1200	700	600	4	9	15	Lw	2.0
											Fd	Others
	02	83069	Fd	PI Py ^{9,14,23} Pw ³¹	1000	500	400	7	12	15	PI, Pw	1.0
											Lw	2.0
	03	83070	Fd ³²	PI Cw ^{10,13} Pw ³¹ Sx ^{10,13}	1000	500	400	7	12	15	Fd	1.4
											Py	0.8
	04	83071	Fd Sx ^{10,13}	PI Cw ^{10,13} Pw ³¹	1200	700	600	7	12	15	PI, Pw	1.4
											Lw	1.4
	05	83072	Fd Cw ^{10,13} Sx ^{10,13}	Pw ³¹	1200	700	600	7	12	15	Fd	1.0
Others											0.8	
06	83073	Cw Fd ¹⁴ Hw Sx	BI Pw ³¹	1200	700	600	4	9	15	PI, Pw	2.0	
										Lw	2.0	
07	83074	Cw ³² Sx Fd ^{1,32}	BI Hw ³² Pw ³¹	1200	700	600	4	9	15	Fd	1.4	
										Others	1.0	
08	83075	Cw ^{1,32} Hw ^{1,32} Sx ¹	PI ¹ BI ¹	1000	500	400	4	9	15	PI, Pw	2.0	
										Lw	2.0	
09		-	non-forested		-	-	-	-	-	-	Fd	1.4
											Others	1.0
ICHvk1	01	83076	Cw ³² Sx	BI Fd ^{1,9,14,32,34} Hw ³² Pw ³¹	1200	700	600	4	9	15	PI	2.0
											Pw	1.4
	03	83077	Fd ⁹ Cw Sx	BI Hw Pw ³¹	1200	700	600	4	9	15	Others	1.0
											PI, Pw	2.0
	04	83078	Cw Fd ^{9,14,34} Hw Sx	BI Pw ³¹	1200	700	600	4	9	15	Lw	2.0
											Fd	1.4
05	83079	Cw ^{1,32} Sx ¹	BI ¹ Hw ^{1,32} Pw ^{1,31}	1000	500	400	4	9	15	Others	1.0	
										Pw	1.4	
06	83080	Cw ^{1,32} Hw ^{1,32} Sx ¹	BI ¹ Pw ^{1,31}	1000	500	400	4	9	15	Others	0.8	
										PI	1.4	
ICHwk1	01	83081	Cw Fd ^{9,14,58} Hw Sx	BI ^{10,13} Pw ^{31,57}	1200	700	600	4	9	15	PI, Pw	2.0
											Lw	2.0
	02	-	non-forested		-	-	-	-	-	-	Others	1.0
											-	-
	04	83082	Fd ^{9,14,58} Cw Sx ^{10,13}	Hw Pw ^{31,57}	1200	700	600	4	9	15	PI, Pw	2.0
											Lw	2.0
	05	83083	Cw ³² Sx	BI Fd ^{1,9,14,32} Hw ³² Pw ^{31,57}	1200	700	600	4	9	15	Fd	1.4
Others											1.0	
06	83084	Cw ^{1,32} Sx ¹	BI ¹ Hw ^{1,32} Pw ^{1,31,57}	1000	500	400	4	9	15	PI, Pw	2.0	
										Lw	2.0	
07	83085	Cw ^{1,32} Sx ¹	BI ¹ Hw ^{1,32} Pw ^{1,31,57}	1000	500	400	4	9	15	Fd	1.4	
										Others	1.0	
											PI, Pw	1.4
											Others	0.8

1,2 etc - see "Footnotes"

*Avoid logging

** Additional information or requirements may be contained in the text portion of the reference guide.

BGC			Regeneration Guide						Free Growing Guide			
Classification			Species		Stocking(i)			Regen Delay	Assessment		Min. Height(ii)	
Zone/SZ	Series	Standards ID	Conifer		Target	MIN pa	MIN p		Earliest	Latest	Species	Ht
			Preferred (p)	Acceptable (a)	(well-spaced/ha)			(Max yrs)				
	08	83086	Cw ^{1,32} Hw ^{1,32} Sx ¹	Bl ¹	1000	500	400	4	9	15	Others	0.8
	09	-	non-forested		-	-	-	-	-	-	PI	1.4
											Others	0.8
											-	-
ICHxw**												
	1	83087	Fd ⁵⁸ Lw PI Py Pw ^{31,49}	Bg ^{10,13} Cw	1200	700	600	7	12	15	PI, Pw	2.0
											Lw	2.0
											Fd	1.4
											Others	1.0
IDFdm1												
	01"	83093	Fd ³² Lw ³²	Pl ^{10,13} Py ^{9,14}	1000	500	400	7	12	15	PI, Lw	1.0
	02	-	non-forested		-	-	-	-	-	-	Fd	0.8
	03"	83094	Fd ²⁷ Py	PI	600	400	400	7	12	15	Others	0.6
											-	-
	04"	83095	Fd ³² Lw ³² Py	Pl ^{10,13}	1000	500	400	7	12	15	PI	1.0
											Fd	0.8
	05	83096	Fd ³² Lw ³² PI Sx ^{10,13}		1200	700	600	7	12	15	Py	0.6
											PI, Lw	1.0
	06	83097	Fd ³² Lw ³² Sx		1200	700	600	4	9	15	Fd	0.8
											Others	0.6
	07	83098	Pl ¹ Sx ¹ Fd ^{1,32} Lw ^{1,32}		1000	500	400	4	9	15	PI, Lw	1.4
											Fd	1.0
											Others	0.8
											PI, Lw	1.0
											Fd	0.8
											Others	0.6
IDFdm2												
	01"	83099	Fd ³² Lw ³² Py	Pl ^{10,13}	1000	500	400	7	12	15	PI, Lw	1.0
	02	-	non-forested		-	-	-	-	-	-	Fd	0.8
	03"	83100	Fd ²⁷ Py Lw ^{10,13}		600	400	400	7	12	15	Py	0.6
											PI, Lw	1.0
	04"	83101	Fd ³² Lw ³² PI Sx		1200	700	600	7	12	15	Fd	0.8
											Py	0.6
	05	83102	PI Sx Fd ^{1,32} Lw ^{1,32}		1000	500	400	7	12	15	PI, Lw	1.4
											Fd	1.0
	06	-	non-forested		-	-	-	-	-	-	Others	0.8
	07	83103	Sx ¹ Fd ^{1,32} Lw ^{1,32}	PI ¹	1000	500	400	4	9	15	PI, Lw	1.0
											Fd	0.8
											Sx	0.6
IDFxb1												
	01"	83104	Fd ²⁷ Py	Lw ¹⁰	1000	500	400	7	12	15	Lw	0.8
	02"*	83105	Py ²⁷ Fd ²⁷		400	200	200	7	12	15	Others	0.6
	03"	83106	Py Fd ²⁷		600	400	400	7	12	15	All	0.6
	04"	83107	Py Fd ²⁷		600	400	400	7	12	15	All	0.6
	05"	83108	Py Fd ²⁷		600	400	400	7	12	15	All	0.6
	06	83109	Fd ²⁷ Py Lw ¹⁰		1000	500	400	7	12	15	Lw	0.8
											Others	0.6
	07	83110	Fd Py Lw ¹⁰		1000	500	400	7	12	15	Lw	0.8
											Other	0.6
	08"	83111	Fd ^{1,32} Py ^{1,32} Sx	Pl ¹ Lw ^{1,32}	1200	700	600	4	9	15	PI, Lw	1.0
	09	-	non-forested		-	-	-	-	-	-	Other	0.8
											-	-

1,2 etc - see "Footnotes"

*Avoid logging

** Additional information or requirements may be contained in the text portion of the reference guide.

BGC			Regeneration Guide						Free Growing Guide			
Classification			Species		Stocking(i)			Regen Delay (Max yrs)	Assessment		Min. Height(ii)	
Zone/SZ	Series	Standards ID	Conifer		Target	MIN pa	MIN p		Earliest	Latest	Species	Ht
			Preferred (p)	Acceptable (a)	(well-spaced/ha)				(yrs)	(yrs)		(m)
MSdk	01	83112	Fd ³² Lw ³² PI Sx	BI	1200	700	600	7	12	15	PI, Lw Others	1.4 0.8
	02	-	non-forested		-	-	-	-	-	-	-	-
	03	83113	Fd Lw PI	Sx	1000	500	400	7	12	15	PI, Lw Others	1.0 0.6
	04	83114	Fd Lw PI Sx	BI	1200	700	600	7	12	15	PI, Lw Others	1.4 0.8
	05	83115	Fd ³² Lw ³² PI Sx	BI	1200	700	600	7	12	15	PI, Lw Others	1.4 0.8
	06	83116	Sx Fd ^{1,32} Lw ^{1,32}	BI PI ¹	1200	700	600	4	9	15	PI, Lw Others	1.4 0.8
	07*	-			-	-	-	-	-	-	-	-
MSdm1	01	83117	PI Sx	BI Fd ^{9,14,32} Lw ^{9,14,32}	1200	700	600	7	12	15	PI, Lw Others	1.4 0.8
	02	83118	Fd PI Lw		600	400	400	7	12	15	PI, Lw Fd	1.0 0.6
	03	83119	PI Fd ³² Lw ³²	Sx ^{10,13}	1000	500	400	7	12	15	PI, Lw Others	1.0 0.6
	04	83120	Fd ^{14,32} Lw ^{14,32} PI	Sx ^{10,13}	1200	700	600	7	12	15	PI, Lw Others	1.4 0.8
	05	83121	PI Sx	BI ^{10,13} Fd ^{9,14,32} Lw ^{9,14,32}	1200	700	600	4	9	15	PI, Lw Others	1.4 0.8
	06	83122	PI Sx	BI Fd ^{9,14,32} Lw ^{9,14,32}	1200	700	600	4	9	15	PI, Lw Others	1.4 0.8
	07	83123	PI ¹ Sx ¹	BI ¹	1000	500	400	4	9	15	PI Others	1.0 0.6
	08	83124	PI Sx	BI Fd ^{9,14,32} Lw ^{9,14,32} Cw ³²	1200	700	600	4	9	15	PI, Lw Others	1.4 0.8
	09	-	non-forested		-	-	-	-	-	-	-	-
PPdh1	01~	83125	Py Fd ²⁷		600	400	400	7	12	15	All	0.6
	02	-	non-forested		-	-	-	-	-	-	-	-
	03	-	non-forested		-	-	-	-	-	-	-	-
	04~	83126	Fd Py		600	400	400	7	12	15	All	0.6
	05~	83127	Fd ^{1,32} Py ¹		600	400	400	7	12	15	All	0.6
	06	-	not in timber harvesting base									
PPdh2	01~	83128	Py Fd ^{27,32}	PI ²³	600	400	400	7	12	15	All	0.6
	02a	-	non-forested		-	-	-	-	-	-	-	-
	02b	-	non-forested		-	-	-	-	-	-	-	-
	03~	83129	Fd ³² Py ¹ Sx ²⁸	PI ²³	1000	500	400	7	12	15	All	0.6

1,2 etc - see "Footnotes"

*Avoid logging

** Additional information or requirements may be contained in the text portion of the reference guide.

1,2 etc - see "Footnotes"

*Avoid logging

** Additional information or requirements may be contained in the text portion of the reference guide.

1,2 etc - see "Footnotes"

*Avoid logging

** Additional information or requirements may be contained in the text portion of the reference guide.

1,2 etc - see "Footnotes"

*Avoid logging

** Additional information or requirements may be contained in the text portion of the reference guide.

1,2 etc - see "Footnotes"

*Avoid logging

** Additional information or requirements may be contained in the text portion of the reference guide.

**If harvesting is planned for the ICHxw, you must consult the regional field guide and ecologist to determine stocking standards and species selection.

1,2 etc - see "Footnotes"

*Avoid logging

** Additional information or requirements may be contained in the text portion of the reference guide.

1,2 etc - see "Footnotes"

*Avoid logging

** Additional information or requirements may be contained in the text portion of the reference guide.