

Reference Guide for FDP Stocking Standards**

Prince George Forest Region

See the 'Instructions' worksheet (click on tab at bottom of screen)
for tips on using features in this workbook.

BGC		Regeneration Guide										Free Growing Guide			
Classification		Species						Stocking(i)			Regen Delay (Max yrs)	Assessment		Min. Height(ii)	
Zone/SZ	Series	Primary	Preferred (p)	Secondary	Acceptable (a)	Tertiary	Broadleaf	Target (well-spaced/ha)	MIN pa	MIN p		Earliest (yrs)	Latest (yrs)	Species	Ht (m)
BWBSdk1	01	PI Sw ³²	PI Sw ³²	BI	BI	Sb	At ^{16,a} Ep ^{16,a}	1200	700	600	7	12	15	PI	1.60
	02*	PI	PI		Sb Sw	BI ⁵³ Sb Sw	At ^b	1000	500	400	7	12	15	Others	0.80
	03	PI	PI Sw ²⁸	Sw ²⁸			At ^{16,a}	1200	700	600	7	12	15	PI	1.60
	04	PI	PI		Sb Sw ³²	Sb Sw ³²	At ^b	1200	700	600	7	12	15	Others	0.80
	05	PI Sw	PI Sw	BI	BI	Sb	At ^a Ep ^a	1200	700	600	7	12	15	PI	1.60
	06	PI Sw ³²	PI Sw ³²	BI	BI	Sb	Acb ^b At ^b Ep ^b	1200	700	600	7	12	15	Others	0.80
	07	PI ¹ Sb ¹ Sw ^{1,32}	PI ¹ Sb ¹ Sw ^{1,32}			BI ⁵³	At ^b	1200	700	600	7	12	15	PI	1.60
	08	Sw ^{1,32}	Sw ^{1,32} PI ¹	PI ¹	Sb	BI ⁵³ Sb	Acb ^a At ^b Ep ^b	1000	500	400	4	9	15	Others	0.80
	09*	PI ¹ Sb ¹ Sw ^{1,32}	PI ¹ Sb ¹ Sw ^{1,32}					400	200	200	4	9	15	PI	1.20
	10*	PI ¹ Sb ¹ Sw ^{1,32}	PI ¹ Sb ¹ Sw ^{1,32}					400	200	200	4	9	15	Others	0.60
	11*	PI ¹ Sb ¹ Sw ^{1,32}	PI ¹ Sb ¹ Sw ^{1,32}				Acb ^b At ^b	400	200	200	4	9	15	PI	1.20
	31	non-forested	non-forested					-	-	-	-	-	-	Others	0.60
BWBSdk2	01	PI Sw ³²	PI Sw ³²		Sb	Sb	At ^{16,a} Ep ^{16,a}	1200	700	600	7	12	15	PI	1.60
	02*	PI	PI		Sb Sw	Sb Sw	At ^b	1000	500	400	7	12	15	Others	0.80
	03	PI	PI		Sb Sw ³²	Sb Sw ³²	At ^b	1200	700	600	7	12	15	PI	1.60
	04	PI Sb Sw	PI Sb Sw	Lt	Lt		At ^b	1000	500	400	4	9	15	Others	0.80
	05	PI Sw ³²	PI Sw ³²				At ^a Ep ^a	1200	700	600	7	12	15	PI	1.60
	06	Sw ^{1,32}	Sw ^{1,32} PI ¹	PI ¹	Sb	Sb	Acb ^a At ^b Ep ^b	1000	500	400	4	9	15	Others	0.80
	07*	Lt ¹ PI ¹ Sb ¹ Sw ^{1,32}	Lt ¹ PI ¹ Sb ¹ Sw ^{1,32}					400	200	200	4	9	15	PI	1.20
	08*	Lt ¹ Sb ¹ Sw ^{1,32}	Lt ¹ Sb ¹ Sw ^{1,32}					400	200	200	4	9	15	Others	0.60
	31	non-forested	non-forested					-	-	-	-	-	-	All	0.60
	32	non-forested	non-forested					-	-	-	-	-	-	-	-
	81	non-forested	non-forested					-	-	-	-	-	-	-	-
BWBSmw1	01	PI Sw ³²	PI Sw ³²				Acb ^a At ^a Ep ^a	1200	700	600	4	9	15	PI	2.00
	01		PI Sw ³²		At ^{a,59} Ac ^{ab,59}			1200	700	600	4	9	15	Sw	2.50
	01		At ^a Ac ^{ab}					2500	1200	1000	4	9	15	PI At Ac	2.00

1,2 etc - see "Footnotes"

*Avoid logging

** Additional information or requirements may be contained in the text portion of the reference guide.

Reference Guide for FDP Stocking Standards**

Prince George Forest Region

BGC		Regeneration Guide										Free Growing Guide			
Classification		Species						Stocking(i)			Regen Delay (Max yrs)	Assessment		Min. Height(ii)	
Zone/SZ	Series	Primary	Preferred (p)	Secondary	Acceptable (a)	Tertiary	Broadleaf	Target (well-spaced/ha)	MIN pa	MIN p		Earliest (yrs)	Latest (yrs)	Species	Ht (m)
	01		Sw ³² At ^a Ac ^{ab}		PI Sw ³² PI			1200 3500	700 2000	600 1700	4	5	10	Sw PI At Ac Sw	2.00 2.00 2.00
	02	PI	PI		Sw	Sw	At ^b	1200	700	600	7	12	15	PI Sw	1.40 1.00
	03	PI	PI Sw ²⁸	Sw ²⁸			At ^a	1200	700	600	7	12	15	PI Sw	2.00 1.00
	04	PI	PI		Sb Sw ^{28,32}	Sb Sw ^{28,32}	At ^b	1200	700	600	7	12	15	PI Others	2.00 1.00
	05	Sw ³²	Sw ³² PI	PI	Sb	Sb	Acb ^b At ^a Ep ^a	1200	700	600	4	9	15	PI Others	2.00 1.00
	06	Sw ³²	Sw ³² PI	PI			Acb ^a At ^a Ep ^a	1200	700	600	4	9	15	PI Sw	2.00 1.00
	07	Sw ^{1,32}	Sw ^{1,32} PI ¹	PI ¹			Acb ^a	1000	500	400	4	9	15	PI Sw	1.40 0.80
	08*	PI ¹ Sb ¹ Sw ^{1,32}	PI ¹ Sb ¹ Sw ^{1,32}					400	200	200	4	9	15	PI Others	1.40 0.80
BWBSmw2	01	PI Sw ³²	PI Sw ³²		Sb	Sb	Acb ^a At ^a Ep ^a	1200	700	600	4	9	15	PI Sb Sw	2.00 1.00
	01		PI Sw ³²		At ^{a,59} Ac ^{ab,59}			1200	700	600	4	9	15	Sw PI At Ac	2.50 2.00
	01		At ^a Ac ^{ab} Sw ³²		PI			2500 1200	1200 700	1000 600	4	9	15	At Ac Sw PI	2.00 2.00
	01		At ^a Ac ^{ab}		Sw ³² PI			2500	2000	1700	4	5	10	At Ac PI Sw	2.00 2.00 1.00
	02	PI	PI		Sw	Sw	At ^b	1200	700	600	7	12	15	PI Sw	2.00 1.00
	03	PI	PI		Sb Sw ³²	Sb Sw ³²	At ^b	1200	700	600	7	12	15	PI Others	2.00 1.00
	04	PI	PI		Sb Sw ³²	Sb Sw ³²	At ^b	1200	700	600	7	12	15	PI Others	2.00 1.00
	05	Sw ^{1,32}	Sw ^{1,32}				Acb ^a	1200	700	600	4	9	15	Sw	1.00
	05		Ac ^{ab}		Sw ^{1,32}			2500	2000	1700	4	5	10	Ac Sw	2.00 1.00
	06	PI ¹ Sb ¹ Sw ^{1,32}	PI ¹ Sb ¹ Sw ^{1,32}					1000	500	400	4	9	15	PI Others	1.40 1.00
	07	Lt ¹ Sw ^{1,32}	Lt ¹ Sw ^{1,32}		Sb ¹	Sb ¹		1000	500	400	4	9	15	All	1.00
	08*	PI ¹ Sb ¹ Sw ^{1,32}	PI ¹ Sb ¹ Sw ^{1,32}					400	200	200	4	9	15	PI Others	1.40 0.80
	09*	Lt ¹ PI ¹ Sb ¹ Sw ^{1,32}	Lt ¹ PI ¹ Sb ¹ Sw ^{1,32}					400	200	200	4	9	15	PI Others	1.40 0.80
	10*	Lt ¹ PI ¹ Sb ¹ Sw ^{1,32}	Lt ¹ PI ¹ Sb ¹ Sw ^{1,32}					400	200	200	4	9	15	PI Others	1.40 0.80

1,2 etc - see "Footnotes"

*Avoid logging

** Additional information or requirements may be contained in the text portion of the reference guide.

Reference Guide for FDP Stocking Standards**

Prince George Forest Region

BGC		Regeneration Guide										Free Growing Guide			
Classification		Species						Stocking(i)			Regen Delay	Assessment		Min. Height(ii)	
Zone/SZ	Series					Broadleaf	Target	MIN pa	MIN p		Earliest	Latest	Species	Ht	
		Primary	Preferred (p)	Secondary	Acceptable (a)	Tertiary	(well-spaced/ha)			(Max yrs)	(yrs)	(yrs)		(m)	
BWBSwk1	01	PI Sw	PI Sw			At ^a	1200	700	600	4	9	15	PI	2.00	
	02	PI	PI		Sw	Sw	1200	700	600	7	12	15	Sw	1.00	
	03	PI	PI		Sb Sw ³²	Sb Sw ³²	1200	700	600	7	12	15	PI	2.00	
	04	PI	PI Sw ²⁸	Sw ²⁸		At ^a	1200	700	600	7	12	15	Others	1.00	
	05	Sw ³²	Sw ³² PI	PI		Acb ^a At ^a Ep ^a	1200	700	600	7	12	15	PI	2.00	
	06	Sw ^{1,32}	Sw ^{1,32} PI ¹	PI ¹		Acb ^a	1000	500	400	4	9	15	Sw	1.00	
	07*	PI ¹ Sb ¹ Sw ^{1,32}	PI ¹ Sb ¹ Sw ^{1,32}				400	200	200	4	9	15	PI	1.40	
	08*	Lt PI ¹ Sb ¹ Sw ^{1,32}	Lt PI ¹ Sb ¹ Sw ^{1,32}				400	200	200	4	9	15	Others	0.80	
BWBSwk2	01	PI Sw	PI Sw			At ^a	1200	700	600	4	9	15	PI	2.00	
	02	PI	PI		Sw	Sw	1000	500	400	7	12	15	Sw	1.00	
	03	PI	PI		Sb Sw ³²	Sb Sw ³²	1200	700	600	7	12	15	PI	1.40	
	04	PI	PI Sw ²⁸	Sw ²⁸		At ^b	1200	700	600	7	12	15	Sw	0.80	
	05	Sw ²²	Sw ²² PI	PI		Acb ^a At ^a Ep ^a	1200	700	600	4	9	15	PI	2.00	
	06	Sw ^{1,32}	Sw ^{1,32} PI ¹	PI ¹		Acb ^a	1000	500	400	4	9	15	Sw	1.00	
	07*	PI ¹ Sb ¹ Sw ^{1,32}	PI ¹ Sb ¹ Sw ^{1,32}				400	200	200	4	9	15	PI	1.40	
	08*	Lt PI ¹ Sb ¹ Sw ^{1,32}	Lt PI ¹ Sb ¹ Sw ^{1,32}				400	200	200	4	9	15	Others	0.80	
BWBSwk3	01	PI Sw	PI Sw			At ^b	1200	700	600	4	9	15	PI	2.00	
												Sw	1.00		
ESSFmm1	01	BI Se	BI Se	PI	PI		1200	700	600	4	12	20	PI	1.60	
	02	BI ²⁸ PI Se ²⁸	BI ²⁸ PI Se ²⁸				1000	500	400	7	15	20	Others	0.80	
	03	PI	PI Se ²⁸	BI ²⁸ Se ²⁸	BI ²⁸		1000	500	400	4	12	20	PI	1.20	
	04	BI Se	BI Se	PI	PI		1200	700	600	4	12	20	Others	0.60	
	05	BI Se	BI Se	PI	PI		1200	700	600	4	12	20	PI	1.60	
	06	BI Se	BI Se	PI	PI		1200	700	600	4	12	20	Others	0.80	
	07*	BI ^{1,32} Se ^{1,32}	BI ^{1,32} Se ^{1,32}	PI ¹	PI ¹		400	200	200	4	12	15	PI	1.60	
												Others	0.80		
ESSFmv1	01	BI Se	BI Se	PI	PI		1200	700	600	4	12	20	PI	1.60	
												Others	0.80		

1,2 etc - see "Footnotes"

*Avoid logging

** Additional information or requirements may be contained in the text portion of the reference guide.

Reference Guide for FDP Stocking Standards**

Prince George Forest Region

BGC		Regeneration Guide										Free Growing Guide			
Classification		Species						Stocking(i)			Regen Delay (Max yrs)	Assessment		Min. Height(ii)	
Zone/SZ	Series						Broadleaf	Target (well-spaced/ha)	MIN pa	MIN p		Earliest (yrs)	Latest (yrs)	Species	Ht (m)
		Primary	Preferred (p)	Secondary	Acceptable (a)	Tertiary									
	02	PI	PI		BI	BI		1000	500	400	7	12	15	PI	1.20
	03	BI PI Se	BI PI Se					1000	500	400	7	15	20	BI	0.60
	04	BI Se	BI Se	PI	PI			1000	500	400	7	15	20	PI	1.20
	05	BI ^{1,32} Se ^{1,32}	BI ^{1,32} Se ^{1,32}	PI ¹	PI ¹			1000	500	400	4	12	20	Others	0.60
														PI	1.20
														Others	0.60
ESSFmv2	01	BI Se	BI Se	PI	PI			1200	700	600	4	12	20	PI	1.60
	02*	BI PI Se	BI PI Se					1200	700	600	4	12	20	Others	0.80
	03	BI PI Se	BI PI Se		Sb	Sb		1000	500	400	4	12	20	PI	1.20
	04	BI Se	BI Se	PI	PI			1200	700	600	4	12	20	Others	0.60
	05	BI Se	BI Se	PI	PI			1200	700	600	4	12	20	PI	1.60
	06	BI Se	BI Se	PI	PI			1200	700	600	4	12	20	Others	0.80
	06*	BI ^{1,32} Se ^{1,32}	BI ^{1,32} Se ^{1,32}	PI ¹	PI ¹			400	200	200	4	12	20	PI	1.20
													Others	0.60	
ESSFmv3	01	BI Se	BI Se	PI ³⁴	PI ^{34,66}			1200	700	600	4	12	20	PI	1.60
	02*	PI ³⁴	PI ³⁴ Se ²⁸	BI ²⁸ Se ²⁸	BI ²⁸			1000	500	400	4	12	20	Others	0.80
	03	BI Se	BI Se	PI ³⁴	PI ³⁴	Sb		1000	500	400	4	12	20	PI	1.20
	04	BI Se	BI Se		PI ³⁴	PI ³⁴		1200	700	600	4	12	20	Others	0.60
	05	BI Se	BI Se		PI ³⁴	PI ³⁴		1200	700	600	4	12	20	PI	1.60
	06	BI Se	BI Se	PI ³⁴	PI ^{34,66}			1200	700	600	7	12	15	Others	0.80
	07	BI ^{1,32} Se ^{1,32}	BI ^{1,32} Se ^{1,32}	PI ^{1,34}	PI ^{1,34,66}			1000	500	400	4	12	20	PI	1.20
													Others	0.60	
ESSFmv4	01	BI Se	BI Se	PI	PI			1200	700	600	4	12	20	PI	1.60
	02*	BI ²⁸ PI Se ²⁸	BI ²⁸ PI Se ²⁸					1000	500	400	4	12	20	Others	0.80
	03	BI PI Se	BI PI Se			Sb		1000	500	400	4	12	20	PI	1.20
	04	BI ^{1,32} PI ¹ Se ^{1,32}	BI ^{1,32} PI ¹ Se ^{1,32}					1200	700	600	4	12	20	Others	0.60
	05*	BI ^{1,32} Se ^{1,32}	BI ^{1,32} Se ^{1,32}	PI ¹	PI ¹			400	200	200	4	12	20	PI	1.20
													Others	0.60	
ESSFwc2	01	BI Se	BI Se		PI ^{23,34}	PI ^{23,34}		1200	700	600	4	12	20	PI	1.60
	02*	PI	PI Se ^{10,13}	BI ^{10,13} Se ^{10,13}	BI ^{10,13}			1000	500	400	7	15	20	Others	0.80
	03	Se	Se BI ^{10,13}	BI ^{10,13}	PI ^{23,34}	PI ^{23,34}		1000	500	400	7	15	20	PI	1.20
	04	BI Se	BI Se		PI ^{23,34}	PI ^{23,34}		1200	700	600	7	15	20	Others	0.60
													PI	1.60	
														Others	0.80

1,2 etc - see "Footnotes"

*Avoid logging

** Additional information or requirements may be contained in the text portion of the reference guide.

Reference Guide for FDP Stocking Standards**

Prince George Forest Region

BGC		Regeneration Guide										Free Growing Guide			
Classification		Species						Stocking(i)			Regen Delay (Max yrs)	Assessment		Min. Height(ii)	
Zone/SZ	Series						Broadleaf	Target	MIN pa	MIN p		Earliest	Latest	Species	Ht
		Primary	Preferred (p)	Secondary	Acceptable (a)	Tertiary			(well-spaced/ha)			(yrs)	(yrs)		(m)
	05	Bl Se	Bl Se		Pl ³⁴	Pl ³⁴		1200	700	600	7	15	20	Pl	1.60
	06	Bl ³² Se ³²	Bl ³² Se ³²		Pl ^{23,34}	Pl ^{23,34}		1200	700	600	4	12	20	Others	0.80
														Pl	1.60
	07	Bl Se	Bl Se		Pl ^{23,34}	Pl ^{23,34}		1200	700	600	4	12	20	Pl	1.60
	08	Bl ^{1,32} Se ^{1,32}	Bl ^{1,32} Se ^{1,32}		Pl ^{23,24}	Pl ^{23,24}		1000	500	400	4	12	20	Others	0.80
	09*	Pl ¹	Pl ¹ Se ^{1,32}	Bl ^{1,32} Se ^{1,32}	Bl ^{1,32}			400	200	200	4	12	20	Pl	1.20
	10	non-forested	non-forested					-	-	-	-	-	-	Others	0.60
ESSFwc3	01	Bl Se	Bl Se		Pl ³⁴	Pl ³⁴		1200	700	600	4	12	20	Pl	1.60
	02	Bl Se	Bl Se		Pl ³⁴	Pl ³⁴		1000	500	400	7	15	20	Se	0.80
	03*	Bl ^{1,32,34} Se ^{1,32,34}	Bl ^{1,32,34} Se ^{1,32,34}					400	200	200	7	15	20	Pl	1.20
ESSFwk1	01	Bl Se	Bl Se	Pl ³⁴	Pl ³⁴			1200	700	600	4	12	20	Others	0.60
	02	Bl Se	Bl Se	Pl ³⁴	Pl ³⁴			1000	500	400	7	15	20	Pl	1.20
	03	Se	Bl Se	Bl Pl ³⁴	Pl ³⁴			1200	700	600	4	12	20	Others	0.80
	04	Bl ³² Se ³²	Bl ³² Se ³²	Pl ³⁴	Pl ³⁴			1200	700	600	4	12	20	Pl	1.60
	05	Bl Se	Bl Se	Pl ³⁴	Pl ³⁴			1200	700	600	4	12	20	Others	0.80
	06	Bl ^{1,32} Se ^{1,32}	Bl ^{1,32} Se ^{1,32}					1000	500	400	4	12	20	Pl	1.60
	07	Bl ^{1,32} Se ^{1,32}	Bl ^{1,32} Se ^{1,32}					1000	500	400	4	12	20	Others	0.80
	08	non-forested	non-forested					-	-	-	-	-	-	All	0.60
ESSFwk2	01	Bl Se	Bl Se					1200	700	600	4	12	20	All	0.80
	02	Bl Se	Bl Se					1200	700	600	4	12	20	All	0.80
	03	Bl Se	Bl Se		Pl ³⁴	Pl ³⁴		1200	700	600	4	12	20	Pl	1.60
	04	Bl Se	Bl Se					1200	700	600	4	12	20	Others	0.80
	05	Bl Se	Bl Se					1200	700	600	4	12	20	All	0.80
	06	Bl ^{1,32} Se ^{1,32}	Bl ^{1,32} Se ^{1,32}					1000	500	400	4	12	20	All	0.60
ICHmm	01	Fd Pl Sx ³⁵	Fd Pl Sx ³⁵ Cw	Bl ²⁹ Cw Hw	Bl ²⁹ Hw	At ^a Ep ^a		1200	700	600	4	9	15	Pl	2.00
	02	Fd Pl	Fd Pl	Hw	Hw Cw Sx	Bl ²⁹ Cw Sx	At ^b Ep ^b	1000	500	400	4	9	15	Fd	1.40
	03	Fd Hw Pl	Fd Hw Pl Sx	Bl ²⁹ Sx	Bl ²⁹ Cw	Cw	At ^a Ep ^a	1200	700	600	4	9	15	Others	1.00
	04	Cw ³² Hw ³² Sx ³⁵	Cw ³² Hw ³² Sx ³⁵ Fd ³²	Bl ²⁹ Fd ³² Pl	Bl ²⁹ Pl Pw ³¹	Pw ³¹	Act ^b At ^a Ep ^a	1200	700	600	4	9	15	Pl, Fd	1.40
	05	Cw ³² Hw ³² Sx ³⁵	Cw ³² Hw ³² Sx ³⁵ Fd ^{1,32}	Bl ²⁹ Fd ^{1,32} Pl ¹	Bl ²⁹ Pl ¹	Act ^a At ^a Ep ^a		1200	700	600	4	9	15	Pl, Pw	2.00
													Fd	1.40	
														Others	1.00

1,2 etc - see "Footnotes"

*Avoid logging

** Additional information or requirements may be contained in the text portion of the reference guide.

Reference Guide for FDP Stocking Standards**

Prince George Forest Region

BGC		Regeneration Guide										Free Growing Guide			
Classification		Species										Assessment		Min. Height(ii)	
Zone/SZ	Series						Broadleaf	Stocking(i)			Regen Delay (Max yrs)	Earliest		Species	Ht (m)
		Primary	Preferred (p)	Secondary	Acceptable (a)	Tertiary		Target (well-spaced/ha)	MIN pa	MIN p		(yrs)	(yrs)		
	06	Cw ^{1,32} Hw ^{1,32} Pl ¹ Sx ^{1,32,35}	Cw ^{1,32} Hw ^{1,32} Pl ¹ Sx ^{1,32,35}	Bl ^{1,29}	Bl ^{1,29}	Act ^a		1000	500	400	4	9	15	Pl	1.40
	07*	Pl ¹ Sb ¹ Sx ^{1,32,35}	Pl ¹ Sb ¹ Sx ^{1,32,35}					400	200	200	4	9	15	Pl	1.40
	08*	Cw ^{1,32} Hw ^{1,32} Sx ^{1,32,35}	Cw ^{1,32} Hw ^{1,32} Sx ^{1,32,35}	Bl ^{1,29,32} Pl ¹	Bl ^{1,29,32} Pl ¹			400	200	200	4	9	15	Others	0.80
ICHvk2	01	Sx ³⁵	Sx ³⁵ Cw ^{32,37} Fd ^{3,9,32}	Bl Cw ^{32,37} Fd ^{3,9,32} Pl ³⁴	Bl Pl ³⁴	Hw ^{32,37} Act ^b At ^a Ep ^a		1200	700	600	4	9	15	Pl	2.00
	02*	Fd Hw ³⁷	Fd Hw ³⁷	Pl ³⁴	Pl ³⁴ Cw ³⁷ Sx ³⁵	Cw ³⁷ Sx ³⁵		1000	500	400	7	12	15	Fd	1.40
	03	Fd	Fd Pl ³⁴	Pl ³⁴	Cw ³⁷ Sx ³⁵	Bl Cw ³⁷ Hw ³⁷ Sx ³⁵ At ^b Ep ^b		1200	700	600	4	9	15	Others	1.00
	04	Sx ³⁵	Sx ³⁵ Cw ³⁷ Fd ³	Bl Cw ³⁷ Fd ³ Pl ³⁴	Bl Pl ³⁴	Hw ³⁷ Act ^b At ^a Ep ^a		1200	700	600	4	9	15	Pl	2.00
	05	Bl ¹ Sx ^{1,32,35}	Bl ¹ Sx ^{1,32,35}	Pl ^{1,34}	Pl ^{1,34} Cw ^{32,37}	Cw ^{32,37} Hw ^{32,37} Act ^b Ep ^b		1200	700	600	4	9	15	Fd	1.40
	06*	Bl ¹ Sx ^{1,32,35}	Bl ¹ Sx ^{1,32,35} Cw ^{1,32,37}	Cw ^{1,32,37} Pl ^{1,34}	Pl ^{1,34}	Hw ^{1,32,37} Act ^b		1000	500	400	4	9	15	Others	1.00
	07*	Pl ^{1,34}	Pl ^{1,34}		Sb Sx ^{1,32,35}	Sb Sx ^{1,32,35}		400	200	200	4	9	15	Pl	1.40
ICHwk1	01	Cw Fd ^{9,14} Hw Sx	Cw Fd ^{9,14} Hw Sx	Bl ^{10,13}	Bl ^{10,13} Pw ³¹	Lw ^{9,14,23,32} Pl ^{23,34} Pw ³¹		1200	700	600	4	9	15	Pl, Pw	2.00
	02	non-forested	non-forested					-	-	-	-	-	-	Lw	2.00
	03	Fd Pl	Fd Pl		Cw Pw ³¹ Sx	Bl Cw Hw Pw ³¹ Sx		1000	500	400	7	12	15	Fd	1.40
	04	Fd ^{9,14}	Fd ^{9,14} Sx ^{10,13}	Sx ^{10,13}	Cw Pw ³¹	Bl ^{10,13} Cw Hw Lw ^{9,14,23,32} Pl ^{23,34} Pw ³¹		1200	700	600	4	9	15	Others	0.80
	05	Cw ³² Sx	Cw ³² Sx	Bl Fd ^{1,9,14, 32} Hw ³² Lw ^{1,9,14,23,32}	Bl Fd ^{1,9,14,32} Hw ³² Pw ³¹	Pl ^{23,34} Pw ³¹		1200	700	600	4	9	15	Pl, Pw	2.00
	06	Bl ¹ Cw ^{1,32} Sx ¹	Bl ¹ Cw ^{1,32} Sx ¹	Hw ^{1,32}	Hw ^{1,32} Pw ^{1,31}	Pl ^{1,23,34} Pw ^{1,31}		1000	500	400	4	9	15	Lw	2.00
	07	Cw ^{1,32} Sx	Cw ^{1,32} Sx	Bl ¹ Hw ^{1,32}	Bl ¹ Hw ^{1,32} Pw ^{1,31}	Pw ^{1,31}		1000	500	400	4	9	15	Fd	1.40
	08	Cw ^{1,32} Hw ^{1,32} Sx ¹	Cw ^{1,32} Hw ^{1,32} Sx ¹	Bl ¹	Bl ¹	Pl ^{23,34}		1000	500	400	4	9	15	Others	1.00
	09	non-forested	non-forested					-	-	-	-	-	-	Pl	1.40
ICHwk3	01	Cw ³⁷ Sx	Cw ³⁷ Sx Fd ³²	Bl ²⁹ Fd ³² Hw ³⁷ Pl ³⁴	Bl ²⁹ Hw ³⁷ Pl ³⁴	Act ^b At ^a Ep ^a		1200	700	600	4	9	15	Others	0.80
	02*	Pl ³⁴	Pl ³⁴ Hw ³⁷	Hw ³⁷	Sx	Sx		1000	500	400	7	12	15	Pl	1.40

1,2 etc - see "Footnotes"

*Avoid logging

** Additional information or requirements may be contained in the text portion of the reference guide.

Reference Guide for FDP Stocking Standards**

Prince George Forest Region

BGC		Regeneration Guide										Free Growing Guide			
Classification		Species					Stocking(i)			Regen Delay (Max yrs)	Assessment		Min. Height(ii)		
Zone/SZ	Series	Primary	Preferred (p)	Secondary	Acceptable (a)	Tertiary	Broadleaf	Target	MIN pa		MIN p	Earliest	Latest	Species	Ht (m)
	03	Fd	Fd P ³⁴	Hw ³⁷ P ³⁴	Hw ³⁷ Cw ³⁷ Sx	Bl ²⁹ Cw ³⁷ Sx	At ^b Ep ^b	1200	700	600	4	9	15	P ¹ Fd Others	2.00 1.40 1.00
	04	Fd P ¹	Fd P ¹	Hw ³⁷	Hw ³⁷ Cw ³⁷ Sx	Bl ²⁹ Cw ³⁷ Sx	At ^a Ep ^a	1200	700	600	4	9	15	P ¹ Fd Others	2.00 1.40 1.00
	05	Cw ^{32,37} Fd ^{1,32} Sx ³⁵	Cw ^{32,37} Fd ^{1,32} Sx ³⁵	Bl ²⁹ P ³⁴	Bl ²⁹ P ³⁴	Hw ^{32,37}	Act ^a At ^a Ep ^a	1200	700	600	4	9	15	P ¹ Fd Others	2.00 1.40 1.00
	06	Cw ^{32,37} Sx ^{1,32,35}	Cw ^{32,37} Sx ^{1,32,35}	Bl ^{1,29,32} P ^{1,34}	Bl ^{1,29,32} P ^{1,34}	Hw ^{32,37}	Act ^a At ^a Ep ^a	1000	500	400	4	9	15	P ¹ Others	1.40 0.80
	07*	P ^{1,34}	P ^{1,34} Sx ^{1,32,35}	Hw ^{32,37} Sx ^{1,32,35}	Hw ^{32,37} Cw ^{32,37}	Cw ^{32,37}	Act ^b At ^a Ep ^a	1000	500	400	4	9	15	P ¹ Others	1.40 0.80
	08*	Cw ^{1,32,37} Sx ^{1,32,35}	Cw ^{1,32,37} Sx ^{1,32,35}	Bl ^{1,29,32} Hw ^{1,32,37}	Bl ^{1,29,32} Hw ^{1,32,37}		Act ^b	1000	500	400	4	9	15	All	0.80
	09*	P ^{1,34}	P ^{1,34}	Bl ^{1,29,32}	Bl ^{1,29,32}	Sb		400	200	200	3	8	11	P ¹ Sb	1.40 0.80
ICHwk4	01	Fd P ¹ Sx	Fd P ¹ Sx Cw ³⁷	Bl Cw ³⁷ Hw ³⁷	Bl Hw ³⁷		Act ^b At ^a Ep ^a	1200	700	600	4	9	15	P ¹ Fd Others	2.00 1.40 1.00
	02*	Fd P ¹	Fd P ¹		Bl ²⁸	Bl ²⁸ Hw ^{28,37}	At ^b	1000	500	400	7	12	15	P ¹ Fd Others	1.40 1.00 0.80
	03*	Fd P ¹	Fd P ¹		Sx ²⁸	Hw ^{28,37} Sx ²⁸	At ^b	1000	500	400	7	12	15	P ¹ Fd Others	1.40 1.00 0.80
	04	Fd ³² P ¹ Sx ²⁸	Fd ³² P ¹ Sx ²⁸	Bl ²⁸ Hw ³²	Bl ²⁸ Hw ³²		At ^b	1200	700	600	4	9	15	P ¹ Fd Others	2.00 1.40 1.00
	05	Fd P ¹	Fd P ¹	Hw ³⁷	Hw ³⁷ Cw ^{28,37} Sx ²⁸	Bl ²⁸ Cw ^{28,37} Sx ²⁸	At ^a Ep ^a	1200	700	600	4	9	15	P ¹ Fd Others	2.00 1.40 1.00
	06	Sx ³²	Sx ³² P ¹	Bl ³² P ¹	Bl ³²	Hw ^{27,32,37}	Act ^a At ^a Ep ^a	1200	700	600	4	9	15	P ¹ Others	2.00 1.00
	07	Fd ^{1,32} Sx	Fd ^{1,32} Sx Cw ^{32,37}	Bl Cw ^{32,37} Hw ^{32,37} P ¹	Bl Hw ^{32,37} P ¹		Act ^a At ^a Ep ^a	1200	700	600	4	9	15	P ¹ Fd Others	2.00 1.40 1.00
	08	Sx ^{1,32}	Sx ^{1,32} Cw ^{1,32,37}	Bl ^{1,32} P ¹ Cw ^{1,32,37}	Bl ^{1,32} P ¹		Act ^a	1000	500	400	4	9	15	P ¹ Others	1.40 0.80
SBPSmc	01	P ¹	P ¹		Sb Sx	Sb Sx	At ^b	1200	700	600	7	12	15	P ¹ Others	1.60 0.80
	02*	P ¹	P ¹		Sb Sx	Sb Sx	At ^b	1000	500	400	7	12	15	P ¹ Others	1.20 0.60
	03	P ¹	P ¹		Sb Sx	Sb Sx	At ^b	1200	700	600	7	12	15	P ¹ Others	1.60 0.80
	04	P ¹ Sb Sx ³²	P ¹ Sb Sx ³²				At ^b	1000	500	400	4	9	15	P ¹ Others	1.20 0.60
	05	Sx ^{1,32}	Sx ^{1,32} P ¹	P ¹	Sb ⁵³	Sb ⁵³	Act ^a	1000	500	400	4	9	15	P ¹ Others	1.20 0.60
	06	Sx ^{1,32}	Sx ^{1,32} P ¹	P ¹	Sb ⁵³	Sb ⁵³	Act ^b	1000	500	400	4	9	15	P ¹ Others	1.20 0.60
	07*	P ¹ Sb ¹ Sx ^{1,32}	P ¹ Sb ¹ Sx ^{1,32}					400	200	200	4	9	15	P ¹ Others	1.20 0.60

1,2 etc - see "Footnotes"

*Avoid logging

** Additional information or requirements may be contained in the text portion of the reference guide.

Reference Guide for FDP Stocking Standards**

Prince George Forest Region

BGC		Regeneration Guide									Free Growing Guide				
Classification		Species					Stocking(i)			Regen Delay	Assessment		Min. Height(ii)		
Zone/SZ	Series						Broadleaf	Target	MIN pa	MIN p		Earliest	Latest	Species	Ht
		Primary	Preferred (p)	Secondary	Acceptable (a)	Tertiary		(well-spaced/ha)		(Max yrs)	(yrs)	(yrs)			
SBSdh	01	Fd PI Sx	Fd PI Sx	Bl ²⁹	Bl ²⁹	At ^a Ep ^a	1200	700	600	7	12	15	PI	2.00	
													Fd	1.40	
	02*	PI	PI		Sx	Sx	1000	500	400	7	12	15	Others	1.00	
													PI	1.40	
	03*	Fd Lw ²³ PI	Fd Lw ²³ PI		Pw ^{16,31}	Pw ^{16,31}	1000	500	400	7	12	15	Sx	0.80	
													PI, Pw	1.40	
	04	Fd PI	Fd PI Sx ²⁸	Sx ²⁸			1200	700	600	7	12	15	Lw	1.40	
													Fd	1.00	
												PI	2.00		
05	PI	PI		Sb Sx ³²	Sb Sx ³²	At ^b	1200	700	600	7	12	15	Fd	1.40	
													Sx	1.00	
06	Fd Sx	Fd Sx	Bl ²⁹ PI	Bl ²⁹ PI		At ^a Ep ^a	1200	700	600	7	12	15	PI	2.00	
													Fd	1.40	
07	Fd ^{1,32} PI ¹ Sx ^{1,32}	Fd ^{1,32} PI ¹ Sx ^{1,32}	Bl ^{1,29,32}	Bl ^{1,29,32}		Act ^a At ^a Ep ^a	1000	500	400	4	9	15	Others	1.00	
													PI	1.40	
08*	PI ¹ Sb ¹ Sx ^{1,32}	PI ¹ Sb ¹ Sx ^{1,32}					400	200	200	4	9	15	Fd	1.00	
													Others	0.80	
													PI	1.40	
													Others	0.80	
SBSdk	01	PI Sx	PI Sx Fd ^{9,18}	Fd ^{9,18}		At ^a Ep ^a	1200	700	600	7	12	15	PI	2.00	
													Fd	1.40	
	02*	PI	PI Sx ²⁸	Sx ²⁸		At ^b Ep ^b	1000	500	400	7	12	15	Sx	1.00	
													PI	1.40	
	03*	PI	PI Sx ²⁸	Sb ²⁸ Sx ²⁸	Sb ²⁸	At ^b	1200	700	600	7	12	15	Sx	0.80	
													PI	2.00	
	04	Fd PI	Fd PI Sx ²⁸	Sx ²⁸		At ^b Ep ^a	1200	700	600	7	12	15	Others	1.00	
													PI	2.00	
	05	PI Sx ²⁸	PI Sx ²⁸ Fd ^{9,18}	Fd ^{9,18}		At ^a Ep ^a	1200	700	600	7	12	15	Fd	1.40	
													Sx	1.00	
	06	PI Sx	PI Sx Fd ^{3,9,32}	Fd ^{3,9,32}		Act ^a At ^a Ep ^a	1200	700	600	4	9	15	PI	2.00	
													Fd	1.40	
07	Sx ^{1,32}	Sx ^{1,32} PI ¹	PI ¹		Act ^b At ^b Ep ^b	1000	500	400	4	9	15	Sx	1.00		
												PI	1.40		
08	Sx ^{1,32}	Sx ^{1,32} PI ¹	PI ¹		Act ^a At ^a Ep ^a	1200	700	600	4	9	15	Sx	0.80		
												PI	2.00		
09*	PI ¹ Sb ¹	PI ¹ Sb ¹					400	200	200	4	9	15	Sx	1.00	
													PI	1.40	
10*	PI ¹ Sb ¹ Sx ^{1,32}	PI ¹ Sb ¹ Sx ^{1,32}					400	200	200	4	9	15	Sb	0.80	
													PI	1.40	
													Others	0.80	
	81	non-forested	non-forested				-	-	-	-	-	-	-	-	
	82	non-forested	non-forested				-	-	-	-	-	-	-	-	
SBSdw1	01	Fd PI Sx ²⁸	Fd PI Sx ²⁸			Bl ^{27,28}	At ^a Ep ^a	1200	700	600	7	12	15	PI	2.00
													Fd	1.40	
	02*	Fd ²⁸ PI	Fd ²⁸ PI				At ^b	1000	500	400	7	12	15	Others	1.00
													PI	1.40	
03	Fd ²⁷ PI	Fd ²⁷ PI				At ^b	1200	700	600	7	12	15	Fd	1.00	
													PI	2.00	

1,2 etc - see "Footnotes"

*Avoid logging

** Additional information or requirements may be contained in the text portion of the reference guide.

Reference Guide for FDP Stocking Standards**

Prince George Forest Region

BGC		Regeneration Guide										Free Growing Guide			
Classification		Species						Stocking(i)			Regen Delay (Max yrs)	Assessment		Min. Height(ii)	
Zone/SZ	Series	Primary	Preferred (p)	Secondary	Acceptable (a)	Tertiary	Broadleaf	Target	MIN pa	MIN p		Earliest	Latest	Species	Ht
								(well-spaced/ha)			(yrs)	(yrs)		(m)	
	04	Fd ³² PI Sx ²⁸	Fd ³² PI Sx ²⁸				At ^b Ep ^b	1200	700	600	7	12	15	Fd 1.40 PI 2.00 Fd 1.40 Sx 1.00	
	05	Fd PI Sx	Fd PI Sx				At ^a Ep ^a	1200	700	600	7	12	15	PI 2.00 Fd 1.40 Sx 1.00	
	06	Fd PI Sx	Fd PI Sx	Bl ²⁹	Bl ²⁹		Act ^b At ^a Ep ^a	1200	700	600	7	12	15	PI 2.00 Fd 1.40 Others 1.00	
	07	Fd ^{1,32} PI Sx	Fd ^{1,32} PI Sx	Bl	Bl		Act ^b At ^a Ep ^a	1200	700	600	4	9	15	PI 2.00 Fd 1.40 Others 1.00	
	08	Fd ^{1,32} Sx	Fd ^{1,32} Sx	Bl ³² PI	Bl ³² PI		Act ^b At ^a Ep ^a	1200	700	600	4	9	15	PI 2.00 Fd 1.40 Others 1.00	
	09	Sx ^{1,32}	Sx ^{1,32} Pl ¹	Bl ^{1,32} Pl ¹	Bl ^{1,32}		Act ^a	1000	500	400	4	9	15	PI 1.40 Others 0.80	
SBSdw2	01	Fd ³² PI Sx	Fd ³² PI Sx				At ^a Ep ^a	1200	700	600	7	12	15	PI 2.00 Fd 1.40 Sx 1.00	
	02*	Fd ²⁸ PI	Fd ²⁸ PI					1000	500	400	7	12	15	PI 1.40 Fd 1.00	
	03	Fd ^{28,32} PI	Fd ^{28,32} PI				At ^b	1200	700	600	7	12	15	PI 2.00 Fd 1.40	
	04	Fd ²⁷ PI	Fd ²⁷ PI				At ^b	1200	700	600	7	12	15	PI 2.00 Fd 1.40	
	05	Fd PI Sx	Fd PI Sx				At ^b Ep ^a	1200	700	600	7	12	15	PI 2.00 Fd 1.40 Sx 1.00	
	06	Fd ³² PI Sx ²⁸	Fd ³² PI Sx ²⁸				At ^b Ep ^b	1200	700	600	7	12	15	PI 2.00 Fd 1.40 Sx 1.00	
	07	PI	PI		Sb Sx	Sb Sx	At ^b	1200	700	600	7	12	15	PI 2.00 Others 1.00	
	08	Sx	Sx PI	Bl ²⁹ Fd ^{1,3,9,32} PI	Bl ²⁹ Fd ^{1,3,9,32}		Act ^b At ^a Ep ^a	1200	700	600	4	9	15	PI 2.00 Fd 1.40 Others 1.00	
	09	Fd PI Sx	Fd PI Sx	Bl ²⁹	Bl ²⁹		Act ^b At ^a Ep ^a	1200	700	600	4	9	15	PI 2.00 Fd 1.40 Others 1.00	
	10	Sx ^{1,32}	Sx ^{1,32} Pl ¹	Bl ^{1,29,32} Pl ¹	Bl ^{1,29,32}		Act ^a	1000	500	400	4	9	15	PI 1.40 Others 0.80	
	11*	Sx ^{1,32}	Sx ^{1,32} Pl ¹	Pl ¹	Sb ¹	Sb ¹		400	200	200	4	9	15	PI 1.40 Others 0.80	
SBSdw3	01	Fd PI Sx	Fd PI Sx				At ^a Ep ^a	1200	700	600	7	12	15	PI 2.00 Fd 1.40 Sx 1.00	
	02	Fd ²⁷ PI	Fd ²⁷ PI		Sx ²⁸	Sx ²⁸		1000	500	400	7	12	15	PI 1.40 Fd 1.00	
	03	PI	PI		Sx	Sx	At ^b	1200	700	600	7	12	15	PI 2.00 Sx 1.00	
	04	Fd PI	Fd PI		Sx	Sx	At ^a Ep ^a	1200	700	600	7	12	15	PI 2.00	

1,2 etc - see "Footnotes"

*Avoid logging

** Additional information or requirements may be contained in the text portion of the reference guide.

Reference Guide for FDP Stocking Standards**

Prince George Forest Region

BGC		Regeneration Guide										Free Growing Guide			
Classification		Species						Stocking(i)			Regen Delay	Assessment		Min. Height(ii)	
Zone/SZ	Series	Primary	Preferred (p)	Secondary	Acceptable (a)	Tertiary	Broadleaf	Target	MIN pa	MIN p	(Max yrs)	Earliest	Latest	Species	Ht
								(well-spaced/ha)				(yrs)	(yrs)		(m)
	05	PI	PI		Sb Sx ³²	Sb Sx ³²	At ^b	1200	700	600	7	12	15	Fd	1.40
	06	PI Sx ³²	PI Sx ³² Fd ³²	BI ²⁹ Fd ³²	BI ²⁹	Sb	Act ^b At ^a Ep ^a	1200	700	600	4	9	15	Sx	1.00
	07	Sx	Sx PI	BI ²⁹ PI	BI ²⁹		Act ^b At ^a Ep ^a	1200	700	600	4	9	15	PI	2.00
	08	PI Sx	PI Sx Fd ^{3,32}	BI ²⁹ Fd ^{3,32}	BI ²⁹		Act ^a At ^a Ep ^a	1200	700	600	4	9	15	Others	1.00
	09	PI ¹ Sx ^{1,32}	PI ¹ Sx ^{1,32}	BI ^{1,29}	BI ^{1,29}			1000	500	400	4	9	15	PI	2.00
	10*	Lt ¹ PI ¹ Sb ¹ Sx ^{1,32}	Lt ¹ PI ¹ Sb ¹ Sx ^{1,32}					400	200	200	4	9	15	Fd	1.40
														Others	1.00
														PI	1.40
														Others	0.80
														PI	1.40
														Others	0.80
SBSmc2	01	PI Sx	PI Sx	BI ²⁹	BI ²⁹		At ^a	1200	700	600	7	12	15	PI	1.60
	02*	PI	PI		BI ³² Sx ³²	BI ³² Sx ³²	At ^b	1000	500	400	7	12	15	Others	0.80
	03	PI	PI Sx ³²	BI ²⁹ Sb Sx ³²	BI ²⁹ Sb		At ^b	1200	700	600	7	12	15	PI	1.20
	04	PI Sx	PI Sx	BI ²⁹	BI ²⁹		At ^b	1200	700	600	4	9	15	Others	0.60
	05	PI Sx	PI Sx	BI ²⁹	BI ²⁹		Act ^a At ^a	1200	700	600	4	9	15	PI	1.60
	06	PI Sx	PI Sx	BI ²⁹	BI ²⁹		Act ^b At ^a	1200	700	600	4	9	15	Others	0.80
	07	PI Sb Sx ³²	PI Sb Sx ³²			BI ⁵³	At ^b	1000	500	400	4	9	15	PI	1.60
	08	PI Sx	PI Sx	BI ²⁹	BI ²⁹		Act ^b At ^a	1200	700	600	4	9	15	Others	0.60
	09	Sx	Sx PI	BI ²⁹ PI	BI ²⁹		Act ^b At ^a	1200	700	600	4	9	15	PI	1.60
	10	Sx ^{1,32}	Sx ^{1,32} PI ¹	BI ^{1,29,32} PI ¹	BI ^{1,29,32}		Act ^b At ^b	1000	500	400	4	9	15	Others	0.80
	11	Sx ^{1,32}	Sx ^{1,32} PI ¹	BI ^{1,29,32} PI ¹	BI ^{1,29,32}		Act ^b	1000	500	400	4	9	15	PI	1.20
	12*	PI ¹ Sb ¹ Sx ^{1,32}	PI ¹ Sb ¹ Sx ^{1,32}					400	200	200	4	9	15	Others	0.60
														PI	1.20
														Others	0.60
SBSmc3	01	PI Sx	PI Sx	BI ²⁹	BI ²⁹			1200	700	600	7	12	15	PI	1.60
	02	PI	PI		Sx	Sx		1200	700	600	7	12	15	Others	0.80
	03	PI	PI		Sx	Sx		1200	700	600	7	12	15	PI	1.60
	04	PI Sx ²⁸	PI Sx ²⁸		Sb	BI ^{28,29} Sb		1200	700	600	7	12	15	Sx	0.80
	05	PI	PI		Sb Sx ³²	Sb Sx ³²		1200	700	600	7	12	15	PI	1.60
	06	PI	PI		Sb Sx ³²	Sb Sx ³²		1200	700	600	7	12	15	Others	0.80
	07	PI Sx	PI Sx	BI ²⁹	BI ²⁹	Sb	Act ^b At ^a Ep ^a	1200	700	600	4	9	15	PI	1.60

1,2 etc - see "Footnotes"

*Avoid logging

** Additional information or requirements may be contained in the text portion of the reference guide.

Reference Guide for FDP Stocking Standards**

Prince George Forest Region

BGC		Regeneration Guide										Free Growing Guide			
Classification		Species						Stocking(i)			Regen	Assessment		Min. Height(ii)	
Zone/SZ	Series						Broadleaf	Target	MIN pa	MIN p	Delay	Earliest	Latest	Species	Ht
		Primary	Preferred (p)	Secondary	Acceptable (a)	Tertiary		(well-spaced/ha)	(Max yrs)	(yrs)		(yrs)	(m)		
	08	Sx ^{1,32}	Sx ^{1,32} Pl ¹	Bl ^{1,29,32} Pl ¹	Bl ^{1,29,32}	Sb	Act ^a	1000	500	400	4	9	15	Others	0.80
	09*	Pl ¹ Sb ¹ Sx ^{1,32}	Pl ¹ Sb ¹ Sx ^{1,32}					400	200	200	4	9	15	Pl	1.20
														Others	0.60
SBSmh	01	Fd Pl Sx	Fd Pl Sx	Bl ²⁹	Bl ²⁹	Act ^b At ^a Ep ^a	1200	700	600	7	12	15	Pl	2.00	
	02*	Fd ²⁸ Pl	Fd ²⁸ Pl			At ^b Ep ^b	1000	500	400	7	12	15	Fd	1.40	
	03	Fd Pl Sx ²⁸	Fd Pl Sx ²⁸	Bl ²⁹	Bl ²⁹	At ^b Ep ^b	1000	500	400	7	12	15	Others	1.00	
	04	Fd ²⁸	Fd ²⁸		Bl ^{28,29} Sx ²⁸	Bl ^{28,29} Sx ²⁸	At ^b Ep ^a	1200	700	600	7	12	15	Pl	1.40
	05	Fd ³² Pl Sx	Fd ³² Pl Sx	Bl ²⁹	Bl ²⁹	Act ^b At ^a Ep ^a	1200	700	600	7	12	15	Fd	1.00	
	06	Fd ³² Pl Sx	Fd ³² Pl Sx	Bl ²⁹	Bl ²⁹	Act ^b At ^a Ep ^a	1200	700	600	7	12	15	Others	0.80	
	07	Fd Sx	Fd Sx	Bl ²⁹	Bl ²⁹	Act ^b At ^a Ep ^a	1200	700	600	4	9	15	Pl	2.00	
	08	Fd Sx	Fd Sx	Bl ²⁹	Bl ²⁹	Act ^a At ^a Ep ^a	1200	700	600	4	9	15	Fd	1.40	
	09	Sx ^{1,32}	Sx ^{1,32}	Bl ^{1,29}	Bl ^{1,29}	Act ^a	1000	500	400	4	9	15	Others	1.00	
SBSmk1	01	Pl Sx	Pl Sx Fd ^{3,32}	Bl ²⁹ Fd ^{3,32}	Bl ²⁹	At ^a Ep ^a	1200	700	600	7	12	15	Pl	2.00	
	02*	Pl	Pl		Sx ²⁸	Sx ²⁸	At ^b	1200	700	600	7	12	15	Fd	1.40
	03	Pl	Pl		Sx	Sx	At ^b	1200	700	600	7	12	15	Others	1.00
	04	Fd Pl	Fd Pl		Sx ²⁸ Bl ^{28,29}	Bl ^{28,29} Sx ²⁸	At ^b Ep ^a	1200	700	600	7	12	15	Pl	2.00
	05	Pl Sx	Pl Sx Fd ^{3,32}	Fd ^{3,32}	Bl ²⁹	Bl ²⁹	At ^a Ep ^a	1200	700	600	7	12	15	Fd	1.40
	06	Pl	Pl		Sb Sx ³²	Sb Sx ³²	At ^b	1200	700	600	7	12	15	Others	1.00
	07	Pl Sx	Pl Sx Fd ^{3,8,32}	Bl ²⁹ Fd ^{3,8,32}	Bl ²⁹	Act ^b At ^a Ep ^a	1200	700	600	4	9	15	Pl	2.00	
	08	Sx ³²	Sx ³² Pl	Bl ^{29,32} Pl	Bl ^{29,32}	Act ^b At ^a Ep ^a	1200	700	600	4	9	15	Fd	1.40	
	09	Sx ^{1,32}	Sx ^{1,32} Pl ¹	Bl ^{1,29,32} Pl ¹	Bl ^{1,29,32}	Sb	Act ^a At ^a	1000	500	400	4	9	15	Others	1.00
	10*	Pl ¹ Sb ¹ Sx ^{1,32}	Pl ¹ Sb ¹ Sx ^{1,32}					400	200	200	4	9	15	Pl	1.40
													Others	0.80	
SBSmk2	01	Pl Sx	Pl Sx	Bl ²⁹	Bl ²⁹	At ^a Ep ^a	1200	700	600	7	12	15	Pl	2.00	
													Others	1.00	

1,2 etc - see "Footnotes"

*Avoid logging

** Additional information or requirements may be contained in the text portion of the reference guide.

Reference Guide for FDP Stocking Standards**

Prince George Forest Region

BGC		Regeneration Guide										Free Growing Guide			
Classification		Species						Stocking(i)			Regen Delay (Max yrs)	Assessment		Min. Height(ii)	
Zone/SZ	Series						Broadleaf	Target	MIN pa	MIN p		Earliest	Latest	Species	Ht
		Primary	Preferred (p)	Secondary	Acceptable (a)	Tertiary		(well-spaced/ha)				(yrs)	(yrs)		(m)
	02*	PI	PI		Sx	Sx	At ^b	1200	700	600	7	12	15	PI	2.00
	03	PI Sx ²⁸	PI Sx ²⁸		BI ²⁹	BI ²⁹	At ^a Ep ^a	1200	700	600	7	12	15	Sx	1.00
	04	PI	PI		Sb Sx ³²	Sb Sx ³²	At ^b	1200	700	600	7	12	15	PI	2.00
	05	PI Sx ³²	PI Sx ³²	BI ^{29,32}	BI ^{29,32}		Act ^b At ^a Ep ^a	1200	700	600	4	9	15	Others	1.00
	06	Sx ^{1,32}	Sx ^{1,32} PI ¹	BI ^{1,29,32} PI ¹	BI ^{1,29,32}		Act ^a At ^a	1000	500	400	4	9	15	PI	2.00
														Others	1.00
														PI	1.40
														Others	0.80
SBSmw	01	Fd PI Sx	Fd PI Sx	BI	BI		Act ^b At ^a Ep ^a	1200	700	600	7	12	15	PI	2.00
	02*	Fd PI	Fd PI		Sx ²⁸	BI ²⁸ Sx ²⁸	At ^b Ep ^b	1000	500	400	7	12	15	Fd	1.40
	03	Fd ³² PI	Fd ³² PI		Sx ³²	BI ³² Sx ³²	At ^b	1200	700	600	7	12	15	Others	1.00
	04	Fd PI Sx ²⁸	Fd PI Sx ²⁸	BI ²⁸	BI ²⁸		At ^b Ep ^a	1200	700	600	7	12	15	PI	2.00
	05	PI Sx ³²	PI Sx ³²	BI ³²	BI ³²		Act ^b At ^a	1200	700	600	4	9	15	Fd	1.40
	06	Fd PI Sx	Fd PI Sx	BI ²⁹	BI ²⁹		Act ^b At ^a Ep ^a	1200	700	600	4	9	15	Others	1.00
	07	BI ³² PI Sx ³²	BI ³² PI Sx ³²				Act ^a At ^b	1200	700	600	4	9	15	PI	2.00
	08	Fd ³² Sx	Fd ³² Sx	BI PI	BI PI		Act ^b At ^a Ep ^a	1200	700	600	4	9	15	Others	1.00
	09	Sx ^{1,32}	Sx ^{1,32} PI ¹	BI ^{1,32} PI ¹	BI ^{1,32}		Act ^a	1000	500	400	4	9	15	PI	2.00
	10*	PI ¹ Sx ^{1,32}	PI ¹ Sx ^{1,32}		Sb	Sb			400	200	200	4	9	15	Others
														PI	1.40
														Others	0.80
SBSvk	01	Sx ³⁵	Sx ³⁵ Fd ^{3,9}	BI Fd ^{3,9} PI ³⁴	BI PI ³⁴		Act ^b At ^a Ep ^a	1200	700	600	4	9	15	PI	2.00
	02	PI	PI		BI ³² Sx ^{32,35}	BI ³² Sx ^{32,35}	At ^b	1200	700	600	7	12	15	Fd	1.40
	03*	Fd Sx ³⁵	Fd Sx ³⁵	BI PI ³⁴	BI PI ³⁴		At ^b Ep ^a	1200	700	600	7	12	15	Others	1.00
	04	Sx ³⁵	Sx ³⁵ Fd ^{3,9}	BI Fd ^{3,9} PI ³⁴	BI PI ³⁴		Act ^b At ^a Ep ^a	1200	700	600	4	9	15	PI	2.00
	05	Sx ^{1,32,35}	Sx ^{1,32,35} PI ^{1,34}	BI ^{1,32} PI ^{1,34}	BI ^{1,32}		Act ^a At ^a	1200	700	600	4	9	15	Fd	1.40
	06	Sx ^{1,32}	Sx ^{1,32} PI ^{1,34}	BI ^{1,32} PI ^{1,34}	BI ^{1,32}		Act ^a At ^a	1000	500	400	4	9	15	Others	1.00
	07	Sx ^{1,32}	Sx ^{1,32} PI ^{1,34}	BI ^{1,32} PI ^{1,34}	BI ^{1,32}		Act ^a	1200	700	600	4	9	15	PI	2.00
													Others	1.00	

1,2 etc - see "Footnotes"

*Avoid logging

** Additional information or requirements may be contained in the text portion of the reference guide.

Reference Guide for FDP Stocking Standards**

Prince George Forest Region

BGC		Regeneration Guide										Free Growing Guide			
Classification		Species						Stocking(i)			Regen	Assessment		Min. Height(ii)	
Zone/SZ	Series					Broadleaf	Target	MIN pa	MIN p	Delay	Earliest	Latest	Species	Ht	
		Primary	Preferred (p)	Secondary	Acceptable (a)		Tertiary	(well-spaced/ha)	(Max yrs)						(yrs)
	08*	PI ¹ Sb ¹ Sx ^{1,32}	PI ¹ Sb ¹ Sx ^{1,32}				400	200	200	4	9	15	PI	1.40	
	09	PI	PI		BI ^{28,29} Sx ²⁸	BI ^{28,29} Sx ²⁸	1000	500	400	7	12	15	PI	1.40	
	10	BI ¹ Sx ¹	BI ¹ Sx ¹				1000	500	400	4	9	15	PI	1.40	
	11	non-forested	non-forested										Others	0.80	
SBSwk1	01	Fd ³² PI Sx	Fd ³² PI Sx	BI ²⁹	BI ²⁹	Act ^b At ^a Ep ^a	1200	700	600	4	9	15	PI	2.00	
													Fd	1.40	
	02*	Fd PI	Fd PI		Sx BI ²⁹	BI ²⁹ Sx	1000	500	400	7	12	15	Others	1.00	
													PI	1.40	
	03	Fd PI	Fd PI	Sx ²⁸	Sx ²⁸ BI	BI	At ^b	1200	700	600	7	12	15	Others	0.80
													Fd	1.40	
	04	Fd PI Sx ²⁸	Fd PI Sx ²⁸	BI ^{28,29}	BI ^{28,29}	At ^b Ep ^a	1200	700	600	7	12	15	PI	2.00	
													Fd	1.40	
	05	Fd PI Sx	Fd PI Sx	BI ²⁹	BI ²⁹	At ^a Ep ^a	1200	700	600	7	12	15	Others	1.00	
													PI	2.00	
	06	PI Sx ³²	PI Sx ³²	BI ^{29,32}	BI ^{29,32}	Sb	Act ^b At ^a Ep ^a	1200	700	600	4	9	15	Fd	1.40
													Others	1.00	
07	Sx ³²	Sx ³² PI	BI ^{29,32} PI	BI ^{29,32}	Act ^b At ^a Ep ^a	1200	700	600	4	9	15	PI	2.00		
												Others	1.00		
08	Sx	Sx PI	BI ²⁹ PI	BI ²⁹	Act ^b At ^a Ep ^a	1200	700	600	4	9	15	PI	2.00		
												Others	1.00		
09	Sx ^{1,32}	Sx ^{1,32} PI ¹	BI ^{29,32} PI ¹	BI ^{29,32}	Act ^a At ^a	1000	500	400	4	9	15	PI	1.40		
												Others	0.80		
10	Sx ^{1,32}	Sx ^{1,32} PI ¹	BI ^{1,29,32} PI ¹	BI ^{1,29,32}	Act ^a	1000	500	400	4	9	15	PI	1.40		
												Others	0.80		
11*	PI ¹ Sb Sx ^{1,32}	PI ¹ Sb Sx ^{1,32}			BI ^{1,32}		400	200	200	4	9	15	PI	1.40	
													Others	0.80	
12	PI	PI		Sb Sx ³²	Sb Sx ³²	At ^b	1200	700	600	7	12	15	PI	2.00	
													Others	1.00	
SBSwk2	01	PI Sx	PI Sx	BI	BI	Act ^b At ^a Ep ^a	1200	700	600	4	9	15	PI	2.00	
													Others	1.00	
	02*	PI	PI		BI ²⁸ Sx ²⁸	BI ²⁸ Sx ²⁸	1000	500	400	7	12	15	PI	1.40	
													Others	0.80	
	03	PI Sx	PI Sx	BI	BI	At ^b Ep ^b	1200	700	600	7	12	15	PI	2.00	
													Others	1.00	
04	PI	PI		Sb Sx ³²	Sb Sx ³²	At ^b	1200	700	600	7	12	15	PI	2.00	
												Others	1.00		
05	BI ³² Sx ³²	BI ³² Sx ³²	PI	PI	Act ^b At ^a Ep ^a	1200	700	600	4	9	15	PI	2.00		
												Others	1.00		
06	BI ^{1,32} Sx ^{1,32}	BI ^{1,32} Sx ^{1,32}	PI ¹	PI ¹	Act ^a At ^a	1000	500	400	4	9	15	PI	1.40		
												Others	0.80		
SBSwk3	01	PI Sx ³⁵	PI Sx ³⁵	BI ²⁹	BI ²⁹	Act ^b At ^a Ep ^a	1200	700	600	4	9	15	PI	2.00	
													Others	1.00	
	02	PI	PI		BI ²⁸ Sx ^{28,35}	BI ²⁸ Sx ^{28,35}	1000	500	400	7	12	15	PI	1.40	
													Others	0.80	
03	Fd ¹⁶ PI	Fd ¹⁶ PI	Sx ^{28,35}	Sx ^{28,35}	At ^b Ep ^b	1200	700	600	7	12	15	PI	2.00		

1,2 etc - see "Footnotes"

*Avoid logging

** Additional information or requirements may be contained in the text portion of the reference guide.

Reference Guide for FDP Stocking Standards**

Prince George Forest Region

BGC		Regeneration Guide										Free Growing Guide			
Classification		Species						Stocking(i)			Regen Delay (Max yrs)	Assessment		Min. Height(ii)	
Zone/SZ	Series	Primary	Preferred (p)	Secondary	Acceptable (a)	Tertiary	Broadleaf	Target (well-spaced/ha)	MIN pa	MIN p		Earliest (yrs)	Latest (yrs)	Species	Ht (m)
	04	PI Sx ³⁵	PI Sx ³⁵	BI	BI	At ^a Ep ^a		1200	700	600	7	12	15	Fd Sx PI Others	1.40 1.00 2.00 1.00
	05	PI	PI		Sb Sx ³⁵	Sb Sx ³⁵	At ^b	1200	700	600	7	12	15	PI Others	2.00 1.00
	06	PI Sx ³⁵	PI Sx ³⁵	BI ²⁹	BI ²⁹	Act ^b At ^a Ep ^a		1200	700	600	4	9	15	PI Others	2.00 1.00
	07	Sx ^{32,35}	Sx ^{32,35} PI	BI ^{29,32} PI	BI ^{29,32}	Act ^b At ^a Ep ^a		1200	700	600	4	9	15	PI Others	2.00 1.00
	08	Sx ^{1,32,35}	Sx ^{1,32,35} PI ¹	BI ^{1,29,32} PI ¹	BI ^{1,29,32}	Act ^a At ^a		1000	500	400	4	9	15	PI Others	1.40 0.80
SBSwk3a	01	Fd ³² PI Sx	Fd ³² PI Sx	BI ²⁹	BI ²⁹	Act ^b At ^a Ep ^a		1200	700	600	4	9	15	PI Others	2.00 1.00
	02	PI	PI		BI ²⁸ Sx ²⁸	BI ²⁸ Sx ²⁸		1000	500	400	7	12	15	PI Others	1.40 0.80
	03	Fd PI	Fd PI	Sx ²⁸	Sx ²⁸	At ^b Ep ^b		1200	700	600	7	12	15	PI Fd Sx	2.00 1.40 1.00
	04	Fd PI Sx	Fd PI Sx	BI	BI	At ^a Ep ^a		1200	700	600	7	12	15	PI Others	2.00 1.00
	05	PI	PI		Sb Sx	Sb Sx	At ^b	1200	700	600	7	12	15	PI Others	2.00 1.00
	06	PI Sx	PI Sx	BI ²⁹	BI ²⁹	Act ^b At ^a Ep ^a		1200	700	600	4	9	15	PI Others	2.00 1.00
	07	Fd ³² Sx ³²	Fd ³² Sx ³²	BI ^{29,32} PI	BI ^{29,32} PI	Act ^b At ^a Ep ^a		1200	700	600	4	9	15	PI Others	2.00 1.00
	08	Sx ³²	Sx ³² PI ¹	BI ^{1,29,32} PI ¹	BI ^{1,29,32}	Act ^a At ^a		1000	500	400	4	9	15	PI Others	1.40 0.80

1,2 etc - see "Footnotes"

*Avoid logging

** Additional information or requirements may be contained in the text portion of the reference guide.