

Reference Guide for FDP Stocking Standards**

Nelson Forest Region

See the 'Instructions' worksheet (click on tab at bottom of screen)
for tips on using features in this workbook.

BGC		Regeneration Guide											Free Growing Guide			
Classification		Species						Stocking(i)			Regen	Assessment		Min. Height(ii)		
Zone/SZ	Series	Conifer					Broadleaf	Target	MIN pa	MIN p	Delay (Max yrs)	Earliest (yrs)	Latest (yrs)	Species	Ht (m)	
		Primary	Preferred (p)	Secondary	Acceptable (a)	Tertiary		(well-spaced/ha)								
ESSFdc1	01	PI Se	PI Se	BI	BI			1200	700	600	4	12	20	PI Others	1.6 0.8	
	02	PI	PI		Se	BI Se		1000	500	400	7	15	20	PI Others	1.2 0.6	
	03	PI	PI		Se	BI Se		1000	500	400	7	15	20	PI Others	1.2 0.6	
	04	PI Se	PI Se	BI	BI			1200	700	600	4	12	20	PI Others	1.6 0.8	
	05	PI Se	PI Se	BI ^{10,13}	BI ^{10,13}			1000	500	400	7	15	20	PI Others	1.2 0.6	
	06	PI ¹ Se ^{1,32}	PI ¹ Se ^{1,32}	BI ^{1,32}	BI ^{1,32}			1000	500	400	4	12	20	PI Others	1.2 0.6	
	07	non-forested	non-forested					-	-	-	-	-	-	-	-	
ESSFdk	01	PI Se	PI Se Fd ¹⁴ Lw ¹⁴	BI Fd ¹⁴ Lw ¹⁴	BI			1200	700	600	7	15	20	PI, Lw Fd Others	1.6 1.0 0.8	
	02	Fd ^{9,14} Lw ^{9,14} PI	Fd ^{9,14} Lw ^{9,14} PI	Se	Se	BI Pa		1000	500	400	7	15	20	PI, Lw Fd Others	1.2 0.8 0.6	
	03	PI	PI Fd ¹⁴ Lw ¹⁴ Se	BI Fd ¹⁴ Lw ¹⁴ Se	BI			1200	700	600	7	15	20	PI, Lw Fd Others	1.6 1.0 0.8	
	04	PI Se	PI Se Fd ¹⁴ Lw ¹⁴	BI Fd ¹⁴ Lw ¹⁴	BI	Pa		1200	700	600	7	15	20	PI, Lw Fd Others	1.6 1.0 0.8	
	05	BI ³² PI Se ³²	BI ³² PI Se ³²					1200	700	600	4	12	20	PI Others	1.6 0.8	
	06	BI ³² PI Se ³²	BI ³² PI Se ³²					1200	700	600	4	12	20	PI Others	1.6 0.8	
	07	non-forested	non-forested					-	-	-	-	-	-	-	-	
ESSFvc	01	BI Se	BI Se		Hm	Hm		1200	700	600	4	12	20	All	0.8	
	02	Se	Se BI	BI	Hm	Hm PI ^{23,34}		1000	500	400	7	15	20	PI Others	1.2 0.6	
	03	BI Se	BI Se		Hm	Hm		1000	500	400	7	15	20	All	0.6	
	04	BI Se	BI Se		Hm	Hm		1200	700	600	4	12	20	All	0.8	
	05	BI ^{1,32} Se ^{1,32}	BI ^{1,32} Se ^{1,32}		Hm ¹	Hm ¹		1000	500	400	4	12	20	All	0.6	
	06	non-forested	non-forested					-	-	-	-	-	-	-	-	
ESSFwc1	01	BI Se	BI Se	PI ³⁴	PI ³⁴ Cw ^{9,32}	Cw ^{9,32} Hw ^{9,32}		1200	700	600	4	12	20	PI Others	1.6 0.8	
	02	PI Se	PI Se	BI	BI Cw ⁵⁵	Cw ⁵⁵ Pa		1000	500	400	7	15	20	PI Others	1.2 0.6	
	03	BI Se	BI Se		Cw ^{9,32}	Cw ^{9,32} Hw ^{9,32} PI ³⁴		1200	700	600	4	12	20	PI Others	1.6 0.8	
	04	BI ^{1,32} Se ^{1,32}	BI ^{1,32} Se ^{1,32}	PI ^{1,34}	PI ^{1,34}	Hw ³²		1200	700	600	7	15	20	PI Others	1.6 0.8	
	05	non-forested	non-forested					-	-	-	-	-	-	-	-	
ESSFwc2	01	BI Se	BI Se			PI ^{23,34}		1200	700	600	4	12	20	PI Others	1.6 0.8	
	02	PI	Se ^{10,13}	BI ^{10,13,14} Se ^{10,13}	PI BI ^{10,13,14}			1000	500	400	7	15	20	PI	1.2	

1,2 etc - see "Footnotes"

*Avoid logging

** Additional information or requirements may be contained in the text portion of the reference guide.

Reference Guide for FDP Stocking Standards**

Nelson Forest Region

BGC		Regeneration Guide										Free Growing Guide			
Classification		Species					Stocking(i)			Regen	Assessment		Min. Height(ii)		
Zone/SZ	Series	Conifer					Broadleaf	Target (well-spaced/ha)	MIN pa	MIN p	Delay (Max yrs)	Earliest (yrs)	Latest (yrs)	Species	Ht (m)
		Primary	Preferred (p)	Secondary	Acceptable (a)	Tertiary									
	03	Bl Se	Bl Se	Pl ^{23,34}				1000	500	400	7	15	20	Others	0.6
	04	Bl Se	Bl Se	Pl ^{23,34}				1200	700	600	7	15	20	PI	1.2
	05	Bl Se	Bl Se			Pl ^{23,34}		1200	700	600	7	15	20	Others	0.6
	06	Bl ³² Se ³²	Bl ³² Se ³²			Pl ^{23,34}		1200	700	600	4	12	20	PI	1.6
	07	Bl ³² Se ³²	Bl ³² Se ³²			Pl ^{23,34}		1200	700	600	4	12	20	Others	0.8
	08	Bl ^{1,32} Se ^{1,32}	Bl ^{1,32} Se ^{1,32}			Pl ^{23,34}		1000	500	400	4	12	20	PI	1.6
	09*	Pl ¹	Se ^{1,32}	Bl ^{1,32} Se ^{1,32}	Pl ¹ Bl ^{1,32}			400	200	200	4	12	20	Others	0.8
	10	non-forested	non-forested					-	-	-	-	-	-	PI	1.2
ESSFwc4	01	Bl Se	Bl Se	Pl ³⁴	Pl ³⁴			1200	700	600	4	12	20	Others	0.6
	02	Se	Se Pl ³⁴	Pl ³⁴	Bl ⁵⁴	Bl ⁵⁴ Pa		1000	500	400	7	15	20	PI	1.2
	03	Se	Se Bl	Bl Pl ³⁴	Pl ³⁴			1000	500	400	7	15	20	Others	0.6
	04	Se	Se Bl	Bl Pl ³⁴	Pl ³⁴			1200	700	600	4	12	20	PI	1.2
	05	Bl Se	Bl Se					1200	700	600	4	12	20	Others	0.8
	06	Bl ^{1,32} Se ^{1,32}	Bl ^{1,32} Se ^{1,32}					1200	700	600	4	12	20	All	0.8
	07	Se ¹	Se ¹ Bl ¹	Bl ¹ Pl ^{1,34}	Pl ^{1,34}			1000	500	400	4	12	20	PI	1.2
	08	non-forested	non-forested					-	-	-	-	-	-	Others	0.6
ESSFwm	01	Bl Se	Bl Se Fd ¹⁴ Lw ¹⁴	Fd ¹⁴ Lw ¹⁴ Pl ³⁴	Pl ³⁴			1200	700	600	4	12	20	Lw, PI	2.0
	02	Se	Se Pl ³⁴	Pl ³⁴	Bl	Bl Hw ¹⁴ Pa		1200	700	600	7	15	20	Others	1.0
	03	Fd ^{9,32} Lw ^{9,32} Se	Fd ^{9,32} Lw ^{9,32} Se	Bl Pl ³⁴ Pw ^{9,31,32,49}	Bl Pl ³⁴ Pw ^{9,31,32,49}	Pw ^{9,14,31} Hw ^{9,32}		1200	700	600	4	12	20	PI, Pw	2.0
	04	Bl Se	Bl Se	Pl ³⁴	Pl ³⁴	Hw ¹⁴		1200	700	600	4	12	20	Lw	2.0
ICHdw	01a	Fd Lw Py	Fd ⁵⁸ Lw Py Pw ^{31,49,57}	Bg ²⁸ Pl Pw ^{31,49}	Bg ²⁸ Pl Cw Sx ^{10,13}	Bl ^{10,13} Cw Hw Sx ^{10,13}	At ^a Ep ^a	1200	700	600	7	12	15	Fd	1.4
	01b	Fd Lw Pl Py ^{9,14}	Fd ⁵⁸ Lw Pl Py ^{9,14} Cw Pw ^{31,49,57} Sx ^{10,13}	Bg Cw Hw Pw ^{31,49} Sx ^{10,13}		Bl ^{10,13}	At ^a Ep ^a	1200	700	600	7	12	15	Others	1.0
	02	Fd Lw Py	Fd ⁵⁸ Lw Py		Cw	Cw Hw ^{10,13} Pl	Ep ^b	1000	500	400	7	12	15	PI, Lw	1.4
	03	Fd ^{1,32} Lw ^{1,32} Sx	Fd ^{1,32,58} Lw ^{1,32} Sx Cw ³² Pw ^{31,49,57}	Bg ³² Cw ³² Hw ³² Pl ¹ Pw ^{31,49}	Bg ³² Hw ³² Pl ¹	Bl	Act ^a At ^a Ep ^a	1200	700	600	4	9	15	Fd	1.0

1,2 etc - see "Footnotes"

*Avoid logging

** Additional information or requirements may be contained in the text portion of the reference guide.

Reference Guide for FDP Stocking Standards**

Nelson Forest Region

BGC		Regeneration Guide											Free Growing Guide			
Classification		Species						Stocking(i)			Regen Delay (Max yrs)	Assessment		Min. Height(ii)		
Zone/SZ	Series	Conifer					Broadleaf	Target	MIN pa	MIN p		Earliest (yrs)	Latest (yrs)	Species	Ht (m)	
		Primary	Preferred (p)	Secondary	Acceptable (a)	Tertiary		(well-spaced/ha)								
	04	Cw ³² Sx	Cw ³² Sx Fd ^{1,32,58} Lw ^{1,32} Pw ^{1,31,49,57}	Bg ^{1,32} Fd ^{1,32} Hw ³² Lw ^{1,32} Pl ¹ Pw ^{1,31,49}	Bg ^{1,32} Pl ¹	Bl	Act ^a At ^a Ep ^a	1200	700	600	4	9	15	Fd Others Pl, Pw Lw Fd Others	1.4 1.0 2.0 2.0 1.4 1.0	
ICHmk1	01	Fd ^{9,14,32} Lw ^{9,14,32} Pl Sx ^{10,13}	Fd ^{9,14,32} Lw ^{9,14,32} Pl Sx ^{10,13}	Bl ^{10,13}	Bl ^{10,13} Cw ^{10,13,32}	Cw ^{10,13,32} Py ^{9,14}	Act ^b At ^a Ep ^a	1200	700	600	7	12	15	Pl, Lw Fd Others	2.0 1.4 1.0	
	02	Fd Pl	Fd Pl		Sx ^{10,13} Py ^{9,14}	Bl ^{10,13} Sx ^{10,13} Py ^{9,14}		600	400	400	7	12	15	Pl Fd Others	1.4 1.0 0.8	
	03	Fd Lw Pl	Fd Lw Pl Sx ^{10,13}	Sx ^{10,13}	Cw ^{10,13}	Bl ^{10,13} Cw ^{10,13} Py ^{9,14}	At ^a Ep ^b	1000	500	400	7	12	15	Pl, Lw Fd Others	1.4 1.0 0.8	
	04	Fd ³² Lw ³² Pl	Fd ³² Lw ³² Pl Sx ^{10,13}	Sx ^{10,13}	Cw ^{10,13}	Bl ^{10,13} Cw ^{10,13,32} Py ^{9,14}	At ^a Ep ^a	1200	700	600	7	12	15	Pl, Lw Fd Others	2.0 1.4 1.0	
	05	Pl Sx	Pl Sx Fd ^{9,14,32}	Bl Fd ^{9,14,32} Lw ^{9,14,32}	Bl Lw ^{9,14,32} Cw ³²	Cw ³²	Act ^a At ^a Ep ^a	1200	700	600	4	9	15	Pl, Lw Fd Others	2.0 1.4 1.0	
	06	Pl Sx	Pl Sx Fd ^{9,14,32}	Bl Fd ^{9,14,32} Lw ^{9,14,32}	Bl Lw ^{9,14,32} Cw ³²	Cw ³²	Act ^a At ^a Ep ^a	1200	700	600	4	9	15	Pl, Lw Fd Others	2.0 1.4 1.0	
	07	Pl ¹ Sx ¹	Pl ¹ Sx ¹ Fd ^{1,32} Lw ^{1,32}	Bl ¹ Fd ^{1,32} Lw ^{1,32}	Bl ¹ Cw ³²	Cw ³²	Act ^a At ^b Ep ^b	1000	500	400	4	9	15	Pl, Lw Fd Others	1.4 1.0 0.8	
	08	non-forested	non-forested					-	-	-	-	-	-	-	-	
ICHmw1	01	Fd Pl	Fd Pl Cw Pw ^{31,49} Sx	Cw Pw ^{31,49} Sx		Bl Hw Lw ²³	At ^a Ep ^a	1200	700	600	4	9	15	Pl, Pw Lw Fd Others	2.0 2.0 1.4 1.0	
	02	Fd	Fd Pw ^{31,49}	Pl ⁴⁹ Pw ^{31,49}	Pl ⁴⁹ Cw ²⁸ Sx ²⁸	Bl ²⁸ Cw ²⁸ Hw ²⁸ Lw ²³ Sx ²⁸	At ^a Ep ^a	1200	700	600	7	12	15	Pl, Pw Lw Fd Others	2.0 2.0 1.4 1.0	
	03	Fd Pl	Fd Pl Pw ^{31,49} Sx ^{10,13,28}	Bl ²⁸ Pw ^{31,49} Sx ^{10,13,28}	Bl ²⁸ Cw ²⁸	Cw ²⁸ Hw ²⁸ Lw ²³	At ^a Ep ^a	1200	700	600	7	12	15	Pl, Pw Lw Fd Others	2.0 2.0 1.4 1.0	
	04	Fd Pl	Fd Pl Pw ^{31,49}	Pw ^{31,49}	Bl ²⁸ Cw ²⁸ Sx ²⁸	Bl ²⁸ Cw ²⁸ Hw ²⁸ Lw ²³ Pa Sx ²⁸	At ^a Ep ^a	1200	700	600	7	12	15	Pl, Pw Lw Fd Others	2.0 2.0 1.4 1.0	
	05	Cw ³² Fd ^{1,32} Hw ³² Sx	Cw ³² Fd ^{1,32} Hw ³² Sx Pw ^{1,32,49}	Bl Pl Pw ^{1,32,49}	Bl Pl		Act ^a At ^a Ep ^a	1200	700	600	4	9	15	Pl, Pw Fd Others	2.0 1.4 1.0	
	06	Bl Cw Fd ^{9,14} Hw Sx	Bl Cw Fd ^{9,14} Hw Sx Pw ^{31,49}	Pl Pw ^{31,49}	Pl	Lw ^{9,14,23}	Act ^a At ^a Ep ^a	1200	700	600	4	9	15	Pl, Pw Lw Fd Others	2.0 2.0 1.4 1.0	
	07	Cw ³² Hw ³² Sx	Cw ³² Hw ³² Sx Fd ^{1,14,32}	Bl Pl Fd ^{1,14,32}	Bl Pl		Act ^a At ^b Ep ^b	1000	500	400	4	9	15	Pl Fd	1.4 1.0	

1,2 etc - see "Footnotes"

*Avoid logging

** Additional information or requirements may be contained in the text portion of the reference guide.

Reference Guide for FDP Stocking Standards**

Nelson Forest Region

BGC		Regeneration Guide											Free Growing Guide			
Classification		Species						Stocking(i)			Regen Delay	Assessment		Min. Height(ii)		
Zone/SZ	Series	Conifer					Broadleaf	Target	MIN pa	MIN p	Delay (Max yrs)	Earliest	Latest	Species	Ht	
		Primary	Preferred (p)	Secondary	Acceptable (a)	Tertiary		(well-spaced/ha)				(yrs)	(yrs)		(m)	
														Others	0.8	
ICHmw2	01	Fd Lw	Fd ⁵⁸ Lw Cw Sx ^{10,13}	Cw Pl Sx ^{10,13}	Pw ^{31,57}	Bl ^{10,13} Pw ³¹ Py ^{9,14,23} Hw	Act ^b At ^a Ep ^a	1200	700	600	4	9	15	Pl, Pw Lw Fd Others	2.0 2.0 1.4 1.0	
	02	non-forested	non-forested					-	-	-	-	-	-	-	-	
	03	Fd Lw Pl	Fd ⁵⁸ Lw		Pl Cw Pw ^{31,57} Sx ^{10,13}	Bl ^{10,13} Cw Pw ³¹ Py ^{9,14,23} Hw Sx ^{10,13}	At ^a Ep ^a	1200	700	600	7	12	15	Pl, Pw Lw Fd Others	2.0 2.0 1.4 1.0	
	04	Fd Lw Pl	Fd ⁵⁸ Lw Sx ^{10,13}	Sx ^{10,13}	Pl Cw Pw ^{31,57}	Bl ^{10,13} Cw Pw ³¹ Py ^{9,14,23} Hw	At ^a Ep ^a	1200	700	600	7	12	15	Pl, Pw Lw Fd Others	2.0 2.0 1.4 1.0	
	05	Cw Fd ^{9,14} Hw Lw ^{9,14} Sx	Cw Fd ^{9,14,58} Hw Lw ^{9,14} Sx	Bl Pl	Bl Pw ^{31,57}	Pw ³¹	Act ^a At ^a Ep ^a	1200	700	600	4	9	15	Pl, Pw Lw Fd Others	2.0 2.0 1.4 1.0	
	06	Cw ³² Sx	Cw ³² Sx Fd ^{1,32,58} Lw ^{1,32}	Bl Fd ^{1,32} Hw ³² Lw ^{1,32} Pl	Bl Hw ³² Pw ^{31,57}	Pw ³¹	Act ^a At ^a Ep ^a	1200	700	600	4	9	15	Pl, Pw Lw Fd Others	2.0 2.0 1.4 1.0	
	07	Cw ^{1,32} Sx ¹	Cw ^{1,32} Sx ¹	Bl ¹ Hw ^{1,32} Pl ¹	Bl ¹ Hw ^{1,32} Pw ^{1,31}	Pw ^{1,31}	Act ^a At ^b Ep ^b	1000	500	400	4	9	15	Pl, Pw Others	1.4 0.8	
	08	Cw ^{1,32} Pl ¹ Sx ¹	Cw ^{1,32} Pl ¹ Sx ¹	Bl ¹ Hw ^{1, 32}	Bl ¹ Hw ^{1, 32}		Act ^a At ^b Ep ^b	1000	500	400	4	9	15	Pl Others	1.4 0.8	
	09	non-forested	non-forested					-	-	-	-	-	-	-	-	
ICHmw3	01	Fd	Fd Cw ^{10,13} Sx ^{10,13}	Cw ^{10,13} Pl Sx ^{10,13}	Pw ³¹	Bl ^{10,13} Hw ^{10,13} Lw ²³ Pw ³¹	Act ^b At ^a Ep ^a	1200	700	600	4	9	15	Pl, Pw Lw Fd Others	2.0 2.0 1.4 1.0	
	01-YC	Fd	Fd Cw ^{10,13} Sx ^{10,13}	Cw ^{10,13} Hw ^{10,13} Pl Sx ^{10,13}	Hw ^{10,13} Pw ³¹	Bl ^{10,13} Lw ²³ Pw ³¹	Act ^b At ^a Ep ^a	1200	700	600	4	9	15	Pl, Pw Lw Fd Others	2.0 2.0 1.4 1.0	
		02	Fd Pl	Fd	Py ^{9,14,23}	Pl Py ^{9,14,23} Pw ³¹	Pw ³¹	Ep ^b	1000	500	400	7	12	15	Pl, Pw Fd Py	1.4 1.0 0.8
	03	Fd ³² Pl	Fd ³²		Pl Cw ^{10,13} Pw ³¹ Sx ^{10,13}	Bl ^{10,13} Cw ^{10,13} Lw ^{23,32} Pw ³¹ Sx ^{10,13}	At ^{53,a} Ep ^{53,a}	1000	500	400	7	12	15	Pl, Pw Lw Fd Others	1.4 1.4 1.0 0.8	
	04	Fd Pl	Fd Sx ^{10,13}	Sx ^{10,13}	Pl Cw ^{10,13} Pw ³¹	Cw ^{10,13} Hw ^{10,13} Lw ²³ Pw ³¹	At ^a Ep ^a	1200	700	600	7	12	15	Pl, Pw Lw Fd Others	2.0 2.0 1.4 1.0	
	05	Fd	Fd Cw ^{10,13} Sx ^{10,13}	Cw ^{10,13} Pl Sx ^{10,13}	Pw ³¹	Bl ^{10,13} Hw ^{10,13} Lw ²³ Pw ³¹	Act ^b At ^a Ep ^a	1200	700	600	7	12	15	Pl, Pw Lw Fd Others	2.0 2.0 1.4 1.0	
	06	Cw Fd ¹⁴ Hw Sx	Cw Fd ¹⁴ Hw Sx	Bl Pl	Bl Pw ³¹	Lw ²³ Pw ³¹	Act ^a At ^a Ep ^a	1200	700	600	4	9	15	Pl, Pw Lw Fd	2.0 2.0 1.4	

1,2 etc - see "Footnotes"

*Avoid logging

** Additional information or requirements may be contained in the text portion of the reference guide.

Reference Guide for FDP Stocking Standards**

Nelson Forest Region

BGC		Regeneration Guide											Free Growing Guide			
Classification		Species						Stocking(i)			Regen Delay	Assessment		Min. Height(ii)		
Zone/SZ	Series	Conifer					Broadleaf	Target	MIN pa	MIN p	Delay (Max yrs)	Earliest	Latest	Species	Ht	
		Primary	Preferred (p)	Secondary	Acceptable (a)	Tertiary		(well-spaced/ha)				(yrs)	(yrs)		(m)	
	07	Cw ³² Sx	Cw ³² Sx Fd ^{1,32}	Bl Fd ^{1,32} Hw ³² Pl	Bl Hw ³² Pw ³¹	Lw ^{1,23,32} Pw ³¹	Act ^a At ^a Ep ^a	1200	700	600	4	9	15	Others	1.0	
	08	Cw ^{1,32} Hw ^{1,32} Pl ¹ Sx ¹	Cw ^{1,32} Hw ^{1,32} Sx ¹	Bl ¹	Pl ¹ Bl ¹		Act ^a At ^b Ep ^b	1000	500	400	4	9	15	Pl, Pw	2.0	
	09	non-forested	non-forested					-	-	-	-	-	-	Lw	2.0	
ICHvk1	01	Cw ³² Sx	Cw ³² Sx	Bl Fd ^{1,9,14,32,34} Hw ³²	Bl Fd ^{1,9,14,32,34} Hw ³² Pw ³¹	Pw ³¹	Act ^a At ^{53,a} Ep ^{53,a}	1200	700	600	4	9	15	Fd	1.4	
	03	Fd ⁹	Fd ⁹ Cw Sx	Bl Cw Hw Sx	Bl Hw Pw ³¹	Lw ^{9,14,23} Pl ^{23,34} Pw ³¹	Act ^b At ^{53,a} Ep ^{53,a}	1200	700	600	4	9	15	Others	1.0	
	04	Cw Fd ^{9,14,34} Hw Sx	Cw Fd ^{9,14,34} Hw Sx	Bl	Bl Pw ³¹	Lw ^{9,14,23} Pw ³¹	Act ^a At ^{53,a} Ep ^{53,a}	1200	700	600	4	9	15	Pl, Pw	2.0	
	05	Cw ^{1,32} Sx ¹	Cw ^{1,32} Sx ¹	Bl ¹ Hw ^{1,32}	Bl ¹ Hw ^{1,32} Pw ^{1,31}	Pw ^{1,31}	Act ^a At ^b Ep ^b	1000	500	400	4	9	15	Lw	2.0	
	06	Cw ^{1,32} Hw ^{1,32} Sx ¹	Cw ^{1,32} Hw ^{1,32} Sx ¹	Bl ¹	Bl ¹ Pw ^{1,31}	Pl ^{23,34} Pw ^{1,31}	Act ^a At ^b Ep ^b	1000	500	400	4	9	15	Fd	1.4	
														Others	1.0	
ICHwk1	01	Cw Fd ^{9,14} Hw Sx	Cw Fd ^{9,14,58} Hw Sx	Bl ^{10,13}	Bl ^{10,13} Pw ^{31,57}	Lw ^{9,14,23,32} Pl ^{23,34} Pw ³¹	Act ^a At ^a Ep ^a	1200	700	600	4	9	15	Pl, Pw	2.0	
	02	non-forested	non-forested					-	-	-	-	-	-	Lw	2.0	
	04	Fd ^{9,14}	Fd ^{9,14,58} Cw Sx ^{10,13}	Cw Hw Sx ^{10,13}	Hw Pw ^{31,57}	Bl ^{10,13} Lw ^{9,14,23} Pl ^{23,34} Pw ³¹	Act ^b At ^a Ep ^a	1200	700	600	4	9	15	Fd	1.4	
	05	Cw ³² Sx	Cw ³² Sx	Bl Fd ^{1,9,14,32} Hw ³²	Bl Fd ^{1,9,14,32} Hw ³² Pw ^{31,57}	Lw ^{1,14,23,32} Pl ^{23,34} Pw ³¹	Act ^a At ^a Ep ^a	1200	700	600	4	9	15	Others	1.0	
	06	Cw ^{1,32} Sx ¹	Cw ^{1,32} Sx ¹	Bl ¹ Hw ^{1,32}	Bl ¹ Hw ^{1,32} Pw ^{1,31,57}	Pl ^{1,23,34} Pw ^{1,31}	Act ^a At ^b Ep ^a	1000	500	400	4	9	15	Pl, Pw	2.0	
	07	Cw ^{1,32} Sx ¹	Cw ^{1,32} Sx ¹	Bl ¹ Hw ^{1,32}	Bl ¹ Hw ^{1,32} Pw ^{1,31,57}	Pw ^{1,31}	Act ^a At ^a Ep ^a	1000	500	400	4	9	15	Lw	2.0	
	08	Cw ^{1,32} Hw ^{1,32} Sx ¹	Cw ^{1,32} Hw ^{1,32} Sx ¹	Bl ¹	Bl ¹	Pl ^{23,34}	Act ^a At ^b Ep ^b	1000	500	400	4	9	15	Fd	1.4	
	09	non-forested	non-forested					-	-	-	-	-	-	Others	1.0	
ICHxw	1	Fd LwPl Py	Fd ⁵⁸ Lw Pl Py Pw ^{31,49}	Bg ^{10,13} Pw ^{31,49}	Bg ^{10,13} Cw	Cw Hw	At ^a Ep ^a	1200	700	600	7	12	15	Pl, Pw	2.0	
	01a#	Fd Lw Py	Fd ⁵⁸ Lw Py Pw ^{31,49}	Bg ²⁸ Pl Pw ^{31,49}	Bg ²⁸ Pl Cw Sx ^{10,13}	Bl ^{10,13} Cw Hw Sx ^{10,13}	At ^a Ep ^a	1200	700	600	7	12	15	Lw	2.0	
	01b#	Fd Lw Pl Py ^{9,14}	Fd ⁵⁸ Lw Pl Py ^{9,14} Cw Pw ^{31,49} Sx ^{10,13}	Bg Cw Hw Pw ^{31,49} Sx ^{10,13}	Bg Hw	Bl ^{10,13}	At ^a Ep ^a	1200	700	600	7	12	15	Fd	1.4	
													Others	1.0		
													Pl, Pw	2.0		
													Lw	2.0		

1,2 etc - see "Footnotes"

*Avoid logging

** Additional information or requirements may be contained in the text portion of the reference guide.

Reference Guide for FDP Stocking Standards**

Nelson Forest Region

BGC		Regeneration Guide										Free Growing Guide			
Classification		Species						Stocking(I)			Regen Delay	Assessment		Min. Height(ii)	
Zone/SZ	Series	Conifer					Broadleaf	Target	MIN pa	MIN p	Delay (Max yrs)	Earliest	Latest	Species	Ht
		Primary	Preferred (p)	Secondary	Acceptable (a)	Tertiary		(well-spaced/ha)				(yrs)	(yrs)		(m)
	02#	Fd Lw Py	Fd ⁵⁸ Lw Py		Cw	Cw Hw ^{10,13} Pl	Ep ^b	1000	500	400	7	12	15	Fd Others Pl, Lw Fd Others	1.4 1.0 1.4 1.0 0.8
	03#	Fd ^{1,32} Lw ^{1,32} Sx	Fd ^{1,32,58} Lw ^{1,32} Sx Cw ³² Pw ^{31,49}	Bg ³² Cw ³² Hw ³² Pl ¹ Pw ^{31,49}	Bg ³² Hw ³² Pl ¹	Bl	Act ^a At ^a Ep ^a	1200	700	600	4	9	15	Pl, Pw Lw Fd Others	2.0 2.0 1.4 1.0
	04#	Cw ³² Sx	Cw ³² Sx Fd ^{1,32,58} Lw ^{1,32} Pw ^{1,31,49}	Bg ^{1,32} Fd ^{1,32} Hw ³² Lw ^{1,32} Pl ¹ Pw ^{1,31,49}	Bg ^{1,32} Hw ³² Pl ¹	Bl	Act ^a At ^a Ep ^a	1200	700	600	4	9	15	Pl, Pw Lw Fd Others	2.0 2.0 1.4 1.0
IDFdm1	01"	Fd ³² Lw ³²	Fd ³² Lw ³²	Pl ^{10,13} Py ^{9,14}	Pl ^{10,13} Py ^{9,14}		At ^a Ep ^b	1000	500	400	7	12	15	Pl, Lw Fd Others	1.0 0.8 0.6
	02	non-forested	non-forested					-	-	-	-	-	-	-	-
	03"	Fd ²⁷ Py	Fd ²⁷ Py		Pl	Pl		600	400	400	7	12	15	Pl Fd Py	1.0 0.8 0.6
	04"	Fd ³² Lw ³² Py	Fd ³² Lw ³² Py	Pl ^{10,13}	Pl ^{10,13}		At ^b	1000	500	400	7	12	15	Pl, Lw Fd Others	1.0 0.8 0.6
	05	Fd ³² Lw ³² Pl	Fd ³² Lw ³² Pl Sx ^{10,13}	Sx ^{10,13}		Py ^{9,14}	At ^a Ep ^{53,a}	1200	700	600	7	12	15	Pl, Lw Fd Others	1.4 1.0 0.8
	06	Fd ³² Lw ³² Sx	Fd ³² Lw ³² Sx	Pl			Act ^a At ^a Ep ^a	1200	700	600	4	9	15	Pl, Lw Fd Others	1.4 1.0 0.8
	07	Pl ¹ Sx ¹	Pl ¹ Sx ¹ Fd ^{1,32} Lw ^{1,32}	Fd ^{1,32} Lw ^{1,32}		Bl ¹	Act ^a At ^a Ep ^b	1000	500	400	4	9	15	Pl, Lw Fd Others	1.0 0.8 0.6
IDFdm2	01"	Fd ³² Lw ³² Py	Fd ³² Lw ³² Py	Pl ^{10,13}	Pl ^{10,13}		At ^a Ep ^a	1000	500	400	7	12	15	Pl, Lw Fd Py	1.0 0.8 0.6
	02	non-forested	non-forested					-	-	-	-	-	-	-	-
	03"	Fd ²⁷ Py	Fd ²⁷ Py Lw ^{10,13}	Lw ^{10,13}		Pl ^{10,13}	At ^b	600	400	400	7	12	15	Pl, Lw Fd Py	1.0 0.8 0.6
	04"	Fd ³² Lw ³² Pl	Fd ³² Lw ³² Pl Sx	Sx		Py ^{9,14}	At ^a Ep ^a	1200	700	600	7	12	15	Pl, Lw Fd Others	1.4 1.0 0.8
	05	Pl Sx	Pl Sx Fd ^{1,32} Lw ^{1,32}	Fd ^{1,32} Lw ^{1,32}			Act ^a At ^a Ep ^a	1000	500	400	7	12	15	Pl, Lw Fd Sx	1.0 0.8 0.6
	06	non-forested	non-forested					-	-	-	-	-	-	-	-
	07	Sx ¹	Sx ¹ Fd ^{1,32} Lw ^{1,32}	Fd ^{1,32} Lw ^{1,32} Pl ¹	Pl ¹		Act ^a Ep ^a	1000	500	400	4	9	15	Pl, Lw Fd Sx	1.0 0.8 0.6
IDFxm1	01"	Fd ²⁷ Py	Fd ²⁷ Py		Lw ¹⁰	Lw ¹⁰		1000	500	400	7	12	15	Lw Others	0.8 0.6
	02"*	Py ²⁷	Py ²⁷ Fd ²⁷	Fd ²⁷				400	200	200	7	12	15	All	0.6

1,2 etc - see "Footnotes"

*Avoid logging

** Additional information or requirements may be contained in the text portion of the reference guide.

Reference Guide for FDP Stocking Standards**

Nelson Forest Region

BGC		Regeneration Guide										Free Growing Guide			
Classification		Species					Stocking(i)			Regen Delay	Assessment		Min. Height(ii)		
Zone/SZ	Series	Conifer					Broadleaf	Target	MIN pa	MIN p	(Max yrs)	Earliest	Latest	Species	Ht
		Primary	Preferred (p)	Secondary	Acceptable (a)	Tertiary		(well-spaced/ha)				(yrs)	(yrs)		(m)
	03"	Py	Py Fd ²⁷	Fd ²⁷				600	400	400	7	12	15	All	0.6
	04"	Py	Py Fd ²⁷	Fd ²⁷				600	400	400	7	12	15	All	0.6
	05"	Py	Py Fd ²⁷	Fd ²⁷				600	400	400	7	12	15	All	0.6
	06	Fd ²⁷ Py	Fd ²⁷ Py Lw ¹⁰	Lw ¹⁰				1000	500	400	7	12	15	Lw	0.8
														Others	0.6
	07	Fd Py	Fd Py Lw ¹⁰	Lw ¹⁰				1000	500	400	7	12	15	Lw	0.8
														Other	0.6
	08"	Fd ^{1,32} Py ^{1,32} Sx	Fd ^{1,32} Py ^{1,32} Sx	Pl ¹	Pl ¹ Lw ^{1,32}	Lw ^{1,32}	Act ^a At ^a Ep ^a	1200	700	600	4	9	15	Pl, Lw	1.0
09	non-forested	non-forested					-	-	-	-	-	-	-	-	-
MSdk	01	Fd ³² Lw ³² Pl Sx	Fd ³² Lw ³² Pl Sx	Bl	Bl		Act ^b At ^a Ep ^{53,a}	1200	700	600	7	12	15	Pl, Lw	1.4
	02	non-forested	non-forested					-	-	-	-	-	-	Others	0.8
	03	Fd Lw Pl	Fd Lw Pl		Sx	Bl Sx	At ^b Ep ^b	1000	500	400	7	12	15	Pl, Lw	1.0
	04	Fd Lw Pl	Fd Lw Pl Sx	Bl Sx	Bl		At ^a Ep ^b	1200	700	600	7	12	15	Others	0.6
	05	Fd ³² Lw ³² Pl Sx	Fd ³² Lw ³² Pl Sx	Bl	Bl		Act ^b At ^a Ep ^a	1200	700	600	7	12	15	Pl, Lw	1.4
	06	Sx	Sx Fd ^{1,32} Lw ^{1,32}	Bl Fd ^{1,32} Lw ^{1,32} Pl ¹	Bl Pl ¹		Act ^a At ^a Ep ^b	1200	700	600	4	9	15	Others	0.8
														Pl, Lw	1.4
	07*							-	-	-	-	-	-	Others	0.8
MSdm1	01	Pl Sx	Pl Sx	Bl Fd ^{9,14,32} Lw ^{9,14,32}	Bl Fd ^{9,14,32} Lw ^{9,14,32}		At ^a	1200	700	600	7	12	15	Pl, Lw	1.4
	02	Fd Pl	Fd Pl Lw	Lw			At ^b	600	400	400	7	12	15	Others	0.8
	03	Pl	Pl Fd ³² Lw ³²	Fd ³² Lw ³²	Sx ^{10,13}	Bl ^{10,13} Sx ^{10,13}	At ^b	1000	500	400	7	12	15	Pl, Lw	1.0
	04	Fd ^{14,32} Lw ^{14,32} Pl	Fd ^{14,32} Lw ^{14,32} Pl		Sx ^{10,13}	Bl ^{10,13} Sx ^{10,13}	At ^b	1200	700	600	7	12	15	Fd	0.6
	05	Pl	Pl Sx	Bl ^{10,13} Fd ^{9,14,32} Lw ^{9,14,32} Sx	Bl ^{10,13} Fd ^{9,14,32} Lw ^{9,14,32}		At ^{53,a}	1200	700	600	4	9	15	Pl, Lw	1.4
	06	Pl Sx	Pl Sx	Bl Fd ^{9,14,32} Lw ^{9,14,32}	Bl Fd ^{9,14,32} Lw ^{9,14,32}		Act ^a At ^a	1200	700	600	4	9	15	Others	0.8
	07	Pl ¹ Sx ¹	Pl ¹ Sx ¹	Bl ¹	Bl ¹			1000	500	400	4	9	15	Pl, Lw	1.4
	08	Pl Sx	Pl Sx	Bl Fd ^{9,14,32} Lw ^{9,14,32}	Bl Fd ^{9,14,32} Lw ^{9,14,32}	Cw ³²	Act ^a At ^a	1200	700	600	4	9	15	Others	0.6
	09	non-forested	non-forested					-	-	-	-	-	-	Pl, Lw	1.4
PPdh1	01"	Py	Py Fd ²⁷	Fd ²⁷				600	400	400	7	12	15	Others	0.8
	02	non-forested	non-forested					-	-	-	-	-	-	-	-
	03	non-forested	non-forested					-	-	-	-	-	-	-	-
	04"	Fd Py	Fd Py					600	400	400	7	12	15	All	0.6
	05"	Fd ^{1,32} Py ¹	Fd ^{1,32} Py ¹				Act ^a At ^a Ep ^a	600	400	400	7	12	15	All	0.6
	06	not in timber harvesting base					Act ^a At ^a Ep ^a								
PPdh2	01"	Py	Py Fd ^{27,32}	Fd ^{27,32}	Pl ²³	Lw ^{10,23,32} Pl ²³		600	400	400	7	12	15	All	0.6
	02a	non-forested	non-forested					-	-	-	-	-	-	-	-
	02b	non-forested	non-forested					-	-	-	-	-	-	-	-
	03"	Fd ³² Py ¹ Sx ²⁸	Fd ³² Py ¹ Sx ²⁸		Pl ²³	Lw ^{23,32} Pl ²³	Act ^a At ^a Ep ^a	1000	500	400	7	12	15	All	0.6

1,2 etc - see "Footnotes"

*Avoid logging

** Additional information or requirements may be contained in the text portion of the reference guide.