

Reference Guide for FDP Stocking Standards**

Prince Rupert Forest Region

See the 'Instructions' worksheet (click on tab at bottom of screen)
for tips on using features in this workbook.

		Regeneration Guide										Free Growing Guide			
BGC		Species					Stocking(i)			Regen		Assessment		Min. Height(ii)	
Classification										Delay		Earliest		Latest	
Zone/SZ	Series	Primary	Preferred (p)	Secondary	Acceptable (a)	Tertiary	Broadleaf	Target (well-spaced/ha)	MIN pa	MIN p	(Max yrs)	(yrs)	(yrs)	Species	Ht (m)
BWBSdk1	01	PI Sw ³²	PI Sw ³²	BI	BI	Sb	At ^b Ep ^b	1200	700	600	7	12	15	PI	1.60
	02*	PI	PI		BI ⁵⁰ Sw	BI ⁵⁰ Sb Sw	At ^b	1000	500	400	7	12	15	Others	0.80
	03	PI	PI	Sw ²⁸	Sw ²⁸		At ^b	1200	700	600	7	12	15	PI	1.60
	04	PI	PI		Sb Sw ³²	Sb Sw ³²	At ^b	1200	700	600	7	12	15	Others	0.80
	05	PI Sw	PI Sw	BI	BI	Sb	At ^a Ep ^a	1200	700	600	7	12	15	PI	1.60
	06	PI Sw ³²	PI Sw ³²	BI	BI	Sb	Acb ^b At ^b Ep ^b	1200	700	600	7	12	15	Others	0.80
	07	PI ¹ Sb ¹ Sw ^{1,32}	PI ¹ Sb ¹ Sw ^{1,32}			BI ⁵⁰	At ^b	1200	700	600	7	12	15	PI	1.60
	08	Sw ^{1,32}	Sw ^{1,32} PI ¹	PI ¹	BI ⁵⁰	BI ⁵⁰ Sb	Acb ^a At ^b Ep ^b	1000	500	400	4	9	15	Others	0.80
	09*	PI ¹ Sb ¹ Sw ^{1,32}	PI ¹ Sb ¹ Sw ^{1,32}					400	200	200	4	9	15	PI	1.20
	10*	PI ¹ Sb ¹ Sw ^{1,32}	PI ¹ Sb ¹ Sw ^{1,32}					400	200	200	4	9	15	Others	0.60
	11*	PI ¹ Sb ¹ Sw ¹	PI ¹ Sb ¹ Sw ¹				Acb ^b At ^b	400	200	200	4	9	15	PI	1.20
	31	non-forested	non-forested					-	-	-	-	-	-	Others	0.60
BWBSdk2	01	PI Sw ³²	PI Sw ³²		Sb	Sb	At ^b Ep ^b	1200	700	600	7	12	15	PI	1.60
	02*	PI	PI		Sb Sw	Sb Sw	At ^b	1000	500	400	7	12	15	Others	0.80
	03	PI	PI		Sb Sw ³²	Sb Sw ³²	At ^b	1200	700	600	7	12	15	PI	1.60
	04	PI Sb Sw	PI Sb Sw	Lt	Lt		At ^b	1000	500	400	4	9	15	Others	0.80
	05	PI Sw ³²	PI Sw ³²				At ^a Ep ^a	1200	700	600	7	12	15	PI	1.60
	06	Sw ^{1,32}	Sw ^{1,32} PI ¹	Lt ¹ PI ¹	Lt ¹	Sb	Acb ^a At ^b Ep ^b	1000	500	400	4	9	15	Others	0.80
	07*	Lt ¹ PI ¹ Sb ¹ Sw ^{1,32}	Lt ¹ PI ¹ Sb ¹ Sw ^{1,32}					400	200	200	4	9	15	PI	1.20
	08*	Lt ¹ Sb ¹ Sw ^{1,32}	Lt ¹ Sb ¹ Sw ^{1,32}					400	200	200	4	9	15	Others	0.60
	31	non-forested	non-forested					-	-	-	-	-	-	All	0.60
	32	non-forested	non-forested					-	-	-	-	-	-		-
	81	non-forested	non-forested					-	-	-	-	-	-		-
CWHvh2	01	Cw ⁴⁸ Hw	Cw ⁴⁸ Hw Yc ⁴⁸	PI Yc ⁴⁸	PI Ba ^{7,26,65} Ss ^{7,26,30,35,65}	Ba ⁷ Ss ⁷	Dr ^b	900	500	400	6	11	14	Hw, PI	2.00
	02*	PI	PI Cw ⁴⁸ Yc ⁴⁸	Cw ⁴⁸ Yc ⁴⁸		Hw		400	200	200	3	8	11	Ss	2.00
	03	Cw ⁴⁸ Hw PI Yc ⁴⁸	Cw ⁴⁸ Hw PI Yc ⁴⁸		Ss ^{7,65}	Ss ⁷	Dr ^b	800	400	400	6	11	14	Cw, Yc	1.50

1,2 etc - see "Footnotes"

*Avoid logging

**Additional information or requirements may be contained in the text poriton of the reference guide.

Reference Guide for FDP Stocking Standards**

Prince Rupert Forest Region

		Regeneration Guide										Free Growing Guide				
BGC		Species						Stocking(i)			Regen Delay	Assessment		Min. Height(ii)		
Classification							Broadleaf	Target	MIN pa	MIN p		Earliest	Latest	Species	Ht	
Zone/SZ	Series	Primary	Preferred (p)	Secondary	Acceptable (a)	Tertiary		(well-spaced/ha)			(Max yrs)	(yrs)	(yrs)		(m)	
	04	Ba Hw Ss	Ba Hw Ss Cw ⁴⁸	Cw ⁴⁸	Yc ⁴⁸	Yc ⁴⁸	Dr ^b	900	500	400	6	11	14	Pl Others	1.40 1.00	
														Hw, Ss Cw, Yc Ba	2.00 1.50 1.40	
	05	Ba Cw ⁴⁸ Ss	Ba Cw ⁴⁸ Ss	Hw ²	Hw ^{2,32,64} Yc ⁴⁸	Yc ⁴⁸	Dr ^b	900	500	400	3	8	11	Hw, Ss Cw, Yc Ba	2.00 1.50 1.40	
														Hw, Ss Cw, Yc Ba	2.00 1.50 1.40	
	06	Ba Cw ⁴⁸ Ss	Ba Cw ⁴⁸ Ss	Hw ²	Hw ^{2,32,64} Yc ⁴⁸	Yc ⁴⁸	Dr ^b	900	500	400	3	8	11	Hw, Ss Cw, Yc Ba	2.00 1.50 1.40	
														Hw, Ss Cw, Yc Ba	2.00 1.50 1.40	
	07	Ba Cw ⁴⁸ Ss	Ba Cw ⁴⁸ Ss	Hw ²	Hw ² Yc ⁴⁸	Yc ⁴⁸	Dr ^b	900	500	400	3	8	11	Hw, Ss Cw, Yc Ba	2.00 1.50 1.40	
														Hw, Ss Cw, Yc Ba	2.00 1.50 1.40	
	08	Cw ⁴⁸ Ss	Cw ⁴⁸ Ss	BaHw	Ba ⁶⁴ Hw		Dr ^a	900	500	400	3	8	11	Hw, Ss Cw Ba	2.00 1.50 1.40	
														Hw, Ss Cw Ba	2.00 1.50 1.40	
	09	Ss ¹	Ss ¹ Cw ^{1,48} Ba ¹	Ba ¹ Cw ^{1,48}	Ba ¹	Hw ¹	Dr ^a	900	500	400	3	8	11	Hw, Ss Cw Ba	2.00 1.50 1.40	
														Hw, Ss Cw Ba	2.00 1.50 1.40	
	10*	no conifers	no conifers				Dr ^b	-	-	-	-	-	-	-	-	-
	11	Cw ^{1,48} Hw ¹ Yc ^{1,48}	Cw ^{1,48} Hw ¹ Yc ^{1,48}	Pl ¹	Pl ¹			800	400	400	3	8	11	Hw Pl	1.80 1.40	
														Others	1.00	
	12*	Cw ^{1,48} Pl ¹ Yc ^{1,48}	Cw ^{1,48} Pl ¹ Yc ^{1,48}					400	200	200	3	8	11	Pl	1.40	
														Others	1.00	
	13	Cw ^{1,48} Yc ^{1,48}	Cw ^{1,48} Yc ^{1,48}		Pl	Ba Hm Hw ¹ Pl Ss ¹	Dr ^b	800	400	400	3	8	11	Ss Hw	2.00 1.80	
														Others	1.00	
	14*	Ss	Ss		Cw ⁴⁸ Pl	Cw ⁴⁸ Hw Pl		400	200	200	3	8	11	Ss Hw Pl	2.00 1.80 1.40	
													Others	1.00		
15	Ss	Ss		Cw ⁴⁸ Hw	Cw ⁴⁸ Hw		900	500	400	3	8	11	Hw, Ss Cw	2.00 1.50		
16*	Ss	Ss		Cw ⁴⁸ Pl	Cw ⁴⁸ Hw Pl		400	200	200	3	8	11	Ss Hw Pl	2.00 1.80 1.40		
													Others	1.00		
17	Ss	Ss Cw ⁴⁸	Cw ⁴⁸ Hw	Hw Yc ⁴⁸	Yc ⁴⁸	Dr ^b	900	500	400	3	8	11	Hw, Ss Cw, Yc	2.00 1.50		
18*	Cw ^{1,48} Ss ¹	Cw ^{1,48} Ss ¹				Dr ^b	400	200	200	3	8	11	Ss Cw	2.00 1.00		
19*	Cw ^{1,48} Ss ¹	Cw ^{1,48} Ss ¹				Act ^b Dr ^b	400	200	200	3	8	11	Ss Cw	2.00 1.00		
31	non-forested	non-forested					-	-	-	-	-	-	-	-	-	
32	non-forested	non-forested					-	-	-	-	-	-	-	-	-	
33	non-forested	non-forested					-	-	-	-	-	-	-	-	-	
CWHvm1	01	Ba ²⁶ Cw	Ba ²⁶ Cw Hw ³⁰	Hw ³⁰ Ss ^{7,26,30}	Ss ^{7,26,30,35,56,64}		Dr ^b	900	500	400	6	11	14	Hw, Ss Cw Ba	2.00 1.50 1.40	
	02*	Pl	Pl Cw Fd ²²	Cw Fd ²² Hw	Hw			400	200	200	3	8	11	Hw, Pl	1.40	

1,2 etc - see "Footnotes"

*Avoid logging

**Additional information or requirements may be contained in the text poriton of the reference guide.

Reference Guide for FDP Stocking Standards**

Prince Rupert Forest Region

		Regeneration Guide								Free Growing Guide					
BGC		Species						Stocking(i)		Regen Delay	Assessment		Min. Height(ii)		
Classification							Broadleaf	Target	MIN pa		MIN p	Earliest	Latest	Species	Ht
Zone/SZ	Series	Primary	Preferred (p)	Secondary	Acceptable (a)	Tertiary		(well-spaced/ha)	(Max yrs)	(yrs)	(yrs)	(m)			
	03	Cw Hw	Cw Hw Fd ²²	Fd ²² Pl	Pl	Dr ^b	800	400	400	6	11	14	Others	1.00	
	04	Ba Cw	Ba Cw Hw ³⁰	Hw ³⁰ Ss ^{30,35}	Ss ^{30,35,56,64}	Dr ^b	900	500	400	3	8	11	Hw, Pl	1.40	
													Others	1.00	
	05	Ba Cw	Ba Cw Hw ³⁰	Hw ³⁰ Ss ^{30,35}	Ss ^{30,35,56,64}	Act ^b Dr ^b	900	500	400	3	8	11	Hw, Ss	2.00	
													Cw	1.50	
	06	Ba ²⁶ Cw	Ba ²⁶ Cw Hw ³⁰	Hw ³⁰ Ss ^{7,26,30}	Ss ^{7,26,30,35,56,64}	Yc	Dr ^b	900	500	400	6	11	14	Ba	1.40
														Hw, Ss	2.00
	07	Ba Cw	Ba Cw Hw ^{2,30}	Hw ^{2,30} Ss ^{30,35}	Ss ^{30,35,56,64}	Act ^a Dr ^a	900	500	400	3	8	11	Cw	1.50	
													Ba	1.40	
	08	Ba Cw	Ba Cw Hw ^{2,30}	Hw ^{2,30} Ss ^{30,35}	Ss ^{30,35,56,64}	Act ^a Dr ^a	900	500	400	3	8	11	Hw, Ss	2.00	
													Cw	1.50	
	09	Ba Cw	Ba Cw Hw ^{2,30}	Hw ³⁰ Ss ^{30,35}	Ss ^{30,35,56,64}	Act ^a Dr ^a	900	500	400	3	8	11	Ba	1.40	
													Hw, Ss	2.00	
	10		Cw ¹ Ss ^{1,30,35,56}	Ba ¹ Cw ¹ Ss ^{1,30,35}	Ba ¹	Act ^a Dr ^a	900	500	400	3	8	11	Cw	1.50	
													Ba	1.40	
11	no conifers	no conifers			Act ^b Dr ^b	-	-	-	-	-	-	-	-	-	
12	Cw ¹ Hw ^{1,30} Yc ¹	Cw ¹ Hw ^{1,30} Yc ¹	Pl ¹	Pl ¹	Hm ^{1,30}	800	400	400	3	8	11	Hw, Pl	1.40		
13*	Cw ¹ Pl ¹ Yc ¹	Cw ¹ Pl ¹ Yc ¹			Hw ^{1,30}	400	200	200	3	8	11	Hm	0.80		
												Others	1.00		
												Pl,	1.40		
14	Cw ¹	Cw ¹		Pl ¹ Yc ¹	Ba ¹ Hw ^{1,30} Pl ¹ Ss ^{1,30} Yc ¹	Act ^b Dr ^b	800	400	400	3	8	11	Others	1.00	
31	non-forested	non-forested					-	-	-	-	-	-	-	-	
32	non-forested	non-forested					-	-	-	-	-	-	-	-	
51	non-forested	non-forested					-	-	-	-	-	-	-	-	
CWHvm2	01	Ba	Ba Cw ¹⁴ Yc	Cw ¹⁴ Hw ³⁰ Ss ^{7,30} Yc	Hw ^{30,64} Ss ^{7,30,64}	Hm ^{13,30}	900	500	400	6	11	14	Hw, Ss	2.00	
	02*	Pl	Pl Cw Yc	Cw Hw ³⁰ Yc	Hw ³⁰	Hm ^{13,30}	400	200	200	3	8	11	Cw, Yc	1.50	
													Ba	1.40	
													Hm	1.00	
	03	Cw ¹⁴ Hw ³⁰	Cw ¹⁴ Hw ³⁰	Pl Yc ¹³	Pl Yc ¹³	Hm ^{13,30}	800	400	400	6	11	14	Hw	1.80	
	04	Ba Cw ¹⁴	Ba Cw ¹⁴ Yc	Hw ³⁰ Ss ³⁰ Yc	Hw ^{30,64} Ss ^{30,64}	Hm ^{13,30}	900	500	400	3	8	11	Pl	1.40	
Others													1.00		
05	Ba Cw ¹⁴	Ba Cw ¹⁴ Yc ¹³	Hw ³⁰ Ss ³⁰ Yc ¹³	Hw ^{30,64} Ss ^{30,64}	Hm ^{13,30}	900	500	400	3	8	11	Hw	1.80		
06	Ba Cw ¹⁴	Ba Cw ¹⁴ Yc	Hw ³⁰ Ss ^{7,30} Yc	Hw ^{30,64} Ss ^{30,64}	Hm ^{13,30}	900	500	400	6	11	14	Pl	1.40		
												Others	1.00		
												Hw, Ss	2.00		

1,2 etc - see "Footnotes"

*Avoid logging

**Additional information or requirements may be contained in the text poriton of the reference guide.

Reference Guide for FDP Stocking Standards**

Prince Rupert Forest Region

		Regeneration Guide										Free Growing Guide				
BGC		Species						Stocking(i)			Regen	Assessment		Min. Height(ii)		
Classification							Broadleaf	Target	MIN pa	MIN p	Delay	Earliest	Latest	Species	Ht	
Zone/SZ	Series	Primary	Preferred (p)	Secondary	Acceptable (a)	Tertiary		(well-spaced/ha)				(Max yrs)	(yrs)	(yrs)		(m)
	07	Ba Cw ¹⁴	Ba Cw ¹⁴ Yc	Hw ^{2,30} Ss ^{30,35} Yc	Hw ^{2,30,64} Ss ^{30,35,64}	Hm ^{13,30}		900	500	400	3	8	11	Cw, Yc Ba Hm	1.50 1.40 1.00	
	08	Ba Cw ¹⁴	Ba Cw ¹⁴ Yc	Hw ^{2,30} Ss ^{30,35} Yc	Hw ^{2,30,64} Ss ^{30,35,64}	Hm ^{13,30}		900	500	400	3	8	11	Hw, Ss Cw, Yc Ba Hm	2.00 1.50 1.40 1.00	
	09	Cw ¹ Hw ^{1,30} Yc ¹	Cw ¹ Hw ^{1,30} Yc ¹	Hm ^{1,30}	Hm ^{1,30}	Pl ¹		800	400	400	3	8	11	Hw Hm Pl	1.80 1.40 1.00	
	10*	Pl ¹ Yc ¹	Pl ¹ Yc ¹	Hm ³⁰	Hm ³⁰			400	200	200	3	8	11	Others Pl Yc	1.00 1.40 1.00	
	11	Cw ¹ Yc ¹	Cw ¹ Yc ¹		Ss ^{1,30}	Ba Hm ^{1,30} Hw ^{1,30} Ss ^{1,30}		800	400	400	3	8	11	Hm Hw Ss Others	0.80 1.80 1.40 1.00	
	31	non-forested	non-forested					-	-	-	-	-	-	-	-	
	32	non-forested	non-forested					-	-	-	-	-	-	-	-	
	51	non-forested	non-forested					-	-	-	-	-	-	-	-	
CWHwm	01	Hw ³⁰ Ss ³⁰	Hw ³⁰ Ss ^{30,56} Cw ¹⁶	Ba ¹⁶ Cw ¹⁶ Hm ^{12,13,30}	Ba ^{16,64} Hm ^{12,13,30,64} Yc ^{12,13}	Yc ^{12,13}	Dr ^b	900	500	400	6	11	14	Hw, Ss Hm Others	2.00 1.00 1.40	
	02	Hw ³⁰ Pl	Hw ³⁰ Pl Cw ¹⁶	Cw ¹⁶ Hm ^{12,13,30}	Hm ^{12,13,30}	Ss ³⁰	Dr ^b	900	500	400	6	11	14	Hw, Pl Ss Hm Others	2.00 2.00 1.00 1.40	
	03	Ss ³⁰	Ss ^{30,56} Cw ¹⁶	Ba ¹⁶ Cw ¹⁶ Hw ³⁰	Ba ^{16,64} Hw ^{30,64} Yc ^{12,13}	Yc ^{12,13}	Act ^b Dr ^b	900	500	400	3	8	11	Hw, Ss Others	2.00 1.40	
	04	Ss ³⁰	Ss ^{30,56} Cw ¹⁶	Ba ¹⁶ Cw ¹⁶ Hw ³⁰	Ba ^{16,64} Hw ^{30,64} Yc ^{12,13}	Yc ^{12,13}	Act ^b Dr ^a	900	500	400	3	8	11	Hw, Ss Others	2.00 1.40	
	05	Ss ³⁰	Ss ^{30,56} Cw ¹⁶	Ba ¹⁶ Cw ¹⁶ Hw ³⁰	Ba ^{16,64} Hw ^{30,64}		Act ^a Dr ^a	900	500	400	3	8	11	Hw, Ss Others	2.00 1.40	
	06		Cw ^{1,16} Ss ^{1,30,56}	Ba ^{1,16} Cw ^{1,16} Ss ^{1,30}	Ba ^{1,16,64}		Act ^a Dr ^a	900	500	400	3	8	11	Ss Others	2.00 1.40	
	07*	no conifers	no conifers					-	-	-	-	-	-	-	-	-
	08	Cw ^{1,16} Pl ¹ Yc ¹	Cw ^{1,16} Pl ¹ Yc ¹	Hm ^{12,13,30} Hw ^{1,30}	Hm ^{12,13,30} Hw ^{1,30}		Act ^b Dr ^b	900	500	400	6	11	14	Hw, Pl Hm Others	2.00 1.00 1.40	
	09	Cw ^{1,16} Ss ^{1,30}	Cw ^{1,16} Ss ^{1,30,56} Yc ¹	Hw ^{1,30} Yc ¹	Hw ^{1,30}	Hm ³⁰	Act ^b Dr ^b	800	400	400	3	8	11	Hw, Ss Others	1.40 1.00	
	10*	Cw ^{1,16} Pl ¹ Yc ¹	Cw ^{1,16} Pl ¹ Yc ¹			Hw ³⁰		400	200	200	3	8	11	Pl Others	1.40 1.00	
	31	non-forested	non-forested					-	-	-	-	-	-	-	-	-
	32	non-forested	non-forested					-	-	-	-	-	-	-	-	-
51	non-forested	non-forested					-	-	-	-	-	-	-	-	-	
CWHws1	01	Ba	Ba Cw	Cw Hw ³⁰ Pl Sxs ^{30,35}	Hw ³⁰ Pl Sxs ^{30,35,56}		Dr ^b	900	500	400	6	11	14	Hw, Pl Sxs Others	2.00 2.00 1.40	
	02*	Pl	Pl Hw ³⁰	Hw ³⁰	Cw	Cw		600	400	400	6	11	14	Hw, Pl	1.40	

1,2 etc - see "Footnotes"

*Avoid logging

**Additional information or requirements may be contained in the text poriton of the reference guide.

Reference Guide for FDP Stocking Standards**

Prince Rupert Forest Region

		Regeneration Guide										Free Growing Guide			
BGC		Species						Stocking(i)			Regen	Assessment		Min. Height(ii)	
Classification							Broadleaf	Target	MIN pa	MIN p	Delay	Earliest	Latest	Species	Ht
Zone/SZ	Series	Primary	Preferred (p)	Secondary	Acceptable (a)	Tertiary		(well-spaced/ha)				(Max yrs)	(yrs)	(yrs)	
	03	Hw Pl	Hw Pl Cw	Cw		Ba		900	500	400	6	11	14	Others	1.00
	04	Ba Cw	Ba Cw	Hw ^{2,30} Sxs ^{30,35}	Hw ^{2,30} Sxs ^{30,35,56}	Pl	Act ^b Dr ^b	900	500	400	3	8	11	Hw, Pl	2.00
	05	Ba Cw	Ba Cw	Hw ³⁰ Sxs ^{7,30,35}	Hw ³⁰ Sxs ^{7,30,35,56}		Dr ^b	900	500	400	6	11	14	Others	1.40
	06	Ba Cw	Ba Cw	Hw ^{2,30} Sxs ^{30,35}	Hw ^{2,30} Sxs ^{30,35,56}		Act ^b Dr ^a	900	500	400	3	8	11	Hw, Sxs	2.00
	07	Ba Cw	Ba Cw	Sxs ^{30,35}	Sxs ^{30,35,56}	Hw ³⁰	Act ^a	900	500	400	3	8	11	Others	1.40
	08		Ba ¹ Cw ¹	Ba ¹ Cw ¹ Sxs ^{1,30,35}	Sxs ^{1,30,35,56}	Hw ^{1,30}	Dr ^a	900	500	400	3	8	11	Hw, Sxs	2.00
	09*	no conifers	no conifers				Act ^a Dr ^a	900	500	400	3	8	11	Sxs	2.00
	10*	Pl ¹	Pl ¹		Cw ¹ Hw ³⁰	Cw ¹ Hw ³⁰	Act ^b Dr ^b	-	-	-	-	-	-	Others	1.40
	11	Cw ¹	Cw ¹ Sxs ^{1,30,56}	Sxs ^{1,30}	Ba ¹ Hw ^{1,30}	Ba ¹ Hw ^{1,30}	Act ^b Dr ^b	400	200	200	3	8	11	Hw, Pl	1.40
	31	non-forested	non-forested					800	400	400	3	8	11	Cw	1.00
	32	non-forested	non-forested					-	-	-	-	-	-	Hw, Sxs	1.40
								-	-	-	-	-	-	Others	1.00
								-	-	-	-	-	-	-	-
								-	-	-	-	-	-	-	-
CWHws2	01	Ba	Ba Cw	Bl ¹² Cw Hw ³⁰ Pl Sxs ³⁰	Bl ¹² Hw ³⁰ Pl Sxs ³⁰	Hm ^{13,30}	Dr ^b	900	500	400	6	11	14	Pl	2.00
	02*	Pl	Pl		Cw Hm ^{13,30} Hw ³⁰	Cw Hm ^{13,30} Hw ³⁰		600	400	400	6	11	14	Hw	1.30
	03	Hw Pl	Hw Pl Cw	Cw		Ba Hm ^{13,30}	Dr ^b	900	500	400	6	11	14	Others	1.00
	04	Ba	Ba Cw ¹⁴	Bl ¹² Cw ¹⁴ Hw ^{2,30} Sxs ³⁰	Bl ¹² Hw ^{2,30} Sxs ³⁰	Hm ^{13,30}	Act ^b Dr ^b	900	500	400	3	8	11	Pl	1.40
	05	Ba	Ba Cw ¹⁴	Bl ¹² Cw ¹⁴ Hw ³⁰ Sxs ^{7,30}	Bl ¹² Hw ³⁰ Sxs ^{7,30}		Dr ^b	900	500	400	6	11	14	Others	0.80
	06	Ba	Ba Cw ¹⁴	Bl ¹² Cw ¹⁴ Hw ^{2,30} Sxs ³⁰	Bl ¹² Hw ^{2,30} Sxs ³⁰		Act ^b Dr ^b	900	500	400	3	8	11	Pl	2.00
	07	Ba	Ba Cw	Bl ¹² Cw Sxs ³⁰	Bl ¹² Sxs ³⁰	Hw ³⁰	Act ^a Dr ^a	900	500	400	3	8	11	Hw	1.30
	08		Ba ¹ Cw ¹	Ba ¹ Bl ¹² Cw ¹ Sxs ^{1,30}	Bl ¹² Sxs ^{1,30}	Hw ^{1,30}	Act ^a Dr ^a	900	500	400	3	8	11	Others	1.00
	09	no conifers	no conifers				Act ^b Dr ^b	-	-	-	-	-	-	All	1.00
	10*	Pl ¹	Pl ¹		Cw ¹ Hm ³⁰ Hw ³⁰	Cw ¹ Hm ³⁰ Hw ³⁰		400	200	200	3	8	11	Hw	1.30
	11	Cw ¹	Cw ¹ Sxs ^{1,30}	Sxs ^{1,30}	Ba ¹	Ba ¹ Hw ^{1,30}	Act ^b Dr ^b	900	500	400	3	8	11	Others	1.00
	31	non-forested	non-forested					800	400	400	3	8	11	All	0.80
	32	non-forested	non-forested					-	-	-	-	-	-	-	-
	51	non-forested	non-forested					-	-	-	-	-	-	-	-
ESSFmc	01	Bl Se	Bl Sx	Pl ³⁴	Pl ³⁴			1200	700	600	7	15	20	Pl	1.60
	02*	Pl	Pl Sx	Bl Se	Bl			1000	500	400	7	15	20	Others	0.80
	03*	Pl	Pl Sx	Bl Se	Bl			1000	500	400	7	15	20	Pl	1.20
	04	Pl	Pl Sx	Bl Se	Bl			1200	700	600	7	15	20	Others	0.60
														Pl	1.60

1,2 etc - see "Footnotes"

*Avoid logging

**Additional information or requirements may be contained in the text poriton of the reference guide.

Reference Guide for FDP Stocking Standards**

Prince Rupert Forest Region

		Regeneration Guide										Free Growing Guide			
BGC		Species						Stocking(i)			Regen	Assessment		Min. Height(ii)	
Classification							Broadleaf	Target	MIN pa	MIN p	Delay	Earliest	Latest	Species	Ht
Zone/SZ	Series	Primary	Preferred (p)	Secondary	Acceptable (a)	Tertiary		(well-spaced/ha)				(Max yrs)	(yrs)	(yrs)	
	05	Bl Se	Bl Sx	Pi ³⁴	Pi ³⁴	Pi ³⁴	1200	700	600	4	12	20	Others	0.80	
	06	Bl Se	Bl Sx	Pi ³⁴	Pi ³⁴		1200	700	600	4	12	20	PI	1.60	
	07	Bl ³² Se ³²	Bl ³² Sx ³²		Pi ³⁴		1200	700	600	4	12	20	Others	0.80	
	08*	Bl ³² Se ³²	Bl ³² Sx ³²				1000	500	400	4	12	20	PI	1.60	
	09	Bl ^{1,32} Se ^{1,32}	Bl ^{1,32} Sx ^{1,32}				1000	500	400	4	12	20	Others	0.80	
	10	Bl ^{1,32} Se ^{1,32}	Bl ^{1,32} Sx ^{1,32}				1000	500	400	4	12	20	All	0.60	
	31	non-forested	non-forested				-	-	-	-	-	-	-	-	-
	51	non-forested	non-forested				-	-	-	-	-	-	-	-	-
ESSFmk	01	Bl Se	Bl Se	Hm Pi ³⁴	Hm Pi ³⁴	Ba ¹⁷	1200	700	600	7	15	20	PI	1.60	
	02*	Pa Pi	Pa Pi Se	Bl Hm Se	Bl Hm		1000	500	400	7	15	20	Others	0.80	
	03*	Pa Pi	Pa Pi Se	Bl Hm Se	Bl Hm	Ba	1200	700	600	7	15	20	PI	1.20	
	04	Bl Se	Bl Se	Bl Hm Se	Bl Hm		1200	700	600	7	15	20	Others	0.60	
	05	Bl Se	Bl Se	Hm Pi ³⁴	Bl Hm	Ba	1200	700	600	4	12	20	PI	1.60	
	06	Bl ³² Se ³²	Bl ³² Se ³²	Hm	Hm	Ba ¹⁷ Pi ³⁴	1200	700	600	4	12	20	Others	0.80	
	07	Bl ^{1,32} Se ^{1,32}	Bl ^{1,32} Se ^{1,32}		Hm	Ba Hm	1000	500	400	4	12	20	PI	1.60	
	31	non-forested	non-forested		Ba	Ba	1000	500	400	4	12	20	Others	0.80	
ESSFmv3	01	Bl Se	Bl Se	Pi ³⁴	Pi ³⁴		1200	700	600	4	12	20	PI	1.60	
	02*	Pi ³⁴	Pi ³⁴ Se ²⁸	Bl ²⁸ Se ²⁸	Bl ²⁸		1000	500	400	4	12	20	Others	0.80	
	03	Bl Se	Bl Se	Pi ³⁴	Bl ²⁸ Se ²⁸		1000	500	400	4	12	20	PI	1.20	
	04	Bl Se	Bl Se	Pi ³⁴	Pi ³⁴	Sb	1000	500	400	4	12	20	Others	0.60	
	05	Bl Se	Bl Se		Pi ³⁴	Pi ³⁴	1200	700	600	4	12	20	PI	1.60	
	06	Bl Se	Bl Se		Pi ³⁴	Pi ³⁴	1200	700	600	4	12	20	Others	0.80	
	07	Bl Sx	Bl Sx	Pi ³⁴	Pi ³⁴		1200	700	600	7	12	15	PI	1.60	
	07	Bl ^{1,32} Se ^{1,32}	Bl ^{1,32} Se ^{1,32}	Pi ^{1,34}	Pi ^{1,34}		1000	500	400	4	12	20	Others	0.80	
ESSFwv	01	Bl Se	Bl Se	Pi ³⁴	Pi ³⁴	Hm Hw	1200	700	600	7	15	20	PI	1.60	
	02*	Pi	Pi Se	Bl Hm Se	Bl Hm		1000	500	400	7	15	20	Others	0.80	
	03*	Pi	Pi Se	Bl Hm Se	Bl Hm	Hw	1200	700	600	7	15	20	PI	1.20	
	04	Pi	Pi Se	Bl Hm Se	Bl Hm		1200	700	600	7	15	20	Others	0.60	
	05	Bl Se	Bl Se	Pi ³⁴	Pi ³⁴	Hm Hw	1200	700	600	4	12	20	PI	1.60	
	06	Bl ³² Se ³²	Bl ³² Se ³²		Pi ³⁴	Hm Hw Pi ³⁴	1200	700	600	4	12	20	Others	0.80	

1,2 etc - see "Footnotes"

*Avoid logging

**Additional information or requirements may be contained in the text poriton of the reference guide.

Reference Guide for FDP Stocking Standards**

Prince Rupert Forest Region

		Regeneration Guide										Free Growing Guide			
BGC		Species						Stocking(i)			Regen	Assessment		Min. Height(ii)	
Classification							Broadleaf	Target	MIN pa	MIN p	Delay	Earliest	Latest	Species	Ht
Zone/SZ	Series	Primary	Preferred (p)	Secondary	Acceptable (a)	Tertiary		(well-spaced/ha)				(Max yrs)	(yrs)	(yrs)	
	07*	Bl ³² Se ³²	Bl ³² Se ³²					1000	500	400	4	12	20	All	0.60
	08	Bl ^{1,32} Se ^{1,32}	Bl ^{1,32} Se ^{1,32}		Hm Hw	Hm Hw		1000	500	400	4	12	20	All	0.60
	09	Bl ^{1,32} Se ^{1,32}	Bl ^{1,32} Se ^{1,32}					1000	500	400	4	12	20	All	0.60
	31	non-forested	non-forested					-	-	-	-	-	-	-	-
	51	non-forested	non-forested					-	-	-	-	-	-	-	-
ICHmc1	01	Hw ³² PI Sx	Hw ³² Sx ⁵⁶	Bl ²⁹	PI Bl ²⁹		At ^b Ep ^b	1200	700	600	4	9	15	PI Others	2.00 1.00
	02*	PI	PI		Bl Hw ³²	Bl Hw ³²	At ^b	1000	500	400	7	12	15	PI Others	1.40 0.80
	03	Hw ³² Sx ³⁵	Hw ³² Sx ^{35,56}	Bl ²⁹ PI	Bl ²⁹ PI		Act ^b At ^a Ep ^a	1200	700	600	4	9	15	PI Others	2.00 1.00
	04	Sx ³⁵	Sx ^{35,56} Hw ³²	Bl ²⁹ Hw ³² PI	Bl ²⁹ PI		Act ^b At ^a Ep ^a	1200	700	600	4	9	15	PI Others	2.00 1.00
	05	Sx ^{1,35}	Sx ^{1,35,56} Bl ^{1,29}	Bl ^{1,29} PI ¹	PI ¹		Act ^a At ^a Ep ^a	1200	700	600	4	9	15	PI Others	2.00 1.00
	06	Sx ¹	Sx ^{1,56} Bl ^{1,29}	Bl ^{1,29}	Hw ^{1,32}	Hw ^{1,32}	Act ^b	1000	500	400	4	9	15	All	0.80
	31	non-forested	non-forested					-	-	-	-	-	-	-	-
ICHmc1a	01	Hw ³² PI Sx	Hw ³² Sx ⁵⁶	Ba ⁷	PI Ba ⁷	Bl Cw ^{23,32}	At ^b Ep ^b	1200	700	600	4	9	15	PI Others	2.00 1.00
	02	Ba Sx ³⁵	Ba Sx ^{35,56}	Hw ³² PI	Hw ³² PI	Cw ^{23,32}	Act ^b At ^a Ep ^a	1200	700	600	4	9	15	PI Others	2.00 1.00
	03	Ba Sx ³⁵	Ba Sx ^{35,56}	Hw ³² PI	Hw ³² PI	Bl Cw ^{23,32}		1200	700	600	4	9	15	PI Others	2.00 1.00
ICHmc2	01	Hw ³² PI Sx	Hw ³² Sx ⁵⁶ Cw ³²	Bl ²⁹ Cw ³²	PI Bl ²⁹		At ^a Ep ^a	1200	700	600	4	9	15	PI Others	2.00 1.00
	02*	PI	PI		Bl Hw	Bl Hw	At ^b	1000	500	400	7	12	15	PI Others	1.40 0.80
	03	Cw ³² Hw ³² Sx ³⁵	Cw ³² Hw ³² Sx ^{35,56}	Bl ²⁹ PI	Bl ²⁹ PI	Ba ^{13,17}	Act ^b At ^a Ep ^a	1200	700	600	4	9	15	PI Others	2.00 1.00
	04	Cw ³² Sx ³⁵	Cw ³² Sx ^{35,56}	Bl ²⁹ Hw ³² PI	Bl ²⁹ Hw ³² PI	Ba ^{13,17}	Act ^b At ^a Ep ^a	1200	700	600	4	9	15	PI Others	2.00 1.00
	05	Cw ^{1,32} Sx ^{1,35}	Cw ^{1,32} Sx ^{1,35,56}	Bl ^{1,29} Hw ^{1,32} PI ¹	Bl ^{1,29} Hw ^{1,32} PI ¹	Ba ^{13,17}	Act ^b At ^a Ep ^a	1200	700	600	4	9	15	PI Others	2.00 1.00
	06	Cw ^{1,32} Sx ^{1,35}	Cw ^{1,32} Sx ^{1,35,56}	Bl ^{1,29} PI ¹	Bl ^{1,29} PI ¹	Hw ^{1,32}	Act ^a At ^a Ep ^a	1200	700	600	4	9	15	PI Others	2.00 1.00
	07	Sx ¹	Sx ^{1,56} Cw ^{1,32}	Bl ^{1,29} Cw ^{1,32}	Bl ^{1,29}	Hw ^{1,32} , PI ¹	Act ^b At ^b Ep ^b	1000	500	400	4	9	15	PI Others	1.40 1.00
	08*	PI ¹ Sb ¹ Sx ^{1,32}	Sb ¹ Sx ^{1,32,56}		PI ¹			400	200	200	4	9	15	PI Others	1.40 0.80
	31	non-forested	non-forested					-	-	-	-	-	-	-	-
	32	non-forested	non-forested					-	-	-	-	-	-	-	-
	51	PI	Bl ^{28,29} Sx ^{28,56}	Bl ^{28,29} Sx ²⁸	PI	Hw	At ^b Ep ^b	1200	700	600	4	9	15	PI Others	2.00 1.00
	52	PI Sx	Sx ⁵⁶ Cw ³²	Bl ²⁹ Cw ³² Hw ³²	PI Bl ²⁹ Hw ³²		Act ^b At ^a Ep ^a	1200	700	600	4	9	15	PI Others	2.00 1.00
	53	PI Sx	Sx ⁵⁶ Cw ³²	Bl ²⁹ Cw ³² Hw ³²	PI Bl ²⁹ Hw ³²		Act ^b At ^a Ep ^a	1200	700	600	4	9	15	PI Others	2.00 1.00
	54	Cw ³² Sx	Cw ³² Sx ⁵⁶	Bl ²⁹ Hw ³² PI	Bl ²⁹ Hw ³² PI	Ba ^{13,17}	Act ^b At ^a Ep ^a	1200	700	600	4	9	15	PI Others	2.00 1.00
	ICHvc	01	Bl	Bl Hw ³²	Hw ³² Sx ^{34,35}	Sx ^{34,35,56}	Hm	Act ^b At ^b Ep ^b	1200	700	600	4	9	15	All

1,2 etc - see "Footnotes"

*Avoid logging

**Additional information or requirements may be contained in the text poriton of the reference guide.

Reference Guide for FDP Stocking Standards**

Prince Rupert Forest Region

		Regeneration Guide										Free Growing Guide			
BGC		Species						Stocking(i)			Regen	Assessment		Min. Height(ii)	
Classification							Broadleaf	Target	MIN pa	MIN p	Delay	Earliest	Latest	Species	Ht
Zone/SZ	Series	Primary	Preferred (p)	Secondary	Acceptable (a)	Tertiary		(well-spaced/ha)			(Max yrs)	(yrs)	(yrs)		(m)
	02	BI Hw ³²	BI Hw ³²	PI ^{3,9} Sx ³⁴	PI ^{3,9} Sx ^{34,56}	Hm	At ^b Ep ^b	1200	700	600	4	9	15	PI	2.00
	03	BI	BI Sx ^{34,35,56}	Sx ^{34,35}	Hw	Hw	Act ^b At ^b Ep ^b	1200	700	600	4	9	15	Others	1.00
	04	BI ¹	BI ¹ Sx ^{1,34,35,56}	Sx ^{1,34,35}			Act ^a At ^b Ep ^b	1200	700	600	4	9	15	All	1.00
	05	BI ¹	BI ¹ Sx ^{1,32,34,35,56}	Sx ^{1,32,34,35}			Act ^a At ^a	1200	700	600	4	9	15	All	1.00
	06	BI ¹	BI ¹ Sx ^{1,32,34,56}	Sx ^{1,32,34}			Act ^b At ^b Ep ^b	1000	500	400	4	9	15	All	0.80
	31	non-forested	non-forested					-	-	-	-	-	-	-	-
	51*		BI Sx ^{34,56}	BI Sx ³⁴				1000	500	400	3	8	11	All	0.80
	52*		BI Sx ^{34,56}			BI Sx ³⁴		400	200	200	3	8	11		
ICHwc	01	BI Hw ³² Sx	BI Hw ³² Sx	PI	PI		Act ^b At ^b Ep ^b	1200	700	600	4	9	15	PI	2.00
	02*	PI	PI		BI Hw	BI Hw	At ^b	1000	500	400	7	12	15	Others	1.00
	03	BI Hw ³² PI Sx ²⁸	BI Hw ³² PI Sx ²⁸				At ^a Ep ^a	1200	700	600	4	9	15	PI	2.00
	04	BI Sx	BI Sx	Hw ³² PI	Hw ³² PI		Act ^b At ^a Ep ^a	1200	700	600	4	9	15	Others	1.00
	05	BI Sx	BI Sx	Hw ³²	Hw ³²	PI	Act ^b At ^a Ep ^a	1200	700	600	4	9	15	All	1.00
	06	BI ¹ Sx ¹	BI ¹ Sx ¹		PI ¹	Hw ^{1,32} PI ¹	Act ^a At ^a Ep ^a	1200	700	600	4	9	15	All	1.00
	07	Sx ¹	Sx ¹ BI ¹	BI ¹ PI ¹	PI ¹	Hw ^{1,32}		1000	500	400	4	9	15	PI	1.40
	08	BI ¹ Sx ¹	BI ¹ Sx ¹		Hw ^{1,32}	Hw ^{1,32}	Act ^b At ^b Ep ^b	1000	500	400	4	9	15	Others	0.80
	31	non-forested	non-forested					-	-	-	-	-	-	-	-
	32	non-forested	non-forested					-	-	-	-	-	-	-	-
	51		BI Sx	BI Sx				1000	500	400	4	9	15	All	0.80
	52		BI ¹ Sx ¹			BI ¹ Sx ¹		400	200	200	3	8	11	All	0.80
MHmm1	01	Ba Hm Yc	Ba Hm Yc			Hw ¹⁴		900	500	400	7	15	20	All	1.00
	02*	Hm Yc	Hm Yc	Ba	Ba			800	400	400	4	12	20	All	0.80
	03	Ba Hm Yc	Ba Hm Yc			Hw ¹⁴		900	500	400	4	12	20	All	1.00
	04	Ba Hm Yc	Ba Hm Yc			Hw ¹⁴		900	500	400	7	15	20	All	1.00
	05	Ba Yc	Ba Yc	Hm	Hm	Hw ¹⁴		900	500	400	4	12	20	All	1.00
	06	Hm ¹ Yc ¹	Hm ¹ Yc ¹			Ba ¹		800	400	400	7	15	20	All	0.80
	07	Ba ¹ Yc ¹	Ba ¹ Yc ¹	Hm ¹	Hm ¹			900	500	400	4	12	20	All	1.00
	08*	Hm ¹ Yc ¹	Hm ¹ Yc ¹			Hw ^{1,14}		400	200	200	4	12	20	All	0.80
	09*	Yc ¹	Yc ¹ Hm ¹	Hm ¹	Hw ^{1,14}	Ba ¹ Hw ^{1,14}		800	400	400	4	12	20	All	0.80
	31	non-forested	non-forested					-	-	-	-	-	-	-	-
	51	non-forested	non-forested					-	-	-	-	-	-	-	-
	MHmm2	01	Ba Hm	Ba Hm Yc ¹⁷	Yc ¹⁷		B ⁴⁵ Hw ^{14,44}		900	500	400	7	15	20	All
02*		Hm	Hm Yc ¹⁷	Ba Yc ¹⁷	Ba	B ⁴⁵ Hw ^{14,44}		800	400	400	4	12	20	All	0.80
03		Ba Hm	Ba Hm Yc ¹⁷	Yc ¹⁷		B ⁴⁵ Hw ^{14,44}		900	500	400	4	12	20	All	1.00
04		Ba Hm	Ba Hm Yc ¹⁷	Yc ¹⁷		B ⁴⁵ Hw ^{14,44}		900	500	400	7	15	20	All	1.00
05		Ba	Ba Yc ¹⁷	Hm Yc ¹⁷	Hm	B ⁴⁵ Hw ^{14,44}		900	500	400	4	12	20	All	1.00
06		Hm ¹	Hm ¹ Yc ¹⁷	Yc ¹⁷		Ba ¹		800	400	400	7	15	20	All	1.00
07		Ba ¹	Ba ¹ Yc ^{1,17}	Hm ¹ Yc ^{1,17}	Hm ¹	Hw ^{1,14,44}		900	500	400	4	12	20	All	1.00
08*		Hm ¹	Hm ¹ Yc ^{1,17}	Yc ^{1,17}		Ba ¹ B ¹ Hw ^{1,14}		400	200	200	4	12	20	All	0.80
09*		Hm ¹	Hm ¹ Yc ^{1,17}	Yc ^{1,17}		Ba ¹ Hw ^{1,14}		800	400	400	4	12	20	All	0.80
31		non-forested	non-forested					-	-	-	-	-	-	-	-
51		non-forested	non-forested					-	-	-	-	-	-	-	-
MHwh1		01	Ba Hm Yc	Ba Hm Yc Cw ¹⁴	Cw ¹⁴ Hw ¹⁴ Ss ¹⁴	Hw ¹⁴ Ss ¹⁴			900	500	400	7	15	20	All

1,2 etc - see "Footnotes"

*Avoid logging

**Additional information or requirements may be contained in the text poriton of the reference guide.

Reference Guide for FDP Stocking Standards**

Prince Rupert Forest Region

		Regeneration Guide										Free Growing Guide			
BGC		Species										Assessment		Min. Height(ii)	
Classification							Broadleaf	Stocking(i)			Regen Delay (Max yrs)	Earliest		Species	Ht (m)
Zone/SZ	Series	Primary	Preferred (p)	Secondary	Acceptable (a)	Tertiary		Target (well-spaced/ha)	MIN pa	MIN p		(yrs)	(yrs)		
BGC	02*	Hm Yc	Hm Yc Cw ¹⁴	Cw ¹⁴	Ss ¹⁴	Ba		400	200	200	4	12	20	All	0.80
	03	Hm Yc	Hm Yc Cw ¹⁴	Cw ¹⁴ Ss ¹⁴	Ss ¹⁴	Hw ¹⁴		900	500	400	7	15	20	All	1.00
	04	Hm Yc	Hm Yc Cw ¹⁴	Ba Cw ¹⁴ Hw ¹⁴	Ba Hw ¹⁴			900	500	400	7	15	20	All	1.00
	05	Ba Yc	Ba Yc Cw ¹⁴	Cw ¹⁴ Hm Hw ¹⁴ Ss ¹⁴	Hm Hw ¹⁴ Ss ¹⁴	PI		900	500	400	4	12	20	All	1.00
	06	Hm ¹ Yc ¹	Hm ¹ Yc ¹		Ss ^{1,14}	Ba ¹ Hw ^{1,14} Ss ^{1,14}		800	400	400	7	15	20	All	0.80
	07	Ba ¹ Yc ¹	Ba ¹ Yc ¹ Cw ¹⁴	Cw ¹⁴ Hm ¹ Ss ¹⁴	Hm ¹ Ss ¹⁴	Hw ^{1,14}		900	500	400	4	12	20	All	1.00
	08*	Hm ¹ Yc ¹	Hm ¹ Yc ¹		Hw ^{1,14}	Ba ¹ Hw ^{1,14}		400	200	200	4	12	20	All	0.80
	09*	Yc ¹	Yc ¹ Cw ^{1,14}	Cw ^{1,14}	Hw ^{1,14}	Ba Hm ¹ Hw ^{1,14} Ss ^{1,14}		800	500	400	4	12	20	All	0.80
	31	non-forested	non-forested					-	-	-	-	-	-	-	-
	32	non-forested	non-forested					-	-	-	-	-	-	-	-
SBPSmc	01	PI	PI		Sb Sx	Sb Sx	At ^b	1200	700	600	7	12	15	PI	1.60
	02*	PI	PI		Sb Sx	Sb Sx	At ^b	1000	500	400	7	12	15	Others	0.80
	03	PI	PI		Sb Sx	Sb Sx	At ^b	1200	700	600	7	12	15	PI	1.20
	04	PI Sb Sx ³²	PI Sb Sx ³²				At ^b	1000	500	400	4	9	15	Others	0.60
	05	Sx ^{1,32}	Sx ^{1,32} PI ¹	PI ¹	Sb	Sb	Act ^b	1000	500	400	4	9	15	PI	1.20
	06	Sx ^{1,32}	Sx ^{1,32} PI ¹	PI ¹	Sb	Sb	Act ^b	1000	500	400	4	9	15	Others	0.60
	07*	PI ¹ Sb ¹ Sx ^{1,32}	PI ¹ Sb ¹ Sx ^{1,32}					400	200	200	4	9	15	PI	1.20
	31	non-forested	non-forested					-	-	-	-	-	-	Others	0.60
	32	non-forested	non-forested					-	-	-	-	-	-	-	-
	32	non-forested	non-forested					-	-	-	-	-	-	-	-
SBSdk	01	PI Sx	PI Sx Fd ^{9,18}	Fd ^{9,18}			At ^a Ep ^a	1200	700	600	7	12	15	PI	2.00
	02*	PI	PI Sx ²⁸	Sx ²⁸			At ^b Ep ^b	1000	500	400	7	12	15	Fd	1.40
	03*	PI	PI Sx ²⁸	Sb ²⁸ Sx ²⁸	Sb ²⁸		At ^b	1200	700	600	7	12	15	Others	1.00
	04	Fd PI	Fd PI Sx ²⁸	Sx ²⁸			At ^b Ep ^a	1200	700	600	7	12	15	PI	1.40
	05	PI Sx ²⁸	PI Sx ²⁸ Fd ^{9,18}	Fd ^{9,18}			At ^a Ep ^a	1200	700	600	7	12	15	Fd	1.40
	06	PI Sx	PI Sx		Fd ^{9,18}	Fd ^{9,18}	Act ^a At ^a Ep ^a	1200	700	600	4	9	15	Others	1.00
	07	Sx ^{1,32}	Sx ^{1,32} PI ¹	PI ¹			Act ^b At ^b Ep ^b	1000	500	400	4	9	15	PI	2.00
	08	Sx ^{1,32}	Sx ^{1,32} PI ¹	PI ¹			Act ^a At ^a Ep ^a	1200	700	600	4	9	15	Others	0.80
	09*	PI ¹ Sb ¹	PI ¹ Sb ¹		Sx ¹	Sx ¹		400	200	200	4	9	15	PI	2.00
	10*	PI ¹ Sb ¹ Sx ^{1,32}	PI ¹ Sb ¹ Sx ^{1,32}					400	200	200	4	9	15	Others	1.00
	31	non-forested	non-forested					-	-	-	-	-	-	PI	1.40
	32	non-forested	non-forested					-	-	-	-	-	-	Others	0.80
	81	non-forested	non-forested					-	-	-	-	-	-	-	-
	82	non-forested	non-forested					-	-	-	-	-	-	-	-

1,2 etc - see "Footnotes"

*Avoid logging

**Additional information or requirements may be contained in the text poriton of the reference guide.

Reference Guide for FDP Stocking Standards**

Prince Rupert Forest Region

		Regeneration Guide										Free Growing Guide			
BGC		Species						Stocking(i)			Regen	Assessment		Min. Height(ii)	
Classification							Broadleaf	Target	MIN pa	MIN p	Delay	Earliest	Latest	Species	Ht
Zone/SZ	Series	Primary	Preferred (p)	Secondary	Acceptable (a)	Tertiary		(well-spaced/ha)			(Max yrs)	(yrs)	(yrs)		(m)
SBSmc2	01	PI Sx	PI Sx	BI ²⁹	BI ²⁹		At ^a	1200	700	600	7	12	15	PI	1.60
	02*	PI	PI		BI ³² Sx ³²	BI ³² Sx ³²	At ^b	1000	500	400	7	12	15	Others	0.80
	03	PI	PI Sx ³²	BI ²⁹ Sb Sx ³²	BI ²⁹ Sb		At ^b	1200	700	600	7	12	15	PI	1.60
	04	PI Sx	PI Sx	BI ²⁹	BI ²⁹		At ^b	1200	700	600	4	9	15	Others	0.80
	05	PI Sx	PI Sx	BI ²⁹	BI ²⁹		Act ^a At ^a	1200	700	600	4	9	15	PI	1.60
	06	PI Sx	PI Sx	BI ²⁹	BI ²⁹		Act ^b At ^a	1200	700	600	4	9	15	Others	0.80
	07*	PI Sb Sx ³²	PI Sb Sx ³²			BI	At ^b	1000	500	400	4	9	15	PI	1.60
	08	PI Sx	PI Sx	BI ²⁹	BI ²⁹		Act ^b At ^a	1200	700	600	4	9	15	Others	0.80
	09	Sx	Sx PI	BI ²⁹ PI	BI ²⁹		Act ^b At ^a	1200	700	600	4	9	15	PI	1.60
	10	Sx ^{1,32}	Sx ^{1,32} PI ¹	BI ^{1,29,32}	BI ^{1,29,32}		Act ^b At ^b	1000	500	400	4	9	15	Others	0.80
	11	Sx ^{1,32}	Sx ^{1,32} PI ¹	BI ^{1,29,32} PI ¹	BI ^{1,29,32}		Act ^b	1000	500	400	4	9	15	PI	1.60
	12*	PI ¹ Sb ¹ Sx ^{1,32}	PI ¹ Sb ¹ Sx ^{1,32}			BI ¹		400	200	200	4	9	15	Others	0.60
	31	non-forested	non-forested					-	-	-	-	-	-	-	-
SBSwk3	01	PI Sx	PI Sx	BI ²⁹			Act ^b At ^a Ep ^a	1200	700	600	4	9	15	PI	2.00
	02	PI	PI		BI ²⁸ Sx ²⁸	BI ²⁸ Sx ²⁸		1000	500	400	7	12	15	Others	1.00
	03	Fd ¹⁶ PI	Fd ¹⁶ PI Sx ²⁸	Sx ²⁸			At ^b Ep ^b	1200	700	600	7	12	15	PI	1.40
	04	PI Sx	PI Sx	BI	BI		At ^a Ep ^a	1200	700	600	7	12	15	Sx	1.00
	05	PI	PI		Sb Sx	Sb Sx	At ^b	1200	700	600	7	12	15	PI	2.00
	06	PI Sx	PI Sx	BI ²⁹	BI ²⁹		Act ^b At ^a Ep ^a	1200	700	600	4	9	15	Others	1.00
	07	Sx ³²	Sx ³² PI	BI ^{29,32} PI	BI ^{29,32}		Act ^b At ^a Ep ^a	1200	700	600	4	9	15	PI	2.00
	08	Sx ^{1,32}	Sx ^{1,32} PI ¹	BI ^{1,29,32} PI ¹	BI ^{1,29,32}		Act ^a At ^a	1000	500	400	4	9	15	Others	1.00

1,2 etc - see "Footnotes"

*Avoid logging

**Additional information or requirements may be contained in the text poriton of the reference guide.