Table and Column Definitions Report

Filename:	C:\Users\krilefle\temp\DAQR0005.pdf
Run by:	CASEOWNER
Report Date:	November 6, 2012 01:55 PM
Total Pages:	27
Total Tables / Views / Materialized Views:	23

Parameters

Workarea:	GLOBAL SHARED WORKAREA
Container:	BCTSADMIN
Table / View / Materialized View:	%
Include Tables?	Y
Include Views?	Y
Include Materialized Views?	Y
Data Structure Diagram:	%
Exclude Prefix:	
Include Table / View / MV Descriptions?	Y
Include Table / View / MV Comments?	N
Include Column Descriptions?	Y
Include Column Comments?	N
Include Column Notes?	Y
Include Unique Constraints?	Y
Include Foreign Key Constraints?	Y
Include Check Constraints?	Y
Include Indexes?	Y

Table: APP_STMPG_RATE

Description:

The Stumpage Rate for the mark being appraised. A bonus bid may be added to some species. Amount for stumpage rates are expressed in dollars per cubic metre.

Columns:

Seq.	Column	Nulls?	Type
* 1	TIMBER_MARK	NOT NULL	VARCHAR2(6)
* 2	APP_EFFECTIVE_DATE	NOT NULL	DATE
* 3	STMPG_RTE_EFCTV_DT	NOT NULL	DATE

Table: APP_WORKSHEET

Description:

An Appraisal Worksheet is a conceptual collection of information required to process an appraisal and the results of the appraisal.

Columns:

Seq.	Column	Nulls?	Type
* 1	TIMBER_MARK	NOT NULL	VARCHAR2(6)
	Unique identifying set of characters to be stamped or marked on the end of each log to associate the log with the specific authority to harvest and move timber.		
* 2	APPRAISAL_EFFECTIVE_DATE	NOT NULL	DATE
	The date on which the appraisal becomes effective.		

Table: BCTS_CATEGORY_CODE

Description:

Indicates whether the Registrant is milling, non-milling or involved in producing special wood products. A Registrant can only switch categories once within the two year duration of Small Business Registration Program.

Columns:

Seq.	Column	Nulls?	Type
* 1	BCTS_CATEGORY_CODE	NOT NULL	VARCHAR2(1)
2	DESCRIPTION	NOT NULL	VARCHAR2(120)
3	EFFECTIVE_DATE	NOT NULL	DATE
4	EXPIRY_DATE	NOT NULL	DATE
5	UPDATE_TIMESTAMP	NOT NULL	DATE

Table: BCTS_MILL_TYPE_CODE

Description:

A code used to further describe the type of mill being operated by the Registrant.

Columns:

Seq.	Column	Nulls?	Type
* 1	BCTS_MILL_TYPE_CODE	NOT NULL	VARCHAR2(1)
2	DESCRIPTION	NOT NULL	VARCHAR2(120)
3	EFFECTIVE_DATE	NOT NULL	DATE
4	EXPIRY_DATE	NOT NULL	DATE
5	UPDATE_TIMESTAMP	NOT NULL	DATE

Table: BCTS_RATE_CODE

Description:

Appraisal types used to determine rates for scale-based or cruise-based timber sale licences.

Columns:

Seq.	Column	Nulls?	Type
* 1	BCTS_RATE_CODE Appraisal types used to determine rates for scale-based or cruise-based timber sale licences.	NOT NULL	VARCHAR2(6)
2	DESCRIPTION Code description	NOT NULL	VARCHAR2(120)
3	EFFECTIVE_DATE Date code value is effective.	NOT NULL	DATE
4	EXPIRY_DATE Date the code value expired.	NOT NULL	DATE
5	UPDATE_TIMESTAMP Date the table was last updated.	NOT NULL	DATE

Table: BCTS_REGISTRANT

Description:

Contains all the clients that are, or have been, registered in the Ministry of Forests Small Business Program. Captures attributes about a particular client to determine whether or not that Registrant is eligible to bid on Timber Sales being offered by the Ministry of Forests.

Columns:

Seq.	Column	Nulls?	Type
* 1	CLIENT_NUMBER	NOT NULL	VARCHAR2(8)
2	CLIENT_LOCN_CODE	NOT NULL	VARCHAR2(2)
	A code to uniquely identify, within each client, the addresses of different divisions or locations at which the client operates. The location code is sequentially assigned starting with '00' for the client's permanent address.		
3	ORG_UNIT_NO	NOT NULL	NUMBER(10)
	Unique physical identifier for the storage of organizational unit codes for the Ministry of Forests offices. Values stored here are for the computers use only, and are not to be used by people as "ministr y codes".		
4	ORIGINAL_REGISTRATION_DATE	NOT NULL	DATE
	The original date that the client was first approved as a Ministry of Forests Small Business Registrant. This is historical information, that is never changed.		
6	REGISTRANT_EXPIRY_DATE	NOT NULL	DATE
	The date that the client will no longer be a Small Business Registrant unless they renew and pay the registration fee of $250.00. Registration duration is two years.		
7	REGISTRANT_DEACTIVATION_DATE	NULL	DATE
	The date that the client was deactivated or cancelled from the Small Business Registration Program. Deactivation may occur from Suspensions by the Ministry, Requested by the Registrant, death or other reasons causing removal from the program before expiry.		
8	BCTS_CATEGORY_CODE	NOT NULL	VARCHAR2(1)
9	BCTS_CATEGORY_CHANGE_DATE	NULL	DATE
	The date that the Registrant chose to switch Small Business Categories. The Registrant may only switch once in the two year duration of being registrered in the Small Business Progam. This date is used to determine eligibility of switching.		
10	BCTS_MILL_TYPE_CODE	NULL	VARCHAR2(1)
11	BCTS_PREVIOUS_CATEGORY_CODE	NULL	VARCHAR2(1)
11	DEBARKER_CHIPPER_IND	NULL	VARCHAR2(1)
	This indicator shows whether or not the Small Business Registrant owns and operates a Debarker Chipper.		
12	DEBARKER_CHIPPER_EXEMPTTO_DATE	NULL	DATE
	The date that the Debarker Chipper Exemption was granted to.		
13	DEBARKER_CHIPPER_EXEMPTION_IND	NULL	VARCHAR2(1)
	This indicator shows whether or not the Small Business Registrant is exempt from owning a Debarker Chipper while still being registered in the Small Business Program.		
14	REGISTRANT_COMMENTS	NULL	VARCHAR2(500)
	Contains any free form text expressing comments about the Small Business Registrant.		
15	DISQUALIFICATION_START_DATE	NULL	DATE
	This date records when the registrant becomes disqualified. Typically pertains to an incident associated with ERA.		
16	DISQUALIFICATION_END_DATE	NULL	DATE
	If a Registrant in the Small Business Program becomes disqualified, this date represents when the registrant can again qualify to be in the program once again.		
17	DISQUALIFICATION_COMMENTS	NULL	VARCHAR2(500)
	Record of any comments associated with the registrants disqualification in this field.		
18	UPDATE_USERID	NOT NULL	VARCHAR2(30)
	The userid of the individual who last updated this information.		
19	UPDATE_TIMESTAMP	NOT NULL	DATE
	The date and time of the last update.		

Foreign Keys:

BR_FC_FK
CLIENT_NUMBER = FOREST_CLIENT.CLIENT_NUMBER
BR_MTC_FK
BCTS_MILL_TYPE_CODE = BCTS_MILL_TYPE_CODE.BCTS_MILL_TYPE_CODE
BR_OU_FK

Table: BCTS_REGISTRANT (cont'd)

Foreign Keys:

ORG_UNIT_NO = ORG_UNIT.ORG_UNIT_NO

BR_SCC_FK
BCTS_PREVIOUS_CATEGORY_CODE = BCTS_CATEGORY_CODE.BCTS_CATEGORY_CODE

BR_SCC_HAS_A_FK
BCTS_CATEGORY_CODE = BCTS_CATEGORY_CODE.BCTS_CATEGORY_CODE

Indexes:

BR_FC_FK_I
CLIENT_NUMBER

BR_MTC_FK_I
BCTS_MILL_TYPE_CODE

BR_OU_FK_I
ORG_UNIT_NO

BR_SCC_FK_I
BCTS_PREVIOUS_CATEGORY_CODE

BR_SCC_HAS_A_FK_I
BCTS_CATEGORY_CODE

Table: BCTS_SILV_OBLIGATION_CODE

Description:

A code indicating which BCTS Funding Program will be the primary funding source for silviculture obligations (ie. Forests for Tomorrow, etc.)

Columns:

Seq.	Column	Nulls?	Type
* 1	BCTS_SILV_OBLIGATION_CODE A code indicating which BCTS Funding Program will be the primary funding source for silviculture obligations (ie. Forests for Tomorrow, etc.)	NOT NULL	VARCHAR2(3)
2	DESCRIPTION Code description	NOT NULL	VARCHAR2(120)
3	EFFECTIVE_DATE Date code value is effective.	NOT NULL	DATE
4	EXPIRY_DATE Date the code value expired.	NOT NULL	DATE
5	UPDATE_TIMESTAMP Date the table was last updated.	NOT NULL	DATE

Table: BCTS_TENURE_BIDDER

Description:

Identifies clients that are, or have been, registered in the Ministry of Forests Timber Sales Program. Captures attributes about a particular client to determine whether or not that Registrant is eligible to bid on Timber Sales being offered by the Ministry of Forests.

Columns:

Seq.	Column	Nulls?	Type
* 1	CLIENT_NUMBER	NOT NULL	VARCHAR2(8)
* 2	FOREST_FILE_ID	NOT NULL	VARCHAR2(10)
	File identification assigned to Provincial Forest Use files. Assigned file number. Usually the Licence, Tenure or Private Mark number.		
* 3	AUCTION_DATE	NOT NULL	DATE
	Date the auction held. Default to current date, can be written over		
10	BONUS_BID	NULL	NUMBER(8,2)
	Bid amount registrant submitted per cubic meter		
11	BONUS_OFFER	NULL	NUMBER(9,2)
	Dollar amount offered for the TSL as a whole, above the total upset value. (not by m3).		
12	DEPOSIT_AMOUNT	NULL	NUMBER(8,2)
	The deposit amount the registrant submitted to secure the bid.		
13	BID_DEPOSIT_TYPE_CODE	NULL	VARCHAR2(1)
	Code for type of deposit, other than a security deposit		
13	INELIGIBLE_IND	NULL	VARCHAR2(1)
	Y indicates that the registrant was ineligible (based on criteria at the time of sale). Because this criteria will change over time, it is important to indicate that at the time of sale, the registrant was deemed ineligible. The ineligible_comments field can be used to further document the reason for ineligibility at the time of sale.		
14	INELIGIBILITY_COMMENTS	NULL	VARCHAR2(500)
	Free form text field to record the primary reasons for ineligibility. If the ineligibility_ind is set to "Y", then a comment should be added here to document the reason. (I.e. 3 active sales, registrant disqualified, etc.)		
15	SALE_AWARDED_IND	NULL	VARCHAR2(1)
	Y indicates that the registrant was awarded the sale.		
16	DEPOSIT_RETURNED_IND	NULL	VARCHAR2(1)
	Y indicates that unsuccessful registrants had their deposit returned		
16	NMBR_MONTHS_OF_REGISTRATION	NULL	NUMBER(3,0)
	Number of months since client was originally registered.		
17	COMPLETED_FOREST_FILE_ID	NULL	VARCHAR2(10)
	File identification assigned to Provincial Forest Use files. Assigned file number. Usually the Licence, Tenure or Private Mark number.		
18	COMPLETED_FILE_STATUS_DATE	NULL	DATE
	Date Latest TSL was completed at the time the Sale was awarded (Snapshot required for legislation)		
19	COMPLETED_FILE_TYPE_CODE	NULL	VARCHAR2(3)
	File Type Code at time last TSL was completed for Cleint		
30	ISSUED_FOREST_FILE_ID	NULL	VARCHAR2(10)
	File identification assigned to Provincial Forest Use files. Assigned file number. Usually the Licence, Tenure or Private Mark number.		
31	ISSUED_FILE_STATUS_DATE	NULL	DATE
	Date LastTSL was completed at the time the Sale was awarded		
32	ISSUED_FILE_TYPE_CODE	NULL	VARCHAR2(3)
	File Code at the time the Last TSL was Issued for client		
44	DEPOSIT_LEVEL_CODE	NULL	VARCHAR2(1)
	Level 1 successful bidder must pay a security deposit equal to the base deposit amount. Level 2 successful bidder must pay a security deposit equal to 2 times the base deposit amount. Level 3 successful bidder must pay a security deposit equal to 3 times the base deposit amount.		
44	PRIMARY_RQMT_MET_IND	NULL	VARCHAR2(1)
	Users indicate whether primary performance criteria have been met by the successful bidder as outlined in BC Timber Sales Regulation section 16.		
45	FINANCIAL_RQMT_MET_IND	NULL	VARCHAR2(1)
	Users indicate whether financial performance criteria have been met by the successful bidder as outlined in BC Timber Sales Regulation section 16.		
46	PRIMARY_RQMT_MET_COMMENT	NULL	VARCHAR2(500)

Table: BCTS_TENURE_BIDDER (cont'd)

Columns:

Seq.	Column	Nulls?	Type
	Text field to record comment details or rationale pertaining to the primary requirements met decision.		
47	FINANCIAL_RQMT_MET_COMMENT	NULL	VARCHAR2(500)
	Text field to record comment details or rationale pertaining to the financial requirements met decision.		
48	DEPOSIT_LEVEL_COMMENT	NULL	VARCHAR2(500)
	Text field to record comment details or rationale pertaining to the deposit level decision.		
49	UPDATE_TIMESTAMP	NOT NULL	DATE
	The date and time of the last update.		
51	UPDATE_USERID	NOT NULL	VARCHAR2(30)
	The userid of the individual who last updated this information.		

Foreign Keys:

BTB_BDTC_FK
BID_DEPOSIT_TYPE_CODE = BID_DEPOSIT_TYPE_CODE.BID_DEPOSIT_TYPE_CODE
BTB_BR_FK
CLIENT_NUMBER = BCTS_REGISTRANT.CLIENT_NUMBER
BTB_DLC_FK
DEPOSIT_LEVEL_CODE = DEPOSIT_LEVEL_CODE.DEPOSIT_LEVEL_CODE
BTB_FTC_DEFINED_BY_FK
COMPLETED_FILE_TYPE_CODE = FILE_TYPE_CODE.FILE_TYPE_CODE
BTB_FTC_FK
ISSUED_FILE_TYPE_CODE = FILE_TYPE_CODE.FILE_TYPE_CODE
BTB_PFU_FK
COMPLETED_FOREST_FILE_ID = PROV_FOREST_USE.FOREST_FILE_ID
BTB_PFU_REFERS_TO_FK
ISSUED_FOREST_FILE_ID = PROV_FOREST_USE.FOREST_FILE_ID
BTB_TS_FK
FOREST_FILE_ID = BCTS_TIMBER_SALE.FOREST_FILE_ID
AUCTION_DATE = BCTS_TIMBER_SALE.AUCTION_DATE

Indexes:

BTB_BDTC_FK_I
BID_DEPOSIT_TYPE_CODE
BTB_BR_FK_I
CLIENT_NUMBER
BTB_DLC_FK_I
DEPOSIT_LEVEL_CODE
BTB_FTC_DEFINED_BY_FK_I
COMPLETED_FILE_TYPE_CODE
BTB_FTC_FK_I
ISSUED_FILE_TYPE_CODE
BTB_PFU_FK_I
COMPLETED_FOREST_FILE_ID
BTB_PFU_REFERS_TO_FK_I
ISSUED_FOREST_FILE_ID
BTB_TS_FK_I
FOREST_FILE_ID
AUCTION_DATE

Table: BCTS_TIMBER_SALE

Description:

Auction information relating to specific timber sale licenses offered by B.C. Timber Sales.

Columns:

	Seq.	Column	Nulls?	Type
*	1	FOREST_FILE_ID	NOT NULL	VARCHAR2(10)
		File identification assigned to Provincial Forest Use files. Assigned file number. Usually the Licence, Tenure or Private Mark number.		
*	2	AUCTION_DATE	NOT NULL	DATE
		Date the auction held. Default to current date, can be written over		
	3	BCTS_CATEGORY_CODE	NOT NULL	VARCHAR2(1)
	4	BCTS_RATE_CODE	NOT NULL	VARCHAR2(6)
		Appraisal types used to determine rates for scale-based or cruise-based timber sale licences.		
	5	BCTS_SILV_OBLIGATION_CODE	NOT NULL	VARCHAR2(3)
		A code indicating which BCTS Funding Program will be the primary funding source for silviculture obligations (ie. Forests for Tomorrow, etc.)		
	6	LUMP_SUM_CATEGORY_CODE	NULL	VARCHAR2(4)
		Types of lump sum timber sale licences based on red/grey MPB (mountain pine beetle) attack state and minimum cruise standards.		
	7	NO_SALE_RATIONALE_CODE	NULL	VARCHAR2(2)
		A code used to specify the rationale for an unsuccessful sale.		
	8	SALE_LOCATION	NULL	VARCHAR2(100)
		Free form text entered by the user that describes the area where the timber sale is located.		
	9	SALE_VOLUME	NOT NULL	NUMBER(13,1)
		The volume (m3) advertised for the sale; or, if not advertised, the volume offered for sale.		
	10	UPSET_RATE	NULL	NUMBER(8,2)
		The rate to be paid for each m3 of logs scaled from the timber mark. It is calculated using the Bonus Bid Amount + Development Levy Amount + Silviculture Levy Amount + Reserve Stumpage Rate.		
	11	TOTAL_UPSET_VALUE	NULL	NUMBER(9,2)
		Dollar amount equal to the total cost per m3 multiplied by the volume of timber. The advertised value of the TSL. (determined from the FS1335 form)		
	12	DEPOSIT_AMOUNT	NOT NULL	NUMBER(8,2)
		Amount of the initial deposit required to bid on the tenure		
	13	SALE_TIME	NOT NULL	VARCHAR2(8)
		free form text entered by the user that describes the time the sale was complete.		
	14	DECKED_TIMBER_IND	NOT NULL	VARCHAR2(1)
		Indicates if the timber to be sold had already been logged.		
	15	LUMP_SUM_IND	NOT NULL	VARCHAR2(1)
		Indicates if the money being offered is for the whole lot, not per cubic metre.		
	16	TIMBER_SALE_COMMENT	NULL	VARCHAR2(1000)
		Free form text entered by the user to record any anomalies or pertinent additional information regarding the appraisal type.		
	17	APPROVED_BY	NULL	VARCHAR2(40)
		Name of the Timber Sale Manager or designate who approved the sale		
	18	DATE_APPROVED	NULL	DATE
		Date sale was approved		
	19	LEGAL_EFFECTIVE_DATE	NULL	DATE
		Effective date of the contract for the sale, as signed by the winning bidder.i		
	20	UPDATE_USERID	NOT NULL	VARCHAR2(30)
		The last Userid that entered or updated this row in the table		
	21	UPDATE_TIMESTAMP	NOT NULL	DATE
		A record of the last Date/Time that this particular row in the table was updated.		

Foreign Keys:

TS_ACRC_FK
BCTS_RATE_CODE = BCTS_RATE_CODE.BCTS_RATE_CODE
TS_AFC_FK
BCTS_SILV_OBLIGATION_CODE = BCTS_SILV_OBLIGATION_CODE.BCTS_SILV_OBLIGATION_CODE
TS_CSCC_FK
LUMP_SUM_CATEGORY_CODE = LUMP_SUM_CATEGORY_CODE.LUMP_SUM_CATEGORY_CODE

Table: BCTS_TIMBER_SALE (cont'd)

Foreign Keys:

TS_NSRC_FK
NO_SALE_RATIONALE_CODE = NO_SALE_RATIONALE_CODE.NO_SALE_RATIONALE_CODE
TS_PFU_FK
FOREST_FILE_ID = PROV_FOREST_USE.FOREST_FILE_ID
TS_SCC_FK
BCTS_CATEGORY_CODE = BCTS_CATEGORY_CODE.BCTS_CATEGORY_CODE

Table: BID_DEPOSIT_TYPE_CODE

Description:

Code used to identify the type of deposit, other than a security deposit

Columns:

Seq.	Column	Nulls?	Type
* 1	BID_DEPOSIT_TYPE_CODE Code for type of deposit, other than a security deposit	NOT NULL	VARCHAR2(1)
2	DESCRIPTION Code description	NOT NULL	VARCHAR2(120)
3	EFFECTIVE_DATE Date code value is effective.	NOT NULL	DATE
4	EXPIRY_DATE Date the code value expired.	NOT NULL	DATE
5	UPDATE_TIMESTAMP Date the table was last updated.	NOT NULL	DATE

Table: CLIENT_LOCATION

Description:

The description and the details of the address(es) at which a client operates. Its main purpose is to provide alternate mailing addresses. Maximum number of locations per client is 99. The average is 2 per client. Location 00 is always the client

Columns:

Seq.	Column	Nulls?	Type
* 1	CLIENT_NUMBER	NOT NULL	VARCHAR2(8)
	Sequentially assigned number to identify a ministry client.		
* 2	CLIENT_LOCN_CODE	NOT NULL	VARCHAR2(2)
	A code to uniquely identify, within each client, the addresses of different divisions or locations at which the client operates. The location code is sequentially assigned starting with '00' for the client's permanent address.		

Table: DEPOSIT_LEVEL_CODE

Description:

Users indicate which level of deposit a successful bidder is required to pay based on determinations of primary and financial performance criteria.

Columns:

Seq.	Column	Nulls?	Type
* 1	DEPOSIT_LEVEL_CODE Level 1 successful bidder must pay a security deposit equal to the base deposit amount. Level 2 successful bidder must pay a security deposit equal to 2 times the base deposit amount. Level 3 successful bidder must pay a security deposit equal to 3 times the base deposit amount.	NOT NULL	VARCHAR2(1)
2	DESCRIPTION Code description	NOT NULL	VARCHAR2(120)
3	EFFECTIVE_DATE Date code value is effective.	NOT NULL	DATE
4	EXPIRY_DATE Date the code value expired.	NOT NULL	DATE
5	UPDATE_TIMESTAMP Date the table was last updated.	NOT NULL	DATE

Table: FILE_TYPE_CODE

Columns:

Seq.	Column	Nulls?	Type
* 1	FILE_TYPE_CODE	NOT NULL	VARCHAR2(3)

Table: FOREST_CLIENT

Description:

Any company or individual who is dealing, has dealt or plans to deal with the Ministry. This is effectively the name and address list for the Ministry.

Columns:

Seq.	Column	Nulls?	Type
* 1	CLIENT_NUMBER	NOT NULL	VARCHAR2(8)

Table: HARVEST_SALE

Description:

Sale information relating to specific tenures, usually let via the competitive bid process. Information on planned sale and actual sale details are required for Small Business tenures.

Columns:

Seq.	Column	Nulls?	Type
* 1	FOREST_FILE_ID	NOT NULL	VARCHAR2(10)

Table: LUMP_SUM_CATEGORY_CODE

Description:

Types of lump sum timber sale licences based on red/grey MPB (mountain pine beetle) attack state and minimum cruise standards.

Columns:

Seq.	Column	Nulls?	Type
* 1	LUMP_SUM_CATEGORY_CODE Types of lump sum timber sale licences based on red/grey MPB (mountain pine beetle) attack state and minimum cruise standards.	NOT NULL	VARCHAR2(4)
2	DESCRIPTION Code description	NOT NULL	VARCHAR2(120)
3	EFFECTIVE_DATE Date code value is effective.	NOT NULL	DATE
4	EXPIRY_DATE Date the code value expired.	NOT NULL	DATE
5	UPDATE_TIMESTAMP Date the table was last updated.	NOT NULL	DATE

Table: NO_SALE_RATIONALE_CODE

Description:

List of codes used to specify the basis for an unsuccessful sale.

Columns:

Seq.	Column	Nulls?	Type
* 1	NO_SALE_RATIONALE_CODE A code used to specify the rationale for an unsuccessful sale.	NOT NULL	VARCHAR2(2)
2	DESCRIPTION A description of the code used to specify the rationale for an unsuccessful sale.	NOT NULL	VARCHAR2(120)
3	EFFECTIVE_DATE Date code value is effective.	NOT NULL	DATE
4	EXPIRY_DATE Date the code value expired.	NOT NULL	DATE
5	UPDATE_TIMESTAMP Date the table was last updated.	NOT NULL	DATE

Table: ORG_UNIT

Description:

Records codes for ministry Organizational Units (offices), such as Branch, Region, or District office. Codes are currently defined to the office, section/program, and subsection level.

Columns:

Seq.	Column	Nulls?	Type
* 1	ORG_UNIT_NO	NOT NULL	NUMBER(10)

Unique physical identifier for the storage of organizational unit codes for the Ministry of Forests offices. Values stored here are for the computers use only, and are not to be used by people as "ministr y codes".

Table: PROV_FOREST_USE

Description:

General header information to identify the type of forest land use managed by the Ministry of Forests (eg., timber tenures, grazing tenures, recreation files, forest service roads, etc.). This is the main access point for examining land use information.

Columns:

Seq.	Column	Nulls?	Type
* 1	FOREST_FILE_ID	NOT NULL	VARCHAR2(10)

File identification assigned to Provincial Forest Use files. Assigned file number. Usually the Licence, Tenure or Private Mark number.

Table: RELATED_CLIENT

Description:

Identifies a relationship between two separate clients. The relationship may be one of family (marriage, blood), shareholder (including Small Business company shareholder), power of attorney (eg signing authority), proprieter, subsidiary, partner, grazier in common (range), broker, officer, joint venture participant, agent, legal council (?), receiver (?), or trustee (?).|

Columns:

Seq.	Column	Nulls?	Type
* 1	CLIENT_NUMBER	NOT NULL	VARCHAR2(8)
* 2	CLIENT_LOCN_CODE	NOT NULL	VARCHAR2(2)
* 3	RELATED_CLNT_NMBR	NOT NULL	VARCHAR2(8)

Table: TENURE_DEPOSIT

Description:

A record of the security and other deposit that may be associated with the letting of a ministry tenure for harvesting or other reasons to use and occupy forest crown land (eg., special use purposes).

Columns:

Seq.	Column	Nulls?	Type
* 1	FOREST_FILE_ID	NOT NULL	VARCHAR2(10)

Table: TENURE_TERM

Description:

Tenure term defines, for all tenures, the term of the harvesting tenure. This includes the initial term and subsequent extensions where applicable.

Columns:

Seq.	Column	Nulls?	Type
* 1	FOREST_FILE_ID	NOT NULL	VARCHAR2(10)

Table: TIMBER_MARK

Description:

Information about the timber cutting and moving permission for a timber tenure. For Private Timber Marks, the ministry does not grant cutting permission. For some Road Permits and Licences to Cut, no moving permission is granted. Otherwise, synonymous.

Columns:

Seq.	Column	Nulls?	Type
* 1	TIMBER_MARK	NOT NULL	VARCHAR2(6)