

Table and Column Definitions Report

Filename:	h:\tempforests\FNIRS_TAB_COL.pdf
Run by:	CASEOWNER
Report Date:	October 27, 2009 03:11 PM
Total Pages:	70
Total Tables / Views / Materialized Views:	58

Parameters

Workarea:	GLOBAL SHARED WORKAREA
Container:	FNIRS
Table / View / Materialized View:	%
Include Tables?	Y
Include Views?	Y
Include Materialized Views?	Y
Data Structure Diagram:	%
Exclude Prefix:	
Include Table / View / MV Descriptions?	Y
Include Table / View / MV Comments?	N
Include Column Descriptions?	Y
Include Column Comments?	N
Include Column Notes?	Y
Include Unique Constraints?	Y
Include Foreign Key Constraints?	Y
Include Check Constraints?	Y
Include Indexes?	Y

Table: ACCOMMODATION_AGREEMENT*Description:*

List of accommodation agreements made with First Nations that provide benefits to the First Nations with respect to their traditional territories. The agreements are also known as interim agreements.

An accommodation agreement is executed when the First Nation/Group initials and signs the agreement, followed by the Minister signing the agreement. An agreement may be signed at a signing ceremony, and have a retroactive starting date.

An agreement can take the form of a Forest Range Agreement, Forest Range Opportunity, or Direct Award Agreement.

Columns:

<u>Seq.</u>	<u>Column</u>	<u>Nulls?</u>	<u>Type</u>
* 10	ACCOMMODATION_AGREEMENT_ID Unique identifier for accommodation agreements	NOT NULL	NUMBER(10)
20	AMENDED_ACCOMMODATION_AGRMNT_ID Unique identifier for accommodation agreements	NULL	NUMBER(10)
30	OPR_ORG_UNIT_NO	NOT NULL	NUMBER(10)
33	FN_AGREEMENT_TYPE_ID Unique identifier for an agreement type.	NOT NULL	NUMBER(10)
36	FN_AGREEMENT_STATUS_CODE Unique Code identifying agreement statuses	NOT NULL	VARCHAR2(4)
38	FN_AGREEMENT_TERM_TYPE_CODE Unique code identifying agreement term type code	NOT NULL	VARCHAR2(5)
40	AGREEMENT_NAME The full proper name of the accommodation agreement	NOT NULL	VARCHAR2(255)
50	AGREEMENT_REFERENCE_KEY A short display name that uniquely identifies the agreement	NOT NULL	VARCHAR2(25)
60	NEGOTIATION_INITIATION_DATE The date agreement negotiations were initiated with the First Nation(s).	NULL	DATE
70	AGREEMENT_FORECAST_DATE The date the agreement is predicted to be executed by. Provides staff of an idea when to begin their preparations for the execution date.	NULL	DATE
80	CONFIDENTIAL_AGREEMENT_IND Indicates if the content of the agreement is confidential. If the information is marked as confidential then the Agreement document cannot be loaded into the system. Nor can any of the agreement details appear in any reports.	NOT NULL	VARCHAR2(1)
90	AGREEMENT_TERM The term of the agreement as specified in the agreement. Can be specified in Months or Years depending on the Agreement Term Type Code. The typical term of an agreement will be 5 years.	NULL	NUMBER(7,2)
100	AGRMNT_PACKAGE_ASSEMBLED_DATE The date the agreement package is assembled in preparation to be sent to the Minister.	NULL	DATE
110	FIRST_NATIONS_SIGNING_DATE The date the agreement was initialed or signed by the First Nation(s).	NULL	DATE
120	EXECUTION_SIGNING_DATE The date the agreement was signed by the Minister or his/her designate, thus executing the agreement. This constitutes the agreement becoming effective.	NULL	DATE
130	END_DATE The date the agreement ends as stated by the agreement. This date is usually determined as occurring at execution signing date plus the term of the agreement.	NULL	DATE
150	SIGNING_CEREMONY_DATE The date an agreement signing ceremony is to occur between the government and the participating First Nations.	NULL	DATE
155	CONSLT_PROC_AGRMNT_IMPL_DATE The implementation date for a required consultation process agreement.	NULL	DATE
160	FINANCIAL_START_DATE The date financial terms of the agreement become effective.	NULL	DATE
170	FINANCIAL_END_DATE The date the financial obligations end for the agreement.	NULL	DATE
185	BOUNDARY_VERIFIED_DATE The date that the boundary defined for the agreement was verified. Boundary must be verified prior to loading the boundary into FNIRS.	NULL	DATE
190	AGREEMENT_COMMENTS	NULL	VARCHAR2(4000)

Table: ACCOMMODATION_AGREEMENT (cont'd)*Columns:*

<u>Seq.</u>	<u>Column</u>	<u>Nulls?</u>	<u>Type</u>
200	General comments regarding the agreement ENTRY_USERID The user that created the record.	NOT NULL	VARCHAR2(32)
210	ENTRY_TIMESTAMP The date the record was created.	NOT NULL	DATE
220	UPDATE_USERID The user that updated the record.	NOT NULL	VARCHAR2(32)
230	UPDATE_TIMESTAMP The date the record was updated.	NOT NULL	DATE

Foreign Keys:

AA_AA_FK
 AMENDED_ACCOMMDTN_AGRMNT_ID =
 ACCOMMODATION_AGREEMENT.ACCOMMODATION_AGREEMENT_ID

AA_FNASC_FK
 FN_AGREEMENT_STATUS_CODE = FN_AGREEMENT_STATUS_CODE.FN_AGREEMENT_STATUS_CODE

AA_FNAT_FK
 FN_AGREEMENT_TYPE_ID = FN_AGREEMENT_TYPE.FN_AGREEMENT_TYPE_ID

AA_FNTTC_FK
 FN_AGREEMENT_TERM_TYPE_CODE =
 FN_AGREEMENT_TERM_TYPE_CODE.FN_AGREEMENT_TERM_TYPE_CODE

AA_OU_FK
 OPR_ORG_UNIT_NO = ORG_UNIT.ORG_UNIT_NO

Indexes:

AA_AA_FK_I
 AMENDED_ACCOMMDTN_AGRMNT_ID

AA_FNASC_FK_I
 FN_AGREEMENT_STATUS_CODE

AA_FNAT_FK_I
 FN_AGREEMENT_TYPE_ID

AA_FNTTC_FK_I
 FN_AGREEMENT_TERM_TYPE_CODE

AA_OU_FK_I
 OPR_ORG_UNIT_NO

Notes:

The types of agreements can vary:
 Forest Range Agreements
 Forest Range Opportunities
 Direct Award

Table: ACCOMMODATION_AGRMNT_FILE*Description:*

An Electronic copy of the Accommodation Agreement stored in a blob field.

Columns:

<u>Seq.</u>	<u>Column</u>	<u>Nulls?</u>	<u>Type</u>
* 10	ACCOMMODATION_AGRMNT_FILE_ID	NOT NULL	NUMBER(10)
20	ACCOMMODATION_AGREEMENT_ID	NOT NULL	NUMBER(10)
	Unique identifier for accommodation agreements		
30	AGREEMENT_FILE_TYPE_CODE	NOT NULL	VARCHAR2(5)
	Unique code identifying and agreement file type code		
40	FILE_NAME	NOT NULL	VARCHAR2(100)
	The name of the accommodateion agreement physical file stored in the database		
50	ENTRY_USERID	NOT NULL	VARCHAR2(32)
	The user that created the record.		
60	ENTRY_TIMESTAMP	NOT NULL	DATE
	The date the record was created.		
70	UPDATE_USERID	NOT NULL	VARCHAR2(32)
	The user that updated the record.		
80	UPDATE_TIMESTAMP	NOT NULL	DATE
	The date the record was updated.		

Foreign Keys:

AAF_AA_FK

ACCOMMODATION_AGREEMENT_ID = ACCOMMODATION_AGREEMENT.ACCOMMODATION_AGREEMENT_ID

AAF_AFTC_FK

AGREEMENT_FILE_TYPE_CODE = AGREEMENT_FILE_TYPE_CODE.AGREEMENT_FILE_TYPE_CODE

Indexes:

AAF_AA_FK_I

ACCOMMODATION_AGREEMENT_ID

AAF_AFTC_FK_I

AGREEMENT_FILE_TYPE_CODE

Table: AGREEMENT_CONSULTATION_ARTICLE*Description:*

A reference to an article in an accommodation agreement, and a description of the benefits provided by the article to the First Nations.

Describes commitments agreed to by an article in an accommodation agreement.

Columns:

<u>Seq.</u>	<u>Column</u>	<u>Nulls?</u>	<u>Type</u>
* 10	FN_AGREEMENT_ARTICLE_ID Unique identifier for agreement articles	NOT NULL	NUMBER(10)
12	ACCOMMODATION_AGREEMENT_ID Unique identifier for accommodation agreements	NOT NULL	NUMBER(10)
15	AGREEMENT_FIRST_NATIONS_ID Unique number identifying a Negotiation First Nations record.	NULL	NUMBER(10)
17	AGRMNT_ARTICLE_SUB_TYPE_ID Unique identifier for an Agreement Article Sub Type.	NOT NULL	NUMBER(10)
18	ARTCL_CLASS_UNIT_OF_MEAS_ID	NULL	NUMBER(10)
19	AGRMNT_CONSLT_PERIOD_TYPE_CODE Unique code identifying Agreement Consultation Period Types.	NULL	VARCHAR2(5)
20	DESCRIPTION A description of the benefits that the article contains.	NULL	VARCHAR2(4000)
22	CONSLT_PROCESS_AGRMNT_REQM_IND Indicates if the consultation protocol has been established or not.	NOT NULL	VARCHAR2(1)
24	CONSLT_PROCESS_CMPL_PERIOD The period specified from the execution date of an accommodation agreement in which a consultation process agreement is required to be completed. Used in conjunction with AGRMNT_CONSLT_PERIOD_TYPE_CODE	NULL	NUMBER(3)
26	JOINT_FOREST_COUNCIL_IND Indicates if the First Nations participating in the agreement have formed a joint forest council.	NOT NULL	VARCHAR2(1)
30	ARTICLE_IN_EFFECT_IND Indicates if the article is in effect or not. Some agreement articles do not come into affect until a condition specified in the agreement is met, as in a specific piece of legislation is passed. Other articles that are in effect, may lose their effect if a condition specified in the agreement is met.	NOT NULL	VARCHAR2(1)
40	ARTICLE_COMMENTS General comments regarding the article of the agreement that benefits were extracted from.	NULL	VARCHAR2(4000)
60	ENTRY_USERID The user that created the record.	NOT NULL	VARCHAR2(32)
70	ENTRY_TIMESTAMP The date the record was created.	NOT NULL	DATE
80	UPDATE_USERID The user that updated the record.	NOT NULL	VARCHAR2(32)
90	UPDATE_TIMESTAMP The date the record was updated.	NOT NULL	DATE

Foreign Keys:

ACA_AAST_FK
 AGRMNT_ARTICLE_SUB_TYPE_ID = AGRMNT_ARTICLE_SUB_TYPE.AGRMNT_ARTICLE_SUB_TYPE_ID
 ACA_AA_FK
 ACCOMMODATION_AGREEMENT_ID = ACCOMMODATION_AGREEMENT.ACCOMMODATION_AGREEMENT_ID
 ACA_ACPTC_FK
 AGRMNT_CONSLT_PERIOD_TYPE_CODE =
 AGRMNT_CONSLT_PERIOD_TYPE_CODE.AGRMNT_CONSLT_PERIOD_TYPE_CODE
 ACA_ACUOM_FK
 ARTCL_CLASS_UNIT_OF_MEAS_ID = ARTCL_CLASS_UNIT_OF_MEAS.ARTCL_CLASS_UNIT_OF_MEAS_ID
 ACA_AFN_FK
 AGREEMENT_FIRST_NATIONS_ID = AGREEMENT_FIRST_NATIONS.AGREEMENT_FIRST_NATIONS_ID

Indexes:

ACA_AAST_FK_I
 AGRMNT_ARTICLE_SUB_TYPE_ID
 ACA_AA_FK_I

Table: AGREEMENT_CONSULTATION_ARTICLE (cont'd)*Indexes:*

ACCOMMODATION_AGREEMENT_ID
ACA_ACPTC_FK_I
AGRMNT_CONSLT_PERIOD_TYPE_CODE
ACA_ACUOM_FK_I
ARTCL_CLASS_UNIT_OF_MEAS_ID
ACA_AFN_FK_I
AGREEMENT_FIRST_NATIONS_ID

Table: AGREEMENT_FILE_CONTENT*Description:*

Electronic copy of the Briefing Note file stored in a blob field.

Columns:

<u>Seq.</u>	<u>Column</u>	<u>Nulls?</u>	<u>Type</u>
* 10	ACCOMMODATION_AGRMNT_FILE_ID	NOT NULL	NUMBER(10)
20	FILE_CONTENT	NULL	BLOB
	Blob field containing the electronic document		
30	ENTRY_USERID	NOT NULL	VARCHAR2(32)
	The user that created the record.		
40	ENTRY_TIMESTAMP	NOT NULL	DATE
	The date the record was created.		
50	UPDATE_USERID	NOT NULL	VARCHAR2(32)
	The user that updated the record.		
60	UPDATE_TIMESTAMP	NOT NULL	DATE
	The date the record was updated.		

Foreign Keys:

AFC_AAF_FK
ACCOMMODATION_AGRMNT_FILE_ID =
ACCOMMODATION_AGRMNT_FILE.ACCOMMODATION_AGRMNT_FILE_ID

Indexes:

AFC_AAF_FK_I
ACCOMMODATION_AGRMNT_FILE_ID

Table: AGREEMENT_FILE_TYPE_CODE*Description:*

The type of file that is stored for an accommodation agreement:

BRF Briefing Note

IL Invitation Letter

EA Executed Agreement

Columns:

<u>Seq.</u>	<u>Column</u>	<u>Nulls?</u>	<u>Type</u>
* 1	AGREEMENT_FILE_TYPE_CODE Unique code identifying and agreement file type code	NOT NULL	VARCHAR2(5)
2	DESCRIPTION Description of association	NOT NULL	VARCHAR2(120)
3	EFFECTIVE_DATE Date the code becomes effective	NOT NULL	DATE
4	EXPIRY_DATE Date the code expires.	NOT NULL	DATE
5	UPDATE_TIMESTAMP Date the code was updated.	NOT NULL	DATE

Table: AGREEMENT_FIRST_NATIONS*Description:*

The set of First Nations that negotiations on an agreement are initiated.

Columns:

<u>Seq.</u>	<u>Column</u>	<u>Nulls?</u>	<u>Type</u>
* 10	AGREEMENT_FIRST_NATIONS_ID Unique number identifying a Negotiation First Nations record.	NOT NULL	NUMBER(10)
15	ACCOMMODATION_AGREEMENT_ID Unique identifier for accommodation agreements	NOT NULL	NUMBER(10)
20	FIRST_NATIONS_ID Unique SKEY to identify a First Nation Band	NOT NULL	NUMBER(10)
30	ENTRY_USERID The user that created the record.	NOT NULL	VARCHAR2(32)
40	ENTRY_TIMESTAMP The date the record was created.	NOT NULL	DATE
50	UPDATE_USERID The user that updated the record.	NOT NULL	VARCHAR2(32)
60	UPDATE_TIMESTAMP The date the record was updated.	NOT NULL	DATE

Unique Constraints:

AFN_AFN_AA_FN_UK
ACCOMMODATION_AGREEMENT_ID
FIRST_NATIONS_ID

Foreign Keys:

AFN_AA_FK
ACCOMMODATION_AGREEMENT_ID = ACCOMMODATION_AGREEMENT.ACCOMMODATION_AGREEMENT_ID
AFN_FRST_NTNS_FK
FIRST_NATIONS_ID = FIRST_NATIONS.FIRST_NATIONS_ID

Indexes:

AFN_AA_FK_I
ACCOMMODATION_AGREEMENT_ID
AFN_FRST_NTNS_FK_I
FIRST_NATIONS_ID

Table: AGREEMENT_GENERAL_ARTICLE*Description:*

A reference to an article in an accommodation agreement, and a description of the benefits provided by the article to the First Nations.

Lists articles that cannot be articulated as financial, tenure, range, or consultation

Example: "A yearly meeting will be scheduled to review progress in facility buildup"

Columns:

<u>Seq.</u>	<u>Column</u>	<u>Nulls?</u>	<u>Type</u>
* 10	FN_AGREEMENT_ARTICLE_ID Unique identifier for agreement articles	NOT NULL	NUMBER(10)
20	ACCOMMODATION_AGREEMENT_ID Unique identifier for accommodation agreements	NOT NULL	NUMBER(10)
30	AGREEMENT_FIRST_NATIONS_ID Unique number identifying a Negotiation First Nations record.	NULL	NUMBER(10)
35	AGRMNT_ARTICLE_SUB_TYPE_ID Unique identifier for an Agreement Article Sub Type.	NOT NULL	NUMBER(10)
37	ARTCL_CLASS_UNIT_OF_MEAS_ID	NULL	NUMBER(10)
40	DESCRIPTION A description of the benefits that the article contains.	NULL	VARCHAR2(4000)
50	ARTICLE_IN_EFFECT_IND Indicates if the article is in effect or not. Some agreement articles do not come into affect until a condition specified in the agreement is met, as in a specific piece of legislation is passed. Other articles that are in effect, may lose their effect if a condition specified in the agreement is met.	NOT NULL	VARCHAR2(1)
60	ARTICLE_COMMENTS General comments regarding the article of the agreement that benefits were extracted from.	NULL	VARCHAR2(4000)
70	ENTRY_USERID The user that created the record.	NOT NULL	VARCHAR2(32)
80	ENTRY_TIMESTAMP The date the record was created.	NOT NULL	DATE
90	UPDATE_USERID The user that updated the record.	NOT NULL	VARCHAR2(32)
100	UPDATE_TIMESTAMP The date the record was updated.	NOT NULL	DATE

Foreign Keys:

AGA_AAST_FK
AGRMNT_ARTICLE_SUB_TYPE_ID = AGRMNT_ARTICLE_SUB_TYPE.AGRMNT_ARTICLE_SUB_TYPE_ID

AGA_AA_FK
ACCOMMODATION_AGREEMENT_ID = ACCOMMODATION_AGREEMENT.ACCOMMODATION_AGREEMENT_ID

AGA_ACUOM_FK
ARTCL_CLASS_UNIT_OF_MEAS_ID = ARTCL_CLASS_UNIT_OF_MEAS.ARTCL_CLASS_UNIT_OF_MEAS_ID

AGA_AFN_FK
AGREEMENT_FIRST_NATIONS_ID = AGREEMENT_FIRST_NATIONS.AGREEMENT_FIRST_NATIONS_ID

Indexes:

AGA_AAST_FK_I
AGRMNT_ARTICLE_SUB_TYPE_ID

AGA_AA_FK_I
ACCOMMODATION_AGREEMENT_ID

AGA_ACUOM_FK_I
ARTCL_CLASS_UNIT_OF_MEAS_ID

AGA_AFN_FK_I
AGREEMENT_FIRST_NATIONS_ID

Table: AGREEMENT_GEOMETRY*Description:*

The geographic boundary of the accomodation agreement.

Columns:

<u>Seq.</u>	<u>Column</u>	<u>Nulls?</u>	<u>Type</u>
* 10	AGREEMENT_GEOMETRY_ID Unique number identifying an agreement geometry record	NOT NULL	NUMBER(10)
20	ACCOMMODATION_AGREEMENT_ID Unique identifier for accommodation agreements	NOT NULL	NUMBER(10)
40	OBJECT_ID Field is used for the purpose of registering SDE layers.	NULL	NUMBER(38)
50	GEOMETRY Geometry column	NULL	
60	ENTRY_USERID The user that created the record.	NOT NULL	VARCHAR2(32)
70	ENTRY_TIMESTAMP The date the record was created.	NOT NULL	DATE
80	UPDATE_USERID The user that updated the record.	NOT NULL	VARCHAR2(32)
90	UPDATE_TIMESTAMP The date the record was updated.	NOT NULL	DATE

Foreign Keys:

AG_AA_FK
ACCOMMODATION_AGREEMENT_ID = ACCOMMODATION_AGREEMENT.ACCOMMODATION_AGREEMENT_ID

Indexes:

AG_AA_FK_I
ACCOMMODATION_AGREEMENT_ID

Table: AGREEMENT_PAYEE**Description:**

An agreement payee is eligible to receive monetary amounts as awarded by the agreement. A payee may be a single First Nation, or it may be an organization that accepts payments on behalf of one or more First Nations.

Columns:

<u>Seq.</u>	<u>Column</u>	<u>Nulls?</u>	<u>Type</u>
* 10	AGREEMENT_PAYEE_ID Unique record identifier for an agreement payee.	NOT NULL	NUMBER(10)
20	ACCOMMODATION_AGREEMENT_ID Unique identifier for accommodation agreements	NOT NULL	NUMBER(10)
25	AMENDED_AGREEMENT_PAYEE_ID Unique record identifier for an agreement payee. <i>In the event of an agreement amendment, all payees are copied from the original agreement to the amended agreement. This relationship indicates that the payee of an amended agreement is related to the original payee in the original agreement.</i>	NULL	NUMBER(10)
30	PAYEE_NAME The name of the payee as it would appear on a cheque. Whether the payee is an organization name or an individual's name. The name would also be used in a mailing address to the payee.	NULL	VARCHAR2(60)
40	ADDRESS_1 The first line of the payee address.	NOT NULL	VARCHAR2(40)
50	ADDRESS_2 The second line of the payee address.	NULL	VARCHAR2(40)
60	ADDRESS_3 The third line of the payee address.	NULL	VARCHAR2(40)
70	CITY Town or City name of the address.	NOT NULL	VARCHAR2(30)
80	PROVINCE Province or state of the address.	NULL	VARCHAR2(50)
90	POSTAL_CODE Code used by Canadian Federal Government Postal System; may also contain an American Zip Code or another Country's postal code.	NULL	VARCHAR2(10)
100	COUNTRY The country in which the address is located.	NOT NULL	VARCHAR2(50)
110	PHONE_NUMBER Client's business telephone number and area code.	NULL	VARCHAR2(10)
120	FAX_NUMBER Area code and fax number for the client location.	NULL	VARCHAR2(10)
130	LEGAL_ENCUMBRANCE_OFFICE_IND Indicates if First Nation's payments are to be redirected to the Legal Encumbrance Office (Y) or not (N). Some First Nations have an agreement with a bank that First Nations payments are to be redirected to the bank to meet a financial obligation.	NOT NULL	VARCHAR2(1)
140	DIRECT_DEPOSIT_FORM_RECV_DATE The date a direct deposit form was received.	NULL	DATE
160	ENTRY_USERID The user that created the record.	NOT NULL	VARCHAR2(32)
170	ENTRY_TIMESTAMP The date the record was created.	NOT NULL	DATE
180	UPDATE_USERID The user that updated the record.	NOT NULL	VARCHAR2(32)
190	UPDATE_TIMESTAMP The date the record was updated.	NOT NULL	DATE

Foreign Keys:

AP_AA_FK

ACCOMMODATION_AGREEMENT_ID = ACCOMMODATION_AGREEMENT.ACCOMMODATION_AGREEMENT_ID

AP_AP_FK

AMENDED_AGREEMENT_PAYEE_ID = AGREEMENT_PAYEE.AGREEMENT_PAYEE_ID

Indexes:

AP_AA_FK_I

Table: AGREEMENT_PAYEE (cont'd)*Indexes:*

ACCOMMODATION_AGREEMENT_ID
AP_AP_FK_I
AMENDED_AGREEMENT_PAYEE_ID

Table: AGREEMENT_PAYMENT_ARTICLE*Description:*

A reference to an article in an accommodation agreement, and a description of the benefits provided by the article to the First Nations.

The article in the agreement that refers to a dollar amount to be paid to a First Nation.

A reference to the Article number and the total dollar amount referenced by the article.

Columns:

<u>Seq.</u>	<u>Column</u>	<u>Nulls?</u>	<u>Type</u>
* 10	FN_AGREEMENT_ARTICLE_ID Unique identifier for agreement articles	NOT NULL	NUMBER(10)
20	ACCOMMODATION_AGREEMENT_ID Unique identifier for accommodation agreements	NOT NULL	NUMBER(10)
30	AGREEMENT_FIRST_NATIONS_ID Unique number identifying a Negotiation First Nations record.	NULL	NUMBER(10)
35	AGRMNT_ARTICLE_SUB_TYPE_ID Unique identifier for an Agreement Article Sub Type.	NOT NULL	NUMBER(10)
37	ARTCL_CLASS_UNIT_OF_MEAS_ID	NULL	NUMBER(10)
38	AGREEMENT_PAYEE_ID Unique record identifier for an agreement payee.	NULL	NUMBER(10)
40	DESCRIPTION A description of the benefits that the article contains.	NULL	VARCHAR2(4000)
45	AMOUNT The amount to be paid to the First Nation	NOT NULL	NUMBER(15,2)
50	ARTICLE_IN_EFFECT_IND Indicates if the article is in effect or not. Some agreement articles do not come into affect until a condition specified in the agreement is met, as in a specific piece of legislation is passed. Other articles that are in effect, may lose their effect if a condition specified in the agreement is met.	NOT NULL	VARCHAR2(1)
60	ARTICLE_COMMENTS General comments regarding the article of the agreement that benefits were extracted from.	NULL	VARCHAR2(4000)
70	ENTRY_USERID The user that created the record.	NOT NULL	VARCHAR2(32)
80	ENTRY_TIMESTAMP The date the record was created.	NOT NULL	DATE
90	UPDATE_USERID The user that updated the record.	NOT NULL	VARCHAR2(32)
100	UPDATE_TIMESTAMP The date the record was updated.	NOT NULL	DATE

Foreign Keys:

APA_AAST_FK
AGRMNT_ARTICLE_SUB_TYPE_ID = AGRMNT_ARTICLE_SUB_TYPE.AGRMNT_ARTICLE_SUB_TYPE_ID

APA_AA_FK
ACCOMMODATION_AGREEMENT_ID = ACCOMMODATION_AGREEMENT.ACCOMMODATION_AGREEMENT_ID

APA_ACUOM_FK
ARTCL_CLASS_UNIT_OF_MEAS_ID = ARTCL_CLASS_UNIT_OF_MEAS.ARTCL_CLASS_UNIT_OF_MEAS_ID

APA_AFN_FK
AGREEMENT_FIRST_NATIONS_ID = AGREEMENT_FIRST_NATIONS.AGREEMENT_FIRST_NATIONS_ID

APA_AP_FK
AGREEMENT_PAYEE_ID = AGREEMENT_PAYEE.AGREEMENT_PAYEE_ID

Indexes:

APA_AAST_FK_I
AGRMNT_ARTICLE_SUB_TYPE_ID

APA_AA_FK_I
ACCOMMODATION_AGREEMENT_ID

APA_ACUOM_FK_I
ARTCL_CLASS_UNIT_OF_MEAS_ID

APA_AFN_FK_I
AGREEMENT_FIRST_NATIONS_ID

APA_AP_FK_I

Table: AGREEMENT_PAYMENT_ARTICLE (cont'd)*Indexes:*

AGREEMENT_PAYEE_ID

Table: AGREEMENT_PAYMENT_SCHEDULE*Description:*

The agreement payment schedule is a container to track all the fiscal quarter payments to be made to a payee.

Columns:

<u>Seq.</u>	<u>Column</u>	<u>Nulls?</u>	<u>Type</u>
* 10	AGREEMENT_PAYMENT_SCHEDULE_ID Unique record identifier for an agreement payment schedule record.	NOT NULL	NUMBER(10)
20	AGREEMENT_PAYEE_ID Unique record identifier for an agreement payee.	NOT NULL	NUMBER(10)
30	ANNUAL_AMOUNT The annual amount payable to a payee.	NULL	NUMBER(15,2)
40	LUMP_SUM_AMOUNT A lump sum amount (bonus amount) payable to the payee.	NULL	NUMBER(15,2)
45	COMMENTS Comments that relate to the agreement payment schedule.	NULL	VARCHAR2(4000)
50	ENTRY_USERID The user that created the record.	NOT NULL	VARCHAR2(32)
60	ENTRY_TIMESTAMP The date the record was created.	NOT NULL	DATE
70	UPDATE_USERID The user that updated the record.	NOT NULL	VARCHAR2(32)
80	UPDATE_TIMESTAMP The date the record was updated.	NOT NULL	DATE

Foreign Keys:

APS_AP_FK
 AGREEMENT_PAYEE_ID = AGREEMENT_PAYEE.AGREEMENT_PAYEE_ID

Indexes:

APS_AP_FK_I
 AGREEMENT_PAYEE_ID

Table: AGREEMENT_RANGE_ARTICLE**Description:**

A reference to an article in an accommodation agreement, and a description of the benefits provided by the article to the First Nations.

The article in the agreement that refers to a Range Animal Unit Months to be allocated to a First Nation.

A reference to the Article number and the total AUM amount referenced by the article.

Columns:

<u>Seq.</u>	<u>Column</u>	<u>Nulls?</u>	<u>Type</u>
* 10	FN_AGREEMENT_ARTICLE_ID Unique identifier for agreement articles	NOT NULL	NUMBER(10)
20	ACCOMMODATION_AGREEMENT_ID Unique identifier for accommodation agreements	NOT NULL	NUMBER(10)
30	AGREEMENT_FIRST_NATIONS_ID Unique number identifying a Negotiation First Nations record.	NULL	NUMBER(10)
40	AGRMNT_ARTICLE_SUB_TYPE_ID Unique identifier for an Agreement Article Sub Type.	NOT NULL	NUMBER(10)
50	ARTCL_CLASS_UNIT_OF_MEAS_ID	NULL	NUMBER(10)
60	MGMT_SKEY	NULL	NUMBER(10)
65	FN_FILE_TYPE_CODE Unique code identifying the file type code	NULL	VARCHAR2(3)
70	AGRMNT_ARTICLE_TERM_TYPE_CODE Unique code identifying the payment recurrence types.	NULL	VARCHAR2(5)
75	ARTICLE_TERM The term of the benefit offered by the article. If the Article Term Type is Years, then this field specifies the number of years. If the Article Term Type is Months, then this field specifies the number of months.	NULL	NUMBER(2)
80	DESCRIPTION A description of the benefits that the article contains.	NULL	VARCHAR2(4000)
85	AMOUNT The numeric amount of a range benefit a First Nation is entitled to.	NULL	NUMBER(15,2)
90	ARTICLE_IN_EFFECT_IND Indicates if the article is in effect or not. Some agreement articles do not come into affect until a condition specified in the agreement is met, as in a specific piece of legislation is passed. Other articles that are in effect, may lose their effect if a condition specified in the agreement is met.	NOT NULL	VARCHAR2(1)
100	ARTICLE_COMMENTS General comments regarding the article of the agreement that benefits were extracted from.	NULL	VARCHAR2(4000)
110	ENTRY_USERID The user that created the record.	NOT NULL	VARCHAR2(32)
120	ENTRY_TIMESTAMP The date the record was created.	NOT NULL	DATE
130	UPDATE_USERID The user that updated the record.	NOT NULL	VARCHAR2(32)
140	UPDATE_TIMESTAMP The date the record was updated.	NOT NULL	DATE

Foreign Keys:

ARA_AAST_FK

AGRMNT_ARTICLE_SUB_TYPE_ID = AGRMNT_ARTICLE_SUB_TYPE.AGRMNT_ARTICLE_SUB_TYPE_ID

ARA_AATTC_FK

AGRMNT_ARTICLE_TERM_TYPE_CODE =
AGRMNT_ARTICLE_TERM_TYPE_CODE.AGRMNT_ARTICLE_TERM_TYPE_CODE

ARA_AA_FK

ACCOMMODATION_AGREEMENT_ID = ACCOMMODATION_AGREEMENT.ACCOMMODATION_AGREEMENT_ID

ARA_ACUOM_FK

ARTCL_CLASS_UNIT_OF_MEAS_ID = ARTCL_CLASS_UNIT_OF_MEAS.ARTCL_CLASS_UNIT_OF_MEAS_ID

ARA_AFN_FK

AGREEMENT_FIRST_NATIONS_ID = AGREEMENT_FIRST_NATIONS.AGREEMENT_FIRST_NATIONS_ID

ARA_FFTC_FK

FN_FILE_TYPE_CODE = FN_FILE_TYPE_CODE.FN_FILE_TYPE_CODE

ARA_FMU_FK

Table: AGREEMENT_RANGE_ARTICLE (cont'd)*Foreign Keys:*

MGMT_SKEY = FOREST_MGMT_UNIT.MGMT_SKEY

Indexes:

ARA_AAST_FK_I
AGRMNT_ARTICLE_SUB_TYPE_ID
ARA_AATTC_FK_I
AGRMNT_ARTICLE_TERM_TYPE_CODE
ARA_AA_FK_I
ACCOMMODATION_AGREEMENT_ID
ARA_ACUOM_FK_I
ARTCL_CLASS_UNIT_OF_MEAS_ID
ARA_AFN_FK_I
AGREEMENT_FIRST_NATIONS_ID
ARA_FFTC_FK_I
FN_FILE_TYPE_CODE
ARA_FMU_FK_I
MGMT_SKEY

Notes:

The total Animal Unit Months offered by the article.

"animal unit month" means 450 kg of forage, measured on a dry matter basis, being the amount of forage that would sustain:

- a) for one month, an average cow of the genus bos with an unweaned calf born in the current calendar year, or
- (b) for a period longer or shorter than one month, an animal within a class or species of animal described in the definition of "livestock", depending on the type of animal, its stage of development, or both;

The total tonnes of hay to be cut offered by the article. Measured is in Tonnes.

Table: AGREEMENT_TIMBER_ARTICLE*Description:*

A reference to an article in an accommodation agreement, and a description of the benefits provided by the article to the First Nations.

The article in the agreement that refers to a volume of timber to be allocated to a First Nation.

A reference to the Article number and the timber volume referenced in the article.

Columns:

<u>Seq.</u>	<u>Column</u>	<u>Nulls?</u>	<u>Type</u>
* 10	FN_AGREEMENT_ARTICLE_ID Unique identifier for agreement articles	NOT NULL	NUMBER(10)
20	ACCOMMODATION_AGREEMENT_ID Unique identifier for accommodation agreements	NOT NULL	NUMBER(10)
30	AGREEMENT_FIRST_NATIONS_ID Unique number identifying a Negotiation First Nations record.	NULL	NUMBER(10)
40	AGRMNT_ARTICLE_SUB_TYPE_ID Unique identifier for an Agreement Article Sub Type.	NOT NULL	NUMBER(10)
50	ARTCL_CLASS_UNIT_OF_MEAS_ID	NULL	NUMBER(10)
55	MGMT_SKEY	NOT NULL	NUMBER(10)
60	FN_FILE_TYPE_CODE Unique code identifying the file type code	NOT NULL	VARCHAR2(3)
70	AGRMNT_ARTICLE_TERM_TYPE_CODE Unique code identifying the payment recurrence types.	NOT NULL	VARCHAR2(5)
80	ARTICLE_TERM The term of the benefit offered by the article. If the Article Term Type is Years, then this field specifies the number of years. If the Article Term Type is Months, then this field specifies the number of months.	NULL	NUMBER(2)
90	DESCRIPTION A description of the benefits that the article contains.	NULL	VARCHAR2(4000)
135	AMOUNT The numeric amount of a timber benefit a First Nation is entitled to. The amount applies to the unit of measure and article sub type.	NULL	NUMBER(13,2)
136	ARTICLE_IN_EFFECT_IND Indicates if the article is in effect or not. Some agreement articles do not come into affect until a condition specified in the agreement is met, as in a specific piece of legislation is passed. Other articles that are in effect, may lose their effect if a condition specified in the agreement is met.	NOT NULL	VARCHAR2(1)
137	ARTICLE_COMMENTS General comments regarding the article of the agreement that benefits were extracted from.	NULL	VARCHAR2(4000)
140	ENTRY_USERID The user that created the record.	NOT NULL	VARCHAR2(32)
150	ENTRY_TIMESTAMP The date the record was created.	NOT NULL	DATE
160	UPDATE_USERID The user that updated the record.	NOT NULL	VARCHAR2(32)
170	UPDATE_TIMESTAMP The date the record was updated.	NOT NULL	DATE

Foreign Keys:

ATA_AAST_FK
AGRMNT_ARTICLE_SUB_TYPE_ID = AGRMNT_ARTICLE_SUB_TYPE.AGRMNT_ARTICLE_SUB_TYPE_ID

ATA_AATTC_FK
AGRMNT_ARTICLE_TERM_TYPE_CODE =
AGRMNT_ARTICLE_TERM_TYPE_CODE.AGRMNT_ARTICLE_TERM_TYPE_CODE

ATA_AA_FK
ACCOMMODATION_AGREEMENT_ID = ACCOMMODATION_AGREEMENT.ACCOMMODATION_AGREEMENT_ID

ATA_ACUOM_FK
ARTCL_CLASS_UNIT_OF_MEAS_ID = ARTCL_CLASS_UNIT_OF_MEAS.ARTCL_CLASS_UNIT_OF_MEAS_ID

ATA_AFN_FK
AGREEMENT_FIRST_NATIONS_ID = AGREEMENT_FIRST_NATIONS.AGREEMENT_FIRST_NATIONS_ID

ATA_FFTC_FK
FN_FILE_TYPE_CODE = FN_FILE_TYPE_CODE.FN_FILE_TYPE_CODE

Table: AGREEMENT_TIMBER_ARTICLE (cont'd)*Foreign Keys:*

ATA_FMU_FK
MGMT_SKEY = FOREST_MGMT_UNIT.MGMT_SKEY

Indexes:

ATA_AAST_FK_I
AGRMNT_ARTICLE_SUB_TYPE_ID
ATA_AATTC_FK_I
AGRMNT_ARTICLE_TERM_TYPE_CODE
ATA_AA_FK_I
ACCOMMODATION_AGREEMENT_ID
ATA_ACUOM_FK_I
ARTCL_CLASS_UNIT_OF_MEAS_ID
ATA_AFN_FK_I
AGREEMENT_FIRST_NATIONS_ID
ATA_FFTC_FK_I
FN_FILE_TYPE_CODE
ATA_FMU_FK_I
MGMT_SKEY

Table: AGRMNT_ARTICLE_CLASS_CODE*Description:*

The AGRMNT ARTICLE CLASS CODE table provides a list of class codes that categorize agreement articles.

Columns:

<u>Seq.</u>	<u>Column</u>	<u>Nulls?</u>	<u>Type</u>
* 1	AGRMNT_ARTICLE_CLASS_CODE Unique code that identifies an agreement article class code.	NOT NULL	VARCHAR2(3)
2	DESCRIPTION Description of the code value.	NOT NULL	VARCHAR2(120)
3	EFFECTIVE_DATE Date the code becomes effective	NOT NULL	DATE
4	EXPIRY_DATE Date the code expires.	NOT NULL	DATE
5	UPDATE_TIMESTAMP Date the code was updated.	NOT NULL	DATE

Table: AGRMNT_ARTICLE_SUB_TYPE*Description:*

The TIMBER VOLUME TYPE CODE table contains a list of volume type codes that describe the types of timber volume offered by an agreement article.

Columns:

<u>Seq.</u>	<u>Column</u>	<u>Nulls?</u>	<u>Type</u>
* 10	AGRMNT_ARTICLE_SUB_TYPE_ID Unique identifier for an Agreement Article Sub Type.	NOT NULL	NUMBER(10)
20	AGRMNT_ARTICLE_CLASS_CODE Unique code that identifies an agreement article class code.	NOT NULL	VARCHAR2(3)
30	NAME The display name of the sub type	NOT NULL	VARCHAR2(30)
40	DESCRIPTION Description of the code value.	NOT NULL	VARCHAR2(120)
50	ENTRY_USERID The user that created the record.	NOT NULL	VARCHAR2(32)
60	ENTRY_TIMESTAMP The date the record was created.	NOT NULL	DATE
70	UPDATE_USERID The user that updated the record.	NOT NULL	VARCHAR2(32)
80	UPDATE_TIMESTAMP The date the record was updated.	NOT NULL	DATE

Foreign Keys:

AAST_AACC_FK
 AGRMNT_ARTICLE_CLASS_CODE = AGRMNT_ARTICLE_CLASS_CODE.AGRMNT_ARTICLE_CLASS_CODE

Indexes:

AAST_AACC_FK_I
 AGRMNT_ARTICLE_CLASS_CODE

Table: AGRMNT_ARTICLE_TERM_TYPE_CODE*Description:*

A code describing the type of term used for an article.
Derived from the Period_Type_CD in the Code_List_Table table.
A - Annual
DAY - Daily
MONTH - Monthly
Q - Quarterly
WEEK - Weekly

Columns:

<u>Seq.</u>	<u>Column</u>	<u>Nulls?</u>	<u>Type</u>
* 1	AGRMNT_ARTICLE_TERM_TYPE_CODE Unique code identifying the payment recurrence types.	NOT NULL	VARCHAR2(5)
2	DESCRIPTION Description of association	NOT NULL	VARCHAR2(120)
3	EFFECTIVE_DATE Date the code becomes effective	NOT NULL	DATE
4	EXPIRY_DATE Date the code expires.	NOT NULL	DATE
5	UPDATE_TIMESTAMP Date the code was updated.	NOT NULL	DATE

Table: AGRMNT_CONSLT_PERIOD_TYPE_CODE*Description:*

Code table identifying Agreement Consultation Period Types.

Example Values:

Day

Month

Year

Columns:

<u>Seq.</u>	<u>Column</u>	<u>Nulls?</u>	<u>Type</u>
* 1	AGRMNT_CONSLT_PERIOD_TYPE_CODE Unique code identifying Agreement Consultation Period Types.	NOT NULL	VARCHAR2(5)
2	DESCRIPTION Description of the code value.	NOT NULL	VARCHAR2(120)
3	EFFECTIVE_DATE Date the code becomes effective	NOT NULL	DATE
4	EXPIRY_DATE Date the code expires.	NOT NULL	DATE
5	UPDATE_TIMESTAMP Date the code was updated.	NOT NULL	DATE

Table: AGRMNT_PO_REQUEST_TYPE_CODE*Description:*

Distinguishes the types of Purchase Order Requests that can be issued.
Some requests are for new Purchase Orders, and others are for extending an existing purchase order by adding a line item.

POR Purchase Order Request
LIR Line Item Request

Columns:

<u>Seq.</u>	<u>Column</u>	<u>Nulls?</u>	<u>Type</u>
* 1	AGRMNT_PO_REQUEST_TYPE_CODE	NOT NULL	VARCHAR2(3)
2	DESCRIPTION Description of the code value.	NOT NULL	VARCHAR2(120)
3	EFFECTIVE_DATE Date the code becomes effective	NOT NULL	DATE
4	EXPIRY_DATE Date the code expires.	NOT NULL	DATE
5	UPDATE_TIMESTAMP Date the code was updated.	NOT NULL	DATE

Table: AGRMNT_PURCHASE_ORDER_REQST*Description:*

Stores the requests made for Purchase Orders on behalf of a First Nations Agreement.

The First Nations agreement may define monetary amounts to be paid to a First Nation/Group through revenue sharing or disbursements. When an agreement is initialled or signed, one or more purchase orders are set up with a unique identifying number to encumber the monetary amounts. The purchase order details include the funding source and account information. Payment amounts (cheque requisition) are drawn against the purchase order until it expires .

Columns:

<u>Seq.</u>	<u>Column</u>	<u>Nulls?</u>	<u>Type</u>
* 10	AGRMNT_PURCHASE_ORDER_REQST_ID Unique identifier for Purchase Order records	NOT NULL	NUMBER(10)
20	ACCOMMODATION_AGREEMENT_ID Unique identifier for accommodation agreements	NOT NULL	NUMBER(10)
30	AGREEMENT_PAYEE_ID Unique record identifier for an agreement payee.	NOT NULL	NUMBER(10)
35	AGRMNT_PO_REQUEST_TYPE_CODE	NOT NULL	VARCHAR2(3)
40	PO_REQUEST_REFERENCE_KEY Key to reference the purchase order request by. A purchase order request may be outstanding (no CAS purchase order assigned yet), and needs a key to reference the request by	NOT NULL	VARCHAR2(25)
50	FISCAL_YEAR The Fiscal Year that the purchase order request is being made for.	NOT NULL	NUMBER(4)
80	ENCUMBERED_AMOUNT The monetary amount the Purchase Order is issued for.	NOT NULL	NUMBER(15,2)
90	PURCHASE_ORDER_NUMBER The number assigned to the purchase order by accounting.	NULL	VARCHAR2(50)
100	CLIENT Client part of the ACK (Accounting Control Key). Part of purchase order account coding defined as: Client-Resp Centre-Service Line-STOB-Project.	NOT NULL	VARCHAR2(25)
110	RESPONSIBILITY_CENTRE Responsibility Centre part of the ACK (Accounting Control Key). Part of purchase order account coding defined as: Client-Resp Centre-Service Line-STOB-Project.	NOT NULL	VARCHAR2(25)
120	SERVICE_LINE Service Line part of the ACK (Accounting Control Key). Part of purchase order account coding defined as: Client-Resp Centre-Service Line-STOB-Project.	NOT NULL	VARCHAR2(25)
130	STOB STOB part of the ACK (Accounting Control Key). Part of purchase order account coding defined as: Client-Resp Centre-Service Line-STOB-Project.	NOT NULL	VARCHAR2(25)
140	PROJECT PROJECT part of the ACK (Accounting Control Key). Part of purchase order account coding defined as: Client-Resp Centre-Service Line-STOB-Project.	NOT NULL	VARCHAR2(25)
150	PROCUREMENT_PROCESS The procurement process to use to acquire the purchase order. Always 100 - Open competitive process	NULL	VARCHAR2(3)
160	AIT_EXCLUSION_LIST The reason the P	NULL	VARCHAR2(3)
170	PURCHASE_ORDER_CLASS	NULL	VARCHAR2(4)
180	CATEGORY	NULL	VARCHAR2(5)
185	PURCHASE_ORDER_REQUEST_DATE The date the purchase order was request was printed prior to being submitted to Finance.	NULL	DATE
187	PO_CONFIRMATION_DATE The date the purchase order request funds were confirmed and approved by the Finance department.	NULL	DATE
190	EFFECTIVE_DATE	NULL	DATE
200	EXPIRY_DATE	NULL	DATE
210	PURCHASE_ORDER_REQST_COMMENTS Comments regarding processing of the Purchase Order	NULL	VARCHAR2(4000)

Table: AGRMNT_PURCHASE_ORDER_REQST (cont'd)*Columns:*

<u>Seq.</u>	<u>Column</u>	<u>Nulls?</u>	<u>Type</u>
220	ENTRY_USERID The user that created the record.	NOT NULL	VARCHAR2(32)
230	ENTRY_TIMESTAMP The date the record was created.	NOT NULL	DATE
240	UPDATE_USERID The user that updated the record.	NOT NULL	VARCHAR2(32)
250	UPDATE_TIMESTAMP The date the record was updated.	NOT NULL	DATE

Foreign Keys:

APOR_AA_FK
 ACCOMMODATION_AGREEMENT_ID = ACCOMMODATION_AGREEMENT.ACCOMMODATION_AGREEMENT_ID
 APOR_APORTC_FK
 AGRMNT_PO_REQUEST_TYPE_CODE =
 AGRMNT_PO_REQUEST_TYPE_CODE.AGRMNT_PO_REQUEST_TYPE_CODE
 APOR_AP_FK
 AGREEMENT_PAYEE_ID = AGREEMENT_PAYEE.AGREEMENT_PAYEE_ID

Indexes:

APOR_AA_FK_I
 ACCOMMODATION_AGREEMENT_ID
 APOR_APORTC_FK_I
 AGRMNT_PO_REQUEST_TYPE_CODE
 APOR_AP_FK_I
 AGREEMENT_PAYEE_ID

Table: ARTCL_CLASS_UNIT_OF_MEAS*Columns:*

<u>Seq.</u>	<u>Column</u>	<u>Nulls?</u>	<u>Type</u>
* 10	ARTCL_CLASS_UNIT_OF_MEAS_ID	NOT NULL	NUMBER(10)
15	AGRMNT_ARTICLE_CLASS_CODE	NOT NULL	VARCHAR2(3)
	Unique code that identifies an agreement article class code.		
20	FN_UNIT_OF_MEASURE_CODE	NOT NULL	VARCHAR2(5)
	Unique code identifying unit of measure.		
30	ENTRY_USERID	NOT NULL	VARCHAR2(32)
	The user that created the record.		
40	ENTRY_TIMESTAMP	NOT NULL	DATE
	The date the record was created.		
50	UPDATE_USERID	NOT NULL	VARCHAR2(32)
	The user that updated the record.		
60	UPDATE_TIMESTAMP	NOT NULL	DATE
	The date the record was updated.		

Unique Constraints:

ACU_ACUOM_ARTICLE_CLASS_UOM_UK
 AGRMNT_ARTICLE_CLASS_CODE
 FN_UNIT_OF_MEASURE_CODE

Foreign Keys:

ACUOM_AACC_FK
 AGRMNT_ARTICLE_CLASS_CODE = AGRMNT_ARTICLE_CLASS_CODE.AGRMNT_ARTICLE_CLASS_CODE
 ACUOM_FNUOMC_FK
 FN_UNIT_OF_MEASURE_CODE = FN_UNIT_OF_MEASURE_CODE.FN_UNIT_OF_MEASURE_CODE

Indexes:

ACUOM_AACC_FK_I
 AGRMNT_ARTICLE_CLASS_CODE
 ACUOM_FNUOMC_FK_I
 FN_UNIT_OF_MEASURE_CODE

Table: FILE_STATUS_CODE*Description:*

Describes the TENURE_STATUS_CODE.

Columns:

<u>Seq.</u>	<u>Column</u>	<u>Nulls?</u>	<u>Type</u>
* 1	FILE_STATUS_CODE The current status of the forest land use, eg., Pending - Planned, Harvesting - Suspended, Active. This is a subset of Timber_Status_Code.	NOT NULL	VARCHAR2(3)
2	DESCRIPTION Description of the code value	NOT NULL	VARCHAR2(120)
3	EFFECTIVE_DATE Date the code becomes effective	NOT NULL	DATE
4	EXPIRY_DATE Date the code expires	NOT NULL	DATE
5	UPDATE_TIMESTAMP The date and time the value was last modified.	NOT NULL	DATE

Table: FILE_TYPE_CODE*Columns:*

<u>Seq.</u>	<u>Column</u>	<u>Nulls?</u>	<u>Type</u>
* 1	FILE_TYPE_CODE The FTAS code to indicate the type of file, and often synonymous with a tenure or a project.	NOT NULL	VARCHAR2(3)
2	DESCRIPTION Description of the code value	NOT NULL	VARCHAR2(120)
3	EFFECTIVE_DATE Date the code becomes effective	NOT NULL	DATE
4	EXPIRY_DATE Date the code expires	NOT NULL	DATE
5	UPDATE_TIMESTAMP The date and time the value was last modified.	NOT NULL	DATE

Table: FINANCIAL_PAYMENT_TYPE_CODE*Description:*

Describes the type of payment to be issued to the First Nations as a result of an article within an accommodation agreement.

LMP Lumpsum

AA Annual Amount

Columns:

<u>Seq.</u>	<u>Column</u>	<u>Nulls?</u>	<u>Type</u>
* 1	FINANCIAL_PAYMENT_TYPE_CODE Unique code identifying the financial payment type.	NOT NULL	VARCHAR2(3)
2	DESCRIPTION Description of contact type	NOT NULL	VARCHAR2(120)
3	EFFECTIVE_DATE Date the code becomes effective	NOT NULL	DATE
4	EXPIRY_DATE Date the code expires.	NOT NULL	DATE
5	UPDATE_TIMESTAMP Date the code was updated.	NOT NULL	DATE

Table: FIRST_NATIONS*Description:*

Holds information about First Nations. First Nations can be an Indian Band, Tribal Council, or First Nations group (a group of associated First Nations).

The entity is Plural (First Nations) because that is the proper term used to refer to the First Nations people.

Columns:

<u>Seq.</u>	<u>Column</u>	<u>Nulls?</u>	<u>Type</u>
* 10	FIRST_NATIONS_ID Unique SKEY to identify a First Nation Band	NOT NULL	NUMBER(10)
20	FIRST_NATIONS_TYPE_CODE Unique code identifying the First Nations Type.	NOT NULL	VARCHAR2(3)
40	FN_LEADERSHIP_TYPE_CODE Leader Type code.	NOT NULL	VARCHAR2(15)
50	FIRST_NATION_NAME Name of Band	NOT NULL	VARCHAR2(50)
53	CLIENT_NUMBER Sequentially assigned number to identify a ministry client.	NULL	VARCHAR2(8)
57	DINA_NUMBER Department of Indian and Northern Affairs band number	NULL	NUMBER(5)
60	CENSUS_POPULATION The most current population count for the First Nation	NULL	NUMBER(6)
70	ELIGIBLE_POPULATION The portion of the First Nation population that is eligible for economic benefits provided by the ministry.	NULL	NUMBER(6)
80	ENTRY_USERID	NOT NULL	VARCHAR2(32)
90	ENTRY_TIMESTAMP	NOT NULL	DATE
100	UPDATE_USERID	NOT NULL	VARCHAR2(32)
110	UPDATE_TIMESTAMP	NOT NULL	DATE

Unique Constraints:

FRST_NTNS_CLIENT_UK
CLIENT_NUMBER
FRST_NTNS_DINA_UK
DINA_NUMBER
FRST_NTNS_FIRST_NATIONS_UK
FIRST_NATION_NAME

Foreign Keys:

FRST_NTNS_FC_IS_CLIENT_OF_FK
CLIENT_NUMBER = FOREST_CLIENT.CLIENT_NUMBER
FRST_NTNS_FNTC_FK
FIRST_NATIONS_TYPE_CODE = FIRST_NATIONS_TYPE_CODE.FIRST_NATIONS_TYPE_CODE
FRST_NTNS_LEATYP_FK
FN_LEADERSHIP_TYPE_CODE = FN_LEADERSHIP_TYPE_CODE.FN_LEADERSHIP_TYPE_CODE

Indexes:

FRST_NTNS_FC_IS_CLIENT_OF_FK_I
CLIENT_NUMBER
FRST_NTNS_FNTC_FK_I
FIRST_NATIONS_TYPE_CODE
FRST_NTNS_LEATYP_FK_I
FN_LEADERSHIP_TYPE_CODE

Table: FIRST_NATIONS_AFFILIATION*Description:*

List of First Nation affiliations relevant to each section.

Columns:

<u>Seq.</u>	<u>Column</u>	<u>Nulls?</u>	<u>Type</u>
* 10	FIRST_NATIONS_AFFILIATION_ID Unique number to identify an affiliation between a First Nation and another First Nation/Section	NOT NULL	NUMBER(10)
20	FIRST_NATIONS_ID Unique SKEY to identify a First Nation Band	NOT NULL	NUMBER(10)
30	AFFILIATED_FIRST_NATIONS_ID Unique SKEY to identify a First Nation Band	NOT NULL	NUMBER(10)
40	ENTRY_USERID The user that created the record.	NOT NULL	VARCHAR2(32)
50	ENTRY_TIMESTAMP The date the record was created.	NOT NULL	DATE
60	UPDATE_USERID The user that updated the record.	NOT NULL	VARCHAR2(32)
70	UPDATE_TIMESTAMP The date the record was updated.	NOT NULL	DATE

Unique Constraints:

FN_AFFLTN_FNI_AFFLTN_UNQ_UK
FIRST_NATIONS_ID
AFFILIATED_FIRST_NATIONS_ID

Foreign Keys:

FN_AFFLTN_FRST_IS_ORGANIZED_FK
FIRST_NATIONS_ID = FIRST_NATIONS.FIRST_NATIONS_ID
FN_AFFLTN_FRST_NTNS_FK
AFFILIATED_FIRST_NATIONS_ID = FIRST_NATIONS.FIRST_NATIONS_ID

Indexes:

FN_AFFLTN_FRST_IS_ORGANIZED__I
FIRST_NATIONS_ID
FN_AFFLTN_FRST_NTNS_FK_I
AFFILIATED_FIRST_NATIONS_ID

Table: FIRST_NATIONS_CONTACT*Description:*

Stores list of First Nation Contacts relevant to each Section.

Columns:

<u>Seq.</u>	<u>Column</u>	<u>Nulls?</u>	<u>Type</u>
* 10	FIRST_NATIONS_CONTACT_ID Uniquely identifies the Contact	NOT NULL	NUMBER(10)
20	FIRST_NATIONS_ID Unique SKEY to identify a First Nation Band	NOT NULL	NUMBER(10)
30	FN_CONTACT_TYPE_CODE Contact type code	NOT NULL	VARCHAR2(15)
40	ORGANIZATION_NAME name of organization to store as contact	NULL	VARCHAR2(60)
50	FIRST_NAME First Name of Contact	NULL	VARCHAR2(30)
60	MIDDLE_NAME Middle Name/Initial of Contact	NULL	VARCHAR2(30)
70	LAST_NAME Last Name of Contact.	NULL	VARCHAR2(30)
80	ADDRESS_1 First line of Contact address	NULL	VARCHAR2(40)
90	ADDRESS_2 Second line of Contact address	NULL	VARCHAR2(40)
100	ADDRESS_3 Third line of Contact address	NULL	VARCHAR2(40)
102	CITY Town or City name of the address.	NOT NULL	VARCHAR2(30)
104	PROVINCE Province or state of the address.	NULL	VARCHAR2(50)
106	POSTAL_CODE Code used by Canadian Federal Government Postal System; may also contain an American Zip Code or another Country's postal code.	NULL	VARCHAR2(10)
108	COUNTRY The country in which the address is located.	NOT NULL	VARCHAR2(50)
110	PHONE_NUMBER Secodary phone number	NULL	VARCHAR2(20)
120	FAX_NUMBER Fax Number	NULL	VARCHAR2(20)
130	CELL_NUMBER Pager Number	NULL	VARCHAR2(20)
140	EMAIL Primary EMail address of contact	NULL	VARCHAR2(50)
150	COMMENTS Additional Comments about the contact	NULL	VARCHAR2(255)
160	ENTRY_USERID The user that created the record.	NOT NULL	VARCHAR2(32)
170	ENTRY_TIMESTAMP The date the record was created.	NOT NULL	DATE
180	UPDATE_USERID The user that updated the record.	NOT NULL	VARCHAR2(32)
190	UPDATE_TIMESTAMP The date the record was updated.	NOT NULL	DATE

Foreign Keys:

FNC_FNCTC_FK
 FN_CONTACT_TYPE_CODE = FN_CONTACT_TYPE_CODE.FN_CONTACT_TYPE_CODE
 FNC_FRST_NTNS_FK
 FIRST_NATIONS_ID = FIRST_NATIONS.FIRST_NATIONS_ID

Indexes:

Table: FIRST_NATIONS_CONTACT (cont'd)*Indexes:*

FNC_FNCTC_FK_I
FN_CONTACT_TYPE_CODE
FNC_FRST_NTNS_FK_I
FIRST_NATIONS_ID

Table: FIRST_NATIONS_LICENCE*Description:*

Tracks licences that a First Nation or First Nation Group derives 100 percent of the benefits from.

Columns:

<u>Seq.</u>	<u>Column</u>	<u>Nulls?</u>	<u>Type</u>
* 10	FIRST_NATIONS_LICENCE_ID Unique number identifying First Nation Licences	NOT NULL	NUMBER(10)
20	FIRST_NATIONS_ID Unique SKEY to identify a First Nation Band	NOT NULL	NUMBER(10)
30	FOREST_FILE_ID File identification assigned to Provincial Forest Use files. Assigned file number. Usually the Licence, Tenure or Private Mark number.	NOT NULL	VARCHAR2(10)
40	ACCOMMODATION_AGREEMENT_ID Unique identifier for accommodation agreements	NULL	NUMBER(10)
60	FN_ASSOCIATION_TYPE_CODE Unique code identifying association type.	NOT NULL	VARCHAR2(4)
70	LICENCE_AWARD_TYPE_CODE Unique code identifying licence award types.	NOT NULL	VARCHAR2(3)
80	STAKE_INTEREST The First Nations Stake Interest in the Tenure as a measure of percentage.	NOT NULL	NUMBER(10)
90	RENEWABLE_IND Field exists for Phase 1 and Phase 2A of FNIRS. It is to be removed in later phases. Indicates if Tenure is Renewable or not.	NULL	VARCHAR2(1)
100	FOREST_ACT_SECTION_A_IND Field exists for Phase 1 and Phase 2A of FNIRS. It is to be removed in later phases. Indicates if affiliated company is affected by Forest Act Section A or not.	NULL	VARCHAR2(1)
110	DESCRIPTION Field exists for Phase 1 and Phase 2A of FNIRS. It is to be removed in later phases. Description of the relationship between the First Nation and the Company.	NULL	VARCHAR2(1000)
120	ENTRY_USERID The user that created the record.	NOT NULL	VARCHAR2(32)
130	ENTRY_TIMESTAMP The date the record was created.	NOT NULL	DATE
140	UPDATE_USERID The user that updated the record.	NOT NULL	VARCHAR2(32)
150	UPDATE_TIMESTAMP The date the record was updated.	NOT NULL	DATE

Foreign Keys:

FNL_AA_FK
ACCOMMODATION_AGREEMENT_ID = ACCOMMODATION_AGREEMENT.ACCOMMODATION_AGREEMENT_ID

FNL_FNASTC_FK
FN_ASSOCIATION_TYPE_CODE = FN_ASSOCIATION_TYPE_CODE.FN_ASSOCIATION_TYPE_CODE

FNL_FRST_NTNS_FK
FIRST_NATIONS_ID = FIRST_NATIONS.FIRST_NATIONS_ID

FNL_LATC_FK
LICENCE_AWARD_TYPE_CODE = LICENCE_AWARD_TYPE_CODE.LICENCE_AWARD_TYPE_CODE

FNL_PFU_FK
FOREST_FILE_ID = PROV_FOREST_USE.FOREST_FILE_ID

Indexes:

FNL_AA_FK_I
ACCOMMODATION_AGREEMENT_ID

FNL_FNASTC_FK_I
FN_ASSOCIATION_TYPE_CODE

FNL_FRST_NTNS_FK_I
FIRST_NATIONS_ID

Table: FIRST_NATIONS_LICENCE (cont'd)*Indexes:*

FNL_LATC_FK_I
LICENCE_AWARD_TYPE_CODE
FNL_PFU_FK_I
FOREST_FILE_ID

Table: FIRST_NATIONS_REPORT*Description:*

Creates a list of all the reports available to the FNIRS system. The reports are sorted by their function. This table is not intended to control the content of the report. It is intended that this table be used to display lists of reports available to the user, sorted by type.

Columns:

<u>Seq.</u>	<u>Column</u>	<u>Nulls?</u>	<u>Type</u>
* 10	FIRST_NATIONS_REPORT_ID Unique number to identify a report with	NOT NULL	NUMBER(10)
20	REPORT_CLASS_CODE Report type code	NOT NULL	VARCHAR2(10)
30	REPORT_NAME The name of the report	NOT NULL	VARCHAR2(255)
40	REPORT_DESCRIPTION The description of the report contents	NULL	VARCHAR2(1000)
50	FILE_NAME The name of the ASP page that contains the report	NOT NULL	VARCHAR2(255)
60	ACTIVE_IND Indicates if the report is active or not	NOT NULL	VARCHAR2(1)
70	DISPLAY_ORDER Determines the display order of the reports in a list.	NOT NULL	NUMBER(5)
80	ENTRY_USERID The user that created the record.	NOT NULL	VARCHAR2(32)
90	ENTRY_TIMESTAMP The date the record was created.	NOT NULL	DATE
100	UPDATE_USERID The user that updated the record.	NOT NULL	VARCHAR2(32)
110	UPDATE_TIMESTAMP The date the record was updated.	NOT NULL	DATE

Foreign Keys:

FNR_REPTCLSSCD_FK
REPORT_CLASS_CODE = REPORT_CLASS_CODE.REPORT_CLASS_CODE

Indexes:

FNR_REPTCLSSCD_FK_I
REPORT_CLASS_CODE

Table: FIRST_NATIONS_TARGET*Description:*

Contains the targets for various benefits (Revenue Sharing, Timber Volume, Range AUM) determined by mandate by the Ministry.

Columns:

<u>Seq.</u>	<u>Column</u>	<u>Nulls?</u>	<u>Type</u>
* 10	FIRST_NATIONS_TARGET_ID Unique number identifying the First Nation Target	NOT NULL	NUMBER(10)
20	FIRST_NATIONS_ID Unique SKEY to identify a First Nation Band	NOT NULL	NUMBER(10)
23	REGION_ORG_UNIT_NO	NULL	NUMBER(10)
24	DISTRICT_ORG_UNIT_NO	NULL	NUMBER(10)
26	MGMT_SKEY	NULL	NUMBER(10)
28	FIRST_NATIONS_TARGET_TYPE_CODE	NOT NULL	VARCHAR2(5)
30	TOTAL_AMOUNT The total target amount	NOT NULL	NUMBER(15,2)
33	EFFECTIVE_DATE Date the target becomes effective	NOT NULL	DATE
36	EXPIRY_DATE Date the target expires.	NOT NULL	DATE
40	ENTRY_USERID The user that created the record.	NOT NULL	VARCHAR2(32)
50	ENTRY_TIMESTAMP The date the record was created.	NOT NULL	DATE
60	UPDATE_USERID The user that updated the record.	NOT NULL	VARCHAR2(32)
70	UPDATE_TIMESTAMP The date the record was updated.	NOT NULL	DATE

Unique Constraints:

FNT_FNT_UNQ_UK
 FIRST_NATIONS_ID
 FIRST_NATIONS_TARGET_TYPE_CODE
 REGION_ORG_UNIT_NO
 DISTRICT_ORG_UNIT_NO
 MGMT_SKEY

Foreign Keys:

FNT_FMU_FK
 MGMT_SKEY = FOREST_MGMT_UNIT.MGMT_SKEY
 FNT_FRST_NTNS_FK
 FIRST_NATIONS_ID = FIRST_NATIONS.FIRST_NATIONS_ID
 FNT_OU_FK
 DISTRICT_ORG_UNIT_NO = ORG_UNIT.ORG_UNIT_NO
 FNT_OU_HAS_REGION_FK
 REGION_ORG_UNIT_NO = ORG_UNIT.ORG_UNIT_NO
 FNT_TTC_FK
 FIRST_NATIONS_TARGET_TYPE_CODE =
 FIRST_NATIONS_TARGET_TYPE_CODE.FIRST_NATIONS_TARGET_TYPE_CODE

Indexes:

FNT_FMU_FK_I
 MGMT_SKEY
 FNT_FRST_NTNS_FK_I
 FIRST_NATIONS_ID
 FNT_OU_FK_I
 DISTRICT_ORG_UNIT_NO
 FNT_OU_HAS_REGION_FK_I
 REGION_ORG_UNIT_NO
 FNT_TTC_FK_I

Table: FIRST_NATIONS_TARGET (cont'd)*Indexes:*

FIRST_NATIONS_TARGET_TYPE_CODE

Table: FIRST_NATIONS_TARGET_TYPE_CODE*Description:*

Code values identifying the types of the First Nation Targets.

Code Values:

RVS Revenue Sharing

TMV Timber Volume

RAV Re-Allocation Volume

RAUM Range Animal Unit Months

EPP Eligible Population Percent

Columns:

<u>Seq.</u>	<u>Column</u>	<u>Nulls?</u>	<u>Type</u>
* 1	FIRST_NATIONS_TARGET_TYPE_CODE	NOT NULL	VARCHAR2(5)
2	DESCRIPTION	NOT NULL	VARCHAR2(120)
	Description of the code value.		
3	EFFECTIVE_DATE	NOT NULL	DATE
	Date the code becomes effective		
4	EXPIRY_DATE	NOT NULL	DATE
	Date the code expires.		
5	UPDATE_TIMESTAMP	NOT NULL	DATE
	Date the code was updated.		

Table: FIRST_NATIONS_TYPE_CODE*Description:*

Unique code used to identify the type of First Nation.
IE Is it a Band, Treaty Group, Tribal Council, etc...

Columns:

<u>Seq.</u>	<u>Column</u>	<u>Nulls?</u>	<u>Type</u>
* 1	FIRST_NATIONS_TYPE_CODE Unique code identifying the First Nations Type.	NOT NULL	VARCHAR2(3)
2	DESCRIPTION Description of the code value.	NOT NULL	VARCHAR2(120)
3	EFFECTIVE_DATE Date the code becomes effective	NOT NULL	DATE
4	EXPIRY_DATE Date the code expires.	NOT NULL	DATE
5	UPDATE_TIMESTAMP Date the code was updated.	NOT NULL	DATE

Table: FNIRS_AGREEMENT_BOUNDARY**Description:**

First Nations Forest and Range Agreements and Opportunities; this layer represents the spatial boundaries or an agreement or opportunity by name. Each record also contains information about when the agreement, including the agreement's duration, status and type.

Columns:

<u>Seq.</u>	<u>Column</u>	<u>Nulls?</u>	<u>Type</u>
10	ACCOMMODATION_AGREEMENT_ID Unique identifier for accommodation agreements	NOT NULL	NUMBER(10)
10	AGREEMENT_REFERENCE_KEY A short display name that uniquely identifies the agreement.	NOT NULL	VARCHAR2(25)
15	AGREEMENT_NAME The full proper name of the accommodation agreement.	NOT NULL	VARCHAR2(255)
20	AGREEMENT_TYPE_DESCRIPTION Description of the accomodation agreement type.	NOT NULL	VARCHAR2(120)
30	FN_AGREEMENT_STATUS_CODE The status of this first nations accomodation agreement.	NOT NULL	VARCHAR2(4)
40	EXECUTION_SIGNING_DATE The date the agreement was signed by the Minister or his/her designate, thus executing the agreement. This constitutes the agreement becoming effective.	NULL	DATE
50	END_DATE The date the agreement ends as stated by the agreement. This date is usually determined as occurring at execution signing date plus the term of the agreement.	NULL	DATE
60	FILE_NAME_URL The name of the accommodation agreement physical file stored in the database.	NOT NULL	VARCHAR2(100)
70	FEATURE_CLASS_SKEY The unique key assigned to a Feature Class by the Ministry of Forests. The Feature Class Skey value for First Nation Accomodation Agreement Polygons is ____.	NULL	NUMBER(10)
80	FEATURE_AREA Area in square meters. This value is calculated by Oracle Spatial during the replication; this area may contain more precision than is appropriate for the particular geometry.	NULL	NUMBER(12)
90	GEOMETRY GEOMETRY is the Oracle Spatial SDO Geometry representation of an Accomodation Agreement.	NULL	
* 100	OBJECTID Unique identifier used by ArcSDE for accommodation agreements.	NOT NULL	NUMBER(10)
110	CHANGE_TIMESTAMP1 The date the Accomodation Agreement record was updated.	NOT NULL	DATE
120	CHANGE_TIMESTAMP2 The date the Agreement Geometry record was updated.	NULL	DATE
130	CHANGE_TIMESTAMP3 The date the First Nations Agreement Type record was updated.	NOT NULL	DATE

Indexes:

FNIRS_AB_GEOM_I
GEOMETRY
FNIRS_AB_I
AGREEMENT_REFERENCE_KEY

Notes:

Added as part of FNIRS for the BVI project.

This table should really be a materialized view, but due to limitations in Oracle Replication for Spatial tables (as of 10gR2), it is a table instead. The data is retrieved from a view on the source system and is replicated to the table using the SDR (Spatial Data Replication) tool.

```
select aa.accommodation_agreement_id,
       aa.agreement_reference_key,
       aa.agreement_name,
       fnat.description agreement_type_description,
       aa.fn_agreement_status_code,
```

Table: FNIRS_AGREEMENT_BOUNDARY (cont'd)*Notes:*

```
aa.execution_signing_date,
aa.end_date,
gpp.value file_name_url,
2596 feature_class_skey,
sdo_geom.sdo_area(ag.geometry,0.0005) feature_area,
ag.geometry,
aa.accommodation_agreement_id objectid,
aa.update_timestamp change_timestamp1,
ag.update_timestamp change_timestamp2,
fnat.update_timestamp change_timestamp3
from accommodation_agreement aa
join  fn_agreement_type fnat on aa.fn_agreement_type_id =
      fnat.fn_agreement_type_id
left  outer join agreement_geometry ag on aa.accommodation_agreement_id =
      ag.accommodation_agreement_id
join  FN_PREFERENCE_GROUP gp on gp.name = 'BVI'
join  FN_PREFERENCE_GRP_PROPERTY gpp on gp.fn_preference_group_id =
      gpp.fn_preference_group_id
      and gpp.name = 'FILE_NAME_URL';
```

Table: FNIRS_AGREEMENT_BOUNDARY_SVW*Description:*

First Nations Forest and Range Agreements and Opportunities; this layer represents the spatial boundaries or an agreement or opportunity by name. Each record also contains information about when the agreement, including the agreement's duration, status and type.

Columns:

<u>Seq.</u>	<u>Column</u>	<u>Nulls?</u>	<u>Type</u>
5	ACCOMMODATION_AGREEMENT_ID Unique identifier for accommodation agreements	NULL	VARCHAR2(240)
6	AGREEMENT_REFERENCE_KEY A short display name that uniquely identifies the agreement.	NOT NULL	VARCHAR2(25)
10	AGREEMENT_NAME The full proper name of the accommodation agreement.	NOT NULL	VARCHAR2(255)
20	AGREEMENT_TYPE_DESCRIPTION Description of the accomodation agreement type.	NOT NULL	VARCHAR2(120)
30	FN_AGREEMENT_STATUS_CODE The status of this first nations accomodation agreement.	NOT NULL	VARCHAR2(4)
40	EXECUTION_SIGNING_DATE The date the agreement was signed by the Minister or his/her designate, thus executing the agreement. This constitutes the agreement becoming effective.	NULL	DATE
50	END_DATE The date the agreement ends as stated by the agreement. This date is usually determined as occurring at execution signing date plus the term of the agreement.	NULL	DATE
60	FILE_NAME_URL The name of the accommodation agreement physical file stored in the database.	NOT NULL	VARCHAR2(100)
70	FEATURE_CODE The unique key assigned to a Feature Code by the Ministry of Forests. The Feature Code value for First Nation Accomodation Agreement Polygons is FM90700240.	NULL	NUMBER(10)
80	GEOMETRY GEOMETRY is the Oracle Spatial SDO Geometry representation of an Accomodation Agreement.	NULL	
90	FEATURE_AREA Area in square meters. This value is calculated by Oracle Spatial during the replication; this area may contain more precision than is appropriate for the particular geometry.	NULL	NUMBER(12)
100	OBJECTID Unique identifier used by ArcSDE for accommodation agreements.	NOT NULL	NUMBER(10)

Table: FN_AGREEMENT_CLASS_CODE*Description:*

The FN AGREEMENT CLASS CODE table contains a list of classes that an agreement may be categorized by.

Columns:

<u>Seq.</u>	<u>Column</u>	<u>Nulls?</u>	<u>Type</u>
* 1	FN_AGREEMENT_CLASS_CODE A unique code identifying an Agreement Class Code	NOT NULL	VARCHAR2(3)
2	DESCRIPTION Description of the code value.	NOT NULL	VARCHAR2(120)
3	EFFECTIVE_DATE Date the code becomes effective	NOT NULL	DATE
4	EXPIRY_DATE Date the code expires.	NOT NULL	DATE
5	UPDATE_TIMESTAMP Date the code was updated.	NOT NULL	DATE

Table: FN_AGREEMENT_STATUS_CODE*Description:*

Indicates the status of a First Nations accommodation agreement.
Code values:

ONA Offer to Negotiate Agreement
NAGR Negotiating Agreement
AGRN Agreement Negotiated
AGRI Agreement Initialed
EXCA Executed Agreement
EXPA Expired Agreement
CA Cancelled Agreement

Columns:

<u>Seq.</u>	<u>Column</u>	<u>Nulls?</u>	<u>Type</u>
* 1	FN_AGREEMENT_STATUS_CODE Unique Code identifying agreement statuses	NOT NULL	VARCHAR2(4)
2	DESCRIPTION Description of association	NOT NULL	VARCHAR2(120)
3	EFFECTIVE_DATE Date the code becomes effective	NOT NULL	DATE
4	EXPIRY_DATE Date the code expires.	NOT NULL	DATE
5	UPDATE_TIMESTAMP Date the code was updated.	NOT NULL	DATE

Table: FN_AGREEMENT_TERM_TYPE_CODE*Description:*

The type of term an agreement has.

Examples

Days

Months

Years

Columns:

<u>Seq.</u>	<u>Column</u>	<u>Nulls?</u>	<u>Type</u>
* 1	FN_AGREEMENT_TERM_TYPE_CODE Unique code identifying agreement term type code	NOT NULL	VARCHAR2(5)
2	DESCRIPTION Description of association	NOT NULL	VARCHAR2(120)
3	EFFECTIVE_DATE Date the code becomes effective	NOT NULL	DATE
4	EXPIRY_DATE Date the code expires.	NOT NULL	DATE
5	UPDATE_TIMESTAMP Date the code was updated.	NOT NULL	DATE

Table: FN_AGREEMENT_TYPE*Description:*

Defines the types of accommodation agreements that can occur as categorized by agreement class.

Example Types are:

FRA Forest Range Agreement

FRO Forest Range Opportunity

DAA Direct Award Agreement

MPB Mountain Pine Beetle Agreement

STA Short Term Agreement

AA Amended Agreement

Columns:

<u>Seq.</u>	<u>Column</u>	<u>Nulls?</u>	<u>Type</u>
* 10	FN_AGREEMENT_TYPE_ID Unique identifier for an agreement type.	NOT NULL	NUMBER(10)
20	FN_AGREEMENT_CLASS_CODE A unique code identifying an Agreement Class Code	NOT NULL	VARCHAR2(3)
30	AGREEMENT_TYPE_ACRONYM Short Acronym for Agreement Type. Used for Reporting purposes.	NOT NULL	VARCHAR2(5)
40	DESCRIPTION Description of the code value.	NOT NULL	VARCHAR2(120)
50	EFFECTIVE_DATE Date the code becomes effective	NOT NULL	DATE
60	EXPIRY_DATE Date the code expires.	NOT NULL	DATE
70	ENTRY_USERID The user that created the record.	NOT NULL	VARCHAR2(32)
80	ENTRY_TIMESTAMP The date the record was created.	NOT NULL	DATE
90	UPDATE_USERID The user that updated the record.	NOT NULL	VARCHAR2(32)
100	UPDATE_TIMESTAMP The date the record was updated.	NOT NULL	DATE

Foreign Keys:

FNAT_ACC_FK

FN_AGREEMENT_CLASS_CODE = FN_AGREEMENT_CLASS_CODE.FN_AGREEMENT_CLASS_CODE

Indexes:

FNAT_ACC_FK_I

FN_AGREEMENT_CLASS_CODE

Notes:

Most of these agreement types can be broadly classified as Direct Award agreement types.

Table: FN_ALTERNATE_NAME*Description:*

List of Alternate First Nations names

Columns:

<u>Seq.</u>	<u>Column</u>	<u>Nulls?</u>	<u>Type</u>
* 10	FN_ALTERNATE_NAME_ID Uniquely identifies the alternate First Nation name.	NOT NULL	NUMBER(10)
20	FIRST_NATIONS_ID Unique SKEY to identify a First Nation Band	NOT NULL	NUMBER(10)
30	ALTERNATE_NAME Alternate First Nations name	NOT NULL	VARCHAR2(100)
40	ENTRY_USERID The user that created the record.	NOT NULL	VARCHAR2(32)
50	ENTRY_TIMESTAMP The date the record was created.	NOT NULL	DATE
60	UPDATE_USERID The user that updated the record.	NOT NULL	VARCHAR2(32)
70	UPDATE_TIMESTAMP The date the record was updated.	NOT NULL	DATE

Foreign Keys:

FN_ALT_NM_FRST_NTNS_FK
FIRST_NATIONS_ID = FIRST_NATIONS.FIRST_NATIONS_ID

Indexes:

FN_ALT_NM_FRST_NTNS_FK_I
FIRST_NATIONS_ID

Table: FN_ASSOCIATION_TYPE_CODE*Description:*

Shows the type of association a First Nations client has with an associated company.

BOC Band Owned Company

BMOC Band Member Owned Company

SHC Shareholders of Company

JVC Joint Venture with a Company

CH Commitment to Hire Band Members

O Other (use comments to indicate relationship)

This is a FNIRS phase 1 and 2a table. It is expected to be removed in FINRS phase 2b onward.

Columns:

<u>Seq.</u>	<u>Column</u>	<u>Nulls?</u>	<u>Type</u>
* 1	FN_ASSOCIATION_TYPE_CODE Unique code identifying association type.	NOT NULL	VARCHAR2(4)
2	DESCRIPTION Description of association	NOT NULL	VARCHAR2(120)
3	EFFECTIVE_DATE Date the code becomes effective	NOT NULL	DATE
4	EXPIRY_DATE Date the code expires.	NOT NULL	DATE
5	UPDATE_TIMESTAMP Date the code was updated.	NOT NULL	DATE

Table: FN_CONTACT_TYPE_CODE*Description:*

The type of a Contact. IE Police, Fire, Lead Council, etc...

Columns:

<u>Seq.</u>	<u>Column</u>	<u>Nulls?</u>	<u>Type</u>
* 1	FN_CONTACT_TYPE_CODE Contact type code	NOT NULL	VARCHAR2(15)
2	DESCRIPTION Description of contact type	NOT NULL	VARCHAR2(120)
3	EFFECTIVE_DATE Date the code becomes effective	NOT NULL	DATE
4	EXPIRY_DATE Date the code expires.	NOT NULL	DATE
5	UPDATE_TIMESTAMP Date the code was updated.	NOT NULL	DATE

Table: FN_FILE_TYPE_CODE*Description:*

The set of file type codes specific to the types of tenure licences that may be direct awarded to a First Nation via an accommodation agreement.

Columns:

<u>Seq.</u>	<u>Column</u>	<u>Nulls?</u>	<u>Type</u>
* 1	FN_FILE_TYPE_CODE Unique code identifying the file type code	NOT NULL	VARCHAR2(3)
2	DESCRIPTION Description of contact type	NOT NULL	VARCHAR2(120)
3	EFFECTIVE_DATE Date the code becomes effective	NOT NULL	DATE
4	EXPIRY_DATE Date the code expires.	NOT NULL	DATE
5	UPDATE_TIMESTAMP Date the code was updated.	NOT NULL	DATE

Table: FN_LEADERSHIP_TYPE_CODE*Description:*

List of First Nation Leader Types
CHIEF-E Elected Chief
CHIEF-H Hereditary Chief
COUNCIL-E Elected Council Member
COUNCIL-H Hereditary Council Member
PRESIDENT First Nations Association President
CHAIR Chairperson for association
UNKNOWN Leader Type not known.

Columns:

<u>Seq.</u>	<u>Column</u>	<u>Nulls?</u>	<u>Type</u>
* 1	FN_LEADERSHIP_TYPE_CODE Leader Type code.	NOT NULL	VARCHAR2(3)
2	DESCRIPTION Description of Leader Type	NOT NULL	VARCHAR2(120)
3	EFFECTIVE_DATE Date the code becomes effective	NOT NULL	DATE
4	EXPIRY_DATE Date the code expires.	NOT NULL	DATE
5	UPDATE_TIMESTAMP Date the code was updated.	NOT NULL	DATE

Table: FN_PREFERENCE_GROUP*Description:*

Classifies account coding preferences, and alert windows for FNIRS

Columns:

<u>Seq.</u>	<u>Column</u>	<u>Nulls?</u>	<u>Type</u>
* 1	FN_PREFERENCE_GROUP_ID Unique number identifying an FN Preference Group	NOT NULL	NUMBER(10)
2	NAME The name of the preference group	NULL	VARCHAR2(255)
3	ENTRY_USERID	NOT NULL	VARCHAR2(32)
4	ENTRY_TIMESTAMP	NOT NULL	DATE
5	UPDATE_USERID	NOT NULL	VARCHAR2(32)
6	UPDATE_TIMESTAMP	NOT NULL	DATE

Table: FN_PREFERENCE_GRP_PROPERTY*Description:*

Lists the account codings, and alert window time frames within a preference group.

Columns:

<u>Seq.</u>	<u>Column</u>	<u>Nulls?</u>	<u>Type</u>
* 10	FN_PREFERENCE_GRP_PROPERTY_ID Unique number identifying an preference group property.	NOT NULL	NUMBER(10)
20	FN_PREFERENCE_GROUP_ID Unique number identifying an FN Preference Group	NOT NULL	NUMBER(10)
30	NAME The name of the property	NOT NULL	VARCHAR2(255)
40	VALUE The value of the property	NOT NULL	VARCHAR2(1000)
50	ENTRY_USERID	NOT NULL	VARCHAR2(32)
60	ENTRY_TIMESTAMP	NOT NULL	DATE
70	UPDATE_USERID	NOT NULL	VARCHAR2(32)
80	UPDATE_TIMESTAMP	NOT NULL	DATE

Foreign Keys:

FNPGP_FNPG_FK

FN_PREFERENCE_GROUP_ID = FN_PREFERENCE_GROUP.FN_PREFERENCE_GROUP_ID

Indexes:

FNPGP_FNPG_FK_I

FN_PREFERENCE_GROUP_ID

Table: FN_TARGET_TRANSACTION*Description:*

The targets for a First Nation are updated through transactions. A target value can be carried forward from a previous fiscal year, or the target value can be modified by a mandate request. This table stores the transactions that modify the First Nation target.

Columns:

<u>Seq.</u>	<u>Column</u>	<u>Nulls?</u>	<u>Type</u>
* 10	FN_TARGET_TRANSACTION_ID Unique number identifying a First Nation Target Transaction.	NOT NULL	NUMBER(10)
20	FIRST_NATIONS_TARGET_ID Unique number identifying the First Nation Target	NOT NULL	NUMBER(10)
22	TARGET_MANDATE_REQUEST_FILE_ID Unique number identifying First Nation Target Mandate Requests.	NULL	NUMBER(10)
30	AMOUNT The transaction target amount being added to the current total target. A transaction with negative number is used to reduce a First Nations total target.	NOT NULL	NUMBER(15,2)
40	TRANSACTION_DATE The date of the transaction	NOT NULL	DATE
50	TRANSACTION_COMMENT General comments regarding the transaction.	NULL	VARCHAR2(1000)
60	ENTRY_USERID The user that created the record.	NOT NULL	VARCHAR2(32)
70	ENTRY_TIMESTAMP The date the record was created.	NOT NULL	DATE
80	UPDATE_USERID The user that updated the record.	NOT NULL	VARCHAR2(32)
90	UPDATE_TIMESTAMP The date the record was updated.	NOT NULL	DATE

Unique Constraints:

FTT_FTT_UK_UK
 TARGET_MANDATE_REQUEST_FILE_ID
 TRANSACTION_DATE

Foreign Keys:

FTT_FNT_FK
 FIRST_NATIONS_TARGET_ID = FIRST_NATIONS_TARGET.FIRST_NATIONS_TARGET_ID
 FTT_TMRF_FK
 TARGET_MANDATE_REQUEST_FILE_ID =
 TARGET_MANDATE_REQUEST_FILE.TARGET_MANDATE_REQUEST_FILE_ID

Indexes:

FTT_FNT_FK_I
 FIRST_NATIONS_TARGET_ID
 FTT_TMRF_FK_I
 TARGET_MANDATE_REQUEST_FILE_ID

Table: FN_UNIT_OF_MEASURE_CODE*Description:*

The unit of measures used by First Nations targets and accommodation agreements.

Columns:

<u>Seq.</u>	<u>Column</u>	<u>Nulls?</u>	<u>Type</u>
* 1	FN_UNIT_OF_MEASURE_CODE Unique code identifying unit of measure.	NOT NULL	VARCHAR2(5)
2	DESCRIPTION Description of the code value.	NOT NULL	VARCHAR2(120)
3	EFFECTIVE_DATE Date the code becomes effective	NOT NULL	DATE
4	EXPIRY_DATE Date the code expires.	NOT NULL	DATE
5	UPDATE_TIMESTAMP Date the code was updated.	NOT NULL	DATE

Table: FOREST_CLIENT*Description:*

Any company or individual who is dealing, has dealt or plans to deal with the Ministry. This is effectively the name and address list for the Ministry.

Columns:

<u>Seq.</u>	<u>Column</u>	<u>Nulls?</u>	<u>Type</u>
* 1	CLIENT_NUMBER	NOT NULL	VARCHAR2(8)
	Sequentially assigned number to identify a ministry client.		
2	CLIENT_NAME	NOT NULL	VARCHAR2(60)
	The name of the Ministry Client - Company or Individual. Entered as: the full corporate name if a Corporation; the full registered name if a Partnership; the legal surname if an Individual.		
3	CLIENT_ACRONYM	NULL	VARCHAR2(8)
	A familiar alphabetic acronym to be used as an alternate to the ministry's client number for data entry and display.		
4	WCB_FIRM_NUMBER	NULL	VARCHAR2(6)
	Workers Compensation Board registration number.		
5	OCG_SUPPLIER_NUMBER	NULL	VARCHAR2(10)
	Office of the Comptroller General's reference number for identification of Government Suppliers.		
6	CLIENT_COMMENT	NULL	VARCHAR2(4000)
	Text for the comment on the client.		
7	UPDATE_TIMESTAMP	NOT NULL	DATE
	The date and time of the last update.		
8	UPDATE_USERID	NOT NULL	VARCHAR2(30)
	The USERID of the individual who last updated this information.		
9	ADD_TIMESTAMP	NOT NULL	DATE
	The date and time on which the entry was created.		
10	ADD_USERID	NOT NULL	VARCHAR2(30)
	The USERID of the individual performing the entry.		
11	REVISION_COUNT	NOT NULL	NUMBER(5)
	Number of times updated		

Table: FOREST_MGMT_UNIT*Description:*

The administrative management unit as defined by the ministry for managing the forest land, eg. Timber Supply Area.

Columns:

<u>Seq.</u>	<u>Column</u>	<u>Nulls?</u>	<u>Type</u>
* 1	MGMT_SKEY	NOT NULL	NUMBER(10)
2	MGMT_UNIT_ID	NOT NULL	VARCHAR2(4)
3	DESCRIPTION	NULL	VARCHAR2(100)
4	REVISION_COUNT	NOT NULL	NUMBER(5)
5	EFFECTIVE_DATE	NOT NULL	DATE
6	EXPIRY_DATE	NOT NULL	DATE
7	ENTRY_USERID	NOT NULL	VARCHAR2(32)
	The user that created the record.		
8	ENTRY_TIMESTAMP	NOT NULL	DATE
	The date the record was created.		
9	UPDATE_USERID	NOT NULL	VARCHAR2(32)
	The user that updated the record.		
10	UPDATE_TIMESTAMP	NOT NULL	DATE
	The date the record was updated.		

Table: INTERIM_PAYMENT_REQUEST*Description:*

Transactions issued to meet the financial obligations in an accommodation agreement to a First Nation/Group. The transactions are recorded as expenditure actuals in the Corporate Accounting System (CAS). The accommodation agreements define the revenue sharing or disbursements amounts to be paid to First Nation/Group through one or more payments. Payments (cheque requisition) are drawn against a purchase order and paid to the First Nation/Group via a cheque or electronic funds transfer. Offsetting transactions and journal vouchers may be issued to balance the accounts used to fund the financial obligations.

Columns:

<u>Seq.</u>	<u>Column</u>	<u>Nulls?</u>	<u>Type</u>
* 10	INTERIM_PAYMENT_REQUEST_ID Unique record identifier for Agreement Actuals	NOT NULL	NUMBER(10)
20	AGRMNT_PURCHASE_ORDER_REQST_ID Unique identifier for Purchase Order records	NOT NULL	NUMBER(10)
25	PAYMENT_REQUEST_FORMAT_CODE Unique code identifying the payment request formats.	NOT NULL	VARCHAR2(3)
32	PAYMENT_REQST_REFERENCE_KEY A display key a user can use to refer to a payment request.	NULL	VARCHAR2(25)
40	CAS_RECEIPT_NUMBER The Receipt Number issued for the CAS transaction	NULL	VARCHAR2(50)
50	PAYMENT_AMOUNT The monetary amount of the transaction.	NOT NULL	NUMBER(15,2)
60	PAYMENT_REQUEST_DATE The date the payment request was issued.	NULL	DATE
70	MANUAL_CHEQUE_FORWARDING_DATE The date the manual cheque was sent to the payee of the payment request.	NULL	DATE
80	PROCESSING_INSTRUCTIONS Instructions regarding the processing of the transaction.	NULL	VARCHAR2(4000)
90	CHEQUE_STUB_COMMENTS Any comments a financial person may have regarding the cheque stub.	NULL	VARCHAR2(4000)
100	INTERNAL_COMMENTS Internal comments used to track general notes.	NULL	VARCHAR2(4000)
110	ENTRY_USERID The user that created the record.	NOT NULL	VARCHAR2(32)
120	ENTRY_TIMESTAMP The date the record was created.	NOT NULL	DATE
130	UPDATE_USERID The user that updated the record.	NOT NULL	VARCHAR2(32)
140	UPDATE_TIMESTAMP The date the record was updated.	NOT NULL	DATE

Foreign Keys:

IPR_APOR_FK
 AGRMNT_PURCHASE_ORDER_REQST_ID =
 AGRMNT_PURCHASE_ORDER_REQST.AGRMNT_PURCHASE_ORDER_REQST_ID

IPR_PRFC_FK
 PAYMENT_REQUEST_FORMAT_CODE =
 PAYMENT_REQUEST_FORMAT_CODE.PAYMENT_REQUEST_FORMAT_CODE

Indexes:

IPR_APOR_FK_I
 AGRMNT_PURCHASE_ORDER_REQST_ID

IPR_PRFC_FK_I
 PAYMENT_REQUEST_FORMAT_CODE

Table: LICENCE_AWARD_TYPE_CODE*Description:*

A list of the types of Tenure Licence award.

Examples are:

DA Direct Award

CB Competative Bid

Columns:

<u>Seq.</u>	<u>Column</u>	<u>Nulls?</u>	<u>Type</u>
* 1	LICENCE_AWARD_TYPE_CODE Unique code identifying licence award types.	NOT NULL	VARCHAR2(3)
2	DESCRIPTION Description of the code value.	NOT NULL	VARCHAR2(120)
3	EFFECTIVE_DATE Date the code becomes effective	NOT NULL	DATE
4	EXPIRY_DATE Date the code expires.	NOT NULL	DATE
5	UPDATE_TIMESTAMP Date the code was updated.	NOT NULL	DATE

Table: MANDATE_REQUEST_FILE_CONTENT*Columns:*

<u>Seq.</u>	<u>Column</u>	<u>Nulls?</u>	<u>Type</u>
* 10	TARGET_MANDATE_REQUEST_FILE_ID Unique number identifying First Nation Target Mandate Requests.	NOT NULL	NUMBER(10)
20	FILE_CONTENT Blob field containing the electronic document	NULL	BLOB
30	ENTRY_USERID The user that created the record.	NOT NULL	VARCHAR2(32)
40	ENTRY_TIMESTAMP The date the record was created.	NOT NULL	DATE
50	UPDATE_USERID The user that updated the record.	NOT NULL	VARCHAR2(32)
60	UPDATE_TIMESTAMP The date the record was updated.	NOT NULL	DATE

Foreign Keys:

MRFC_TMRF_FK
TARGET_MANDATE_REQUEST_FILE_ID =
TARGET_MANDATE_REQUEST_FILE.TARGET_MANDATE_REQUEST_FILE_ID

Indexes:

MRFC_TMRF_FK_I
TARGET_MANDATE_REQUEST_FILE_ID

Table: ORG_UNIT*Columns:*

<u>Seq.</u>	<u>Column</u>	<u>Nulls?</u>	<u>Type</u>
* 1	ORG_UNIT_NO	NOT NULL	NUMBER(10)
2	ORG_UNIT_CODE	NOT NULL	VARCHAR2(6)
3	ORG_UNIT_NAME	NOT NULL	VARCHAR2(100)
4	LOCATION_CODE	NULL	VARCHAR2(3)
	Reverse Engineered from column LOCATION_CODE of table ORG_UNIT		
5	AREA_CODE	NULL	VARCHAR2(3)
6	TELEPHONE_NO	NULL	VARCHAR2(7)
	Reverse Engineered from column TELEPHONE_NO of table ORG_UNIT		
7	ORG_LEVEL_CODE	NULL	VARCHAR2(1)
	Reverse Engineered from column ORG_LEVEL_CODE of table ORG_UNIT		
8	OFFICE_NAME_CODE	NULL	VARCHAR2(2)
	Reverse Engineered from column OFFICE_NAME_CODE of table ORG_UNIT		
9	ROLLUP_REGION_NO	NULL	NUMBER(10,0)
	Reverse Engineered from column ROLLUP_REGION_NO of table ORG_UNIT		
10	ROLLUP_REGION_CODE	NULL	VARCHAR2(6)
	Reverse Engineered from column ROLLUP_REGION_CODE of table ORG_UNIT		
11	ROLLUP_DIST_NO	NULL	NUMBER(10,0)
	Reverse Engineered from column ROLLUP_DIST_NO of table ORG_UNIT		
12	ROLLUP_DIST_CODE	NULL	VARCHAR2(6)
	Reverse Engineered from column ROLLUP_DIST_CODE of table ORG_UNIT		
13	EFFECTIVE_DATE	NOT NULL	DATE
	Reverse Engineered from column EFFECTIVE_DATE of table ORG_UNIT		
14	EXPIRY_DATE	NULL	DATE
	Reverse Engineered from column EXPIRY_DATE of table ORG_UNIT		
15	UPDATE_TIMESTAMP	NULL	DATE

Table: PAYEE_SCHEDULE_QUARTER*Description:*

Payee Schedule Quarter describes the payments to be made to a payee for a given fiscal quarter in a given fiscal year. It tracks regularly scheduled payments (such as quarterly portion of an annual amount), and any lumpsum payments to the payee.

More than one financial payment can be scheduled per quarter.

Columns:

<u>Seq.</u>	<u>Column</u>	<u>Nulls?</u>	<u>Type</u>
* 10	PAYEE_SCHEDULE_QUARTER_ID Unique record identifier for the payee schedule quarter record.	NOT NULL	NUMBER(10)
20	AGREEMENT_PAYMENT_SCHEDULE_ID Unique record identifier for an agreement payment schedule record.	NOT NULL	NUMBER(10)
25	FINANCIAL_PAYMENT_TYPE_CODE Unique code identifying the financial payment type.	NOT NULL	VARCHAR2(3)
30	FISCAL_YEAR The fiscal year that the payment is to occur in. The Fiscal Year is the Governments' standardized fiscal year. IE: Fiscal Year 2007 would represent April 1 2006 to Mar 31 2007.	NOT NULL	NUMBER(4)
40	FISCAL_QUARTER The fiscal quarter the payment is to occur in.	NOT NULL	NUMBER(1)
50	PAYABLE_AMOUNT The amount to be paid to the payee for the scheduled quarter. If the financial payment type is annual, then the quarterly schedule payment is derived from the annual payment amount in the Agreement_Payment_Schedule table. If the financial payment type is lumpsum then the quarterly schedule payment is derived from the lumpsum payment amount in the Agreement_Payment_Schedule table.	NOT NULL	NUMBER(15,2)
60	ENTRY_USERID The user that created the record.	NOT NULL	VARCHAR2(32)
70	ENTRY_TIMESTAMP The date the record was created.	NOT NULL	DATE
80	UPDATE_USERID The user that updated the record.	NOT NULL	VARCHAR2(32)
90	UPDATE_TIMESTAMP The date the record was updated.	NOT NULL	DATE

Foreign Keys:

PSQ_APS_FK
 AGREEMENT_PAYMENT_SCHEDULE_ID =
 AGREEMENT_PAYMENT_SCHEDULE.AGREEMENT_PAYMENT_SCHEDULE_ID
 PSQ_FPTC_FK
 FINANCIAL_PAYMENT_TYPE_CODE =
 FINANCIAL_PAYMENT_TYPE_CODE.FINANCIAL_PAYMENT_TYPE_CODE

Indexes:

PSQ_APS_FK_I
 AGREEMENT_PAYMENT_SCHEDULE_ID
 PSQ_FPTC_FK_I
 FINANCIAL_PAYMENT_TYPE_CODE

Table: PAYMENT_REQUEST_FORMAT_CODE*Description:*

The format type of payment request.

Examples:

EFT Electronic Funds Transfer

CHQ Cheque

Columns:

<u>Seq.</u>	<u>Column</u>	<u>Nulls?</u>	<u>Type</u>
* 1	PAYMENT_REQUEST_FORMAT_CODE Unique code identifying the payment request formats.	NOT NULL	VARCHAR2(3)
2	DESCRIPTION Description of the code value.	NOT NULL	VARCHAR2(120)
3	EFFECTIVE_DATE Date the code becomes effective	NOT NULL	DATE
4	EXPIRY_DATE Date the code expires.	NOT NULL	DATE
5	UPDATE_TIMESTAMP Date the code was updated.	NOT NULL	DATE

Table: PROV_FOREST_USE*Description:*

General header information to identify the type of forest land use managed by the Ministry of Forests (eg., timber tenures, grazing tenures, recreation files, forest service roads, etc.). This is the main access point for examining land use information. Recommend that this entity be renamed to FOREST TENURE or FOREST FILE in the future (TF - this needs more analysis to determine what is indentified in this entity - licence, permit, etc and if all rights identified belong here).

Columns:

<u>Seq.</u>	<u>Column</u>	<u>Nulls?</u>	<u>Type</u>
* 10	FOREST_FILE_ID File identification assigned to Provincial Forest Use files. Assigned file number. Usually the Licence, Tenure or Private Mark number.	NOT NULL	VARCHAR2(10)
20	MGMT_UNIT_ID The administrative management unit identifier defined by the ministry for managing the forest tenure, eg. 41 - Dawson Creek TSA.	NULL	VARCHAR2(4)
30	FILE_TYPE_CODE The FTAS code to indicate the type of file, and often synonymous with a tenure or a project.	NOT NULL	VARCHAR2(3)
35	FILE_STATUS_CODE The current status of the forest land use, eg., Pending - Planned, Harvesting - Suspended, Active. This is a subset of Timber_Status_Code.	NOT NULL	VARCHAR2(3)
40	FILE_STATUS_DATE The date on which the current forest land use status was set.	NULL	DATE
50	DISTRICT_ADMIN_ZONE District Admin Zone is a free format field used internally by the districts to group files within a district for reporting purposes. Examples of use are setting the field to a geographic area or to a persons initials. Reports can be pulled off by District Admin Zone to aid work management. This field is not used by all districts.	NULL	VARCHAR2(4)
60	REVISION_COUNT A count of the number of times an entry in the entity has been modified. Used to validate if the current information displayed on a user's web browser is the most current.	NOT NULL	NUMBER(5,0)
70	ENTRY_USERID The unique user id of the resource who initially added the entry.	NOT NULL	VARCHAR2(30)
80	ENTRY_TIMESTAMP Timestamp when the event information was entered.	NOT NULL	DATE
90	UPDATE_USERID The userid of the individual who last updated this information.	NOT NULL	VARCHAR2(30)
100	UPDATE_TIMESTAMP The date and time of the last update.	NOT NULL	DATE

Foreign Keys:

PFU_FSC_FK
FILE_STATUS_CODE = FILE_STATUS_CODE.FILE_STATUS_CODE
PFU_FTC_FK
FILE_TYPE_CODE = FILE_TYPE_CODE.FILE_TYPE_CODE

Indexes:

PFU_FSC_FK_I
FILE_STATUS_CODE
PFU_FSC_FK_I_1
FILE_STATUS_CODE
PFU_FTC_FK_I
FILE_TYPE_CODE
PFU_FTC_FK_I_1
FILE_TYPE_CODE

Table: REPORT_CLASS_CODE*Description:*

Describes all the report types available to FNIRS

Columns:

<u>Seq.</u>	<u>Column</u>	<u>Nulls?</u>	<u>Type</u>
* 1	REPORT_CLASS_CODE Report type code	NOT NULL	VARCHAR2(10)
2	DESCRIPTION Description of report type	NOT NULL	VARCHAR2(120)
3	EFFECTIVE_DATE Date the code becomes effective	NOT NULL	DATE
4	EXPIRY_DATE Date the code expires.	NOT NULL	DATE
5	UPDATE_TIMESTAMP Date the code was updated.	NOT NULL	DATE

Table: SCHEDULED_QTR_PAYMENT_REQUEST*Description:*

The scheduled qtr payment request table track the consolidation of one or more scheduled quarterly payments into a single payment to a payee. That is to say, several payments are consolidated into a single cheque payable to the payee.

Columns:

<u>Seq.</u>	<u>Column</u>	<u>Nulls?</u>	<u>Type</u>
* 10	INTERIM_PAYMENT_REQUEST_ID Unique record identifier for Agreement Actuals	NOT NULL	NUMBER(10)
* 15	PAYEE_SCHEDULE_QUARTER_ID Unique record identifier for the payee schedule quarter record.	NOT NULL	NUMBER(10)
20	ENTRY_USERID The user that created the record.	NOT NULL	VARCHAR2(32)
30	ENTRY_TIMESTAMP The date the record was created.	NOT NULL	DATE
40	UPDATE_USERID The user that updated the record.	NOT NULL	VARCHAR2(32)
50	UPDATE_TIMESTAMP The date the record was updated.	NOT NULL	DATE

Foreign Keys:

SQPR_IPR_FK

INTERIM_PAYMENT_REQUEST_ID = INTERIM_PAYMENT_REQUEST.INTERIM_PAYMENT_REQUEST_ID

SQPR_PSQ_FK

PAYEE_SCHEDULE_QUARTER_ID = PAYEE_SCHEDULE_QUARTER.PAYEE_SCHEDULE_QUARTER_ID

Indexes:

SQPR_IPR_FK_I

INTERIM_PAYMENT_REQUEST_ID

SQPR_PSQ_FK_I

PAYEE_SCHEDULE_QUARTER_ID

Table: TARGET_MANDATE_REQUEST_FILE*Description:*

Mandate Requests are issued to make authorized changes to First Nations target values. Targets that may be adjusted by a Mandate Request include Revenue Sharing, Timber Volume, Animal Unit Months.

Columns:

<u>Seq.</u>	<u>Column</u>	<u>Nulls?</u>	<u>Type</u>
* 1	TARGET_MANDATE_REQUEST_FILE_ID Unique number identifying First Nation Target Mandate Requests.	NOT NULL	NUMBER(10)
2	FILE_NAME The name of the accommodation agreement physical file stored in the database	NOT NULL	VARCHAR2(100)
3	MANDATE_REQUEST_ISSUE_DATE The date the mandate request was issued.	NULL	DATE
4	ENTRY_USERID The user that created the record.	NOT NULL	VARCHAR2(32)
5	ENTRY_TIMESTAMP The date the record was created.	NOT NULL	DATE
6	UPDATE_USERID The user that updated the record.	NOT NULL	VARCHAR2(32)
7	UPDATE_TIMESTAMP The date the record was updated.	NOT NULL	DATE