

Entity and Attribute Definitions Report

Run by: PNORONHA
Run on: March 20, 2008 01:24 PM
Total Pages: 18
Total Entities: 16

Parameters

<i>Application:</i>	Offical Notices
<i>Entities:</i>	%
<i>ER Diagram:</i>	%
<i>Include Entity Notes?</i>	Y
<i>Include Attribute Descriptions?</i>	Y
<i>Include Attribute Notes?</i>	Y
<i>Include Attribute Values?</i>	Y
<i>Include Table of Contents?</i>	N
<i>Include Index of Entities?</i>	Y

Entity Name: ADV_ADVERTISEMENT			Short Name: ADV_ADVRT	
Plural: ADV_ADVERTISEMENT				
Init. Volume:	Avg. Volume:	Max. Volume:	Annual Growth Rate:	

Description:

The MOF creates many advertisements for timber sales, etc. The details are captured in this table as to where and when the advertisement is to appear, contact information, etc.

Attributes:

<u>Name</u>	<u>Domain</u>	<u>Opt</u>	<u>Format</u>	<u>Length</u>
* ADVERTISEMENT_ID		N	NUMBER	10
A unique identifier for an advertisement.				
TITLE		N	CHAR	100
Contains the Title of the advertisement.				
CONTENT		Y	VARCHAR2	4000
The Textual content of the advertisement				
FILE_NUMBER		Y	VARCHAR2	50
Ministry of Forests advertisement file number. Used to maintain current system of uniquely tracking advertisments				
PROJECT_NO		Y	VARCHAR2	30
Project number of the project the advertisement belongs to.				
WEB_START_DATE		N	DATE	
Start date for web advertisement.				
WEB_END_DATE		N	DATE	
End date for web advertisement.				
APPROVED_IND		N	VARCHAR2	1
Indicates that the advertisement has been approved.				
APPROVAL_DATE		Y	DATE	
Date advertisement is approved for publishing				
ENTRY_USERID		N	VARCHAR2	30
Records userid of person who created the record.				
ENTRY_DATE		N	DATE	
Records date the record was created.				
UPDATE_USERID		N	VARCHAR2	30
Records userid of person who updated the record.				
UPDATE_DATE		N	DATE	
Records date the record was updated.				
* = Attributes in primary unique identifier.				

Relationships:

Each Occurrence Of This Entity:

- MAY BE has amendment one and only one ADV_ADVERTISEMENT
- MAY BE is amendment for one or more ADV_ADVERTISEMENT
- MUST BE has advertisement type one and only one ADV_ADVERTISEMENT_TYPE_CODE
- MAY BE is advertisement for one or more ADV_ATTACHMENT
- MUST BE has author one and only one ADV_AUTHOR_PROFILE
- MUST BE has contact one and only one ADV_CONTACT
- MUST BE has category one and only one ADV_MAILING_GROUP
- MAY BE is advertisement for one or more ADV_PUBLISH_REQUEST
- MAY BE has notifications one or more AMENDMENT_NOTIFICATION
- MUST BE issued by one and only one ORG_UNIT
- * = Relationships in primary unique identifier.

Entity Name:	ADV_ADVERTISEMENT (cont'd)	<i>Short Name:</i>	ADV_ADVRT
---------------------	----------------------------	--------------------	-----------

Unique Identifiers:

ADV_ADVERTISE_PKEY	<i>Primary</i>	<i>Y</i>
ADVERTISEMENT_ID		

Entity Name:	ADV_ADVERTISEMENT_TYPE_CODE	Short Name:	ADVTYPE
Plural:	ADV_ADVERTISEMENT_TYPE_CODE		
Init. Volume:	Avg. Volume:	Max. Volume:	Annual Growth Rate:

Description:

Contains the descriptions for types of advertisements, e.g. Timber Sale License, Applications for Pesticide Use Permit, etc.

Attributes:

<u>Name</u>	<u>Domain</u>	<u>Opt</u>	<u>Format</u>	<u>Length</u>
* ADV_ADVERTISEMENT_TYPE_CODE		N	VARCHAR2	10
This code is used to identify the type of advertisement being created.				
DESCRIPTION		N	VARCHAR2	255
This is used to identify the type of advertisement being created.				
EFFECTIVE_DATE		N	DATE	
Effective date/time				
EXPIRY_DATE		N	DATE	
Expiry date/time				
UPDATE_TIMESTAMP		N	DATE	
Update date/time				
* = Attributes in primary unique identifier.				

Relationships:

Each Occurrence Of This Entity:

MAY BE is advertisement type for one or more ADV_ADVERTISEMENT

* = Relationships in primary unique identifier.

Unique Identifiers:

ADV_ADVT_TYPE_PKEY	Primary	Y
ADV_ADVERTISEMENT_TYPE_CODE		

Entity Name: ADV_ATTACHMENT			Short Name: ADVATTACH		
Plural: ADV_ATTACHMENT					
Init. Volume:		Avg. Volume:		Max. Volume:	
Annual Growth Rate:					

Description:
Contains Attachments associated with an advertisement. Could be a PDF file, jpeg, or gif file

Attributes:		<u>Name</u>	<u>Domain</u>	<u>Opt</u>	<u>Format</u>	<u>Length</u>
*	ATTACHMENT_ID	Unique number identifying the attachment		Y	NUMBER	10
	DESCRIPTION	Description of the file contents		N	VARCHAR2	255
	FILE_NAME	The file name of the attachment		N	VARCHAR2	255
	DOCUMENT	The file attachment stored as a BLOB		Y	VIDEO	
	ENTRY_USERID	Records userid of person who created the record.		N	VARCHAR2	30
	ENTRY_DATE	Records date the record was created.		N	DATE	
	UPDATE_USERID	Records userid of person who updated the record.		N	VARCHAR2	30
	UPDATE_DATE	Records date the record was updated.		N	DATE	
	* = Attributes in primary unique identifier.					

Relationships:
Each Occurrence Of This Entity:
MUST BE has advertisement one and only one ADV_ADVERTISEMENT
MUST BE has doc type one and only one ADV_DOCUMENT_TYPE_CODE
* = Relationships in primary unique identifier.

Unique Identifiers:
ADV_ATTACH_PKEY Primary Y
ATTACHMENT_ID

Entity Name: ADV_AUTHOR_PROFILE		<i>Short Name:</i> ADV_AUTPRF	
<i>Plural:</i>	ADV_AUTHOR_PROFILE		
<i>Init. Volume:</i>	<i>Avg. Volume:</i>	<i>Max. Volume:</i>	<i>Annual Growth Rate:</i>

Description:
Author profile. Records the email address and name of advertisement author. Profiles are needed to record who authored an advertisement,.

Attributes:				
<u>Name</u>	<u>Domain</u>	<u>Opt</u>	<u>Format</u>	<u>Length</u>
* AUTHOR_PROFILE_ID		N	NUMBER	10
Unique number identifying the advertisement author				
USERID		N	VARCHAR2	30
Userid of advertisement author				
FIRST_NAME		Y	VARCHAR2	30
First name of advertisement author				
LAST_NAME		Y	VARCHAR2	30
Last Name of advertisement author				
EMAIL		Y	VARCHAR2	255
Email address of advertisement author				
ENTRY_USERID		N	VARCHAR2	30
Records userid of person who created the record.				
ENTRY_DATE		N	DATE	
Records date the record was created.				
UPDATE_USERID		N	VARCHAR2	30
Records userid of person who updated the record.				
UPDATE_DATE		N	DATE	
Records date the record was updated.				
* = Attributes in primary unique identifier.				

Relationships:
Each Occurrence Of This Entity:
MAY BE is author for one or more ADV_ADVERTISEMENT
* = Relationships in primary unique identifier.

Unique Identifiers:
ADV_AUTH_PRF_PKEY Primary Y
AUTHOR_PROFILE_ID

Entity Name: ADV_CONTACT**Short Name:** ADV_CNTCT**Plural:** ADV_CONTACT**Init. Volume:****Avg. Volume:****Max. Volume:****Annual Growth Rate:****Description:**

Contains the list of advertisement contacts. When someone wishes to contact the ministry regarding the advertisement, they would contact the advertisement contact. The Contact information also includes billing information for publishers.

Attributes:

<u>Name</u>	<u>Domain</u>	<u>Opt</u>	<u>Format</u>	<u>Length</u>
* CONTACT_ID		N	NUMBER	10
The Subscription Detail Category Code is used to identify the area of interest that the subscriber wants to sign up for automatic notification.				
CONTACT_NAME		N	VARCHAR2	60
The name of the ministry contact				
STREET_ADDRESS_1		Y	VARCHAR2	255
Street Address 1 of Contact				
STREET_ADDRESS_2		Y	VARCHAR2	255
Street Address 2 of Contact				
CITY		Y	VARCHAR2	30
City of Contact				
POSTAL_CODE		Y	VARCHAR2	6
Postal Code of Contact				
PHONE_NO		Y	VARCHAR2	15
Phone Number of Contact				
FAX_NO		Y	VARCHAR2	15
Fax Number of Contact				
EMAIL		N	VARCHAR2	255
Email Address of Contact				
VOTE_NO		Y	VARCHAR2	10
Advertisement Billing Information; Vote No portion of Accounting Control Key (ACK).				
RESPONSIBILITY_CD		Y	VARCHAR2	10
Advertisement Billing Information; Responsibility_cd portion of Accounting Control Key (ACK).				
ACCOUNT_NO		Y	VARCHAR2	10
Advertisement Billing Information; Account No portion of Accounting Control Key (ACK).				
OBJECT_NO		Y	VARCHAR2	10
Advertisement Billing Information; Object No portion of Accounting Control Key (ACK).				
COMMITMENT_NO		Y	VARCHAR2	10
Advertisement Billing Information; Commitment No portion of Accounting Control Key (ACK).				
SPENDING_AUTHORITY_NAME		Y	VARCHAR2	30
Advertisement Billing Information; Spending Authority Name				
ENTRY_USERID		N	VARCHAR2	30
Records userid of person who created the record.				
ENTRY_DATE		N	DATE	
Records date the record was created.				
UPDATE_USERID		N	VARCHAR2	30
Records userid of person who updated the record.				
UPDATE_DATE		N	DATE	
Records date the record was updated.				

Entity Name:	ADV_CONTACT (cont'd)	<i>Short Name:</i>	ADV_CNTCT
---------------------	----------------------	--------------------	-----------

** = Attributes in primary unique identifier.*

Relationships:

Each Occurrence Of This Entity:

- MAY BE is contact for one or more ADV_ADVERTISEMENT
- MUST BE has province one and only one ADV_PROVINCE_CODE
- MUST BE is contact for one and only one ORG UNIT
- * = Relationships in primary unique identifier.*

Unique Identifiers:

ADV_CNTCT_PKEY	Primary	Y
CONTACT_ID		

Entity Name: ADV_DOCUMENT_TYPE_CODE			<i>Short Name:</i> ADVDOCTYP		
<i>Plural:</i> ADV_DOCUMENT_TYPE_CODE					
<i>Init. Volume:</i>		<i>Avg. Volume:</i>		<i>Max. Volume:</i>	
			<i>Annual Growth Rate:</i>		

Description:
Contains descriptions for attachment document types, e.g. MS Word, Adobe PDF, etc.

Attributes:				
<u>Name</u>	<u>Domain</u>	<u>Opt</u>	<u>Format</u>	<u>Length</u>
* ADV_DOCUMENT_TYPE_CODE		N	VARCHAR2	10
The ADVERTIS_DOCTYP_CD identifies the actual document format being linked to, e.g. MS Word or Adobe PDF, etc.				
DESCRIPTION		N	VARCHAR2	255
Document type being linked to description, e.g. MS Word, Adobe PDF, etc.				
EFFECTIVE_DATE		N	DATE	
Effective date/time				
EXPIRY_DATE		N	DATE	
Expiry date/time				
UPDATE_TIMESTAMP		N	DATE	
Update date/time				
* = Attributes in primary unique identifier.				

Relationships:
Each Occurrence Of This Entity:
MAY BE is doc type for one or more ADV_ATTACHMENT
* = Relationships in primary unique identifier.

Unique Identifiers:
ADV_DOC_TYPE_PKEY Primary Y
 ADV_DOCUMENT_TYPE_CODE

Entity Name: ADV_GROUP_LIST_SERVER			<i>Short Name:</i> ADV_GRPLIS		
<i>Plural:</i> ADV_GROUP_LIST_SERVER					
<i>Init. Volume:</i>		<i>Avg. Volume:</i>		<i>Max. Volume:</i>	
<i>Annual Growth Rate:</i>					

Description:

Maps advertisemtn Mailing Groups to Mail Scheduler distribution lists

<i>Attributes:</i>				
<u>Name</u>	<u>Domain</u>	<u>Opt</u>	<u>Format</u>	<u>Length</u>
* MS_DISTRIBUTION_LIST_ID		N	NUMBER	10
The unique identifier for a Mail Scheduler distribution list				
ENTRY_USERID		N	VARCHAR2	30
Records userid of person who created the record.				
ENTRY_DATE		N	DATE	
Records date the record was created.				
UPDATE_USERID		N	VARCHAR2	30
Records userid of person who updated the record.				
UPDATE_DATE		N	DATE	
Records date the record was updated.				
* = Attributes in primary unique identifier.				

Relationships:

Each Occurrence Of This Entity:

- * MUST BE has category one and only one ADV_MAILING_GROUP
- * = Relationships in primary unique identifier.

Unique Identifiers:

ADV_CATLIS_PKEY	Primary	Y
-----------------	---------	---

MS_DISTRIBUTION_LIST_ID

MUST BE has category one and only one ADV_MAILING_GROUP

Entity Name: ADV_MAILING_GROUP			Short Name: ADV_MLGRP	
Plural: ADV_MAILING_GROUP				
Init. Volume:		Avg. Volume:		Max. Volume:
Annual Growth Rate:				

Description:

Available mailing groups. Groups are mapped to the Mail Scheduler distribution list records. Emails will be sent to members of the list server advising them that there are new advertisements for viewing in the application.

Attributes:

<u>Name</u>	<u>Domain</u>	<u>Opt</u>	<u>Format</u>	<u>Length</u>
* MAILING_GROUP_ID		N	NUMBER	10
Unique number identifying the mailing group				
NAME		N	VARCHAR2	30
Name of the mailing group				
DESCRIPTION		Y	VARCHAR2	255
Description of Mailing Group				
ENTRY_USERID		N	VARCHAR2	30
Records userid of person who created the record.				
ENTRY_DATE		N	DATE	
Records date the record was created.				
UPDATE_USERID		N	VARCHAR2	30
Records userid of person who updated the record.				
UPDATE_DATE		N	DATE	
Records date the record was updated.				
* = Attributes in primary unique identifier.				

Relationships:

Each Occurrence Of This Entity:

MAY BE is category for one or more ADV_ADVERTISEMENT
MAY BE is category for one or more ADV_GROUP_LIST_SERVER
* = Relationships in primary unique identifier.

Unique Identifiers:

ADV_CAT_PKEY	Primary	Y
MAILING_GROUP_ID		

Entity Name: ADV_NOTIFICATION_LOG			<i>Short Name:</i> ADV_NOTLOG		
<i>Plural:</i> ADV_NOTIFICATION_LOG					
<i>Init. Volume:</i>		<i>Avg. Volume:</i>		<i>Max. Volume:</i>	
<i>Annual Growth Rate:</i>					

Description:

Records all notifications of the publishing request, and the type of notification performed.

Attributes:

<u>Name</u>	<u>Domain</u>	<u>Opt</u>	<u>Format</u>	<u>Length</u>
* NOTIFICATION_LOG_ID		N	NUMBER	10
Unique number identifying the notification log.				
ENTRY_USERID		N	VARCHAR2	30
Records userid of person who created the record.				
ENTRY_DATE		N	DATE	
Records date the record was created.				
UPDATE_USERID		N	VARCHAR2	30
Records userid of person who updated the record.				
UPDATE_DATE		N	DATE	
Records date the record was updated.				
* = Attributes in primary unique identifier.				

Relationships:

Each Occurrence Of This Entity:

MUST BE has notification type one and only one ADV_NOTIFICATION_TYPE_CODE

MUST BE has request one and only one ADV_PUBLISH_REQUEST

* = Relationships in primary unique identifier.

Unique Identifiers:

ADV_NOTLOG_PKEY	Primary	Y
NOTIFICATION_LOG_ID		

Entity Name: ADV_NOTIFICATION_TYPE_CODE		<i>Short Name:</i> ADVNOTTYP	
<i>Plural:</i>	ADV_NOTIFICATION_TYPE_CODE		
<i>Init. Volume:</i>	<i>Avg. Volume:</i>	<i>Max. Volume:</i>	<i>Annual Growth Rate:</i>

Description:

Code identifying the types of notifications. IE printed mail, email

Attributes:

<u>Name</u>	<u>Domain</u>	<u>Opt</u>	<u>Format</u>	<u>Length</u>
* ADV_NOTIFICATION_TYPE_CODE		N	VARCHAR2	10
Unique code argument for the notification type.				
DESCRIPTION		N	VARCHAR2	255
Description of the notification type.				
EFFECTIVE_DATE		N	DATE	
Effective date/time				
EXPIRY_DATE		N	DATE	
Expiry date/time				
UPDATE_TIMESTAMP		N	DATE	
Update date/time				
* = Attributes in primary unique identifier.				

Relationships:

Each Occurrence Of This Entity:

MAY BE is notification type for one or more ADV_NOTIFICATION_LOG

* = Relationships in primary unique identifier.

Unique Identifiers:

ADV_NOTIF_TYPE_PKEY	Primary	Y
ADV_NOTIFICATION_TYPE_CODE		

Entity Name: ADV_PROVINCE_CODE		Short Name: ADV_PROV	
Plural: ADV_PROVINCE_CODE			
Init. Volume:	Avg. Volume:	Max. Volume:	Annual Growth Rate:

Description:
Description of Province codes.

Attributes:

<u>Name</u>	<u>Domain</u>	<u>Opt</u>	<u>Format</u>	<u>Length</u>
* ADV_PROVINCE_CODE		N	VARCHAR2	10
Province code, e.g. BC.				
DESCRIPTION		N	VARCHAR2	255
Province description, e.g. British Columbia.				
EFFECTIVE_DATE		N	DATE	
Effective date/time				
EXPIRY_DATE		N	DATE	
Expiry date/time				
UPDATE_TIMESTAMP		N	DATE	
Update date/time				
* = Attributes in primary unique identifier.				

Relationships:
Each Occurrence Of This Entity:
MAY BE is province for one or more ADV_CONTACT
MAY BE is province for one or more ADV_PUBLISHER
* = Relationships in primary unique identifier.

Unique Identifiers:
ADV_PROVINCE_PKEY Primary Y
ADV_PROVINCE_CODE

Short Name: ADV_PUB

Init. Volume: Avg. Volume:

Annual Growth Rate:

Contains contact details for publishers

<u>Name</u>	<u>Domain</u>	<u>Opt</u>	<u>Format</u>	<u>Length</u>
PUBLISHER_ID		N	NUMBER	10
Unique identifier for publisher.				
PUBLICATION_NAME		N	VARCHAR2	150
Name of publication.				
CONTACT_NAME		Y	VARCHAR2	255
Contact name for publisher.				
STREET_ADDRESS_1		Y	VARCHAR2	255
Street address - line 1.				
STREET_ADDRESS_2		Y	VARCHAR2	255
Street address - line 2.				
CITY		Y	VARCHAR2	30
City				
POSTAL_CODE		Y	VARCHAR2	6
Postal code.				
PHONE_NO		Y	VARCHAR2	15
Publisher phone number.				
FAX_NO		Y	VARCHAR2	15
Publisher Fax number.				
EMAIL		Y	VARCHAR2	255
Email address for submitting advertising requests to the publisher.				
ENTRY_USERID		N	VARCHAR2	30
Records userid of person who created the record.				
ENTRY_DATE		N	DATE	
Records date the record was created.				
UPDATE_USERID		N	VARCHAR2	30
Records userid of person who updated the record.				
UPDATE_DATE		N	DATE	
Records date the record was updated.				
* = Attributes in primary unique identifier.				

Each Occurrence Of This Entity:

MAY BE is publisher for one or more ADV_PUBLISH_REQUEST

* = Relationships in primary unique identifier.

ADV_PUB_PKEY	Primary	Y
PUBLISHER_ID		

Entity Name: ADV_PUBLISH_REQUEST			<i>Short Name:</i> PUBLISHREQ	
<i>Plural:</i> ADV_PUBLISH_REQUEST				
<i>Init. Volume:</i>	<i>Avg. Volume:</i>	<i>Max. Volume:</i>	<i>Annual Growth Rate:</i>	

Description:
Contains the instructions for publishing advertisements, e.g. BC Gazette.

Attributes:						
	<u>Name</u>	<u>Domain</u>	<u>Opt</u>	<u>Format</u>	<u>Length</u>	
*	PUBLISH_REQUEST_ID		N	NUMBER		10
	Unique number identifying publishing request					
	ORDER_NO		Y	VARCHAR2		20
	The order number for the publish request					
	USE_PROV_LOGO_IND		N	VARCHAR2		1
	Indicates that the Provincial Logo should be used in the advertisement.					
	USE_MOF_LOGO_IND		N	VARCHAR2		1
	Indicates that the MOF Logo should be used in the advertisement.					
	START_DATE		Y	DATE		
	Start Date to publish advertisement					
	END_DATE		Y	DATE		
	End Date to end publishishing of advertisement					
	FIRST_APPEAR_DATE		Y	DATE		
	First Appear Date to publish advertisement					
	SECOND_APPEAR_DATE		Y	DATE		
	Second Appear Date to publish advertisement					
	SPECIAL_INSTRUCTIONS		Y	VARCHAR2		1000
	Special instructions to the publisher, regarding the publishing of the advertisement					
	ENTRY_USERID		N	VARCHAR2		30
	Records userid of person who created the record.					
	ENTRY_DATE		N	DATE		
	Records date the record was created.					
	UPDATE_USERID		N	VARCHAR2		30
	Records userid of person who updated the record.					
	UPDATE_DATE		N	DATE		
	Records date the record was updated.					
	* = Attributes in primary unique identifier.					

Relationships:
Each Occurrence Of This Entity:
MUST BE has advertisement one and only one ADV_ADVERTISEMENT
MAY BE is request for one or more ADV_NOTIFICATION_LOG
MUST BE has publisher one and only one ADV_PUBLISHER
* = Relationships in primary unique identifier.

Unique Identifiers:
ADV_PUB_REQ_PKEY Primary Y
PUBLISH_REQUEST_ID

Short Name: AMEND NOT

Init. Volume: Avg. Volume: Max. Volume: Annual Growth Rate:

Contains requests from Notices users to be informed of amendments to particular notices.

<u>Name</u>	<u>Domain</u>	<u>Opt</u>	<u>Format</u>	<u>Length</u>
NOTIFICATION EMAIL		N	VARCHAR2	500
Email address of the user to be notified of an amendment.				
ENTRY USERID	AUDIT_USERID	N	VARCHAR2	30
Userid of the person who created the record.				
ENTRY DATE	AUDIT_DATE	N	DATE	
Records date the record was created.				
UPDATE USERID	AUDIT_USERID	N	VARCHAR2	30
Userid of the person who created the record.				
UPDATE DATE	AUDIT_DATE	N	DATE	
Records date the record was last updated				
* = Attributes in primary unique identifier.				

Each Occurrence Of This Entity:

* = Relationships in primary unique identifier.

AMEND NOT Primary Y

NOTIFICATION EMAIL

MUST BE notification for one and only one ADV_ADVERTISEMENT

Entity Name: LOCATION		Short Name: LOCATION	
<i>Plural:</i>	LOCATION		
<i>Init. Volume:</i>	<i>Avg. Volume:</i>	<i>Max. Volume:</i>	<i>Annual Growth Rate:</i>

Description:
Contains mailing addresses for all ministry organizational units.

Attributes:

<u>Name</u>	<u>Domain</u>	<u>Opt</u>	<u>Format</u>	<u>Length</u>
* LOCATION CODE		N	VARCHAR2	3
Unique identifier for one of the office locations within the Ministry of Forests.				
STREET		Y	VARCHAR2	40
Number and street name of an address.				
CITY		Y	VARCHAR2	15
City or town name of an address.				
PROVINCE		Y	VARCHAR2	4
Province (or state) of an address.				
PCODE		Y	VARCHAR2	6
Postal code for an address (Zip code if United States).				
* = Attributes in primary unique identifier.				

Relationships:
Each Occurrence Of This Entity:
MAY BE location of one or more ORG UNIT
* = Relationships in primary unique identifier.

Unique Identifiers:
LOCATION_PK Primary Y
LOCATION CODE

Entity Name: ORG UNIT			<i>Short Name:</i> ORG UNIT		
<i>Plural:</i> ORG UNIT					
<i>Init. Volume:</i>		<i>Avg. Volume:</i>		<i>Max. Volume:</i>	
<i>Annual Growth Rate:</i>					

Description:

Represents the MOF Corporate Org Unit table. Does not contain all the fields in the corporate table.

Attributes:

<u>Name</u>	<u>Domain</u>	<u>Opt</u>	<u>Format</u>	<u>Length</u>
* ORG UNIT NO		N	NUMBER	22
Identifier for the Org Unit				
ORG UNIT CODE		N	VARCHAR2	6
Text code for the Org Unit				
ORG UNIT NAME		N	VARCHAR2	100
Name of the Org Unit				
* = <i>Attributes in primary unique identifier.</i>				

Relationships:

Each Occurrence Of This Entity:

MAY BE issues one or more ADV_ADVERTISEMENT

MAY BE has contact one or more ADV_CONTACT

MUST BE located in one and only one LOCATION

* = *Relationships in primary unique identifier.*

Unique Identifiers:

ORG UNIT PK	<i>Primary</i>	Y
ORG UNIT NO		

Index

ADV_ADVERTISEMENT, 1
ADV_ADVERTISEMENT_TYPE_CODE, 3
ADV_ATTACHMENT, 4
ADV_AUTHOR_PROFILE, 5
ADV_CONTACT, 6
ADV_DOCUMENT_TYPE_CODE, 8
ADV_GROUP_LIST_SERVER, 9
ADV_MAILING_GROUP, 10
ADV_NOTIFICATION_LOG, 11
ADV_NOTIFICATION_TYPE_CODE, 12
ADV_PROVINCE_CODE, 13
ADV_PUBLISHER, 14
ADV_PUBLISH_REQUEST, 15
AMENDMENT NOTIFICATION, 16
LOCATION, 17
ORG UNIT, 18