082J026

Vegetation Map

082J026

Scale 1:20,000

0 0.25 0.5 0.75 1 Kilometers

0 0.25 0.5 Miles

Vegetation Data Source: MFLNRO - VRMO / Ownership

Base Map Source: TRIM / Terrafab

This map is created from information stored digitally in the BC Geographic Warehouse. The map has been structured to support the analytical functions of the Ministry of Forests, Lands, and Natural Resource Operations. The information contained on this map is compiled to its data (polygons), administrative boundaries and the Ownership colour theme are for reference purposes only. Cadastral data source (GENZ)

Labels Projected for January 1, 2016

MAP SYMBOLOGY

Forest Inventory Features:

- Forest Vegetation Polygons
- Silviculture Opening in Vegetation
- Permanent Sample Plot (SYS)
- Research Installations

TRIM - Base Features:

- Multi-Lane Roads
- Forest Tenure Road Lines
- Paved Roads
- Rough Roads
- Trails/Cutlines
- Railways
- Ski Fields
- Other lines
- Powerline
- Pipeline
- Buildings
- Misc Areas
- Misc Lines
- Water Lines
- Hydroelectric - ESM
- Watercourses - ESM
- Waterbodies - ESM
- Wetlands - ESM
- Ocean - ESM

Administrative Boundaries:

- BC Provincial Boundary
- MFLNRO Region boundary
- Resource District boundary - FADM
- INV Region Compartment - FADM
- Provincial Forest area - FADM
- Timber Supply Area Block - FADM
- Tree Farm Licenses - FADM
- Land Districts boundary
- Administrative boundary
- Survey Parcels - Terrafab
- Municipal boundary (> 1,000,000 ha) - no hatch
- Municipal boundary (< 1,000,000 ha) - 15 % hatch
- National Parks
- First Nations
- Provincial Parks
- Ecological Reserves
- Protected Areas
- Recreation Areas

Other:

- BCGS Mapsheet Grid (1:20,000)

VEGETATION LABEL DETAILS

Example of a Vegetation Label:

```
Cd
Fdi 2
Fdi 3 Fdi 4
Bgp
Cw 5
```

LINE DESCRIPTION

1 Silviculture symbol and Opening Number

2 Polygon Number - multi-layer/multi-species stand indicator (L)

3 Species Composition

- ex: the most important layer is described as Fd (Douglas Fir) and Hw (Western Hemlock).

4 Age Class - ex: the age class of the Fd is 4 (61-80 yrs), and the Hw is 5 (81-100 yrs).

- ex: stand is age class 2 (21-40 yrs), height class 1 (0 - 10.4m), crown closure class 1 (0 -10%), SI 20m

5 Vegetated Density Class: (or Non-Forest/Protective Descriptor)

- ex: a fertile polygon with no distinction between forbs and graminoids, shrubs less that 2m.

6 Disturbance History & year - ex: Logged in 1978

Line 1 - History Record Opening Number :

0001 - opening number used for BCGS mapsheet *Annn* - opening number has not been assigned

Line 2 - Polygon No. / Multi-layer

VRI/FIA Polygon Number - ex: going from one to nine digits

A, ... Multi-layered stand (a separate description of each layer is available in the data base, i.e. 1,2)

Line 3 - BC Tree Code List

Species Composition codes are labeled in their order of predominance. Major first Minor in brackets.
The following codes are based on "Trees & S.C. Ministry of Forests Tree Code List" version 4.5 dated January 2009.

NATIVE CONIFERS

Cw	Western Red Cedar
Yc	Yellow Cedar
Y	Yellow Cedar
F	DOUGLAS FIR
Fd	Douglas Fir
Fdc	Coastal Douglas Fir
Fdi	Interior Douglas Fir
Ba	Balsam
Ba	Amabilis Fir
Bg	Grand Fir
Bl	Subalpine Fir (alpina)
H	HEMLOCK
Hw	Western Hemlock
Hm	Mountain Hemlock
Hxm	Mountain x Western hemlock hybrid
J	JUNIPER
Pj	Rocky Mtn. Juniper
Ej	Common Juniper
L	LARCH
La	Subalpine Larch
Lt	Tamarack
Lw	Western Larch
P	PINE
Pa	Whitebark Pine
Pfl	Lodgepole Pine
Pli	Lodgepole Pine (contorta)
Plx	Lodgepole x Jack Pine hybrid
Py	Ponderosa Pine (yellow)
Pw	White Pine (Soft)
Pm	Western White Pine
Pa	Whitebark Pine
Pf	Limber Pine
Sb	Black Spruce
Se	Engelmann Spruce
Sw	White Spruce
Sx	White Sprucex
Sxl	Sprucex hybrid
Sxw	Spruce x White
Sxl	Sitka x unknown hybrid
Ss	Sitka Spruce
Yp	Western Yew

NATIVE HARDWOODS

D	DECIDUOUS
Act	Alder/Poplar
At	ALDER
Ac	ALDER, Red Alpine
A	ASPEN, COTTONWOOD or POPLAR
Ep	Aspen
Ebp	Balsam Poplar
Act	Black Cottonwood
Ep	Trembling Aspen
E	LANDING
E	MINUTE
Ep	POPLAR
B	BIRCH
Ea	Alaska Paper Birch
Ew	Water Birch (Red Alder)
Ep	Paper Birch (white)
Ew	Water Birch
Ey	Yellow Birch
C	Cascara
C	CHERRY
Cb	Black Cherry
Cc	Choke Cherry
Cr	Pin Cherry
Dw	Dogwood (western flowering)
E	ELM
Mb	Bigleaf Maple (broadleaf)
Mv	Vine Maple
O	OAK
Qg	Garry Oak
R	RIPARIAN
Ew	Bebb's Willow
Ew	Pacific Willow
Ew	Peachleaf Willow (Balsam)
Ew	Pussy Willow (Arctic)
Ew	Scouler's Willow
Ew	Sitka Willow (low shrub)

UNKNOWN - (UNK)

X	UNKNOWN
Xc	conifer/hardwood
Xh	unknown hardwood
Z	OTHER (tree not on list)
Zc	other conifer
Zh	other hardwood

EXOTICS

Lx	LARCH
Ax	ALDER
Ax	ASPEN, COTTONWOOD or POPLAR
Ax	Black Cottonwood
Ax	BIRCH
Ax	European Birch
Ex	Small Birch (sweep)
Ax	Yellow Birch
Ex	ELM
Dx	Green Ash
Cx	CYPRESS
Cx	Monterey Cedar
Fx	FIR (Exotic)
Bx	Balsam Fir
Fx	Grand Fir
Px	Noble Fir
Bx	Alpine Fir
Fx	Silver Fir
Lx	*Siberian Larch
Lx	*Larch
Ox	Ash Elder
Mx	*Norway Maple
Mx	*Sycamore Maple
OX	OAK
Qx	*Red Oak
Qx	*White Oak
Px	PINE
Px	*Austrian Pine
Px	*Mugho Pine
Px	*Scots Pine
Cx	Incense Cedar
Cx	*Giant Sequoia
Cx	*Western Redcedar
Ex	European Mountain Ash
Ex	Siberian Elm (southern)
Ex	*Siberian Elm
Ox	Oregon Ash
Px	*White Ash
Px	*Eastern White Ivory
Ox	Green Ash
Ox	Japanese Walnut
Px	Pine
Px	*Monterey Pine
Px	*Red Pine
Px	*Ponderosa
Px	SPRUCE
Sx	*Norway Spruce

Line 4

4a. AGE CLASS

CODE	LIMITS (years)
1	1-20
2	21-40
3	41-60
4	61-80
5	81-100
6	101-120
7	121-140
8	141-250
9	251 +

4b. HEIGHT CLASS

CODE	LIMITS (metres)
1	0.1 - 10.4
2	10.5 - 19.4
3	19.5 - 28.4
4	28.5 - 37.4
5	37.5 - 46.4
6	46.5 - 55.4
7	55.5 - 64.4
8	65.5 +

4c. CROWN CLOSURE CLASS

CODE	LIMITS (percentage)
0	0 - 5
1	6 - 10
2	11 - 25
3	26 - 35
4	36 - 45
5	46 - 55
6	56 - 65
7	66 - 75
8	76 - 85
9	86 - 100

4d SITE INDEX

Site Index (SI) is the tree height achieved by a dominant tree of a species at a reference age of 50 years. Reference age may be at breast height or at the base of the tree, depending on the species. Site index is used as a measure of site productivity. Site index is the average height of dominant trees in a stand at a specified age. Where an accurate SI cannot be obtained from standing trees, SI may be estimated from site factors.

4e. ESTIMATED SITE INDEX

Estimated site index (ESI) is the site index of a stand when only general site factors are known. ESI is used when there are insufficient trees in the stand to accurately determine a SI. Associated fields in the data base are inventory type (group and subgroup) and biogeoclimatic ecosystem classification (BEC).

Line 5 - Vegetation records

VEGETATED NON-TREE CATEGORIES (for V and I cover-ds)

NON-TREED SHRUB

- s SHRUB - shrub with average shrub height > or = to two metres.
- d DWARF SHRUB - shrub with average shrub height < two metres.

NON-TREED HERB

- h HERB
- hl HERB - FORBS - herb with no distinction between forbs and graminoids.
- hg HERB - GRAMINOIDS - herb with graminoids > 50% of the herb cover.

NON-TREED MOSS

- bs BRYOIDS - bryoid with no distinction between mosses and lichens by cover.
- bm BRYOIDS - MOSSES - bryoid with mosses > 50% of bryoid cover.
- bl BRYOIDS - LICHENS - bryoid with lichens > 50% of the bryoid cover.

NON-VEGETATED CATEGORIES (for V and I records)

w	LAKE/MAR	gl	GLACIAL ICE	mu	MUD/FLAT SEDIMENT
w	BEACH	s	LAKE	mb	RUBBLY MINE SPOILS
w	BEACH/GRAVEL	s	LAKE BED	mr	ROCK
w	SEDIMENTS	L	LANDING	mr	ROAD SURFACE
w	SUBMERGENCE	s	POND or LAKE SEDIMENTS	s	TALUS
w	WATER	s	POND or LAKE WATER	s	TALUS/ROCK
r	EXPOSED ROCK	w	WATER	r	URBAN
g	SCREE				

Note: these categories (s, w, r, g) could extend over 50 percent coverage.

NON-VEGETATED / NON-PRODUCTIVE DESCRIPTOR CODES (for I records)

AF	ALPINE FOREST (Species MPB)	NPDS	NON-PRODUCTIVE DRYLAND SHRUB	SAND	SAND
CU	CULTIVATED	NPMS	NON-PRODUCTIVE MESIC SHRUB	TIDE	TIDAL FLAT
D	GRAVEL BAR	NPSH	NON-PRODUCTIVE SHRUB NEST (Species MPB)	URBAN	URBAN
D	GRAVEL PIT	NA	NOT YET INVENTORIED	NC	NON COMMERCIAL
IC	ICEFIELD	NP	NON-PRODUCTIVE	NF	NON-FOREST (Land Use)
IC	ICEFIELD	P	PRODUCTIVE	NP	NON-PRODUCTIVE
M	MEADOW	R	ROCK	NSR	NOT SUFFICIENTLY RESTOCKED
M	MEADOW	S	SNOW	NR	NOT PRESENTLY RESTOCKABLE

Line 6 - Disturbance History

Disturbance type code preceded by symbol, followed by earliest date

First character of disturbance type designates category, refer to official code list for sub-category descriptions.

A	Animal Damage	L	Logging	R	Site Rehabilitation
B	Wildfire	M	Mite Damage	T	Treatment Injuries
D	Deciduous Seed Insects	N	Non-Biological Injuries	U	Damage Unknown
G	Diseases	P	Cone and Seedling Fungal Pathogens	V	Problem Vegetation
I	Insects				

Example Opening History Details

Detailed Silviculture information is available on the BCGW utilizing either .RIY or .ArcMap. The .MapView example is of Harvest RESULTS data.

The Ministry of Forests, Mines and Lands web application "MapView" can be used to view this spatial information. Select the SILVICULTURE tab then click on "Display Silviculture Map" to turn on display values for:

OPENING
OPENING LABELS
OPENING YEAR OF LOGGING ACTIVITY
ACTIVITY TREATMENT UNIT
STANDARDS UNIT
SILVICULTURE FOREST COVER
WILDLIFE TREE PATCH

082J026

082J026