

DETAILED SITE ASSESSMENT FOR FORESTRY HERBICIDE APPLICATIONS

1. Tenure Identification

LICENSEE NAME:	BCTS – Chinook Business Unit	PMP NUMBER:	402-0670-17/22
DISTRICT:	Chilliwack Natural Resources District		

2. Location, Access and History

OPENING NO.	92H.031-293	LICENCE:	A83905	CP / BLOCK:	APR-83905/HW108
GENERAL LOCATION:	Chilliwack Forest District	SPECIFIC LOCATION:	Harrison West	LAT / LONG:	49° 21' 49" N 121° 50' 18" W
STANDARDS UNIT:	1	SLOPE / ASPECT:	20-60% (40% avg)/ East	ELEVATION RANGE:	110-190 m
ACCESS:	Drive	4X4	Access Details: Follow West Harrison FSR for approx. 7km to the Francis Lake FSR on the left. Access is via the deactivated spur at this junction or walk in from the Harrison West Mainline, 400 m past the Francis Lake turnoff.	HISTORY:	DIST 11, PL 12

3. Target Vegetation Description, Objective and Rationale for Treatment

TREATMENT UNIT:	A
AREA (ha):	2.4
TARGET VEGETATION: (common name)	Alder, Birch, Cherry, Cottonwood, Bigleaf Maple, Vine Maple, Willow
DECIDUOUS TREE HT (m) / SPH / DIAM (cm):	2.0 m / 600 sph / 2.0 cm
SHRUB HEIGHT (m) / % COVER:	1.3 m / 20%
HERB HEIGHT (m) / % COVER:	1.0 m / 30%
NON-TARGET VEGETATION:	Herbs, Conifers
PRIMARY OBJECTIVE:	Brushing
Rationale For Treatment:	Conifer release is required to ensure 150% height above brush is achieved within a reasonable timeframe. Tall woody shrubs and patchy hardwood stems require brushing. Basal treatment is recommended instead of a foliar treatment to ensure that scattered unprotected crop trees are not damaged by foliar spray. Variable conifer heights due to patchy brush competition throughout.

4. Crop Tree Description and Recent Survey Activity

CROP TREE SPECIES / HEIGHT (m) / WS (sph):	Fd,Cw 0.6m – 1.6m / 730 sph
% IMPEDED BY BRUSH: (Total WS)	60%
PREF (ACC) SPECIES: (From SP)	Fd,Cw (Pw,Hw,Bg)
RECENT SURVEY:	SU BR WALK / 2016 12

5. Pesticide, Treatment Methods and Timing

TREATMENT UNIT:	A
PRODUCT:	Release (Triclopyr)
METHOD:	Basal spray
TECHNIQUE:	Streamline
MAX APPLICATION RATE (L/ ha):	15.0
EST. PRODUCT REQUIRED (L):	2.9
APPLICATION TIMING:	April – June 2017

6. Bodies of Water, Water Courses and Wetland Areas

RIPARIAN FEATURE ID	RIPARIAN CLASS	ACTIONS PRESCRIBED TO PROTECT RIPARIAN FEATURES
N/A	N/A	No bodies of water, water courses, or wetland areas in or near treatment area.

7. Other Resource Values and Interests

CONCERNS IDENTIFIED		ACTIONS PRESCRIBED TO PROTECT OTHER RESOURCE VALUES	
Powerlines run alongside eastern boundary of block, opposite mainline road.		Aerial treatment limited by powerlines. BR CG BASAL recommended due to power lines as well as a more controlled treatment of patchy competition without risk to exposed crop trees.	
Crop Trees		Target all competing deciduous stems within 2m of well-spaced conifers and those deciduous stems whose branches encroach within a 2m radius of any well-spaced crop trees.	
DSA PREPARED BY:	Janet Li, reviewed by Matt Day	FOR:	B.A. Blackwell and Associates Ltd.
DATE:	17 January 2017	ATTACHMENTS:	Map

1. Fdc under VS



2. Patches of unimpeded areas growing well



3. Medium to taller brush overtopping conifers



4. Planted Fd overtopped by brush



5. Patches of heavy herbaceous competition



6. Proximity of power lines to edge of block at top of slope, left



7. Scattered, larger Mb



8. Significant number of stock under VS and/or VT



9. Some patches of stunted conifers



