

Introduction to the Worksheets found in this Document. April 1, 2018

Relevant Provincial History

Amendment Log

- Mar 15/07 - For the purposes of the Forest Planning and Practices Regulation section 46 (2) where appropriate and practicable;
- a) areas will be reforested with a mixture of desirable species, and
 - b) on sites with more than one "preferred" species more than one preferred species (and where practicable, all of the preferred species) will be planted.
- Nov 12/10 Forest health footnotes updated.
- Jan 17/14 Ecologically based climate change recommendations were added where considered applicable. Added as a green shaded row beneath previous guidance.
- Previous guidance that is unchanged remains in black font, changes are in red, where a species was removed from a category it has a line through it.
- Where as species was added to a unit it was highlighted in red. Where footnotes were modified the species and footnotes were highlighted in red.
- See the companion document UPDATES TO THE REFERENCE GUIDE FOR FDP STOCKING STANDARDS (2014): CLIMATE-CHANGE RELATED STOCKING STANDARDS
- Aug 31/16 South Central Columbia Mountains tab added for new ecological classification in Land Management Handbook 70 and Temporary Supplement.
- Jul 15/17 Species recommendations for South Central Columbia Mountains updated. IDFxh4 added to Nelson tab for Land Management Handbook 20 Supplement number 1. Footnotes updated. CWH wh1 and wh2 removed from Vancouver Region tab as they only occur in Haida Gwaii.

Please read through the Worksheets in Sequence.

Worksheets Included in this document.

The following worksheets are included with this workbook (see tabs at the bottom of the screen):

Provincial Comments/ History - introductory material including the background and purpose of the reference guide, how to use the guide, [additional reference standards](#), and instructions on using some Excel features associated with the guide.

Introduction to Selkirk District (DSE) South Columbia - reference guide.

South Central Columbia Mountains Stocking Stanards - Includes **Stocking standards for Arrow, Boundary, and Kootenay Lake TSA's** -includes areas for LMH 70, it's "Supplement" [and](#) old BEC areas. ie. one set of complete standards for the 3 TSA's.

Multilayer/Single tree selection standards -example numbers. -these have been incorporated into the South Central Columbia standards.

Footnotes- includes, Provincial footnotes, and footnotes localized/adapted to Selkirk District.

Retired Footnotes.-record of old footnotes, that as of April 1, 2018 are no longer in effect.

Other:

Existing approved silviculture prescriptions continue. Licensees do not need to update the stocking standards for existing silviculture prescriptions for either the hard copy SP, or update RESULTS. However, if a licensee [chooses](#) to update to the SS dated April 1, 2018, that is at their discretion.

Trees must be the greater than the approved minimum inter-tree distance apart in order to be well spaced:

Minimum inter-tree distance (m)	Location/condition
1.7	Fill planting or planting on mechanically site prepared areas in the S Central Columbia Mountains
2	All other areas (except those areas where site factors or objectives require a different minimum inter-tree distance)

Height of Trees Above Brush

In addition to being at least the required minimum height, trees must be greater than the approved minimum percentage height above brush in order to be free growing:

% Ht above brush	Location/condition
125%	BG ESSF IDF MH MS PP BGC zones
150%	all other areas

Comments specific to DSE South Columbia default standards

1) Early Free Growing

Has been left in for information purposes only.

In RESULTS it is in the Comments section only and does not preclude making FG declarations early.

2) MultiLayer / Single Tree Selection standards

In this document, only the corresponding Layer 4 information shows.

**For the Layer 1-3 information see either RESULTS, or the table at the end of this workbook*

3) Three red dots

Three red dots indicate that the ssid number "skips" and is nonsequential (both in this document and in RESULTS). However, there are no missing Stocking Standard ID's in between the two.

4) Even aged standards : use where even aged layer 4 will be the next crop and where Layers 1/2 combined are

Multi-layer/single tree selection: use for uneven-aged systems where retention in Layers 1/2 combined is between 1 *18m²/ha for the drybelt, 22 m²/ha for the wetbelt

Intermediate cut standards (not in this document, but are pending) For even aged management, where the comb

5) Criteria for Layer 4, Balsam fir advance regen is currently included in the "Baseline" ssids, and ssids with modified mitd, and in the multilayer/single tree selection standards. **IGNORE them for the multilayer/single**

DSE South Columbia Default Stocking Standards Version 1.0 April 1, 2018

BGC					Regeneration Guide						Free Growing Guide																				
Classification								Stocking			Regen Delay	Assessment			Min. Height																
								Target	Min pa	Min p		Earliest	Latest	Brush	Species	Ht	MITD														
Zone/SZ	Series	Regime name	Standards ID	SS Name	Preferred (p)		Acceptable (a)		l-spaced/ha)			(Max yrs)	(yrs)	(yrs)			(m)														
The following stocking standards are for South (Central) Columbia per LMH 70																															
ESSFdc1	101	ESSFdc1_101_mitd_2.0	1056919	BISe – Rhododendron – Valerian	Bl ^{201,500} Sx	PI		1200	700	600	4	12	20	125	PI	1.6	2.0														
																									Others	0.8					
	101	ESSFdc1_101_mitd_1.7	1056920	BISe – Rhododendron – Valerian	Bl ^{201,500} Sx	PI		1200	700	600	4	12	20	125	PI	1.6	1.7														
																											Others	0.8			
	101	ESSFdc1_101_multilayer	1056921	BISe – Rhododendron – Valerian	Bl ^{201,500} Sx	PI		1200	700	600	4	12	20	125				2.0													
	102	ESSFdc1_102	1056922	BIPI – Huckleberry	Sx PI Pa ^{13,201}	Bl ⁵⁰⁰		1000	500	400	7	15	20	125	PI	1.2	2.0														
																											Others	0.6			
	102	ESSFdc1_102_multilayer	1056923	BIPI – Huckleberry	Sx PI Pa ^{13,201}	Bl ⁵⁰⁰		1000	500	400	7	15	20	125				2.0													
	103	ESSFdc1_103_mitd_2.0	1056924	BIPI – Falsebox – Grouseberry	Sx PI Pa ^{13,201}	Bl ⁵⁰⁰		1200	700	600	7	15	20	125	PI	1.6	2.0														
																											Others	0.8			
	103	ESSFdc1_103_mitd_1.7	1056925	BIPI – Falsebox – Grouseberry	Sx PI Pa ^{13,201}	Bl ⁵⁰⁰		1200	700	600	7	15	20	125	PI	1.6	1.7														
																											Others	0.8			

103	ESSFdc1_103_multilayer	1056928	BIPI – Falsebox – Grouseberry	Sx PI Pa ^{13,201}	BI ⁵⁰⁰	1200	700	600	7	15	20	125			2.0
104	ESSFdc1_104_mitd_2.0	1056929	BI – Rhododendron – Grouseberry	PI Sx	BI ⁵⁰⁰	1200	700	600	4	12	20	125	PI	1.6	2.0
													Others	0.8	
104	ESSFdc1_104_mitd_1.7	1056930	BI – Rhododendron – Grouseberry	PI Sx	BI ⁵⁰⁰	1200	700	600	4	12	20	125	PI	1.6	1.7
													Others	0.8	
104	ESSFdc1_104_multilayer	1056931	BI – Rhododendron – Grouseberry	PI Sx	BI ⁵⁰⁰	1200	700	600	4	12	20	125			2.0
110	ESSFdc1_110_mitd_2.0	1056932	BISe – Rhododendron – Hellebore	BI ⁵⁰⁰ Sx		1200	700	600	4	12	20	125	All	0.8	2.0
110	ESSFdc1_110_mitd_1.7	1056933	BISe – Rhododendron – Hellebore	BI ⁵⁰⁰ Sx		1200	700	600	4	12	20	125	All	0.8	1.7
110	ESSFdc1_110_multilayer	1056934	BISe – Rhododendron – Hellebore	BI ⁵⁰⁰ Sx		1200	700	600	4	12	20	125	All	0.8	2.0
111	ESSFdc1_111_mitd_2.0	1056935	BI – Valerian – Foamflower	BI ^{32,500} Sx ³²		1200	700	600	4	12	20	125	All	0.8	2.0
111	ESSFdc1_111_mitd_1.7	1056936	BI – Valerian – Foamflower	BI ^{32,500} Sx ³²		1200	700	600	4	12	20	125	All	0.8	1.7
111	ESSFdc1_111_multilayer	1056937	BI – Valerian – Foamflower	BI ^{32,500} Sx ³²		1200	700	600	4	12	20	125	All	0.8	2.0
112	ESSFdc1_112	1056938	Se – Horsetail – Globeflower	BI ^{1,32,500} Sx ^{1,32}		1000	500	400	4	12	20	125	All	0.6	2.0

112	ESSFdc1_112_multilayer	1056939	Se – Horsetail – Globeflower	Bl ^{1,32,500} Sx ^{1,32}		1000	500	400	4	12	20	125	All	0.6	2.0
ESSFdcw	101	ESSFdcw_101_mitd_2.0	1056940	Bl – Valerian – Wood–rush	Bl ⁵⁰⁰ Sx	1200	700	600	4	12	20	125	All	0.8	2.0
	101	ESSFdcw_101_mitd_1.7	1056941	Bl – Valerian – Wood–rush	Bl ⁵⁰⁰ Sx	1200	700	600	4	12	20	125	All	0.8	1.7
	101	ESSFdcw_101_multilayer	1056942	Bl – Valerian – Wood–rush	Bl ⁵⁰⁰ Sx	1200	700	600	4	12	20	125			2.0
	102	ESSFdcw_102	1056943	BlPa – Grouseberry	Bl ⁵⁰⁰ Sx Pa ²⁰¹	1000	500	400	7	15	20	125	PI Others	1.2 0.6	2.0
	102	ESSFdcw_102_multilayer	1056944	BlPa – Grouseberry	Bl ⁵⁰⁰ Sx Pa ²⁰¹	1000	500	400	7	15	20	125			2.0
	103	ESSFdcw_103_mitd_2.0	1056945	Bl – Rhododendron – Grouseberry	Bl ⁵⁰⁰ Sx	1200	700	600	7	15	20	125	All	0.8	2.0
	103	ESSFdcw_103_mitd_1.7	1056946	Bl – Rhododendron – Grouseberry	Bl ⁵⁰⁰ Sx	1200	700	600	7	15	20	125	All	0.8	1.7
	103	ESSFdcw_103_multilayer	1056947	Bl – Rhododendron – Grouseberry	Bl ⁵⁰⁰ Sx	1200	700	600	7	15	20	125			2.0
	110	ESSFdcw_110	1056948	Bl – Valerian – Hellebore – Globeflower	Bl ⁵⁰⁰ Sx	1000	500	400	4	12	20	125	All	0.6	2.0
	110	ESSFdcw_110_multilayer	1056949	Bl – Valerian – Hellebore – Globeflower	Bl ⁵⁰⁰ Sx	1000	500	400	4	12	20	125			2.0

ESSFmh	101	ESSFmh_101_mitd_2.0	1056950	BISe – Rhododendron – Foamflower	Cw ^{14,34,203} Bl ⁵⁰⁰ Lw ^{9,14,34} Sx	Pl ³⁴ Hw ^{9,14} Fd ^{9,14} Pw ^{9,14,31}	1200	700	600	4	12	20	125	Lw, Pw, Pl	2.0	2.0
														Fd	1.4	
														Others	1.0	
	101	ESSFmh_101_mitd_1.7	1056951	BISe – Rhododendron – Foamflower	Cw ^{14,34,203} Bl ⁵⁰⁰ Lw ^{9,14,34} Sx	Pl ³⁴ Hw ^{9,14} Fd ^{9,14} Pw ^{9,14,31}	1200	700	600	4	12	20	125	Lw, Pw, Pl	2.0	1.7
														Fd	1.4	
														Others	1.0	
	101	ESSFmh_101_mitd_multilayer	1056952	BISe – Rhododendron – Foamflower	Cw ^{14,34,203} Bl ⁵⁰⁰ Lw ^{9,14,34} Sx	Pl ³⁴ Hw ^{9,14} Fd ^{9,14} Pw ^{9,14,31}	1200	700	600	4	12	20	125			2.0
	102	ESSFmh_102	1056953	FdPI – Juniper – Falsebox	Fd ⁹ Lw ⁹ Pl	Sx Bl ⁵⁰⁰ Pa ¹³	1000	500	400	7	15	20	125	Lw, Pl	1.6	2.0
														Fd	1.2	
														Others	0.8	
	102	ESSFmh_102_multilayer	1056954	FdPI – Juniper – Falsebox	Fd ⁹ Lw ⁹ Pl	Sx Bl ⁵⁰⁰ Pa ¹³	1000	500	400	7	15	20	125			2.0
	103	ESSFmh_103_mitd_2.0	1056955	BlFd – Huckleberry – Falsebox	Fd Lw Pl ³⁴ Sx	Cw Bl ⁵⁰⁰ Pw ^{14,31}	1200	700	600	7	15	20	125	Lw, Pw, Pl	2.0	2.0
														Fd	1.4	
														Others	1.0	
	103	ESSFmh_103_mitd_1.7	1056956	BlFd – Huckleberry – Falsebox	Fd Lw Pl ³⁴ Sx	Cw Bl ⁵⁰⁰ Pw ^{14,31}	1200	700	600	7	15	20	125	Lw, Pw, Pl	2.0	1.7
														Fd	1.4	
														Others	1.0	
	103	ESSFmh_103_multilayer	1056957	BlFd – Huckleberry – Falsebox	Fd Lw Pl ³⁴ Sx	Cw Bl ⁵⁰⁰ Pw ^{14,31}	1200	700	600	7	15	20	125			2.0

104	ESSFmh_104_mitd_2.0	1056958	BIPI – Falsebox – Grouseberry	Sx Pl ³⁴	Bl ⁵⁰⁰	1200	700	600	4	12	20	125	PI	2.0	2.0
													Others	1.0	
104	ESSFmh_104_mitd_1.7	1056959	BIPI – Falsebox – Grouseberry	Sx Pl ³⁴	Bl ⁵⁰⁰	1200	700	600	4	12	20	125	PI	2.0	1.7
													Others	1.0	
104	ESSFmh_104_multi-layer	1056960	BIPI – Falsebox – Grouseberry	Sx Pl ³⁴	Bl ⁵⁰⁰	1200	700	600	4	12	20	125			2.0
105	ESSFmh_105_mitd_2.0	1056961	BICwLw – Queen's cup	Fd ⁹ Lw ⁹ Pl ³⁴ Sx	Cw ⁹ Bl ⁵⁰⁰ Pw ³¹	1200	700	600	4	12	20	125	Lw, Pw, Pl	2.0	2.0
													Fd	1.4	
													Others	1.0	
105	ESSFmh105_mitd_1.7	1056962	BICwLw – Queen's cup	Fd ⁹ Lw ⁹ Pl ³⁴ Sx	Cw ⁹ Bl ⁵⁰⁰ Pw ³¹	1200	700	600	4	12	20	125	Lw, Pw, Pl	2.0	1.7
													Fd	1.4	
													Others	1.0	
105	ESSFmh105_multilayer	1056963	BICwLw – Queen's cup	Fd ⁹ Lw ⁹ Pl ³⁴ Sx	Cw ⁹ Bl ⁵⁰⁰ Pw ³¹	1200	700	600	4	12	20	125			2.0
110	ESSFmh_110_mitd_2.0	1056964	BI – Rhododendron – Oak fern	Bl ⁵⁰⁰ Sx	Hw ^{14,32} Cw ^{14,32}	1200	700	600	4	12	20	125	All	1.0	2.0
110	ESSFmh_110_mitd_1.7	1056965	BI – Rhododendron – Oak fern	Bl ⁵⁰⁰ Sx	Hw ^{14,32} Cw ^{14,32}	1200	700	600	4	12	20	125	All	1.0	1.7
110	ESSFmh_110_multilayer	1056966	BI – Rhododendron – Oak fern	Bl ⁵⁰⁰ Sx	Hw ^{14,32} Cw ^{14,32}	1200	700	600	4	12	20	125			2.0
111	ESSFmh_111_mitd_2.0	1056967	BISe – Lady fern – Oak fern	Bl ⁵⁰⁰ Sx	Cw ^{14,32} Hw ^{14,32}	1200	700	600	4	12	20	125	All	1.0	2.0

111	ESSFmh_111_mitd_1.7	1056968	BISe – Lady fern – Oak fern	Bl ⁵⁰⁰ Sx	Cw ^{14,32} Hw ^{14,32}	1200	700	600	4	12	20	125	All	1.0	1.7
111	ESSFmh_111_multilayer	1056969	BISe – Lady fern – Oak fern	Bl ⁵⁰⁰ Sx	Cw ^{14,32} Hw ^{14,32}	1200	700	600	4	12	20	125			2.0
112	ESSFmh112	1056970	SeBl – Horsetail – Arrow-leaved groundsel	Bl ^{1,32,500} Sx ^{1,32}		1000	500	400	4	12	20	125	All	0.8	2.0
112	ESSFmh_112_multilayler	1056971	SeBl – Horsetail – Arrow-leaved groundsel	Bl ^{1,32,500} Sx ^{1,32}		1000	500	400	4	12	20	125			2.0
ESSFwc4	101	ESSFwc4_101_mitd_2.0	1056972	BI – Rhododendron – Oak fern	Bl ^{201,500} Sx	1200	700	600	4	12	20	125	All	0.8	2.0
	101	ESSFwc4_101_mitd_1.7	1056973	BI – Rhododendron – Oak fern	Bl ^{201,500} Sx	1200	700	600	4	12	20	125	All	0.8	1.7
	101	ESSFwc4_101_multilayer	1056974	BI – Rhododendron – Oak fern	Bl ^{201,500} Sx	1200	700	600	4	12	20	125	All	0.8	2.0
	102	ESSFwc4_102	1056975	BIPa – Huckleberry – Clad lichen	Sx Pa ²⁰¹	1000	500	400	7	15	20	125	PI	1.2	2.0
													Others	0.6	
	102	ESSFwc4_102_multilayer	1056976	BIPa – Huckleberry – Clad lichen	Sx Pa ²⁰¹	1000	500	400	7	15	20	125			2.0
	103	ESSFwc4_103_mitd_2.0	1056977	BI – Rhododendron – Huckleberry – Heron's-bill moss	Bl ⁵⁰⁰ Sx	1200	700	600	7	15	20	125	PI	1.6	2.0
													Others	0.8	

103	ESSFwc4_103_mitd_1.7	1056978	BI – Rhododendron – Huckleberry – Heron's-bill moss	BI ⁵⁰⁰ Sx	PI ^{16,34} Pa	1200	700	600	7	15	20	125	PI	1.6	1.7
		***											Others	0.8	

103	ESSFwc4_103_multilayer	1056980	BI – Rhododendron – Huckleberry – Heron's-bill moss	BI ⁵⁰⁰ Sx	PI ^{16,34} Pa	1200	700	600	7	15	20	125			2.0
103	ESSFwc4_103_PI200_mitd_2.0	1056981	BI – Rhododendron – Huckleberry – Heron's-bill moss	BI ⁵⁰⁰ Sx	PI ^{16,34,200}	1200	700	600	7	15	20	125	PI	1.6	2.0
													Others	0.8	
103	ESSFwc4_103_PI200_mitd_1.7	1056982	BI – Rhododendron – Huckleberry – Heron's-bill moss	BI ⁵⁰⁰ Sx	PI ^{16,34,200}	1200	700	600	7	15	20	125	PI	1.6	1.7
													Others	0.8	
103	ESSFwc4_103_PI200_multilayer	1056983	BI – Rhododendron – Huckleberry – Heron's-bill moss	BI ⁵⁰⁰ Sx	PI ^{16,34,200}	1200	700	600	7	15	20	125			2.0
110	ESSFwc4_110_mitd_2.0	1056984	BISe – Lady fern – Oak fern	BI ⁵⁰⁰ Sx		1200	700	600	4	12	20	125	All	0.8	2.0
110	ESSFwc4_110_mitd_1.7	1056985	BISe – Lady fern – Oak fern	BI ⁵⁰⁰ Sx		1200	700	600	4	12	20	125	All	0.8	1.7
110	ESSFwc4_110_multilayer	1056986	BISe – Lady fern – Oak fern	BI ⁵⁰⁰ Sx		1200	700	600	4	12	20	125			2.0
111	ESSFwc4_111_mitd_2.0	1056987	BI – Valerian – Foamflower	BI ^{1,32,500} Sx	^{1,32}	1200	700	600	4	12	20	125	All	0.8	2.0

111	ESSFwc4_111_mitd_1.7	1056988	BI – Valerian – Foamflower	BI ^{1,32,500} Sx ^{1,32}		1200	700	600	4	12	20	125	All	0.8	1.7
111	ESSFwc4_111_multilayer	1056989	BI – Valerian – Foamflower	BI ^{1,32,500} Sx ^{1,32}		1200	700	600	4	12	20	125			2.0

112	ESSFwc4_112	1056991	Se – Horsetail – Valerian	BI ^{1,32,500} Sx ^{1,32}		1000	500	400	4	12	20	125	All	0.6	2.0
112	ESSFwc4_112_multilayer	1056992	Se – Horsetail – Valerian	BI ^{1,32,500} Sx ^{1,32}		1000	500	400	4	12	20	125			2.0
ESSFwcw	101	ESSFwcw_101_mitd_2.0	1056993	BI – Rhododendron – Valerian	BI ⁵⁰⁰ Sx	1200	700	600	4	12	20	125	All	0.8	2.0
	101	ESSFwcw_101_mitd_1.7	1056994	BI – Rhododendron – Valerian	BI ⁵⁰⁰ Sx	1200	700	600	4	12	20	125	All	0.8	1.7
	101	ESSFwcw_101_multilayer	1056995	BI – Rhododendron – Valerian	BI ⁵⁰⁰ Sx	1200	700	600	4	12	20	125			2.0
	102	ESSFwcw_102	1056996	BI ⁵⁰⁰ Sx Pa ²⁰¹ – Clad lichen	PI ³⁴	1000	500	400	7	15	20	125	PI	1.2	2.0
													Others	0.6	
	102	ESSFwcw_102_multilayer	1056997	BI ⁵⁰⁰ Sx Pa ²⁰¹ – Clad lichen	PI ³⁴	1000	500	400	7	15	20	125			2.0
	103	ESSFwcw_103_mitd_2.0	1056998	BI – Rhododendron – Wood-rush	BI ⁵⁰⁰ Sx Pa ²⁰¹	1200	700	600	7	15	20	125	All	0.8	2.0
	103	ESSFwcw_103_mitd_1.7	1056999	BI – Rhododendron – Wood-rush	BI ⁵⁰⁰ Sx Pa ²⁰¹	1200	700	600	7	15	20	125	All	0.8	1.7

	103	ESSFwcw_103_multilayer	1057000	Bl – Rhododendron – Wood-rush	Bl ⁵⁰⁰ Sx Pa ²⁰¹		1200	700	600	7	15	20	125			2.0
	104	ESSFwcw_104_mitd_2.0	1057001	Bl – Mountain-heather	Bl ⁵⁰⁰ Sx	La ¹⁶	1200	700	600	4	12	20	125	All	0.8	2.0
	104	ESSFwcw_104_mitd_1.7	1057002	Bl – Mountain-heather	Bl ⁵⁰⁰ Sx	La ¹⁶	1200	700	600	4	12	20	125	All	0.8	1.7
	104	ESSFwcw_104_multilayer	1057003	Bl – Mountain-heather	Bl ⁵⁰⁰ Sx	La ¹⁶	1200	700	600	4	12	20	125			2.0
	110	ESSFwcw_110	1057004	Bl – Valerian – Hellebore – Globeflower	Bl ⁵⁰⁰ Sx		1000	500	400	4	12	20	125	All	0.6	2.0
	110	ESSFwcw_110_multilayer	1057005	Bl – Valerian – Hellebore – Globeflower	Bl ⁵⁰⁰ Sx		1000	500	400	4	12	20	125			2.0
ESSFwh1	101	ESSFwh1_101_mitd_2.0	1057006	BlHw – Rhododendron – Foamflower	Bl ^{201,500} Cw ^{14,34,203} Hw ^{14,201} Sx	Pl ^{16,34} Fd ^{9,14,16} Lw ^{9,14,16} Pw ³¹	1200	700	600	4	12	20	125	Lw, Pl	2.0	2.0
														Fd	1.4	
														Others	1.0	
	101	ESSFwh1_101_mitd_1.7	1057007	BlHw – Rhododendron – Foamflower	Bl ^{201,500} Cw ^{14,34,203} Hw ^{14,201} Sx	Pl ^{16,34} Fd ^{9,14,16} Lw ^{9,14,16} Pw ³¹	1200	700	600	4	12	20	125	Lw, Pl	2.0	1.7
														Fd	1.4	
														Others	1.0	
	101	ESSFwh1_101_multilayer	1057008	BlHw – Rhododendron – Foamflower	Bl ^{201,500} Cw ^{14,34,203} Hw ^{14,201} Sx	Pl ^{16,34} Fd ^{9,14,16} Lw ^{9,14,16} Pw ³¹	1200	700	600	4	12	20	125			2.0

102	ESSFwh1_102	1057009	BI – Huckleberry – Rock-moss	Fd PI Sx	BI ⁵⁰⁰ Pa ¹³	1000	500	400	7	15	20	125	PI	1.6	2.0
													Fd	1.2	
													Others	0.8	
102	ESSFwh1_102_multilayer	1057010	BI – Huckleberry – Rock-moss	Fd PI Sx	BI ⁵⁰⁰ Pa ¹³	1000	500	400	7	15	20	125			2.0
103	ESSFwh1_103_mitd_2.0	1057011	BI Fd – Huckleberry – Falsebox	Sx Fd ^{14,34} Lw ^{14,34}	PI ^{16,34} BI ⁵⁰⁰ PW ^{14,31} Pa ¹³	1200	700	600	7	15	20	125	Lw, Pw, PI	2.0	2.0
													Fd	1.4	
													Others	1.0	
103	ESSFwh1_103_mitd_1.7	1057012	BI Fd – Huckleberry – Falsebox	Sx Fd ^{14,34} Lw ^{14,34}	PI ^{16,34} BI ⁵⁰⁰ PW ^{14,31} Pa ¹³	1200	700	600	7	15	20	125	Lw, Pw, PI	2.0	1.7
													Fd	1.4	
													Others	1.0	
103	ESSFwh1_103_multilayer	1057013	BI Fd – Huckleberry – Falsebox	Sx Fd ^{14,34} Lw ^{14,34}	PI ^{16,34} BI ⁵⁰⁰ PW ^{14,31} Pa ¹³	1200	700	600	7	15	20	125			2.0

103	ESSFwh1_103_PI200_mitd_2.0	1057015	BI Fd – Huckleberry – Falsebox	Sx Fd ^{14,34} Lw ^{14,34} PI ^{16,34,200}	BI ⁵⁰⁰ PW ^{14,31} Pa ¹³	1200	700	600	7	15	20	125	Lw, Pw, PI	2.0	2.0
													Fd	1.4	
													Others	1.0	
103	ESSFwh1_103_PI200_mitd_1.7	1057016	BI Fd – Huckleberry – Falsebox	Sx Fd ^{14,34} Lw ^{14,34} PI ^{16,34,200}	BI ⁵⁰⁰ PW ^{14,31} Pa ¹³	1200	700	600	7	15	20	125	Lw, Pw, PI	2.0	1.7
													Fd	1.4	
													Others	1.0	
103	ESSFwh1_103_PI200_multilayer	1057017	BI Fd – Huckleberry – Falsebox	Sx Fd ^{14,34} Lw ^{14,34} PI ^{16,34,200}	BI ⁵⁰⁰ PW ^{14,31} Pa ¹³	1200	700	600	7	15	20	125			2.0
104	ESSFwh1_104_mitd_2.0	1057018	BI Hw – Huckleberry – Pipecleaner moss	Sx Cw ^{14,201} Fd ^{9,14,201} Lw ^{9,14,201}	PI ³⁴ BI ⁵⁰⁰ Hw ^{9,14} PW ^{9,14,31}	1200	700	600	7	15	20	125	Lw, Pw, PI	2.0	2.0

													Fd Others	1.4 1.0	
101	ESSFwh2_101_multilayer	1057028	BIHw – Rhododendron – Foamflower	Bl ^{201,500} Hw ^{9,14,201} Sx	Pl ³⁴ Fd ^{9,14} Lw ^{9,14} Pw ^{9,14,31} Cw ^{9,14,32}	1200	700	600	4	12	20	125			2.0
102	ESSFwh2_102	1057029	Bl – Huckleberry – Rock-moss	Sx Pl ³⁴ Fd ¹⁴	Bl ⁵⁰⁰ Pa ¹³	1000	500	400	7	15	20	125	PI	1.6	2.0
													Fd Others	1.2 0.8	
102	ESSFwh2_102_multilayer	1057030	Bl – Huckleberry – Rock-moss	Sx Pl ³⁴ Fd ¹⁴	Bl ⁵⁰⁰ Pa ¹³	1000	500	400	7	15	20	125			2.0
103	ESSFwh2_103_mitd_2.0	1057031	Bl – Huckleberry – Falsebox	Pl ³⁴ Sx Fd ¹⁴ Lw ¹⁴	Bl ⁵⁰⁰ Pa ¹³ Pw ^{14,31}	1200	700	600	7	15	20	125	PI, Pw	2.0	2.0
													Fd Others	1.4 1.0	
103	ESSFwh2_103_mitd_1.7	1057032	Bl – Huckleberry – Falsebox	Pl ³⁴ Sx Fd ¹⁴ Lw ¹⁴	Bl ⁵⁰⁰ Pa ¹³ Pw ^{14,31}	1200	700	600	7	15	20	125	PI, Pw	2.0	1.7
													Fd Others	1.4 1.0	
103	ESSFwh2_103_multilayer	1057033	Bl – Huckleberry – Falsebox	Pl ³⁴ Sx Fd ¹⁴ Lw ¹⁴	Bl ⁵⁰⁰ Pa ¹³ Pw ^{14,31}	1200	700	600	7	15	20	125			2.0
104	ESSFwh2_104_mitd_2.0	1057034	BIHw – Huckleberry – Pipecleaner moss	Sx Cw ^{14,201} Fd ^{9,14,201} Lw ^{9,14,201}	Bl ⁵⁰⁰ Pl ³⁴ Pw ^{9,14,31} Hw ^{9,14}	1200	700	600	4	12	20	125	Lw, PI, Pw	2.0	2.0
													Fd Others	1.4 1.0	

104	ESSFwh2_104_mitd_1.7	1057035	BlHw – Huckleberry – Pipecleaner moss	Sx Cw ^{14,201} Fd ^{9,14,201} Lw ^{9,14,201}	Bl ⁵⁰⁰ Pl ³⁴ Pw ^{9,14,31} Hw ^{9,14}	1200	700	600	4	12	20	125	Lw, Pl, Pw	2.0	1.7
													Fd Others	1.4 1.0	
104	ESSFwh2_104_multilayer	1057036	BlHw – Huckleberry – Pipecleaner moss	Sx Cw ^{14,201} Fd ^{9,14,201} Lw ^{9,14,201}	Bl ⁵⁰⁰ Pl ³⁴ Pw ^{9,14,31} Hw ^{9,14}	1200	700	600	4	12	20	125			2.0
110	ESSFwh2_110_mitd_2.0	1057037	BlSe – Azalea – Oak fern	Bl ⁵⁰⁰ Sx	Hw ^{14,32} Cw ^{14,32}	1200	700	600	4	12	20	125	All	1.0	2.0
110	ESSFwh2_110_mitd_1.7	1057038	BlSe – Azalea – Oak fern	Bl ⁵⁰⁰ Sx	Hw ^{14,32} Cw ^{14,32}	1200	700	600	4	12	20	125	All	1.0	1.7
110	ESSFwh2_110_multilayer	1057039	BlSe – Azalea – Oak fern	Bl ⁵⁰⁰ Sx	Hw ^{14,32} Cw ^{14,32}	1200	700	600	4	12	20	125			2.0
111	ESSFwh2_111_mitd_2.0	1057040	Se – Devil's club – Lady fern	Bl ⁵⁰⁰ Sx	Hw ^{14,32} Cw ^{14,32}	1200	700	600	4	12	20	125	All	1.0	2.0
111	ESSFwh2_111_mitd_1.7	1057041	Se – Devil's club – Lady fern	Bl ⁵⁰⁰ Sx	Hw ^{14,32} Cw ^{14,32}	1200	700	600	4	12	20	125	All	1.0	1.7
111	ESSFwh2_111_multilayer	1057042	Se – Devil's club – Lady fern	Bl ⁵⁰⁰ Sx	Hw ^{14,32} Cw ^{14,32}	1200	700	600	4	12	20	125			2.0
112	ESSFwh2_112	1057043	SeBl – Horsetail – Canby's lovage	Bl ^{1,32,500} Sx ^{1,32}	Hw ^{1,32}	1000	500	400	4	12	20	125	All	0.8	2.0
112	ESSFwh2_112_multilayer	1057044	SeBl – Horsetail – Canby's lovage	Bl ^{1,32,500} Sx ^{1,32}	Hw ^{1,32}	1000	500	400	4	12	20	125			2.0

ESSFwh3	101	ESSFwh3_101_mitd_2.0	1057045	BIHw – Rhododendron – Foamflower	Bl ^{201,500} Cw ^{14,34,203} Hw ^{14,201} Sx	Pl ³⁴ Fd ^{9,14} Lw ^{9,14} Pw ^{9,14,31}	1200	700	600	4	12	20	125	Lw, Pw, Pl	2.0	2.0
															Fd Others	1.4 1.0
	101	ESSFwh3_101_mitd_1.7	1057046	BIHw – Rhododendron – Foamflower	Bl ^{201,500} Cw ^{14,34,203} Hw ^{14,201} Sx	Pl ³⁴ Fd ^{9,14} Lw ^{9,14} Pw ^{9,14,31}	1200	700	600	4	12	20	125	Lw, Pw, Pl	2.0	1.7
															Fd Others	1.4 1.0
	101	ESSFwh3_101_mitd_multilayer	1057047	BIHw – Rhododendron – Foamflower	Bl ^{201,500} Cw ^{14,34,203} Hw ^{14,201} Sx	Pl ³⁴ Fd ^{9,14} Lw ^{9,14} Pw ^{9,14,31}	1200	700	600	4	12	20	125			2.0
	102	ESSFwh3_102	1057048	BlFd – Bear-grass – Rock-moss	Fd ^{9,14} Lw ^{9,14} Pl ³⁴	Sx Bl ⁵⁰⁰ Pa ¹³	1000	500	400	7	15	20	125	Lw, Pl	1.6	2.0
															Fd Others	1.2 0.8
	102	ESSFwh3_102_multilayer	1057049	BlFd – Bear-grass – Rock-moss	Fd ^{9,14} Lw ^{9,14} Pl ³⁴	Sx Bl ⁵⁰⁰ Pa ¹³	1000	500	400	7	15	20	125			2.0
	103	ESSFwh3_103_mitd_2.0	1057050	BlPl – Huckleberry – Bear-grass	Sx Fd ^{9,14} Lw ^{9,14}	Bl ⁵⁰⁰ Hw ^{9,14} Pw ^{9,14,31} Pa ¹³ Pl ³⁴	1200	700	600	7	15	20	125	Lw, Pw, Pl	2.0	2.0
															Fd Others	1.4 1.0
	103	ESSFwh3_103_mitd_1.7	1057051	BlPl – Huckleberry – Bear-grass	Sx Fd ^{9,14} Lw ^{9,14}	Bl ⁵⁰⁰ Hw ^{9,14} Pw ^{9,14,31} Pa ¹³ Pl ³⁴	1200	700	600	7	15	20	125	Lw, Pw, Pl	2.0	1.7
															Fd Others	1.4 1.0
	103	ESSFwh3_103_multilayer	1057052	BlPl – Huckleberry – Bear-grass	Sx Fd ^{9,14} Lw ^{9,14}	Bl ⁵⁰⁰ Hw ^{9,14} Pw ^{9,14,31} Pa ¹³ Pl ³⁴	1200	700	600	7	15	20	125			2.0

103	ESSFwh3_103_Pi200_mitd_2.0	1057053	BIPI – Huckleberry – Bear-grass	Sx Fd ^{9,14} Lw ^{9,14} Pl ^{34,200}	Bl ⁵⁰⁰ Hw ^{9,14} Pw ^{9,14,31} Pa ¹³	1200	700	600	7	15	20	125	Lw, Pw, Pl	2.0	2.0
													Fd	1.4	
													Others	1.0	
103	ESSFwh3_103_Pi200_mitd_1.7	1057054	BIPI – Huckleberry – Bear-grass	Sx Fd ^{9,14} Lw ^{9,14} Pl ^{34,200}	Bl ⁵⁰⁰ Hw ^{9,14} Pw ^{9,14,31} Pa ¹³	1200	700	600	7	15	20	125	Lw, Pw, Pl	2.0	1.7
													Fd	1.4	
													Others	1.0	
103	ESSFwh3_103_Pi200_multilayer	1057055	BIPI – Huckleberry – Bear-grass	Sx Fd ^{9,14} Lw ^{9,14} Pl ^{34,200}	Bl ⁵⁰⁰ Hw ^{9,14} Pw ^{9,14,31} Pa ¹³	1200	700	600	7	15	20	125			2.0
104	ESSFwh3_104_mitd_2.0	1057056	BI – Rhododendron – Bear-grass – Pipecleaner moss	Sx Cw ^{14,201} Fd ^{9,14,201} Lw ^{9,14,201}	Bl ⁵⁰⁰ Hw ^{9,14} Pl ³⁴ Pw ^{9,14,31}	1200	700	600	4	12	20	125	Lw, Pw, Pl	2.0	2.0
													Fd	1.4	
													Others	1.0	
104	ESSFwh3_104_mitd_1.7	1057057	BI – Rhododendron – Bear-grass – Pipecleaner moss	Sx Cw ^{14,201} Fd ^{9,14,201} Lw ^{9,14,201}	Bl ⁵⁰⁰ Hw ^{9,14} Pl ³⁴ Pw ^{9,14,31}	1200	700	600	4	12	20	125	Lw, Pw, Pl	2.0	1.7
													Fd	1.4	
													Others	1.0	
104	ESSFwh3_104_multilayer	1057058	BI – Rhododendron – Bear-grass – Pipecleaner moss	Sx Cw ^{14,201} Fd ^{9,14,201} Lw ^{9,14,201}	Bl ⁵⁰⁰ Hw ^{9,14} Pl ³⁴ Pw ^{9,14,31}	1200	700	600	4	12	20	125			2.0
110	ESSFwh3_110_mitd_2.0	1057059	BI – Rhododendron – Oak fern	Bl ⁵⁰⁰ Sx Cw ^{14,32}	Hw ^{14,32} Pl ³⁴	1200	700	600	4	12	20	125	Pl	2.0	2.0
													Others	1.0	
110	ESSFwh3_110_mitd_1.7	1057060	BI – Rhododendron – Oak fern	Bl ⁵⁰⁰ Sx Cw ^{14,32}	Hw ^{14,32} Pl ³⁴	1200	700	600	4	12	20	125	Pl	2.0	1.7
													Others	1.0	

110	ESSFwh3_110_multilayer	1057061	BI – Rhododendron – Oak fern	BI ⁵⁰⁰ Sx CW ^{14,32}	HW ^{14,32} Pl ³⁴	1200	700	600	4	12	20	125			2.0	
111	ESSFwh3_111_mitd_2.0	1057062	Se – Devil's club – Lady fern	BI ⁵⁰⁰ Sx	CW ^{32,14} HW ^{14,32}	1200	700	600	4	12	20	125	All	1.0	2.0	
111	ESSFwh3_111_mitd_1.7	1057063	Se – Devil's club – Lady fern	BI ⁵⁰⁰ Sx	CW ^{32,14} HW ^{14,32}	1200	700	600	4	12	20	125	All	1.0	1.7	
111	ESSFwh3_111_multilayer	1057064	Se – Devil's club – Lady fern	BI ⁵⁰⁰ Sx	CW ^{32,14} HW ^{14,32}	1200	700	600	4	12	20	125			2.0	
112	ESSFwh3_112	1057065	SeBI – Horsetail – Canby's lovage	BI ^{1,32,500} Sx ^{1,32}	HW ^{1,32}	1000	500	400	4	12	20	125	All	0.8	2.0	
112	ESSFwh3_112_multilayer	1057066	SeBI – Horsetail – Canby's lovage	BI ^{1,32,500} Sx ^{1,32}	HW ^{1,32}	1000	500	400	4	12	20	125			2.0	
ESSFwm2	101	ESSFwm2_101_mitd_2.0	1057067	BI – Rhododendron – Azalea – Foamflower	BI ^{201,500} Sx	Pl ³⁴	1200	700	600	4	12	20	125	Pl	1.6	2.0
														Others	0.8	
	101	ESSFwm2_101_mitd_1.7	1057068	BI – Rhododendron – Azalea – Foamflower	BI ^{201,500} Sx	Pl ³⁴	1200	700	600	4	12	20	125	Pl	1.6	1.7
														Others	0.8	
	101	ESSFwm2_101_multilayer	1057069	BI – Rhododendron – Azalea – Foamflower	BI ^{201,500} Sx	Pl ³⁴	1200	700	600	4	12	20	125			2.0
	102	ESSFwm2_102	1057070	BlPa – Huckleberry – Clad lichen	Pa ²⁰¹ Sx	La ¹⁰ Pl ³⁴ Bl ⁵⁰⁰	1000	500	400	7	15	20	125	Pl	1.2	2.0
														Others	0.6	

102	ESSFwm2_102_multilayer	1057071	BlPa – Huckleberry – Clad lichen	Pa ²⁰¹ Sx	La ¹⁰ Pl ³⁴ Bl ⁵⁰⁰	1000	500	400	7	15	20	125			2.0
103	ESSFwm2_103_mitd_2.0	1057072	Bl – Azalea – Rhododendron	Sx Pa ²⁰¹ Pl ³⁴	Bl ⁵⁰⁰	1200	700	600	7	15	20	125	Pl	1.6	2.0
													Others	0.8	
103	ESSFwm2_103_mitd_1.7	1057073	Bl – Azalea – Rhododendron	Sx Pa ²⁰¹ Pl ³⁴	Bl ⁵⁰⁰	1200	700	600	7	15	20	125	Pl	1.6	1.7
													Others	0.8	
103	ESSFwm2_103_multilayer	1057074	Bl – Azalea – Rhododendron	Sx Pa ²⁰¹ Pl ³⁴	Bl ⁵⁰⁰	1200	700	600	7	15	20	125			2.0
104	ESSFwm2_104_mitd_2.0	1057075	Bl – Rhododendron – Huckleberry – Heron's-bill moss	Bl ^{201,500} Sx	Pa Pl ³⁴	1200	700	600	7	15	20	125	Pl	1.6	2.0
													Others	0.8	
104	ESSFwm2_104_mitd_1.7	1057076	Bl – Rhododendron – Huckleberry – Heron's-bill moss	Bl ^{201,500} Sx	Pa Pl ³⁴	1200	700	600	7	15	20	125	Pl	1.6	1.7
													Others	0.8	
104	ESSFwm2_104_multilayer	1057077	Bl – Rhododendron – Huckleberry – Heron's-bill moss	Bl ^{201,500} Sx	Pa Pl ³⁴	1200	700	600	7	15	20	125			2.0
110	ESSFwm2_110_mitd_2.0	1057078	BlSe – Azalea – Oak fern	Bl ⁵⁰⁰ Sx		1200	700	600	4	12	20	125	All	0.8	2.0
110	ESSFwm2_110_mitd_1.7	1057079	BlSe – Azalea – Oak fern	Bl ⁵⁰⁰ Sx		1200	700	600	4	12	20	125	All	0.8	1.7

110	ESSFwm2_110_multilayer	1057080	BISe – Azalea – Oak fern	BI ⁵⁰⁰ Sx		1200	700	600	4	12	20	125			2.0
111	ESSFwm2_111_mitd_2.0	1057081	BI – Arrow-leaved groundsel – Canby's lovage	BI ^{32,500} Sx ³²		1200	700	600	4	12	20	125	All	0.8	2.0
111	ESSFwm2_111_mitd_1.7	1057082	BI – Arrow-leaved groundsel – Canby's lovage	BI ^{32,500} Sx ³²		1200	700	600	4	12	20	125	All	0.8	1.7
111	ESSFwm2_111_multilayer	1057083	BI – Arrow-leaved groundsel – Canby's lovage	BI ^{32,500} Sx ³²		1200	700	600	4	12	20	125			2.0
112	ESSFwm2_112	1057084	SeBI – Horsetail – Canby's lovage	BI ^{1,32,500} Sx ^{1,32}		1000	500	400	4	12	20	125	All	0.6	2.0
112	ESSFwm2_112_multilayer	1057085	SeBI – Horsetail – Canby's lovage	BI ^{1,32,500} Sx ^{1,32}		1000	500	400	4	12	20	125			2.0
ESSFwm3	101 ESSFwm3_101_mitd_2.0	1057086	BI – Rhododendron – Azalea – Foamflower	BI ^{201,500} Sx	PI ³⁴	1200	700	600	4	12	20	125	PI	1.6	2.0
													Others	0.8	
	101 ESSFwm3_101_mitd_1.7	1057087	BI – Rhododendron – Azalea – Foamflower	BI ^{201,500} Sx	PI ³⁴	1200	700	600	4	12	20	125	PI	1.6	1.7
													Others	0.8	
	101 ESSFwm3_101_multilayer	1057088	BI – Rhododendron – Azalea – Foamflower	BI ^{201,500} Sx	PI ³⁴	1200	700	600	4	12	20	125			2.0

102	ESSFwm3_102	1057089	Bl – Huckleberry – Bear-grass	Pa ²⁰¹ Sx	Bl ⁵⁰⁰ Pl ³⁴	1000	500	400	7	15	20	125	PI	1.2	2.0
													Others	0.6	
102	ESSFwm3_102_multilayer	1057090	Bl – Huckleberry – Bear-grass	Pa ²⁰¹ Sx	Bl ⁵⁰⁰ Pl ³⁴	1000	500	400	7	15	20	125			2.0
103	ESSFwm3_103_mitd_2.0	1057091	BlSe – Rhododendron – Bear-grass	Sx Pa ²⁰¹ Pl ³⁴	Bl ⁵⁰⁰	1200	700	600	7	15	20	125	PI	1.6	2.0
													Others	0.8	
103	ESSFwm3_103_mitd_1.7	1057092	BlSe – Rhododendron – Bear-grass	Sx Pa ²⁰¹ Pl ³⁴	Bl ⁵⁰⁰	1200	700	600	7	15	20	125	PI	1.6	1.7
													Others	0.8	
103	ESSFwm3_103_multilayer	1057093	BlSe – Rhododendron – Bear-grass	Sx Pa ²⁰¹ Pl ³⁴	Bl ⁵⁰⁰	1200	700	600	7	15	20	125			2.0
104	ESSFwm3_104_mitd_2.0	1057094	Bl – Rhododendron – Huckleberry – Heron's-bill moss	Bl ⁵⁰⁰ Sx	Pl ³⁴	1200	700	600	4	12	20	125	PI	1.6	2.0
													Others	0.8	
104	ESSFwm3_104_mitd_1.7	1057095	Bl – Rhododendron – Huckleberry – Heron's-bill moss	Bl ⁵⁰⁰ Sx	Pl ³⁴	1200	700	600	4	12	20	125	PI	1.6	1.7
													Others	0.8	
104	ESSFwm3_104_multilayer	1057096	Bl – Rhododendron – Huckleberry – Heron's-bill moss	Bl ⁵⁰⁰ Sx	Pl ³⁴	1200	700	600	4	12	20	125			2.0
105	ESSFwm3_105_mitd_2.0	1057097	BlSe – Bear-grass – Arnica	Bl ⁵⁰⁰ Sx	Pl ³⁴	1200	700	600	4	12	20	125	PI	1.6	2.0
													Others	0.8	

105	ESSFwm3_105_mitd_1.7	1057098	BISe – Bear-grass – Arnica	BI ⁵⁰⁰ Sx	pl ³⁴	1200	700	600	4	12	20	125	PI	1.6	1.7
													Others	0.8	
105	ESSFwm3_105_multilayer	1057099	BISe – Bear-grass – Arnica	BI ⁵⁰⁰ Sx	pl ³⁴	1200	700	600	4	12	20	125			2.0
110	ESSFwm3_110_mitd_2.0	1057100	BI – Rhododendron – Foamflower – Arnica	BI ⁵⁰⁰ Sx		1200	700	600	4	12	20	125	All	0.8	2.0
110	ESSFwm3_110_mitd_1.7	1057101	BI – Rhododendron – Foamflower – Arnica	BI ⁵⁰⁰ Sx		1200	700	600	4	12	20	125	All	0.8	1.7
110	ESSFwm3_110_multilayer	1057102	BI – Rhododendron – Foamflower – Arnica	BI ⁵⁰⁰ Sx		1200	700	600	4	12	20	125			2.0
111	ESSFwm3_111_mitd_2.0	1057103	BI – Arrow-leaved groundsel – Canby's lovage	BI ^{32,500} Sx ³²		1200	700	600	4	12	20	125	All	0.8	2.0
111	ESSFwm3_111_mitd_1.7	1057104	BI – Arrow-leaved groundsel – Canby's lovage	BI ^{32,500} Sx ³²		1200	700	600	4	12	20	125	All	0.8	1.7
111	ESSFwm3_111_multilayer	1057105	BI – Arrow-leaved groundsel – Canby's lovage	BI ^{32,500} Sx ³²		1200	700	600	4	12	20	125			2.0
112	ESSFwm3_112	1057106	SeBI – Horsetail – Canby's lovage	BI ^{1,32,500} Sx ^{1,32}		1000	500	400	4	12	20	125	All	0.6	2.0
112	ESSFwm3_112_multilayer	1057107	SeBI – Horsetail – Canby's lovage	BI ^{1,32,500} Sx ^{1,32}		1000	500	400	4	12	20	125			2.0

ESSFwm4	101	ESSFwm4_101_mitd_2.0	1057108	BI – Rhododendron – Azalea – Foamflower	BI ^{201,500} Hw ^{14,201} Sx	PI ³⁴ Lw ¹⁴ Fd ¹⁴	1200	700	600	4	12	20	125	Lw, PI	2.0	2.0
														Fd	1.4	
														Others	1.0	
	101	ESSFwm4_101_mitd_1.7	1057109	BI – Rhododendron – Azalea – Foamflower	BI ^{201,500} Hw ^{14,201} Sx	PI ³⁴ Lw ¹⁴ Fd ¹⁴	1200	700	600	4	12	20	125	Lw, PI	2.0	1.7
														Fd	1.4	
														Others	1.0	
	101	ESSFwm4_101_multilayer	1057110	BI – Rhododendron – Azalea – Foamflower	BI ^{201,500} Hw ^{14,201} Sx	PI ³⁴ Lw ¹⁴ Fd ¹⁴	1200	700	600	4	12	20	125			2.0
	102	ESSFwm4_102	1057111	BIPI – Low bilberry – Bear-grass	Lw ¹⁴ Fd ¹⁴ Pa ^{13,201} PI Sx ¹³	BI ⁵⁰⁰	1000	500	400	4	12	20	125	Lw, PI	1.6	2.0
														Fd	1.2	
														Others	0.8	
	102	ESSFwm4_102_multilayer	1057112	BIPI – Low bilberry – Bear-grass	Lw ¹⁴ Fd ¹⁴ Pa ^{13,201} PI Sx ¹³	BI ⁵⁰⁰	1000	500	400	4	12	20	125			2.0
	103	ESSFwm4_103_mitd_2.0	1057113	BI – Azalea – Low bilberry	Sx PI ³⁴ Fd ^{9,14} Lw ^{9,14}	BI ⁵⁰⁰ Hw ¹⁴	1200	700	600	4	12	20	125	Lw, PI	2.0	2.0
														Fd	1.4	
														Others	1.0	
	103	ESSFwm4_103_mitd_1.7	1057114	BI – Azalea – Low bilberry	Sx PI ³⁴ Fd ^{9,14} Lw ^{9,14}	BI ⁵⁰⁰ Hw ¹⁴	1200	700	600	4	12	20	125	Lw, PI	2.0	1.7
														Fd	1.4	
														Others	1.0	
	103	ESSFwm4_103_multilayer	1057115	BI – Azalea – Low bilberry	Sx PI ³⁴ Fd ^{9,14} Lw ^{9,14}	BI ⁵⁰⁰ Hw ¹⁴	1200	700	600	4	12	20	125			2.0
	110	ESSFwm4_110_mitd_2.0	1057116	BISe – Azalea – Oak fern	BI ^{32,500} Sx ³²	Hw ¹⁴ Cw ¹⁴	1200	700	600	4	12	20	125	All	1.0	2.0

110	ESSFwm4_110_mitd_1.7	1057117	BISe – Azalea – Oak fern	BI ^{32,500} Sx ³²	Hw ¹⁴ Cw ¹⁴	1200	700	600	4	12	20	125	All	1.0	1.7
110	ESSFwm4_110_multilayer	1057118	BISe – Azalea – Oak fern	BI ^{32,500} Sx ³²	Hw ¹⁴ Cw ¹⁴	1200	700	600	4	12	20	125			2.0
111	ESSFwm4_111	1057119	BI – Arrow-leaved groundsel – Canby's lovage	BI ^{1,32,500} Sx ^{1,32}		1000	500	400	4	12	20	125	All	0.8	2.0
111	ESSFwm4_111_multilayer	1057120	BI – Arrow-leaved groundsel – Canby's lovage	BI ^{1,32,500} Sx ^{1,32}		1000	500	400	4	12	20	125			2.0
ESSFwmw	101 ESSFwmw_101_mitd_2.0	1057121	BI – Rhododendron – Wood-rush	BI ⁵⁰⁰ Sx		1200	700	600	4	12	20	125	All	0.8	2.0
	101 ESSFwmw_101_mitd_1.7	1057122	BI – Rhododendron – Wood-rush	BI ⁵⁰⁰ Sx		1200	700	600	4	12	20	125	All	0.8	1.7
	101 ESSFwmw_101_multilayer	1057123	BI – Rhododendron – Wood-rush	BI ⁵⁰⁰ Sx		1200	700	600	4	12	20	125			2.0
	102 ESSFwmw_102	1057124	BI(La – Heron's-bill moss	BI ⁵⁰⁰ Sx Pa ²⁰¹	La Pl ³⁴	1000	500	400	7	15	20	125	PI	1.2	2.0
													Others	0.6	
	102 ESSFwmw_102_multilayer	1057125	BI(La – Heron's-bill moss	BI ⁵⁰⁰ Sx Pa ²⁰¹	La Pl ³⁴	1000	500	400	7	15	20	125			2.0
	103 ESSFwmw_103_mitd_2.0	1057128	BI(La) – Huckleberry – Grouseberry	BI ⁵⁰⁰ Sx Pa ²⁰¹	Pl ³⁴	1200	700	600	7	15	20	125	All	1.0	2.0

	103	ESSFwmw_103_mitd_1.7	1057129	Bl(La) – Huckleberry – Grouseberry	Bl ⁵⁰⁰ Sx Pa ²⁰¹	Pl ³⁴	1200	700	600	7	15	20	125	All	1.0	1.7
	103	ESSFwmw_103_multilayer	1057130	Bl(La) – Huckleberry – Grouseberry	Bl ⁵⁰⁰ Sx Pa ²⁰¹	Pl ³⁴	1200	700	600	7	15	20	125			2.0
	110	ESSFwmw_110	1057131	Bl – Valerian – Hellebore – Globeflower	Bl ⁵⁰⁰ Sx		1000	500	400	4	12	20	125	All	0.6	2.0
	110	ESSFwmw_110_multilayer	1057132	Bl – Valerian – Hellebore – Globeflower	Bl ⁵⁰⁰ Sx		1000	500	400	4	12	20	125			2.0
ICHdm	101	ICHdm_101_mitd_2.0	1057133	HwCw – Queen's cup – Pipecleaner moss	Cw Fd ⁵⁸ Lw Sx Pw ³¹	Hw Bl ⁵⁰⁰ Bg ¹⁴ Pl	1200	700	600	4	9	20	150	Lw, Pl, Pw	2.0	2.0
														Fd	1.4	
														Others	1.0	
	101	ICHdm_101__mitd_1.7	1057134	HwCw – Queen's cup – Pipecleaner moss	Cw Fd ⁵⁸ Lw Sx Pw ³¹	Hw Bl ⁵⁰⁰ Bg ¹⁴ Pl	1200	700	600	4	9	20	150	Lw, Pl, Pw	2.0	1.7
														Fd	1.4	
														Others	1.0	
	101	ICHdm_101_multilayer	1057135	HwCw – Queen's cup – Pipecleaner moss	Cw Fd ⁵⁸ Lw Sx Pw ³¹	Hw Bl ⁵⁰⁰ Bg ¹⁴ Pl	1200	700	600	4	9	20	150			2.0
	101	ICHdm_101_PI200_mitd_2.0	1057136	HwCw – Queen's cup – Pipecleaner moss	Cw Fd ⁵⁸ Lw Sx Pw ³¹ Pl ²⁰⁰	Hw Bl ⁵⁰⁰ Bg ¹⁴	1200	700	600	4	9	20	150	Lw, Pl, Pw	2.0	2.0

		***													Fd	1.4	
		***													Others	1.0	

101	ICHdm_101_PI200_mitd_1.7	1057138	HwCw – Queen's cup – Pipecleaner moss	Cw Fd ⁵⁸ Lw Sx Pw ³¹ Pl ²⁰⁰	Hw Bl ⁵⁰⁰ Bg ¹⁴	1200	700	600	4	9	20	150	Lw, Pl, Pw	2.0	1.7		
															Fd	1.4	
															Others	1.0	
101	ICHdm_101_PI200_multilayer	1057139	HwCw – Queen's cup – Pipecleaner moss	Cw Fd ⁵⁸ Lw Sx Pw ³¹ Pl ²⁰⁰	Hw Bl ⁵⁰⁰ Bg ¹⁴	1200	700	600	4	9	20	150				2.0	
102	ICHdm_102	1057140	Fd – Snowberry – Oregon-grape	Fd ⁵⁸ Lw Pl	Py ^{9,14,203}	1000	500	400	7	12	20	150	Lw, Pl, Py		2.0		
		***													Fd	1.4	
		***													Others	1.0	
		***														0.8	
102	ICHdm_102_multilayer	1057433	Fd – Snowberry – Oregon-grape	Fd ⁵⁸ Lw Pl	Py ^{9,14,203}	1000	500	400	7	12	20	150				2.0	
103	ICHdm_103_mitd_2.0	1057434	Pl(Lw) – Pinegrass – Grouseberry	Fd ⁵⁸ Lw Pl	Pw ³¹ Sx Bl ^{10,13,500} Bg ¹⁴	1200	700	600	7	12	20	150	Lw, Pl, Pw	2.0	2.0		
															Fd	1.4	
															Others	1.0	
103	ICHdm_103_mitd_1.7	1057435	Pl(Lw) – Pinegrass – Grouseberry	Fd ⁵⁸ Lw Pl	Pw ³¹ Sx Bl ^{10,13,500} Bg ¹⁴	1200	700	600	7	12	20	150	Lw, Pl, Pw	2.0	1.7		
															Fd	1.4	
															Others	1.0	
103	ICHdm_103_multilayer	1057436	Pl(Lw) – Pinegrass – Grouseberry	Fd ⁵⁸ Lw Pl	Pw ³¹ Sx Bl ^{10,13,500} Bg ¹⁴	1200	700	600	7	12	20	150				2.0	
110	ICHdm_110_mitd_2.0	1057437	CwHw – Oak fern	Cw Fd ^{1,14,32,58} Lw ^{1,14,32,201} Pw ³¹ Sx	Bl ^{12,13,500} Hw Bg ¹⁴	1200	700	600	4	9	20	150	Lw, Pw	2.0	2.0		
															Fdi	1.4	
															Others	1.0	

	110	ICHdm_110_mitd_1.7	1057438	CwHw – Oak fern	Cw Fd ^{1,14,32,58} Lw ^{1,14,32,201} Pw ³¹ Sx	Bl ^{12,13,500} Hw Bg ¹⁴	1200	700	600	4	9	20	150	Lw, Pw Fdi Others	2.0 1.4 1.0	1.7
	110	ICHdm_110_multilayer	1057439	CwHw – Oak fern	Cw Fd ^{1,14,32,58} Lw ^{1,14,32,201} Pw ³¹ Sx	Bl ^{12,13,500} Hw Bg ¹⁴	1200	700	600	4	9	20	150			2.0
	111	ICHdm_111_mitd_2.0	1057440	CwHw – Devil's club – Lady fern	Cw ^{1,32} Sx	Bl ^{12,13,500} Hw	1200	700	600	4	9	20	150	All	1.0	2.0
	111	ICHdm_111_mitd_1.7	1057441	CwHw – Devil's club – Lady fern	Cw ^{1,32} Sx	Bl ^{12,13,500} Hw	1200	700	600	4	9	20	150	All	1.0	1.7
	111	ICHdm_111_multilayer	1057442	CwHw – Devil's club – Lady fern	Cw ^{1,32} Sx	Bl ^{12,13,500} Hw	1200	700	600	4	9	20	150			2.0
	112	ICHdm_112	1057443	SeCw – Horsetail – Lady fern	Sx ¹	Cw ^{1,32} Hw ^{1,32} Bl ^{1,500}	1000	500	400	4	9	20	150	All	0.8	2.0
	112	ICHdm_112_multilayer	1057444	SeCw – Horsetail – Lady fern	Sx ¹	Cw ^{1,32} Hw ^{1,32} Bl ^{1,500}	1000	500	400	4	9	20	150	All	0.8	2.0
ICHdw1	101	ICHdw1_101_mitd_2.0	1057445	CwFd – Prince's pine – Twinflower	Cw ¹⁰ Fd ⁵⁸ Lw Pw ³¹	Pl ¹³ Bg Hw Py ^{9,14}	1200	700	600	7	12	20	150	Lw,Pl, Pw Fd Others	2.0 1.4 1.0	2.0
	101	ICHdw1_101_mitd_1.7	1057446	CwFd – Prince's pine – Twinflower	Cw ¹⁰ Fd ⁵⁸ Lw Pw ³¹	Pl ¹³ Bg Hw Py ^{9,14}	1200	700	600	7	12	20	150	Lw,Pl, Pw Fd Others	2.0 1.4 1.0	1.7
	101	ICHdw1_101_multilayer	1057447	CwFd – Prince's pine – Twinflower	Cw ¹⁰ Fd ⁵⁸ Lw Pw ³¹	Pl ¹³ Bg Hw Py ^{9,14}	1200	700	600	7	12	20	150			2.0

102	ICHdw1_102	1057448	Fd(Py) – Falsebox – Pinegrass	Fd Py	Lw Pl ¹³	800	400	400	7	12	20	150	Pl, Lw	1.4	2.0
													Fd	1.0	
													Others	0.8	
102	ICHdw1_102_multilayer	1057449	Fd(Py) – Falsebox – Pinegrass	Fd Py	Lw Pl ¹³	800	400	400	7	12	20	150			2.0
103	ICHdw1_103	1057450	Fd(Py) – Douglas maple – Pinegrass	Fd Lw Py	Pl ¹³ Pw ³¹	1000	500	400	7	12	20	150	Lw, Pl, Pw	1.4	2.0
													Fd	1.0	
													Others	0.8	
103	ICHdw1_103_multilayer	1057451	Fd(Py) – Douglas maple – Pinegrass	Fd Lw Py	Pl ¹³ Pw ³¹	1000	500	400	7	12	20	150			2.0
104	ICHdw1_104_mitd_2.0	1057452	FdCw – Douglas maple – Prince's pine	Fd ⁵⁸ Lw Py ^{9,203} Pw ³¹	Bg Pl Cw ^{10,204}	1200	700	600	7	12	20	150	Lw, Pl, Pw	2.0	2.0
													Fd	1.4	
													Others	1.0	
104	ICHdw1_104_mitd_1.7	1057453	FdCw – Douglas maple – Prince's pine	Fd ⁵⁸ Lw Py ^{9,203} Pw ³¹	Bg Pl Cw ^{10,204}	1200	700	600	7	12	20	150	Lw, Pl, Pw	2.0	1.7
													Fd	1.4	
													Others	1.0	
104	ICHdw1_104_multilayer	1057454	FdCw – Douglas maple – Prince's pine	Fd ⁵⁸ Lw Py ^{9,203} Pw ³¹	Bg Pl Cw ^{10,204}	1200	700	600	7	12	20	150			2.0
110	ICHdw1_110_mitd_2.0	1057455	CwHw – Oak fern	Cw Fd ^{1,32,58} Lw ^{1,32,201} Pw ³¹ Hw ²⁰¹	Bg Sx	1200	700	600	4	9	20	150	Lw, Pw	2.0	2.0
													Fd	1.4	
													Others	1.0	
110	ICHdw1_110_mitd_1.7	1057456	CwHw – Oak fern	Cw Fd ^{1,32,58} Lw ^{1,32,201} Pw ³¹ Hw ²⁰¹	Bg Sx	1200	700	600	4	9	20	150	Lw, Pw	2.0	1.7
													Fd	1.4	

															Others	1.0	
110	ICHdw1_110_multilayer	1057457	CwHw – Oak fern	Cw Fd ^{1,32,58} Lw ^{1,32,201} Pw ³¹ Hw ²⁰¹	Bg Sx	1200	700	600	4	9	20	150					2.0
111	ICHdw1_111_mitd_2.0	1057458	CwHw – Devil's club – Lady fern	Cw Pw ^{1,31} Sx	Bg Fd ^{1,32} Hw Lw ^{1,32}	1200	700	600	4	9	20	150	Lw, Pw	2.0			2.0
													Fd	1.4			
													Others	1.0			
111	ICHdw1_111_mitd_1.7	1057459	CwHw – Devil's club – Lady fern	Cw Pw ^{1,31} Sx	Bg Fd ^{1,32} Hw Lw ^{1,32}	1200	700	600	4	9	20	150	Lw, Pw	2.0			1.7
													Fd	1.4			
													Others	1.0			
111	ICHdw1_111_multilayer	1057460	CwHw – Devil's club – Lady fern	Cw Pw ^{1,31} Sx	Bg Fd ^{1,32} Hw Lw ^{1,32}	1200	700	600	4	9	20	150					2.0
112	ICHdw1_112	1057461	CwHw – Horsetail – Lady fern	Sx ¹ Cw ^{1,32}	Hw ^{1,32} Pw ³¹	1000	500	400	4	9	20	150	Pw	1.4			2.0
													Others	0.8			
112	ICHdw1_112_multilayer	1057462	CwHw – Horsetail – Lady fern	Sx ¹ Cw ^{1,32}	Hw ^{1,32} Pw ³¹	1000	500	400	4	9	20	150					2.0
113	ICHdw1_113	1057463	CwSe – Skunk cabbage	Sx ¹ Cw ^{1,32}	Hw ^{1,32}	1000	500	400	4	9	20	150	Sx, Cw, Hw	0.8			2.0
113	ICHdw1_113_multilayer	1057464	CwSe – Skunk cabbage	Sx ¹ Cw ^{1,32}	Hw ^{1,32}	1000	500	400	4	9	20	150					2.0
ICHmw2	101 ICHmw2_101_mitd_2.0	1057465	HwCw – Falsebox	Fd ⁵⁸ Lw Cw Hw ²⁰¹ Pw ³¹	Bl ^{10,13,500} Sx ^{10,13}	1200	700	600	4	9	20	150	Lw, Pw	2.0			2.0
													Fd	1.4			
													Others	1.0			
	101 ICHmw2_101_mitd_1.7	1057466	HwCw – Falsebox	Fd ⁵⁸ Lw Cw Hw ²⁰¹ Pw ³¹	Bl ^{10,13,500} Sx ^{10,13}	1200	700	600	4	9	20	150	Lw, Pw	2.0			1.7
													Fd	1.4			

															Others	1.0	
101	ICHmw2_101_multilayer	1057467	HwCw – Falsebox	Fd ⁵⁸ Lw Cw Hw ²⁰¹ Pw ³¹	Bl ^{10,13,500} Sx ^{10,13}	1200	700	600	4	9	20	150					2.0
102	ICHmw2_102	1057468	Fd(PI) – Falsebox – Pinegrass	Fd PI	Lw Py ^{9,14,203}	1000	500	400	7	12	20	150	Lw, PI				2.0
																1.4	
															Fd	1.0	
															Others	0.8	
102	ICHmw2_102_multilayer	1057469	Fd(PI) – Falsebox – Pinegrass	Fd PI	Lw Py ^{9,14,203}	1000	500	400	7	12	20	150					2.0
103	ICHmw2_103	1057470	Fd – Douglas maple – Falsebox	Fd Lw	PI Pw ³¹ Cw ¹³ Py ^{9,14,203}	1000	500	400	7	12	20	150	Lw, PI, Pw			2.0	2.0
															Fd	1.4	
															Others	1.0	
103	ICHmw2_103_multilayer	1057471	Fd – Douglas maple – Falsebox	Fd Lw	PI Pw ³¹ Cw ¹³ Py ^{9,14,203}	1000	500	400	7	12	20	150					2.0
103	ICHmw2_103_PI200	1057472	Fd – Douglas maple – Falsebox	Fd Lw PI ²⁰⁰	Pw ³¹ Cw ¹³ Py ^{9,14,203}	1000	500	400	7	12	20	150	Lw, PI, Pw			2.0	2.0
															Fd	1.4	
															Others	1.0	
103	ICHmw2_103_PI200_multilayer	1057473	Fd – Douglas maple – Falsebox	Fd Lw PI ²⁰⁰	Pw ³¹ Cw ¹³ Py ^{9,14,203}	1000	500	400	7	12	20	150					2.0
104	ICHmw2_104_mitd_2..0	1057474	FdCw – Falsebox – Prince's pine	Cw ^{10,201} Fd ⁵⁸ Lw Pw ³¹	PI Hw Py ^{9,14,203} Sx ^{10,13}	1200	700	600	7	12	20	150	Lw, PI, Pw			2.0	2.0
															Fd	1.4	
															Others	1.0	
104	ICHmw2_104_mitd_1.7	1057475	FdCw – Falsebox – Prince's pine	Cw ^{10,201} Fd ⁵⁸ Lw Pw ³¹	PI Hw Py ^{9,14,203} Sx ^{10,13}	1200	700	600	7	12	20	150	Lw, PI, Pw			2.0	1.7
															Fd	1.4	
															Others	1.0	

104	ICHmw2_104_multilayer	1057476	FdCw – Falsebox – Prince's pine	Cw ^{10,201} Fd ⁵⁸ Lw Pw ³¹ PI Hw Py ^{9,14,203} Sx ^{10,13}	1200	700	600	7	12	20	150			2.0
110	ICHmw2_110_mitd_2.0	1057477	CwHw – Oak fern	Cw Hw ²⁰¹ Fd ^{1,14,32,58} Lw ^{1,14,32} Pw ³¹ Sx ^{10,13,201}	1200	700	600	4	9	20	150	Lw, Pw	2.0	2.0
												Fd	1.4	
												Others	1.0	
110	ICHmw2_110_mitd_1.7	1057478	CwHw – Oak fern	Cw Hw ²⁰¹ Fd ^{1,14,32,58} Lw ^{1,14,32} Pw ³¹ Sx ^{10,13,201}	1200	700	600	4	9	20	150	Lw, Pw	2.0	1.7
												Fd	1.4	
												Others	1.0	
110	ICHmw2_110_multilayer	1057479	CwHw – Oak fern	Cw Hw ²⁰¹ Fd ^{1,14,32,58} Lw ^{1,14,32} Pw ³¹ Sx ^{10,13,201}	1200	700	600	4	9	20	150			2.0

111	ICHmw2_111_mitd_2.0	1057506	CwHw – Devil's club – Lady fern	Cw ³² Pw ^{1,31} Sx Fd ^{1,14,32,58} Hw ³² Lw ^{1,14,32}	1200	700	600	4	9	20	150	Lw, Pw	2.0	2.0
												Fd	1.4	
												Others	1.0	
111	ICHmw2_111_mitd_1.7	1057507	CwHw – Devil's club – Lady fern	Cw ³² Pw ^{1,31} Sx Fd ^{1,14,32,58} Hw ³² Lw ^{1,14,32}	1200	700	600	4	9	20	150	Lw, Pw	2.0	1.7
												Fd	1.4	
												Others	1.0	
111	ICHmw2_111_multilayer	1057508	CwHw – Devil's club – Lady fern	Cw ³² Pw ^{1,31} Sx Fd ^{1,14,32,58} Hw ³² Lw ^{1,14,32}	1200	700	600	4	9	20	150			2.0
112	ICHmw2_112_mitd_2.0	1057509	Sxw(Hw) – Huckleberry – Oak fern	Sx Cw ^{1,32} Hw ^{1,32} Bl ⁵⁰⁰	1200	700	600	4	9	20	150	All	1.0	2.0
112	ICHmw2_112_mitd_1.7	1057510	Sxw(Hw) – Huckleberry – Oak fern	Sx Cw ^{1,32} Hw ^{1,32} Bl ⁵⁰⁰	1200	700	600	4	9	20	150	All	1.0	1.7

112	ICHmw2_112_multilayer	1057511	Sxw(Hw) – Huckleberry – Oak fern	Sx Cw ^{1,32}	Hw ^{1,32} Bl ⁵⁰⁰	1200	700	600	4	9	20	150			2.0	
113	ICHmw2_113	1057512	CwHw – Horsetail – Lady fern	Cw ^{1,32} Sx ¹	Bl ^{1,500} Hw ^{1,32}	1000	500	400	4	9	20	150	All	0.8	2.0	
113	ICHmw2_113_multilayer	1057513	CwHw – Horsetail – Lady fern	Cw ^{1,32} Sx ¹	Bl ^{1,500} Hw ^{1,32}	1000	500	400	4	9	20	150			2.0	
114	ICHmw2_114	1057514	CwSxw – Skunk cabbage	Cw ^{1,32} Sx ¹	Bl ^{1,500} Hw ^{1,32}	1000	500	400	4	9	20	150	All	0.8	2.0	
114	ICHmw2_114_multilayer	1057515	CwSxw – Skunk cabbage	Cw ^{1,32} Sx ¹	Bl ^{1,500} Hw ^{1,32}	1000	500	400	4	9	20	150			2.0	
ICHmw4	101	ICHmw4_101_mitd_2.0	1057516	HwCw – Falsebox	Cw Fd ⁵⁸ Hw ²⁰¹ Lw Pw ³¹	Pl Sx ^{10,13} Bg ¹⁴	1200	700	600	4	9	20	150	Lw, Pl, Pw Fd Others	2.0 1.4 1.0	2.0
	101	ICHmw4_101_mitd_1.7	1057517	HwCw – Falsebox	Cw Fd ⁵⁸ Hw ²⁰¹ Lw Pw ³¹	Pl Sx ^{10,13} Bg ¹⁴	1200	700	600	4	9	20	150	Lw, Pl, Pw Fd Others	2.0 1.4 1.0	1.7
	101	ICHmw4_101_multilayer	1057518	HwCw – Falsebox	Cw Fd ⁵⁸ Hw ²⁰¹ Lw Pw ³¹	Pl Sx ^{10,13} Bg ¹⁴	1200	700	600	4	9	20	150			2.0
	102	ICHmw4_102	1057519	FdPl – Juniper – Kinnikinnick	Fd Pl	Lw Py ^{9,14,203}	1000	500	400	7	12	20	150	Lw, Pl, Py Fd Others	1.4 1.0 0.8	2.0
	102	ICHmw4_102_multilayer	1057520	FdPl – Juniper – Kinnikinnick	Fd Pl	Lw Py ^{9,14,203}	1000	500	400	7	12	20	150			2.0
	103	ICHmw4_103	1057521	Fd – Douglas maple – Falsebox	Fd Lw	Pl Py ^{9,14,203} Cw ^{13,10} Pw ³¹	1000	500	400	7	12	20	150	Lw, Pl, Pw Fd Others	2.0 1.4 1.0	2.0

103	ICHmw4_103_multilayer	1057522	Fd – Douglas maple – Falsebox	Fd Lw	Pl Py ^{9,14,203} Cw ^{13,10} Pw ³¹	1000	500	400	7	12	20	150			2.0
103	ICHmw4_103_PI200	1057523	Fd – Douglas maple – Falsebox	Fd Lw Pl ²⁰⁰	Py ^{9,14,203} Cw ^{13,10} Pw ³¹	1000	500	400	7	12	20	150	Lw, Pl, Pw	2.0	2.0
													Fd	1.4	
													Others	1.0	
103	ICHmw4_103__PI200_multilayer	1057524	Fd – Douglas maple – Falsebox	Fd Lw Pl ²⁰⁰	Py ^{9,14,203} Cw ^{13,10} Pw ³¹	1000	500	400	7	12	20	150			2.0

104	ICHmw4_104_mitd_2.0	1057526	FdCw – Falsebox – Prince's pine	Cw ^{10,201} Fd ⁵⁸ Lw Pw ³¹	Pl Cw Hw Sx ^{10,13,204} Bg ¹⁴	1200	700	600	7	12	20	150	Lw, Pl, Pw	2.0	2.0
													Fd	1.4	
													Others	1.0	
104	ICHmw4_104_mitd_1.7	1057527	FdCw – Falsebox – Prince's pine	Cw ^{10,201} Fd ⁵⁸ Lw Pw ³¹	Pl Cw Hw Sx ^{10,13,204} Bg ¹⁴	1200	700	600	7	12	20	150	Lw, Pl, Pw	2.0	1.7
		***											Fd	1.4	
		***											Others	1.0	

104	ICHmw4_104_multilayer	1057529	FdCw – Falsebox – Prince's pine	Cw ^{10,201} Fd ⁵⁸ Lw Pw ³¹	Pl Cw Hw Sx ^{10,13,204} Bg ¹⁴	1200	700	600	7	12	20	150			2.0
110	ICHwm4_110_mitd_2.0	1057530	CwHw – Oak fern	Cw Fd ^{1,14,32,58} Hw ²⁰¹ Lw ^{1,14,32} Pw ³¹	Bg ¹⁴ Sx	1200	700	600	4	9	20	150	Lw, Pw	2.0	2.0
													Fd	1.4	
													Others	1.0	
110	ICHwm4_110_mitd_1.7	1057531	CwHw – Oak fern	Cw Fd ^{1,14,32,58} Hw ²⁰¹ Lw ^{1,14,32} Pw ³¹	Bg ¹⁴ Sx	1200	700	600	4	9	20	150	Lw, Pw	2.0	1.7
													Fd	1.4	
													Others	1.0	
110	ICHwm4_110_multilayer	1057532	CwHw – Oak fern	Cw Fd ^{1,14,32,58} Hw ²⁰¹ Lw ^{1,14,32} Pw ³¹	Bg ¹⁴ Sx	1200	700	600	4	9	20	150			2.0

111	ICHmw4_111_mitd_2.0	1057533	Sxw(Hw) – Huckleberry – Oak fern	Bl ⁵⁰⁰ Sx	Cw ^{1,32} Hw ^{1,32}	1200	700	600	4	9	20	150	All	0.8	2.0
111	ICHmw4_111_mitd_1.7	1057534	Sxw(Hw) – Huckleberry – Oak fern	Bl ⁵⁰⁰ Sx	Cw ^{1,32} Hw ^{1,32}	1200	700	600	4	9	20	150	All	0.8	1.7
111	ICHmw4_111_multilayer	1057535	Sxw(Hw) – Huckleberry – Oak fern	Bl ⁵⁰⁰ Sx	Cw ^{1,32} Hw ^{1,32}	1200	700	600	4	9	20	150			2.0
112	ICHmw4_112_mitd_2.0	1057536	CwHw – Devil's club – Lady fern	Cw ³² Sx	Lw ^{1,32} Fd ^{1,32} Bl ⁵⁰⁰ Hw ³²	1200	700	600	4	9	20	150	Lw	2.0	2.0
													Fd	1.4	
													Others	1.0	
112	ICHmw4_112_mitd_1.7	1057537	CwHw – Devil's club – Lady fern	Cw ³² Sx	Lw ^{1,32} Fd ^{1,32} Bl ⁵⁰⁰ Hw ³²	1200	700	600	4	9	20	150	Lw, Pw	2.0	2.0
													Fd	1.4	
													Others	1.0	
112	ICHmw4_112_multilayer	1057538	CwHw – Devil's club – Lady fern	Cw ³² Sx	Lw ^{1,32} Fd ^{1,32} Bl ⁵⁰⁰ Hw ³²	1200	700	600	4	9	20	150			2.0
113	ICHmw4_113_mitd_2.0	1057539	SxwBl – Devil's club – Lady fern	Bl ⁵⁰⁰ Sx	Cw ^{1,32} Hw ^{1,32}	1200	700	600	4	9	20	150	All	1.0	2.0
113	ICHmw4_113_mitd_1.7	1057540	SxwBl – Devil's club – Lady fern	Bl ⁵⁰⁰ Sx	Cw ^{1,32} Hw ^{1,32}	1200	700	600	4	9	20	150	All	1.0	1.7
113	ICHmw4_113_multilayer	1057541	SxwBl – Devil's club – Lady fern	Bl ⁵⁰⁰ Sx	Cw ^{1,32} Hw ^{1,32}	1200	700	600	4	9	20	150			2.0

114	ICHmw4_114	1057583	SxwCw – Horsetail – Lady fern	Cw ^{1,32} Sx ¹	Bl ⁵⁰⁰ Hw ^{1,32}	1000	500	400	4	9	20	150	All	0.8	2.0

114	ICHmw4_114_multilayer	1057584	SxwCw – Horsetail – Lady fern	Cw ^{1,32} Sx ¹	Bl ⁵⁰⁰ Hw ^{1,32}	1000	500	400	4	9	20	150			2.0	
ICHmw5	101	ICHmw5_101_mitd_2.0	1057585	HwCw – Falsebox	Cw Fd ⁵⁸ Hw ²⁰¹ Lw Pw ³¹ Sx ^{10,13}	Bg ^{14,16} Pl	1200	700	600	4	9	20	150	Lw, Pl, Pw Fd Others	2.0 1.4 1.0	2.0
	101	ICHmw5_101_mitd_1.7	1057586	HwCw – Falsebox	Cw Fd ⁵⁸ Hw ²⁰¹ Lw Pw ³¹ Sx ^{10,13}	Bg ^{14,16} Pl	1200	700	600	4	9	20	150	Lw, Pl, Pw Fd Others	2.0 1.4 1.0	1.7
	101	ICHmw5_101_multilayer	1057587	HwCw – Falsebox	Cw Fd ⁵⁸ Hw ²⁰¹ Lw Pw ³¹ Sx ^{10,13}	Bg ^{14,16} Pl	1200	700	600	4	9	20	150			2.0
	102	ICHmw5_102	1057588	FdPl – Juniper – Kinnikinnick	Fd Pl	Py ^{9,14,16,203} Lw	1000	500	400	7	12	20	150	Lw, Pl, Py Fd Others	1.4 1.0 0.8	2.0
	102	ICHmw5_102_multilayer	1057589	FdPl – Juniper – Kinnikinnick	Fd Pl	Py ^{9,14,16,203} Lw	1000	500	400	7	12	20	150			2.0
	103	ICHmw5_103	1057590	Fd – Douglas maple – Falsebox	Fd Lw	Pl Pw ³¹ Py ^{9,14,16,203}	1000	500	400	7	12	20	150	Lw, Pl, Pw Fd Others	2.0 1.4 1.0	2.0
	103	ICHmw5_103_multilayer	1057591	Fd – Douglas maple – Falsebox	Fd Lw	Pl Pw ³¹ Py ^{9,14,16,203}	1000	500	400	7	12	20	150			2.0
	103	ICHmw5_103_PI200	1057592	Fd – Douglas maple – Falsebox	Fd Lw Pl ²⁰⁰	Pw ³¹ Py ^{9,14,16,203}	1000	500	400	7	12	20	150	Lw, Pl, Pw Fd Others	2.0 1.4 1.0	2.0
	103	ICHmw5_103_PI200_multilayer	1057593	Fd – Douglas maple – Falsebox	Fd Lw Pl ²⁰⁰	Pw ³¹ Py ^{9,14,16,203}	1000	500	400	7	12	20	150			2.0

104	ICHmw5_104_mitd_2.0	1057594	FdCw – Falsebox – Prince's pine	Fd ⁵⁸ Lw Pw ³¹ Cw ²⁰¹	Bg ^{14,16} Hw Pl Py ^{9,14,16} Sx ^{10,13}	1200	700	600	7	12	20	150	Lw, Pl, Pw	2.0	2.0
													Fd	1.4	
													Others	1.0	
104	ICHmw5_104_mitd_1.7	1057595	FdCw – Falsebox – Prince's pine	Fd ⁵⁸ Lw Pw ³¹ Cw ²⁰¹	Bg ^{14,16} Hw Pl Py ^{9,14,16} Sx ^{10,13}	1200	700	600	7	12	20	150	Lw, Pl, Pw	2.0	1.7
													Fd	1.4	
													Others	1.0	
104	ICHmw5_104_multilayer	1057596	FdCw – Falsebox – Prince's pine	Fd ⁵⁸ Lw Pw ³¹ Cw ²⁰¹	Bg ^{14,16} Hw Pl Py ^{9,14,16} Sx ^{10,13}	1200	700	600	7	12	20	150			2.0
104	ICHmw5_104_Pl200_mitd_2.0	1057597	FdCw – Falsebox – Prince's pine	Fd ⁵⁸ Lw Pw ³¹ Cw ²⁰¹ Pl ²⁰⁰	Bg ^{14,16} Hw Py ^{9,14,16} Sx ^{10,13}	1200	700	600	7	12	20	150	Lw, Pl, Pw	2.0	2.0
													Fd	1.4	
													Others	1.0	
104	ICHmw5_104_Pl200_mitd_1.7	1057598	FdCw – Falsebox – Prince's pine	Fd ⁵⁸ Lw Pw ³¹ Cw ²⁰¹ Pl ²⁰⁰	Bg ^{14,16} Hw Py ^{9,14,16} Sx ^{10,13}	1200	700	600	7	12	20	150	Lw, Pl, Pw	2.0	1.7
													Fd	1.4	
													Others	1.0	
104	ICHmw5_104_Pl200_multilayer	1057599	FdCw – Falsebox – Prince's pine	Fd ⁵⁸ Lw Pw ³¹ Cw ²⁰¹ Pl ²⁰⁰	Bg ^{14,16} Hw Py ^{9,14,16} Sx ^{10,13}	1200	700	600	7	12	20	150			2.0
110	ICHmw5_110_mitd_2.0	1057600	CwHw – Oak fern	Cw Hw Fd ^{1,14,32,58} Lw ^{1,14,32} Sx	Bl ⁵⁰⁰ Pw ³¹	1200	700	600	4	9	20	150	Lw, Pw	2.0	2.0
													Fd	1.4	
													Others	1.0	
110	ICHmw5_110_mitd_1.7	1057601	CwHw – Oak fern	Cw Hw Fd ^{1,14,32,58} Lw ^{1,14,32} Sx	Bl ⁵⁰⁰ Pw ³¹	1200	700	600	4	9	20	150	Lw, Pw	2.0	1.7
													Fd	1.4	
													Others	1.0	

110	ICHmw5_110_multilayer	1057602	CwHw – Oak fern	Cw Hw Fd ^{1,14,32,58} Lw ^{1,14,32} Sx	Bl ⁵⁰⁰ Pw ³¹	1200	700	600	4	9	20	150			2.0	
111	ICHmw5_111_mitd_2.0	1057603	CwHw – Devil's club – Lady fern	Cw ³² Sx	Bl ⁵⁰⁰ Fd ^{1,32} Hw ³² Lw ^{1,32} Pw ³¹	1200	700	600	4	9	20	150	Lw, Pw	2.0	2.0	
													Fd	1.4		
													Others	1.0		
111	ICHmw5_111_mitd_1.7	1057604	CwHw – Devil's club – Lady fern	Cw ³² Sx	Bl ⁵⁰⁰ Fd ^{1,32} Hw ³² Lw ^{1,32} Pw ³¹	1200	700	600	4	9	20	150	Lw, Pw	2.0	1.7	
													Fd	1.4		
													Others	1.0		
111	ICHmw5_111_multilayer	1057605	CwHw – Devil's club – Lady fern	Cw ³² Sx	Bl ⁵⁰⁰ Fd ^{1,32} Hw ³² Lw ^{1,32} Pw ³¹	1200	700	600	4	9	20	150			2.0	
112	ICHmw5_112_mitd_2.0	1057606	Sxw(Hw) – Huckleberry – Oak fern	Bl ^{1,500} Sx ¹	Hw ^{1,32} Cw ^{1,32}	1200	700	600	4	9	20	150	All	1.0	2.0	
112	ICHmw5_112_mitd_1.7	1057607	Sxw(Hw) – Huckleberry – Oak fern	Bl ^{1,500} Sx ¹	Hw ^{1,32} Cw ^{1,32}	1200	700	600	4	9	20	150	All	1.0	1.7	
112	ICHmw5_112_mitd_multilayer	1057608	Sxw(Hw) – Huckleberry – Oak fern	Bl ^{1,500} Sx ¹	Hw ^{1,32} Cw ^{1,32}	1200	700	600	4	9	20	150			2.0	
113	ICHmw5_113	1057609	CwSxw – Skunk cabbage	Cw ^{1,32} Sx ¹	Bl ^{1,500} Hw ^{1,32}	1000	500	400	4	9	20	150	All	0.8	2.0	
113	ICHmw5_113_multilayer	1057610	CwSxw – Skunk cabbage	Cw ^{1,32} Sx ¹	Bl ^{1,500} Hw ^{1,32}	1000	500	400	4	9	20	150			2.0	
ICHxw	101	ICHxw_101_mitd_2.0	1057611	CwFd – Hazelnut – Sarsaparilla	Fd ⁵⁸ Lw Pw ³¹	Bg Cw Pl Py ^{9,203}	1200	700	600	7	12	20	150	Lw, Pl, Pw	2.0	2.0
													Fd	1.4		
													Others	1.0		

101	ICHxw_101_mitd_1.7	1057612	CwFd – Hazelnut – Sarsaparilla	Fd ⁵⁸ Lw Pw ³¹	Bg Cw Pl Py ^{9,203}	1200	700	600	7	12	20	150	Lw, Pl, Pw	2.0	1.7
													Fd	1.4	
													Others	1.0	
101	ICHxw_101_multilayer	1057613	CwFd – Hazelnut – Sarsaparilla	Fd ⁵⁸ Lw Pw ³¹	Bg Cw Pl Py ^{9,203}	1200	700	600	7	12	20	150			2.0
102	ICHxw_102	1057614	FdPy – Oceanspray – Bluebunch wheatgrass	Fd Py		800	400	400	7	12	20	150	Fd	1.0	2.0
													Others	0.8	
102	ICHxw_102_multilayer	1057615	FdPy – Oceanspray – Bluebunch wheatgrass	Fd Py		800	400	400	7	12	20	150			2.0
103	ICHxw_103	1057616	FdPy – Oregon-grape – Pinegrass	Fd Py	Lw	800	400	400	7	12	20	150	Lw	1.4	2.0
													Fd	1.0	
													Others	0.8	
103	ICHxw_103_multilayer	1057617	FdPy – Oregon-grape – Pinegrass	Fd Py	Lw	800	400	400	7	12	20	150			2.0
104	ICHxw_104	1057618	Fd(Py) – Douglas maple – Pinegrass	Fd Lw Py ²⁰³	Bg Pl Pw ³¹	1000	500	400	7	12	20	150	Lw, Pl, Pw	2.0	2.0
		***											Fd	1.4	
		***											Others	1.0	

104	ICHxw_104_multilayer	1057620	Fd(Py) – Douglas maple – Pinegrass	Fd Lw Py ²⁰³	Bg Pl Pw ³¹	1000	500	400	7	12	20	150			2.0

110	ICHxw_110_mitd_2.0	1057644	CwHw – Foamflower	Cw Fd ^{1,58} Lw ¹ Pw ^{1,31}	Hw Bg Sx ¹²	1200	700	600	7	12	20	150	Lw	2.0	2.0
													Fd	1.4	
													Others	1.0	

	110	ICHxw_110_mitd_1.7	1057645	CwHw – Foamflower	Cw Fd ^{1,58} Lw ¹ Pw ^{1,31}	Hw Bg Sx ¹²	1200	700	600	7	12	20	150	Lw	2.0	1.7
														Fd	1.4	
														Others	1.0	
	110	ICHxw_110_multilayer	1057646	CwHw – Foamflower	Cw Fd ^{1,58} Lw ¹ Pw ^{1,31}	Hw Bg Sx ¹²	1200	700	600	7	12	20	150			2.0
	111	ICHxw_111_mitd_2.0	1057647	CwHw – Oak fern	Cw Fd ^{1,58} Lw ¹ Pw ^{1,31}	Hw Bg Sx ¹²	1200	700	600	4	9	20	150	Lw, Pw	2.0	2.0
														Fd	1.4	
														Others	1.0	
	111	ICHxw_111_mitd_1.7	1057648	CwHw – Oak fern	Cw Fd ^{1,58} Lw ¹ Pw ^{1,31}	Hw Bg Sx ¹²	1200	700	600	4	9	20	150	Lw, Pw	2.0	1.7
														Fd	1.4	
														Others	1.0	
	111	ICHxw_111_multilayer	1057649	CwHw – Oak fern	Cw Fd ^{1,58} Lw ¹ Pw ^{1,31}	Hw Bg Sx ¹²	1200	700	600	4	9	20	150			2.0
	112	ICHxw_112	1057650	CwHw – Horsetail – Lady fern	Sx ¹ Cw ^{1,32}	Hw ^{1,32} Pw ³¹	1000	500	400	4	9	20	150	Pw	1.4	2.0
														Others	0.8	
	112	ICHxw_112_multilayer	1057651	CwHw – Horsetail – Lady fern	Sx ¹ Cw ^{1,32}	Hw ^{1,32} Pw ³¹	1000	500	400	4	9	20	150			2.0
	113	ICHxw_113	1057652	CwSxw – Skunk cabbage	Sx ¹ Cw ^{1,32}	Hw ^{1,32} Pw ³¹	1000	500	400	4	9	20	150	All	0.8	2.0
	113	ICHxw_113_multilayer	1057653	CwSxw – Skunk cabbage	Sx ¹ Cw ^{1,32}	Hw ^{1,32} Pw ³¹	1000	500	400	4	9	20	150			2.0

ICHxwa	101	ICHxwa_101_mitd_2.0	1057655	CwFd – Hazelnut – Sarsaparilla	Fd ⁵⁸ Lw Py ^{9,203}	Bg Cw Pw ³¹	1200	700	600	7	12	20	150	Lw, Pl, Pw	2.0	2.0
														Fd	1.4	
														Others	1.0	
	101	ICHxwa_101_mitd_1.7	1057656	CwFd – Hazelnut – Sarsaparilla	Fd ⁵⁸ Lw Py ^{9,203}	Bg Cw Pw ³¹	1200	700	600	7	12	20	150	Lw, Pl, Pw	2.0	1.7

[illegible]

															Others	1.0	
110	ICHxwa_110_multilayer	1057668	CwHw – Foamflower	Cw Fd ^{1,58} Lw ¹ Pw ^{1,31}	Hw Bg Sx ¹²	1200	700	600	7	12	20	150					2.0
111	ICHxwa_111_mitd_2.0	1057669	CwHw – Oak fern	Cw Fd ^{1,58} Lw ¹ Pw ^{1,31}	Hw Bg Sx ¹²	1200	700	600	4	9	20	150	Lw, Pw	2.0		2.0	
													Fd	1.4			
													Others	1.0			
111	ICHxwa_111_mitd_1.7	1057670	CwHw – Oak fern	Cw Fd ^{1,58} Lw ¹ Pw ^{1,31}	Hw Bg Sx ¹²	1200	700	600	4	9	20	150	Lw, Pw	2.0		1.7	
													Fd	1.4			
													Others	1.0			
111	ICHxwa_111_multilayer	1057671	CwHw – Oak fern	Cw Fd ^{1,58} Lw ¹ Pw ^{1,31}	Hw Bg Sx ¹²	1200	700	600	4	9	20	150				2.0	

112	ICHxwa_112	1057673	CwHw – Horsetail – Lady fern	Sx ¹ Cw ^{1,32}	Hw ^{1, 32} Pw ³¹	1000	500	400	4	9	20	150	Pw	1.4		2.0	
													Others	0.8			
112	ICHxwa_112_multilayer	1057674	CwHw – Horsetail – Lady fern	Sx ¹ Cw ^{1,32}	Hw ^{1, 32} Pw ³¹	1000	500	400	4	9	20	150				2.0	
113	ICHxwa_113	1057675	CwSxw – Skunk cabbage	Sx ¹ Cw ^{1,32}	Hw ^{1, 32} Pw ³¹	1000	500	400	4	9	20	150	All	0.8		2.0	
113	ICHxwa_113_multilayer	1057676	CwSxw – Skunk cabbage	Sx ¹ Cw ^{1,32}	Hw ^{1, 32} Pw ³¹	1000	500	400	4	9	20	150				2.0	

The following standards are from the 'old' BEC (not in LHM 70). (March 2018)																	

ESSFdc2		***															
01	ESSFdc2_01_mitd_2.0	1057877	Bl- Rhododendron - G	Bl ^{201 500} Sx	Pl ²⁰⁰	1200	700	600	4	12	20	125	Pl	1.6		2.0	
													Others	0.8			
01	ESSFdc2_01_mitd_1.7	1057878	Bl- Rhododendron - G	Bl ^{201 500} Sx	Pl ²⁰⁰	1200	700	600	4	12	20	125	Pl	1.6		1.7	
													Others	0.8			

01	ESSFdc2_01_multilayer	1057879	Bl- Rhododendron - G	Bl ^{201,500} Sx	PI ²⁰⁰	1200	700	600	4	12	20	125	PI	1.6	2.0
													Others	0.8	
02*	ESSFdc2_02_non forested	1057880	Juniper - Pinegrass	PI Pa ²⁰¹	Fd ^{14,32} Bl ^{28,500} Sx ²⁸	1000	500	400	7	15	20	125	PI	1.2	2.0
													Others	0.6	
03	ESSFdc2_03	1057881	PISe - Falsebox Pineg	PI Sx ²⁸ Fd ^{14,32}	Bl ⁵⁰⁰	1000	500	400	7	15	20	125	PI	1.2	2.0
													Others	0.6	
03	ESSFdc2_03_multilayer	1057882	PISe - Falsebox Pineg	PI Sx ²⁸ Fd ^{14,32}	Bl ⁵⁰⁰	1000	500	400	7	15	20	125	PI	1.2	2.0
													Others	0.6	
04	ESSFdc2_04	1057883	Bl - Grouseberry - Cla	PI Sx Bl ^{201,500}		1000	500	400	7	15	20	125	PI	1.2	2.0
													Others	0.6	
04	ESSFdc2_04_multilayer	1057884	Bl - Grouseberry - Cla	PI Sx Bl ^{201,500}		1000	500	400	7	15	20	125	PI	1.2	2.0
													Others	0.6	
05	ESSFdc2_05	1057885	Bl - Huckleberry - Fea	PI Sx Bl ^{201,500}		1000	500	400	7	15	20	125	PI	1.2	2.0
													Others	0.6	
05	ESSFdc2_05_multilayer	1057886	Bl - Huckleberry - Fea	PI Sx Bl ^{201,500}		1000	500	400	7	15	20	125	PI	1.2	2.0
													Others	0.6	
06	ESSFdc2_06_mitd_2.0	1057887	Bl - Gooseberry - Oak	Sx Bl ^{201,500}	PI	1200	700	600	4	12	20	125	PI	1.6	2.0
													Others	0.8	
06	ESSFdc2_06_mitd_1.7	1057888	Bl - Gooseberry - Oak	Sx Bl ^{201,500}	PI	1200	700	600	4	12	20	125	PI	1.6	1.7
													Others	0.8	
06	ESSFdc2_06_multilayer	1057889	Bl - Gooseberry - Oak	Sx Bl ^{201,500}	PI	1200	700	600	4	12	20	125	PI	1.6	2.0
													Others	0.8	
07	ESSFdc2_07_mitd_2.0	1057890	Bl - Rhododendron - V	Sx ³² Bl ^{201,500}	PI ²⁰⁰	1200	700	600	4	12	20	125	All	0.8	2.0

	07	ESSFdc2_07_mitd_1.7	1057891	Bl - Rhododendron - V	Sx ³² Bl ^{201, 500}	PI ²⁰⁰	1200	700	600	4	12	20	125	All	0.8	1.7
	07	ESSFdc2_07_multilayer	1057892	Bl - Rhododendron - V	Sx ³² Bl ^{201, 500}	PI ²⁰⁰	1200	700	600	4	12	20	125	All	0.8	2.0
	08	ESSFdc2_08	1057893	Bl - Trapper's tea	Sx ^{1,32} Bl ^{1, 500}		1000	500	400	4	12	20	125	All	1.2	2.0
ICHwk1																
ICHwk1	01	ICHwk1_01_mitd_2.0	1057894		Cw Hw ²⁰¹ Pw ³¹ Fd ^{9,14,58,203}	Lw ^{9,14,16,32} Sx ^{10,13,204}	1200	700	600	4	9	20	150	Pw	2.0	2.0
														Lw	2.0	
														Fdi	1.4	
														Others	1.0	
ICHwk1	01	ICHwk1_01_mitd_1.7	1057895		Cw Hw ²⁰¹ Pw ³¹ Fd ^{9,14,58,203}	Lw ^{9,14,16,32} Sx ^{10,13,204}	1200	700	600	4	9	20	150	Pw	2.0	1.7
														Lw	2.0	
														Fdi	1.4	
														Others	1.0	
ICHwk1	01	ICHwk1_01_multilayer	1057896		Cw Hw ²⁰¹ Pw ³¹ Fd ^{9,14,58,203}	Lw ^{9,14,16,32} Sx ^{10,13,204}	1200	700	600	4	9	20	150	Pw	2.0	2.0
														Lw	2.0	
														Fdi	1.4	
														Others	1.0	
ICHwk1	04	ICHwk1_04_mitd_2.0	1057897		Cw Fd ⁵⁸ Pw ³¹ Hw ²⁰¹ Lw ^{9,14,16,32,201,203}	Sx ^{10,13,204}	1200	700	600	4	9	20	150	Pw	2.0	2.0
														Lw	2.0	
														Fdi	1.4	
														Others	1.0	
ICHwk1	04	ICHwk1_04_mitd_1.7	1057898		Cw Fd ⁵⁸ Pw ³¹ Hw ²⁰¹ Lw ^{9,14,16,32,201,203}	Sx ^{10,13,204}	1200	700	600	4	9	20	150	Pw	2.0	1.7
														Lw	2.0	
														Fdi	1.4	
														Others	1.0	
ICHwk1	04	ICHwk1_04_multilayer	1057899		Cw Fd ⁵⁸ Pw ³¹ Hw ²⁰¹ Lw ^{9,14,16,32,201,203}	Sx ^{10,13,204}	1200	700	600	4	9	20	150	Pw	2.0	2.0
														Lw	2.0	
														Fdi	1.4	
														Others	1.0	

ICHwk1	05	ICHwk1_05_mitd_2.0	1057900		Cw ³² Sx ²⁰¹ Hw ²⁰¹	Bl ⁵⁰⁰ Pw ^{1, 31}	1200	700	600	4	9	20	150	Pw	2.0	2.0
														Others	1.0	
ICHwk1	05	ICHwk1_05_mitd_1.7	1057901		Cw ³² Sx ²⁰¹ Hw ²⁰¹	Bl ⁵⁰⁰ Pw ^{1, 31}	1200	700	600	4	9	20	150	Pw	2.0	1.7
														Others	1.0	
ICHwk1	05	ICHwk1_05_multilayer	1057902		Cw ³² Sx ²⁰¹ Hw ²⁰¹	Bl ⁵⁰⁰ Pw ^{1, 31}	1200	700	600	4	9	20	150	Pw	2.0	2.0
														Others	1.0	
ICHwk1	06	ICHwk1_06	1057903		Cw ^{1,32} Sx ¹	Bl ⁵⁰⁰ Hw ^{1,32}	1000	500	400	4	9	20	150	All	0.8	2.0
ICHwk1	06	ICHwk1_06_multilayer	1057904		Cw ^{1,32} Sx ¹	Bl ⁵⁰⁰ Hw ^{1,32}	1000	500	400	4	9	20	150	All	0.8	2.0
ICHwk1	07	ICHwk1_07	1057905		Cw ^{1,32} Sx ¹	Bl ^{1, 500} Hw ^{1,32} Pw ^{1,31,57}	1000	500	400	4	9	20	150	All	0.8	2.0
ICHwk1	08	ICHwk1_08	1057906		Cw ^{1,32} Hw ^{1,32} Sx ¹	Bl ^{1,500}	1000	500	400	4	9	20	150	All	0.8	2.0
ICHvk1																
ICHvk1	01	ICHvk1_01_mitd_2.0	1057907		Cw Hw ²⁰¹ Sx ²⁰¹ Fd ^{9, 14, 16, 32, 58, 203}	Pw ³¹	1200	700	600	4	9	20	150	Pw	2.0	2.0
														Others	1.0	
ICHvk1	01	ICHvk1_01_mitd_1.7	1057908		Cw Hw ²⁰¹ Sx ²⁰¹ Fd ^{9, 14, 16, 32, 58, 203}	Pw ³¹	1200	700	600	4	9	20	150	Pw	2.0	1.7
														Others	1.0	
ICHvk1	01	ICHvk1_01_multilayer	1057909		Cw Hw ²⁰¹ Sx ²⁰¹ Fd ^{9, 14, 16, 32, 58, 203}	Pw ³¹	1200	700	600	4	9	20	150	Pw	2.0	2.0
														Others	1.0	
ICHvk1	03	ICHvk1_03_mitd_2.0	1057910		Cw Hw ²⁰¹ Fd ^{58,203} Pw ^{16,31}	Sx ^{10,13,204}	1200	700	600	4	9	20	150	Pw	2.0	2.0
														Fd	1.4	
														Others	1.0	
ICHvk1	03	ICHvk1_03_mitd_1.7	1057911		Cw Hw ²⁰¹ Fd ^{58,203} Pw ^{16,31}	Sx ^{10,13,204}	1200	700	600	4	9	20	150	Pw	2.0	1.7
														Fd	1.4	
														Others	1.0	

ICHvk1	03	ICHvk1_03_multilayer	1057912		Cw Hw ²⁰¹ Fd ^{58,203} Pw ^{16,31}	Sx ^{10,13,204}	1200	700	600	4	9	20	150	Pw	2.0	2.0
														Fd	1.4	
														Others	1.0	
ICHvk1	04	ICHvk1_04_mitd_2.0	1057913		Cw Hw ²⁰¹ Pw ^{16,31} Fd ^{9,14,16,32,58,203}	Sx	1200	700	600	4	9	20	150	Pw	2.0	2.0
														Fd	1.4	
														Others	1.0	
ICHvk1	04	ICHvk1_04_mitd_1.7	1057914		Cw Hw ²⁰¹ Pw ^{16,31} Fd ^{9,14,16,32,58,203}	Sx	1200	700	600	4	9	20	150	Pw	2.0	1.7
														Fd	1.4	
														Others	1.0	
ICHvk1	04	ICHvk1_04_multilayer	1057915		Cw Hw ²⁰¹ Pw ^{16,31} Fd ^{9,14,16,32,58,203}	Sx	1200	700	600	4	9	20	150	Pw	2.0	2.0
														Fd	1.4	
														Others	1.0	
ICHvk1	05	ICHvk1_05	1057916		Cw ³² Sx BI ^{201,500}	Hw ³²	1000	500	400	4	9	20	150	All	1.0	2.0
ICHvk1	05	ICHvk1_05_multilayer	1057917		Cw ³² Sx BI ^{201,500}	Hw ³²	1000	500	400	4	9	20	150	All	1.0	2.0
ICHvk1	06	ICHvk1_06	1057918		Cw ^{1,32} Hw ^{1,32} Sx ¹	BI ^{1,500}	1000	500	400	4	9	20	150	All	1.0	2.0
ICHvk1	06	ICHvk1_06_multilayer	1057919		Cw ^{1,32} Hw ^{1,32} Sx ¹	BI ^{1,500}	1000	500	400	4	9	20	150	All	1.0	2.0
ICHmk1	01	ICHmk1_01_mitd_2.0	1057920		Cw Fd ^{32 58} Lw ³² Sx ²⁰¹	BI ^{204, 500} PI ²⁰⁰	1200	700	600	7	12	20	150	PI, Lw	2.0	2.0
														Fd	1.4	
														Others	1.0	
ICHmk1	01	ICHmk1_01_mitd_1.7	1057921		Cw Fd ^{32 58} Lw ³² Sx ²⁰¹	BI ^{204, 500} PI ²⁰⁰	1200	700	600	7	12	20	150	PI, Lw	2.0	1.7
														Fd	1.4	
														Others	1.0	
ICHmk1	01	ICHmk1_01_multilayer	1057922		Cw Fd ^{32 58} Lw ³² Sx ²⁰¹	BI ^{204, 500} PI ²⁰⁰	1200	700	600	7	12	20	150	PI, Lw	2.0	2.0
														Fd	1.4	
														Others	1.0	

ICHmk1	02	ICHmk1_02_rock outcrop	1057923			Fd PI	Py ^{9,14,203}	800	400	400	7	12	20	150	PI, Py Fd	1.4 1.0	2.0
ICHmk1	03	ICHmk1_03	1057924			Fd Lw	PI ²⁰⁰	1000	500	400	7	12	20	150	PI, Lw Fd Others	2.0 1.0 0.8	2.0
ICHmk1	03	ICHmk1_03_multilayer	1057925			Fd Lw	PI ²⁰⁰	1000	500	400	7	12	20	150	PI, Lw Fd Others	2.0 1.0 0.8	2.0
ICHmk1	04	ICHmk1_04_mitd_2.0	1057926			Fd ⁵⁸ PI ²⁰¹ Lw	Cw ²⁸ Sx ^{13,28,204}	1200	700	600	7	12	20	150	PI, Lw Fd Others	2.0 1.4 1.0	2.0
ICHmk1	04	ICHmk1_04_mitd_1.7	1057927			Fd ⁵⁸ PI ²⁰¹ Lw	Cw ²⁸ Sx ^{13,28,204}	1200	700	600	7	12	20	150	PI, Lw Fd Others	2.0 1.4 1.0	1.7
ICHmk1	04	ICHmk1_04_multilayer	1057928			Fd ⁵⁸ PI ²⁰¹ Lw	Cw ²⁸ Sx ^{13,28,204}	1200	700	600	7	12	20	150	PI, Lw Fd Others	2.0 1.4 1.0	2.0
ICHmk1	05	ICHmk1_05_mitd_2.0	1057929			Sx Cw Fd ^{32 58} Lw ³²	PI BI ^{201, 500}	1200	700	600	7	12	20	150	PI, Lw Fd Others	2.0 1.4 1.0	2.0
ICHmk1	05	ICHmk1_05_mitd_1.7	1057930			Sx Cw Fd ^{32 58} Lw ³²	PI BI ^{201, 500}	1200	700	600	7	12	20	150	PI, Lw Fd Others	2.0 1.4 1.0	1.7
ICHmk1	05	ICHmk1_05_multilayer	1057931			Sx Cw Fd ^{32 58} Lw ³²	PI BI ^{201, 500}	1200	700	600	7	12	20	150	PI, Lw Fd Others	2.0 1.4 1.0	2.0

ICHmk1	06	ICHmk1_06_mitd_2.0	1057932		Sx Cw Fd ^{32,58} BI ^{201, 500}	PI Lw ^{1, 32}	1200	700	600	4	9	20	150	PI, Lw Fd Others	2.0 1.4 1.0	2.0
ICHmk1	06	ICHmk1_06_mitd_1.7	1057933		Sx Cw Fd ^{32,58} BI ^{201, 500}	PI Lw ^{1, 32}	1200	700	600	4	9	20	150	PI, Lw Fd Others	2.0 1.4 1.0	1.7
ICHmk1	06	ICHmk1_06_multilayer	1057934		Sx Cw Fd ^{32,58} BI ^{201, 500}	PI Lw ^{1, 32}	1200	700	600	4	9	20	150	PI, Lw Fd Others	2.0 1.4 1.0	2.0
ICHmk1	07	ICHmk1_07	1057935		BI ^{1,201, 500} Sx ¹ Cw ^{1, 32}	PI ¹	1000	500	400	4	9	20	150	PI Others	1.4 0.8	2.0
IDFdm1	01	IDFdm1_01	1057936		Fd ³² Lw ³²	PI Py ^{9,14}	1000	500	400	7	12	20	125	PI,Lw Fd Others	1.0 0.8 0.6	2.0
IDFdm1	01	IDFdm1_01_multilayer	1057937		Fd ³² Lw ³²	PI Py ^{9,14}	1000	500	400	7	12	20	125	PI,Lw Fd Others	1.0 0.8 0.6	2.0
IDFdm1	03	IDFdm1_03	1057938		Fd ²⁷ Py	PI ²⁰⁴	800	400	400	7	12	20	125	PI Fd Py	1.0 0.8 0.6	2.0
IDFdm1	03	IDFdm1_03_multilayer	1057939		Fd ²⁷ Py	PI ²⁰⁴	800	400	400	7	12	20	125	PI Fd Py	1.0 0.8 0.6	2.0
IDFdm1	04	IDFdm1_04	1057940		Fd ³² Lw ³² Py ^{9,14}	PI ²⁸	1000	500	400	7	12	20	125	Fd Others	0.8 0.6	2.0
IDFdm1	04	IDFdm1_04_multilayer	1057941		Fd ³² Lw ³² Py ^{9,14}	PI ²⁸	1000	500	400	7	12	20	125	Fd Others	0.8 0.6	2.0

IDFdm1	05	IDFdm1_05_mitd_2.0	1057942			Fd ³² Lw ³² Sx	Cw ³² Pl	1200	700	600	7	12	20	125	All	0.8	2.0
IDFdm1	05	IDFdm1_05_mitd_1.7	1057943			Fd ³² Lw ³² Sx	Cw ³² Pl	1200	700	600	7	12	20	125	All	0.8	1.7
IDFdm1	05	IDFdm1_05_multilayer	1057944			Fd ³² Lw ³² Sx	Cw ³² Pl	1200	700	600	7	12	20	125	All	0.8	2.0
IDFdm1	06	IDFdm1_06_mitd_2.0	1057945			Fd ³² Lw ³² Sx	Cw ³² Pl	1200	700	600	4	12	20	125	All	0.8	2.0
IDFdm1	06	IDFdm1_06_mitd_1.7	1057946			Fd ³² Lw ³² Sx	Cw ³² Pl	1200	700	600	4	12	20	125	All	0.8	1.7
IDFdm1	06	IDFdm1_06_multilayer	1057947			Fd ³² Lw ³² Sx	Cw ³² Pl	1200	700	600	4	12	20	125	All	0.8	2.0
IDFdm1	07	IDFdm1_07	1057948			Sx ¹	Cw ^{1,14,32} Pl ¹	1000	500	400	4	12	20	125	All	0.8	2.0
IDFxh4	01	IDFxh4_01	1057949			Fd Lw	Py	1000	500	400	7	12	20	125	Lw Others	1.0 0.6	2.0
IDFxh4	01	IDFxh4_01_multilayer	1057950			Fd Lw	Py	1000	500	400	7	12	20	125	Lw Others	1.0 0.6	2.0
IDFxh4	02	IDFxh4_02	1057951			Py ²⁷ Fd ²⁷		800	400	400	7	12	20	125	All	0.6	2.0
IDFxh4	02	IDFxh4_02_multilayer	1057952			Py ²⁷ Fd ²⁷		800	400	400	7	12	20	125	All	0.6	2.0
IDFxh4	03	IDFxh4_03_mitd_2.0	1057953			Fd Lw	Sx Pl ¹²	1200	700	600	7	12	20	125	Lw Others	1.0 0.6	2.0
IDFxh4	03	IDFxh4_03_mitd_1.7	1057954			Fd Lw	Sx Pl ¹²	1200	700	600	7	12	20	125	Lw Others	1.0 0.6	1.7
IDFxh4	03	IDFxh4_03_multilayer	1057955			Fd Lw	Sx Pl ¹²	1200	700	600	7	12	20	125	Lw Others	1.0 0.6	2.0
IDFxh4	04	IDFxh4_04_mitd_2.0	1057956			Fd ^{1,32} Lw ^{1,32} Sx		1200	700	600	4	12	20	125	Lw Others	1.0 0.6	2.0

IDFxh4	04	IDFxh4_04_mitd_1.7	1057957			Fd ^{1,32} Lw ^{1,32} Sx		1200	700	600	4	12	20	125	Lw Others	1.0 0.6	1.7
IDFxh4	04	IDFxh4_04_multilayer	1057958			Fd ^{1,32} Lw ^{1,32} Sx		1200	700	600	4	12	20	125	Lw Others	1.0 0.6	2.0
IDFxh4	05	IDFxh4_05	1057959			Sx	Fd ^{1,32} Lw ^{1,32}	1000	500	400	4	12	20	125	Lw Others	1.0 0.6	2.0
IDFxh4	05	IDFxh4_05_multilayer	1057960			Sx	Fd ^{1,32} Lw ^{1,32}	1000	500	400	4	12	20	125	Lw Others	1.0 0.6	2.0
IDFxh4	06	IDFxh4_06	1057961			Act At	Cw ^{1,32} Sx ^{1,32}	400	200	200	4	12	20	125	All	0.6	2.0
IDFxh4	06	IDFxh4_06_multilayer	1057962			Act At	Cw ^{1,32} Sx ^{1,32}	400	200	200	4	12	20	125	All	0.6	2.0
MSdm1	01	MSdm1_01_mitd_2.0	1057963			Lw ^{14,32} Sx Fd ^{14,32}	BI ⁵⁰⁰ PI	1200	700	600	7	12	20	125	PI,Lw Others	1.4 0.8	2.0
MSdm1	01	MSdm1_01_mitd_1.7	1057964			Lw ^{14,32} Sx Fd ^{14,32}	BI ⁵⁰⁰ PI	1200	700	600	7	12	20	125	PI,Lw Others	1.4 0.8	1.7
MSdm1	01	MSdm1_01_multilayer	1057965			Lw ^{14,32} Sx Fd ^{14,32}	BI ⁵⁰⁰ PI	1200	700	600	7	12	20	125	PI,Lw Others	1.4 0.8	2.0
MSdm1	02	MSdm1_02	1057966			Fd Lw PI ²⁰¹	Py ^{9,14,16,203}	800	400	400	7	12	20	125	PI,Lw Others	1.0 0.6	2.0
MSdm1	02	MSdm1_02_multilayer	1057967			Fd Lw PI ²⁰¹	Py ^{9,14,16,203}	800	400	400	7	12	20	125	PI,Lw Others	1.0 0.6	2.0
MSdm1	03	MSdm1_03	1057968			Fd ³² Lw ³² PI ²⁰¹	Sx ²⁸	1000	500	400	7	12	20	125	Pli,Lw Others	1.0 0.6	2.0

MSdm1	03	MSdm1_03_multilayer	1057969			Fd ³² Lw ³² Pl ²⁰¹	Sx ²⁸	1000	500	400	7	12	20	125	Pli,Lw Others	1.0 0.6	2.0
MSdm1	04	MSdm1_04_mitd_2.0	1057970			Fd Lw Pl ²⁰¹	Sx ²⁸ Py ^{9,14,16,203}	1200	700	600	7	12	20	125	Pli,Lw Others	1.4 0.8	2.0
MSdm1	04	MSdm1_04_mitd_1.7	1057971			Fd Lw Pl ²⁰¹	Sx ²⁸ Py ^{9,14,16,203}	1200	700	600	7	12	20	125	Pli,Lw Others	1.4 0.8	1.7
MSdm1	04	MSdm1_04_multilayer	1057972			Fd Lw Pl ²⁰¹	Sx ²⁸ Py ^{9,14,16,203}	1200	700	600	7	12	20	125	Pli,Lw Others	1.4 0.8	2.0
MSdm1	05	MSdm1_05_mitd_2.0	1057973			Pl Sx	Bl ⁵⁰⁰ Lw ^{14, 32}	1200	700	600	4	9	20	125	Pli,Lw Others	1.4 0.8	2.0
MSdm1	05	MSdm1_05_mitd_1.7	1057974			Pl Sx	Bl ⁵⁰⁰ Lw ^{14, 32}	1200	700	600	4	9	20	125	Pli,Lw Others	1.4 0.8	1.7
MSdm1	05	MSdm1_05_multilayer	1057975			Pl Sx	Bl ⁵⁰⁰ Lw ^{14, 32}	1200	700	600	4	9	20	125	Pli,Lw Others	1.4 0.8	2.0
MSdm1	06	MSdm1_06_mitd_2.0	1057976			Sx Bl ^{201, 500}	Cw ³² Fd ^{14 32} Lw ^{14, 32} Pl ²⁰⁰	1200	700	600	4	9	20	125	Pli,Lw Others	1.4 0.8	2.0
MSdm1	06	MSdm1_06_mitd_1.7	1057977			Sx Bl ^{201, 500}	Cw ³² Fd ^{14 32} Lw ^{14, 32} Pl ²⁰⁰	1200	700	600	4	9	20	125	Pli,Lw Others	1.4 0.8	1.7
MSdm1	06	MSdm1_06_multilayer	1057978			Sx Bl ^{201, 500}	Cw ³² Fd ^{14 32} Lw ^{14, 32} Pl ²⁰⁰	1200	700	600	4	9	20	125	Pli,Lw Others	1.4 0.8	2.0
MSdm1	07	MSdm1_07	1057979			Sx ¹ Bl ^{1, 201, 500}	Pl ¹	1000	500	400	4	9	20	125	Pl Others	1.0 0.6	2.0
MSdm1	08	MSdm1_08	1057980			Bl ^{1, 201, 500} Sx	Pl1	1200	700	600	4	9	20	125	Pli,Lw Others	1.4 0.8	2.0

PPdh1		(old PPxh3)													
PPdh1	01	PPdh1_01	1057981		Py Fd ²⁷	800	400	400	7	12	20	125	All	0.6	2.0
PPdh1	01	PPdh1_01_multilayer	1057982		Py Fd ²⁷	800	400	400	7	12	20	125	All	0.6	2.0
PPdh1	04	PPdh1_04	1057983		Fd Py	800	400	400	7	12	20	125	All	0.6	2.0
PPdh1	04	PPdh1_04_multilayer	1057984		Fd Py	800	400	400	7	12	20	125	All	0.6	2.0
PPdh1	05	PPdh1_05	1057985		Fd ^{1,32} Py ¹	800	400	400	7	12	20	125	All	0.6	2.0
PPdh1	05	PPdh1_05_multilayer	1057986		Fd ^{1,32} Py ¹	800	400	400	7	12	20	125	All	0.6	2.0
THIS IS THE END OF THE DOCUMENT.															

Uneven-aged Stocking Standards* -- Single-tree selection only

Col. 1	Col. 2	Col. 3	Col. 4	Col. 5	Col. 1	Col. 2	Col. 3	Col. 4	Col. 5
Target from Table A standards	Layer**	Stocking***			Target from Table A standards	Layer**	Stocking***		
(stems/ha)		Target pa	MIN pa	MIN p	(stems/ha)		Target pa	MIN pa	MIN p
		(well-spaced/ha)					(well-spaced/ha)		
1200	1	600	300	250	800	1	300	150	150
	2	800	400	300		2	400	200	200
	3	1000	500	400		3	600	300	300
	4	1200	700	600		4	800	400	400
1000	1	400	200	200	600	1	300	150	150
	2	600	300	250		2	400	200	200
	3	800	400	300		3	500	300	300
	4	1000	500	400		4	600	400	400
900	1	400	200	200	400	1	200	100	100
	2	500	300	250		2	300	125	125
	3	700	400	300		3	300	150	150
	4	900	500	400		4	400	200	200

MIN - minimum

Note that Early Free Growing shows up in this document, for each SSID, for information purposes only. In RESULTS, the EFG date has been inserted as information only, and EFG has been removed.

The following is historical background only: "** Maximum regeneration delay is seven years. For a seven-year regeneration delay, the early free growing is 12 years and the late free growing is 15 years."

Regeneration delay can be met immediately following harvest if the residual stand has no significant damage or pest problems and meets minimum stocking standards. If regeneration is achieved immediately following harvest, earliest free growing date is 12 months after completion of harvest and the latest date is 24 months after completion of harvest.

**Stand Layer Definition

Layer 1	Mature	trees >= 12.5 cm dbh
Layer 2	Pole	trees 7.5 cm to 12.4 cm dbh
Layer 3	Sapling	trees >= 1.3 m height to 7.4 cm dbh
Layer 4	Regeneration	trees < 1.3 m height

*** pa - preferred and acceptable species p - preferred species

Provincial and localized to DSE Footnotes

Species Footnotes

	Footnote #	Footnote	Footnote #	Footnote				
Conifer Tree Species	1	suitable on elevated microsites	46	use resistant seedlot south of the Dean Channel				
			47	risk of balsam wooly adelgid within quarantine area see http://www2.gov.bc.ca/gov/content/industry/agriculture-seafood/animals-and-crops/plant-health/insects-and-plant-diseases/nursery-and-ornamentals/balsam-woolly-adelgid				
"Ba" means amabilis fir;	2	retired July 2017						
"Bg" means grand fir;	3	suitable on coarse-textured soils	48	risk of browsing by deer				
"Bl" means subalpine fir;	4	suitablemedium-textured soils	49	retired November 2010				
"Bp" means noble fir;	5	footnote retired	50	restricted to sites where the species occurs as a				
"Cw" means western red cedar;	6	suitable on nutrient-very-poor sites		major species in a pre-harvest, natural stand				
"Fd" means Douglas-fir;	7	suitable on nutrient-medium sites	51	retired July 2017				
"Hm" means mountain hemlock;	8	suitable on steep slopes	52	suitable on sheltered microsites with deep soil				
"Hw" means western hemlock;	9	suitable on warm aspects	53	minor component				
"Lt" means tamarack;	10	suitable on cool aspects	54	retired July 2017				
"Lw" means western larch;	11	suitable on crest slope positions	55	retired July 2017				
"Pa" means whitebark pine;	12	suitable on cold air drainage sites						
"Pl" means lodgepole pine;	13	suitable at upper elevations	#	Broadleaf Management Constraints				
"Pw" means white pine;	14	suitable at lower elevations						
"Py" means ponderosa pine;	15	suitable in the northern portion of biogeoclimatic unit	a	productive, reliable, and feasible regeneration option				
"Sb" means black spruce;	16	suitable in the southern portion of biogeoclimatic unit	b	limited in productivity, reliability and/or feasibility				
"Se" means Engelmann spruce;	17	suitable in the western portion of biogeoclimatic unit						
"Ss" means Sitka spruce;	18	suitable in the eastern portion of biogeoclimatic unit						
"Sw" means white spruce;	19	retired July 2017	#	Localized Footnotes				
"Sx" means hybrid spruce or interior spruce;	20	retired July 2017						
"Sxs" means hybrid Sitka spruce;	21	retired July 2017	56	retired July 2017				
"Sxw" means hybrid white spruce;	22	suitable in the southern Gardner Canal-Kitlope area						
"Yc" means yellow cedar.	23	retired July 2017	57	retired November 2010				
	24	suitable in wetter portion of biogeoclimatic unit	58	South Area - Fd limited to a max 50% of preferred and acceptable well-spaced stems in the IDFmw and all subzones of the ICH due to root rot. See Root Rot Handbook (2017, in press)				
Broadleaf Tree Species								
"Acb" means balsam poplar;	25	retired July 2017	59	Prince George region - max 1,400 total sph of aspen and cottonwood.				
"Act" means black cottonwood;	26	suitable minor species on nutrient poor sites		Treat as 'ghost' trees in surveys.				
"At" means trembling aspen;	27	partial high-canopy shade required for succesful establishment	60	retired July 2017				
"Dr" means red alder;	28	limited by moisture deficit	61	retired July 2017				
"Ep" means common paper birch;	29	risk of heavy browsing by moose	62	retired November 2010				
"Mb" means bigleaf maple;	30	retired November 2010	63	retired July 2017				
	31	must use of blister rust resistant stock. See BC Journal of Ecosystems and Management 10(1): 97-100 for supplementary information.	66	Mackenzie forest district - may be preferred where risk of snow damage is low or risk of frost damage is excessive on spruce				
"Qg" means garry oak;								
"Ra" means arbutus;	32	limited by growing-season frosts	67	Retired July 2017				
	33	footnote retired and replaced with footnote 'a'	68	Retired July 2017				
			69	suitable at upper elevations of the biogeoclimatic unit only when used in the southern portion of the biogeoclimatic unit				
"Biogeoclimatic unit" or "BGC classification" means the zone, subzone, variant and site series described in the most recent field guide published by the Ministry of Forests for the identiication and interpretation of ecosystems, as applicable to a harvested area.	35	use resistant stock to mitigate risk of spruce weevil damage - See Ss Weevil Decision Tool: http://pubs.cif-ifc.org/doi/abs/10.5558/tfc2013-042	70	retired July 2017				
	36	retired July 2017	200	substitute for below...				

"MIN or "Min" means minimum.	37	retired November 2010	201	Maximum 50% of preferred and acceptable well-spaced trees				
	38	footnote retired	202	No advance regeneration in even aged stand management				
	39	retired July 2017	203	Recommended on sites for climate change adaptation				
	40	risk of redheart damage in areas subject to cold winter outflow w	204	Not recommended due to climate change concerns				
	41	limited by poorly drained soils	205	limited by cold temperatures				
	42	suitable on sites with a fresh soil moisture regimes	206	plant on exposed mineral soils				
	43	retired July 2017	207	obstacle planting recommended				
	44	suitable in areas of the subzone variant with relatively strong maritime influence	208	No advance regeneration in even aged stand management				
	45	suitable in areas of the subzone variant with relatively strong continental influence	500	DSE: Advance BI regen: <1.5 m tall at time of harvest, >75% live crown, >10cm leader, no scars, forks, crooks, or sweeps, and Apical dominance >1 as measured by comparing ratio of leader height to length of most recent branch.				
			200	PI can be moved from Acceptable to Preferred to the extent specified below <u>only</u> on sites where there is a low risk of damage from forest health factors:				
				o > 50% PI in the pre-harvest stand, PI can be moved to preferred;				
				o 25-50% PI in the pre-harvest stand, PI can be moved to preferred to a maximum of 50% well-spaced stems				
				For areas with less than 25% PI in the pre-harvest stand <u>or</u> where risk of damage from forest health factors is moderate or high, PI remains acceptable.				
				MITD: For site series that <u>do not already have reduced MSS</u> , a reduced mitd of 1.7 may be used to facilitate planting superior microsites, when sites have: mechanical site preparation (mounding & disk trenching), been previously fill planted, or conditions where obstacle planting for snow creep is necessary. Reduced MITD applies to PLANTED TREES ONLY.				

Footnote	Historic Footnote	Date Retired
2	suitable on thick forest floors	retired July 2017
5		footnote retired
19	restricted, not in Queen Charlotte Islands	retired July 2017
20	restricted, not near outer coast	retired July 2017
21	restricted to mainland	retired July 2017
23	restricted to trial use	retired July 2017
25	suitable on sites lacking salal	retired July 2017;
		replaced with fn 7
30	Risk of porcupine damage	retired November 2010
33	footnote retired and replaced with footnote 'a'	retired July 2017
36	suitable major species on salal-dominated sites	retired July 2017
37	Risk of heart rots	retired November 2010
38		footnote retired
39	avoid exposed and windy sites	retired July 2017
43	suitable on mainland coast only (QCI only)	retired July 2017
46	restricted to area north of the Dean Channel	retired July 2017
49		retired November 2010
51	restricted to areas with proven PI performance	retired July 2017
54	risk of unsuccessful release of advance regeneration	retired July 2017
55	acceptable in sx-sm portion of site series	retired July 2017
56	Kalum forest district - see footnote 35	retired July 2017
57	retired November 2010 see footnote 31	retired November 2010
60	Squamish forest district - species is acceptable in Squamish forest district only.	retired July 2017
61	Squamish forest district only - acceptable on cold air drainage sites only.	retired July 2017
62	retired November 2010 see footnote 47	retired November 2010
67	Chilliwack forest district - species is acceptable in Chilliwack forest district only.	retired July 2017
68	Chilliwack forest district - species is preferred in Chilliwack forest district only.	retired July 2017
70	Pr Rupert region - Hw is restricted to a maximum of 50% of the well spaced stems at free growing	retired July 2017