A95881 - CP# NA

Needles North Road
Block #: 003

SUMMARY OF VOLUMES (loss factors)
FULL VOLUMES APPLIED

31-Jul-2020 02:02:03PM

Cruised by: D. BRITTEN
Compiled by: BCTS

Map Area Statement Report

Average Line Method
Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage
FIZ: G
PSYU: Edgewood
Region: 4 - Kootenay-Boundary
District: 04 - Selkirk
31-Jul-2020 02:02:03PM
Filename: ta1559.ccp
Compiled by: BCTS
Cruised by: D. BRITTEN
Version: 2019.01 IFS build 6276

Licence Number: A95881 CP: NA
Project: N/A

Card A Cruise Identity

Licence #	: A95881	Cutting Permit #	: NA
Number of Blocks	: 1	Forest Region	: Kootenay-Boundary
Forest District	: Selkirk	Type	: PSYU
Unit No	: Edgewood	Tenure	: Timber Sales (INTERIOR)
Quota	: Prop./Mngd.PSYU,TFL,or SSA	Sale Type	: None
Elevation	: 700	Co-ordinates Zone	: Unknown
East	: 0	North	: 0
Total Merch Area	: 38.60	Report Type	: *** FOR APPRAISAL PURPOSES ***
Locality	: Needles North Road		

Card B Compilation Standard

Damage	: Damage & Root Rot	Selective	: Compile All Trees
Double Sampling	: Measure Plots Only	Special Compilation	: Interior Wet Belt Fir
Species Compilation	: Exceptions Used	Type of Compilation	: Interior

Compilation Standard	Mature	Immature	PL
DBH Limit	17.50	12.00	12.50
Stump Height	30	30	30
Top Diameter	10.00	10.00	10.00

Card C Type Description

		Silvicultural Treatment Units		
Type	Description	A	B	C
4	FCL(Ep)	23.5		2.0
5	F(CLAtEp)		10.9	2.2

Card D Block Description

				Silvicultural Treatment Units		
Block	Description	Maturity	Type	A	B	C
003	003	M	4	23.5		2.0
			5		10.9	2.2

Card F Harvesting Description

Harvest Method	Harvest Description		Silvicultural Treatment Units		
		Type	A	B	C
CC	Cable - Clearcut	5		10.9	2.2
SC	Ground Systems - Clearcut	4	23.5		2.0

Card G Treatment Unit Description

Treatment Unit	Description
A	SC
B	CC
C	R/W

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage and Root Rot, , Wet Belt Fir

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Double Sampling Factors

Average Line Method
Licence Number: A95881 CP: NA
Project: N/A

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: G
PSYU: Edgewood
Region: 4 - Kootenay-Boundary
District: 04 - Selkirk

31-Jul-2020 02:02:03PM
Filename: ta1559.ccp
Compiled by: BCTS
Cruised by: D. BRITTEN
Version: 2019.01   IFS build 6276

	F	C	PL	L	E	AT
Utilization Limits						
Min DBH cm (M)	17.5	17.5	12.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	5.0	5.0	5.0	5.0	5.0	5.0

Type Factors

Forest Types:

4 :FCL(Ep)	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
5 :F(CLAtEp)	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000

Block Factors

Block 003:

Forest Types:

4 :FCL(Ep)	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
5 :F(CLAtEp)	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000

Harvest Method Factors

Method: CC: Cable - Clearcut

Forest Types:

4 :FCL(Ep)	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
5 :F(CLAtEp)	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000

Method: SC: Ground Systems - Clearcut

Forest Types:

4 :FCL(Ep)	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
5 :F(CLAtEp)	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage and Root Rot, , Wet Belt Fir

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Appraisal Summary Report

Average Line Method
Licence Number: A95881 CP: NA
Project: N/A
Location : Needles North Road

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage
No Of Blocks : 1

FIZ: G
PSYU: Edgewood
Region: 4 - Kootenay-Boundary
District: 04 - Selkirk

31-Jul-2020 02:02:03PM
Filename: ta1559.ccp
Compiled by: BCTS
Cruised by: D. BRITTEN
Version: 2019.01   IFS build 6276

Utilization Levels:	Minimum DBH	Top Diameter	Stump Height
Mature Blocks: (cm)	17.5	10.0	30
Immature Blocks:(cm)	12.0	10.0	30
Exception[PL]: (cm)	12.5	10.0	30
Standard Log Length:(m)	5.00		

Net Area: [All Treatment Units : 38.6]

All Method Summary

Species Code	Description	Net Volume (m3) All	Live	DP	Net Volume / ha All	Live	DP	Decay%	Stud Log%	LRF	All Burn%
CE	Cedar	1566	1467	99	40.579	38.008	2.571	4	0	166	0
FI	Doug-Fir	10521	8536	1985	272.572	221.144	51.428	3	20	210	0
LA	Larch	925	827	97	23.952	21.429	2.524	2	36	198	0
LO	L.P. Pine	463	274	189	11.989	7.097	4.892	10	45	182	0
AS	Aspen	151	151	0	3.918	3.918	0.000	22	0	189	0
BI	Birch	681	681	0	17.630	17.630	0.000	25	0	160	0
	Conifer	13475	11104	2371	349.093	287.678	61.415	3	19		0
	Deciduous	832	832	0	21.548	21.548	0.000	24	0		0
	Total	14307	11936	2371	370.641	309.226	61.415	5	18		0

Harvesting Method Summaries

Species	Harvest Method	Net Volume	Average Slope%	Net Vol /Tree	Net Vol/ha	Defect% (DWB)	Partial Cut%	All Fire%	Heavy Fire%	Down Tree%	Dead Useless%
All Species	CC	4493	53	1.29	342.964	8		0	0	25	8
	SC	9814	40	0.71	384.860	9		0	0	9	3
	All Methods	14307	44	0.82	370.641	9		0	0	14	4
Conifer	CC	4388	53	1.41	334.931	7		0	0	25	0
	SC	9087	40	0.81	356.368	6		0	0	8	1
	All Methods	13475	44	0.94	349.093	6		0	0	14	0

Insect Damage Net Volume (m3)

L.P. Pine			All Other Conifer
Green Attack	Red Attack	Grey Attack	Insect Damage
0	0	0	0

L.P. Pine Red/Grey Attack % of Conifer by Block

003: 0.0%

Cutting Authority

95% Confidence Interval	24.1
Plots/Ha	0.8
Cruised Trees/Plot	4.1
Cruise Date (yy-mm):	18-11

Plots: 31   # <= 5yrs: 31   # > 5yrs: 0 # > 10yrs: 0 # no date: 0

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage and Root Rot, , Wet Belt Fir

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Appraisal Insect Summary Report

Average Line Method
Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage
FIZ: G
PSYU: Edgewood
Region: 4 - Kootenay-Boundary
District: 04 - Selkirk
31-Jul-2020 02:02:03PM
Filename: ta1559.ccp
Compiled by: BCTS
Cruised by: D. BRITTEN
Version: 2019.01 IFS build 6276

Licence Number: A95881 CP: NA
Project: N/A

Volume as % of total

Species		1-Green%	2-Red%	3-Grey%	4-Rust%	5-Strip%	6-Full%	7-Grey%	8-Red%	X-Live%	Y-Dead%	All Ins%	No Ins%	Total%
F	Doug-Fir												100.0	100.0
C	W.R. Cedar												100.0	100.0
PL	L.P. Pine												100.0	100.0
L	Larch												100.0	100.0
E	Birch												100.0	100.0
AT	Aspen												100.0	100.0
	Conifer												100.0	100.0
	Deciduous												100.0	100.0
	Total												100.0	100.0

Volume in m3

Species		1-Green	2-Red	3-Grey	4-Rust	5-Strip	6-Full	7-Grey	8-Red	X-Live	Y-Dead	All Ins	No Ins	Total
F	Doug-Fir												10521	10521
C	W.R. Cedar												1566	1566
PL	L.P. Pine												463	463
L	Larch												925	925
E	Birch												681	681
AT	Aspen												151	151
	Conifer												13475	13475
	Deciduous												832	832
	Total												14307	14307

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage and Root Rot, , Wet Belt Fir

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

All Method Summary

Average Line Method
Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage
FIZ: G
PSYU: Edgewood
Region: 4 - Kootenay-Boundary
District: 04 - Selkirk
31-Jul-2020 02:02:03PM
Filename: ta1559.ccp
Compiled by: BCTS
Cruised by: D. BRITTEN
Version: 2019.01 IFS build 6276

Licence Number: A95881 CP: NA
Project: N/A

[All Treatment Units : 38.6]

		Total	Conifer	Decid	F	C	PL	L	E	AT
Utilization Limits										
Min DBH cm (M)					17.5	17.5	12.5	17.5	17.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					10.0	10.0	10.0	10.0	10.0	10.0
Log Len m					5.0	5.0	5.0	5.0	5.0	5.0
Volume and Size Data										
Gross Merchantable	m3	15681	14410	1271	11092	1696	642	980	1053	218
Net Merchantable	m3	14307	13475	832	10521	1566	463	925	681	151
Net Merch - All	m3/ha	370.641	349.093	21.548	272.572	40.579	11.989	23.952	17.630	3.918
Net Merch - Live	m3/ha	309.226	287.678	21.548	221.144	38.008	7.097	21.429	17.630	3.918
Net Merch - DP	m3/ha	61.415	61.415		51.428	2.571	4.892	2.524		
Decay	%	5	3	24	3	4	10	2	25	22
Waste(billing)	%	1	0	9	0		2	0	10	7
Total Cull (DWB)	%	9	6	35	5	8	28	6	35	31
Net Merch Vol/Tree	m3	0.82	0.94	0.28	1.26	0.50	0.27	0.83	0.24	0.66
Net Merch Vol/Log	m3	0.22	0.23	0.11	0.26	0.18	0.14	0.17	0.10	0.15
Useless Dead/Living	%	4	0	19	1				20	
Net Second Growth	%									
All Burn Volume	%									
Heavy Fire Volume	%									
Blowdown Volume	%	14	14	10	15		41	11	13	
Insect Volume	%									
LRF and Log Summary										
Net Merch - Stud	%	18	19		20		45	36		
Net Merch - Small Log	%	62	61	92	55	75	100	78	100	55
Net Merch - Large Log	%	38	39	8	45	25		22		45
Avg LRF All	bdft/m3	201	204	165	210	166	182	198	160	189

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage and Root Rot, , Wet Belt Fir

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

All Method Summary

Average Line Method
Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage
FIZ: G
PSYU: Edgewood
Region: 4 - Kootenay-Boundary
District: 04 - Selkirk
31-Jul-2020 02:02:03PM
Filename: ta1559.ccp
Compiled by: BCTS
Cruised by: D. BRITTEN
Version: 2019.01 IFS build 6276

Licence Number: A95881 CP: NA
Project: N/A

[SC : 23.5]

		Total	Conifer	Decid	F	C	PL	L	E	AT
Utilization Limits										
Min DBH cm (M)					17.5	17.5	12.5	17.5	17.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					10.0	10.0	10.0	10.0	10.0	10.0
Log Len m					5.0	5.0	5.0	5.0	5.0	5.0
Volume and Size Data										
Gross Merchantable	m3	9933	8943	990	6361	1416	432	734	789	201
Net Merchantable	m3	9044	8375	670	6030	1303	340	702	530	139
Net Merch - All	m3/ha	384.860	356.368	28.492	256.615	55.428	14.468	29.858	22.561	5.931
Net Merch - Live	m3/ha	329.971	301.479	28.492	213.162	51.536	10.743	26.037	22.561	5.931
Net Merch - DP	m3/ha	54.889	54.889		43.452	3.892	3.725	3.820		
Decay	%	5	3	23	3	4	9	1	23	22
Waste(billing)	%	1	0	8	0		1		8	7
Total Cull (DWB)	%	9	6	32	5	8	21	4	33	31
Net Merch Vol/Tree	m3	0.71	0.81	0.27	1.18	0.46	0.24	0.72	0.24	0.66
Net Merch Vol/Log	m3	0.20	0.21	0.10	0.25	0.17	0.12	0.15	0.09	0.15
Useless Dead/Living	%	3	1	13	1				14	
Net Second Growth	%									
All Burn Volume	%									
Heavy Fire Volume	%									
Blowdown Volume	%	9	8	12	9		26	13	15	
Insect Volume	%									
LRF and Log Summary										
Net Merch - Stud	%	19	21		21		53	41		
Net Merch - Small Log	%	66	64	91	55	79	100	90	100	55
Net Merch - Large Log	%	34	36	9	45	21		10		45
Avg LRF All	bdft/m3	197	200	165	210	163	180	194	159	189

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage and Root Rot, , Wet Belt Fir

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

All Method Summary

Average Line Method
Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage
FIZ: G
PSYU: Edgewood
Region: 4 - Kootenay-Boundary
District: 04 - Selkirk
31-Jul-2020 02:02:03PM
Filename: ta1559.ccp
Compiled by: BCTS
Cruised by: D. BRITTEN
Version: 2019.01 IFS build 6276

Licence Number: A95881 CP: NA
Project: N/A

[CC : 10.9]

		Total	Conifer	Decid	F	C	PL	L	E	AT
Utilization Limits										
Min DBH cm (M)					17.5	17.5	12.5	17.5	17.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					10.0	10.0	10.0	10.0	10.0	10.0
Log Len m					5.0	5.0	5.0	5.0	5.0	5.0
Volume and Size Data										
Gross Merchantable	m3	4079	3916	164	3486	133	144	152	164	
Net Merchantable	m3	3738	3651	88	3310	127	78	136	88	
Net Merch - All	m3/ha	342.964	334.931	8.033	303.634	11.675	7.164	12.457	8.033	
Net Merch - Live	m3/ha	268.847	260.814	8.033	236.681	11.675		12.457	8.033	
Net Merch - DP	m3/ha	74.117	74.117		66.953		7.164			
Decay	%	4	3	32	3		12	6	32	
Waste(billing)	%	1	0	20	0		7	1	20	
Total Cull (DWB)	%	8	7	46	5	4	46	11	46	
Net Merch Vol/Tree	m3	1.29	1.41	0.28	1.43	1.65	0.54	2.92	0.28	
Net Merch Vol/Log	m3	0.28	0.29	0.13	0.28	0.34	0.21	0.44	0.13	
Useless Dead/Living	%	8		44					44	
Net Second Growth	%									
All Burn Volume	%									
Heavy Fire Volume	%									
Blowdown Volume	%	25	25		26		100			
Insect Volume	%									
LRF and Log Summary										
Net Merch - Stud	%	16	17		18		14	10		
Net Merch - Small Log	%	56	55	100	56	37	100	21	100	
Net Merch - Large Log	%	44	45		44	63		79		
Avg LRF All	bdft/m3	210	211	166	212	199	190	220	166	

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage and Root Rot, , Wet Belt Fir

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

All Method Summary

Average Line Method
Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage
FIZ: G
PSYU: Edgewood
Region: 4 - Kootenay-Boundary
District: 04 - Selkirk
31-Jul-2020 02:02:03PM
Filename: ta1559.ccp
Compiled by: BCTS
Cruised by: D. BRITTEN
Version: 2019.01 IFS build 6276

Licence Number: A95881 CP: NA
Project: N/A

[R/W : 4.2]

		Total	Conifer	Decid	F	C	PL	L	E	AT
Utilization Limits										
Min DBH cm (M)					17.5	17.5	12.5	17.5	17.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					10.0	10.0	10.0	10.0	10.0	10.0
Log Len m					5.0	5.0	5.0	5.0	5.0	5.0
Volume and Size Data										
Gross Merchantable	m3	1669	1551	117	1245	147	66	93	100	17
Net Merchantable	m3	1524	1450	75	1181	137	45	87	63	12
Net Merch - All	m3/ha	362.914	345.139	17.775	281.244	32.510	10.642	20.743	14.951	2.824
Net Merch - Live	m3/ha	297.953	280.178	17.775	225.482	30.657	5.116	18.924	14.951	2.824
Net Merch - DP	m3/ha	64.961	64.961		55.762	1.853	5.526	1.819		
Decay	%	5	3	26	3	3	10	3	26	22
Waste(billing)	%	1	0	11	0		3	0	11	7
Total Cull (DWB)	%	9	7	36	5	7	32	7	37	31
Net Merch Vol/Tree	m3	0.91	1.03	0.28	1.31	0.53	0.30	0.95	0.25	0.66
Net Merch Vol/Log	m3	0.23	0.24	0.11	0.27	0.19	0.15	0.19	0.10	0.15
Useless Dead/Living	%	5	0	23	1				24	
Net Second Growth	%									
All Burn Volume	%									
Heavy Fire Volume	%									
Blowdown Volume	%	17	17	9	18		52	9	11	
Insect Volume	%									
LRF and Log Summary										
Net Merch - Stud	%	18	19		19		39	31		
Net Merch - Small Log	%	61	59	93	55	72	100	68	100	55
Net Merch - Large Log	%	39	41	7	45	28		32		45
Avg LRF All	bdft/m3	204	206	165	211	169	184	202	161	189

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage and Root Rot, , Wet Belt Fir

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Harvest Method Summary

Average Line Method
Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage
FIZ: G
PSYU: Edgewood
Region: 4 - Kootenay-Boundary
District: 04 - Selkirk
31-Jul-2020 02:02:03PM
Filename: ta1559.ccp
Compiled by: BCTS
Cruised by: D. BRITTEN
Version: 2019.01 IFS build 6276

Licence Number: A95881 CP: NA
Project: N/A

Harvest Method : CC - Cable - Clearcut [All Treatment Units : 13.1]

		Total	Conifer	Decid	F	C	PL	L	E	AT
Utilization Limits										
Min DBH cm (M)					17.5	17.5	12.5	17.5	17.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					10.0	10.0	10.0	10.0	10.0	10.0
Log Len m					5.0	5.0	5.0	5.0	5.0	5.0
Volume and Size Data										
Gross Merchantable	m3	4902	4706	197	4190	159	173	183	197	
Net Merchantable	m3	4493	4388	105	3978	153	94	163	105	
Net Merch - All	m3/ha	342.964	334.931	8.033	303.634	11.675	7.164	12.457	8.033	
Net Merch - Live	m3/ha	268.847	260.814	8.033	236.681	11.675		12.457	8.033	
Net Merch - DP	m3/ha	74.117	74.117		66.953		7.164			
Decay	%	4	3	32	3		12	6	32	
Waste(billing)	%	1	0	20	0		7	1	20	
Total Cull (DWB)	%	8	7	46	5	4	46	11	46	
Net Merch Vol/Tree	m3	1.29	1.41	0.28	1.43	1.65	0.54	2.92	0.28	
Net Merch Vol/Log	m3	0.28	0.29	0.13	0.28	0.34	0.21	0.44	0.13	
Useless Dead/Living	%	8		44					44	
Net Second Growth	%									
All Burn Volume	%									
Heavy Fire Volume	%									
Blowdown Volume	%	25	25		26		100			
Insect Volume	%									
% Average Slope		53								
LRF and Log Summary										
Net Merch - Stud	%	16	17		18		14	10		
Net Merch - Small Log	%	56	55	100	56	37	100	21	100	
Net Merch - Large Log	%	44	45		44	63		79		
Avg LRF All	bdft/m3	210	211	166	212	199	190	220	166	

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage and Root Rot, , Wet Belt Fir

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Harvest Method Summary

Average Line Method
Licence Number: A95881 CP: NA
Project: N/A

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: G
PSYU: Edgewood
Region: 4 - Kootenay-Boundary
District: 04 - Selkirk

31-Jul-2020 02:02:03PM
Filename: ta1559.ccp
Compiled by: BCTS
Cruised by: D. BRITTEN
Version: 2019.01 IFS build 6276

Harvest Method : CC - Cable - Clearcut [CC : 10.9]

		Total	Conifer	Decid	F	C	PL	L	E	AT
Utilization Limits										
Min DBH cm (M)					17.5	17.5	12.5	17.5	17.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					10.0	10.0	10.0	10.0	10.0	10.0
Log Len m					5.0	5.0	5.0	5.0	5.0	5.0
Volume and Size Data										
Gross Merchantable	m3	4079	3916	164	3486	133	144	152	164	
Net Merchantable	m3	3738	3651	88	3310	127	78	136	88	
Net Merch - All	m3/ha	342.964	334.931	8.033	303.634	11.675	7.164	12.457	8.033	
Net Merch - Live	m3/ha	268.847	260.814	8.033	236.681	11.675		12.457	8.033	
Net Merch - DP	m3/ha	74.117	74.117		66.953		7.164			
Decay	%	4	3	32	3		12	6	32	
Waste(billing)	%	1	0	20	0		7	1	20	
Total Cull (DWB)	%	8	7	46	5	4	46	11	46	
Net Merch Vol/Tree	m3	1.29	1.41	0.28	1.43	1.65	0.54	2.92	0.28	
Net Merch Vol/Log	m3	0.28	0.29	0.13	0.28	0.34	0.21	0.44	0.13	
Useless Dead/Living	%	8		44					44	
Net Second Growth	%									
All Burn Volume	%									
Heavy Fire Volume	%									
Blowdown Volume	%	25	25		26		100			
Insect Volume	%									
LRF and Log Summary										
Net Merch - Stud	%	16	17		18		14	10		
Net Merch - Small Log	%	56	55	100	56	37	100	21	100	
Net Merch - Large Log	%	44	45		44	63		79		
Avg LRF All	bdft/m3	210	211	166	212	199	190	220	166	

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage and Root Rot, , Wet Belt Fir

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Harvest Method Summary

Average Line Method
Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage
FIZ: G
PSYU: Edgewood
Region: 4 - Kootenay-Boundary
District: 04 - Selkirk
31-Jul-2020 02:02:03PM
Filename: ta1559.ccp
Compiled by: BCTS
Cruised by: D. BRITTEN
Version: 2019.01 IFS build 6276

Licence Number: A95881 CP: NA
Project: N/A

Harvest Method : CC - Cable - Clearcut [R/W : 2.2]

		Total	Conifer	Decid	F	C	PL	L	E	AT
Utilization Limits										
Min DBH cm (M)					17.5	17.5	12.5	17.5	17.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					10.0	10.0	10.0	10.0	10.0	10.0
Log Len m					5.0	5.0	5.0	5.0	5.0	5.0
Volume and Size Data										
Gross Merchantable	m3	823	790	33	704	27	29	31	33	
Net Merchantable	m3	755	737	18	668	26	16	27	18	
Net Merch - All	m3/ha	342.964	334.931	8.033	303.634	11.675	7.164	12.457	8.033	
Net Merch - Live	m3/ha	268.847	260.814	8.033	236.681	11.675		12.457	8.033	
Net Merch - DP	m3/ha	74.117	74.117		66.953		7.164			
Decay	%	4	3	32	3		12	6	32	
Waste(billing)	%	1	0	20	0		7	1	20	
Total Cull (DWB)	%	8	7	46	5	4	46	11	46	
Net Merch Vol/Tree	m3	1.29	1.41	0.28	1.43	1.65	0.54	2.92	0.28	
Net Merch Vol/Log	m3	0.28	0.29	0.13	0.28	0.34	0.21	0.44	0.13	
Useless Dead/Living	%	8		44					44	
Net Second Growth	%									
All Burn Volume	%									
Heavy Fire Volume	%									
Blowdown Volume	%	25	25		26		100			
Insect Volume	%									
LRF and Log Summary										
Net Merch - Stud	%	16	17		18		14	10		
Net Merch - Small Log	%	56	55	100	56	37	100	21	100	
Net Merch - Large Log	%	44	45		44	63		79		
Avg LRF All	bdft/m3	210	211	166	212	199	190	220	166	

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage and Root Rot, , Wet Belt Fir

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Harvest Method Summary

Average Line Method
Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage
FIZ: G
PSYU: Edgewood
Region: 4 - Kootenay-Boundary
District: 04 - Selkirk
31-Jul-2020 02:02:03PM
Filename: ta1559.ccp
Compiled by: BCTS
Cruised by: D. BRITTEN
Version: 2019.01 IFS build 6276

Licence Number: A95881 CP: NA
Project: N/A

Harvest Method : SC - Ground Systems - Clearcut[All Treatment Units : 25.5]

		Total	Conifer	Decid	F	C	PL	L	E	AT
Utilization Limits										
Min DBH cm (M)					17.5	17.5	12.5	17.5	17.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					10.0	10.0	10.0	10.0	10.0	10.0
Log Len m					5.0	5.0	5.0	5.0	5.0	5.0
Volume and Size Data										
Gross Merchantable	m3	10779	9704	1074	6902	1536	469	797	856	218
Net Merchantable	m3	9814	9087	727	6544	1413	369	761	575	151
Net Merch - All	m3/ha	384.860	356.368	28.492	256.615	55.428	14.468	29.858	22.561	5.931
Net Merch - Live	m3/ha	329.971	301.479	28.492	213.162	51.536	10.743	26.037	22.561	5.931
Net Merch - DP	m3/ha	54.889	54.889		43.452	3.892	3.725	3.820		
Decay	%	5	3	23	3	4	9	1	23	22
Waste(billing)	%	1	0	8	0		1		8	7
Total Cull (DWB)	%	9	6	32	5	8	21	4	33	31
Net Merch Vol/Tree	m3	0.71	0.81	0.27	1.18	0.46	0.24	0.72	0.24	0.66
Net Merch Vol/Log	m3	0.20	0.21	0.10	0.25	0.17	0.12	0.15	0.09	0.15
Useless Dead/Living	%	3	1	13	1				14	
Net Second Growth	%									
All Burn Volume	%									
Heavy Fire Volume	%									
Blowdown Volume	%	9	8	12	9		26	13	15	
Insect Volume	%									
% Average Slope		40								
LRF and Log Summary										
Net Merch - Stud	%	19	21		21		53	41		
Net Merch - Small Log	%	66	64	91	55	79	100	90	100	55
Net Merch - Large Log	%	34	36	9	45	21		10		45
Avg LRF All	bdft/m3	197	200	165	210	163	180	194	159	189

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage and Root Rot, , Wet Belt Fir

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Harvest Method Summary

Average Line Method
Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage
FIZ: G
PSYU: Edgewood
Region: 4 - Kootenay-Boundary
District: 04 - Selkirk
31-Jul-2020 02:02:03PM
Filename: ta1559.ccp
Compiled by: BCTS
Cruised by: D. BRITTEN
Version: 2019.01 IFS build 6276

Licence Number: A95881 CP: NA
Project: N/A

Harvest Method : SC - Ground Systems - Clearcut[SC : 23.5]

		Total	Conifer	Decid	F	C	PL	L	E	AT
Utilization Limits										
Min DBH cm (M)					17.5	17.5	12.5	17.5	17.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					10.0	10.0	10.0	10.0	10.0	10.0
Log Len m					5.0	5.0	5.0	5.0	5.0	5.0
Volume and Size Data										
Gross Merchantable	m3	9933	8943	990	6361	1416	432	734	789	201
Net Merchantable	m3	9044	8375	670	6030	1303	340	702	530	139
Net Merch - All	m3/ha	384.860	356.368	28.492	256.615	55.428	14.468	29.858	22.561	5.931
Net Merch - Live	m3/ha	329.971	301.479	28.492	213.162	51.536	10.743	26.037	22.561	5.931
Net Merch - DP	m3/ha	54.889	54.889		43.452	3.892	3.725	3.820		
Decay	%	5	3	23	3	4	9	1	23	22
Waste(billing)	%	1	0	8	0		1		8	7
Total Cull (DWB)	%	9	6	32	5	8	21	4	33	31
Net Merch Vol/Tree	m3	0.71	0.81	0.27	1.18	0.46	0.24	0.72	0.24	0.66
Net Merch Vol/Log	m3	0.20	0.21	0.10	0.25	0.17	0.12	0.15	0.09	0.15
Useless Dead/Living	%	3	1	13	1				14	
Net Second Growth	%									
All Burn Volume	%									
Heavy Fire Volume	%									
Blowdown Volume	%	9	8	12	9		26	13	15	
Insect Volume	%									
LRF and Log Summary										
Net Merch - Stud	%	19	21		21		53	41		
Net Merch - Small Log	%	66	64	91	55	79	100	90	100	55
Net Merch - Large Log	%	34	36	9	45	21		10		45
Avg LRF All	bdft/m3	197	200	165	210	163	180	194	159	189

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage and Root Rot, , Wet Belt Fir

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Harvest Method Summary

Average Line Method
Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage
FIZ: G
PSYU: Edgewood
Region: 4 - Kootenay-Boundary
District: 04 - Selkirk
31-Jul-2020 02:02:03PM
Filename: ta1559.ccp
Compiled by: BCTS
Cruised by: D. BRITTEN
Version: 2019.01 IFS build 6276

Licence Number: A95881 CP: NA
Project: N/A

Harvest Method : SC - Ground Systems - Clearcut[R/W : 2.0]

		Total	Conifer	Decid	F	C	PL	L	E	AT
Utilization Limits										
Min DBH cm (M)					17.5	17.5	12.5	17.5	17.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					10.0	10.0	10.0	10.0	10.0	10.0
Log Len m					5.0	5.0	5.0	5.0	5.0	5.0
Volume and Size Data										
Gross Merchantable	m3	845	761	84	541	121	37	62	67	17
Net Merchantable	m3	770	713	57	513	111	29	60	45	12
Net Merch - All	m3/ha	384.860	356.368	28.492	256.615	55.428	14.468	29.858	22.561	5.931
Net Merch - Live	m3/ha	329.970	301.479	28.492	213.162	51.536	10.743	26.037	22.561	5.931
Net Merch - DP	m3/ha	54.889	54.889		43.452	3.892	3.725	3.820		
Decay	%	5	3	23	3	4	9	1	23	22
Waste(billing)	%	1	0	8	0		1		8	7
Total Cull (DWB)	%	9	6	32	5	8	21	4	33	31
Net Merch Vol/Tree	m3	0.71	0.81	0.27	1.18	0.46	0.24	0.72	0.24	0.66
Net Merch Vol/Log	m3	0.20	0.21	0.10	0.25	0.17	0.12	0.15	0.09	0.15
Useless Dead/Living	%	3	1	13	1				14	
Net Second Growth	%									
All Burn Volume	%									
Heavy Fire Volume	%									
Blowdown Volume	%	9	8	12	9		26	13	15	
Insect Volume	%									
LRF and Log Summary										
Net Merch - Stud	%	19	21		21		53	41		
Net Merch - Small Log	%	66	64	91	55	79	100	90	100	55
Net Merch - Large Log	%	34	36	9	45	21		10		45
Avg LRF All	bdft/m3	197	200	165	210	163	180	194	159	189

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage and Root Rot, , Wet Belt Fir

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Cutting Permit Summary

Average Line Method

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: G
PSYU: Edgewood
Region: 4 - Kootenay-Boundary
District: 04 - Selkirk

31-Jul-2020 02:02:03PM
Filename: ta1559.ccp
Compiled by: BCTS
Cruised by: D. BRITTEN
Version: 2019.01 IFS build 6276

Licence Number: A95881 CP: NA
Project: N/A

Net Area: [All Treatment Units : 38.6]
Gross Area: [Grand Total : 38.6]

		Total	Conifer	Decid	F	C	PL	L	E	AT
Utilization Limits										
Min DBH cm (M)					17.5	17.5	12.5	17.5	17.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					10.0	10.0	10.0	10.0	10.0	10.0
Log Len m					5.0	5.0	5.0	5.0	5.0	5.0
Volume and Size Data										
Gross Merchantable	m3	15681	14410	1271	11092	1696	642	980	1053	218
Net Merchantable	m3	14307	13475	832	10521	1566	463	925	681	151
Net Merch - All	m3/ha	371	349	22	273	41	12	24	18	4
Distribution	%	100	94	6	74	11	3	6	5	1
Decay	%	5	3	24	3	4	10	2	25	22
Waste	%	1	0	6	0		1	0	6	5
Waste(billing)	%	1	0	9	0		2	0	10	7
Breakage	%	3	3	4	2	4	17	3	4	4
Total Cull (DWB)	%	9	6	35	5	8	28	6	35	31
Basal Area / Ha	m2/ha	39.6	35.5	4.1	26.2	5.3	1.7	2.3	3.6	0.5
Net VBAR	m3/m2	9.371	9.844	4.900	10.394	8.263	7.044	10.427	4.614	5.485
Stems/Ha (Live & DP)		449.4	371.1	78.3	216.0	81.6	44.7	28.8	72.4	5.9
Avg DBH (Live & DP)	cm	33.5	34.9	25.9	39.3	28.7	21.8	31.9	25.3	31.9
Snags/Ha		19.8	1.6	18.2	1.6				18.2	
Avg Snag DBH	cm	29.5	35.0	28.9	35.0				28.9	
Gross Merch Vol/Tree	m3	0.90	1.01	0.42	1.33	0.54	0.37	0.88	0.38	0.96
Net Merch Vol/Tree	m3	0.82	0.94	0.28	1.26	0.50	0.27	0.83	0.24	0.66
Avg Weight Total Ht	m	32.5	33.3	23.5	34.8	25.2	26.0	35.3	21.9	31.5
Avg Weight Merch Ht	m	27.1	27.8	16.4	29.3	19.7	21.1	28.9	14.4	25.6
Net Merch Vol/Log	m3	0.22	0.23	0.11	0.26	0.18	0.14	0.17	0.10	0.15
Gross Merch Vol/Log	m3	0.23	0.24	0.15	0.27	0.18	0.16	0.18	0.14	0.20
Avg # of Logs/Tree		3.94	4.19	2.78	4.95	2.92	2.37	4.93	2.62	4.69
Net Immature	%	85.6	90.9		91.4	100.0	64.8	82.3		
Average Slope	%	44								
LRF and Log Summary										
Net Merch - Stud	%	18.3	19.4		19.8		45.2	35.8		
Net Merch - Small Log	%	62.4	60.6	91.9	55.2	75.4	100.0	77.7	100.0	55.3
Net Merch - Large Log	%	37.6	39.4	8.1	44.8	24.6		22.3		44.7
Avg LRF All	bdft/m3	201.3	203.5	165.3	210.5	166.2	182.2	198.2	160.1	188.5
Statistical Summary										
Coeff. of Variation	%	65.5	69.5	156.3	80.6	267.8	283.0	271.3	180.0	447.7
Two Standard Error	%	24.1	25.5	57.4	29.6	98.3	103.9	99.7	66.1	164.4
Number and Type of Plots		MP = 31								
Number of Potential Trees		126								
Plots/Ha		0.8								
Cruised Trees/Plot		4.1								

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage and Root Rot, , Wet Belt Fir

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Cutting Permit Summary

Average Line Method

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: G
PSYU: Edgewood
Region: 4 - Kootenay-Boundary
District: 04 - Selkirk

31-Jul-2020 02:02:03PM
Filename: ta1559.ccp
Compiled by: BCTS
Cruised by: D. BRITTEN
Version: 2019.01 IFS build 6276

Licence Number: A95881 CP: NA
Project: N/A

Net Area: [SC : 23.5]

		Total	Conifer	Decid	F	C	PL	L	E	AT
Utilization Limits										
Min DBH cm (M)					17.5	17.5	12.5	17.5	17.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					10.0	10.0	10.0	10.0	10.0	10.0
Log Len m					5.0	5.0	5.0	5.0	5.0	5.0
Volume and Size Data										
Gross Merchantable	m3	9933	8943	990	6361	1416	432	734	789	201
Net Merchantable	m3	9044	8375	670	6030	1303	340	702	530	139
Net Merch - All	m3/ha	385	356	28	257	55	14	30	23	6
Distribution	%	100	93	7	67	14	4	8	6	2
Decay	%	5	3	23	3	4	9	1	23	22
Waste	%	1	0	5	0		1		6	5
Waste(billing)	%	1	0	8	0		1		8	7
Breakage	%	3	3	4	2	4	12	3	4	4
Total Cull (DWB)	%	9	6	32	5	8	21	4	33	31
Basal Area / Ha	m2/ha	41.7	36.7	5.0	24.5	7.4	1.9	2.9	4.3	0.7
Net VBAR	m3/m2	9.371	9.844	4.900	10.394	8.263	7.044	10.427	4.614	5.485
Stems/Ha (Live & DP)		543.8	439.8	104.0	217.7	119.8	60.8	41.4	95.1	8.9
Avg DBH (Live & DP)	cm	31.2	32.6	24.7	37.9	28.0	20.0	29.6	24.0	31.9
Snags/Ha		18.6	2.5	16.1	2.5				16.1	
Avg Snag DBH	cm	31.3	35.0	30.7	35.0				30.7	
Gross Merch Vol/Tree	m3	0.78	0.87	0.41	1.24	0.50	0.30	0.75	0.35	0.96
Net Merch Vol/Tree	m3	0.71	0.81	0.27	1.18	0.46	0.24	0.72	0.24	0.66
Avg Weight Total Ht	m	32.0	32.9	24.3	35.1	24.6	25.8	34.3	22.5	31.5
Avg Weight Merch Ht	m	26.5	27.3	16.9	29.5	19.0	20.9	27.5	14.7	25.6
Net Merch Vol/Log	m3	0.20	0.21	0.10	0.25	0.17	0.12	0.15	0.09	0.15
Gross Merch Vol/Log	m3	0.21	0.22	0.14	0.26	0.18	0.14	0.16	0.13	0.20
Avg # of Logs/Tree		3.72	3.93	2.84	4.85	2.86	2.18	4.82	2.66	4.69
Net Immature	%	89.1	96.2		95.8	100.0	81.2	100.0		
Average Slope	%	44								
LRF and Log Summary										
Net Merch - Stud	%	19.3	20.8		21.1		53.2	41.3		
Net Merch - Small Log	%	65.6	63.5	90.7	55.0	79.5	100.0	89.9	100.0	55.3
Net Merch - Large Log	%	34.4	36.5	9.3	45.0	20.5		10.1		44.7
Avg LRF All	bdft/m3	197.4	199.9	165.2	209.8	162.7	180.3	193.5	159.1	188.5
Statistical Summary										
Coeff. of Variation	%	65.5	69.5	156.3	80.6	267.8	283.0	271.3	180.0	447.7
Two Standard Error	%	24.1	25.5	57.4	29.6	98.3	103.9	99.7	66.1	164.4
Number and Type of Plots		MP = 31								
Number of Potential Trees		126								
Plots/Ha		0.8								
Cruised Trees/Plot		4.1								

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage and Root Rot, , Wet Belt Fir

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Cutting Permit Summary

Average Line Method

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: G
PSYU: Edgewood
Region: 4 - Kootenay-Boundary
District: 04 - Selkirk

31-Jul-2020 02:02:03PM
Filename: ta1559.ccp
Compiled by: BCTS
Cruised by: D. BRITTEN
Version: 2019.01 IFS build 6276

Licence Number: A95881 CP: NA
Project: N/A

Net Area: [CC : 10.9]

		Total	Conifer	Decid	F	C	PL	L	E	AT
Utilization Limits										
Min DBH cm (M)					17.5	17.5	12.5	17.5	17.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					10.0	10.0	10.0	10.0	10.0	10.0
Log Len m					5.0	5.0	5.0	5.0	5.0	5.0
Volume and Size Data										
Gross Merchantable	m3	4079	3916	164	3486	133	144	152	164	
Net Merchantable	m3	3738	3651	88	3310	127	78	136	88	
Net Merch - All	m3/ha	343	335	8	304	12	7	12	8	
Distribution	%	100	98	2	89	3	2	4	2	
Decay	%	4	3	32	3		12	6	32	
Waste	%	1	0	11	0		4	1	11	
Waste(billing)	%	1	0	20	0		7	1	20	
Breakage	%	3	3	4	2	4	30	4	4	
Total Cull (DWB)	%	8	7	46	5	4	46	11	46	
Basal Area / Ha	m2/ha	35.6	33.2	2.4	29.6	1.2	1.2	1.2	2.4	
Net VBAR	m3/m2	9.371	9.844	4.900	10.394	8.263	7.044	10.427	4.614	
Stems/Ha (Live & DP)		265.5	237.3	28.2	212.7	7.1	13.2	4.3	28.2	
Avg DBH (Live & DP)	cm	41.3	42.2	32.9	42.1	46.5	34.0	59.8	32.9	
Snags/Ha		22.3		22.3					22.3	
Avg Snag DBH	cm	26.2		26.2					26.2	
Gross Merch Vol/Tree	m3	1.41	1.51	0.53	1.50	1.72	1.00	3.27	0.53	
Net Merch Vol/Tree	m3	1.29	1.41	0.28	1.43	1.65	0.54	2.92	0.28	
Avg Weight Total Ht	m	33.6	34.2	19.0	34.4	31.4	26.5	40.2	19.0	
Avg Weight Merch Ht	m	28.5	29.0	13.1	29.1	26.4	21.9	35.4	13.1	
Net Merch Vol/Log	m3	0.28	0.29	0.13	0.28	0.34	0.21	0.44	0.13	
Gross Merch Vol/Log	m3	0.29	0.30	0.23	0.29	0.34	0.25	0.47	0.23	
Avg # of Logs/Tree		4.82	5.12	2.36	5.15	5.00	4.00	7.00	2.36	
Net Immature	%	78.0	79.9		84.2	100.0				
Average Slope	%	44								
LRF and Log Summary										
Net Merch - Stud	%	16.2	16.6		17.6		13.5	9.9		
Net Merch - Small Log	%	55.7	54.6	100.0	55.6	37.2	100.0	20.7	100.0	
Net Merch - Large Log	%	44.3	45.4		44.4	62.8		79.3		
Avg LRF All	bdft/m3	209.9	210.9	165.7	211.5	198.8	189.8	219.9	165.7	
Statistical Summary										
Coeff. of Variation	%	65.5	69.5	156.3	80.6	267.8	283.0	271.3	180.0	
Two Standard Error	%	24.1	25.5	57.4	29.6	98.3	103.9	99.7	66.1	
Number and Type of Plots		MP = 31								
Number of Potential Trees		126								
Plots/Ha		0.8								
Cruised Trees/Plot		4.1								

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage and Root Rot, , Wet Belt Fir

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Cutting Permit Summary

Average Line Method

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: G
PSYU: Edgewood
Region: 4 - Kootenay-Boundary
District: 04 - Selkirk

31-Jul-2020 02:02:03PM
Filename: ta1559.ccp
Compiled by: BCTS
Cruised by: D. BRITTEN
Version: 2019.01 IFS build 6276

Licence Number: A95881 CP: NA
Project: N/A

Net Area: [R/W : 4.2]

		Total	Conifer	Decid	F	C	PL	L	E	AT
Utilization Limits										
Min DBH cm (M)					17.5	17.5	12.5	17.5	17.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					10.0	10.0	10.0	10.0	10.0	10.0
Log Len m					5.0	5.0	5.0	5.0	5.0	5.0
Volume and Size Data										
Gross Merchantable	m3	1669	1551	117	1245	147	66	93	100	17
Net Merchantable	m3	1524	1450	75	1181	137	45	87	63	12
Net Merch - All	m3/ha	363	345	18	281	33	11	21	15	3
Distribution	%	100	95	5	77	9	3	6	4	1
Decay	%	5	3	26	3	3	10	3	26	22
Waste	%	1	0	7	0		2	0	7	5
Waste(billing)	%	1	0	11	0		3	0	11	7
Breakage	%	3	3	4	2	4	20	3	4	4
Total Cull (DWB)	%	9	7	36	5	7	32	7	37	31
Basal Area / Ha	m2/ha	38.5	34.9	3.6	27.2	4.1	1.5	2.0	3.3	0.3
Net VBAR	m3/m2	9.371	9.844	4.900	10.394	8.263	7.044	10.427	4.614	5.485
Stems/Ha (Live & DP)		398.0	333.7	64.3	215.1	60.8	35.9	21.9	60.1	4.2
Avg DBH (Live & DP)	cm	35.1	36.5	26.8	40.1	29.5	23.3	34.0	26.4	31.9
Snags/Ha		20.5	1.2	19.3	1.2				19.3	
Avg Snag DBH	cm	28.5	35.0	28.1	35.0				28.1	
Gross Merch Vol/Tree	m3	1.00	1.11	0.43	1.38	0.58	0.44	1.01	0.40	0.96
Net Merch Vol/Tree	m3	0.91	1.03	0.28	1.31	0.53	0.30	0.95	0.25	0.66
Avg Weight Total Ht	m	32.7	33.5	22.8	34.7	25.8	26.1	36.2	21.4	31.5
Avg Weight Merch Ht	m	27.5	28.2	15.9	29.3	20.4	21.3	30.0	14.2	25.6
Net Merch Vol/Log	m3	0.23	0.24	0.11	0.27	0.19	0.15	0.19	0.10	0.15
Gross Merch Vol/Log	m3	0.24	0.25	0.16	0.28	0.19	0.17	0.20	0.15	0.20
Avg # of Logs/Tree		4.11	4.37	2.73	5.00	2.99	2.53	5.04	2.59	4.69
Net Immature	%	83.6	87.9		89.3	100.0	52.6	68.5		
Average Slope	%	44								
LRF and Log Summary										
Net Merch - Stud	%	17.8	18.7		19.1		39.2	31.4		
Net Merch - Small Log	%	60.7	59.0	92.9	55.3	71.5	100.0	68.1	100.0	55.3
Net Merch - Large Log	%	39.3	41.0	7.1	44.7	28.5		31.9		44.7
Avg LRF All	bdft/m3	203.5	205.5	165.3	210.8	169.5	183.6	201.8	160.9	188.5
Statistical Summary										
Coeff. of Variation	%	65.5	69.5	156.3	80.6	267.8	283.0	271.3	180.0	447.7
Two Standard Error	%	24.1	25.5	57.4	29.6	98.3	103.9	99.7	66.1	164.4
Number and Type of Plots		MP = 31								
Number of Potential Trees		126								
Plots/Ha		0.8								
Cruised Trees/Plot		4.1								

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage and Root Rot, , Wet Belt Fir

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Cutting Permit Damage Summary [Blowdown Damage]

Average Line Method
Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage
FIZ: G
PSYU: Edgewood
Region: 4 - Kootenay-Boundary
District: 04 - Selkirk
31-Jul-2020 02:02:03PM
Filename: ta1559.ccp
Compiled by: BCTS
Cruised by: D. BRITTEN
Version: 2019.01 IFS build 6276

Licence Number: A95881 CP: NA
Project: N/A

Net Area: [All Treatment Units : 38.6]
Gross Area: [Grand Total : 38.6]
Species: Birch

Type of Damage:		Total	No Dmg	E-Down
Volume and Size Data				
Gross Merchantable	m3	1053	959	94
Net Merchantable	m3	681	595	86
Net Merch - All	m3/ha	18	15	2
Distribution	%	100	87	13
Decay	%	25	27	5
Waste	%	6	7	
Waste(billing)	%	10	11	
Breakage	%	4	4	4
Total Cull (DWB)	%	35	38	9
Basal Area / Ha	m2/ha	3.6	3.3	0.3
Net VBAR	m3/m2	4.614	4.614	4.614
Stems/Ha (Live & DP)		72.4	60.6	11.8
Avg DBH (Live & DP)	cm	25.3	26.5	18.4
Snags/Ha		18.2	18.2	
Avg Snag DBH	cm	28.9	28.9	
Gross Merch Vol/Tree	m3	0.38	0.41	0.21
Net Merch Vol/Tree	m3	0.24	0.25	0.19
Avg Weight Total Ht	m	21.9	21.9	22.1
Avg Weight Merch Ht	m	14.4	14.6	12.8
Net Merch Vol/Log	m3	0.10	0.11	0.07
Gross Merch Vol/Log	m3	0.14	0.16	0.07
Avg # of Logs/Tree		2.62	2.55	3.00
Net Immature	%			
LRF and Log Summary				
Net Merch - Stud	%			
Net Merch - Small Log	%	100.0	100.0	100.0
Net Merch - Large Log	%			
Avg LRF All	bdft/m3	160.1	160.9	154.3

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage and Root Rot, , Wet Belt Fir

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Cutting Permit Damage Summary [Blowdown Damage]

Average Line Method
Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage
FIZ: G
PSYU: Edgewood
Region: 4 - Kootenay-Boundary
District: 04 - Selkirk
31-Jul-2020 02:02:03PM
Filename: ta1559.ccp
Compiled by: BCTS
Cruised by: D. BRITTEN
Version: 2019.01 IFS build 6276

Licence Number: A95881 CP: NA
Project: N/A

Net Area: [All Treatment Units : 38.6]
Gross Area: [Grand Total : 38.6]
Species: Doug-Fir

Type of Damage:		Total	No Dmg	E-Down	G-Shatt
Volume and Size Data					
Gross Merchantable	m3	11092	9394	800	897
Net Merchantable	m3	10521	8926	751	845
Net Merch - All	m3/ha	273	231	19	22
Distribution	%	100	85	7	8
Decay	%	3	3	4	4
Waste	%	0	0		
Waste(billing)	%	0	0		
Breakage	%	2	2	2	2
Total Cull (DWB)	%	5	5	6	6
Basal Area / Ha	m2/ha	26.2	22.0	1.9	2.4
Net VBAR	m3/m2	10.394	10.394	10.394	10.394
Stems/Ha (Live & DP)		216.0	173.0	15.7	27.3
Avg DBH (Live & DP)	cm	39.3	40.2	39.2	33.4
Snags/Ha		1.6	1.6		
Avg Snag DBH	cm	35.0	35.0		
Gross Merch Vol/Tree	m3	1.33	1.41	1.32	0.85
Net Merch Vol/Tree	m3	1.26	1.34	1.24	0.80
Avg Weight Total Ht	m	34.8	35.4	34.1	30.1
Avg Weight Merch Ht	m	29.3	29.9	28.4	24.2
Net Merch Vol/Log	m3	0.26	0.27	0.23	0.20
Gross Merch Vol/Log	m3	0.27	0.28	0.24	0.20
Avg # of Logs/Tree		4.95	5.03	5.43	4.16
Net Immature	%	91.4	89.9	100.0	100.0
LRF and Log Summary					
Net Merch - Stud	%	19.8	18.2	20.9	34.9
Net Merch - Small Log	%	55.2	51.6	58.8	89.8
Net Merch - Large Log	%	44.8	48.4	41.2	10.2
Avg LRF All	bdft/m3	210.5	212.2	206.0	195.6

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage and Root Rot, , Wet Belt Fir

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Cutting Permit Damage Summary [Blowdown Damage]

Average Line Method
Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage
FIZ: G
PSYU: Edgewood
Region: 4 - Kootenay-Boundary
District: 04 - Selkirk
31-Jul-2020 02:02:03PM
Filename: ta1559.ccp
Compiled by: BCTS
Cruised by: D. BRITTEN
Version: 2019.01 IFS build 6276

Licence Number: A95881 CP: NA
Project: N/A

Net Area: [All Treatment Units : 38.6]
Gross Area: [Grand Total : 38.6]
Species: Larch

Type of Damage:		Total	No Dmg	E-Down
Volume and Size Data				
Gross Merchantable	m3	980	879	100
Net Merchantable	m3	925	827	97
Net Merch - All	m3/ha	24	21	3
Distribution	%	100	89	11
Decay	%	2	3	
Waste	%	0	0	
Waste(billing)	%	0	0	
Breakage	%	3	3	3
Total Cull (DWB)	%	6	6	3
Basal Area / Ha	m2/ha	2.3	2.0	0.3
Net VBAR	m3/m2	10.427	10.427	10.427
Stems/Ha (Live & DP)		28.8	21.3	7.4
Avg DBH (Live & DP)	cm	31.9	34.4	23.2
Snags/Ha				
Avg Snag DBH	cm			
Gross Merch Vol/Tree	m3	0.88	1.07	0.35
Net Merch Vol/Tree	m3	0.83	1.00	0.34
Avg Weight Total Ht	m	35.3	36.6	25.0
Avg Weight Merch Ht	m	28.9	30.2	17.6
Net Merch Vol/Log	m3	0.17	0.20	0.09
Gross Merch Vol/Log	m3	0.18	0.20	0.09
Avg # of Logs/Tree		4.93	5.25	4.00
Net Immature	%	82.3	80.3	100.0
LRF and Log Summary				
Net Merch - Stud	%	35.8	28.2	100.0
Net Merch - Small Log	%	77.7	75.0	100.0
Net Merch - Large Log	%	22.3	25.0	
Avg LRF All	bdft/m3	198.2	200.7	177.0

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage and Root Rot, , Wet Belt Fir

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Cutting Permit Damage Summary [Blowdown Damage]

Average Line Method
Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage
FIZ: G
PSYU: Edgewood
Region: 4 - Kootenay-Boundary
District: 04 - Selkirk
31-Jul-2020 02:02:03PM
Filename: ta1559.ccp
Compiled by: BCTS
Cruised by: D. BRITTEN
Version: 2019.01 IFS build 6276

Licence Number: A95881 CP: NA
Project: N/A

Net Area: [All Treatment Units : 38.6]
Gross Area: [Grand Total : 38.6]
Species: L.P. Pine

Type of Damage:		Total	No Dmg	E-Down
Volume and Size Data				
Gross Merchantable	m3	642	309	334
Net Merchantable	m3	463	274	189
Net Merch - All	m3/ha	12	7	5
Distribution	%	100	59	41
Decay	%	10	9	11
Waste	%	1	0	3
Waste(billing)	%	2	0	5
Breakage	%	17	2	30
Total Cull (DWB)	%	28	11	43
Basal Area / Ha	m2/ha	1.7	0.6	1.0
Net VBAR	m3/m2	7.044	7.044	7.044
Stems/Ha (Live & DP)		44.7	9.9	34.8
Avg DBH (Live & DP)	cm	21.8	28.5	19.5
Snags/Ha				
Avg Snag DBH	cm			
Gross Merch Vol/Tree	m3	0.37	0.81	0.25
Net Merch Vol/Tree	m3	0.27	0.72	0.14
Avg Weight Total Ht	m	26.0	29.8	22.7
Avg Weight Merch Ht	m	21.1	24.4	18.1
Net Merch Vol/Log	m3	0.14	0.17	0.12
Gross Merch Vol/Log	m3	0.16	0.18	0.14
Avg # of Logs/Tree		2.37	4.41	1.79
Net Immature	%	64.8	100.0	13.7
LRF and Log Summary				
Net Merch - Stud	%	45.2	37.0	57.0
Net Merch - Small Log	%	100.0	100.0	100.0
Net Merch - Large Log	%			
Avg LRF All	bdft/m3	182.2	185.9	176.9

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage and Root Rot, , Wet Belt Fir

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Cutting Permit Damage Summary [Blowdown Damage]

Average Line Method
Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage
FIZ: G
PSYU: Edgewood
Region: 4 - Kootenay-Boundary
District: 04 - Selkirk
31-Jul-2020 02:02:03PM
Filename: ta1559.ccp
Compiled by: BCTS
Cruised by: D. BRITTEN
Version: 2019.01 IFS build 6276

Licence Number: A95881 CP: NA
Project: N/A

Net Area: [SC : 23.5]

Species: Birch

Type of Damage:		Total	No Dmg	E-Down
Volume and Size Data				
Gross Merchantable	m3	789	702	87
Net Merchantable	m3	530	451	79
Net Merch - All	m3/ha	23	19	3
Distribution	%	100	85	15
Decay	%	23	26	5
Waste	%	6	6	
Waste(billing)	%	8	10	
Breakage	%	4	4	4
Total Cull (DWB)	%	33	36	9
Basal Area / Ha	m2/ha	4.3	3.8	0.5
Net VBAR	m3/m2	4.614	4.614	4.614
Stems/Ha (Live & DP)		95.1	77.2	17.9
Avg DBH (Live & DP)	cm	24.0	25.1	18.4
Snags/Ha		16.1	16.1	
Avg Snag DBH	cm	30.7	30.7	
Gross Merch Vol/Tree	m3	0.35	0.39	0.21
Net Merch Vol/Tree	m3	0.24	0.25	0.19
Avg Weight Total Ht	m	22.5	22.6	22.1
Avg Weight Merch Ht	m	14.7	15.0	12.8
Net Merch Vol/Log	m3	0.09	0.10	0.07
Gross Merch Vol/Log	m3	0.13	0.15	0.07
Avg # of Logs/Tree		2.66	2.59	3.00
Net Immature	%			
LRF and Log Summary				
Net Merch - Stud	%			
Net Merch - Small Log	%	100.0	100.0	100.0
Net Merch - Large Log	%			
Avg LRF All	bdft/m3	159.1	159.9	154.3

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage and Root Rot, , Wet Belt Fir

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Cutting Permit Damage Summary [Blowdown Damage]

Average Line Method
Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage
FIZ: G
PSYU: Edgewood
Region: 4 - Kootenay-Boundary
District: 04 - Selkirk
31-Jul-2020 02:02:03PM
Filename: ta1559.ccp
Compiled by: BCTS
Cruised by: D. BRITTEN
Version: 2019.01 IFS build 6276

Licence Number: A95881 CP: NA
Project: N/A

Net Area: [SC : 23.5]

Species: Doug-Fir

Type of Damage:		Total	No Dmg	E-Down	G-Shatt
Volume and Size Data					
Gross Merchantable	m3	6361	5796	376	189
Net Merchantable	m3	6030	5497	355	178
Net Merch - All	m3/ha	257	234	15	8
Distribution	%	100	91	6	3
Decay	%	3	3	4	4
Waste	%	0	0		
Waste(billing)	%	0	0		
Breakage	%	2	2	2	2
Total Cull (DWB)	%	5	5	6	6
Basal Area / Ha	m2/ha	24.5	22.1	1.4	1.0
Net VBAR	m3/m2	10.394	10.394	10.394	10.394
Stems/Ha (Live & DP)		217.7	190.2	11.0	16.5
Avg DBH (Live & DP)	cm	37.9	38.5	40.7	27.1
Snags/Ha		2.5	2.5		
Avg Snag DBH	cm	35.0	35.0		
Gross Merch Vol/Tree	m3	1.24	1.30	1.46	0.49
Net Merch Vol/Tree	m3	1.18	1.23	1.38	0.46
Avg Weight Total Ht	m	35.1	35.4	35.2	26.0
Avg Weight Merch Ht	m	29.5	29.8	29.6	19.7
Net Merch Vol/Log	m3	0.25	0.25	0.26	0.14
Gross Merch Vol/Log	m3	0.26	0.26	0.27	0.14
Avg # of Logs/Tree		4.85	4.93	5.51	3.43
Net Immature	%	95.8	95.4	100.0	100.0
LRF and Log Summary					
Net Merch - Stud	%	21.1	20.1	17.9	55.8
Net Merch - Small Log	%	55.0	54.5	49.8	80.8
Net Merch - Large Log	%	45.0	45.5	50.2	19.2
Avg LRF All	bdft/m3	209.8	210.5	211.1	187.2

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage and Root Rot, , Wet Belt Fir

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Cutting Permit Damage Summary [Blowdown Damage]

Average Line Method
Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage
FIZ: G
PSYU: Edgewood
Region: 4 - Kootenay-Boundary
District: 04 - Selkirk
31-Jul-2020 02:02:03PM
Filename: ta1559.ccp
Compiled by: BCTS
Licence Number: A95881 CP: NA
Project: N/A
Cruised by: D. BRITTEN
Version: 2019.01 IFS build 6276

Net Area: [SC : 23.5]

Species: Larch

Type of Damage:		Total	No Dmg	E-Down
Volume and Size Data				
Gross Merchantable	m3	734	642	93
Net Merchantable	m3	702	612	90
Net Merch - All	m3/ha	30	26	4
Distribution	%	100	87	13
Decay	%	1	2	
Waste	%			
Waste(billing)	%			
Breakage	%	3	3	3
Total Cull (DWB)	%	4	5	3
Basal Area / Ha	m2/ha	2.9	2.4	0.5
Net VBAR	m3/m2	10.427	10.427	10.427
Stems/Ha (Live & DP)		41.4	30.1	11.3
Avg DBH (Live & DP)	cm	29.6	31.7	23.2
Snags/Ha				
Avg Snag DBH	cm			
Gross Merch Vol/Tree	m3	0.75	0.91	0.35
Net Merch Vol/Tree	m3	0.72	0.86	0.34
Avg Weight Total Ht	m	34.3	35.7	25.0
Avg Weight Merch Ht	m	27.5	28.9	17.6
Net Merch Vol/Log	m3	0.15	0.17	0.09
Gross Merch Vol/Log	m3	0.16	0.18	0.09
Avg # of Logs/Tree		4.82	5.12	4.00
Net Immature	%	100.0	100.0	100.0
LRF and Log Summary				
Net Merch - Stud	%	41.3	32.7	100.0
Net Merch - Small Log	%	89.9	88.4	100.0
Net Merch - Large Log	%	10.1	11.6	
Avg LRF All	bdft/m3	193.5	195.9	177.0

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage and Root Rot, , Wet Belt Fir

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Cutting Permit Damage Summary [Blowdown Damage]

Average Line Method
Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage
FIZ: G
PSYU: Edgewood
Region: 4 - Kootenay-Boundary
District: 04 - Selkirk
31-Jul-2020 02:02:03PM
Filename: ta1559.ccp
Compiled by: BCTS
Cruised by: D. BRITTEN
Version: 2019.01 IFS build 6276

Licence Number: A95881 CP: NA
Project: N/A

Net Area: [SC : 23.5]

Species: L.P. Pine

Type of Damage:		Total	No Dmg	E-Down
Volume and Size Data				
Gross Merchantable	m3	432	285	148
Net Merchantable	m3	340	252	88
Net Merch - All	m3/ha	14	11	4
Distribution	%	100	74	26
Decay	%	9	9	9
Waste	%	1	0	1
Waste(billing)	%	1	0	2
Breakage	%	12	2	30
Total Cull (DWB)	%	21	11	41
Basal Area / Ha	m2/ha	1.9	1.0	1.0
Net VBAR	m3/m2	7.044	7.044	7.044
Stems/Ha (Live & DP)		60.8	15.0	45.9
Avg DBH (Live & DP)	cm	20.0	28.5	16.3
Snags/Ha				
Avg Snag DBH	cm			
Gross Merch Vol/Tree	m3	0.30	0.81	0.14
Net Merch Vol/Tree	m3	0.24	0.72	0.08
Avg Weight Total Ht	m	25.8	29.8	19.4
Avg Weight Merch Ht	m	20.9	24.4	14.1
Net Merch Vol/Log	m3	0.12	0.17	0.08
Gross Merch Vol/Log	m3	0.14	0.18	0.09
Avg # of Logs/Tree		2.18	4.41	1.46
Net Immature	%	81.2	100.0	27.1
LRF and Log Summary				
Net Merch - Stud	%	53.2	37.0	100.0
Net Merch - Small Log	%	100.0	100.0	100.0
Net Merch - Large Log	%			
Avg LRF All	bdft/m3	180.3	185.9	164.3

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage and Root Rot, , Wet Belt Fir

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Cutting Permit Damage Summary [Blowdown Damage]

Average Line Method
Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage
FIZ: G
PSYU: Edgewood
Region: 4 - Kootenay-Boundary
District: 04 - Selkirk
31-Jul-2020 02:02:03PM
Filename: ta1559.ccp
Compiled by: BCTS
Cruised by: D. BRITTEN
Version: 2019.01 IFS build 6276

Licence Number: A95881 CP: NA
Project: N/A

Net Area: [CC : 10.9]

Species: Doug-Fir

Type of Damage:		Total	No Dmg	E-Down	G-Shatt
Volume and Size Data					
Gross Merchantable	m3	3486	2584	327	576
Net Merchantable	m3	3310	2464	304	542
Net Merch - All	m3/ha	304	226	28	50
Distribution	%	100	74	9	16
Decay	%	3	2	5	4
Waste	%	0	0		
Waste(billing)	%	0	0		
Breakage	%	2	2	2	2
Total Cull (DWB)	%	5	5	7	6
Basal Area / Ha	m2/ha	29.6	21.6	2.8	5.2
Net VBAR	m3/m2	10.394	10.394	10.394	10.394
Stems/Ha (Live & DP)		212.7	139.5	25.0	48.3
Avg DBH (Live & DP)	cm	42.1	44.4	37.8	37.0
Snags/Ha					
Avg Snag DBH	cm				
Gross Merch Vol/Tree	m3	1.50	1.70	1.20	1.10
Net Merch Vol/Tree	m3	1.43	1.62	1.11	1.03
Avg Weight Total Ht	m	34.4	35.2	33.0	31.3
Avg Weight Merch Ht	m	29.1	30.1	27.2	25.5
Net Merch Vol/Log	m3	0.28	0.31	0.21	0.23
Gross Merch Vol/Log	m3	0.29	0.32	0.22	0.24
Avg # of Logs/Tree		5.15	5.29	5.36	4.64
Net Immature	%	84.2	78.8	100.0	100.0
LRF and Log Summary					
Net Merch - Stud	%	17.6	14.4	24.1	28.7
Net Merch - Small Log	%	55.6	45.9	68.2	92.4
Net Merch - Large Log	%	44.4	54.1	31.8	7.6
Avg LRF All	bdft/m3	211.5	215.8	200.6	198.1

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage and Root Rot, , Wet Belt Fir

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Cutting Permit Damage Summary [Blowdown Damage]

Average Line Method
Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage
FIZ: G
PSYU: Edgewood
Region: 4 - Kootenay-Boundary
District: 04 - Selkirk
31-Jul-2020 02:02:03PM
Filename: ta1559.ccp
Compiled by: BCTS
Licence Number: A95881 CP: NA
Project: N/A
Cruised by: D. BRITTEN
Version: 2019.01 IFS build 6276

Net Area: [CC : 10.9]

Species: L.P. Pine

Type of Damage:		Total	E-Down
Volume and Size Data			
Gross Merchantable	m3	144	144
Net Merchantable	m3	78	78
Net Merch - All	m3/ha	7	7
Distribution	%	100	100
Decay	%	12	12
Waste	%	4	4
Waste(billing)	%	7	7
Breakage	%	30	30
Total Cull (DWB)	%	46	46
Basal Area / Ha	m2/ha	1.2	1.2
Net VBAR	m3/m2	7.044	7.044
Stems/Ha (Live & DP)		13.2	13.2
Avg DBH (Live & DP)	cm	34.0	34.0
Snags/Ha			
Avg Snag DBH	cm		
Gross Merch Vol/Tree	m3	1.00	1.00
Net Merch Vol/Tree	m3	0.54	0.54
Avg Weight Total Ht	m	26.5	26.5
Avg Weight Merch Ht	m	21.9	21.9
Net Merch Vol/Log	m3	0.21	0.21
Gross Merch Vol/Log	m3	0.25	0.25
Avg # of Logs/Tree		4.00	4.00
Net Immature	%		
LRF and Log Summary			
Net Merch - Stud	%	13.5	13.5
Net Merch - Small Log	%	100.0	100.0
Net Merch - Large Log	%		
Avg LRF All	bdft/m3	189.8	189.8

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage and Root Rot, , Wet Belt Fir

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Cutting Permit Damage Summary [Blowdown Damage]

Average Line Method
Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage
FIZ: G
PSYU: Edgewood
Region: 4 - Kootenay-Boundary
District: 04 - Selkirk
31-Jul-2020 02:02:03PM
Filename: ta1559.ccp
Compiled by: BCTS
Cruised by: D. BRITTEN
Version: 2019.01 IFS build 6276

Licence Number: A95881 CP: NA
Project: N/A

Net Area: [R/W : 4.2]

Species: Birch

Type of Damage:		Total	No Dmg	E-Down
Volume and Size Data				
Gross Merchantable	m3	100	93	7
Net Merchantable	m3	63	56	7
Net Merch - All	m3/ha	15	13	2
Distribution	%	100	89	11
Decay	%	26	28	5
Waste	%	7	8	
Waste(billing)	%	11	13	
Breakage	%	4	4	4
Total Cull (DWB)	%	37	40	9
Basal Area / Ha	m2/ha	3.3	3.1	0.2
Net VBAR	m3/m2	4.614	4.614	4.614
Stems/Ha (Live & DP)		60.1	51.5	8.5
Avg DBH (Live & DP)	cm	26.4	27.5	18.4
Snags/Ha		19.3	19.3	
Avg Snag DBH	cm	28.1	28.1	
Gross Merch Vol/Tree	m3	0.40	0.43	0.21
Net Merch Vol/Tree	m3	0.25	0.26	0.19
Avg Weight Total Ht	m	21.4	21.3	22.1
Avg Weight Merch Ht	m	14.2	14.4	12.8
Net Merch Vol/Log	m3	0.10	0.11	0.07
Gross Merch Vol/Log	m3	0.15	0.17	0.07
Avg # of Logs/Tree		2.59	2.52	3.00
Net Immature	%			
LRF and Log Summary				
Net Merch - Stud	%			
Net Merch - Small Log	%	100.0	100.0	100.0
Net Merch - Large Log	%			
Avg LRF All	bdft/m3	160.9	161.7	154.3

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage and Root Rot, , Wet Belt Fir

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Cutting Permit Damage Summary [Blowdown Damage]

Average Line Method
Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage
FIZ: G
PSYU: Edgewood
Region: 4 - Kootenay-Boundary
District: 04 - Selkirk
31-Jul-2020 02:02:03PM
Filename: ta1559.ccp
Compiled by: BCTS
Cruised by: D. BRITTEN
Version: 2019.01 IFS build 6276

Licence Number: A95881 CP: NA
Project: N/A

Net Area: [R/W : 4.2]

Species: Doug-Fir

Type of Damage:		Total	No Dmg	E-Down	G-Shatt
Volume and Size Data					
Gross Merchantable	m3	1245	1015	98	132
Net Merchantable	m3	1181	965	92	125
Net Merch - All	m3/ha	281	230	22	30
Distribution	%	100	82	8	11
Decay	%	3	3	5	4
Waste	%	0	0		
Waste(billing)	%	0	0		
Breakage	%	2	2	2	2
Total Cull (DWB)	%	5	5	7	6
Basal Area / Ha	m2/ha	27.2	21.9	2.1	3.2
Net VBAR	m3/m2	10.394	10.394	10.394	10.394
Stems/Ha (Live & DP)		215.1	163.6	18.3	33.2
Avg DBH (Live & DP)	cm	40.1	41.2	38.6	34.9
Snags/Ha		1.2	1.2		
Avg Snag DBH	cm	35.0	35.0		
Gross Merch Vol/Tree	m3	1.38	1.48	1.27	0.95
Net Merch Vol/Tree	m3	1.31	1.40	1.19	0.89
Avg Weight Total Ht	m	34.7	35.3	33.7	30.6
Avg Weight Merch Ht	m	29.3	30.0	28.0	24.8
Net Merch Vol/Log	m3	0.27	0.28	0.22	0.21
Gross Merch Vol/Log	m3	0.28	0.29	0.24	0.22
Avg # of Logs/Tree		5.00	5.09	5.40	4.35
Net Immature	%	89.3	86.9	100.0	100.0
LRF and Log Summary					
Net Merch - Stud	%	19.1	17.2	22.0	32.0
Net Merch - Small Log	%	55.3	50.1	62.1	91.0
Net Merch - Large Log	%	44.7	49.9	37.9	9.0
Avg LRF All	bdft/m3	210.8	213.2	204.1	196.8

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage and Root Rot, , Wet Belt Fir

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Cutting Permit Damage Summary [Blowdown Damage]

Average Line Method
Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage
FIZ: G
PSYU: Edgewood
Region: 4 - Kootenay-Boundary
District: 04 - Selkirk
31-Jul-2020 02:02:03PM
Filename: ta1559.ccp
Compiled by: BCTS
Cruised by: D. BRITTEN
Version: 2019.01 IFS build 6276

Licence Number: A95881 CP: NA
Project: N/A

Net Area: [R/W : 4.2]

Species: Larch

Type of Damage:		Total	No Dmg	E-Down
Volume and Size Data				
Gross Merchantable	m3	93	85	8
Net Merchantable	m3	87	79	8
Net Merch - All	m3/ha	21	19	2
Distribution	%	100	91	9
Decay	%	3	3	
Waste	%	0	0	
Waste(billing)	%	0	0	
Breakage	%	3	3	3
Total Cull (DWB)	%	7	7	3
Basal Area / Ha	m2/ha	2.0	1.8	0.2
Net VBAR	m3/m2	10.427	10.427	10.427
Stems/Ha (Live & DP)		21.9	16.6	5.4
Avg DBH (Live & DP)	cm	34.0	36.8	23.2
Snags/Ha				
Avg Snag DBH	cm			
Gross Merch Vol/Tree	m3	1.01	1.23	0.35
Net Merch Vol/Tree	m3	0.95	1.14	0.34
Avg Weight Total Ht	m	36.2	37.3	25.0
Avg Weight Merch Ht	m	30.0	31.2	17.6
Net Merch Vol/Log	m3	0.19	0.22	0.09
Gross Merch Vol/Log	m3	0.20	0.23	0.09
Avg # of Logs/Tree		5.04	5.38	4.00
Net Immature	%	68.5	65.5	100.0
LRF and Log Summary				
Net Merch - Stud	%	31.4	24.9	100.0
Net Merch - Small Log	%	68.1	65.0	100.0
Net Merch - Large Log	%	31.9	35.0	
Avg LRF All	bdft/m3	201.8	204.2	177.0

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage and Root Rot, , Wet Belt Fir

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Cutting Permit Damage Summary [Blowdown Damage]

Average Line Method
Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage
FIZ: G
PSYU: Edgewood
Region: 4 - Kootenay-Boundary
District: 04 - Selkirk
31-Jul-2020 02:02:03PM
Filename: ta1559.ccp
Compiled by: BCTS
Cruised by: D. BRITTEN
Version: 2019.01 IFS build 6276

Licence Number: A95881 CP: NA
Project: N/A

Net Area: [R/W : 4.2]

Species: L.P. Pine

Type of Damage:		Total	No Dmg	E-Down
Volume and Size Data				
Gross Merchantable	m3	66	24	42
Net Merchantable	m3	45	21	23
Net Merch - All	m3/ha	11	5	6
Distribution	%	100	48	52
Decay	%	10	9	11
Waste	%	2	0	3
Waste(billing)	%	3	0	6
Breakage	%	20	2	30
Total Cull (DWB)	%	32	11	44
Basal Area / Ha	m2/ha	1.5	0.5	1.1
Net VBAR	m3/m2	7.044	7.044	7.044
Stems/Ha (Live & DP)		35.9	7.1	28.8
Avg DBH (Live & DP)	cm	23.3	28.5	21.9
Snags/Ha				
Avg Snag DBH	cm			
Gross Merch Vol/Tree	m3	0.44	0.81	0.34
Net Merch Vol/Tree	m3	0.30	0.72	0.19
Avg Weight Total Ht	m	26.1	29.8	24.1
Avg Weight Merch Ht	m	21.3	24.4	19.5
Net Merch Vol/Log	m3	0.15	0.17	0.14
Gross Merch Vol/Log	m3	0.17	0.18	0.17
Avg # of Logs/Tree		2.53	4.41	2.07
Net Immature	%	52.6	100.0	8.7
LRF and Log Summary				
Net Merch - Stud	%	39.2	37.0	41.3
Net Merch - Small Log	%	100.0	100.0	100.0
Net Merch - Large Log	%			
Avg LRF All	bdft/m3	183.6	185.9	181.6

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage and Root Rot, , Wet Belt Fir

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Block Summary

Average Line Method
Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage
FIZ: G
PSYU: Edgewood
Region: 4 - Kootenay-Boundary
District: 04 - Selkirk
31-Jul-2020 02:02:03PM
Filename: ta1559.ccp
Compiled by: BCTS
Cruised by: D. BRITTEN
Version: 2019.01 IFS build 6276

Licence Number: A95881 CP: NA
Project: N/A

Net Area: Block : (M) - 003:003, Plots in Block: 31, TUs: [All Treatment Units : 38.6]

		Total	Conifer	Decid	F	C	PL	L	E	AT
Utilization Limits										
Min DBH cm (M)					17.5	17.5	12.5	17.5	17.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					10.0	10.0	10.0	10.0	10.0	10.0
Log Len m					5.0	5.0	5.0	5.0	5.0	5.0
Volume and Size Data										
Gross Merchantable	m3	15681	14410	1271	11092	1696	642	980	1053	218
Net Merchantable	m3	14307	13475	832	10521	1566	463	925	681	151
Net Merch - All	m3/ha	371	349	22	273	41	12	24	18	4
Distribution	%	100	94	6	74	11	3	6	5	1
Decay	%	5	3	24	3	4	10	2	25	22
Waste	%	1	0	6	0		1	0	6	5
Waste(billing)	%	1	0	9	0		2	0	10	7
Breakage	%	3	3	4	2	4	17	3	4	4
Total Cull (DWB)	%	9	6	35	5	8	28	6	35	31
Basal Area / Ha	m2/ha	39.6	35.5	4.1	26.2	5.3	1.7	2.3	3.6	0.5
Net VBAR	m3/m2	9.371	9.844	4.900	10.394	8.263	7.044	10.427	4.614	5.485
Stems/Ha (Live & DP)		449.4	371.1	78.3	216.0	81.6	44.7	28.8	72.4	5.9
Avg DBH (Live & DP)	cm	33.5	34.9	25.9	39.3	28.7	21.8	31.9	25.3	31.9
Snags/Ha		19.8	1.6	18.2	1.6				18.2	
Avg Snag DBH	cm	29.5	35.0	28.9	35.0				28.9	
Gross Merch Vol/Tree	m3	0.90	1.01	0.42	1.33	0.54	0.37	0.88	0.38	0.96
Net Merch Vol/Tree	m3	0.82	0.94	0.28	1.26	0.50	0.27	0.83	0.24	0.66
Avg Weight Total Ht	m	32.5	33.3	23.5	34.8	25.2	26.0	35.3	21.9	31.5
Avg Weight Merch Ht	m	27.1	27.8	16.4	29.3	19.7	21.1	28.9	14.4	25.6
Net Merch Vol/Log	m3	0.22	0.23	0.11	0.26	0.18	0.14	0.17	0.10	0.15
Gross Merch Vol/Log	m3	0.23	0.24	0.15	0.27	0.18	0.16	0.18	0.14	0.20
Avg # of Logs/Tree		3.94	4.19	2.78	4.95	2.92	2.37	4.93	2.62	4.69
Net Immature	%	85.6	90.9		91.4	100.0	64.8	82.3		
Average Slope	%	44								
LRF and Log Summary										
Net Merch - Stud	%	18.3	19.4		19.8		45.2	35.8		
Net Merch - Small Log	%	62.4	60.6	91.9	55.2	75.4	100.0	77.7	100.0	55.3
Net Merch - Large Log	%	37.6	39.4	8.1	44.8	24.6		22.3		44.7
Avg LRF All	bdft/m3	201.3	203.5	165.3	210.5	166.2	182.2	198.2	160.1	188.5
Statistical Summary										
Coeff. of Variation	%	65.5	69.5	156.3	80.6	267.8	283.0	271.3	180.0	447.7
Two Standard Error	%	24.1	25.5	57.4	29.6	98.3	103.9	99.7	66.1	164.4
Number and Type of Plots		MP = 31								
Number of Potential Trees		126								
Plots/Ha		0.8								
Cruised Trees/Plot		4.1								

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage and Root Rot, , Wet Belt Fir

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Block Summary

Average Line Method
Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage
FIZ: G
PSYU: Edgewood
Region: 4 - Kootenay-Boundary
District: 04 - Selkirk
31-Jul-2020 02:02:03PM
Filename: ta1559.ccp
Compiled by: BCTS
Cruised by: D. BRITTEN
Version: 2019.01 IFS build 6276

Licence Number: A95881 CP: NA
Project: N/A

Net Area: Block : (M) - 003:003, Plots in Block: 31, TUs: [SC : 23.5]

		Total	Conifer	Decid	F	C	PL	L	E	AT
Utilization Limits										
Min DBH cm (M)					17.5	17.5	12.5	17.5	17.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					10.0	10.0	10.0	10.0	10.0	10.0
Log Len m					5.0	5.0	5.0	5.0	5.0	5.0
Volume and Size Data										
Gross Merchantable	m3	9933	8943	990	6361	1416	432	734	789	201
Net Merchantable	m3	9044	8375	670	6030	1303	340	702	530	139
Net Merch - All	m3/ha	385	356	28	257	55	14	30	23	6
Distribution	%	100	93	7	67	14	4	8	6	2
Decay	%	5	3	23	3	4	9	1	23	22
Waste	%	1	0	5	0		1		6	5
Waste(billing)	%	1	0	8	0		1		8	7
Breakage	%	3	3	4	2	4	12	3	4	4
Total Cull (DWB)	%	9	6	32	5	8	21	4	33	31
Basal Area / Ha	m2/ha	41.7	36.7	5.0	24.5	7.4	1.9	2.9	4.3	0.7
Net VBAR	m3/m2	9.371	9.844	4.900	10.394	8.263	7.044	10.427	4.614	5.485
Stems/Ha (Live & DP)		543.8	439.8	104.0	217.7	119.8	60.8	41.4	95.1	8.9
Avg DBH (Live & DP)	cm	31.2	32.6	24.7	37.9	28.0	20.0	29.6	24.0	31.9
Snags/Ha		18.6	2.5	16.1	2.5				16.1	
Avg Snag DBH	cm	31.3	35.0	30.7	35.0				30.7	
Gross Merch Vol/Tree	m3	0.78	0.87	0.41	1.24	0.50	0.30	0.75	0.35	0.96
Net Merch Vol/Tree	m3	0.71	0.81	0.27	1.18	0.46	0.24	0.72	0.24	0.66
Avg Weight Total Ht	m	32.0	32.9	24.3	35.1	24.6	25.8	34.3	22.5	31.5
Avg Weight Merch Ht	m	26.5	27.3	16.9	29.5	19.0	20.9	27.5	14.7	25.6
Net Merch Vol/Log	m3	0.20	0.21	0.10	0.25	0.17	0.12	0.15	0.09	0.15
Gross Merch Vol/Log	m3	0.21	0.22	0.14	0.26	0.18	0.14	0.16	0.13	0.20
Avg # of Logs/Tree		3.72	3.93	2.84	4.85	2.86	2.18	4.82	2.66	4.69
Net Immature	%	89.1	96.2		95.8	100.0	81.2	100.0		
Average Slope	%	44								
LRF and Log Summary										
Net Merch - Stud	%	19.3	20.8		21.1		53.2	41.3		
Net Merch - Small Log	%	65.6	63.5	90.7	55.0	79.5	100.0	89.9	100.0	55.3
Net Merch - Large Log	%	34.4	36.5	9.3	45.0	20.5		10.1		44.7
Avg LRF All	bdft/m3	197.4	199.9	165.2	209.8	162.7	180.3	193.5	159.1	188.5
Statistical Summary										
Coeff. of Variation	%	65.5	69.5	156.3	80.6	267.8	283.0	271.3	180.0	447.7
Two Standard Error	%	24.1	25.5	57.4	29.6	98.3	103.9	99.7	66.1	164.4
Number and Type of Plots		MP = 31								
Number of Potential Trees		126								
Plots/Ha		0.8								
Cruised Trees/Plot		4.1								

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage and Root Rot, , Wet Belt Fir

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Block Summary

Average Line Method

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: G
PSYU: Edgewood
Region: 4 - Kootenay-Boundary
District: 04 - Selkirk

31-Jul-2020 02:02:03PM
Filename: ta1559.ccp
Compiled by: BCTS
Cruised by: D. BRITTEN
Version: 2019.01 IFS build 6276

Licence Number: A95881 CP: NA
Project: N/A

Net Area: Block : (M) - 003:003, Plots in Block: 31, TUs: [CC : 10.9]

		Total	Conifer	Decid	F	C	PL	L	E	AT
Utilization Limits										
Min DBH cm (M)					17.5	17.5	12.5	17.5	17.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					10.0	10.0	10.0	10.0	10.0	10.0
Log Len m					5.0	5.0	5.0	5.0	5.0	5.0
Volume and Size Data										
Gross Merchantable	m3	4079	3916	164	3486	133	144	152	164	
Net Merchantable	m3	3738	3651	88	3310	127	78	136	88	
Net Merch - All	m3/ha	343	335	8	304	12	7	12	8	
Distribution	%	100	98	2	89	3	2	4	2	
Decay	%	4	3	32	3		12	6	32	
Waste	%	1	0	11	0		4	1	11	
Waste(billing)	%	1	0	20	0		7	1	20	
Breakage	%	3	3	4	2	4	30	4	4	
Total Cull (DWB)	%	8	7	46	5	4	46	11	46	
Basal Area / Ha	m2/ha	35.6	33.2	2.4	29.6	1.2	1.2	1.2	2.4	
Net VBAR	m3/m2	9.371	9.844	4.900	10.394	8.263	7.044	10.427	4.614	
Stems/Ha (Live & DP)		265.5	237.3	28.2	212.7	7.1	13.2	4.3	28.2	
Avg DBH (Live & DP)	cm	41.3	42.2	32.9	42.1	46.5	34.0	59.8	32.9	
Snags/Ha		22.3		22.3					22.3	
Avg Snag DBH	cm	26.2		26.2					26.2	
Gross Merch Vol/Tree	m3	1.41	1.51	0.53	1.50	1.72	1.00	3.27	0.53	
Net Merch Vol/Tree	m3	1.29	1.41	0.28	1.43	1.65	0.54	2.92	0.28	
Avg Weight Total Ht	m	33.6	34.2	19.0	34.4	31.4	26.5	40.2	19.0	
Avg Weight Merch Ht	m	28.5	29.0	13.1	29.1	26.4	21.9	35.4	13.1	
Net Merch Vol/Log	m3	0.28	0.29	0.13	0.28	0.34	0.21	0.44	0.13	
Gross Merch Vol/Log	m3	0.29	0.30	0.23	0.29	0.34	0.25	0.47	0.23	
Avg # of Logs/Tree		4.82	5.12	2.36	5.15	5.00	4.00	7.00	2.36	
Net Immature	%	78.0	79.9		84.2	100.0				
Average Slope	%	44								
LRF and Log Summary										
Net Merch - Stud	%	16.2	16.6		17.6		13.5	9.9		
Net Merch - Small Log	%	55.7	54.6	100.0	55.6	37.2	100.0	20.7	100.0	
Net Merch - Large Log	%	44.3	45.4		44.4	62.8		79.3		
Avg LRF All	bdft/m3	209.9	210.9	165.7	211.5	198.8	189.8	219.9	165.7	
Statistical Summary										
Coeff. of Variation	%	65.5	69.5	156.3	80.6	267.8	283.0	271.3	180.0	
Two Standard Error	%	24.1	25.5	57.4	29.6	98.3	103.9	99.7	66.1	
Number and Type of Plots		MP = 31								
Number of Potential Trees		126								
Plots/Ha		0.8								
Cruised Trees/Plot		4.1								

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage and Root Rot, , Wet Belt Fir

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Block Summary

Average Line Method
Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage
FIZ: G
PSYU: Edgewood
Region: 4 - Kootenay-Boundary
District: 04 - Selkirk
31-Jul-2020 02:02:03PM
Filename: ta1559.ccp
Compiled by: BCTS
Cruised by: D. BRITTEN
Version: 2019.01 IFS build 6276

Licence Number: A95881 CP: NA
Project: N/A

Net Area: Block : (M) - 003:003, Plots in Block: 31, TUs: [R/W : 4.2]

		Total	Conifer	Decid	F	C	PL	L	E	AT
Utilization Limits										
Min DBH cm (M)					17.5	17.5	12.5	17.5	17.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					10.0	10.0	10.0	10.0	10.0	10.0
Log Len m					5.0	5.0	5.0	5.0	5.0	5.0
Volume and Size Data										
Gross Merchantable	m3	1669	1551	117	1245	147	66	93	100	17
Net Merchantable	m3	1524	1450	75	1181	137	45	87	63	12
Net Merch - All	m3/ha	363	345	18	281	33	11	21	15	3
Distribution	%	100	95	5	77	9	3	6	4	1
Decay	%	5	3	26	3	3	10	3	26	22
Waste	%	1	0	7	0		2	0	7	5
Waste(billing)	%	1	0	11	0		3	0	11	7
Breakage	%	3	3	4	2	4	20	3	4	4
Total Cull (DWB)	%	9	7	36	5	7	32	7	37	31
Basal Area / Ha	m2/ha	38.5	34.9	3.6	27.2	4.1	1.5	2.0	3.3	0.3
Net VBAR	m3/m2	9.371	9.844	4.900	10.394	8.263	7.044	10.427	4.614	5.485
Stems/Ha (Live & DP)		398.0	333.7	64.3	215.1	60.8	35.9	21.9	60.1	4.2
Avg DBH (Live & DP)	cm	35.1	36.5	26.8	40.1	29.5	23.3	34.0	26.4	31.9
Snags/Ha		20.5	1.2	19.3	1.2				19.3	
Avg Snag DBH	cm	28.5	35.0	28.1	35.0				28.1	
Gross Merch Vol/Tree	m3	1.00	1.11	0.43	1.38	0.58	0.44	1.01	0.40	0.96
Net Merch Vol/Tree	m3	0.91	1.03	0.28	1.31	0.53	0.30	0.95	0.25	0.66
Avg Weight Total Ht	m	32.7	33.5	22.8	34.7	25.8	26.1	36.2	21.4	31.5
Avg Weight Merch Ht	m	27.5	28.2	15.9	29.3	20.4	21.3	30.0	14.2	25.6
Net Merch Vol/Log	m3	0.23	0.24	0.11	0.27	0.19	0.15	0.19	0.10	0.15
Gross Merch Vol/Log	m3	0.24	0.25	0.16	0.28	0.19	0.17	0.20	0.15	0.20
Avg # of Logs/Tree		4.11	4.37	2.73	5.00	2.99	2.53	5.04	2.59	4.69
Net Immature	%	83.6	87.9		89.3	100.0	52.6	68.5		
Average Slope	%	44								
LRF and Log Summary										
Net Merch - Stud	%	17.8	18.7		19.1		39.2	31.4		
Net Merch - Small Log	%	60.7	59.0	92.9	55.3	71.5	100.0	68.1	100.0	55.3
Net Merch - Large Log	%	39.3	41.0	7.1	44.7	28.5		31.9		44.7
Avg LRF All	bdft/m3	203.5	205.5	165.3	210.8	169.5	183.6	201.8	160.9	188.5
Statistical Summary										
Coeff. of Variation	%	65.5	69.5	156.3	80.6	267.8	283.0	271.3	180.0	447.7
Two Standard Error	%	24.1	25.5	57.4	29.6	98.3	103.9	99.7	66.1	164.4
Number and Type of Plots		MP = 31								
Number of Potential Trees		126								
Plots/Ha		0.8								
Cruised Trees/Plot		4.1								

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage and Root Rot, , Wet Belt Fir

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Block Damage Summary [Blowdown Damage]

Average Line Method
Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage
FIZ: G
PSYU: Edgewood
Region: 4 - Kootenay-Boundary
District: 04 - Selkirk
31-Jul-2020 02:02:03PM
Filename: ta1559.ccp
Compiled by: BCTS
Cruised by: D. BRITTEN
Version: 2019.01 IFS build 6276

Licence Number: A95881 CP: NA
Project: N/A

Net Area: Block : (M) - 003:003, Plots in Block: 31, TUs: [All Treatment Units : 38.6]

Species: Birch

Type of Damage:		Total	No Dmg	E-Down
Volume and Size Data				
Gross Merchantable	m3	1053	959	94
Net Merchantable	m3	681	595	86
Net Merch - All	m3/ha	18	15	2
Distribution	%	100	87	13
Decay	%	25	27	5
Waste	%	6	7	
Waste(billing)	%	10	11	
Breakage	%	4	4	4
Total Cull (DWB)	%	35	38	9
Basal Area / Ha	m2/ha	3.6	3.3	0.3
Net VBAR	m3/m2	4.614	4.614	4.614
Stems/Ha (Live & DP)		72.4	60.6	11.8
Avg DBH (Live & DP)	cm	25.3	26.5	18.4
Snags/Ha		18.2	18.2	
Avg Snag DBH	cm	28.9	28.9	
Gross Merch Vol/Tree	m3	0.38	0.41	0.21
Net Merch Vol/Tree	m3	0.24	0.25	0.19
Avg Weight Total Ht	m	21.9	21.9	22.1
Avg Weight Merch Ht	m	14.4	14.6	12.8
Net Merch Vol/Log	m3	0.10	0.11	0.07
Gross Merch Vol/Log	m3	0.14	0.16	0.07
Avg # of Logs/Tree		2.62	2.55	3.00
Net Immature	%			
LRF and Log Summary				
Net Merch - Stud	%			
Net Merch - Small Log	%	100.0	100.0	100.0
Net Merch - Large Log	%			
Avg LRF All	bdft/m3	160.1	160.9	154.3

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage and Root Rot, , Wet Belt Fir

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Block Damage Summary [Blowdown Damage]

Average Line Method
Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage
FIZ: G
PSYU: Edgewood
Region: 4 - Kootenay-Boundary
District: 04 - Selkirk
31-Jul-2020 02:02:03PM
Filename: ta1559.ccp
Compiled by: BCTS
Cruised by: D. BRITTEN
Version: 2019.01 IFS build 6276

Licence Number: A95881 CP: NA
Project: N/A

Net Area: Block : (M) - 003:003, Plots in Block: 31, TUs: [All Treatment Units : 38.6]

Species: Doug-Fir

Type of Damage:		Total	No Dmg	E-Down	G-Shatt
Volume and Size Data					
Gross Merchantable	m3	11092	9394	800	897
Net Merchantable	m3	10521	8926	751	845
Net Merch - All	m3/ha	273	231	19	22
Distribution	%	100	85	7	8
Decay	%	3	3	4	4
Waste	%	0	0		
Waste(billing)	%	0	0		
Breakage	%	2	2	2	2
Total Cull (DWB)	%	5	5	6	6
Basal Area / Ha	m2/ha	26.2	22.0	1.9	2.4
Net VBAR	m3/m2	10.394	10.394	10.394	10.394
Stems/Ha (Live & DP)		216.0	173.0	15.7	27.3
Avg DBH (Live & DP)	cm	39.3	40.2	39.2	33.4
Snags/Ha		1.6	1.6		
Avg Snag DBH	cm	35.0	35.0		
Gross Merch Vol/Tree	m3	1.33	1.41	1.32	0.85
Net Merch Vol/Tree	m3	1.26	1.34	1.24	0.80
Avg Weight Total Ht	m	34.8	35.4	34.1	30.1
Avg Weight Merch Ht	m	29.3	29.9	28.4	24.2
Net Merch Vol/Log	m3	0.26	0.27	0.23	0.20
Gross Merch Vol/Log	m3	0.27	0.28	0.24	0.20
Avg # of Logs/Tree		4.95	5.03	5.43	4.16
Net Immature	%	91.4	89.9	100.0	100.0
LRF and Log Summary					
Net Merch - Stud	%	19.8	18.2	20.9	34.9
Net Merch - Small Log	%	55.2	51.6	58.8	89.8
Net Merch - Large Log	%	44.8	48.4	41.2	10.2
Avg LRF All	bdft/m3	210.5	212.2	206.0	195.6

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage and Root Rot, , Wet Belt Fir

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Block Damage Summary [Blowdown Damage]

Average Line Method | Grades: MOF Computerized | FIZ: G | 31-Jul-2020 02:02:03PM | Filename: ta1559.ccp
Computerized Decay | PSYU: Edgewood | Compiled by: BCTS
Licence Number: A95881 CP: NA | Computerized Waste | Region: 4 - Kootenay-Boundary | Cruised by: D. BRITTEN
Project: N/A | Computerized Breakage | District: 04 - Selkirk | Version: 2019.01 IFS build 6276

Net Area: Block : (M) - 003:003, Plots in Block: 31, TUs: [All Treatment Units : 38.6]

Species: Larch

Type of Damage:		Total	No Dmg	E-Down
Volume and Size Data				
Gross Merchantable	m3	980	879	100
Net Merchantable	m3	925	827	97
Net Merch - All	m3/ha	24	21	3
Distribution	%	100	89	11
Decay	%	2	3	
Waste	%	0	0	
Waste(billing)	%	0	0	
Breakage	%	3	3	3
Total Cull (DWB)	%	6	6	3
Basal Area / Ha	m2/ha	2.3	2.0	0.3
Net VBAR	m3/m2	10.427	10.427	10.427
Stems/Ha (Live & DP)		28.8	21.3	7.4
Avg DBH (Live & DP)	cm	31.9	34.4	23.2
Snags/Ha				
Avg Snag DBH	cm			
Gross Merch Vol/Tree	m3	0.88	1.07	0.35
Net Merch Vol/Tree	m3	0.83	1.00	0.34
Avg Weight Total Ht	m	35.3	36.6	25.0
Avg Weight Merch Ht	m	28.9	30.2	17.6
Net Merch Vol/Log	m3	0.17	0.20	0.09
Gross Merch Vol/Log	m3	0.18	0.20	0.09
Avg # of Logs/Tree		4.93	5.25	4.00
Net Immature	%	82.3	80.3	100.0
LRF and Log Summary				
Net Merch - Stud	%	35.8	28.2	100.0
Net Merch - Small Log	%	77.7	75.0	100.0
Net Merch - Large Log	%	22.3	25.0	
Avg LRF All	bdft/m3	198.2	200.7	177.0

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage and Root Rot, , Wet Belt Fir

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Block Damage Summary [Blowdown Damage]

Average Line Method
Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage
FIZ: G
PSYU: Edgewood
Region: 4 - Kootenay-Boundary
District: 04 - Selkirk
31-Jul-2020 02:02:03PM
Filename: ta1559.ccp
Compiled by: BCTS
Cruised by: D. BRITTEN
Version: 2019.01 IFS build 6276

Licence Number: A95881 CP: NA
Project: N/A

Net Area: Block : (M) - 003:003, Plots in Block: 31, TUs: [All Treatment Units : 38.6]

Species: L.P. Pine

Type of Damage:		Total	No Dmg	E-Down
Volume and Size Data				
Gross Merchantable	m3	642	309	334
Net Merchantable	m3	463	274	189
Net Merch - All	m3/ha	12	7	5
Distribution	%	100	59	41
Decay	%	10	9	11
Waste	%	1	0	3
Waste(billing)	%	2	0	5
Breakage	%	17	2	30
Total Cull (DWB)	%	28	11	43
Basal Area / Ha	m2/ha	1.7	0.6	1.0
Net VBAR	m3/m2	7.044	7.044	7.044
Stems/Ha (Live & DP)		44.7	9.9	34.8
Avg DBH (Live & DP)	cm	21.8	28.5	19.5
Snags/Ha				
Avg Snag DBH	cm			
Gross Merch Vol/Tree	m3	0.37	0.81	0.25
Net Merch Vol/Tree	m3	0.27	0.72	0.14
Avg Weight Total Ht	m	26.0	29.8	22.7
Avg Weight Merch Ht	m	21.1	24.4	18.1
Net Merch Vol/Log	m3	0.14	0.17	0.12
Gross Merch Vol/Log	m3	0.16	0.18	0.14
Avg # of Logs/Tree		2.37	4.41	1.79
Net Immature	%	64.8	100.0	13.7
LRF and Log Summary				
Net Merch - Stud	%	45.2	37.0	57.0
Net Merch - Small Log	%	100.0	100.0	100.0
Net Merch - Large Log	%			
Avg LRF All	bdft/m3	182.2	185.9	176.9

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage and Root Rot, , Wet Belt Fir

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Block Damage Summary [Blowdown Damage]

Average Line Method
Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage
FIZ: G
PSYU: Edgewood
Region: 4 - Kootenay-Boundary
District: 04 - Selkirk
31-Jul-2020 02:02:03PM
Filename: ta1559.ccp
Compiled by: BCTS
Cruised by: D. BRITTEN
Version: 2019.01 IFS build 6276

Licence Number: A95881 CP: NA
Project: N/A

Net Area: Block : (M) - 003:003, Plots in Block: 31, TUs: [SC : 23.5]

Species: Birch

Type of Damage:		Total	No Dmg	E-Down
Volume and Size Data				
Gross Merchantable	m3	789	702	87
Net Merchantable	m3	530	451	79
Net Merch - All	m3/ha	23	19	3
Distribution	%	100	85	15
Decay	%	23	26	5
Waste	%	6	6	
Waste(billing)	%	8	10	
Breakage	%	4	4	4
Total Cull (DWB)	%	33	36	9
Basal Area / Ha	m2/ha	4.3	3.8	0.5
Net VBAR	m3/m2	4.614	4.614	4.614
Stems/Ha (Live & DP)		95.1	77.2	17.9
Avg DBH (Live & DP)	cm	24.0	25.1	18.4
Snags/Ha		16.1	16.1	
Avg Snag DBH	cm	30.7	30.7	
Gross Merch Vol/Tree	m3	0.35	0.39	0.21
Net Merch Vol/Tree	m3	0.24	0.25	0.19
Avg Weight Total Ht	m	22.5	22.6	22.1
Avg Weight Merch Ht	m	14.7	15.0	12.8
Net Merch Vol/Log	m3	0.09	0.10	0.07
Gross Merch Vol/Log	m3	0.13	0.15	0.07
Avg # of Logs/Tree		2.66	2.59	3.00
Net Immature	%			
LRF and Log Summary				
Net Merch - Stud	%			
Net Merch - Small Log	%	100.0	100.0	100.0
Net Merch - Large Log	%			
Avg LRF All	bdft/m3	159.1	159.9	154.3

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage and Root Rot, , Wet Belt Fir

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Block Damage Summary [Blowdown Damage]

Average Line Method
Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage
FIZ: G
PSYU: Edgewood
Region: 4 - Kootenay-Boundary
District: 04 - Selkirk
31-Jul-2020 02:02:03PM
Filename: ta1559.ccp
Compiled by: BCTS
Cruised by: D. BRITTEN
Version: 2019.01 IFS build 6276

Licence Number: A95881 CP: NA
Project: N/A

Net Area: Block : (M) - 003:003, Plots in Block: 31, TUs: [SC : 23.5]

Species: Doug-Fir

Type of Damage:		Total	No Dmg	E-Down	G-Shatt
Volume and Size Data					
Gross Merchantable	m3	6361	5796	376	189
Net Merchantable	m3	6030	5497	355	178
Net Merch - All	m3/ha	257	234	15	8
Distribution	%	100	91	6	3
Decay	%	3	3	4	4
Waste	%	0	0		
Waste(billing)	%	0	0		
Breakage	%	2	2	2	2
Total Cull (DWB)	%	5	5	6	6
Basal Area / Ha	m2/ha	24.5	22.1	1.4	1.0
Net VBAR	m3/m2	10.394	10.394	10.394	10.394
Stems/Ha (Live & DP)		217.7	190.2	11.0	16.5
Avg DBH (Live & DP)	cm	37.9	38.5	40.7	27.1
Snags/Ha		2.5	2.5		
Avg Snag DBH	cm	35.0	35.0		
Gross Merch Vol/Tree	m3	1.24	1.30	1.46	0.49
Net Merch Vol/Tree	m3	1.18	1.23	1.38	0.46
Avg Weight Total Ht	m	35.1	35.4	35.2	26.0
Avg Weight Merch Ht	m	29.5	29.8	29.6	19.7
Net Merch Vol/Log	m3	0.25	0.25	0.26	0.14
Gross Merch Vol/Log	m3	0.26	0.26	0.27	0.14
Avg # of Logs/Tree		4.85	4.93	5.51	3.43
Net Immature	%	95.8	95.4	100.0	100.0
LRF and Log Summary					
Net Merch - Stud	%	21.1	20.1	17.9	55.8
Net Merch - Small Log	%	55.0	54.5	49.8	80.8
Net Merch - Large Log	%	45.0	45.5	50.2	19.2
Avg LRF All	bdft/m3	209.8	210.5	211.1	187.2

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage and Root Rot, , Wet Belt Fir

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Block Damage Summary [Blowdown Damage]

Average Line Method
Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage
FIZ: G
PSYU: Edgewood
Region: 4 - Kootenay-Boundary
District: 04 - Selkirk
31-Jul-2020 02:02:03PM
Filename: ta1559.ccp
Compiled by: BCTS
Cruised by: D. BRITTEN
Version: 2019.01 IFS build 6276

Licence Number: A95881 CP: NA
Project: N/A

Net Area: Block : (M) - 003:003, Plots in Block: 31, TUs: [SC : 23.5]

Species: Larch

Type of Damage:		Total	No Dmg	E-Down
Volume and Size Data				
Gross Merchantable	m3	734	642	93
Net Merchantable	m3	702	612	90
Net Merch - All	m3/ha	30	26	4
Distribution	%	100	87	13
Decay	%	1	2	
Waste	%			
Waste(billing)	%			
Breakage	%	3	3	3
Total Cull (DWB)	%	4	5	3
Basal Area / Ha	m2/ha	2.9	2.4	0.5
Net VBAR	m3/m2	10.427	10.427	10.427
Stems/Ha (Live & DP)		41.4	30.1	11.3
Avg DBH (Live & DP)	cm	29.6	31.7	23.2
Snags/Ha				
Avg Snag DBH	cm			
Gross Merch Vol/Tree	m3	0.75	0.91	0.35
Net Merch Vol/Tree	m3	0.72	0.86	0.34
Avg Weight Total Ht	m	34.3	35.7	25.0
Avg Weight Merch Ht	m	27.5	28.9	17.6
Net Merch Vol/Log	m3	0.15	0.17	0.09
Gross Merch Vol/Log	m3	0.16	0.18	0.09
Avg # of Logs/Tree		4.82	5.12	4.00
Net Immature	%	100.0	100.0	100.0
LRF and Log Summary				
Net Merch - Stud	%	41.3	32.7	100.0
Net Merch - Small Log	%	89.9	88.4	100.0
Net Merch - Large Log	%	10.1	11.6	
Avg LRF All	bdft/m3	193.5	195.9	177.0

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage and Root Rot, , Wet Belt Fir

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Block Damage Summary [Blowdown Damage]

Average Line Method
Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage
FIZ: G
PSYU: Edgewood
Region: 4 - Kootenay-Boundary
District: 04 - Selkirk
31-Jul-2020 02:02:03PM
Filename: ta1559.ccp
Compiled by: BCTS
Cruised by: D. BRITTEN
Version: 2019.01 IFS build 6276

Licence Number: A95881 CP: NA
Project: N/A

Net Area: Block : (M) - 003:003, Plots in Block: 31, TUs: [SC : 23.5]

Species: L.P. Pine

Type of Damage:		Total	No Dmg	E-Down
Volume and Size Data				
Gross Merchantable	m3	432	285	148
Net Merchantable	m3	340	252	88
Net Merch - All	m3/ha	14	11	4
Distribution	%	100	74	26
Decay	%	9	9	9
Waste	%	1	0	1
Waste(billing)	%	1	0	2
Breakage	%	12	2	30
Total Cull (DWB)	%	21	11	41
Basal Area / Ha	m2/ha	1.9	1.0	1.0
Net VBAR	m3/m2	7.044	7.044	7.044
Stems/Ha (Live & DP)		60.8	15.0	45.9
Avg DBH (Live & DP)	cm	20.0	28.5	16.3
Snags/Ha				
Avg Snag DBH	cm			
Gross Merch Vol/Tree	m3	0.30	0.81	0.14
Net Merch Vol/Tree	m3	0.24	0.72	0.08
Avg Weight Total Ht	m	25.8	29.8	19.4
Avg Weight Merch Ht	m	20.9	24.4	14.1
Net Merch Vol/Log	m3	0.12	0.17	0.08
Gross Merch Vol/Log	m3	0.14	0.18	0.09
Avg # of Logs/Tree		2.18	4.41	1.46
Net Immature	%	81.2	100.0	27.1
LRF and Log Summary				
Net Merch - Stud	%	53.2	37.0	100.0
Net Merch - Small Log	%	100.0	100.0	100.0
Net Merch - Large Log	%			
Avg LRF All	bdft/m3	180.3	185.9	164.3

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage and Root Rot, , Wet Belt Fir

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Block Damage Summary [Blowdown Damage]

Average Line Method
Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage
FIZ: G
PSYU: Edgewood
Region: 4 - Kootenay-Boundary
District: 04 - Selkirk
31-Jul-2020 02:02:03PM
Filename: ta1559.ccp
Compiled by: BCTS
Cruised by: D. BRITTEN
Version: 2019.01 IFS build 6276

Licence Number: A95881 CP: NA
Project: N/A

Net Area: Block : (M) - 003:003, Plots in Block: 31, TUs: [CC : 10.9]

Species: Doug-Fir

Type of Damage:		Total	No Dmg	E-Down	G-Shatt
Volume and Size Data					
Gross Merchantable	m3	3486	2584	327	576
Net Merchantable	m3	3310	2464	304	542
Net Merch - All	m3/ha	304	226	28	50
Distribution	%	100	74	9	16
Decay	%	3	2	5	4
Waste	%	0	0		
Waste(billing)	%	0	0		
Breakage	%	2	2	2	2
Total Cull (DWB)	%	5	5	7	6
Basal Area / Ha	m2/ha	29.6	21.6	2.8	5.2
Net VBAR	m3/m2	10.394	10.394	10.394	10.394
Stems/Ha (Live & DP)		212.7	139.5	25.0	48.3
Avg DBH (Live & DP)	cm	42.1	44.4	37.8	37.0
Snags/Ha					
Avg Snag DBH	cm				
Gross Merch Vol/Tree	m3	1.50	1.70	1.20	1.10
Net Merch Vol/Tree	m3	1.43	1.62	1.11	1.03
Avg Weight Total Ht	m	34.4	35.2	33.0	31.3
Avg Weight Merch Ht	m	29.1	30.1	27.2	25.5
Net Merch Vol/Log	m3	0.28	0.31	0.21	0.23
Gross Merch Vol/Log	m3	0.29	0.32	0.22	0.24
Avg # of Logs/Tree		5.15	5.29	5.36	4.64
Net Immature	%	84.2	78.8	100.0	100.0
LRF and Log Summary					
Net Merch - Stud	%	17.6	14.4	24.1	28.7
Net Merch - Small Log	%	55.6	45.9	68.2	92.4
Net Merch - Large Log	%	44.4	54.1	31.8	7.6
Avg LRF All	bdft/m3	211.5	215.8	200.6	198.1

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage and Root Rot, , Wet Belt Fir

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Block Damage Summary [Blowdown Damage]

Average Line Method
Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage
FIZ: G
PSYU: Edgewood
Region: 4 - Kootenay-Boundary
District: 04 - Selkirk
31-Jul-2020 02:02:03PM
Filename: ta1559.ccp
Compiled by: BCTS
Cruised by: D. BRITTEN
Version: 2019.01 IFS build 6276

Licence Number: A95881 CP: NA
Project: N/A

Net Area: Block : (M) - 003:003, Plots in Block: 31, TUs: [CC : 10.9]

Species: L.P. Pine

Type of Damage:		Total	E-Down
Volume and Size Data			
Gross Merchantable	m3	144	144
Net Merchantable	m3	78	78
Net Merch - All	m3/ha	7	7
Distribution	%	100	100
Decay	%	12	12
Waste	%	4	4
Waste(billing)	%	7	7
Breakage	%	30	30
Total Cull (DWB)	%	46	46
Basal Area / Ha	m2/ha	1.2	1.2
Net VBAR	m3/m2	7.044	7.044
Stems/Ha (Live & DP)		13.2	13.2
Avg DBH (Live & DP)	cm	34.0	34.0
Snags/Ha			
Avg Snag DBH	cm		
Gross Merch Vol/Tree	m3	1.00	1.00
Net Merch Vol/Tree	m3	0.54	0.54
Avg Weight Total Ht	m	26.5	26.5
Avg Weight Merch Ht	m	21.9	21.9
Net Merch Vol/Log	m3	0.21	0.21
Gross Merch Vol/Log	m3	0.25	0.25
Avg # of Logs/Tree		4.00	4.00
Net Immature	%		
LRF and Log Summary			
Net Merch - Stud	%	13.5	13.5
Net Merch - Small Log	%	100.0	100.0
Net Merch - Large Log	%		
Avg LRF All	bdft/m3	189.8	189.8

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage and Root Rot, , Wet Belt Fir

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Block Damage Summary [Blowdown Damage]

Average Line Method
Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage
FIZ: G
PSYU: Edgewood
Region: 4 - Kootenay-Boundary
District: 04 - Selkirk
31-Jul-2020 02:02:03PM
Filename: ta1559.ccp
Compiled by: BCTS
Cruised by: D. BRITTEN
Version: 2019.01 IFS build 6276

Licence Number: A95881 CP: NA
Project: N/A

Net Area: Block : (M) - 003:003, Plots in Block: 31, TUs: [R/W : 4.2]

Species: Birch

Type of Damage:		Total	No Dmg	E-Down
Volume and Size Data				
Gross Merchantable	m3	100	93	7
Net Merchantable	m3	63	56	7
Net Merch - All	m3/ha	15	13	2
Distribution	%	100	89	11
Decay	%	26	28	5
Waste	%	7	8	
Waste(billing)	%	11	13	
Breakage	%	4	4	4
Total Cull (DWB)	%	37	40	9
Basal Area / Ha	m2/ha	3.3	3.1	0.2
Net VBAR	m3/m2	4.614	4.614	4.614
Stems/Ha (Live & DP)		60.1	51.5	8.5
Avg DBH (Live & DP)	cm	26.4	27.5	18.4
Snags/Ha		19.3	19.3	
Avg Snag DBH	cm	28.1	28.1	
Gross Merch Vol/Tree	m3	0.40	0.43	0.21
Net Merch Vol/Tree	m3	0.25	0.26	0.19
Avg Weight Total Ht	m	21.4	21.3	22.1
Avg Weight Merch Ht	m	14.2	14.4	12.8
Net Merch Vol/Log	m3	0.10	0.11	0.07
Gross Merch Vol/Log	m3	0.15	0.17	0.07
Avg # of Logs/Tree		2.59	2.52	3.00
Net Immature	%			
LRF and Log Summary				
Net Merch - Stud	%			
Net Merch - Small Log	%	100.0	100.0	100.0
Net Merch - Large Log	%			
Avg LRF All	bdft/m3	160.9	161.7	154.3

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage and Root Rot, , Wet Belt Fir

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Block Damage Summary [Blowdown Damage]

Average Line Method
Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage
FIZ: G
PSYU: Edgewood
Region: 4 - Kootenay-Boundary
District: 04 - Selkirk
31-Jul-2020 02:02:03PM
Filename: ta1559.ccp
Compiled by: BCTS
Cruised by: D. BRITTEN
Version: 2019.01 IFS build 6276

Licence Number: A95881 CP: NA
Project: N/A

Net Area: Block : (M) - 003:003, Plots in Block: 31, TUs: [R/W : 4.2]

Species: Doug-Fir

Type of Damage:		Total	No Dmg	E-Down	G-Shatt
Volume and Size Data					
Gross Merchantable	m3	1245	1015	98	132
Net Merchantable	m3	1181	965	92	125
Net Merch - All	m3/ha	281	230	22	30
Distribution	%	100	82	8	11
Decay	%	3	3	5	4
Waste	%	0	0		
Waste(billing)	%	0	0		
Breakage	%	2	2	2	2
Total Cull (DWB)	%	5	5	7	6
Basal Area / Ha	m2/ha	27.2	21.9	2.1	3.2
Net VBAR	m3/m2	10.394	10.394	10.394	10.394
Stems/Ha (Live & DP)		215.1	163.6	18.3	33.2
Avg DBH (Live & DP)	cm	40.1	41.2	38.6	34.9
Snags/Ha		1.2	1.2		
Avg Snag DBH	cm	35.0	35.0		
Gross Merch Vol/Tree	m3	1.38	1.48	1.27	0.95
Net Merch Vol/Tree	m3	1.31	1.40	1.19	0.89
Avg Weight Total Ht	m	34.7	35.3	33.7	30.6
Avg Weight Merch Ht	m	29.3	30.0	28.0	24.8
Net Merch Vol/Log	m3	0.27	0.28	0.22	0.21
Gross Merch Vol/Log	m3	0.28	0.29	0.24	0.22
Avg # of Logs/Tree		5.00	5.09	5.40	4.35
Net Immature	%	89.3	86.9	100.0	100.0
LRF and Log Summary					
Net Merch - Stud	%	19.1	17.2	22.0	32.0
Net Merch - Small Log	%	55.3	50.1	62.1	91.0
Net Merch - Large Log	%	44.7	49.9	37.9	9.0
Avg LRF All	bdft/m3	210.8	213.2	204.1	196.8

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage and Root Rot, , Wet Belt Fir

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Block Damage Summary [Blowdown Damage]

Average Line Method
Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage
FIZ: G
PSYU: Edgewood
Region: 4 - Kootenay-Boundary
District: 04 - Selkirk
31-Jul-2020 02:02:03PM
Filename: ta1559.ccp
Compiled by: BCTS
Cruised by: D. BRITTEN
Version: 2019.01 IFS build 6276

Licence Number: A95881 CP: NA
Project: N/A

Net Area: Block : (M) - 003:003, Plots in Block: 31, TUs: [R/W : 4.2]

Species: Larch

Type of Damage:		Total	No Dmg	E-Down
Volume and Size Data				
Gross Merchantable	m3	93	85	8
Net Merchantable	m3	87	79	8
Net Merch - All	m3/ha	21	19	2
Distribution	%	100	91	9
Decay	%	3	3	
Waste	%	0	0	
Waste(billing)	%	0	0	
Breakage	%	3	3	3
Total Cull (DWB)	%	7	7	3
Basal Area / Ha	m2/ha	2.0	1.8	0.2
Net VBAR	m3/m2	10.427	10.427	10.427
Stems/Ha (Live & DP)		21.9	16.6	5.4
Avg DBH (Live & DP)	cm	34.0	36.8	23.2
Snags/Ha				
Avg Snag DBH	cm			
Gross Merch Vol/Tree	m3	1.01	1.23	0.35
Net Merch Vol/Tree	m3	0.95	1.14	0.34
Avg Weight Total Ht	m	36.2	37.3	25.0
Avg Weight Merch Ht	m	30.0	31.2	17.6
Net Merch Vol/Log	m3	0.19	0.22	0.09
Gross Merch Vol/Log	m3	0.20	0.23	0.09
Avg # of Logs/Tree		5.04	5.38	4.00
Net Immature	%	68.5	65.5	100.0
LRF and Log Summary				
Net Merch - Stud	%	31.4	24.9	100.0
Net Merch - Small Log	%	68.1	65.0	100.0
Net Merch - Large Log	%	31.9	35.0	
Avg LRF All	bdft/m3	201.8	204.2	177.0

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage and Root Rot, , Wet Belt Fir

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Block Damage Summary [Blowdown Damage]

Average Line Method
Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage
FIZ: G
PSYU: Edgewood
Region: 4 - Kootenay-Boundary
District: 04 - Selkirk
31-Jul-2020 02:02:03PM
Filename: ta1559.ccp
Compiled by: BCTS
Cruised by: D. BRITTEN
Version: 2019.01 IFS build 6276

Licence Number: A95881 CP: NA
Project: N/A

Net Area: Block : (M) - 003:003, Plots in Block: 31, TUs: [R/W : 4.2]

Species: L.P. Pine

Type of Damage:		Total	No Dmg	E-Down
Volume and Size Data				
Gross Merchantable	m3	66	24	42
Net Merchantable	m3	45	21	23
Net Merch - All	m3/ha	11	5	6
Distribution	%	100	48	52
Decay	%	10	9	11
Waste	%	2	0	3
Waste(billing)	%	3	0	6
Breakage	%	20	2	30
Total Cull (DWB)	%	32	11	44
Basal Area / Ha	m2/ha	1.5	0.5	1.1
Net VBAR	m3/m2	7.044	7.044	7.044
Stems/Ha (Live & DP)		35.9	7.1	28.8
Avg DBH (Live & DP)	cm	23.3	28.5	21.9
Snags/Ha				
Avg Snag DBH	cm			
Gross Merch Vol/Tree	m3	0.44	0.81	0.34
Net Merch Vol/Tree	m3	0.30	0.72	0.19
Avg Weight Total Ht	m	26.1	29.8	24.1
Avg Weight Merch Ht	m	21.3	24.4	19.5
Net Merch Vol/Log	m3	0.15	0.17	0.14
Gross Merch Vol/Log	m3	0.17	0.18	0.17
Avg # of Logs/Tree		2.53	4.41	2.07
Net Immature	%	52.6	100.0	8.7
LRF and Log Summary				
Net Merch - Stud	%	39.2	37.0	41.3
Net Merch - Small Log	%	100.0	100.0	100.0
Net Merch - Large Log	%			
Avg LRF All	bdft/m3	183.6	185.9	181.6

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage and Root Rot, , Wet Belt Fir

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Average Line Method

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

Type Summary
FIZ: G
PSYU: Edgewood
Region: 4 - Kootenay-Boundary
District: 04 - Selkirk

31-Jul-2020 02:02:03PM
Filename: ta1559.ccp
Compiled by: BCTS
Cruised by: D. BRITTEN
Version: 2019.01 IFS build 6276

Licence Number: A95881 CP: NA
Project: N/A

Net Area: Type 4 (M):FCL(Ep), Plots in Type: 21, TUs: [All Treatment Units : 25.5]

		Total	Conifer	Decid	F	C	PL	L	E	AT
Utilization Limits										
Min DBH cm (M)					17.5	17.5	12.5	17.5	17.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					10.0	10.0	10.0	10.0	10.0	10.0
Log Len m					5.0	5.0	5.0	5.0	5.0	5.0
Volume and Size Data										
Gross Merchantable	m3	10779	9704	1074	6902	1536	469	797	856	218
Net Merchantable	m3	9814	9087	727	6544	1413	369	761	575	151
Net Merch - All	m3/ha	385	356	28	257	55	14	30	23	6
Distribution	%	100	93	7	67	14	4	8	6	2
Decay	%	5	3	23	3	4	9	1	23	22
Waste	%	1	0	5	0		1		6	5
Waste(billing)	%	1	0	8	0		1		8	7
Breakage	%	3	3	4	2	4	12	3	4	4
Total Cull (DWB)	%	9	6	32	5	8	21	4	33	31
Basal Area / Ha	m2/ha	41.7	36.7	5.0	24.5	7.4	1.9	2.9	4.3	0.7
Net VBAR	m3/m2	9.237	9.719	5.698	10.464	7.510	7.596	10.450	5.264	8.303
Stems/Ha (Live & DP)		543.8	439.8	104.0	217.7	119.8	60.8	41.4	95.1	8.9
Avg DBH (Live & DP)	cm	31.2	32.6	24.7	37.9	28.0	20.0	29.6	24.0	31.9
Snags/Ha		18.6	2.5	16.1	2.5				16.1	
Avg Snag DBH	cm	31.3	35.0	30.7	35.0				30.7	
Gross Merch Vol/Tree	m3	0.78	0.87	0.41	1.24	0.50	0.30	0.75	0.35	0.96
Net Merch Vol/Tree	m3	0.71	0.81	0.27	1.18	0.46	0.24	0.72	0.24	0.66
Avg Weight Total Ht	m	32.0	32.9	24.3	35.1	24.6	25.8	34.3	22.5	31.5
Avg Weight Merch Ht	m	26.5	27.3	16.9	29.5	19.0	20.9	27.5	14.7	25.6
Net Merch Vol/Log	m3	0.20	0.21	0.10	0.25	0.17	0.12	0.15	0.09	0.15
Gross Merch Vol/Log	m3	0.21	0.22	0.14	0.26	0.18	0.14	0.16	0.13	0.20
Avg # of Logs/Tree		3.72	3.93	2.84	4.85	2.86	2.18	4.82	2.66	4.69
Net Immature	%	89.1	96.2		95.8	100.0	81.2	100.0		
LRF and Log Summary										
Net Merch - Stud	%	19.3	20.8		21.1		53.2	41.3		
Net Merch - Small Log	%	65.6	63.5	90.7	55.0	79.5	100.0	89.9	100.0	55.3
Net Merch - Large Log	%	34.4	36.5	9.3	45.0	20.5		10.1		44.7
Avg LRF All	bdft/m3	197.4	199.9	165.2	209.8	162.7	180.3	193.5	159.1	188.5
Statistical Summary										
Coeff. of Variation	%	70.8	75.5	131.5	93.1	239.2	267.9	252.8	153.9	368.5
Two Standard Error	%	32.2	34.3	59.8	42.4	108.9	122.0	115.1	70.1	167.7
Number and Type of Plots		MP = 21								
Number of Potential Trees		99								
Plots/Ha		0.8								
Cruised Trees/Plot		4.7								

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage and Root Rot, , Wet Belt Fir

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Average Line Method
Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

Type Summary
FIZ: G
PSYU: Edgewood
Region: 4 - Kootenay-Boundary
District: 04 - Selkirk

31-Jul-2020 02:02:03PM
Filename: ta1559.ccp
Compiled by: BCTS
Cruised by: D. BRITTEN
Version: 2019.01 IFS build 6276

Licence Number: A95881 CP: NA
Project: N/A

Net Area: Type 4 (M):FCL(Ep), Plots in Type: 21, TUs: [SC : 23.5]

		Total	Conifer	Decid	F	C	PL	L	E	AT
Utilization Limits										
Min DBH cm (M)					17.5	17.5	12.5	17.5	17.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					10.0	10.0	10.0	10.0	10.0	10.0
Log Len m					5.0	5.0	5.0	5.0	5.0	5.0
Volume and Size Data										
Gross Merchantable	m3	9933	8943	990	6361	1416	432	734	789	201
Net Merchantable	m3	9044	8375	670	6030	1303	340	702	530	139
Net Merch - All	m3/ha	385	356	28	257	55	14	30	23	6
Distribution	%	100	93	7	67	14	4	8	6	2
Decay	%	5	3	23	3	4	9	1	23	22
Waste	%	1	0	5	0		1		6	5
Waste(billing)	%	1	0	8	0		1		8	7
Breakage	%	3	3	4	2	4	12	3	4	4
Total Cull (DWB)	%	9	6	32	5	8	21	4	33	31
Basal Area / Ha	m2/ha	41.7	36.7	5.0	24.5	7.4	1.9	2.9	4.3	0.7
Net VBAR	m3/m2	9.237	9.719	5.698	10.464	7.510	7.596	10.450	5.264	8.303
Stems/Ha (Live & DP)		543.8	439.8	104.0	217.7	119.8	60.8	41.4	95.1	8.9
Avg DBH (Live & DP)	cm	31.2	32.6	24.7	37.9	28.0	20.0	29.6	24.0	31.9
Snags/Ha		18.6	2.5	16.1	2.5				16.1	
Avg Snag DBH	cm	31.3	35.0	30.7	35.0				30.7	
Gross Merch Vol/Tree	m3	0.78	0.87	0.41	1.24	0.50	0.30	0.75	0.35	0.96
Net Merch Vol/Tree	m3	0.71	0.81	0.27	1.18	0.46	0.24	0.72	0.24	0.66
Avg Weight Total Ht	m	32.0	32.9	24.3	35.1	24.6	25.8	34.3	22.5	31.5
Avg Weight Merch Ht	m	26.5	27.3	16.9	29.5	19.0	20.9	27.5	14.7	25.6
Net Merch Vol/Log	m3	0.20	0.21	0.10	0.25	0.17	0.12	0.15	0.09	0.15
Gross Merch Vol/Log	m3	0.21	0.22	0.14	0.26	0.18	0.14	0.16	0.13	0.20
Avg # of Logs/Tree		3.72	3.93	2.84	4.85	2.86	2.18	4.82	2.66	4.69
Net Immature	%	89.1	96.2		95.8	100.0	81.2	100.0		
LRF and Log Summary										
Net Merch - Stud	%	19.3	20.8		21.1		53.2	41.3		
Net Merch - Small Log	%	65.6	63.5	90.7	55.0	79.5	100.0	89.9	100.0	55.3
Net Merch - Large Log	%	34.4	36.5	9.3	45.0	20.5		10.1		44.7
Avg LRF All	bdft/m3	197.4	199.9	165.2	209.8	162.7	180.3	193.5	159.1	188.5
Statistical Summary										
Coeff. of Variation	%	70.8	75.5	131.5	93.1	239.2	267.9	252.8	153.9	368.5
Two Standard Error	%	32.2	34.3	59.8	42.4	108.9	122.0	115.1	70.1	167.7
Number and Type of Plots		MP = 21								
Number of Potential Trees		99								
Plots/Ha		0.8								
Cruised Trees/Plot		4.7								

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage and Root Rot, , Wet Belt Fir

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Type Summary

Average Line Method
Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage
FIZ: G
PSYU: Edgewood
Region: 4 - Kootenay-Boundary
District: 04 - Selkirk
31-Jul-2020 02:02:03PM
Filename: ta1559.ccp
Compiled by: BCTS
Cruised by: D. BRITTEN
Version: 2019.01 IFS build 6276

Licence Number: A95881 CP: NA
Project: N/A

Net Area: Type 4 (M):FCL(Ep), Plots in Type: 21, TUs: [R/W : 2.0]

		Total	Conifer	Decid	F	C	PL	L	E	AT
Utilization Limits										
Min DBH cm (M)					17.5	17.5	12.5	17.5	17.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					10.0	10.0	10.0	10.0	10.0	10.0
Log Len m					5.0	5.0	5.0	5.0	5.0	5.0
Volume and Size Data										
Gross Merchantable	m3	845	761	84	541	121	37	62	67	17
Net Merchantable	m3	770	713	57	513	111	29	60	45	12
Net Merch - All	m3/ha	385	356	28	257	55	14	30	23	6
Distribution	%	100	93	7	67	14	4	8	6	2
Decay	%	5	3	23	3	4	9	1	23	22
Waste	%	1	0	5	0		1		6	5
Waste(billing)	%	1	0	8	0		1		8	7
Breakage	%	3	3	4	2	4	12	3	4	4
Total Cull (DWB)	%	9	6	32	5	8	21	4	33	31
Basal Area / Ha	m2/ha	41.7	36.7	5.0	24.5	7.4	1.9	2.9	4.3	0.7
Net VBAR	m3/m2	9.237	9.719	5.698	10.464	7.510	7.596	10.450	5.264	8.303
Stems/Ha (Live & DP)		543.8	439.8	104.0	217.7	119.8	60.8	41.4	95.1	8.9
Avg DBH (Live & DP)	cm	31.2	32.6	24.7	37.9	28.0	20.0	29.6	24.0	31.9
Snags/Ha		18.6	2.5	16.1	2.5				16.1	
Avg Snag DBH	cm	31.3	35.0	30.7	35.0				30.7	
Gross Merch Vol/Tree	m3	0.78	0.87	0.41	1.24	0.50	0.30	0.75	0.35	0.96
Net Merch Vol/Tree	m3	0.71	0.81	0.27	1.18	0.46	0.24	0.72	0.24	0.66
Avg Weight Total Ht	m	32.0	32.9	24.3	35.1	24.6	25.8	34.3	22.5	31.5
Avg Weight Merch Ht	m	26.5	27.3	16.9	29.5	19.0	20.9	27.5	14.7	25.6
Net Merch Vol/Log	m3	0.20	0.21	0.10	0.25	0.17	0.12	0.15	0.09	0.15
Gross Merch Vol/Log	m3	0.21	0.22	0.14	0.26	0.18	0.14	0.16	0.13	0.20
Avg # of Logs/Tree		3.72	3.93	2.84	4.85	2.86	2.18	4.82	2.66	4.69
Net Immature	%	89.1	96.2		95.8	100.0	81.2	100.0		
LRF and Log Summary										
Net Merch - Stud	%	19.3	20.8		21.1		53.2	41.3		
Net Merch - Small Log	%	65.6	63.5	90.7	55.0	79.5	100.0	89.9	100.0	55.3
Net Merch - Large Log	%	34.4	36.5	9.3	45.0	20.5		10.1		44.7
Avg LRF All	bdft/m3	197.4	199.9	165.2	209.8	162.7	180.3	193.5	159.1	188.5
Statistical Summary										
Coeff. of Variation	%	70.8	75.5	131.5	93.1	239.2	267.9	252.8	153.9	368.5
Two Standard Error	%	32.2	34.3	59.8	42.4	108.9	122.0	115.1	70.1	167.7
Number and Type of Plots		MP = 21								
Number of Potential Trees		99								
Plots/Ha		0.8								
Cruised Trees/Plot		4.7								

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage and Root Rot, , Wet Belt Fir

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Type Summary

Average Line Method
Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage
FIZ: G
PSYU: Edgewood
Region: 4 - Kootenay-Boundary
District: 04 - Selkirk
31-Jul-2020 02:02:03PM
Filename: ta1559.ccp
Compiled by: BCTS
Cruised by: D. BRITTEN
Version: 2019.01 IFS build 6276

Licence Number: A95881 CP: NA
Project: N/A

Net Area: Type 5 (M):F(CLAtEp), Plots in Type: 10, TUs: [All Treatment Units : 13.1]

		Total	Conifer	Decid	F	C	PL	L	E	AT
Utilization Limits										
Min DBH cm (M)					17.5	17.5	12.5	17.5	17.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					10.0	10.0	10.0	10.0	10.0	10.0
Log Len m					5.0	5.0	5.0	5.0	5.0	5.0
Volume and Size Data										
Gross Merchantable	m3	4902	4706	197	4190	159	173	183	197	
Net Merchantable	m3	4493	4388	105	3978	153	94	163	105	
Net Merch - All	m3/ha	343	335	8	304	12	7	12	8	
Distribution	%	100	98	2	89	3	2	4	2	
Decay	%	4	3	32	3		12	6	32	
Waste	%	1	0	11	0		4	1	11	
Waste(billing)	%	1	0	20	0		7	1	20	
Breakage	%	3	3	4	2	4	30	4	4	
Total Cull (DWB)	%	8	7	46	5	4	46	11	46	
Basal Area / Ha	m2/ha	35.6	33.2	2.4	29.6	1.2	1.2	1.2	2.4	
Net VBAR	m3/m2	9.634	10.088	3.347	10.258	9.729	5.970	10.381	3.347	
Stems/Ha (Live & DP)		265.5	237.3	28.2	212.7	7.1	13.2	4.3	28.2	
Avg DBH (Live & DP)	cm	41.3	42.2	32.9	42.1	46.5	34.0	59.8	32.9	
Snags/Ha		22.3		22.3					22.3	
Avg Snag DBH	cm	26.2		26.2					26.2	
Gross Merch Vol/Tree	m3	1.41	1.51	0.53	1.50	1.72	1.00	3.27	0.53	
Net Merch Vol/Tree	m3	1.29	1.41	0.28	1.43	1.65	0.54	2.92	0.28	
Avg Weight Total Ht	m	33.6	34.2	19.0	34.4	31.4	26.5	40.2	19.0	
Avg Weight Merch Ht	m	28.5	29.0	13.1	29.1	26.4	21.9	35.4	13.1	
Net Merch Vol/Log	m3	0.28	0.29	0.13	0.28	0.34	0.21	0.44	0.13	
Gross Merch Vol/Log	m3	0.29	0.30	0.23	0.29	0.34	0.25	0.47	0.23	
Avg # of Logs/Tree		4.82	5.12	2.36	5.15	5.00	4.00	7.00	2.36	
Net Immature	%	78.0	79.9		84.2	100.0				
LRF and Log Summary										
Net Merch - Stud	%	16.2	16.6		17.6		13.5	9.9		
Net Merch - Small Log	%	55.7	54.6	100.0	55.6	37.2	100.0	20.7	100.0	
Net Merch - Large Log	%	44.3	45.4		44.4	62.8		79.3		
Avg LRF All	bdft/m3	209.9	210.9	165.7	211.5	198.8	189.8	219.9	165.7	
Statistical Summary										
Coeff. of Variation	%	51.5	55.3	316.2	59.2	316.2	316.2	316.2	316.2	
Two Standard Error	%	36.8	39.6	226.2	42.4	226.2	226.2	226.2	226.2	
Number and Type of Plots		MP = 10								
Number of Potential Trees		27								
Plots/Ha		0.8								
Cruised Trees/Plot		2.7								

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage and Root Rot, , Wet Belt Fir

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Type Summary

Average Line Method
Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage
FIZ: G
PSYU: Edgewood
Region: 4 - Kootenay-Boundary
District: 04 - Selkirk
31-Jul-2020 02:02:03PM
Filename: ta1559.ccp
Compiled by: BCTS
Cruised by: D. BRITTEN
Version: 2019.01 IFS build 6276

Licence Number: A95881 CP: NA
Project: N/A

Net Area: Type 5 (M):F(CLAtEp), Plots in Type: 10, TUs: [CC : 10.9]

		Total	Conifer	Decid	F	C	PL	L	E	AT
Utilization Limits										
Min DBH cm (M)					17.5	17.5	12.5	17.5	17.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					10.0	10.0	10.0	10.0	10.0	10.0
Log Len m					5.0	5.0	5.0	5.0	5.0	5.0
Volume and Size Data										
Gross Merchantable	m3	4079	3916	164	3486	133	144	152	164	
Net Merchantable	m3	3738	3651	88	3310	127	78	136	88	
Net Merch - All	m3/ha	343	335	8	304	12	7	12	8	
Distribution	%	100	98	2	89	3	2	4	2	
Decay	%	4	3	32	3		12	6	32	
Waste	%	1	0	11	0		4	1	11	
Waste(billing)	%	1	0	20	0		7	1	20	
Breakage	%	3	3	4	2	4	30	4	4	
Total Cull (DWB)	%	8	7	46	5	4	46	11	46	
Basal Area / Ha	m2/ha	35.6	33.2	2.4	29.6	1.2	1.2	1.2	2.4	
Net VBAR	m3/m2	9.634	10.088	3.347	10.258	9.729	5.970	10.381	3.347	
Stems/Ha (Live & DP)		265.5	237.3	28.2	212.7	7.1	13.2	4.3	28.2	
Avg DBH (Live & DP)	cm	41.3	42.2	32.9	42.1	46.5	34.0	59.8	32.9	
Snags/Ha		22.3		22.3					22.3	
Avg Snag DBH	cm	26.2		26.2					26.2	
Gross Merch Vol/Tree	m3	1.41	1.51	0.53	1.50	1.72	1.00	3.27	0.53	
Net Merch Vol/Tree	m3	1.29	1.41	0.28	1.43	1.65	0.54	2.92	0.28	
Avg Weight Total Ht	m	33.6	34.2	19.0	34.4	31.4	26.5	40.2	19.0	
Avg Weight Merch Ht	m	28.5	29.0	13.1	29.1	26.4	21.9	35.4	13.1	
Net Merch Vol/Log	m3	0.28	0.29	0.13	0.28	0.34	0.21	0.44	0.13	
Gross Merch Vol/Log	m3	0.29	0.30	0.23	0.29	0.34	0.25	0.47	0.23	
Avg # of Logs/Tree		4.82	5.12	2.36	5.15	5.00	4.00	7.00	2.36	
Net Immature	%	78.0	79.9		84.2	100.0				
LRF and Log Summary										
Net Merch - Stud	%	16.2	16.6		17.6		13.5	9.9		
Net Merch - Small Log	%	55.7	54.6	100.0	55.6	37.2	100.0	20.7	100.0	
Net Merch - Large Log	%	44.3	45.4		44.4	62.8		79.3		
Avg LRF All	bdft/m3	209.9	210.9	165.7	211.5	198.8	189.8	219.9	165.7	
Statistical Summary										
Coeff. of Variation	%	51.5	55.3	316.2	59.2	316.2	316.2	316.2	316.2	
Two Standard Error	%	36.8	39.6	226.2	42.4	226.2	226.2	226.2	226.2	
Number and Type of Plots		MP = 10								
Number of Potential Trees		27								
Plots/Ha		0.8								
Cruised Trees/Plot		2.7								

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage and Root Rot, , Wet Belt Fir

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Type Summary

Average Line Method
Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage
FIZ: G
PSYU: Edgewood
Region: 4 - Kootenay-Boundary
District: 04 - Selkirk
31-Jul-2020 02:02:03PM
Filename: ta1559.ccp
Compiled by: BCTS
Cruised by: D. BRITTEN
Version: 2019.01 IFS build 6276

Licence Number: A95881 CP: NA
Project: N/A

Net Area: Type 5 (M):F(CLAtEp), Plots in Type: 10, TUs: [R/W : 2.2]

		Total	Conifer	Decid	F	C	PL	L	E	AT
Utilization Limits										
Min DBH cm (M)					17.5	17.5	12.5	17.5	17.5	17.5
Stump Ht cm (M)					30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)					10.0	10.0	10.0	10.0	10.0	10.0
Log Len m					5.0	5.0	5.0	5.0	5.0	5.0
Volume and Size Data										
Gross Merchantable	m3	823	790	33	704	27	29	31	33	
Net Merchantable	m3	755	737	18	668	26	16	27	18	
Net Merch - All	m3/ha	343	335	8	304	12	7	12	8	
Distribution	%	100	98	2	89	3	2	4	2	
Decay	%	4	3	32	3		12	6	32	
Waste	%	1	0	11	0		4	1	11	
Waste(billing)	%	1	0	20	0		7	1	20	
Breakage	%	3	3	4	2	4	30	4	4	
Total Cull (DWB)	%	8	7	46	5	4	46	11	46	
Basal Area / Ha	m2/ha	35.6	33.2	2.4	29.6	1.2	1.2	1.2	2.4	
Net VBAR	m3/m2	9.634	10.088	3.347	10.258	9.729	5.970	10.381	3.347	
Stems/Ha (Live & DP)		265.5	237.3	28.2	212.7	7.1	13.2	4.3	28.2	
Avg DBH (Live & DP)	cm	41.3	42.2	32.9	42.1	46.5	34.0	59.8	32.9	
Snags/Ha		22.3		22.3					22.3	
Avg Snag DBH	cm	26.2		26.2					26.2	
Gross Merch Vol/Tree	m3	1.41	1.51	0.53	1.50	1.72	1.00	3.27	0.53	
Net Merch Vol/Tree	m3	1.29	1.41	0.28	1.43	1.65	0.54	2.92	0.28	
Avg Weight Total Ht	m	33.6	34.2	19.0	34.4	31.4	26.5	40.2	19.0	
Avg Weight Merch Ht	m	28.5	29.0	13.1	29.1	26.4	21.9	35.4	13.1	
Net Merch Vol/Log	m3	0.28	0.29	0.13	0.28	0.34	0.21	0.44	0.13	
Gross Merch Vol/Log	m3	0.29	0.30	0.23	0.29	0.34	0.25	0.47	0.23	
Avg # of Logs/Tree		4.82	5.12	2.36	5.15	5.00	4.00	7.00	2.36	
Net Immature	%	78.0	79.9		84.2	100.0				
LRF and Log Summary										
Net Merch - Stud	%	16.2	16.6		17.6		13.5	9.9		
Net Merch - Small Log	%	55.7	54.6	100.0	55.6	37.2	100.0	20.7	100.0	
Net Merch - Large Log	%	44.3	45.4		44.4	62.8		79.3		
Avg LRF All	bdft/m3	209.9	210.9	165.7	211.5	198.8	189.8	219.9	165.7	
Statistical Summary										
Coeff. of Variation	%	51.5	55.3	316.2	59.2	316.2	316.2	316.2	316.2	
Two Standard Error	%	36.8	39.6	226.2	42.4	226.2	226.2	226.2	226.2	
Number and Type of Plots		MP = 10								
Number of Potential Trees		27								
Plots/Ha		0.8								
Cruised Trees/Plot		2.7								

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage and Root Rot, , Wet Belt Fir

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Type Damage Summary [Blowdown Damage]

Average Line Method
Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage
FIZ: G
PSYU: Edgewood
Region: 4 - Kootenay-Boundary
District: 04 - Selkirk
31-Jul-2020 02:02:03PM
Filename: ta1559.ccp
Compiled by: BCTS
Cruised by: D. BRITTEN
Version: 2019.01 IFS build 6276

Licence Number: A95881 CP: NA
Project: N/A

Net Area: Type 4 (M):FCL(Ep), Plots in Type: 21, TUs: [All Treatment Units : 25.5]

Species: Birch

Type of Damage:		Total	No Dmg	E-Down
Volume and Size Data				
Gross Merchantable	m3	856	762	94
Net Merchantable	m3	575	489	86
Net Merch - All	m3/ha	23	19	3
Distribution	%	100	85	15
Decay	%	23	26	5
Waste	%	6	6	
Waste(billing)	%	8	10	
Breakage	%	4	4	4
Total Cull (DWB)	%	33	36	9
Basal Area / Ha	m2/ha	4.3	3.8	0.5
Net VBAR	m3/m2	5.264	5.264	5.264
Stems/Ha (Live & DP)		95.1	77.2	17.9
Avg DBH (Live & DP)	cm	24.0	25.1	18.4
Snags/Ha		16.1	16.1	
Avg Snag DBH	cm	30.7	30.7	
Gross Merch Vol/Tree	m3	0.35	0.39	0.21
Net Merch Vol/Tree	m3	0.24	0.25	0.19
Avg Weight Total Ht	m	22.5	22.6	22.1
Avg Weight Merch Ht	m	14.7	15.0	12.8
Net Merch Vol/Log	m3	0.09	0.10	0.07
Gross Merch Vol/Log	m3	0.13	0.15	0.07
Avg # of Logs/Tree		2.66	2.59	3.00
Net Immature	%			
LRF and Log Summary				
Net Merch - Stud	%			
Net Merch - Small Log	%	100.0	100.0	100.0
Net Merch - Large Log	%			
Avg LRF All	bdft/m3	159.1	159.9	154.3

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage and Root Rot, , Wet Belt Fir

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Type Damage Summary [Blowdown Damage]

Average Line Method
Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage
FIZ: G
PSYU: Edgewood
Region: 4 - Kootenay-Boundary
District: 04 - Selkirk
31-Jul-2020 02:02:03PM
Filename: ta1559.ccp
Compiled by: BCTS
Cruised by: D. BRITTEN
Version: 2019.01 IFS build 6276

Licence Number: A95881 CP: NA
Project: N/A

Net Area: Type 4 (M):FCL(Ep), Plots in Type: 21, TUs: [All Treatment Units : 25.5]

Species: Doug-Fir

Type of Damage:		Total	No Dmg	E-Down	G-Shatt
Volume and Size Data					
Gross Merchantable	m3	6902	6289	408	205
Net Merchantable	m3	6544	5965	385	193
Net Merch - All	m3/ha	257	234	15	8
Distribution	%	100	91	6	3
Decay	%	3	3	4	4
Waste	%	0	0		
Waste(billing)	%	0	0		
Breakage	%	2	2	2	2
Total Cull (DWB)	%	5	5	6	6
Basal Area / Ha	m2/ha	24.5	22.1	1.4	1.0
Net VBAR	m3/m2	10.464	10.464	10.464	10.464
Stems/Ha (Live & DP)		217.7	190.2	11.0	16.5
Avg DBH (Live & DP)	cm	37.9	38.5	40.7	27.1
Snags/Ha		2.5	2.5		
Avg Snag DBH	cm	35.0	35.0		
Gross Merch Vol/Tree	m3	1.24	1.30	1.46	0.49
Net Merch Vol/Tree	m3	1.18	1.23	1.38	0.46
Avg Weight Total Ht	m	35.1	35.4	35.2	26.0
Avg Weight Merch Ht	m	29.5	29.8	29.6	19.7
Net Merch Vol/Log	m3	0.25	0.25	0.26	0.14
Gross Merch Vol/Log	m3	0.26	0.26	0.27	0.14
Avg # of Logs/Tree		4.85	4.93	5.51	3.43
Net Immature	%	95.8	95.4	100.0	100.0
LRF and Log Summary					
Net Merch - Stud	%	21.1	20.1	17.9	55.8
Net Merch - Small Log	%	55.0	54.5	49.8	80.8
Net Merch - Large Log	%	45.0	45.5	50.2	19.2
Avg LRF All	bdft/m3	209.8	210.5	211.1	187.2

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage and Root Rot, , Wet Belt Fir

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Type Damage Summary [Blowdown Damage]

Average Line Method | Grades: MOF Computerized | FIZ: G | 31-Jul-2020 02:02:03PM
Computerized Decay | PSYU: Edgewood | Filename: ta1559.ccp
Licence Number: A95881 CP: NA | Computerized Waste | Region: 4 - Kootenay-Boundary | Compiled by: BCTS
Project: N/A | Computerized Breakage | District: 04 - Selkirk | Cruised by: D. BRITTEN
Version: 2019.01 IFS build 6276

Net Area: Type 4 (M):FCL(Ep), Plots in Type: 21, TUs: [All Treatment Units : 25.5]

Species: Larch

Type of Damage:		Total	No Dmg	E-Down
Volume and Size Data				
Gross Merchantable	m3	797	696	100
Net Merchantable	m3	761	664	97
Net Merch - All	m3/ha	30	26	4
Distribution	%	100	87	13
Decay	%	1	2	
Waste	%			
Waste(billing)	%			
Breakage	%	3	3	3
Total Cull (DWB)	%	4	5	3
Basal Area / Ha	m2/ha	2.9	2.4	0.5
Net VBAR	m3/m2	10.450	10.450	10.450
Stems/Ha (Live & DP)		41.4	30.1	11.3
Avg DBH (Live & DP)	cm	29.6	31.7	23.2
Snags/Ha				
Avg Snag DBH	cm			
Gross Merch Vol/Tree	m3	0.75	0.91	0.35
Net Merch Vol/Tree	m3	0.72	0.86	0.34
Avg Weight Total Ht	m	34.3	35.7	25.0
Avg Weight Merch Ht	m	27.5	28.9	17.6
Net Merch Vol/Log	m3	0.15	0.17	0.09
Gross Merch Vol/Log	m3	0.16	0.18	0.09
Avg # of Logs/Tree		4.82	5.12	4.00
Net Immature	%	100.0	100.0	100.0
LRF and Log Summary				
Net Merch - Stud	%	41.3	32.7	100.0
Net Merch - Small Log	%	89.9	88.4	100.0
Net Merch - Large Log	%	10.1	11.6	
Avg LRF All	bdft/m3	193.5	195.9	177.0

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage and Root Rot, , Wet Belt Fir

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Type Damage Summary [Blowdown Damage]

Average Line Method
Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage
FIZ: G
PSYU: Edgewood
Region: 4 - Kootenay-Boundary
District: 04 - Selkirk
31-Jul-2020 02:02:03PM
Filename: ta1559.ccp
Compiled by: BCTS
Cruised by: D. BRITTEN
Version: 2019.01 IFS build 6276

Licence Number: A95881 CP: NA
Project: N/A

Net Area: Type 4 (M):FCL(Ep), Plots in Type: 21, TUs: [All Treatment Units : 25.5]

Species: L.P. Pine

Type of Damage:		Total	No Dmg	E-Down
Volume and Size Data				
Gross Merchantable	m3	469	309	160
Net Merchantable	m3	369	274	95
Net Merch - All	m3/ha	14	11	4
Distribution	%	100	74	26
Decay	%	9	9	9
Waste	%	1	0	1
Waste(billing)	%	1	0	2
Breakage	%	12	2	30
Total Cull (DWB)	%	21	11	41
Basal Area / Ha	m2/ha	1.9	1.0	1.0
Net VBAR	m3/m2	7.596	7.596	7.596
Stems/Ha (Live & DP)		60.8	15.0	45.9
Avg DBH (Live & DP)	cm	20.0	28.5	16.3
Snags/Ha				
Avg Snag DBH	cm			
Gross Merch Vol/Tree	m3	0.30	0.81	0.14
Net Merch Vol/Tree	m3	0.24	0.72	0.08
Avg Weight Total Ht	m	25.8	29.8	19.4
Avg Weight Merch Ht	m	20.9	24.4	14.1
Net Merch Vol/Log	m3	0.12	0.17	0.08
Gross Merch Vol/Log	m3	0.14	0.18	0.09
Avg # of Logs/Tree		2.18	4.41	1.46
Net Immature	%	81.2	100.0	27.1
LRF and Log Summary				
Net Merch - Stud	%	53.2	37.0	100.0
Net Merch - Small Log	%	100.0	100.0	100.0
Net Merch - Large Log	%			
Avg LRF All	bdft/m3	180.3	185.9	164.3

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage and Root Rot, , Wet Belt Fir

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Type Damage Summary [Blowdown Damage]

Average Line Method
Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage
FIZ: G
PSYU: Edgewood
Region: 4 - Kootenay-Boundary
District: 04 - Selkirk
31-Jul-2020 02:02:03PM
Filename: ta1559.ccp
Compiled by: BCTS
Cruised by: D. BRITTEN
Version: 2019.01 IFS build 6276

Licence Number: A95881 CP: NA
Project: N/A

Net Area: Type 4 (M):FCL(Ep), Plots in Type: 21, TUs: [SC : 23.5]

Species: Birch

Type of Damage:		Total	No Dmg	E-Down
Volume and Size Data				
Gross Merchantable	m3	789	702	87
Net Merchantable	m3	530	451	79
Net Merch - All	m3/ha	23	19	3
Distribution	%	100	85	15
Decay	%	23	26	5
Waste	%	6	6	
Waste(billing)	%	8	10	
Breakage	%	4	4	4
Total Cull (DWB)	%	33	36	9
Basal Area / Ha	m2/ha	4.3	3.8	0.5
Net VBAR	m3/m2	5.264	5.264	5.264
Stems/Ha (Live & DP)		95.1	77.2	17.9
Avg DBH (Live & DP)	cm	24.0	25.1	18.4
Snags/Ha		16.1	16.1	
Avg Snag DBH	cm	30.7	30.7	
Gross Merch Vol/Tree	m3	0.35	0.39	0.21
Net Merch Vol/Tree	m3	0.24	0.25	0.19
Avg Weight Total Ht	m	22.5	22.6	22.1
Avg Weight Merch Ht	m	14.7	15.0	12.8
Net Merch Vol/Log	m3	0.09	0.10	0.07
Gross Merch Vol/Log	m3	0.13	0.15	0.07
Avg # of Logs/Tree		2.66	2.59	3.00
Net Immature	%			
LRF and Log Summary				
Net Merch - Stud	%			
Net Merch - Small Log	%	100.0	100.0	100.0
Net Merch - Large Log	%			
Avg LRF All	bdft/m3	159.1	159.9	154.3

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage and Root Rot, , Wet Belt Fir

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Type Damage Summary [Blowdown Damage]

Average Line Method
Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage
FIZ: G
PSYU: Edgewood
Region: 4 - Kootenay-Boundary
District: 04 - Selkirk
31-Jul-2020 02:02:03PM
Filename: ta1559.ccp
Compiled by: BCTS
Cruised by: D. BRITTEN
Version: 2019.01 IFS build 6276

Licence Number: A95881 CP: NA
Project: N/A

Net Area: Type 4 (M):FCL(Ep), Plots in Type: 21, TUs: [SC : 23.5]

Species: Doug-Fir

Type of Damage:		Total	No Dmg	E-Down	G-Shatt
Volume and Size Data					
Gross Merchantable	m3	6361	5796	376	189
Net Merchantable	m3	6030	5497	355	178
Net Merch - All	m3/ha	257	234	15	8
Distribution	%	100	91	6	3
Decay	%	3	3	4	4
Waste	%	0	0		
Waste(billing)	%	0	0		
Breakage	%	2	2	2	2
Total Cull (DWB)	%	5	5	6	6
Basal Area / Ha	m2/ha	24.5	22.1	1.4	1.0
Net VBAR	m3/m2	10.464	10.464	10.464	10.464
Stems/Ha (Live & DP)		217.7	190.2	11.0	16.5
Avg DBH (Live & DP)	cm	37.9	38.5	40.7	27.1
Snags/Ha		2.5	2.5		
Avg Snag DBH	cm	35.0	35.0		
Gross Merch Vol/Tree	m3	1.24	1.30	1.46	0.49
Net Merch Vol/Tree	m3	1.18	1.23	1.38	0.46
Avg Weight Total Ht	m	35.1	35.4	35.2	26.0
Avg Weight Merch Ht	m	29.5	29.8	29.6	19.7
Net Merch Vol/Log	m3	0.25	0.25	0.26	0.14
Gross Merch Vol/Log	m3	0.26	0.26	0.27	0.14
Avg # of Logs/Tree		4.85	4.93	5.51	3.43
Net Immature	%	95.8	95.4	100.0	100.0
LRF and Log Summary					
Net Merch - Stud	%	21.1	20.1	17.9	55.8
Net Merch - Small Log	%	55.0	54.5	49.8	80.8
Net Merch - Large Log	%	45.0	45.5	50.2	19.2
Avg LRF All	bdft/m3	209.8	210.5	211.1	187.2

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage and Root Rot, , Wet Belt Fir

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Type Damage Summary [Blowdown Damage]

Average Line Method
Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage
FIZ: G
PSYU: Edgewood
Region: 4 - Kootenay-Boundary
District: 04 - Selkirk
31-Jul-2020 02:02:03PM
Filename: ta1559.ccp
Compiled by: BCTS
Cruised by: D. BRITTEN
Version: 2019.01 IFS build 6276

Licence Number: A95881 CP: NA
Project: N/A

Net Area: Type 4 (M):FCL(Ep), Plots in Type: 21, TUs: [SC : 23.5]

Species: Larch

Type of Damage:		Total	No Dmg	E-Down
Volume and Size Data				
Gross Merchantable	m3	734	642	93
Net Merchantable	m3	702	612	90
Net Merch - All	m3/ha	30	26	4
Distribution	%	100	87	13
Decay	%	1	2	
Waste	%			
Waste(billing)	%			
Breakage	%	3	3	3
Total Cull (DWB)	%	4	5	3
Basal Area / Ha	m2/ha	2.9	2.4	0.5
Net VBAR	m3/m2	10.450	10.450	10.450
Stems/Ha (Live & DP)		41.4	30.1	11.3
Avg DBH (Live & DP)	cm	29.6	31.7	23.2
Snags/Ha				
Avg Snag DBH	cm			
Gross Merch Vol/Tree	m3	0.75	0.91	0.35
Net Merch Vol/Tree	m3	0.72	0.86	0.34
Avg Weight Total Ht	m	34.3	35.7	25.0
Avg Weight Merch Ht	m	27.5	28.9	17.6
Net Merch Vol/Log	m3	0.15	0.17	0.09
Gross Merch Vol/Log	m3	0.16	0.18	0.09
Avg # of Logs/Tree		4.82	5.12	4.00
Net Immature	%	100.0	100.0	100.0
LRF and Log Summary				
Net Merch - Stud	%	41.3	32.7	100.0
Net Merch - Small Log	%	89.9	88.4	100.0
Net Merch - Large Log	%	10.1	11.6	
Avg LRF All	bdft/m3	193.5	195.9	177.0

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage and Root Rot, , Wet Belt Fir

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Type Damage Summary [Blowdown Damage]

Average Line Method
Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage
FIZ: G
PSYU: Edgewood
Region: 4 - Kootenay-Boundary
District: 04 - Selkirk
31-Jul-2020 02:02:03PM
Filename: ta1559.ccp
Compiled by: BCTS
Cruised by: D. BRITTEN
Version: 2019.01 IFS build 6276

Licence Number: A95881 CP: NA
Project: N/A

Net Area: Type 4 (M):FCL(Ep), Plots in Type: 21, TUs: [SC : 23.5]

Species: L.P. Pine

Type of Damage:		Total	No Dmg	E-Down
Volume and Size Data				
Gross Merchantable	m3	432	285	148
Net Merchantable	m3	340	252	88
Net Merch - All	m3/ha	14	11	4
Distribution	%	100	74	26
Decay	%	9	9	9
Waste	%	1	0	1
Waste(billing)	%	1	0	2
Breakage	%	12	2	30
Total Cull (DWB)	%	21	11	41
Basal Area / Ha	m2/ha	1.9	1.0	1.0
Net VBAR	m3/m2	7.596	7.596	7.596
Stems/Ha (Live & DP)		60.8	15.0	45.9
Avg DBH (Live & DP)	cm	20.0	28.5	16.3
Snags/Ha				
Avg Snag DBH	cm			
Gross Merch Vol/Tree	m3	0.30	0.81	0.14
Net Merch Vol/Tree	m3	0.24	0.72	0.08
Avg Weight Total Ht	m	25.8	29.8	19.4
Avg Weight Merch Ht	m	20.9	24.4	14.1
Net Merch Vol/Log	m3	0.12	0.17	0.08
Gross Merch Vol/Log	m3	0.14	0.18	0.09
Avg # of Logs/Tree		2.18	4.41	1.46
Net Immature	%	81.2	100.0	27.1
LRF and Log Summary				
Net Merch - Stud	%	53.2	37.0	100.0
Net Merch - Small Log	%	100.0	100.0	100.0
Net Merch - Large Log	%			
Avg LRF All	bdft/m3	180.3	185.9	164.3

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage and Root Rot, , Wet Belt Fir

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Type Damage Summary [Blowdown Damage]

Average Line Method
Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage
FIZ: G
PSYU: Edgewood
Region: 4 - Kootenay-Boundary
District: 04 - Selkirk
31-Jul-2020 02:02:03PM
Filename: ta1559.ccp
Compiled by: BCTS
Cruised by: D. BRITTEN
Version: 2019.01 IFS build 6276

Licence Number: A95881 CP: NA
Project: N/A

Net Area: Type 4 (M):FCL(Ep), Plots in Type: 21, TUs: [R/W : 2.0]

Species: Birch

Type of Damage:		Total	No Dmg	E-Down
Volume and Size Data				
Gross Merchantable	m3	67	60	7
Net Merchantable	m3	45	38	7
Net Merch - All	m3/ha	23	19	3
Distribution	%	100	85	15
Decay	%	23	26	5
Waste	%	6	6	
Waste(billing)	%	8	10	
Breakage	%	4	4	4
Total Cull (DWB)	%	33	36	9
Basal Area / Ha	m2/ha	4.3	3.8	0.5
Net VBAR	m3/m2	5.264	5.264	5.264
Stems/Ha (Live & DP)		95.1	77.2	17.9
Avg DBH (Live & DP)	cm	24.0	25.1	18.4
Snags/Ha		16.1	16.1	
Avg Snag DBH	cm	30.7	30.7	
Gross Merch Vol/Tree	m3	0.35	0.39	0.21
Net Merch Vol/Tree	m3	0.24	0.25	0.19
Avg Weight Total Ht	m	22.5	22.6	22.1
Avg Weight Merch Ht	m	14.7	15.0	12.8
Net Merch Vol/Log	m3	0.09	0.10	0.07
Gross Merch Vol/Log	m3	0.13	0.15	0.07
Avg # of Logs/Tree		2.66	2.59	3.00
Net Immature	%			
LRF and Log Summary				
Net Merch - Stud	%			
Net Merch - Small Log	%	100.0	100.0	100.0
Net Merch - Large Log	%			
Avg LRF All	bdft/m3	159.1	159.9	154.3

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage and Root Rot, , Wet Belt Fir

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Type Damage Summary [Blowdown Damage]

Average Line Method
Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage
FIZ: G
PSYU: Edgewood
Region: 4 - Kootenay-Boundary
District: 04 - Selkirk
31-Jul-2020 02:02:03PM
Filename: ta1559.ccp
Compiled by: BCTS
Cruised by: D. BRITTEN
Version: 2019.01 IFS build 6276

Licence Number: A95881 CP: NA
Project: N/A

Net Area: Type 4 (M):FCL(Ep), Plots in Type: 21, TUs: [R/W : 2.0]

Species: Doug-Fir

Type of Damage:		Total	No Dmg	E-Down	G-Shatt
Volume and Size Data					
Gross Merchantable	m3	541	493	32	16
Net Merchantable	m3	513	468	30	15
Net Merch - All	m3/ha	257	234	15	8
Distribution	%	100	91	6	3
Decay	%	3	3	4	4
Waste	%	0	0		
Waste(billing)	%	0	0		
Breakage	%	2	2	2	2
Total Cull (DWB)	%	5	5	6	6
Basal Area / Ha	m2/ha	24.5	22.1	1.4	1.0
Net VBAR	m3/m2	10.464	10.464	10.464	10.464
Stems/Ha (Live & DP)		217.7	190.2	11.0	16.5
Avg DBH (Live & DP)	cm	37.9	38.5	40.7	27.1
Snags/Ha		2.5	2.5		
Avg Snag DBH	cm	35.0	35.0		
Gross Merch Vol/Tree	m3	1.24	1.30	1.46	0.49
Net Merch Vol/Tree	m3	1.18	1.23	1.38	0.46
Avg Weight Total Ht	m	35.1	35.4	35.2	26.0
Avg Weight Merch Ht	m	29.5	29.8	29.6	19.7
Net Merch Vol/Log	m3	0.25	0.25	0.26	0.14
Gross Merch Vol/Log	m3	0.26	0.26	0.27	0.14
Avg # of Logs/Tree		4.85	4.93	5.51	3.43
Net Immature	%	95.8	95.4	100.0	100.0
LRF and Log Summary					
Net Merch - Stud	%	21.1	20.1	17.9	55.8
Net Merch - Small Log	%	55.0	54.5	49.8	80.8
Net Merch - Large Log	%	45.0	45.5	50.2	19.2
Avg LRF All	bdft/m3	209.8	210.5	211.1	187.2

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage and Root Rot, , Wet Belt Fir

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Type Damage Summary [Blowdown Damage]

Average Line Method
Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage
FIZ: G
PSYU: Edgewood
Region: 4 - Kootenay-Boundary
District: 04 - Selkirk
31-Jul-2020 02:02:03PM
Filename: ta1559.ccp
Compiled by: BCTS
Cruised by: D. BRITTEN
Version: 2019.01 IFS build 6276

Licence Number: A95881 CP: NA
Project: N/A

Net Area: Type 4 (M):FCL(Ep), Plots in Type: 21, TUs: [R/W : 2.0]

Species: Larch

Type of Damage:		Total	No Dmg	E-Down
Volume and Size Data				
Gross Merchantable	m3	62	55	8
Net Merchantable	m3	60	52	8
Net Merch - All	m3/ha	30	26	4
Distribution	%	100	87	13
Decay	%	1	2	
Waste	%			
Waste(billing)	%			
Breakage	%	3	3	3
Total Cull (DWB)	%	4	5	3
Basal Area / Ha	m2/ha	2.9	2.4	0.5
Net VBAR	m3/m2	10.450	10.450	10.450
Stems/Ha (Live & DP)		41.4	30.1	11.3
Avg DBH (Live & DP)	cm	29.6	31.7	23.2
Snags/Ha				
Avg Snag DBH	cm			
Gross Merch Vol/Tree	m3	0.75	0.91	0.35
Net Merch Vol/Tree	m3	0.72	0.86	0.34
Avg Weight Total Ht	m	34.3	35.7	25.0
Avg Weight Merch Ht	m	27.5	28.9	17.6
Net Merch Vol/Log	m3	0.15	0.17	0.09
Gross Merch Vol/Log	m3	0.16	0.18	0.09
Avg # of Logs/Tree		4.82	5.12	4.00
Net Immature	%	100.0	100.0	100.0
LRF and Log Summary				
Net Merch - Stud	%	41.3	32.7	100.0
Net Merch - Small Log	%	89.9	88.4	100.0
Net Merch - Large Log	%	10.1	11.6	
Avg LRF All	bdft/m3	193.5	195.9	177.0

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage and Root Rot, , Wet Belt Fir

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Type Damage Summary [Blowdown Damage]

Average Line Method
Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage
FIZ: G
PSYU: Edgewood
Region: 4 - Kootenay-Boundary
District: 04 - Selkirk
31-Jul-2020 02:02:03PM
Filename: ta1559.ccp
Compiled by: BCTS
Cruised by: D. BRITTEN
Version: 2019.01 IFS build 6276

Licence Number: A95881 CP: NA
Project: N/A

Net Area: Type 4 (M):FCL(Ep), Plots in Type: 21, TUs: [R/W : 2.0]

Species: L.P. Pine

Type of Damage:		Total	No Dmg	E-Down
Volume and Size Data				
Gross Merchantable	m3	37	24	13
Net Merchantable	m3	29	21	7
Net Merch - All	m3/ha	14	11	4
Distribution	%	100	74	26
Decay	%	9	9	9
Waste	%	1	0	1
Waste(billing)	%	1	0	2
Breakage	%	12	2	30
Total Cull (DWB)	%	21	11	41
Basal Area / Ha	m2/ha	1.9	1.0	1.0
Net VBAR	m3/m2	7.596	7.596	7.596
Stems/Ha (Live & DP)		60.8	15.0	45.9
Avg DBH (Live & DP)	cm	20.0	28.5	16.3
Snags/Ha				
Avg Snag DBH	cm			
Gross Merch Vol/Tree	m3	0.30	0.81	0.14
Net Merch Vol/Tree	m3	0.24	0.72	0.08
Avg Weight Total Ht	m	25.8	29.8	19.4
Avg Weight Merch Ht	m	20.9	24.4	14.1
Net Merch Vol/Log	m3	0.12	0.17	0.08
Gross Merch Vol/Log	m3	0.14	0.18	0.09
Avg # of Logs/Tree		2.18	4.41	1.46
Net Immature	%	81.2	100.0	27.1
LRF and Log Summary				
Net Merch - Stud	%	53.2	37.0	100.0
Net Merch - Small Log	%	100.0	100.0	100.0
Net Merch - Large Log	%			
Avg LRF All	bdft/m3	180.3	185.9	164.3

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage and Root Rot, , Wet Belt Fir

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Type Damage Summary [Blowdown Damage]

Average Line Method
Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage
FIZ: G
PSYU: Edgewood
Region: 4 - Kootenay-Boundary
District: 04 - Selkirk
31-Jul-2020 02:02:03PM
Filename: ta1559.ccp
Compiled by: BCTS
Cruised by: D. BRITTEN
Version: 2019.01 IFS build 6276

Licence Number: A95881 CP: NA
Project: N/A

Net Area: Type 5 (M):F(CLAtEp), Plots in Type: 10, TUs: [All Treatment Units : 13.1]

Species: Doug-Fir

Type of Damage:		Total	No Dmg	E-Down	G-Shatt
Volume and Size Data					
Gross Merchantable	m3	4190	3105	393	693
Net Merchantable	m3	3978	2961	365	651
Net Merch - All	m3/ha	304	226	28	50
Distribution	%	100	74	9	16
Decay	%	3	2	5	4
Waste	%	0	0		
Waste(billing)	%	0	0		
Breakage	%	2	2	2	2
Total Cull (DWB)	%	5	5	7	6
Basal Area / Ha	m2/ha	29.6	21.6	2.8	5.2
Net VBAR	m3/m2	10.258	10.258	10.258	10.258
Stems/Ha (Live & DP)		212.7	139.5	25.0	48.3
Avg DBH (Live & DP)	cm	42.1	44.4	37.8	37.0
Snags/Ha					
Avg Snag DBH	cm				
Gross Merch Vol/Tree	m3	1.50	1.70	1.20	1.10
Net Merch Vol/Tree	m3	1.43	1.62	1.11	1.03
Avg Weight Total Ht	m	34.4	35.2	33.0	31.3
Avg Weight Merch Ht	m	29.1	30.1	27.2	25.5
Net Merch Vol/Log	m3	0.28	0.31	0.21	0.23
Gross Merch Vol/Log	m3	0.29	0.32	0.22	0.24
Avg # of Logs/Tree		5.15	5.29	5.36	4.64
Net Immature	%	84.2	78.8	100.0	100.0
LRF and Log Summary					
Net Merch - Stud	%	17.6	14.4	24.1	28.7
Net Merch - Small Log	%	55.6	45.9	68.2	92.4
Net Merch - Large Log	%	44.4	54.1	31.8	7.6
Avg LRF All	bdft/m3	211.5	215.8	200.6	198.1

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage and Root Rot, , Wet Belt Fir

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Type Damage Summary [Blowdown Damage]

Average Line Method
Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage
FIZ: G
PSYU: Edgewood
Region: 4 - Kootenay-Boundary
District: 04 - Selkirk
31-Jul-2020 02:02:03PM
Filename: ta1559.ccp
Compiled by: BCTS
Cruised by: D. BRITTEN
Version: 2019.01 IFS build 6276

Licence Number: A95881 CP: NA
Project: N/A

Net Area: Type 5 (M):F(CLAtEp), Plots in Type: 10, TUs: [All Treatment Units : 13.1]

Species: L.P. Pine

Type of Damage:		Total	E-Down
Volume and Size Data			
Gross Merchantable	m3	173	173
Net Merchantable	m3	94	94
Net Merch - All	m3/ha	7	7
Distribution	%	100	100
Decay	%	12	12
Waste	%	4	4
Waste(billing)	%	7	7
Breakage	%	30	30
Total Cull (DWB)	%	46	46
Basal Area / Ha	m2/ha	1.2	1.2
Net VBAR	m3/m2	5.970	5.970
Stems/Ha (Live & DP)		13.2	13.2
Avg DBH (Live & DP)	cm	34.0	34.0
Snags/Ha			
Avg Snag DBH	cm		
Gross Merch Vol/Tree	m3	1.00	1.00
Net Merch Vol/Tree	m3	0.54	0.54
Avg Weight Total Ht	m	26.5	26.5
Avg Weight Merch Ht	m	21.9	21.9
Net Merch Vol/Log	m3	0.21	0.21
Gross Merch Vol/Log	m3	0.25	0.25
Avg # of Logs/Tree		4.00	4.00
Net Immature	%		
LRF and Log Summary			
Net Merch - Stud	%	13.5	13.5
Net Merch - Small Log	%	100.0	100.0
Net Merch - Large Log	%		
Avg LRF All	bdft/m3	189.8	189.8

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage and Root Rot, , Wet Belt Fir

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Type Damage Summary [Blowdown Damage]

Average Line Method
Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage
FIZ: G
PSYU: Edgewood
Region: 4 - Kootenay-Boundary
District: 04 - Selkirk
31-Jul-2020 02:02:03PM
Filename: ta1559.ccp
Compiled by: BCTS
Cruised by: D. BRITTEN
Version: 2019.01 IFS build 6276

Licence Number: A95881 CP: NA
Project: N/A

Net Area: Type 5 (M):F(CLAtEp), Plots in Type: 10, TUs: [CC : 10.9]

Species: Doug-Fir

Type of Damage:		Total	No Dmg	E-Down	G-Shatt
Volume and Size Data					
Gross Merchantable	m3	3486	2584	327	576
Net Merchantable	m3	3310	2464	304	542
Net Merch - All	m3/ha	304	226	28	50
Distribution	%	100	74	9	16
Decay	%	3	2	5	4
Waste	%	0	0		
Waste(billing)	%	0	0		
Breakage	%	2	2	2	2
Total Cull (DWB)	%	5	5	7	6
Basal Area / Ha	m2/ha	29.6	21.6	2.8	5.2
Net VBAR	m3/m2	10.258	10.258	10.258	10.258
Stems/Ha (Live & DP)		212.7	139.5	25.0	48.3
Avg DBH (Live & DP)	cm	42.1	44.4	37.8	37.0
Snags/Ha					
Avg Snag DBH	cm				
Gross Merch Vol/Tree	m3	1.50	1.70	1.20	1.10
Net Merch Vol/Tree	m3	1.43	1.62	1.11	1.03
Avg Weight Total Ht	m	34.4	35.2	33.0	31.3
Avg Weight Merch Ht	m	29.1	30.1	27.2	25.5
Net Merch Vol/Log	m3	0.28	0.31	0.21	0.23
Gross Merch Vol/Log	m3	0.29	0.32	0.22	0.24
Avg # of Logs/Tree		5.15	5.29	5.36	4.64
Net Immature	%	84.2	78.8	100.0	100.0
LRF and Log Summary					
Net Merch - Stud	%	17.6	14.4	24.1	28.7
Net Merch - Small Log	%	55.6	45.9	68.2	92.4
Net Merch - Large Log	%	44.4	54.1	31.8	7.6
Avg LRF All	bdft/m3	211.5	215.8	200.6	198.1

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage and Root Rot, , Wet Belt Fir

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Type Damage Summary [Blowdown Damage]

Average Line Method
Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage
FIZ: G
PSYU: Edgewood
Region: 4 - Kootenay-Boundary
District: 04 - Selkirk
31-Jul-2020 02:02:03PM
Filename: ta1559.ccp
Compiled by: BCTS
Cruised by: D. BRITTEN
Version: 2019.01 IFS build 6276

Licence Number: A95881 CP: NA
Project: N/A

Net Area: Type 5 (M):F(CLAtEp), Plots in Type: 10, TUs: [CC : 10.9]

Species: L.P. Pine

Type of Damage:		Total	E-Down
Volume and Size Data			
Gross Merchantable	m3	144	144
Net Merchantable	m3	78	78
Net Merch - All	m3/ha	7	7
Distribution	%	100	100
Decay	%	12	12
Waste	%	4	4
Waste(billing)	%	7	7
Breakage	%	30	30
Total Cull (DWB)	%	46	46
Basal Area / Ha	m2/ha	1.2	1.2
Net VBAR	m3/m2	5.970	5.970
Stems/Ha (Live & DP)		13.2	13.2
Avg DBH (Live & DP)	cm	34.0	34.0
Snags/Ha			
Avg Snag DBH	cm		
Gross Merch Vol/Tree	m3	1.00	1.00
Net Merch Vol/Tree	m3	0.54	0.54
Avg Weight Total Ht	m	26.5	26.5
Avg Weight Merch Ht	m	21.9	21.9
Net Merch Vol/Log	m3	0.21	0.21
Gross Merch Vol/Log	m3	0.25	0.25
Avg # of Logs/Tree		4.00	4.00
Net Immature	%		
LRF and Log Summary			
Net Merch - Stud	%	13.5	13.5
Net Merch - Small Log	%	100.0	100.0
Net Merch - Large Log	%		
Avg LRF All	bdft/m3	189.8	189.8

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage and Root Rot, , Wet Belt Fir

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Type Damage Summary [Blowdown Damage]

Average Line Method
Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage
FIZ: G
PSYU: Edgewood
Region: 4 - Kootenay-Boundary
District: 04 - Selkirk
31-Jul-2020 02:02:03PM
Filename: ta1559.ccp
Compiled by: BCTS
Cruised by: D. BRITTEN
Version: 2019.01 IFS build 6276

Licence Number: A95881 CP: NA
Project: N/A

Net Area: Type 5 (M):F(CLAtEp), Plots in Type: 10, TUs: [R/W : 2.2]

Species: Doug-Fir

Type of Damage:		Total	No Dmg	E-Down	G-Shatt
Volume and Size Data					
Gross Merchantable	m3	704	521	66	116
Net Merchantable	m3	668	497	61	109
Net Merch - All	m3/ha	304	226	28	50
Distribution	%	100	74	9	16
Decay	%	3	2	5	4
Waste	%	0	0		
Waste(billing)	%	0	0		
Breakage	%	2	2	2	2
Total Cull (DWB)	%	5	5	7	6
Basal Area / Ha	m2/ha	29.6	21.6	2.8	5.2
Net VBAR	m3/m2	10.258	10.258	10.258	10.258
Stems/Ha (Live & DP)		212.7	139.5	25.0	48.3
Avg DBH (Live & DP)	cm	42.1	44.4	37.8	37.0
Snags/Ha					
Avg Snag DBH	cm				
Gross Merch Vol/Tree	m3	1.50	1.70	1.20	1.10
Net Merch Vol/Tree	m3	1.43	1.62	1.11	1.03
Avg Weight Total Ht	m	34.4	35.2	33.0	31.3
Avg Weight Merch Ht	m	29.1	30.1	27.2	25.5
Net Merch Vol/Log	m3	0.28	0.31	0.21	0.23
Gross Merch Vol/Log	m3	0.29	0.32	0.22	0.24
Avg # of Logs/Tree		5.15	5.29	5.36	4.64
Net Immature	%	84.2	78.8	100.0	100.0
LRF and Log Summary					
Net Merch - Stud	%	17.6	14.4	24.1	28.7
Net Merch - Small Log	%	55.6	45.9	68.2	92.4
Net Merch - Large Log	%	44.4	54.1	31.8	7.6
Avg LRF All	bdft/m3	211.5	215.8	200.6	198.1

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage and Root Rot, , Wet Belt Fir

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Type Damage Summary [Blowdown Damage]

Average Line Method
Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage
FIZ: G
PSYU: Edgewood
Region: 4 - Kootenay-Boundary
District: 04 - Selkirk
31-Jul-2020 02:02:03PM
Filename: ta1559.ccp
Compiled by: BCTS
Cruised by: D. BRITTEN
Version: 2019.01 IFS build 6276

Licence Number: A95881 CP: NA
Project: N/A

Net Area: Type 5 (M):F(CLAtEp), Plots in Type: 10, TUs: [R/W : 2.2]

Species: L.P. Pine

Type of Damage:		Total	E-Down
Volume and Size Data			
Gross Merchantable	m3	29	29
Net Merchantable	m3	16	16
Net Merch - All	m3/ha	7	7
Distribution	%	100	100
Decay	%	12	12
Waste	%	4	4
Waste(billing)	%	7	7
Breakage	%	30	30
Total Cull (DWB)	%	46	46
Basal Area / Ha	m2/ha	1.2	1.2
Net VBAR	m3/m2	5.970	5.970
Stems/Ha (Live & DP)		13.2	13.2
Avg DBH (Live & DP)	cm	34.0	34.0
Snags/Ha			
Avg Snag DBH	cm		
Gross Merch Vol/Tree	m3	1.00	1.00
Net Merch Vol/Tree	m3	0.54	0.54
Avg Weight Total Ht	m	26.5	26.5
Avg Weight Merch Ht	m	21.9	21.9
Net Merch Vol/Log	m3	0.21	0.21
Gross Merch Vol/Log	m3	0.25	0.25
Avg # of Logs/Tree		4.00	4.00
Net Immature	%		
LRF and Log Summary			
Net Merch - Stud	%	13.5	13.5
Net Merch - Small Log	%	100.0	100.0
Net Merch - Large Log	%		
Avg LRF All	bdft/m3	189.8	189.8

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage and Root Rot, , Wet Belt Fir

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

CP Volume and Lumber Recovery Information

Average Line Method
Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage
FIZ: G
PSYU: Edgewood
Region: 4 - Kootenay-Boundary
District: 04 - Selkirk
31-Jul-2020 02:02:03PM
Filename: ta1559.ccp
Compiled by: BCTS
Cruised by: D. BRITTEN
Version: 2019.01 IFS build 6276

Licence Number: A95881 CP: NA
Project: N/A

Aspen

Log Top Dia(cm)	LRF	RISK GROUP # 1 Gross Merch	Decay %	Net Merch	FBM	RISK GROUP # 2 Gross Merch	Decay %	Net Merch	FBM	RISK GROUP # 3 Gross Merch	Decay %	Net Merch	FBM
0.1 - 4.4	0												
4.5 - 5.4	91												
5.5 - 6.4	103												
6.5 - 7.4	113												
7.5 - 8.4	123												
8.5 - 9.9	134												
10.0 - 14.9	158	22	31.3	12	1666								
15.0 - 19.9	185	55	29.9	31	4973								
20.0 - 24.9	202	22	17.5	17	3063								
25.0 - 29.9	217	30	17.5	23	4586								
30.0 - 34.9	226	38	17.5	29	5975								
35.0 - 39.9	234	51	17.5	39	8251								
40.0 - 44.9	240												
45.0 - 49.9	246												
50.0 - 54.9	252												
55.0 - 59.9	258												
60.0 - 64.9	263												
65.0 - 69.9	266												
70.0 - 74.9	267												
75.0 - 79.9	265												
80.0 - 84.9	263												
85.0 - 89.9	261												
90.0 - 94.9	259												
95.0 - 99.9	257												
100.0+	254												
All Logs		218	22.0	151	28514								

LRF and Log Summary

Risk Groups		1	2	3	1+2	2+3	1+2+3
Average LRF		189			189		189
Decay	%	22.0			22.0		
Stud Log Net Merch	%						
Small Log Net Merch	%	55.3			55.3		
Large Log Net Merch	%	44.7			44.7		

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage and Root Rot, , Wet Belt Fir

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

CP Volume and Lumber Recovery Information

Average Line Method
Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage
FIZ: G
PSYU: Edgewood
Region: 4 - Kootenay-Boundary
District: 04 - Selkirk
31-Jul-2020 02:02:03PM
Filename: ta1559.ccp
Compiled by: BCTS
Cruised by: D. BRITTEN
Version: 2019.01 IFS build 6276

Licence Number: A95881 CP: NA
Project: N/A

W.R. Cedar

Log Top Dia(cm)	LRF	RISK GROUP # 1 Gross Merch	Decay %	Net Merch	FBM	RISK GROUP # 2 Gross Merch	Decay %	Net Merch	FBM	RISK GROUP # 3 Gross Merch	Decay %	Net Merch	FBM
0.1 - 4.4	0												
4.5 - 5.4	91												
5.5 - 6.4	97												
6.5 - 7.4	103												
7.5 - 8.4	108												
8.5 - 9.9	115												
10.0 - 14.9	132	312	0.7	297	38787	120	5.5	108	12961				
15.0 - 19.9	156	170	1.2	161	24737	165	5.6	149	21401				
20.0 - 24.9	177	56		54	9476	252	5.6	227	37657				
25.0 - 29.9	197	29		28	5456	174	6.0	156	28981				
30.0 - 34.9	215	113		108	23278	239	6.0	215	43834				
35.0 - 39.9	227	22		21	4861	46	6.0	41	8930				
40.0 - 44.9	235												
45.0 - 49.9	238												
50.0 - 54.9	239												
55.0 - 59.9	239												
60.0 - 64.9	237												
65.0 - 69.9	233												
70.0 - 74.9	228												
75.0 - 79.9	223												
80.0 - 84.9	217												
85.0 - 89.9	210												
90.0 - 94.9	201												
95.0 - 99.9	193												
100.0+	184												
All Logs		701	0.6	669	106594	994	5.8	897	153765				

LRF and Log Summary

Risk Groups		1	2	3	1+2	2+3	1+2+3
Average LRF		159	171		166	171	166
Decay	%	0.6			3.6	5.8	
Stud Log Net Merch	%						
Small Log Net Merch	%	80.6			75.4	71.5	
Large Log Net Merch	%	19.4			24.6	28.5	

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage and Root Rot, , Wet Belt Fir

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

CP Volume and Lumber Recovery Information

Average Line Method
Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage
FIZ: G
PSYU: Edgewood
Region: 4 - Kootenay-Boundary
District: 04 - Selkirk
31-Jul-2020 02:02:03PM
Filename: ta1559.ccp
Compiled by: BCTS
Cruised by: D. BRITTEN
Version: 2019.01 IFS build 6276

Licence Number: A95881 CP: NA
Project: N/A

Birch

Log Top Dia(cm)	LRF	RISK GROUP # 1 Gross Merch	Decay %	Net Merch	FBM	RISK GROUP # 2 Gross Merch	Decay %	Net Merch	FBM	RISK GROUP # 3 Gross Merch	Decay %	Net Merch	FBM
0.1 - 4.4	0												
4.5 - 5.4	91												
5.5 - 6.4	103												
6.5 - 7.4	113												
7.5 - 8.4	123												
8.5 - 9.9	134												
10.0 - 14.9	158	364	12.1	298	44742	52	31.8	29	3796				
15.0 - 19.9	185	121	31.5	69	10721	30	31.4	18	2754				
20.0 - 24.9	202	161	31.4	92	15730	113	31.8	62	10485				
25.0 - 29.9	217	99	31.6	55	10057	112	32.1	59	10656				
30.0 - 34.9	226												
35.0 - 39.9	234												
40.0 - 44.9	240												
45.0 - 49.9	246												
50.0 - 54.9	252												
55.0 - 59.9	258												
60.0 - 64.9	263												
65.0 - 69.9	266												
70.0 - 74.9	267												
75.0 - 79.9	265												
80.0 - 84.9	263												
85.0 - 89.9	261												
90.0 - 94.9	259												
95.0 - 99.9	257												
100.0+	254												
All Logs		745	22.0	514	81250	308	31.9	166	27691				

LRF and Log Summary

Risk Groups		1	2	3	1+2	2+3	1+2+3
Average LRF		158	166		160	166	160
Decay	%	22.0			24.9	31.9	
Stud Log Net Merch	%						
Small Log Net Merch	%	100.0			100.0	100.0	
Large Log Net Merch	%						

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage and Root Rot, , Wet Belt Fir

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

CP Volume and Lumber Recovery Information

Average Line Method
Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage
FIZ: G
PSYU: Edgewood
Region: 4 - Kootenay-Boundary
District: 04 - Selkirk
31-Jul-2020 02:02:03PM
Filename: ta1559.ccp
Compiled by: BCTS
Cruised by: D. BRITTEN
Version: 2019.01 IFS build 6276

Licence Number: A95881 CP: NA
Project: N/A

Doug-Fir [Interior Wet Belt Fir]

Log Top Dia(cm)	LRF	RISK GROUP # 1 Gross Merch	Decay %	Net Merch	FBM	RISK GROUP # 2 Gross Merch	Decay %	Net Merch	FBM	RISK GROUP # 3 Gross Merch	Decay %	Net Merch	FBM
0.1 - 4.4	0												
4.5 - 5.4	91												
5.5 - 6.4	103												
6.5 - 7.4	113												
7.5 - 8.4	123												
8.5 - 9.9	134												
10.0 - 14.9	156	469	0.3	458	71382	425	4.5	397	60509				
15.0 - 19.9	185	704	0.3	688	127004	574	4.6	536	96890				
20.0 - 24.9	202	847	0.5	826	166399	1000	5.0	930	183176				
25.0 - 29.9	217	857	0.7	833	180146	1226	5.0	1140	241290				
30.0 - 34.9	226	806	0.7	785	176781	1206	5.0	1121	247054				
35.0 - 39.9	234	460	0.7	447	104295	782	4.9	727	166035				
40.0 - 44.9	240	204	1.1	198	47251	511	4.8	475	111298				
45.0 - 49.9	246	118	1.2	114	27812	448	4.7	416	100027				
50.0 - 54.9	252	131	1.2	127	31729	226	4.5	210	51717				
55.0 - 59.9	258	76	1.4	73	18705	21	5.0	20	4908				
60.0 - 64.9	263												
65.0 - 69.9	266												
70.0 - 74.9	267												
75.0 - 79.9	265												
80.0 - 84.9	263												
85.0 - 89.9	261												
90.0 - 94.9	259												
95.0 - 99.9	257												
100.0+	254												
All Logs		4672	0.6	4548	951505	6420	4.9	5973	1262905				

LRF and Log Summary

Risk Groups		1	2	3	1+2	2+3	1+2+3
Average LRF		209	211		210	211	210
Decay	%	0.6			3.1	4.9	
Stud Log Net Merch	%	25.2			19.8	15.6	
Small Log Net Merch	%	61.7			55.2	50.3	
Large Log Net Merch	%	38.3			44.8	49.7	

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage and Root Rot, , Wet Belt Fir

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

CP Volume and Lumber Recovery Information

Average Line Method

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: G
PSYU: Edgewood
Region: 4 - Kootenay-Boundary
District: 04 - Selkirk

31-Jul-2020 02:02:03PM
Filename: ta1559.ccp
Compiled by: BCTS
Cruised by: D. BRITTEN
Version: 2019.01 IFS build 6276

Licence Number: A95881 CP: NA
Project: N/A

Doug-Fir [Quality 1]: [Interior Wet Belt Fir]

Log Top Dia(cm)	LRF	RISK GROUP # 1 Gross Merch	Decay %	Net Merch	FBM	RISK GROUP # 2 Gross Merch	Decay %	Net Merch	FBM	RISK GROUP # 3 Gross Merch	Decay %	Net Merch	FBM
0.1 - 4.4	0												
4.5 - 5.4	100												
5.5 - 6.4	109												
6.5 - 7.4	118												
7.5 - 8.4	128												
8.5 - 9.9	139												
10.0 - 14.9	170	363	0.4	354	60040								
15.0 - 19.9	217	517	0.4	504	109213								
20.0 - 24.9	246	656	0.7	639	156578								
25.0 - 29.9	266	845	0.7	821	217692								
30.0 - 34.9	279	771	0.7	750	208585								
35.0 - 39.9	287	460	0.7	447	127917								
40.0 - 44.9	292	204	1.1	198	57489								
45.0 - 49.9	297	118	1.2	114	33578								
50.0 - 54.9	299	131	1.2	127	37647								
55.0 - 59.9	302	76	1.4	73	21895								
60.0 - 64.9	302												
65.0 - 69.9	303												
70.0 - 74.9	302												
75.0 - 79.9	302												
80.0 - 84.9	301												
85.0 - 89.9	298												
90.0 - 94.9	297												
95.0 - 99.9	295												
100.0+	295												
All Logs		4140	0.7	4027	1030634								

LRF and Log Summary

Risk Groups		1	2	3	1+2	2+3	1+2+3
Average LRF		256			256		256
Decay	%	0.7			0.7		
Stud Log Net Merch	%	21.3			21.3		
Small Log Net Merch	%	57.6			57.6		
Large Log Net Merch	%	42.4			42.4		

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage and Root Rot, , Wet Belt Fir

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

CP Volume and Lumber Recovery Information

Average Line Method
Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage
FIZ: G
PSYU: Edgewood
Region: 4 - Kootenay-Boundary
District: 04 - Selkirk
31-Jul-2020 02:02:03PM
Filename: ta1559.ccp
Compiled by: BCTS
Cruised by: D. BRITTEN
Version: 2019.01 IFS build 6276

Licence Number: A95881 CP: NA
Project: N/A

Doug-Fir [Quality 2]: [Interior Wet Belt Fir]

Log Top Dia(cm)	LRF	RISK GROUP # 1 Gross Merch	Decay %	Net Merch	FBM	RISK GROUP # 2 Gross Merch	Decay %	Net Merch	FBM	RISK GROUP # 3 Gross Merch	Decay %	Net Merch	FBM
0.1 - 4.4	0												
4.5 - 5.4	91												
5.5 - 6.4	100												
6.5 - 7.4	109												
7.5 - 8.4	119												
8.5 - 9.9	130												
10.0 - 14.9	160	107		104	16705	425	4.5	397	62061				
15.0 - 19.9	206	187		183	37744	574	4.6	536	107888				
20.0 - 24.9	234	191		187	43820	1000	5.0	930	212194				
25.0 - 29.9	251	12		12	2955	1226	5.0	1140	279096				
30.0 - 34.9	262	35		35	9065	1206	5.0	1121	286407				
35.0 - 39.9	270					782	4.9	727	191579				
40.0 - 44.9	275					511	4.8	475	127529				
45.0 - 49.9	279					448	4.7	416	113445				
50.0 - 54.9	281					226	4.5	210	57669				
55.0 - 59.9	282					21	5.0	20	5365				
60.0 - 64.9	282												
65.0 - 69.9	281												
70.0 - 74.9	280												
75.0 - 79.9	279												
80.0 - 84.9	277												
85.0 - 89.9	275												
90.0 - 94.9	273												
95.0 - 99.9	272												
100.0+	269												
All Logs		532		521	110288	6420	4.9	5973	1443233				

LRF and Log Summary

Risk Groups		1	2	3	1+2	2+3	1+2+3
Average LRF		212	242		239	242	239
Decay	%				4.5	4.9	
Stud Log Net Merch	%	55.2			18.8	15.6	
Small Log Net Merch	%	93.4			53.7	50.3	
Large Log Net Merch	%	6.6			46.3	49.7	

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage and Root Rot, , Wet Belt Fir

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

CP Volume and Lumber Recovery Information

Average Line Method
Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage
FIZ: G
PSYU: Edgewood
Region: 4 - Kootenay-Boundary
District: 04 - Selkirk
31-Jul-2020 02:02:03PM
Filename: ta1559.ccp
Compiled by: BCTS
Cruised by: D. BRITTEN
Version: 2019.01 IFS build 6276

Licence Number: A95881 CP: NA
Project: N/A

Larch

Log Top Dia(cm)	LRF	RISK GROUP # 1 Gross Merch	Decay %	Net Merch	FBM	RISK GROUP # 2 Gross Merch	Decay %	Net Merch	FBM	RISK GROUP # 3 Gross Merch	Decay %	Net Merch	FBM
0.1 - 4.4	0												
4.5 - 5.4	91												
5.5 - 6.4	103												
6.5 - 7.4	113												
7.5 - 8.4	123												
8.5 - 9.9	134												
10.0 - 14.9	158	45	0.3	44	6925	118	1.5	113	17657				
15.0 - 19.9	185	91	0.2	88	16289	91	2.1	86	15782				
20.0 - 24.9	202	99	1.0	95	19059	134	2.0	127	25431				
25.0 - 29.9	217					175	2.5	165	35416				
30.0 - 34.9	226					107	3.0	100	22364				
35.0 - 39.9	234					69	6.2	62	13946				
40.0 - 44.9	240					50	6.2	45	10356				
45.0 - 49.9	246												
50.0 - 54.9	252												
55.0 - 59.9	258												
60.0 - 64.9	263												
65.0 - 69.9	266												
70.0 - 74.9	267												
75.0 - 79.9	265												
80.0 - 84.9	263												
85.0 - 89.9	261												
90.0 - 94.9	259												
95.0 - 99.9	257												
100.0+	254												
All Logs		235	0.6	227	42273	744	2.9	698	140952				

LRF and Log Summary

Risk Groups		1	2	3	1+2	2+3	1+2+3
Average LRF		186	202		198	202	198
Decay	%	0.6			2.3	2.9	
Stud Log Net Merch	%	58.2			35.8	28.5	
Small Log Net Merch	%	100.0			77.7	70.4	
Large Log Net Merch	%				22.3	29.6	

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage and Root Rot, , Wet Belt Fir

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

CP Volume and Lumber Recovery Information

Average Line Method

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: G
PSYU: Edgewood
Region: 4 - Kootenay-Boundary
District: 04 - Selkirk

31-Jul-2020 02:02:03PM
Filename: ta1559.ccp
Compiled by: BCTS
Cruised by: D. BRITTEN
Version: 2019.01 IFS build 6276

Licence Number: A95881 CP: NA
Project: N/A

L.P. Pine -Green Non Beetle

Log Top Dia(cm)	LRF	RISK GROUP # 1 Gross Merch	Decay %	Net Merch	FBM	RISK GROUP # 2 Gross Merch	Decay %	Net Merch	FBM	RISK GROUP # 3 Gross Merch	Decay %	Net Merch	FBM
0.1 - 4.4	0												
4.5 - 5.4	91												
5.5 - 6.4	103												
6.5 - 7.4	113												
7.5 - 8.4	123												
8.5 - 9.9	134												
10.0 - 14.9	158	12	6.6	11	1646	28	9.9	24	3647				
15.0 - 19.9	185	35	6.6	32	5729	39	9.9	34	6021				
20.0 - 24.9	202	26	6.6	23	4549	118	9.9	104	19893				
25.0 - 29.9	217					52	9.9	46	9432				
30.0 - 34.9	226												
35.0 - 39.9	234												
40.0 - 44.9	240												
45.0 - 49.9	246												
50.0 - 54.9	252												
55.0 - 59.9	258												
60.0 - 64.9	263												
65.0 - 69.9	266												
70.0 - 74.9	267												
75.0 - 79.9	265												
80.0 - 84.9	263												
85.0 - 89.9	261												
90.0 - 94.9	259												
95.0 - 99.9	257												
100.0+	254												
All Logs		72	6.6	66	11923	236	9.9	208	38993				

LRF and Log Summary

Risk Groups		1	2	3	1+2	2+3	1+2+3	- Adj Factor	**= Adj 1+2+3**
Average LRF		180	188		186	188	186		**186**
Decay	%	6.6			9.1	9.9			
Stud Log Net Merch	%	64.8			37.0	28.2			
Small Log Net Merch	%	100.0			100.0	100.0			
Large Log Net Merch	%								

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage and Root Rot, , Wet Belt Fir

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

CP Volume and Lumber Recovery Information

Average Line Method
Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage
FIZ: G
PSYU: Edgewood
Region: 4 - Kootenay-Boundary
District: 04 - Selkirk
31-Jul-2020 02:02:03PM
Filename: ta1559.ccp
Compiled by: BCTS
Cruised by: D. BRITTEN
Version: 2019.01 IFS build 6276

Licence Number: A95881 CP: NA
Project: N/A

L.P. Pine -Dead Potential

Log Top Dia(cm)	LRF	R I S K G R O U P # 1 Gross Merch	Decay %	Net Merch	FBM	R I S K G R O U P # 2 Gross Merch	Decay %	Net Merch	FBM	R I S K G R O U P # 3 Gross Merch	Decay %	Net Merch	FBM
0.1 - 4.4	0												
4.5 - 5.4	91												
5.5 - 6.4	103												
6.5 - 7.4	113												
7.5 - 8.4	123												
8.5 - 9.9	134												
10.0 - 14.9	158					97	9.7	57	8568				
15.0 - 19.9	185					87	9.8	51	8918				
20.0 - 24.9	202					83	12.0	45	8519				
25.0 - 29.9	217					67	12.0	36	7407				
30.0 - 34.9	226												
35.0 - 39.9	234												
40.0 - 44.9	240												
45.0 - 49.9	246												
50.0 - 54.9	252												
55.0 - 59.9	258												
60.0 - 64.9	263												
65.0 - 69.9	266												
70.0 - 74.9	267												
75.0 - 79.9	265												
80.0 - 84.9	263												
85.0 - 89.9	261												
90.0 - 94.9	259												
95.0 - 99.9	257												
100.0+	254												
All Logs						334	10.8	189	33412				

LRF and Log Summary

Risk Groups		1	2	3	1+2	2+3	1+2+3	- Adj Factor	**= Adj 1+2+3**
Average LRF			177		177	177	177		**177**
Decay	%				10.8	10.8			
Stud Log Net Merch	%				57.0	57.0			
Small Log Net Merch	%				100.0	100.0			
Large Log Net Merch	%								

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage and Root Rot, , Wet Belt Fir

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

CP Volume and Lumber Recovery Information

Average Line Method
Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage
FIZ: G
PSYU: Edgewood
Region: 4 - Kootenay-Boundary
District: 04 - Selkirk
31-Jul-2020 02:02:03PM
Filename: ta1559.ccp
Compiled by: BCTS
Cruised by: D. BRITTEN
Version: 2019.01 IFS build 6276

Licence Number: A95881 CP: NA
Project: N/A

ALL SPECIES

Log Top Dia(cm)	LRF	R I S K G R O U P # 1 Gross Merch	Decay %	Net Merch	FBM	R I S K G R O U P # 2 Gross Merch	Decay %	Net Merch	FBM	R I S K G R O U P # 3 Gross Merch	Decay %	Net Merch	FBM
0.1 - 4.4													
4.5 - 5.4													
5.5 - 6.4													
6.5 - 7.4													
7.5 - 8.4													
8.5 - 9.9													
10.0 - 14.9		1225	4.6	1121	165148	839	6.7	728	107139				
15.0 - 19.9		1176	5.2	1069	189452	986	6.1	874	151766				
20.0 - 24.9		1210	5.1	1107	218275	1699	7.3	1495	285162				
25.0 - 29.9		1014	4.2	939	200245	1806	6.9	1603	333184				
30.0 - 34.9		957	1.3	922	206034	1552	5.0	1436	313253				
35.0 - 39.9		533	2.3	507	117407	897	5.1	830	188910				
40.0 - 44.9		204	1.1	198	47251	561	5.0	520	121654				
45.0 - 49.9		118	1.2	114	27812	448	4.7	416	100027				
50.0 - 54.9		131	1.2	127	31729	226	4.5	210	51717				
55.0 - 59.9		76	1.4	73	18705	21	5.0	20	4908				
60.0 - 64.9													
65.0 - 69.9													
70.0 - 74.9													
75.0 - 79.9													
80.0 - 84.9													
85.0 - 89.9													
90.0 - 94.9													
95.0 - 99.9													
100.0+													
All Logs		6644	3.8	6176	1222060	9037	6.1	8131	1657719				

LRF and Log Summary

Risk Groups		1	2	3	1+2	2+3	1+2+3
Average LRF (unadjusted)		198	204		201	204	201
Decay	%	3.8			5.1	6.1	
Stud Log Net Merch	%	21.4			18.3	16.0	
Small Log Net Merch	%	68.6			62.4	57.8	
Large Log Net Merch	%	31.4			37.6	42.2	

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage and Root Rot, , Wet Belt Fir

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Volume Statistical Analysis

Average Line Method
Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage
FIZ: G
PSYU: Edgewood
Region: 4 - Kootenay-Boundary
District: 04 - Selkirk
31-Jul-2020 02:02:03PM
Filename: ta1559.ccp
Compiled by: BCTS
Cruised by: D. BRITTEN
Version: 2019.01 IFS build 6276

Licence Number: A95881 CP: NA
Project: N/A

Utilization Levels:	Minimum DBH	Top Diameter	Stump Height
Mature Blocks: (cm)	17.5	10.0	30
Immature Blocks:(cm)	12.0	10.0	30
Exception[PL]: (cm)	12.5	10.0	30

Standard Log Length:(m) 5.00

Forest Type	Plots Cnt	Plots Mea	Plots Tot	Area ha	Net Volume m3/ha	Proportional Volume	Trees Cnt	Trees Mea	Trees Tot	Standard Deviation	Coeff. of Variation	Sampling Error 1 SE%	Sampling Error 2 SE%
4 :FCL(Ep)	0	21	21	25.5	384.9	0.69	0	99	99	272.4433	70.8	15.4	32.2
5 :F(CLAtEp)	0	10	10	13.1	343.0	0.31	0	27	27	176.5101	51.5	16.3	36.8
TOTAL	0	31	31	38.6	370.6		0	126	126		65.5	11.8	24.1

Number of live & dead potential trees sampled is 126
Number of dead useless trees sampled is 5
Number of live useless trees sampled is 0

The weighted sampling error is 24.1% at the 95% confidence level

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage and Root Rot, , Wet Belt Fir

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Basal Area Statistical Analysis

Average Line Method
Licence Number: A95881 CP: NA
Project: N/A

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: G
PSYU: Edgewood
Region: 4 - Kootenay-Boundary
District: 04 - Selkirk

31-Jul-2020 02:02:03PM
Filename: ta1559.ccp
Compiled by: BCTS
Cruised by: D. BRITTEN
Version: 2019.01   IFS build 6276

Utilization Levels:	Minimum DBH	Top Diameter	Stump Height
Mature Blocks: (cm)	17.5	10.0	30
Immature Blocks:(cm)	12.0	10.0	30
Exception[PL]: (cm)	12.5	10.0	30
Standard Log Length:(m)	5.00		

Forest Type	Plots Cnt	Plots Mea	Plots Tot	Area ha	Basal Area m2/ha	Proportional Basal Area	Trees Cnt	Trees Mea	Trees Tot	Standard Deviation	Coeff. of Variation	Sampling Error 1 SE%	Sampling Error 2 SE%
4 :FCL(Ep)	0	21	21	25.5	41.7	0.69	0	99	99	29.2973	70.3	15.3	32.0
5 :F(CLAtEp)	0	10	10	13.1	35.6	0.31	0	27	27	15.4862	43.5	13.8	31.1
TOTAL	0	31	31	38.6	39.6		0	126	126		63.8	11.5	23.4

Number of live & dead potential trees sampled is 126
Number of dead useless trees sampled is 5
Number of live useless trees sampled is 0

The weighted sampling error is 23.4% at the 95% confidence level

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage and Root Rot, , Wet Belt Fir

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Cutting Permit Stand Table (stems/ha)

Average Line Method
Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage
FIZ: G
PSYU: Edgewood
Region: 4 - Kootenay-Boundary
District: 04 - Selkirk
31-Jul-2020 02:02:03PM
Filename: ta1559.ccp
Compiled by: BCTS
Cruised by: D. BRITTEN
Version: 2019.01 IFS build 6276

Licence Number: A95881 CP: NA
Project: N/A

[All Treatment Units : 38.6]

	F	C	PL	L	E	AT	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	12.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0
DBH Class										
5										
10										
15								23.3		
20	22.4	39.2		9.0	36.4		107.0	8.6		
25	13.9	5.8	3.4			3.9	27.0	20.2	7.6	
30	37.9	14.7	6.5		25.6		84.7	12.4	10.6	
35	14.8			6.7	7.0		28.5	4.5	1.6	
40	32.3	7.2			3.4		42.9	12.8		
45	19.3	6.4		4.2		2.0	31.9	5.1		
50	14.1	2.4					16.5			
55	6.9						6.9			
60	4.7			1.5			6.2	2.8		
65	1.5						1.5			
70	3.1						3.1	1.7		
75	1.3						1.3			
80	0.3						0.3			
85										
90										
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	172.6	75.7	9.9	21.3	72.4	5.9	357.9			
Dead P	43.4	5.8	34.8	7.4				91.5		
Dead U	1.6				18.2				19.8	
Live U										
	Average DBH (cm) at 5 Levels									
12.5 +	39.5	28.9	28.5	34.4	25.3	31.9	34.2	30.8	29.5	
17.5 +	39.5	28.9	28.5	34.4	25.3	31.9	34.2	34.8	29.5	
22.5 +	41.5	36.0	28.5	41.4	30.9	31.9	38.7	36.3	29.5	
27.5 +	42.9	37.5	30.5	41.4	30.9	44.3	40.1	41.2	31.3	
32.5 +	46.8	44.2		41.4	35.7	44.3	45.3	45.4	35.0	

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage and Root Rot, , Wet Belt Fir

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Cutting Permit Stand Table (stems/ha)

Average Line Method
Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage
FIZ: G
PSYU: Edgewood
Region: 4 - Kootenay-Boundary
District: 04 - Selkirk
31-Jul-2020 02:02:03PM
Filename: ta1559.ccp
Compiled by: BCTS
Cruised by: D. BRITTEN
Version: 2019.01 IFS build 6276

Licence Number: A95881 CP: NA
Project: N/A

[SC : 23.5]

	F	C	PL	L	E	AT	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	12.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0
DBH Class										
5										
10										
15								35.3		
20	33.9	59.4		13.6	55.1		162.0	13.0		
25	21.0	8.8	5.2			5.8	40.8	30.6		
30	28.2	22.3	9.8		29.4		89.8	10.7	16.1	
35	22.5			10.2	10.5		43.2		2.5	
40	31.2	10.9					42.0	3.6		
45	15.8	6.0		6.3		3.1	31.2	3.0		
50	8.3	3.7					12.0			
55	10.4						10.4			
60	5.0						5.0	4.2		
65	2.3						2.3			
70	1.2						1.2	2.6		
75	0.5						0.5			
80	0.5						0.5			
85										
90										
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	180.8	111.0	15.0	30.1	95.1	8.9	440.9			
Dead P	37.0	8.8	45.9	11.3				102.9		
Dead U	2.5				16.1				18.6	
Live U										
	Average DBH (cm) at 5 Levels									
12.5 +	37.8	28.1	28.5	31.7	24.0	31.9	32.0	27.7	31.3	
17.5 +	37.8	28.1	28.5	31.7	24.0	31.9	32.0	32.8	31.3	
22.5 +	40.6	35.1	28.5	38.3	30.2	31.9	37.3	34.9	31.3	
27.5 +	42.8	36.7	30.5	38.3	30.2	44.3	39.1	45.0	31.3	
32.5 +	45.6	43.8		38.3	33.9	44.3	43.8	54.4	35.0	

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage and Root Rot, , Wet Belt Fir

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Cutting Permit Stand Table (stems/ha)

Average Line Method
Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage
FIZ: G
PSYU: Edgewood
Region: 4 - Kootenay-Boundary
District: 04 - Selkirk
31-Jul-2020 02:02:03PM
Filename: ta1559.ccp
Compiled by: BCTS
Cruised by: D. BRITTEN
Version: 2019.01 IFS build 6276

Licence Number: A95881 CP: NA
Project: N/A

[CC : 10.9]

	F	C	PL	L	E	AT	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	12.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0
DBH Class										
5										
10										
15										
20										
25									22.3	
30	56.8				18.2		74.9	15.9		
35								13.2		
40	34.5				10.0		44.6	30.9		
45	26.2	7.1					33.3	9.1		
50	25.4						25.4			
55										
60	4.1			4.3			8.4			
65										
70	7.0						7.0			
75	2.8						2.8			
80										
85										
90										
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	156.8	7.1		4.3	28.2		196.3			
Dead P	55.9		13.2					69.2		
Dead U					22.3				22.3	
Live U										
	Average DBH (cm) at 5 Levels									
12.5 +	43.0	46.5		59.8	32.9		42.3	38.4	26.2	
17.5 +	43.0	46.5		59.8	32.9		42.3	38.4	26.2	
22.5 +	43.0	46.5		59.8	32.9		42.3	38.4	26.2	
27.5 +	43.0	46.5		59.8	32.9		42.3	38.4		
32.5 +	48.9	46.5		59.8	39.0		48.5	40.3		

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage and Root Rot, , Wet Belt Fir

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Cutting Permit Stand Table (stems/ha)

Average Line Method
Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage
FIZ: G
PSYU: Edgewood
Region: 4 - Kootenay-Boundary
District: 04 - Selkirk
31-Jul-2020 02:02:03PM
Filename: ta1559.ccp
Compiled by: BCTS
Cruised by: D. BRITTEN
Version: 2019.01 IFS build 6276

Licence Number: A95881 CP: NA
Project: N/A

[R/W : 4.2]

	F	C	PL	L	E	AT	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	12.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0
DBH Class										
5										
10										
15								16.8		
20	16.1	28.3		6.5	26.3		77.2	6.2		
25	10.0	4.2	2.5			2.8	19.4	14.6	11.7	
30	43.2	10.6	4.7		23.5		82.0	13.4	7.7	
35	10.7			4.8	5.0		20.6	6.9	1.2	
40	32.9	5.2			5.3		43.4	17.9		
45	21.2	6.6		3.0		1.5	32.3	6.2		
50	17.3	1.8					19.0			
55	4.9						4.9			
60	4.5			2.2			6.8	2.0		
65	1.1						1.1			
70	4.2						4.2	1.2		
75	1.7						1.7			
80	0.2						0.2			
85										
90										
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	168.2	56.6	7.1	16.6	60.1	4.2	312.8			
Dead P	46.9	4.2	28.8	5.4				85.3		
Dead U	1.2				19.3				20.5	
Live U										
	Average DBH (cm) at 5 Levels									
12.5 +	40.4	29.7	28.5	36.8	26.4	31.9	35.7	32.7	28.5	
17.5 +	40.4	29.7	28.5	36.8	26.4	31.9	35.7	35.9	28.5	
22.5 +	41.9	36.8	28.5	44.0	31.4	31.9	39.6	37.0	28.5	
27.5 +	42.9	38.3	30.5	44.0	31.4	44.3	40.7	40.1	31.3	
32.5 +	47.4	44.5		44.0	36.6	44.3	46.1	43.3	35.0	

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage and Root Rot, , Wet Belt Fir

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Cutting Permit Stock Table (m3/ha)

Average Line Method
Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage
FIZ: G
PSYU: Edgewood
Region: 4 - Kootenay-Boundary
District: 04 - Selkirk
31-Jul-2020 02:02:03PM
Filename: ta1559.ccp
Compiled by: BCTS
Cruised by: D. BRITTEN
Version: 2019.01 IFS build 6276

Licence Number: A95881 CP: NA
Project: N/A

[All Treatment Units : 38.6]

	F	C	PL	L	E	AT	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	12.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0
DBH Class										
5										
10										
15								0.7		
20	5.7	7.6		3.1	6.2		22.5	2.4		
25	5.0	2.2	1.7			0.8	9.7	6.9		
30	23.6	7.0	5.4		7.3		43.2	7.6		
35	15.0			6.9	2.7		24.7	2.4		
40	43.2	8.5			1.4		53.1	15.9		
45	35.2	9.2		7.3		3.1	54.8	9.0		
50	30.4	3.6					34.0			
55	17.9						17.9			
60	15.6			4.2			19.8	9.3		
65	5.7						5.7			
70	15.1						15.1	7.2		
75	7.0						7.0			
80	1.7						1.7			
85										
90										
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	221.1	38.0	7.1	21.4	17.6	3.9	309.2			
Dead P	51.4	2.6	4.9	2.5				61.4		
			Volume (m3/ha) for 7 Levels							
17.5 +	221.1	38.0	7.1	21.4	17.6	3.9	309.2	60.7		
22.5 +	215.5	30.4	7.1	18.4	11.4	3.9	286.7	58.3		
27.5 +	210.5	28.3	5.4	18.4	11.4	3.1	277.0	51.5		
32.5 +	186.9	21.3		18.4	4.1	3.1	233.8	43.8		
37.5 +	171.9	21.3		11.5	1.4	3.1	209.1	41.4		
42.5 +	128.6	12.8		11.5		3.1	156.0	25.5		
47.5 +	93.4	3.6		4.2			101.2	16.5		

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage and Root Rot, , Wet Belt Fir

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Cutting Permit Stock Table (m3/ha)

Average Line Method
Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage
FIZ: G
PSYU: Edgewood
Region: 4 - Kootenay-Boundary
District: 04 - Selkirk
31-Jul-2020 02:02:03PM
Filename: ta1559.ccp
Compiled by: BCTS
Cruised by: D. BRITTEN
Version: 2019.01 IFS build 6276

Licence Number: A95881 CP: NA
Project: N/A

[SC : 23.5]

	F	C	PL	L	E	AT	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	12.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0
DBH Class										
5										
10										
15								1.0		
20	8.6	11.5		4.6	9.4		34.1	3.6		
25	7.6	3.3	2.6			1.3	14.7	10.4		
30	20.0	10.6	8.2		9.0		47.8	5.8		
35	22.8			10.4	4.2		37.3			
40	42.3	12.8					55.1	4.0		
45	29.6	8.0		11.0		4.7	53.2	5.1		
50	18.7	5.4					24.1			
55	27.0						27.0			
60	16.5						16.5	14.1		
65	8.6						8.6			
70	6.2						6.2	10.8		
75	2.6						2.6			
80	2.6						2.6			
85										
90										
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	213.2	51.5	10.7	26.0	22.6	5.9	330.0			
Dead P	43.5	3.9	3.7	3.8				54.9		
			Volume (m3/ha) for 7 Levels							
17.5 +	213.2	51.5	10.7	26.0	22.6	5.9	330.0	53.9		
22.5 +	204.6	40.1	10.7	21.4	13.1	5.9	295.9	50.2		
27.5 +	197.0	36.8	8.2	21.4	13.1	4.7	281.2	39.8		
32.5 +	177.0	26.2		21.4	4.2	4.7	233.4	34.0		
37.5 +	154.2	26.2		11.0		4.7	196.1	34.0		
42.5 +	111.9	13.4		11.0		4.7	141.0	30.0		
47.5 +	82.4	5.4					87.8	24.9		

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage and Root Rot, , Wet Belt Fir

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Cutting Permit Stock Table (m3/ha)

Average Line Method
Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage
FIZ: G
PSYU: Edgewood
Region: 4 - Kootenay-Boundary
District: 04 - Selkirk
31-Jul-2020 02:02:03PM
Filename: ta1559.ccp
Compiled by: BCTS
Cruised by: D. BRITTEN
Version: 2019.01 IFS build 6276

Licence Number: A95881 CP: NA
Project: N/A

[CC : 10.9]

	F	C	PL	L	E	AT	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	12.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0
DBH Class										
5										
10										
15										
20										
25										
30	30.5				3.9		34.4	11.1		
35								7.2		
40	45.1				4.1		49.3	39.1		
45	46.1	11.7					57.8	16.7		
50	53.2						53.2			
55										
60	13.9			12.5			26.4			
65										
70	32.3						32.3			
75	15.5						15.5			
80										
85										
90										
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	236.7	11.7		12.5	8.0		268.8			
Dead P	67.0		7.2					74.1		
			Volume (m3/ha) for 7 Levels							
17.5 +	236.7	11.7		12.5	8.0		268.8	74.1		
22.5 +	236.7	11.7		12.5	8.0		268.8	74.1		
27.5 +	236.7	11.7		12.5	8.0		268.8	74.1		
32.5 +	206.2	11.7		12.5	4.1		234.5	63.0		
37.5 +	206.2	11.7		12.5	4.1		234.5	55.8		
42.5 +	161.1	11.7		12.5			185.2	16.7		
47.5 +	115.0			12.5			127.4			

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage and Root Rot, , Wet Belt Fir

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Cutting Permit Stock Table (m3/ha)

Average Line Method
Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage
FIZ: G
PSYU: Edgewood
Region: 4 - Kootenay-Boundary
District: 04 - Selkirk
31-Jul-2020 02:02:03PM
Filename: ta1559.ccp
Compiled by: BCTS
Cruised by: D. BRITTEN
Version: 2019.01 IFS build 6276

Licence Number: A95881 CP: NA
Project: N/A

[R/W : 4.2]

	F	C	PL	L	E	AT	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	12.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0
DBH Class										
5										
10										
15								0.5		
20	4.1	5.5		2.2	4.5		16.2	1.7		
25	3.6	1.6	1.2			0.6	7.0	5.0		
30	25.5	5.0	3.9		6.3		40.7	8.6		
35	10.8			5.0	2.0		17.8	3.8		
40	43.8	6.1			2.2		52.1	22.4		
45	38.2	9.9		5.2		2.2	55.6	11.2		
50	36.8	2.6					39.3			
55	12.9						12.9			
60	15.1			6.5			21.7	6.7		
65	4.1						4.1			
70	19.9						19.9	5.2		
75	9.4						9.4			
80	1.3						1.3			
85										
90										
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	225.5	30.7	5.1	18.9	15.0	2.8	298.0			
Dead P	55.8	1.9	5.5	1.8				65.0		
	Volume (m3/ha) for 7 Levels									
17.5 +	225.5	30.7	5.1	18.9	15.0	2.8	298.0	64.5		
22.5 +	221.4	25.2	5.1	16.7	10.5	2.8	281.7	62.7		
27.5 +	217.8	23.6	3.9	16.7	10.5	2.2	274.7	57.8		
32.5 +	192.3	18.6		16.7	4.1	2.2	234.0	49.2		
37.5 +	181.4	18.6		11.8	2.2	2.2	216.2	45.4		
42.5 +	137.7	12.5		11.8		2.2	164.1	23.1		
47.5 +	99.4	2.6		6.5			108.5	11.9		

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage and Root Rot, , Wet Belt Fir

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Cutting Permit Basal Area Table (m2/ha)

Average Line Method
Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage
FIZ: G
PSYU: Edgewood
Region: 4 - Kootenay-Boundary
District: 04 - Selkirk
31-Jul-2020 02:02:03PM
Filename: ta1559.ccp
Compiled by: BCTS
Cruised by: D. BRITTEN
Version: 2019.01 IFS build 6276

Licence Number: A95881 CP: NA
Project: N/A

[All Treatment Units : 38.6]

	F	C	PL	L	E	AT	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	12.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0
DBH Class										
5										
10										
15								0.3		
20	0.8	1.3		0.3	0.9		3.3	0.3		
25	0.6	0.3	0.2			0.2	1.3	0.9	0.4	
30	2.8	0.9	0.5		1.7		5.9	0.9	0.8	
35	1.4			0.6	0.6		2.7	0.4	0.2	
40	4.2	0.9			0.4		5.5	1.7		
45	3.2	1.0		0.6		0.3	5.2	0.9		
50	2.7	0.5					3.2			
55	1.6						1.6			
60	1.4			0.4			1.8	0.8		
65	0.5						0.5			
70	1.3						1.3	0.6		
75	0.6						0.6			
80	0.2						0.2			
85										
90										
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	21.1	5.0	0.6	2.0	3.6	0.5	32.8			
Dead P	5.1	0.3	1.0	0.3				6.8		
Dead U	0.2				1.2				1.4	
Live U										
	Basal Area (m2/ha) at 5 Levels									
12.5 +	21.1	5.0	0.6	2.0	3.6	0.5	32.8	6.8	1.4	
17.5 +	21.1	5.0	0.6	2.0	3.6	0.5	32.8	6.5	1.4	
22.5 +	20.3	3.7	0.6	1.7	2.7	0.5	29.5	6.2	1.4	
27.5 +	19.7	3.4	0.5	1.7	2.7	0.3	28.2	5.2	0.9	
32.5 +	16.9	2.5		1.7	1.0	0.3	22.4	4.4	0.2	

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage and Root Rot, , Wet Belt Fir

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Cutting Permit Basal Area Table (m2/ha)

Average Line Method
Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage
FIZ: G
PSYU: Edgewood
Region: 4 - Kootenay-Boundary
District: 04 - Selkirk
31-Jul-2020 02:02:03PM
Filename: ta1559.ccp
Compiled by: BCTS
Cruised by: D. BRITTEN
Version: 2019.01 IFS build 6276

Licence Number: A95881 CP: NA
Project: N/A

[SC : 23.5]

	F	C	PL	L	E	AT	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	12.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0
DBH Class										
5										
10										
15								0.5		
20	1.2	1.9		0.5	1.4		5.0	0.5		
25	1.0	0.5	0.2			0.2	1.9	1.4		
30	2.1	1.4	0.7		1.9		6.2	0.7	1.2	
35	2.1			1.0	1.0		4.0		0.2	
40	4.0	1.4					5.5	0.5		
45	2.6	1.0		1.0		0.5	5.0	0.5		
50	1.7	0.7					2.4			
55	2.4						2.4			
60	1.4						1.4	1.2		
65	0.7						0.7			
70	0.5						0.5	1.0		
75	0.2						0.2			
80	0.2						0.2			
85										
90										
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	20.2	6.9	1.0	2.4	4.3	0.7	35.5			
Dead P	4.3	0.5	1.0	0.5				6.2		
Dead U	0.2				1.2				1.4	
Live U										
Basal Area (m2/ha) at 5 Levels										
12.5 +	20.2	6.9	1.0	2.4	4.3	0.7	35.5	6.2	1.4	
17.5 +	20.2	6.9	1.0	2.4	4.3	0.7	35.5	5.7	1.4	
22.5 +	19.0	5.0	1.0	1.9	2.9	0.7	30.5	5.2	1.4	
27.5 +	18.1	4.5	0.7	1.9	2.9	0.5	28.6	3.8	1.4	
32.5 +	16.0	3.1		1.9	1.0	0.5	22.4	3.1	0.2	

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage and Root Rot, , Wet Belt Fir

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Cutting Permit Basal Area Table (m2/ha)

Average Line Method
Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage
FIZ: G
PSYU: Edgewood
Region: 4 - Kootenay-Boundary
District: 04 - Selkirk
31-Jul-2020 02:02:03PM
Filename: ta1559.ccp
Compiled by: BCTS
Cruised by: D. BRITTEN
Version: 2019.01 IFS build 6276

Licence Number: A95881 CP: NA
Project: N/A

[CC : 10.9]

	F	C	PL	L	E	AT	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	12.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0
DBH Class										
5										
10										
15										
20										
25									1.2	
30	4.0				1.2		5.2	1.2		
35								1.2		
40	4.4				1.2		5.6	4.0		
45	4.4	1.2					5.6	1.6		
50	4.8						4.8			
55										
60	1.2			1.2			2.4			
65										
70	2.8						2.8			
75	1.2						1.2			
80										
85										
90										
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	22.8	1.2		1.2	2.4		27.6			
Dead P	6.8		1.2					8.0		
Dead U					1.2				1.2	
Live U										

Basal Area (m2/ha) at 5 Levels

12.5 +	22.8	1.2	1.2	2.4	27.6	8.0	1.2	
17.5 +	22.8	1.2	1.2	2.4	27.6	8.0	1.2	
22.5 +	22.8	1.2	1.2	2.4	27.6	8.0	1.2	
27.5 +	22.8	1.2	1.2	2.4	27.6	8.0		
32.5 +	18.8	1.2	1.2	1.2	22.4	6.8		

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage and Root Rot, , Wet Belt Fir

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Cutting Permit Basal Area Table (m2/ha)

Average Line Method
Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage
FIZ: G
PSYU: Edgewood
Region: 4 - Kootenay-Boundary
District: 04 - Selkirk
31-Jul-2020 02:02:03PM
Filename: ta1559.ccp
Compiled by: BCTS
Cruised by: D. BRITTEN
Version: 2019.01 IFS build 6276

Licence Number: A95881 CP: NA
Project: N/A

[R/W : 4.2]

	F	C	PL	L	E	AT	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	12.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0
DBH Class										
5										
10										
15								0.2		
20	0.6	0.9		0.2	0.7		2.4	0.2		
25	0.5	0.2	0.1			0.1	0.9	0.7	0.6	
30	3.1	0.7	0.3		1.5		5.7	1.0	0.6	
35	1.0			0.5	0.5		1.9	0.6	0.1	
40	4.2	0.7			0.6		5.5	2.3		
45	3.6	1.1		0.5		0.2	5.3	1.1		
50	3.3	0.3					3.6			
55	1.1						1.1			
60	1.3			0.6			1.9	0.6		
65	0.3						0.3			
70	1.7						1.7	0.5		
75	0.7						0.7			
80	0.1						0.1			
85										
90										
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	21.6	3.9	0.5	1.8	3.3	0.3	31.4			
Dead P	5.6	0.2	1.1	0.2				7.1		
Dead U	0.1				1.2				1.3	
Live U										
Basal Area (m2/ha) at 5 Levels										
12.5 +	21.6	3.9	0.5	1.8	3.3	0.3	31.4	7.1	1.3	
17.5 +	21.6	3.9	0.5	1.8	3.3	0.3	31.4	6.9	1.3	
22.5 +	21.0	3.0	0.5	1.5	2.6	0.3	29.0	6.7	1.3	
27.5 +	20.6	2.8	0.3	1.5	2.6	0.2	28.1	6.0	0.7	
32.5 +	17.4	2.1		1.5	1.1	0.2	22.4	5.0	0.1	

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage and Root Rot, , Wet Belt Fir

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Block Stand Table (stems/ha)

Average Line Method
Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage
FIZ: G
PSYU: Edgewood
Region: 4 - Kootenay-Boundary
District: 04 - Selkirk
31-Jul-2020 02:02:03PM
Filename: ta1559.ccp
Compiled by: BCTS
Cruised by: D. BRITTEN
Version: 2019.01 IFS build 6276

Licence Number: A95881 CP: NA
Project: N/A

Block : (M) - 003:003, Plots in Block: 31, TUs: [All Treatment Units : 38.6]

	F	C	PL	L	E	AT	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	12.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0
DBH Class										
5										
10										
15								23.3		
20	22.4	39.2		9.0	36.4		107.0	8.6		
25	13.9	5.8	3.4			3.9	27.0	20.2	7.6	
30	37.9	14.7	6.5		25.6		84.7	12.4	10.6	
35	14.8			6.7	7.0		28.5	4.5	1.6	
40	32.3	7.2			3.4		42.9	12.8		
45	19.3	6.4		4.2		2.0	31.9	5.1		
50	14.1	2.4					16.5			
55	6.9						6.9			
60	4.7			1.5			6.2	2.8		
65	1.5						1.5			
70	3.1						3.1	1.7		
75	1.3						1.3			
80	0.3						0.3			
85										
90										
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	172.6	75.7	9.9	21.3	72.4	5.9	357.9			
Dead P	43.4	5.8	34.8	7.4				91.5		
Dead U	1.6				18.2				19.8	
Live U										
	Average DBH (cm) at 5 Levels									
12.5 +	39.5	28.9	28.5	34.4	25.3	31.9	34.2	30.8	29.5	
17.5 +	39.5	28.9	28.5	34.4	25.3	31.9	34.2	34.8	29.5	
22.5 +	41.5	36.0	28.5	41.4	30.9	31.9	38.7	36.3	29.5	
27.5 +	42.9	37.5	30.5	41.4	30.9	44.3	40.1	41.2	31.3	
32.5 +	46.8	44.2		41.4	35.7	44.3	45.3	45.4	35.0	

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage and Root Rot, , Wet Belt Fir

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Block Stand Table (stems/ha)

Average Line Method
Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage
FIZ: G
PSYU: Edgewood
Region: 4 - Kootenay-Boundary
District: 04 - Selkirk
31-Jul-2020 02:02:03PM
Filename: ta1559.ccp
Compiled by: BCTS
Cruised by: D. BRITTEN
Version: 2019.01 IFS build 6276

Licence Number: A95881 CP: NA
Project: N/A

Block : (M) - 003:003, Plots in Block: 31, TUs: [SC : 23.5]

	F	C	PL	L	E	AT	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	12.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0
DBH Class										
5										
10										
15								35.3		
20	33.9	59.4		13.6	55.1		162.0	13.0		
25	21.0	8.8	5.2			5.8	40.8	30.6		
30	28.2	22.3	9.8		29.4		89.8	10.7	16.1	
35	22.5			10.2	10.5		43.2		2.5	
40	31.2	10.9					42.0	3.6		
45	15.8	6.0		6.3		3.1	31.2	3.0		
50	8.3	3.7					12.0			
55	10.4						10.4			
60	5.0						5.0	4.2		
65	2.3						2.3			
70	1.2						1.2	2.6		
75	0.5						0.5			
80	0.5						0.5			
85										
90										
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	180.8	111.0	15.0	30.1	95.1	8.9	440.9			
Dead P	37.0	8.8	45.9	11.3				102.9		
Dead U	2.5				16.1				18.6	
Live U										
				Average DBH (cm) at 5 Levels						
12.5 +	37.8	28.1	28.5	31.7	24.0	31.9	32.0	27.7	31.3	
17.5 +	37.8	28.1	28.5	31.7	24.0	31.9	32.0	32.8	31.3	
22.5 +	40.6	35.1	28.5	38.3	30.2	31.9	37.3	34.9	31.3	
27.5 +	42.8	36.7	30.5	38.3	30.2	44.3	39.1	45.0	31.3	
32.5 +	45.6	43.8		38.3	33.9	44.3	43.8	54.4	35.0	

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage and Root Rot, , Wet Belt Fir

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Block Stand Table (stems/ha)

Average Line Method
Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage
FIZ: G
PSYU: Edgewood
Region: 4 - Kootenay-Boundary
District: 04 - Selkirk
31-Jul-2020 02:02:03PM
Filename: ta1559.ccp
Compiled by: BCTS
Cruised by: D. BRITTEN
Version: 2019.01 IFS build 6276

Licence Number: A95881 CP: NA
Project: N/A

Block : (M) - 003:003, Plots in Block: 31, TUs: [CC : 10.9]

	F	C	PL	L	E	AT	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	12.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0
DBH Class										
5										
10										
15										
20										
25									22.3	
30	56.8				18.2		74.9	15.9		
35								13.2		
40	34.5				10.0		44.6	30.9		
45	26.2	7.1					33.3	9.1		
50	25.4						25.4			
55										
60	4.1			4.3			8.4			
65										
70	7.0						7.0			
75	2.8						2.8			
80										
85										
90										
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	156.8	7.1		4.3	28.2		196.3			
Dead P	55.9		13.2					69.2		
Dead U					22.3				22.3	
Live U										
	Average DBH (cm) at 5 Levels									
12.5 +	43.0	46.5		59.8	32.9		42.3	38.4	26.2	
17.5 +	43.0	46.5		59.8	32.9		42.3	38.4	26.2	
22.5 +	43.0	46.5		59.8	32.9		42.3	38.4	26.2	
27.5 +	43.0	46.5		59.8	32.9		42.3	38.4		
32.5 +	48.9	46.5		59.8	39.0		48.5	40.3		

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage and Root Rot, , Wet Belt Fir

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Block Stand Table (stems/ha)

Average Line Method
Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage
FIZ: G
PSYU: Edgewood
Region: 4 - Kootenay-Boundary
District: 04 - Selkirk
31-Jul-2020 02:02:03PM
Filename: ta1559.ccp
Compiled by: BCTS
Cruised by: D. BRITTEN
Version: 2019.01 IFS build 6276

Licence Number: A95881 CP: NA
Project: N/A

Block : (M) - 003:003, Plots in Block: 31, TUs: [R/W : 4.2]

	F	C	PL	L	E	AT	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	12.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0
DBH Class										
5										
10										
15								16.8		
20	16.1	28.3		6.5	26.3		77.2	6.2		
25	10.0	4.2	2.5			2.8	19.4	14.6	11.7	
30	43.2	10.6	4.7		23.5		82.0	13.4	7.7	
35	10.7			4.8	5.0		20.6	6.9	1.2	
40	32.9	5.2			5.3		43.4	17.9		
45	21.2	6.6		3.0		1.5	32.3	6.2		
50	17.3	1.8					19.0			
55	4.9						4.9			
60	4.5			2.2			6.8	2.0		
65	1.1						1.1			
70	4.2						4.2	1.2		
75	1.7						1.7			
80	0.2						0.2			
85										
90										
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	168.2	56.6	7.1	16.6	60.1	4.2	312.8			
Dead P	46.9	4.2	28.8	5.4				85.3		
Dead U	1.2				19.3				20.5	
Live U										
	Average DBH (cm) at 5 Levels									
12.5 +	40.4	29.7	28.5	36.8	26.4	31.9	35.7	32.7	28.5	
17.5 +	40.4	29.7	28.5	36.8	26.4	31.9	35.7	35.9	28.5	
22.5 +	41.9	36.8	28.5	44.0	31.4	31.9	39.6	37.0	28.5	
27.5 +	42.9	38.3	30.5	44.0	31.4	44.3	40.7	40.1	31.3	
32.5 +	47.4	44.5		44.0	36.6	44.3	46.1	43.3	35.0	

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage and Root Rot, , Wet Belt Fir

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Block Stock Table (m3/ha)

Average Line Method
Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage
FIZ: G
PSYU: Edgewood
Region: 4 - Kootenay-Boundary
District: 04 - Selkirk
31-Jul-2020 02:02:03PM
Filename: ta1559.ccp
Compiled by: BCTS
Cruised by: D. BRITTEN
Version: 2019.01 IFS build 6276

Licence Number: A95881 CP: NA
Project: N/A

Block : (M) - 003:003, Plots in Block: 31, TUs: [All Treatment Units : 38.6]

	F	C	PL	L	E	AT	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	12.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0
DBH Class										
5										
10										
15								0.7		
20	5.7	7.6		3.1	6.2		22.5	2.4		
25	5.0	2.2	1.7			0.8	9.7	6.9		
30	23.6	7.0	5.4		7.3		43.2	7.6		
35	15.0			6.9	2.7		24.7	2.4		
40	43.2	8.5			1.4		53.1	15.9		
45	35.2	9.2		7.3		3.1	54.8	9.0		
50	30.4	3.6					34.0			
55	17.9						17.9			
60	15.6			4.2			19.8	9.3		
65	5.7						5.7			
70	15.1						15.1	7.2		
75	7.0						7.0			
80	1.7						1.7			
85										
90										
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	221.1	38.0	7.1	21.4	17.6	3.9	309.2			
Dead P	51.4	2.6	4.9	2.5				61.4		
			Volume (m3/ha) for 7 Levels							
17.5 +	221.1	38.0	7.1	21.4	17.6	3.9	309.2	60.7		
22.5 +	215.5	30.4	7.1	18.4	11.4	3.9	286.7	58.3		
27.5 +	210.5	28.3	5.4	18.4	11.4	3.1	277.0	51.5		
32.5 +	186.9	21.3		18.4	4.1	3.1	233.8	43.8		
37.5 +	171.9	21.3		11.5	1.4	3.1	209.1	41.4		
42.5 +	128.6	12.8		11.5		3.1	156.0	25.5		
47.5 +	93.4	3.6		4.2			101.2	16.5		

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage and Root Rot, , Wet Belt Fir

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Block Stock Table (m3/ha)

Average Line Method
Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage
FIZ: G
PSYU: Edgewood
Region: 4 - Kootenay-Boundary
District: 04 - Selkirk
31-Jul-2020 02:02:03PM
Filename: ta1559.ccp
Compiled by: BCTS
Cruised by: D. BRITTEN
Version: 2019.01 IFS build 6276

Licence Number: A95881 CP: NA
Project: N/A

Block : (M) - 003:003, Plots in Block: 31, TUs: [SC : 23.5]

	F	C	PL	L	E	AT	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	12.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0
DBH Class										
5										
10										
15								1.0		
20	8.6	11.5		4.6	9.4		34.1	3.6		
25	7.6	3.3	2.6			1.3	14.7	10.4		
30	20.0	10.6	8.2		9.0		47.8	5.8		
35	22.8			10.4	4.2		37.3			
40	42.3	12.8					55.1	4.0		
45	29.6	8.0		11.0		4.7	53.2	5.1		
50	18.7	5.4					24.1			
55	27.0						27.0			
60	16.5						16.5	14.1		
65	8.6						8.6			
70	6.2						6.2	10.8		
75	2.6						2.6			
80	2.6						2.6			
85										
90										
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	213.2	51.5	10.7	26.0	22.6	5.9	330.0			
Dead P	43.5	3.9	3.7	3.8				54.9		
			Volume (m3/ha) for 7 Levels							
17.5 +	213.2	51.5	10.7	26.0	22.6	5.9	330.0	53.9		
22.5 +	204.6	40.1	10.7	21.4	13.1	5.9	295.9	50.2		
27.5 +	197.0	36.8	8.2	21.4	13.1	4.7	281.2	39.8		
32.5 +	177.0	26.2		21.4	4.2	4.7	233.4	34.0		
37.5 +	154.2	26.2		11.0		4.7	196.1	34.0		
42.5 +	111.9	13.4		11.0		4.7	141.0	30.0		
47.5 +	82.4	5.4					87.8	24.9		

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage and Root Rot, , Wet Belt Fir

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Block Stock Table (m3/ha)

Average Line Method
Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage
FIZ: G
PSYU: Edgewood
Region: 4 - Kootenay-Boundary
District: 04 - Selkirk
31-Jul-2020 02:02:03PM
Filename: ta1559.ccp
Compiled by: BCTS
Cruised by: D. BRITTEN
Version: 2019.01 IFS build 6276

Licence Number: A95881 CP: NA
Project: N/A

Block : (M) - 003:003, Plots in Block: 31, TUs: [CC : 10.9]

	F	C	PL	L	E	AT	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	12.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0
DBH Class										
5										
10										
15										
20										
25										
30	30.5				3.9		34.4	11.1		
35								7.2		
40	45.1				4.1		49.3	39.1		
45	46.1	11.7					57.8	16.7		
50	53.2						53.2			
55										
60	13.9			12.5			26.4			
65										
70	32.3						32.3			
75	15.5						15.5			
80										
85										
90										
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	236.7	11.7		12.5	8.0		268.8			
Dead P	67.0		7.2					74.1		
			Volume (m3/ha) for 7 Levels							
17.5 +	236.7	11.7		12.5	8.0		268.8	74.1		
22.5 +	236.7	11.7		12.5	8.0		268.8	74.1		
27.5 +	236.7	11.7		12.5	8.0		268.8	74.1		
32.5 +	206.2	11.7		12.5	4.1		234.5	63.0		
37.5 +	206.2	11.7		12.5	4.1		234.5	55.8		
42.5 +	161.1	11.7		12.5			185.2	16.7		
47.5 +	115.0			12.5			127.4			

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage and Root Rot, , Wet Belt Fir

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Block Stock Table (m3/ha)

Average Line Method
Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage
FIZ: G
PSYU: Edgewood
Region: 4 - Kootenay-Boundary
District: 04 - Selkirk
31-Jul-2020 02:02:03PM
Filename: ta1559.ccp
Compiled by: BCTS
Cruised by: D. BRITTEN
Version: 2019.01 IFS build 6276

Licence Number: A95881 CP: NA
Project: N/A

Block : (M) - 003:003, Plots in Block: 31, TUs: [R/W : 4.2]

	F	C	PL	L	E	AT	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	12.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0
DBH Class										
5										
10										
15								0.5		
20	4.1	5.5		2.2	4.5		16.2	1.7		
25	3.6	1.6	1.2			0.6	7.0	5.0		
30	25.5	5.0	3.9		6.3		40.7	8.6		
35	10.8			5.0	2.0		17.8	3.8		
40	43.8	6.1			2.2		52.1	22.4		
45	38.2	9.9		5.2		2.2	55.6	11.2		
50	36.8	2.6					39.3			
55	12.9						12.9			
60	15.1			6.5			21.7	6.7		
65	4.1						4.1			
70	19.9						19.9	5.2		
75	9.4						9.4			
80	1.3						1.3			
85										
90										
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	225.5	30.7	5.1	18.9	15.0	2.8	298.0			
Dead P	55.8	1.9	5.5	1.8				65.0		
			Volume (m3/ha) for 7 Levels							
17.5 +	225.5	30.7	5.1	18.9	15.0	2.8	298.0	64.5		
22.5 +	221.4	25.2	5.1	16.7	10.5	2.8	281.7	62.7		
27.5 +	217.8	23.6	3.9	16.7	10.5	2.2	274.7	57.8		
32.5 +	192.3	18.6		16.7	4.1	2.2	234.0	49.2		
37.5 +	181.4	18.6		11.8	2.2	2.2	216.2	45.4		
42.5 +	137.7	12.5		11.8		2.2	164.1	23.1		
47.5 +	99.4	2.6		6.5			108.5	11.9		

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage and Root Rot, , Wet Belt Fir

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Block Basal Area Table (m2/ha)

Average Line Method
Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage
FIZ: G
PSYU: Edgewood
Region: 4 - Kootenay-Boundary
District: 04 - Selkirk
31-Jul-2020 02:02:03PM
Filename: ta1559.ccp
Compiled by: BCTS
Cruised by: D. BRITTEN
Version: 2019.01 IFS build 6276

Licence Number: A95881 CP: NA
Project: N/A

Block : (M) - 003:003, Plots in Block: 31, TUs: [All Treatment Units : 38.6]

	F	C	PL	L	E	AT	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	12.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0
DBH Class										
5										
10										
15								0.3		
20	0.8	1.3		0.3	0.9		3.3	0.3		
25	0.6	0.3	0.2			0.2	1.3	0.9	0.4	
30	2.8	0.9	0.5		1.7		5.9	0.9	0.8	
35	1.4			0.6	0.6		2.7	0.4	0.2	
40	4.2	0.9			0.4		5.5	1.7		
45	3.2	1.0		0.6		0.3	5.2	0.9		
50	2.7	0.5					3.2			
55	1.6						1.6			
60	1.4			0.4			1.8	0.8		
65	0.5						0.5			
70	1.3						1.3	0.6		
75	0.6						0.6			
80	0.2						0.2			
85										
90										
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	21.1	5.0	0.6	2.0	3.6	0.5	32.8			
Dead P	5.1	0.3	1.0	0.3				6.8		
Dead U	0.2				1.2				1.4	
Live U										
Basal Area (m2/ha) at 5 Levels										
12.5 +	21.1	5.0	0.6	2.0	3.6	0.5	32.8	6.8	1.4	
17.5 +	21.1	5.0	0.6	2.0	3.6	0.5	32.8	6.5	1.4	
22.5 +	20.3	3.7	0.6	1.7	2.7	0.5	29.5	6.2	1.4	
27.5 +	19.7	3.4	0.5	1.7	2.7	0.3	28.2	5.2	0.9	
32.5 +	16.9	2.5		1.7	1.0	0.3	22.4	4.4	0.2	

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage and Root Rot, , Wet Belt Fir

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Block Basal Area Table (m2/ha)

Average Line Method
Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage
FIZ: G
PSYU: Edgewood
Region: 4 - Kootenay-Boundary
District: 04 - Selkirk
31-Jul-2020 02:02:03PM
Filename: ta1559.ccp
Compiled by: BCTS
Cruised by: D. BRITTEN
Version: 2019.01 IFS build 6276

Licence Number: A95881 CP: NA
Project: N/A

Block : (M) - 003:003, Plots in Block: 31, TUs: [SC : 23.5]

	F	C	PL	L	E	AT	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	12.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0
DBH Class										
5										
10										
15								0.5		
20	1.2	1.9		0.5	1.4		5.0	0.5		
25	1.0	0.5	0.2			0.2	1.9	1.4		
30	2.1	1.4	0.7		1.9		6.2	0.7	1.2	
35	2.1			1.0	1.0		4.0		0.2	
40	4.0	1.4					5.5	0.5		
45	2.6	1.0		1.0		0.5	5.0	0.5		
50	1.7	0.7					2.4			
55	2.4						2.4			
60	1.4						1.4	1.2		
65	0.7						0.7			
70	0.5						0.5	1.0		
75	0.2						0.2			
80	0.2						0.2			
85										
90										
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	20.2	6.9	1.0	2.4	4.3	0.7	35.5			
Dead P	4.3	0.5	1.0	0.5				6.2		
Dead U	0.2				1.2				1.4	
Live U										
Basal Area (m2/ha) at 5 Levels										
12.5 +	20.2	6.9	1.0	2.4	4.3	0.7	35.5	6.2	1.4	
17.5 +	20.2	6.9	1.0	2.4	4.3	0.7	35.5	5.7	1.4	
22.5 +	19.0	5.0	1.0	1.9	2.9	0.7	30.5	5.2	1.4	
27.5 +	18.1	4.5	0.7	1.9	2.9	0.5	28.6	3.8	1.4	
32.5 +	16.0	3.1		1.9	1.0	0.5	22.4	3.1	0.2	

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage and Root Rot, , Wet Belt Fir

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Block Basal Area Table (m2/ha)

Average Line Method
Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage
FIZ: G
PSYU: Edgewood
Region: 4 - Kootenay-Boundary
District: 04 - Selkirk
31-Jul-2020 02:02:03PM
Filename: ta1559.ccp
Compiled by: BCTS
Cruised by: D. BRITTEN
Version: 2019.01 IFS build 6276

Licence Number: A95881 CP: NA
Project: N/A

Block : (M) - 003:003, Plots in Block: 31, TUs: [CC : 10.9]

	F	C	PL	L	E	AT	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	12.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0
DBH Class										
5										
10										
15										
20										
25									1.2	
30	4.0				1.2		5.2	1.2		
35								1.2		
40	4.4				1.2		5.6	4.0		
45	4.4	1.2					5.6	1.6		
50	4.8						4.8			
55										
60	1.2			1.2			2.4			
65										
70	2.8						2.8			
75	1.2						1.2			
80										
85										
90										
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	22.8	1.2		1.2	2.4		27.6			
Dead P	6.8		1.2					8.0		
Dead U					1.2				1.2	
Live U										

Basal Area (m2/ha) at 5 Levels

12.5 +	22.8	1.2	1.2	2.4	27.6	8.0	1.2	
17.5 +	22.8	1.2	1.2	2.4	27.6	8.0	1.2	
22.5 +	22.8	1.2	1.2	2.4	27.6	8.0	1.2	
27.5 +	22.8	1.2	1.2	2.4	27.6	8.0		
32.5 +	18.8	1.2	1.2	1.2	22.4	6.8		

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage and Root Rot, , Wet Belt Fir

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Block Basal Area Table (m2/ha)

Average Line Method
Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage
FIZ: G
PSYU: Edgewood
Region: 4 - Kootenay-Boundary
District: 04 - Selkirk
31-Jul-2020 02:02:03PM
Filename: ta1559.ccp
Compiled by: BCTS
Cruised by: D. BRITTEN
Version: 2019.01 IFS build 6276

Licence Number: A95881 CP: NA
Project: N/A

Block : (M) - 003:003, Plots in Block: 31, TUs: [R/W : 4.2]

	F	C	PL	L	E	AT	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	12.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0
DBH Class										
5										
10										
15								0.2		
20	0.6	0.9		0.2	0.7		2.4	0.2		
25	0.5	0.2	0.1			0.1	0.9	0.7	0.6	
30	3.1	0.7	0.3		1.5		5.7	1.0	0.6	
35	1.0			0.5	0.5		1.9	0.6	0.1	
40	4.2	0.7			0.6		5.5	2.3		
45	3.6	1.1		0.5		0.2	5.3	1.1		
50	3.3	0.3					3.6			
55	1.1						1.1			
60	1.3			0.6			1.9	0.6		
65	0.3						0.3			
70	1.7						1.7	0.5		
75	0.7						0.7			
80	0.1						0.1			
85										
90										
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	21.6	3.9	0.5	1.8	3.3	0.3	31.4			
Dead P	5.6	0.2	1.1	0.2				7.1		
Dead U	0.1				1.2				1.3	
Live U										
Basal Area (m2/ha) at 5 Levels										
12.5 +	21.6	3.9	0.5	1.8	3.3	0.3	31.4	7.1	1.3	
17.5 +	21.6	3.9	0.5	1.8	3.3	0.3	31.4	6.9	1.3	
22.5 +	21.0	3.0	0.5	1.5	2.6	0.3	29.0	6.7	1.3	
27.5 +	20.6	2.8	0.3	1.5	2.6	0.2	28.1	6.0	0.7	
32.5 +	17.4	2.1		1.5	1.1	0.2	22.4	5.0	0.1	

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage and Root Rot, , Wet Belt Fir

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Type Stand Table (stems/ha)

Average Line Method
Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage
FIZ: G
PSYU: Edgewood
Region: 4 - Kootenay-Boundary
District: 04 - Selkirk
31-Jul-2020 02:02:03PM
Filename: ta1559.ccp
Compiled by: BCTS
Cruised by: D. BRITTEN
Version: 2019.01 IFS build 6276

Licence Number: A95881 CP: NA
Project: N/A

Type 4 (M):FCL(Ep), Plots in Type: 21, TUs: [All Treatment Units : 25.5]

	F	C	PL	L	E	AT	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	12.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0
DBH Class										
5										
10										
15								35.3		
20	33.9	59.4		13.6	55.1		162.0	13.0		
25	21.0	8.8	5.2			5.8	40.8	30.6		
30	28.2	22.3	9.8		29.4		89.8	10.7	16.1	
35	22.5			10.2	10.5		43.2		2.5	
40	31.2	10.9					42.0	3.6		
45	15.8	6.0		6.3		3.1	31.2	3.0		
50	8.3	3.7					12.0			
55	10.4						10.4			
60	5.0						5.0	4.2		
65	2.3						2.3			
70	1.2						1.2	2.6		
75	0.5						0.5			
80	0.5						0.5			
85										
90										
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	180.8	111.0	15.0	30.1	95.1	8.9	440.9			
Dead P	37.0	8.8	45.9	11.3				102.9		
Dead U	2.5				16.1				18.6	
Live U										
	Average DBH (cm) at 5 Levels									
12.5 +	37.8	28.1	28.5	31.7	24.0	31.9	32.0	27.7	31.3	
17.5 +	37.8	28.1	28.5	31.7	24.0	31.9	32.0	32.8	31.3	
22.5 +	40.6	35.1	28.5	38.3	30.2	31.9	37.3	34.9	31.3	
27.5 +	42.8	36.7	30.5	38.3	30.2	44.3	39.1	45.0	31.3	
32.5 +	45.6	43.8		38.3	33.9	44.3	43.8	54.4	35.0	

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage and Root Rot, , Wet Belt Fir

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Type Stand Table (stems/ha)

Average Line Method
Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage
FIZ: G
PSYU: Edgewood
Region: 4 - Kootenay-Boundary
District: 04 - Selkirk
31-Jul-2020 02:02:03PM
Filename: ta1559.ccp
Compiled by: BCTS
Cruised by: D. BRITTEN
Version: 2019.01 IFS build 6276

Licence Number: A95881 CP: NA
Project: N/A

Type 4 (M):FCL(Ep), Plots in Type: 21, TUs: [SC : 23.5]

	F	C	PL	L	E	AT	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	12.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0
DBH Class										
5										
10										
15								35.3		
20	33.9	59.4		13.6	55.1		162.0	13.0		
25	21.0	8.8	5.2			5.8	40.8	30.6		
30	28.2	22.3	9.8		29.4		89.8	10.7	16.1	
35	22.5			10.2	10.5		43.2		2.5	
40	31.2	10.9					42.0	3.6		
45	15.8	6.0		6.3		3.1	31.2	3.0		
50	8.3	3.7					12.0			
55	10.4						10.4			
60	5.0						5.0	4.2		
65	2.3						2.3			
70	1.2						1.2	2.6		
75	0.5						0.5			
80	0.5						0.5			
85										
90										
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	180.8	111.0	15.0	30.1	95.1	8.9	440.9			
Dead P	37.0	8.8	45.9	11.3				102.9		
Dead U	2.5				16.1				18.6	
Live U										
	Average DBH (cm) at 5 Levels									
12.5 +	37.8	28.1	28.5	31.7	24.0	31.9	32.0	27.7	31.3	
17.5 +	37.8	28.1	28.5	31.7	24.0	31.9	32.0	32.8	31.3	
22.5 +	40.6	35.1	28.5	38.3	30.2	31.9	37.3	34.9	31.3	
27.5 +	42.8	36.7	30.5	38.3	30.2	44.3	39.1	45.0	31.3	
32.5 +	45.6	43.8		38.3	33.9	44.3	43.8	54.4	35.0	

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage and Root Rot, , Wet Belt Fir

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Type Stand Table (stems/ha)

Average Line Method
Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage
FIZ: G
PSYU: Edgewood
Region: 4 - Kootenay-Boundary
District: 04 - Selkirk
31-Jul-2020 02:02:03PM
Filename: ta1559.ccp
Compiled by: BCTS
Cruised by: D. BRITTEN
Version: 2019.01 IFS build 6276

Licence Number: A95881 CP: NA
Project: N/A

Type 4 (M):FCL(Ep), Plots in Type: 21, TUs: [R/W : 2.0]

	F	C	PL	L	E	AT	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	12.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0
DBH Class										
5										
10										
15								35.3		
20	33.9	59.4		13.6	55.1		162.0	13.0		
25	21.0	8.8	5.2			5.8	40.8	30.6		
30	28.2	22.3	9.8		29.4		89.8	10.7	16.1	
35	22.5			10.2	10.5		43.2		2.5	
40	31.2	10.9					42.0	3.6		
45	15.8	6.0		6.3		3.1	31.2	3.0		
50	8.3	3.7					12.0			
55	10.4						10.4			
60	5.0						5.0	4.2		
65	2.3						2.3			
70	1.2						1.2	2.6		
75	0.5						0.5			
80	0.5						0.5			
85										
90										
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	180.8	111.0	15.0	30.1	95.1	8.9	440.9			
Dead P	37.0	8.8	45.9	11.3				102.9		
Dead U	2.5				16.1				18.6	
Live U										
	Average DBH (cm) at 5 Levels									
12.5 +	37.8	28.1	28.5	31.7	24.0	31.9	32.0	27.7	31.3	
17.5 +	37.8	28.1	28.5	31.7	24.0	31.9	32.0	32.8	31.3	
22.5 +	40.6	35.1	28.5	38.3	30.2	31.9	37.3	34.9	31.3	
27.5 +	42.8	36.7	30.5	38.3	30.2	44.3	39.1	45.0	31.3	
32.5 +	45.6	43.8		38.3	33.9	44.3	43.8	54.4	35.0	

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage and Root Rot, , Wet Belt Fir

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Type Stand Table (stems/ha)

Average Line Method
Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage
FIZ: G
PSYU: Edgewood
Region: 4 - Kootenay-Boundary
District: 04 - Selkirk
31-Jul-2020 02:02:03PM
Filename: ta1559.ccp
Compiled by: BCTS
Cruised by: D. BRITTEN
Version: 2019.01 IFS build 6276

Licence Number: A95881 CP: NA
Project: N/A

Type 5 (M):F(CLAtEp), Plots in Type: 10, TUs: [All Treatment Units : 13.1]

	F	C	PL	L	E	AT	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	12.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0
DBH Class										
5										
10										
15										
20										
25									22.3	
30	56.8				18.2		74.9	15.9		
35								13.2		
40	34.5				10.0		44.6	30.9		
45	26.2	7.1					33.3	9.1		
50	25.4						25.4			
55										
60	4.1			4.3			8.4			
65										
70	7.0						7.0			
75	2.8						2.8			
80										
85										
90										
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	156.8	7.1		4.3	28.2		196.3			
Dead P	55.9		13.2					69.2		
Dead U					22.3				22.3	
Live U										
	Average DBH (cm) at 5 Levels									
12.5 +	43.0	46.5		59.8	32.9		42.3	38.4	26.2	
17.5 +	43.0	46.5		59.8	32.9		42.3	38.4	26.2	
22.5 +	43.0	46.5		59.8	32.9		42.3	38.4	26.2	
27.5 +	43.0	46.5		59.8	32.9		42.3	38.4		
32.5 +	48.9	46.5		59.8	39.0		48.5	40.3		

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage and Root Rot, , Wet Belt Fir

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Type Stand Table (stems/ha)

Average Line Method
Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage
FIZ: G
PSYU: Edgewood
Region: 4 - Kootenay-Boundary
District: 04 - Selkirk
31-Jul-2020 02:02:03PM
Filename: ta1559.ccp
Compiled by: BCTS
Cruised by: D. BRITTEN
Version: 2019.01 IFS build 6276

Licence Number: A95881 CP: NA
Project: N/A

Type 5 (M):F(CLAtEp), Plots in Type: 10, TUs: [CC : 10.9]

	F	C	PL	L	E	AT	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	12.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0
DBH Class										
5										
10										
15										
20										
25									22.3	
30	56.8				18.2		74.9	15.9		
35								13.2		
40	34.5				10.0		44.6	30.9		
45	26.2	7.1					33.3	9.1		
50	25.4						25.4			
55										
60	4.1			4.3			8.4			
65										
70	7.0						7.0			
75	2.8						2.8			
80										
85										
90										
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	156.8	7.1		4.3	28.2		196.3			
Dead P	55.9		13.2					69.2		
Dead U					22.3				22.3	
Live U										
	Average DBH (cm) at 5 Levels									
12.5 +	43.0	46.5		59.8	32.9		42.3	38.4	26.2	
17.5 +	43.0	46.5		59.8	32.9		42.3	38.4	26.2	
22.5 +	43.0	46.5		59.8	32.9		42.3	38.4	26.2	
27.5 +	43.0	46.5		59.8	32.9		42.3	38.4		
32.5 +	48.9	46.5		59.8	39.0		48.5	40.3		

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage and Root Rot, , Wet Belt Fir

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Type Stand Table (stems/ha)

Average Line Method
Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage
FIZ: G
PSYU: Edgewood
Region: 4 - Kootenay-Boundary
District: 04 - Selkirk
31-Jul-2020 02:02:03PM
Filename: ta1559.ccp
Compiled by: BCTS
Cruised by: D. BRITTEN
Version: 2019.01 IFS build 6276

Licence Number: A95881 CP: NA
Project: N/A

Type 5 (M):F(CLAtEp), Plots in Type: 10, TUs: [R/W : 2.2]

	F	C	PL	L	E	AT	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	12.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0
DBH Class										
5										
10										
15										
20										
25									22.3	
30	56.8				18.2		74.9	15.9		
35								13.2		
40	34.5				10.0		44.6	30.9		
45	26.2	7.1					33.3	9.1		
50	25.4						25.4			
55										
60	4.1			4.3			8.4			
65										
70	7.0						7.0			
75	2.8						2.8			
80										
85										
90										
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	156.8	7.1		4.3	28.2		196.3			
Dead P	55.9		13.2					69.2		
Dead U					22.3				22.3	
Live U										
	Average DBH (cm) at 5 Levels									
12.5 +	43.0	46.5		59.8	32.9		42.3	38.4	26.2	
17.5 +	43.0	46.5		59.8	32.9		42.3	38.4	26.2	
22.5 +	43.0	46.5		59.8	32.9		42.3	38.4	26.2	
27.5 +	43.0	46.5		59.8	32.9		42.3	38.4		
32.5 +	48.9	46.5		59.8	39.0		48.5	40.3		

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage and Root Rot, , Wet Belt Fir

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Type Stock Table (m3/ha)

Average Line Method
Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage
FIZ: G
PSYU: Edgewood
Region: 4 - Kootenay-Boundary
District: 04 - Selkirk
31-Jul-2020 02:02:03PM
Filename: ta1559.ccp
Compiled by: BCTS
Cruised by: D. BRITTEN
Version: 2019.01 IFS build 6276

Licence Number: A95881 CP: NA
Project: N/A

Type 4 (M):FCL(Ep), Plots in Type: 21, TUs: [All Treatment Units : 25.5]

	F	C	PL	L	E	AT	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	12.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0
DBH Class										
5										
10										
15								1.0		
20	8.6	11.5		4.6	9.4		34.1	3.6		
25	7.6	3.3	2.6			1.3	14.7	10.4		
30	20.0	10.6	8.2		9.0		47.8	5.8		
35	22.8			10.4	4.2		37.3			
40	42.3	12.8					55.1	4.0		
45	29.6	8.0		11.0		4.7	53.2	5.1		
50	18.7	5.4					24.1			
55	27.0						27.0			
60	16.5						16.5	14.1		
65	8.6						8.6			
70	6.2						6.2	10.8		
75	2.6						2.6			
80	2.6						2.6			
85										
90										
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	213.2	51.5	10.7	26.0	22.6	5.9	330.0			
Dead P	43.5	3.9	3.7	3.8				54.9		
			Volume (m3/ha) for 7 Levels							
17.5 +	213.2	51.5	10.7	26.0	22.6	5.9	330.0	53.9		
22.5 +	204.6	40.1	10.7	21.4	13.1	5.9	295.9	50.2		
27.5 +	197.0	36.8	8.2	21.4	13.1	4.7	281.2	39.8		
32.5 +	177.0	26.2		21.4	4.2	4.7	233.4	34.0		
37.5 +	154.2	26.2		11.0		4.7	196.1	34.0		
42.5 +	111.9	13.4		11.0		4.7	141.0	30.0		
47.5 +	82.4	5.4					87.8	24.9		

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage and Root Rot, , Wet Belt Fir

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Type Stock Table (m3/ha)

Average Line Method
Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage
FIZ: G
PSYU: Edgewood
Region: 4 - Kootenay-Boundary
District: 04 - Selkirk
31-Jul-2020 02:02:03PM
Filename: ta1559.ccp
Compiled by: BCTS
Cruised by: D. BRITTEN
Version: 2019.01 IFS build 6276

Licence Number: A95881 CP: NA
Project: N/A

Type 4 (M):FCL(Ep), Plots in Type: 21, TUs: [SC : 23.5]

	F	C	PL	L	E	AT	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	12.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0
DBH Class										
5										
10										
15								1.0		
20	8.6	11.5		4.6	9.4		34.1	3.6		
25	7.6	3.3	2.6			1.3	14.7	10.4		
30	20.0	10.6	8.2		9.0		47.8	5.8		
35	22.8			10.4	4.2		37.3			
40	42.3	12.8					55.1	4.0		
45	29.6	8.0		11.0		4.7	53.2	5.1		
50	18.7	5.4					24.1			
55	27.0						27.0			
60	16.5						16.5	14.1		
65	8.6						8.6			
70	6.2						6.2	10.8		
75	2.6						2.6			
80	2.6						2.6			
85										
90										
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	213.2	51.5	10.7	26.0	22.6	5.9	330.0			
Dead P	43.5	3.9	3.7	3.8				54.9		
			Volume (m3/ha) for 7 Levels							
17.5 +	213.2	51.5	10.7	26.0	22.6	5.9	330.0	53.9		
22.5 +	204.6	40.1	10.7	21.4	13.1	5.9	295.9	50.2		
27.5 +	197.0	36.8	8.2	21.4	13.1	4.7	281.2	39.8		
32.5 +	177.0	26.2		21.4	4.2	4.7	233.4	34.0		
37.5 +	154.2	26.2		11.0		4.7	196.1	34.0		
42.5 +	111.9	13.4		11.0		4.7	141.0	30.0		
47.5 +	82.4	5.4					87.8	24.9		

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage and Root Rot, , Wet Belt Fir

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Type Stock Table (m3/ha)

Average Line Method
Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage
FIZ: G
PSYU: Edgewood
Region: 4 - Kootenay-Boundary
District: 04 - Selkirk
31-Jul-2020 02:02:03PM
Filename: ta1559.ccp
Compiled by: BCTS
Cruised by: D. BRITTEN
Version: 2019.01 IFS build 6276

Licence Number: A95881 CP: NA
Project: N/A

Type 4 (M):FCL(Ep), Plots in Type: 21, TUs: [R/W : 2.0]

	F	C	PL	L	E	AT	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	12.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0
DBH Class										
5										
10										
15								1.0		
20	8.6	11.5		4.6	9.4		34.1	3.6		
25	7.6	3.3	2.6			1.3	14.7	10.4		
30	20.0	10.6	8.2		9.0		47.8	5.8		
35	22.8			10.4	4.2		37.3			
40	42.3	12.8					55.1	4.0		
45	29.6	8.0		11.0		4.7	53.2	5.1		
50	18.7	5.4					24.1			
55	27.0						27.0			
60	16.5						16.5	14.1		
65	8.6						8.6			
70	6.2						6.2	10.8		
75	2.6						2.6			
80	2.6						2.6			
85										
90										
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	213.2	51.5	10.7	26.0	22.6	5.9	330.0			
Dead P	43.5	3.9	3.7	3.8				54.9		
			Volume (m3/ha) for 7 Levels							
17.5 +	213.2	51.5	10.7	26.0	22.6	5.9	330.0	53.9		
22.5 +	204.6	40.1	10.7	21.4	13.1	5.9	295.9	50.2		
27.5 +	197.0	36.8	8.2	21.4	13.1	4.7	281.2	39.8		
32.5 +	177.0	26.2		21.4	4.2	4.7	233.4	34.0		
37.5 +	154.2	26.2		11.0		4.7	196.1	34.0		
42.5 +	111.9	13.4		11.0		4.7	141.0	30.0		
47.5 +	82.4	5.4					87.8	24.9		

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage and Root Rot, , Wet Belt Fir

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Type Stock Table (m3/ha)

Average Line Method
Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage
FIZ: G
PSYU: Edgewood
Region: 4 - Kootenay-Boundary
District: 04 - Selkirk
31-Jul-2020 02:02:03PM
Filename: ta1559.ccp
Compiled by: BCTS
Cruised by: D. BRITTEN
Version: 2019.01 IFS build 6276

Licence Number: A95881 CP: NA
Project: N/A

Type 5 (M):F(CLAtEp), Plots in Type: 10, TUs: [All Treatment Units : 13.1]

	F	C	PL	L	E	AT	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	12.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0
DBH Class										
5										
10										
15										
20										
25										
30	30.5				3.9		34.4	11.1		
35								7.2		
40	45.1				4.1		49.3	39.1		
45	46.1	11.7					57.8	16.7		
50	53.2						53.2			
55										
60	13.9			12.5			26.4			
65										
70	32.3						32.3			
75	15.5						15.5			
80										
85										
90										
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	236.7	11.7		12.5	8.0		268.8			
Dead P	67.0		7.2					74.1		
			Volume (m3/ha) for 7 Levels							
17.5 +	236.7	11.7		12.5	8.0		268.8	74.1		
22.5 +	236.7	11.7		12.5	8.0		268.8	74.1		
27.5 +	236.7	11.7		12.5	8.0		268.8	74.1		
32.5 +	206.2	11.7		12.5	4.1		234.5	63.0		
37.5 +	206.2	11.7		12.5	4.1		234.5	55.8		
42.5 +	161.1	11.7		12.5			185.2	16.7		
47.5 +	115.0			12.5			127.4			

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage and Root Rot, , Wet Belt Fir

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Type Stock Table (m3/ha)

Average Line Method
Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage
FIZ: G
PSYU: Edgewood
Region: 4 - Kootenay-Boundary
District: 04 - Selkirk
31-Jul-2020 02:02:03PM
Filename: ta1559.ccp
Compiled by: BCTS
Cruised by: D. BRITTEN
Version: 2019.01 IFS build 6276

Licence Number: A95881 CP: NA
Project: N/A

Type 5 (M):F(CLAtEp), Plots in Type: 10, TUs: [CC : 10.9]

	F	C	PL	L	E	AT	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	12.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0
DBH Class										
5										
10										
15										
20										
25										
30	30.5				3.9		34.4	11.1		
35								7.2		
40	45.1				4.1		49.3	39.1		
45	46.1	11.7					57.8	16.7		
50	53.2						53.2			
55										
60	13.9			12.5			26.4			
65										
70	32.3						32.3			
75	15.5						15.5			
80										
85										
90										
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	236.7	11.7		12.5	8.0		268.8			
Dead P	67.0		7.2					74.1		
			Volume (m3/ha) for 7 Levels							
17.5 +	236.7	11.7		12.5	8.0		268.8	74.1		
22.5 +	236.7	11.7		12.5	8.0		268.8	74.1		
27.5 +	236.7	11.7		12.5	8.0		268.8	74.1		
32.5 +	206.2	11.7		12.5	4.1		234.5	63.0		
37.5 +	206.2	11.7		12.5	4.1		234.5	55.8		
42.5 +	161.1	11.7		12.5			185.2	16.7		
47.5 +	115.0			12.5			127.4			

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage and Root Rot, , Wet Belt Fir

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Type Stock Table (m3/ha)

Average Line Method
Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage
FIZ: G
PSYU: Edgewood
Region: 4 - Kootenay-Boundary
District: 04 - Selkirk
31-Jul-2020 02:02:03PM
Filename: ta1559.ccp
Compiled by: BCTS
Cruised by: D. BRITTEN
Version: 2019.01 IFS build 6276

Licence Number: A95881 CP: NA
Project: N/A

Type 5 (M):F(CLAtEp), Plots in Type: 10, TUs: [R/W : 2.2]

	F	C	PL	L	E	AT	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	12.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0
DBH Class										
5										
10										
15										
20										
25										
30	30.5				3.9		34.4	11.1		
35								7.2		
40	45.1				4.1		49.3	39.1		
45	46.1	11.7					57.8	16.7		
50	53.2						53.2			
55										
60	13.9			12.5			26.4			
65										
70	32.3						32.3			
75	15.5						15.5			
80										
85										
90										
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	236.7	11.7		12.5	8.0		268.8			
Dead P	67.0		7.2					74.1		
			Volume (m3/ha) for 7 Levels							
17.5 +	236.7	11.7		12.5	8.0		268.8	74.1		
22.5 +	236.7	11.7		12.5	8.0		268.8	74.1		
27.5 +	236.7	11.7		12.5	8.0		268.8	74.1		
32.5 +	206.2	11.7		12.5	4.1		234.5	63.0		
37.5 +	206.2	11.7		12.5	4.1		234.5	55.8		
42.5 +	161.1	11.7		12.5			185.2	16.7		
47.5 +	115.0			12.5			127.4			

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage and Root Rot, , Wet Belt Fir

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Type Basal Area Table (m2/ha)

Average Line Method
Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage
FIZ: G
PSYU: Edgewood
Region: 4 - Kootenay-Boundary
District: 04 - Selkirk
31-Jul-2020 02:02:03PM
Filename: ta1559.ccp
Compiled by: BCTS
Cruised by: D. BRITTEN
Version: 2019.01 IFS build 6276

Licence Number: A95881 CP: NA
Project: N/A

Type 4 (M):FCL(Ep), Plots in Type: 21, TUs: [All Treatment Units : 25.5]

	F	C	PL	L	E	AT	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	12.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0
DBH Class										
5										
10										
15								0.5		
20	1.2	1.9		0.5	1.4		5.0	0.5		
25	1.0	0.5	0.2			0.2	1.9	1.4		
30	2.1	1.4	0.7		1.9		6.2	0.7	1.2	
35	2.1			1.0	1.0		4.0		0.2	
40	4.0	1.4					5.5	0.5		
45	2.6	1.0		1.0		0.5	5.0	0.5		
50	1.7	0.7					2.4			
55	2.4						2.4			
60	1.4						1.4	1.2		
65	0.7						0.7			
70	0.5						0.5	1.0		
75	0.2						0.2			
80	0.2						0.2			
85										
90										
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	20.2	6.9	1.0	2.4	4.3	0.7	35.5			
Dead P	4.3	0.5	1.0	0.5				6.2		
Dead U	0.2				1.2				1.4	
Live U										
Basal Area (m2/ha) at 5 Levels										
12.5 +	20.2	6.9	1.0	2.4	4.3	0.7	35.5	6.2	1.4	
17.5 +	20.2	6.9	1.0	2.4	4.3	0.7	35.5	5.7	1.4	
22.5 +	19.0	5.0	1.0	1.9	2.9	0.7	30.5	5.2	1.4	
27.5 +	18.1	4.5	0.7	1.9	2.9	0.5	28.6	3.8	1.4	
32.5 +	16.0	3.1		1.9	1.0	0.5	22.4	3.1	0.2	

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage and Root Rot, , Wet Belt Fir

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Type Basal Area Table (m2/ha)

Average Line Method
Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage
FIZ: G
PSYU: Edgewood
Region: 4 - Kootenay-Boundary
District: 04 - Selkirk
31-Jul-2020 02:02:03PM
Filename: ta1559.ccp
Compiled by: BCTS
Cruised by: D. BRITTEN
Version: 2019.01 IFS build 6276

Licence Number: A95881 CP: NA
Project: N/A

Type 4 (M):FCL(Ep), Plots in Type: 21, TUs: [SC : 23.5]

	F	C	PL	L	E	AT	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	12.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0
DBH Class										
5										
10										
15								0.5		
20	1.2	1.9		0.5	1.4		5.0	0.5		
25	1.0	0.5	0.2			0.2	1.9	1.4		
30	2.1	1.4	0.7		1.9		6.2	0.7	1.2	
35	2.1			1.0	1.0		4.0		0.2	
40	4.0	1.4					5.5	0.5		
45	2.6	1.0		1.0		0.5	5.0	0.5		
50	1.7	0.7					2.4			
55	2.4						2.4			
60	1.4						1.4	1.2		
65	0.7						0.7			
70	0.5						0.5	1.0		
75	0.2						0.2			
80	0.2						0.2			
85										
90										
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	20.2	6.9	1.0	2.4	4.3	0.7	35.5			
Dead P	4.3	0.5	1.0	0.5				6.2		
Dead U	0.2				1.2				1.4	
Live U										
Basal Area (m2/ha) at 5 Levels										
12.5 +	20.2	6.9	1.0	2.4	4.3	0.7	35.5	6.2	1.4	
17.5 +	20.2	6.9	1.0	2.4	4.3	0.7	35.5	5.7	1.4	
22.5 +	19.0	5.0	1.0	1.9	2.9	0.7	30.5	5.2	1.4	
27.5 +	18.1	4.5	0.7	1.9	2.9	0.5	28.6	3.8	1.4	
32.5 +	16.0	3.1		1.9	1.0	0.5	22.4	3.1	0.2	

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage and Root Rot, , Wet Belt Fir

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Type Basal Area Table (m2/ha)

Average Line Method
Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage
FIZ: G
PSYU: Edgewood
Region: 4 - Kootenay-Boundary
District: 04 - Selkirk
31-Jul-2020 02:02:03PM
Filename: ta1559.ccp
Compiled by: BCTS
Cruised by: D. BRITTEN
Version: 2019.01 IFS build 6276

Licence Number: A95881 CP: NA
Project: N/A

Type 4 (M):FCL(Ep), Plots in Type: 21, TUs: [R/W : 2.0]

	F	C	PL	L	E	AT	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	12.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0
DBH Class										
5										
10										
15								0.5		
20	1.2	1.9		0.5	1.4		5.0	0.5		
25	1.0	0.5	0.2			0.2	1.9	1.4		
30	2.1	1.4	0.7		1.9		6.2	0.7	1.2	
35	2.1			1.0	1.0		4.0		0.2	
40	4.0	1.4					5.5	0.5		
45	2.6	1.0		1.0		0.5	5.0	0.5		
50	1.7	0.7					2.4			
55	2.4						2.4			
60	1.4						1.4	1.2		
65	0.7						0.7			
70	0.5						0.5	1.0		
75	0.2						0.2			
80	0.2						0.2			
85										
90										
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	20.2	6.9	1.0	2.4	4.3	0.7	35.5			
Dead P	4.3	0.5	1.0	0.5				6.2		
Dead U	0.2				1.2				1.4	
Live U										
Basal Area (m2/ha) at 5 Levels										
12.5 +	20.2	6.9	1.0	2.4	4.3	0.7	35.5	6.2	1.4	
17.5 +	20.2	6.9	1.0	2.4	4.3	0.7	35.5	5.7	1.4	
22.5 +	19.0	5.0	1.0	1.9	2.9	0.7	30.5	5.2	1.4	
27.5 +	18.1	4.5	0.7	1.9	2.9	0.5	28.6	3.8	1.4	
32.5 +	16.0	3.1		1.9	1.0	0.5	22.4	3.1	0.2	

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage and Root Rot, , Wet Belt Fir

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Type Basal Area Table (m2/ha)

Average Line Method
Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage
FIZ: G
PSYU: Edgewood
Region: 4 - Kootenay-Boundary
District: 04 - Selkirk
31-Jul-2020 02:02:03PM
Filename: ta1559.ccp
Compiled by: BCTS
Cruised by: D. BRITTEN
Version: 2019.01 IFS build 6276

Licence Number: A95881 CP: NA
Project: N/A

Type 5 (M):F(CLAtEp), Plots in Type: 10, TUs: [All Treatment Units : 13.1]

	F	C	PL	L	E	AT	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	12.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0
DBH Class										
5										
10										
15										
20										
25									1.2	
30	4.0				1.2		5.2	1.2		
35								1.2		
40	4.4				1.2		5.6	4.0		
45	4.4	1.2					5.6	1.6		
50	4.8						4.8			
55										
60	1.2			1.2			2.4			
65										
70	2.8						2.8			
75	1.2						1.2			
80										
85										
90										
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	22.8	1.2		1.2	2.4		27.6			
Dead P	6.8		1.2					8.0		
Dead U					1.2				1.2	
Live U										

Basal Area (m2/ha) at 5 Levels

12.5 +	22.8	1.2	1.2	2.4	27.6	8.0	1.2	
17.5 +	22.8	1.2	1.2	2.4	27.6	8.0	1.2	
22.5 +	22.8	1.2	1.2	2.4	27.6	8.0	1.2	
27.5 +	22.8	1.2	1.2	2.4	27.6	8.0		
32.5 +	18.8	1.2	1.2	1.2	22.4	6.8		

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage and Root Rot, , Wet Belt Fir

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Type Basal Area Table (m2/ha)

Average Line Method
Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage
FIZ: G
PSYU: Edgewood
Region: 4 - Kootenay-Boundary
District: 04 - Selkirk
31-Jul-2020 02:02:03PM
Filename: ta1559.ccp
Compiled by: BCTS
Cruised by: D. BRITTEN
Version: 2019.01 IFS build 6276

Licence Number: A95881 CP: NA
Project: N/A

Type 5 (M):F(CLAtEp), Plots in Type: 10, TUs: [CC : 10.9]

	F	C	PL	L	E	AT	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	12.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0
DBH Class										
5										
10										
15										
20										
25									1.2	
30	4.0				1.2		5.2	1.2		
35								1.2		
40	4.4				1.2		5.6	4.0		
45	4.4	1.2					5.6	1.6		
50	4.8						4.8			
55										
60	1.2			1.2			2.4			
65										
70	2.8						2.8			
75	1.2						1.2			
80										
85										
90										
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	22.8	1.2		1.2	2.4		27.6			
Dead P	6.8		1.2					8.0		
Dead U					1.2				1.2	
Live U										

Basal Area (m2/ha) at 5 Levels

12.5 +	22.8	1.2	1.2	2.4	27.6	8.0	1.2	
17.5 +	22.8	1.2	1.2	2.4	27.6	8.0	1.2	
22.5 +	22.8	1.2	1.2	2.4	27.6	8.0	1.2	
27.5 +	22.8	1.2	1.2	2.4	27.6	8.0		
32.5 +	18.8	1.2	1.2	1.2	22.4	6.8		

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage and Root Rot, , Wet Belt Fir

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Type Basal Area Table (m2/ha)

Average Line Method
Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage
FIZ: G
PSYU: Edgewood
Region: 4 - Kootenay-Boundary
District: 04 - Selkirk
31-Jul-2020 02:02:03PM
Filename: ta1559.ccp
Compiled by: BCTS
Cruised by: D. BRITTEN
Version: 2019.01 IFS build 6276

Licence Number: A95881 CP: NA
Project: N/A

Type 5 (M):F(CLAtEp), Plots in Type: 10, TUs: [R/W : 2.2]

	F	C	PL	L	E	AT	Total	DP	DU	LU
Utilization Limits										
Min DBH cm (M)	17.5	17.5	12.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Stump Ht cm (M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
Top Dia cm (M)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Log Len m	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0
DBH Class										
5										
10										
15										
20										
25									1.2	
30	4.0				1.2		5.2	1.2		
35								1.2		
40	4.4				1.2		5.6	4.0		
45	4.4	1.2					5.6	1.6		
50	4.8						4.8			
55										
60	1.2			1.2			2.4			
65										
70	2.8						2.8			
75	1.2						1.2			
80										
85										
90										
95										
100										
105										
110										
115										
120										
125										
130										
135										
140										
145										
150										
175										
200										
225										
250										
275										
Total	22.8	1.2		1.2	2.4		27.6			
Dead P	6.8		1.2					8.0		
Dead U					1.2				1.2	
Live U										
Basal Area (m2/ha) at 5 Levels										
12.5 +	22.8	1.2		1.2	2.4		27.6	8.0	1.2	
17.5 +	22.8	1.2		1.2	2.4		27.6	8.0	1.2	
22.5 +	22.8	1.2		1.2	2.4		27.6	8.0	1.2	
27.5 +	22.8	1.2		1.2	2.4		27.6	8.0		
32.5 +	18.8	1.2		1.2	1.2		22.4	6.8		

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage and Root Rot, , Wet Belt Fir

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Plot Summary

Average Line Method

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: G
PSYU: Edgewood
Region: 4 - Kootenay-Boundary
District: 04 - Selkirk

31-Jul-2020 02:02:03PM
Filename: ta1559.ccp
Compiled by: BCTS
Cruised by: D. BRITTEN
Version: 2019.01 IFS build 6276

Licence Number: A95881 CP: NA
Project: N/A

Utilization Levels:	Minimum DBH	Top Diameter	Stump Height
Mature Blocks: (cm)	17.5	10.0	30
Immature Blocks:(cm)	12.0	10.0	30
Exception[PL]: (cm)	12.5	10.0	30

Standard Log Length:(m) 5.00

Forest Type	Block	Strip	Plot #	Plot Size	Slope %	Species	# of Stems	Stems / Ha	Avg Diam	Gross Merch	Less Decay	Less DB	Less DWB	Cruise Date	Loss YI	Loss OI	Ref No. M
4-FCL(Ep)	003		5	10.000F	30	Doug-Fir	2	87.88	53.83	236.88	229.96	225.22	225.22			104	
						L.P. Pine	1	221.05	24.00	97.58	88.02	58.75	56.99				812
						E-Down	1	221.05	24.00	97.58	88.02	58.75	56.99				812
						All Sp.	3	308.93	35.16	334.47	317.98	283.97	282.21	1811			
			13	10.000F	71	Doug-Fir	5	744.04	29.25	489.11	486.64	476.86	476.86		103	104	
						All Sp.	5	744.04	29.25	489.11	486.64	476.86	476.86	1811			
			14	10.000F	47	Aspen	1	64.88	44.30	128.43	105.96	100.82	97.87				1510
						Birch	1	141.47	30.00								1411
						All Sp.	2	206.35	35.13	128.43	105.96	100.82	97.87	1811			
			15	10.000F	55	Doug-Fir	9	594.24	43.91	1140.00	1083.00	1060.20	1060.20			104	
						All Sp.	9	594.24	43.91	1140.00	1083.00	1060.20	1060.20	1812			
			17	10.000F	62	W.R. Cedar	1	154.58	28.70	81.90	81.90	78.62	78.62		203		
						Birch	2	329.61	27.80	159.88	109.68	103.28	92.17				1411
						All Sp.	3	484.19	28.09	241.78	191.58	181.91	170.79	1812			
			18	10.000F	53	W.R. Cedar	1	75.74	41.00	84.85	79.76	76.37	76.37			204	
						Birch	1	376.08	18.40	77.56	73.91	70.81	70.81				1411
						E-Down	1	376.08	18.40	77.56	73.91	70.81	70.81				1411
						Doug-Fir	4	226.71	47.40	502.14	482.44	472.39	472.39			104	
						All Sp.	6	678.53	33.55	664.55	636.11	619.57	619.57	1811			
			19	10.000F	57	W.R. Cedar	1	66.67	43.70	90.68	85.24	81.61	81.61			204	
						Birch	1	388.64	18.10	64.39	61.36	58.79	58.79				1411
						All Sp.	2	455.32	23.65	155.07	146.60	140.40	140.40	1811			
			20	10.000F	38	Doug-Fir	1	57.15	47.20	111.01	109.90	107.68	107.68			104	
						L.P. Pine	2	869.45	17.11	172.54	156.01	142.89	142.55			803	
						E-Down	1	741.94	13.10	34.52	31.66	21.30	21.23			803	
						All Sp.	3	926.60	20.30	283.55	265.91	250.58	250.23	1812			
			21	10.000F	21	Larch	2	213.76	34.52	228.92	225.45	218.59	218.59			1002	
						All Sp.	2	213.76	34.52	228.92	225.45	218.59	218.59	1812			
			22	10.000F	40	Doug-Fir	2	62.08	64.05	243.20	232.50	227.64	225.45				113
						All Sp.	2	62.08	64.05	243.20	232.50	227.64	225.45	1812			
			23	10.000F	47	Doug-Fir	3	338.97	33.57	311.64	305.46	299.23	299.23		103	104	
						E-Down	1	140.53	30.10	99.76	99.76	97.76	97.76		103		
						All Sp.	3	338.97	33.57	311.64	305.46	299.23	299.23	1812			
			24	10.000F	48	Doug-Fir	2	73.11	59.02	228.53	221.41	216.84	216.84			104	
						E-Down	1	26.74	69.00	120.85	114.81	112.39	112.39			104	
						All Sp.	2	73.11	59.02	228.53	221.41	216.84	216.84	1811			

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage and Root Rot, , Wet Belt Fir

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Plot Summary

Average Line Method

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: G
PSYU: Edgewood
Region: 4 - Kootenay-Boundary
District: 04 - Selkirk

31-Jul-2020 02:02:03PM
Filename: ta1559.ccp
Compiled by: BCTS
Cruised by: D. BRITTEN
Version: 2019.01 IFS build 6276

Licence Number: A95881 CP: NA
Project: N/A

Utilization Levels:	Minimum DBH	Top Diameter	Stump Height
Mature Blocks: (cm)	17.5	10.0	30
Immature Blocks:(cm)	12.0	10.0	30
Exception[PL]: (cm)	12.5	10.0	30

Standard Log Length:(m) 5.00

Forest Type	Block	Strip	Plot #	Plot Size	Slope %	Species	# of Stems	Stems / Ha	Avg Diam	Gross Merch	Less Decay	Less DB	Less DWB	Cruise Date	Loss YI	Loss OI	Ref No. M
4-FCL(Ep)	003		25	10.000F	38	Doug-Fir	4	574.11	29.78	376.51	371.95	364.42	364.42			104	
						G-Shatt	1	272.90	21.60	79.50	77.91	76.32	76.32			104	
						All Sp.	4	574.11	29.78	376.51	371.95	364.42	364.42	1811			
			26	10.000F	29	Doug-Fir	3	193.02	44.49	335.21	318.44	311.74	311.74			104	
						E-Down	1	62.88	45.00	115.37	109.61	107.30	107.30			104	
						G-Shatt	1	74.65	41.30	89.26	84.79	83.01	83.01			104	
						All Sp.	3	193.02	44.49	335.21	318.44	311.74	311.74	1811			
			27	10.000F	31	W.R. Cedar	2	405.04	25.07	164.45	158.70	152.12	152.12		203	204	
						Birch	1	392.98	18.00	74.68	71.17	68.19	68.19				1411
						Doug-Fir	3	370.09	32.13	286.85	276.65	270.92	270.92			104	
						All Sp.	6	1168.10	25.57	525.98	506.53	491.22	491.22	1811			
			28	5.000F	30	Doug-Fir	5	121.39	51.21	231.33	224.50	219.88	219.88		103	104	
						All Sp.	5	121.39	51.21	231.33	224.50	219.88	219.88	1812			
			29	5.000F	32	Aspen	1	122.46	22.80	51.11	34.04	31.99	26.68				1510
						W.R. Cedar	1	23.45	52.10	38.38	38.38	36.84	36.84		203		
						Birch	1	62.17	32.00								1411
						Doug-Fir	10	570.86	33.39	497.23	482.69	472.75	472.75		103	104	
						All Sp.	13	778.95	32.60	586.72	555.11	541.58	536.27	1812			
			30	5.000F	38	Doug-Fir	5	298.65	32.65	230.82	228.85	224.23	224.23		103	104	
						L.P. Pine	2	187.08	26.09	116.34	106.78	104.46	104.29			803	
						All Sp.	7	485.73	30.29	347.15	335.63	328.69	328.52	1812			
			31	10.000F	30	Birch	1	111.45	33.80	75.10	51.22	48.21	40.70				1411
						Doug-Fir	1	114.82	33.30	113.33	113.33	111.06	111.06		103		
						Larch	2	522.54	22.08	183.80	182.79	177.27	177.27		1001	1002	
						E-Down	1	236.56	23.20	82.71	82.71	80.23	80.23		1001		
						All Sp.	4	748.81	26.08	372.23	347.33	336.55	329.04	1812			
			33	10.000F	21	W.R. Cedar	2	237.98	32.71	158.34	151.78	145.45	145.45			204	
						Birch	2	257.78	31.43	80.26	55.06	51.85	46.07				1411
						Doug-Fir	1	77.24	40.60	109.08	107.99	105.81	105.81			104	
						All Sp.	5	573.01	33.33	347.68	314.83	303.10	297.32	1811			
			34	10.000F	14	W.R. Cedar	8	1553.32	25.61	646.67	618.84	592.97	592.97			204	
						Birch	2	274.24	30.47	173.41	118.62	111.68	97.06				1411
						Doug-Fir	2	120.34	46.00	241.12	229.06	224.24	224.24			104	
						Larch	2	132.74	43.80	243.31	238.45	231.15	231.15			1002	
						All Sp.	14	2080.64	29.27	1304.50	1204.96	1160.04	1145.42	1812			
5-F(CLAtEp)	003		2	12.000F	68	Doug-Fir	5	408.33	43.25	663.29	655.80	642.54	642.54		103	104	
						G-Shatt	1	173.21	29.70	108.39	108.39	106.22	106.22		103		
						All Sp.	5	408.33	43.25	663.29	655.80	642.54	642.54	1811			

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage and Root Rot, , Wet Belt Fir

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Average Line Method

Licence Number: A95881 CP: NA
Project: N/A

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

Plot Summary

FIZ: G
PSYU: Edgewood
Region: 4 - Kootenay-Boundary
District: 04 - Selkirk

31-Jul-2020 02:02:03PM
Filename: ta1559.ccp
Compiled by: BCTS
Cruised by: D. BRITTEN
Version: 2019.01   IFS build 6276

Utilization Levels:	Minimum DBH	Top Diameter	Stump Height
Mature Blocks: (cm)	17.5	10.0	30
Immature Blocks:(cm)	12.0	10.0	30
Exception[PL]: (cm)	12.5	10.0	30
Standard Log Length:(m)	5.00		

Forest Type	Block	Strip	Plot #	Plot Size	Slope %	Species	# of Stems	Stems / Ha	Avg Diam	Gross Merch	Less Decay	Less DB	Less DWB	Cruise Date	Loss YI	Ref OI	No. M
5-F(CLAtEp)	003		3	16.000F	62	Doug-Fir	1	39.96	71.40	189.52	181.37	177.58	175.88				113
						All Sp.	1	39.96	71.40	189.52	181.37	177.58	175.88	1811			
			4	16.000F	70	Doug-Fir	2	362.95	33.50	276.32	276.32	270.79	270.79		103		
						All Sp.	2	362.95	33.50	276.32	276.32	270.79	270.79	1811			
			6	12.000F	44	Birch	2	282.13	32.91	150.13	102.17	96.16	80.33				1411
						Doug-Fir	1	97.43	39.60	125.43	124.18	121.67	121.67			104	
						All Sp.	3	379.56	34.75	275.56	226.34	217.83	202.00	1811			
			7	12.000F	46	W.R. Cedar	1	70.66	46.50	121.62	121.62	116.75	116.75		203		
						Birch	1	222.58	26.20								1411
						Doug-Fir	3	121.03	61.54	476.68	465.71	456.17	454.10			104	113
						All Sp.	5	414.28	42.94	598.30	587.33	572.93	570.85	1811			
			8	12.000F	45	Doug-Fir	1	67.72	47.50	126.99	120.64	118.10	118.10			104	
						Larch	1	42.73	59.80	139.81	131.15	125.55	124.57				1010
						All Sp.	2	110.44	52.60	266.81	251.79	243.66	242.68	1811			
			9	12.000F	0	Doug-Fir	1	158.99	31.00	119.87	113.88	111.48	111.48			104	
						E-Down	1	158.99	31.00	119.87	113.88	111.48	111.48			104	
						All Sp.	1	158.99	31.00	119.87	113.88	111.48	111.48	1811			
			10	12.000F	61	Doug-Fir	3	336.09	36.93	359.89	341.89	334.69	334.69			104	
						G-Shatt	2	182.11	40.96	253.23	240.57	235.50	235.50			104	
						L.P. Pine	1	132.17	34.00	132.18	116.32	76.67	71.64				812
						E-Down	1	132.17	34.00	132.18	116.32	76.67	71.64				812
						All Sp.	4	468.26	36.13	492.07	458.21	411.36	406.34	1811			
			11	16.000F	73	Doug-Fir	3	347.38	41.94	505.45	486.90	476.79	476.79			104	
						G-Shatt	1	127.32	40.00	167.06	158.71	155.37	155.37			104	
						All Sp.	3	347.38	41.94	505.45	486.90	476.79	476.79	1811			
			12	16.000F	65	Doug-Fir	2	187.33	46.64	355.16	337.40	330.30	330.30			104	
						E-Down	1	91.06	47.30	179.76	170.77	167.17	167.17			104	
						All Sp.	2	187.33	46.64	355.16	337.40	330.30	330.30	1811			

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage and Root Rot, , Wet Belt Fir

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Plot Frequency Report

Average Line Method
Licence Number: A95881 CP: NA
Project: N/A

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: G
PSYU: Edgewood
Region: 4 - Kootenay-Boundary
District: 04 - Selkirk

31-Jul-2020 02:02:03PM
Filename: ta1559.ccp
Compiled by: BCTS
Cruised by: D. BRITTEN
Version: 2019.01   IFS build 6276

Measure Plots

Blocks	Timber Type 4	5
BLOCK 003 (M)		
# of Plots	21	10
ha / Plot	1.21	1.31
Cutting Permit		
# of Plots	21	10
ha / Plot	1.21	1.31

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage and Root Rot, , Wet Belt Fir

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Plot Frequency Report

Average Line Method
Licence Number: A95881 CP: NA
Project: N/A

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: G
PSYU: Edgewood
Region: 4 - Kootenay-Boundary
District: 04 - Selkirk

31-Jul-2020 02:02:03PM
Filename: ta1559.ccp
Compiled by: BCTS
Cruised by: D. BRITTEN
Version: 2019.01   IFS build 6276

Measure Plots

Harvest Methods	Timber Type 4	5
METHOD CC		
# of Plots		10
ha / Plot		1.31
METHOD SC		
# of Plots	21	
ha / Plot	1.21	
All Methods		
# of Plots	21	10
ha / Plot	1.21	1.31

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage and Root Rot, , Wet Belt Fir

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Plot Frequency Report

Average Line Method
Licence Number: A95881 CP: NA
Project: N/A

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: G
PSYU: Edgewood
Region: 4 - Kootenay-Boundary
District: 04 - Selkirk

31-Jul-2020 02:02:03PM
Filename: ta1559.ccp
Compiled by: BCTS
Cruised by: D. BRITTEN
Version: 2019.01   IFS build 6276

Count Plots

Blocks	Timber Type 4	5
BLOCK 003 (M)		
# of Plots		
ha / Plot		
Cutting Permit		
# of Plots		
ha / Plot		

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage and Root Rot, , Wet Belt Fir

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.

Plot Frequency Report

Average Line Method
Licence Number: A95881 CP: NA
Project: N/A

Grades: MOF Computerized
Computerized Decay
Computerized Waste
Computerized Breakage

FIZ: G
PSYU: Edgewood
Region: 4 - Kootenay-Boundary
District: 04 - Selkirk

31-Jul-2020 02:02:03PM
Filename: ta1559.ccp
Compiled by: BCTS
Cruised by: D. BRITTEN
Version: 2019.01   IFS build 6276

Count Plots

Harvest Methods	Timber Type 4	Timber Type 5
METHOD CC		
# of Plots		
ha / Plot		
METHOD SC		
# of Plots		
ha / Plot		
All Methods		
# of Plots		
ha / Plot		

FLAGS: Full Volumes, Normal Cruise, All Trees Compiled, Measure Plots Only, Damage and Root Rot, , Wet Belt Fir

CruiseComp Copyright (c) 1996-2020, Industrial Forestry Service Ltd.