



# Okanagan-Columbia Forest Stewardship Plan

---

*This Forest Stewardship plan is applicable to BC Timber Sales planning, operations, licenses, and permits within Okanagan Shuswap and Selkirk Natural Resource Districts.*

BC Timber Sales –Okanagan Columbia

2501-14<sup>th</sup> Avenue

Vernon BC

V1T 8Z1

Phone (250) 558-1700

<https://www.for.gov.bc.ca/bcts/areas/toc.htm>

FSP Term: 5 years (2018-2023)

Commencing: September 1<sup>st</sup> 2018

FSP ID: 771

# Table of Contents

|       |                                                                                                                            |    |
|-------|----------------------------------------------------------------------------------------------------------------------------|----|
| 1.0   | Introduction and Interpretation .....                                                                                      | 5  |
| 1.2   | Introduction .....                                                                                                         | 5  |
| 1.3   | British Columbia Timber Sales Program.....                                                                                 | 5  |
| 1.4   | Interpretation.....                                                                                                        | 5  |
| 1.5   | Definitions Specific to this FSP .....                                                                                     | 6  |
| 1.6   | Acronyms .....                                                                                                             | 9  |
| 1.7   | References.....                                                                                                            | 9  |
| 2.0   | Forest Stewardship Plan .....                                                                                              | 10 |
| 2.1   | Various Plans and Legal Framework .....                                                                                    | 10 |
| 2.2   | Higher Level Plans .....                                                                                                   | 10 |
| 2.3   | Submission Date.....                                                                                                       | 11 |
| 2.4   | Term .....                                                                                                                 | 11 |
| 2.5   | Commencement Date .....                                                                                                    | 11 |
| 2.6   | FSP Holder .....                                                                                                           | 11 |
| 2.7   | Forest Development Units and Rationale .....                                                                               | 11 |
| 2.8   | Collaboration within Shared Management Units .....                                                                         | 12 |
| 2.9   | Engagement Strategy.....                                                                                                   | 13 |
| 3.0   | Protection of Cut blocks, Forest Service Roads, Road Permits, and Declared Areas .....                                     | 13 |
| 4.0   | Results and Strategies.....                                                                                                | 14 |
| 4.1   | Soils .....                                                                                                                | 14 |
| 4.2   | Wildlife .....                                                                                                             | 14 |
| 4.2.1 | Species at Risk.....                                                                                                       | 15 |
| 4.2.2 | KBHLPO and RHLPO Wildlife Objectives .....                                                                                 | 17 |
| 4.2.3 | Ungulate Winter Range Rocky Mountain Elk, Mule Deer, White Tailed-Deer, Moose, Bighorn Sheep and Mountain Goat .....       | 17 |
| 4.2.4 | OSLRMP LUO Elk Areas .....                                                                                                 | 18 |
| 4.2.5 | OSLRMP LUO Marten .....                                                                                                    | 20 |
| 4.2.6 | OSLRMP LUO Fisher Areas .....                                                                                              | 22 |
| 4.2.7 | OSLRMP LUO Bighorn Sheep Areas.....                                                                                        | 23 |
| 4.2.8 | OSLRMP LUO Williamson’s Sapsucker .....                                                                                    | 25 |
| 4.2.9 | Wildlife-OSLRMP LUO Road construction (Grizzly Bear, Moose, Mountain Goat, Mule Deer, NDT4 Areas, and Walk-in Lakes) ..... | 26 |

|      |                                                                                                        |    |
|------|--------------------------------------------------------------------------------------------------------|----|
| 4.3  | Water, Fish, Wildlife and Biodiversity within Riparian Areas .....                                     | 28 |
| 4.4  | OSLRMP LUO Enhanced Riparian Reserves.....                                                             | 32 |
| 4.5  | Water in Community Watersheds .....                                                                    | 33 |
| 4.6  | Fisheries Sensitive Watersheds.....                                                                    | 35 |
| 4.7  | KBHLP Consumptive Use Streams.....                                                                     | 36 |
| 4.8  | Wildlife and Biodiversity-Landscape Level.....                                                         | 37 |
| 4.9  | Wildlife and Biodiversity-Stand Level .....                                                            | 38 |
| 4.10 | Old Growth Management .....                                                                            | 41 |
| 4.11 | Basic Coarse Woody Debris.....                                                                         | 44 |
| 4.12 | Basic and Enhanced Coarse Woody Debris.....                                                            | 45 |
| 4.13 | Visual Quality-Scenic Areas and Visual Quality Objectives .....                                        | 47 |
| 4.14 | OSLRMP LUO Community Crown Interface and Scenic areas.....                                             | 48 |
| 4.15 | Cultural Heritage Resources.....                                                                       | 49 |
| 4.16 | Recreation Features for the Okanagan .....                                                             | 51 |
| 4.17 | Recreation Features for Golden and Revelstoke .....                                                    | 52 |
| 4.18 | Intensive Recreation Areas .....                                                                       | 53 |
| 4.19 | Regionally Significant Trail Corridors .....                                                           | 54 |
| 4.20 | Tourism Areas .....                                                                                    | 55 |
| 5.0  | Measures .....                                                                                         | 56 |
| 5.1  | Measures to mitigate the spread of Invasive Plants.....                                                | 56 |
| 5.2  | Natural Range Barriers.....                                                                            | 58 |
| 6.0  | Stocking standards.....                                                                                | 59 |
| 7.0  | Signatures of the Preparing Forester and the person required to prepare the FSP .....                  | 63 |
| 7.1  | Signature of Preparing Forester.....                                                                   | 63 |
| 7.2  | Signature of Person required to prepare the FSP .....                                                  | 63 |
|      | Appendices .....                                                                                       | 64 |
|      | Appendix A: BCTS FDU Locations within the Okanagan-Shuswap and Selkirk Natural Resource Districts..... | 65 |
|      | Appendix B: FSP Review and Comment.....                                                                | 66 |
|      | Appendix C: Timber Sale Licences, Forest Service Roads, and Road Permits in Effect .....               | 67 |
|      | Timber Sale Licences.....                                                                              | 67 |
|      | Appendix D: Declared Cutblocks and roads .....                                                         | 70 |
|      | Appendix E: Maps from Okanagan Shuswap Land Use Order and Plan.....                                    | 71 |
|      | Appendix F: The OSLRMP and the Wildlife Retention Targets Letter from District Manager.....            | 88 |

|                                                                                                                                                    |     |
|----------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| Appendix G: Old Growth Management Area Guidance Thompson Okanagan (ILMB) .....                                                                     | 90  |
| Appendix H: Recreation Features and Objectives .....                                                                                               | 93  |
| Appendix I: Stocking Standard Reference Tables .....                                                                                               | 97  |
| Uneven-aged Stocking Standards* -- Single-tree selection only <sup>1</sup> (all FDUs) and Intermediate Cutting Stocking Standards (Okanagan) ..... | 111 |
| Intermediate Cut, No Regeneration Objectives-Standards (Columbia) .....                                                                            | 112 |

# Forest Stewardship Plan

---

## 1.0 Introduction and Interpretation

### 1.2 Introduction

British Columbia Timber Sales (BCTS), Okanagan Columbia Business Area (TOC) operates in two Forest Districts and three Timber Supply Areas (TSA's) within the Southern Interior Forest Region (SIR). In the Okanagan Shuswap Natural Resource District TOC operates in the Okanagan TSA and in the Selkirk Natural Resource Districts TOC operates in the Golden and Revelstoke TSA's. The administrative and management centre for the business area is the Timber Sales Office (TSO) located in Vernon, BC. There are field teams in Revelstoke and Vernon

### 1.3 British Columbia Timber Sales Program

BC Timber Sales (BCTS) was founded in 2003 with a mandate to provide the cost and price benchmarks for timber harvested from public land in British Columbia. Through 12 Business Areas and an operational presence in 33 locations, BCTS manages some 20 percent of the provincial Crown allowable annual cut.

**Goal:** Provide credible representative price and cost benchmark data for the Market Pricing System through auctions of timber harvested from public land in British Columbia.

**Objective:** Sell the full BC Timber Sales' apportionment over the business cycle, consistent with safe practices and sustainable forest management;

1. Generate direct net revenue and indirect revenue for the province over the business cycle; and
2. Continuous business improvement.

### 1.4 Interpretation

**Definitions under Acts and Regulations:** Unless specifically indicated otherwise, terms used in this Forest Stewardship Plan (FSP) have the same meaning as they are defined in relevant British Columbia Acts and Regulations.

## 1.5 Definitions Specific to this FSP

1. **“act”** means the *Forest and Range Practices Act* RSBC 2002, c.69;
2. **“adjacent”** as defined in *FPPR* 65(1) means “an area that is sufficiently close to a cutblock that, due to its location, could directly impact on, or be impacted by, a forest practice carried out within the cutblock”;
3. **“administrative boundary”** means features including but not limited to private property lines, area-based tenure boundaries, protected area boundaries, or boundaries associated with the buffer of an inventory permanent sample plot that may influence primary forest activities;
4. **“agreement holder”** is defined in *FPPR* section 1 and “means a holder of an agreement under the *Forest Act*, other than a woodlot licence” and for the purposes of this *FSP*, applies to the agreement holders listed in section 2.6, or any successor or assignee of that *agreement*, unless this *FSP* no longer applies to that agreement holder;
5. **“basal area”** means
  - a) for the purposes of stocking standards, the cross-sectional area per hectare of the crop trees, and
  - b) for the purposes of retention of basal area in the riparian management zone, the cross-sectional area per hectare of standing trees, whether living or dead;
6. **“BEC”** means Biogeoclimatic Ecosystem Classification;
7. **“cumulative effects”** means, changes to economic, environmental and social values on the landscape caused by the combined effect of present, past and reasonably foreseeable human actions or natural events.
8. **“current”** means, in the context of a *FSP*, timber sale licence, FSR or *RP*, an approved document that has not expired or been replaced;
9. **“cutblock”** means an area:
  - a) in which a holder of a Licence has harvested timber under a timber sale licence; or
  - b) in which a holder of a Licence is authorized to harvest timber but where harvesting has not occurred;
10. **“damaged timber”** means timber that has been or is in imminent danger of being damaged, significantly reduced in value, lost or destroyed due to damage agents such as fire, insect infestation, disease, or wind, as determined by a *qualified professional*.
11. **“dbh”** means diameter breast height, a standard method of expressing the diameter of the bole of a tree, generally measured at a height 1.3 metres above the point of germination.
12. **“established cutblock”** means a cutblock in which one of the following has been met:
  - (i) harvested under a licence to which this *FSP* applies
  - (ii) declared under this *FSP*;
  - (iii) identified spatially in the BC Geographic Warehouse as a cutblock:
    - a) harvested under a timber sale licence or *major licence* to which this *FSP* does not apply; or
    - b) included in a timber sale licence
13. **“established road”** means a road that has been:
  - (i) constructed under a TSL, FSR or *RP* issued under or associated with a licence to which this
    - a) *FSP* applies;
  - (ii) declared under this *FSP*;
  - (iii) included within a current TSL, FSR or *RP* issued under or associated with a licence to which this
    - a) *FSP* applies, whether the TSL, FSR or *RP* is or is not subject to this *FSP*;
  - (iv) identified spatially in the BC Geographic Warehouse as a road:
    - a) constructed by a person other than a holder of this *FSP*; or
    - b) included within a CP, FSR or *RP* issued in respect of a Licence to which this *FSP* does not apply.
14. **“FDU”** means a Forest Development Unit;
15. **“Forest Act”** means the *Forest Act* R.S.B.C. 1996, c.157;

16. **“forested area”** means a polygon identified in the *VRI* as contributing to the forest management land base, as indicated by the Forest Management Land base Indicator attribute. This attribute indicates whether a polygon is forested or has been forested and is capable of producing a stand of trees. Polygons classified as lakes, rock, alpine, shrub and wetland are not considered forested area.
17. **“FPC”** means the Forest Practices Code of British Columbia Act R.S.B.C. 1996, c. 159 and all regulations there under;
18. **“FRPA”** means the Forest and Range Practice’s Act SBC 2002 and all regulations there under;
19. **“FSP”** means a Forest Stewardship Plan;
20. **“FSP holder” or “holder”** means the *agreement* holders listed in Paragraph 2.6, or any successor or assignee of that *agreement*, unless this *FSP* no longer applies to that *agreement holder*;
21. **“GAR”** means the Government Actions Regulation B.C. Reg. 582/2004;
22. **“government”** means the government of British Columbia;
23. **“initial silviculture activities”** means the latter of site preparation, initial reforestation including tree planting or direct seeding, or debris pile burning;
24. **“legislated planning date”** means:
  - a) subject to Clause (ii), the date 4 months before the date of submission; or
  - b) if an enactment or an objective set by *government* requires that a date different than the date referred to in Clause (i) be applied under this *FSP*, then that different date;
25. **“licence”** means an agreement under the *Forest Act*;
26. **“major licence”** has the meaning given to it under the *Forest Act*;
27. **“main haul roads”** means capitalized roads as determined by the Natural Resource Districts.
28. **“minimum stocking standards”** means the minimum stocking standards that apply when
  - a) establishing a free growing stand, or
  - b) meeting the minimum requirements of section 44 (4) [Free growing stands generally]
29. **“minister”** means the minister responsible for the *Forest Act* and *Forest and Range Practices Act*, and *Forest Planning and Practices Regulation*
30. **“natural Disturbance type 4”** means ecosystems with frequent stand-maintaining fires including grasslands, shrubland, and forested communities that normally experience frequent low intensity fires.
31. **“natural range barrier”** a stand of trees or topographic feature that stops or impedes livestock movement to or from an adjacent area.
32. **“net area to reforest” or “NAR”** has the meaning given to it in FPPR section 1 (2);
33. **“Old Growth Management Area (OGMA)”** means a non-legal area, spatially identified as an OGMA to meet the objectives specified in the OSLRMP Order establishing provincial non-spatial Old Growth Objectives (June 30<sup>th</sup>, 2004) and is stored in the BC Geographic Warehouse. Changes to this data related to incursion and replacement are housed internally by the holder.
34. **“OSLRMP”** means the Okanagan-Shuswap Land and Resource Management Plan;
35. **“OSLRMP” “LUO” or “LUO”** means the “*PROVINCE OF BRITISH COLUMBIA, ORDER OF THE MINISTER OF AGRICULTURE AND LANDS ESTABLISHING OBJECTIVES SET BY GOVERNMENT IN THE AREA COVERED BY THE OKANAGAN-SHUSWAP LAND AND RESOURCE MANAGEMENT PLAN IN THE OKANAGAN SHUSWAP FOREST DISTRICT*”, established pursuant to section 93.4 of the Land Act, and effective March 1, 2007;
36. **“practicable”** means that which is feasible or performable given the relevant circumstances and includes consideration for being both practical and reasonably economically feasible;

37. **“primary forest activity”** has the meaning given to it in *FPPR* section 1, and “means one or more of the following:
- (i) timber harvesting;
  - (ii) silviculture treatments; or
  - (iii) road construction, maintenance and deactivation”;
38. **“qualified professional”** means a registered member in good standing with a professional association whose training, ability and experience makes the member professionally competent in the relevant area of practice. Where the activities fall within the scope of practice of members of a professional regulatory body this person will be a Qualified Registered Professional.
39. **“qualified registered professional”** means a person who:
- (i) Has the appropriate education, training and experience to carry out the activity; and
  - (ii) Is a member of, or licensed by, a regulatory body in British Columbia that has the legislated authority to regulate its members' performance of the activity.
40. **“range agreement”** means a grazing tenure held by a range agreement holder and issued under the *Range Act* or *Land Act*. Spatial and attribute data for range agreements are housed in the BC Geographic Warehouse.
41. **reasonable amount of time for review and comment** means a written referral (either mailed or sent electronically) or advertisement, including a link to a map, provided by the TSM with a specified time (either 30 or 60 days, or another time period if agreed to with a First Nation or stakeholder or indicated in an advertisement) allowed for providing comments in order for the comments to be considered.
42. **“road”** has the meaning given to it in *FPPR* section 1;
43. **“RP”** means a road permit;
44. **“safety hazard”** means a situation or circumstance the *holder* determines to be a potential source of harm to workers based on WorkSafe BC regulations and policies, or the general public. Safety hazards include but are not limited to danger trees (snags), inadequate visibility, falling objects, steep slopes, unstable terrain, etc.;
45. **“scenic area”** has the meaning given to it under *FPPR* section 1;
46. **“stubs”** are mature live or dead trees that are either mechanically felled or broken off at least 2.5 m above the ground.
47. **“THLB”** means Timber Harvesting Land Base as defined in the Timber Supply Review document for the Timber Supply Areas applicable to this *FSP*;
48. **“VRI”** means Vegetation Resource Inventory, the photo-based inventory data of the BC Provincial forest which is housed in the BC Geographic Warehouse. The VRI data that is relevant to specific *FSP* results or strategies is the version of VRI that is available not less than 18 months prior to cutting authority application or amendment;
49. **“wildlife habitat area”** as defined in *FPPR* section 1 “means a wildlife habitat area continued under section 180 (b) [grand parenting specified designations] of the *Act*, or established under the Government Actions Regulation”.
50. **“wildlife tree retention area”** means an area occupied by wildlife trees that is located a) in a cutblock, b) in an area that is contiguous to a cutblock, or c) in an area that is sufficiently close to the cutblock that the wildlife trees could directly impact on, or be directly impacted by, a forest practice carried out in the cutblock.

## 1.6 Acronyms

|                                                                                             |                                                 |
|---------------------------------------------------------------------------------------------|-------------------------------------------------|
| AOA – Archeological Overview Assessment                                                     | BA – Basal Area                                 |
| BCTS – BC Timber Sales                                                                      | BEC – Biogeoclimatic Ecosystem Classification   |
| BG Bunchgrass Biogeoclimatic Zone                                                           | CHR – Cultural Heritage Resource                |
| DBH – Diameter at Breast Height                                                             | DFP – Deviation From Potential                  |
| ESSF Engelmann Spruce Subalpine Fir                                                         | ERR’s-Enhanced Riparian Reserves                |
| FDU – Forest Development Unit                                                               | FG – Free Growing                               |
| FPC – Forest Practices Code                                                                 | FPPR – Forest Planning and Practices Regulation |
| FRPA – Forest and Range Practices Act                                                       | FSP – Forest Stewardship Plan                   |
| FSR – Forest Service Road                                                                   |                                                 |
| FLNRORD - Ministry of Forests, Lands, and Natural Resource Operations and Rural Development |                                                 |
| HLP – Higher Level Plan                                                                     | IAPP – Invasive Alien Plant Program             |
| ICH – Interior Cedar Hemlock Biogeoclimatic Zone                                            | IDF – Interior Douglas-fir                      |
| LRMP – Land and Resource Management Plan                                                    | LRUP – Local Resource Use Plan                  |
| MS – Montane Spruce Biogeoclimatic Zone                                                     | MSS – Minimum Stocking Standard                 |
| NAR – Net Area to Reforest                                                                  | NDT4 – Natural Disturbance Type 4               |
| OGMA – Old Growth Management Area                                                           | PP – Ponderosa Pine Biogeoclimatic Zone         |
| QP-Qualified Professional                                                                   | QRP – Qualified Registered Professional         |
| RMA- Riparian Management Area                                                               | RMZ – Riparian Management Zone                  |
| RPF – Registered Professional Forester                                                      | RRZ – Riparian Reserve Zone                     |
| SU – Standards Unit                                                                         | TSA – Timber Supply Area                        |
| SL – Timber Sale License                                                                    | TSM – Timber Sales Manager                      |
| TSR – Timber Supply Review                                                                  | VQO – Visual Quality Objective                  |
| WTRA’s – Wildlife Tree Retention Areas                                                      |                                                 |

## 1.7 References

The following acts, regulations and higher level plan documents are relevant to FSP’s and are specifically referenced in this FSP:

### *Forest Act*

[http://www.bclaws.ca/civix/document/id/complete/statreg/96157\\_03](http://www.bclaws.ca/civix/document/id/complete/statreg/96157_03)

### *Forest and Range Practices Act (FRPA)*

[http://www.bclaws.ca/Recon/document/ID/freeside/00\\_02069\\_01](http://www.bclaws.ca/Recon/document/ID/freeside/00_02069_01)

### *Forest Planning and Practices Regulation (FPPR)*

[http://www.bclaws.ca/civix/document/id/loo83/loo83/12\\_14\\_2004](http://www.bclaws.ca/civix/document/id/loo83/loo83/12_14_2004)

### *Forest Recreation Regulation (FRR)*

<https://icw.for.gov.bc.ca/ftp/HFP/external/!publish/FPC%20archive/fpc/fpcaregs/FORREC/FRR.HTM>

### *Government Action Regulation*

<https://www.for.gov.bc.ca/hth/frpa-admin/frpa-implementation/gar.htm>

### *Higher Level Plans*

<https://www.for.gov.bc.ca/tasb/slrp>.

## 2.0 Forest Stewardship Plan

A FSP is a requirement of the Forest and Range Practices Act (FRPA). The plan is a results based, broad level plan that shows areas of potential forest development activities that may occur over a period of five years. The plan is approved for a five year term with no annual updates and may be extended for up to another five years bringing the total term to ten years. Areas identified in the FSP for development are referred to as FDU's and are described in detail in the FSP document. The FSP is a vehicle by which the holder of the FSP communicates results and/or strategies that will be used to achieve the resource management objectives set by government under *FRPA* in each FDU. Each objective is identified in the FSP document and the results and/or strategies that will be employed to achieve the objective are articulated for the FDU's to which the results and/or strategy pertains. In essence, the results and strategies can be thought of as the "means" that will be used to achieve the "end" where the end is the objective. Following approval of the FSP, the Timber Sales Manager (TSM) can award Timber Sale Licences (TSL's) or issue Road Permits (RP's) on a competitive basis to registrants of the BCTS program.

This Forest Stewardship plan does not contain maps depicting the precise location of proposed harvesting or roads. Proposed harvesting and road construction by the Holders of this FSP can be viewed at the following [link](#).

### 2.1 Various Plans and Legal Framework

TOC is responsible for several plans that are used to guide their forest management activities. Some of the plans are land use plans, and some are legislated requirements such as a FSP. TOC also has 5 year operational plans which are used as a decision aid for engineering across broad geographical areas. The primary plans used by TOC are listed in the following sections.

### 2.2 Higher Level Plans

A Higher Level Plan (HLP) is a land use plan created for a broad geographic area such as a Timber Supply area (TSA). HLP's are generally the product of organized and focused discussions and negotiation with multiple stakeholders over a long period of time. HLP's are designed to identify the resources in the plan area and zone them spatially. Within a Resource Management Zone (RMZ) objectives are identified as well as strategies to achieve those objectives and activities that are permitted within the RMZ. The legal portion of a HLP is the RMZ and the objectives for that RMZ. The FSP and any plans that flow from the FSP must be consistent with any HLP in effect covering the area where the holder of a FSP proposes to conduct forest activities. TOC is guided by, and works towards the spirit and intent of these higher level plans. The Okanagan Shuswap Natural Resource district is guided by the Okanagan Shuswap Land and Resource Management Plan (OSLRMP). TOC also operates in the Selkirk Natural Resource District and within that district both the Golden TSA and the Revelstoke TSA have HLP's that TOC is required to be consistent with. In the Golden TSA the HLP is the Kootenay Boundary Land Use Plan Order (KBLUP). In the Revelstoke TSA the HLP is referred to as the Revelstoke Higher level Plan Order (RHLP). The HLP's can be viewed on the Ministry of Forests, Lands, Natural Resource Operations and Rural Development (FLNRORD) website at <https://www.for.gov.bc.ca/tasb/slrp>.

## 2.3 Submission Date

The date of submission of this FSP is August 24th, 2018.

## 2.4 Term

The Term of this FSP will be five (5) years beginning on the Commencement Date of approval by the Delegated Decision Maker (DDM) for the Ministry of FLNRORD or another date specified by the DDM.

## 2.5 Commencement Date

September 1, 2018

## 2.6 FSP Holder

The holder of this FSP is the Timber Sales Manager (TSM) for the BC Timber Sales (BCTS) Okanagan-Columbia Business Area.

Okanagan Indian Band Forestry LLP (NRFL A91086 and FL A91117) is an agreement holder to this FSP.

## 2.7 Forest Development Units and Rationale

FDU's are areas where forest practices will occur over the term of this FSP. FDU's have common sets of objectives, results and/or strategies. FDU's in this FSP are located within the Okanagan Shuswap and Selkirk Natural Resource Districts (**Appendix A**). Boundaries for the FDU's have been categorized under the following:

- 79 FDU's in total

- 71 FDU's for TOC operating areas

- 1 FDU covering Okanagan TSA outside of TOC FDU's

- 1 FDU covering Revelstoke TSA outside of TOC FDU's

- 1 FDU covering Golden TSA outside of TOC FDU's

- 3 FDU's covering TFL 49, TFL 55, and TFL 56

- 2 FDU's covering TFL 59, TFL 33 where TOC has a set apportionment in these TFL's but no designated operating areas.

The rationale for the 3 large FDU's that cover the OK TSA, Revelstoke TSA and Golden TSA is to provide for improved administrative efficiency for TOC and government, by reducing the number of amendments to the *FSP* to revise FDU boundaries for incidental reasons. Larger FDU's will allow TOC to be able to enter into business to business agreements with First Nations to sell timber sales outside of "normal" operating areas without revising FDU boundaries with an FSP amendment for each agreement. We will be able to more efficiently take part in trade agreements between other licensees, as well as ensure a common set of standards throughout all of our operations for our licensees and contractors.

Where road construction or timber harvesting are considered or planned outside of an agreed to TOC operating area, the holder of this FSP will enter into consultation, with the respective licence or agreement holder in advance and provide a written referral (either mailed or sent electronically), including a paper map or a link to the associated map.

Appendix A also contains FDU maps identifying the features required by the FPPR (Section 14), where applicable and in effect at the time of FSP submission, as well as other resource and topographic features. Information contained on the FDU maps includes:

- Communities
- Community Forests
- Community Watersheds
- Highways and Major Roads
- Indian Reserves
- Large Lakes, Rivers and Major Streams
- Parks and Protected Areas
- Recreation Sites & Trails
- Private Land
- Scenic Areas and Visual Quality Objectives (VQOs)
- Ungulate Winter Range
- Wildlife Habitat Areas
- Woodlots

## **2.8 Collaboration within Shared Management Units**

A “Shared Management Unit” means a portion of a timber supply area that is shared by more than 1 FSP holder where the responsibility to achieve “results” is proportional to each FSP holder’s respective operating areas located within the “shared management unit”. Where BCTS is operating within the same management unit as other forest licence or agreement holders, to ensure that the potential cumulative impact and consistency of results and strategies are considered, the following strategy will be used.

1. As a strategy, within shared management units, where timber harvesting is planned, the holder of this FSP will on a yearly basis or as operational plans develop provide planning information, offer to exchange information, collaborate and coordinate with each licence or agreement holder, in relation to the following applicable values, to ensure that the objectives set by government for the area will be achieved:
  - a) Old Growth Management Areas
  - b) Visual Quality Objectives
  - c) Connectivity Corridors (Grizzly Revelstoke and Golden).
  - d) Landscape level Patch size Distribution
  - e) Ungulate Winter range
  - f) Fish Habitat in Fisheries Sensitive Watersheds
  - g) Water in Community Watersheds.
  - h) Other *Cumulative effects* on the landscape

## 2.9 Engagement Strategy

Beyond the legally required FSP, the holder of this FSP prepares annual referral packages identifying proposed timber harvesting and road construction plans. The annual referral package is the FSP holder's means of engaging with FN, stakeholders and the public at the operational level. The annual referral package spatially shows the FSP holder's proposed roads and blocks and usually is what most stakeholders and FNs are interested in learning more about. FNs are info-shared/consulted with on all proposed timber development, road construction or deactivation and silviculture treatments which overlap their asserted traditional territory as shown in the Consultative Area Database. Stakeholders are sent referral letters identifying the proposed activities which overlap their areas of interest. The public will be notified of the annual referral package through an advertisement placed in local newspapers. The advertisement will direct interested parties to a web location where they can review the referral package. Interested parties will be given a reasonable amount of time for review and comment. This will be at least thirty days under normal circumstances, or a shorter period for emergency situations such as salvage. Additionally, annual referral packages will be available continuously on the BCTS web address: [BCTS TOC Annual Referrals](#)

The holder of this FSP completed a public review and comment period and those efforts have been documented in a report prepared and submitted in accordance with Section 22(2) of the *Forest Planning and Practices Regulation*. **Appendix B** contains the public review and comment report.

## 3.0 Protection of Cut blocks, Forest Service Roads, Road Permits, and Declared Areas

### 1. Protection under FRPA Section 196

Under Section 196 of FRPA blocks and roads approved as category "a" under the Forest Practice Code are not subject to further review under this plan.

### 2. Timber Sale Licences (TSL's) Forest Service Roads (FSR) and Road Permits (RP's) in effect (FRPA Section 19, and FPPR Section 14).

This FSP does not apply to TSL's, FSR's, and RP's issued, granted, or entered into by the TSM Prior to the effective date of this FSP being put into effect. This includes but is not limited to blocks and roads listed in in Appendix C.

### 3. Declared Cutblocks and Roads FPPR Section 14

Under Section 14 of the FPPR, cutblocks and roads can be declared if all the assessments are complete. Declared cutblocks and roads are listed in Appendix D.

## 4.0 Results and Strategies

### 4.1 Soils

|                                                                                                                                                                                |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Legal Reference:</b> FPPR Section 5                                                                                                                                         |
| <b>Objective:</b><br><i>“Without unduly reducing the supply of timber from British Columbia’s forests, to conserve the productivity and the hydrologic function of soils.”</i> |
| <b>Applicable FDU’s:</b> All FDU’s                                                                                                                                             |

### Results and Strategies

The holder of this FSP will comply with the practice requirements for FPPR Sections 35 and 36.

### 4.2 Wildlife

FPPR Section 7 Species at Risk, Regionally Important Wildlife, Ungulate Winter Range and Wildlife Habitat Areas

### 4.2.1 Species at Risk

|                                                                                                                                                                                                                                                                                                                                                                           |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Legal Reference:</b> FPPR section 7 Wildlife, triggered by a notice provided under FPPR 7(2)                                                                                                                                                                                                                                                                           |
| <b>Objective:</b><br>“Without unduly reducing the supply of timber from British Columbia’s forests, to conserve sufficient wildlife habitat in terms of amounts of area, distribution of areas and attributes of those areas, for the survival of species at risk, the survival of regionally important wildlife, and the winter survival of specified ungulate species.” |
| <b>Applicable FDU’s:</b> Any FDU where suitable habitat is encountered                                                                                                                                                                                                                                                                                                    |

### Definitions

#### For the purpose of this strategy:

“**occurrence site**” means the mapped location of an occurrence of one of the section 7 SAR in the Okanagan-Shuswap District that includes but is not limited to the BC Conservation Data Center (CDC) data sets, Federal and Provincial Species at Risk Recovery Efforts data sets, Species at Risk Critical Habitat data sets, EcoCat Ecological Reports Catalogue, and Efauna data sets.

### Information

Notices given under FPPR Section 7(2) specify the amount, distribution and attributes of wildlife habitat required for identified species at risk (SAR), regionally important wildlife, and ungulate species. Orders under the GAR Sections 9 to 13 establish WHA’s UWR’s and specify GWM’s for specific species. In many cases the newer GAR orders establishing WHA’s and Government Wildlife Measures (GWM’s) have addressed and replaced the requirements of earlier FPPR Section 7(2) notices.

Pursuant to FPPR section 7 (3), the license holder is exempt from the obligation to prepare results or strategies in relation to the objective set out in Section 7 (1) of the FPPR once the established Wildlife Habitat Areas address the amount of area required to meet habitat requirements and specifies GWM’s to maintain the identified wildlife within those areas. The species listed in **Table 1** below show the amount of hectares required in order to meet the amount of hectares set out in the Section 7 notice. The interior Western Screech Owl, Lewis’s Woodpecker and the Coeur d’Alene Salamander are species where the habitat requirements have been met; therefore, they do not show in the table.

### Results and Strategies

#### The FSP holder will:

1. During the planning and development stage of a cutblock, *occurrence sites* of any section 7 species will be identified.
2. Where field staff/contractors identify habitat with the attributes described in the section 7 notice, or *occurrence sites* which are outside of the section 7 species WHA’s but within the holders FDU, and are likely to be impacted by primary forest activities, at least one of the following options will be followed:
  - a) Reserve the area from harvesting.

- b) The habitat will be assessed by a *QP* to determine whether it is considered “suitable habitat” and the *QP*’s recommendations will be considered.
3. SAR awareness training will be conducted for new BCTS field staff within 1 year of the start of employment and for all field staff every five years, documented in a training record, and include information regarding species identification, management strategies and reporting and, where new information regarding SAR becomes available, field staff will receive awareness training regarding the new information within 1 year;
  4. Contractors and agreement holders who conduct activities in the field will be provided with an information package regarding the identification and notification requirements for SAR and, through pre-work meetings, site plans and/or support documents, will be advised of:
    - i. the results of any stand level assessment for SAR;
    - ii. the measures or requirements for any applicable SAR, UWRs and WHAs; and
    - iii. how planned primary forest activities will be consistent with the above requirements;

## Section 7 Species at Risk:

**Table 1**

| Section 7 Species at Risk in the Okanagan-Shuswap District  | Suitable Habitat                                                                                                                                                                                                                                                               | WHA Remaining (hectares)<br>Ha’s remaining to meet the amount of ha’s included in the section 7 notice. |
|-------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------|
| Flammulated Owl                                             | Found between 500-1000m in elevation, Mature Douglas-fir forest with scattered large Ponderosa pine, grassy openings, thickets of young trees, snags with woodpecker cavities and large old trees.                                                                             | 540                                                                                                     |
| Fringed Myotis                                              | Caves, mines, rock crevices and cliffs, wildlife trees and buildings. Associated with arid grasslands and ponderosa pine-fire forests.                                                                                                                                         | 12                                                                                                      |
| Great Basin Gopher Snake                                    | Prefers open areas, bunch grass, sagebrush and open Ponderosa Forests. Rock and sparsely vegetated rock.                                                                                                                                                                       | 6250                                                                                                    |
| Great Basin Spadefoot                                       | Mainly sagebrush flats, semi-desert shrub-lands, pinyon-juniper woodland. Digs its’ own burrow in loose soil or uses those of small mammals. Breeds in temporary or permanent water, including rain pools, pools in intermittent streams, and flooded areas along streams.     | 200                                                                                                     |
| Spotted Bat                                                 | Open and dense conifer forests, deciduous habitats, hay fields, marshes, riparian areas and dry shrub grasslands. Roost in crevices of cliffs or canyon walls. Proximity of roosts to feeding areas and source of water is important.                                          | 8                                                                                                       |
| Tiger Salamander<br>(Renamed the Blotched Tiger Salamander) | Inhabit almost any terrestrial habitat as long as it includes the required aquatic breeding habitat, such as a lake, reservoir, permanent and ephemeral pond, or stream pool. They range from warm lowlands to high mountains and spend much of their lives in rodent burrows. | 320                                                                                                     |

#### 4.2.2 KBHLPO and RHLPO Wildlife Objectives

##### Grizzly Bear Habitat and Connectivity Corridors and Management

|                                                                                                                                                                                                                                                                                                                                                                               |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Legal Reference:</b> FPPR Section 7<br><b>KBHLPO</b> (October 26, 2002) Objective 5 for Grizzly Bear Habitat and Connectivity Corridor within the Golden Resource Management zone,<br><b>RHLPO</b> (March 25, 2002) Objective 4 regarding grizzly bear management within the Revelstoke Resource Management Zone.                                                          |
| <b>Objective:</b> <i>“Without unduly reducing the supply of timber from British Columbia’s forests, to conserve sufficient wildlife habitat in terms of amounts of area, distribution of areas and attributes of those areas, for the survival of species at risk, the survival of regionally important wildlife, and the winter survival of specified ungulate species.”</i> |
| <b>Applicable FDU’s:</b> all FDU’s in the Selkirk Natural Resource District                                                                                                                                                                                                                                                                                                   |

##### Results and Strategies

###### The FSP holder will:

1. Adopt as a result and strategy Objective 4 - Grizzly Bear Management of the RHLPO for the Revelstoke Resource Management zone.
2. Adopt the Objective 4 - Grizzly Bear Management of the RHLPO for the Golden Resource Management zone, using the BCTS avalanche chute mapping for the Golden TSA. Mapping of important grizzly bear habitat has not been completed; therefore objective 5(1) has not taken effect.
3. Adopt as a result and strategy for connectivity corridors Objective 5 (3) from the KBHLPO.

#### 4.2.3 Ungulate Winter Range Rocky Mountain Elk, Mule Deer, White Tailed-Deer, Moose, Bighorn Sheep and Mountain Goat.

|                                                                                                                                                                                                                                                                                                                                                                               |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Legal Reference:</b> FPPR Section 7 and Draft Golden Ungulate Winter Range order U-4-007                                                                                                                                                                                                                                                                                   |
| <b>Objective:</b> <i>“Without unduly reducing the supply of timber from British Columbia’s forests, to conserve sufficient wildlife habitat in terms of amounts of area, distribution of areas and attributes of those areas, for the survival of species at risk, the survival of regionally important wildlife, and the winter survival of specified ungulate species.”</i> |
| <b>Applicable FDU’s:</b> all FDU’s in the Golden TSA                                                                                                                                                                                                                                                                                                                          |

##### Results and Strategies

###### The FSP holder will:

1. In relation to the objectives set by government for *Ungulate Winter Range Rocky Mountain Elk, Mule Deer, White Tailed-Deer, Moose, Bighorn Sheep and Mountain Goat*, where the FSP holder harvests a *cutblock*, constructs a road or conducts silviculture treatments within these Ungulate Winter Range Areas will achieve the General Wildlife Measures under Draft U-4-007 Ungulate Winter Range (Golden TSA).

## Wildlife-OSLRMP LUO Wildlife Objectives

### 4.2.4 OSLRMP LUO Elk Areas

|                                                                                                                                                            |
|------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Legal Reference:</b> OSLRMP LUO Objective 6                                                                                                             |
| <b>Objective:</b><br><i>To maintain congregation areas as shown on Map 6 of the Order and movement corridors between summer and winter ranges for elk.</i> |
| <b>Applicable FDU's:</b> Naramata, TFL 59-BCTS, Okanagan                                                                                                   |

### Definitions

#### For the purpose of this strategy:

**“elk corridor”** means an area identified as Elk Habitat Corridor on the map titled Wildlife-Elk Habitat RMZ Corridor (Appendix E), on page WILDLIFE\_ELK 4-6 of the OSLRMP. (Interpreted as corridors that Elk travel between summer and winter habitats).

**“elk congregation area”** means an area identified as an Elk Congregation Area on the map titled Wildlife-Elk Congregation Areas (Appendix E), on page WILDLIFE\_ELK 4-7 of the OSLRMP. (Interpreted as Winter areas according to spatial mapping)

**“elk areas”** means the areas identified as Elk Areas on LUO Map 6 (Appendix E) . (interpreted as Summer areas according to spatial mapping)

**“mule deer winter range”** means the ungulate winter range identified in GAR Order Ungulate Winter Range #U-8-001-Okanagan TSA.

**“suitable snow interception cover”** or **“SIC”** means:

- a) a VRI polygon that:
  - (i) is greater than 0.25 hectares in size;
  - (ii) is Douglas-fir leading;
  - (iii) is age class 8 or older; and
  - (iv) has a crown closure class of 4 or greater.

**contributing snow interception cover** means an area in an elk congregation area that is:

- a) SIC and not in an established cutblock;
- b) not in an established cutblock and was SIC immediately prior to being harvested;
- c) SIC and is in an established cutblock where harvest is complete; or in an established cutblock that is planned to be harvested in a manner that will provide SIC upon conclusion of harvesting.

### Results and Strategies

#### The FSP holder will:

1. Within Elk Corridors (also referred to as movement corridors and inside the Naramata FDU), the FSP holder will ensure that:
  - a) Timber harvesting will not result in more than 30% of the corridor area being occupied by VRI polygons with a height of less than 3m at any one time.
  - b) Timber harvesting will not result in more than 70 % of the corridor area being occupied by VRI polygons with a height of less than 16 meters at any one time.
  - c) Timber harvesting will not result in a clearcut being greater than 300 meters on any one side (measured from one outside edge to another). Any subsequent blocks will not be placed any

nearer than 300 meters from the original block unless the regen on the original block has attained an average height of 3 meters.

- d) To maintain the use of elk movement corridors between summer and winter ranges, active road densities should be minimized. Rehabilitate unused roads that are inside the elk corridors. Where practicable, active roads should be a minimum of 500m from the elk corridors. Visual screening of at least 3m tall vegetation should be maintained along active roads.

2. Within congregation areas (TFL 59 only and in Winter habitat), that are located outside of the mapped Mule Deer Winter Range do the following:

- a) Will adhere to the measures specified in the GAR order for Mule Deer Winter Range.
- b) Where practicable and where suitable stands exist the holder of the FSP will ensure that Wildlife Tree Retention Areas will be located on rutting areas and wallows that have been identified and mapped and made known to the FSP holder in advance of planned activities.
- c) Will accomplish, visual screening along main haul roads by;
  - (i) Retaining non-merchantable and non-commercial vegetation, except where removal is necessary to address safety concerns, or where terrain limitations require roadside logging/decking to be conducted on the main haul road.
- d) To maintain the use of elk congregation areas, active road density should be minimized. Rehabilitate unused roads that are within 100m of a congregation area. Where practicable active roads should be a minimum of 500m from the congregation areas. Visual screening of at least 3m tall vegetation should be maintained along active roads.

3. Where the forest cover conditions described in (1) do not exist within an Elk Corridor or Elk Congregation Area located outside of Mule Deer Winter Range:

- a) Prior to harvesting a cutblock or constructing a road within the Elk Areas, ensure a *QP* completed an Elk Area Habitat Suitability Assessment within the Elk Corridor or Elk Congregation Area; and,
- b) Where an assessment identifies an opportunity to harvest timber while continuing to maintain sufficient congregation areas and movement corridors between summer and winter ranges for Elk, conduct primary forest activities consistent with the recommendations of the assessment

## 4.2.5 OSLRMP LUO Marten

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Legal Reference:</b> OSLRMP LUO Objective 7                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Objective:</b><br><i>The objective for Marten areas shown on Map 7 of the order is to maintain forage, cover, and connectivity for Marten.</i>                                                                                                                                                                                                                                                                                                                                                                          |
| <b>Applicable FDU's:</b> Adelphi, Anstey, Banting-Kettle, Barton, Blais, Bolean, Branchflower, Celistia, Chase Harper, Cooke, Crazy, Currie, Glen Lake, Graystokes, Harris, Hudson Bay, Hunter Blurton, Ireland, Jackpine, Kal Slopes, Kwikoit, Lamberton, Long Ridge, Mara-Sicamous, Mellin Windy, Mission, Mugford, Naramata, Old Dave, Paxton, Priest Creek, Ratchford, Ross, Skaha, Skimikin, Smokeyhouse, Stuart Terrace, TFL 33-BCTS, TFL 49, TFL 59-BCTS, Wetask Lake, White Lake, Whitehead, Yard Creek, Okanagan. |

### Definitions

#### For the purpose of this strategy:

“**marten areas**” means the areas identified as Marten Areas on LUO Map 7 (Appendix E).

“**Fly Hills Marten RMZ**” means the area identified as Marten Habitat on the map (Appendix E) displayed on OSLRMP page WILDLIFE\_MARTEN 4-4.

“**Fly Hills Marten RMZ sub-units**” means the five mapped sub-units which, when combined together comprise the Fly Hills Marten RMZ, as indicated on the map displayed in Appendix E of this FSP.

“**marten corridors**” means areas of retention established within the Fly Hills Marten RMZ, consisting of OGMA, Enhanced Riparian Reserve and wildlife tree retention, and managed internally by the FSP holder.

“**habitat pile**” means an accumulation of woody debris mechanically piled to a height of 2-5m a diameter of 2-5, and includes windrows that are 2-5m tall and not exceeding 50m in length, and are left on site at the conclusion of harvesting or site preparation activities.

### Results and Strategies

#### The FSP holder will:

1. If the cutblock is within a marten area, meet the following requirements:
  - a) prior to harvesting the *cutblock*, establish *wildlife tree retention* areas where *practicable* and consistent with section 4.9 within:
    - i. *enhanced riparian reserves*; as defined in section 4.4
    - ii. *riparian management areas*; or
    - iii. *very xeric to xeric sites within or adjacent to the cutblock or*
    - iv. *adjacent to OGMA's*.
  - b) at the conclusion of harvesting and silviculture treatments, retain basic and enhanced levels of coarse woody debris consistent with section 4.12
2. If the *cutblock* is within the *Fly Hills Marten RMZ (Skimiken, White lake, and Branch Flower FDU's)* meet all of the following requirements at the conclusion of harvesting and silviculture treatments:
  - a) not cause there to be less than 2300 hectares of marten corridors;

- b) not cause there to be less than 33% of the *forested area* that is within at least 4 of the 5 *Fly Hills RMZ sub-units* to be 19 metres or greater in *height*; or
- c) Where practicable, maintain enhanced levels of CWD in riparian management areas of S5 streams and any S6 streams consistent with section 4.12.
- d) In cutblocks that are greater than 20 hectares located on slopes less than 35%, establish where practicable, for every 20 hectares (NAR) of the cutblock size, no less than 3 habitat piles within 20 meters of the cutblock edge or a riparian management zone.
- e) Where marten corridors have been identified limit new permanent road crossing to 1 crossing per km of corridor, and minimize the construction of temporary access structures.
- f) After juvenile spacing or thinning retain at least 10% of the gross area of each treatment unit in a randomly distributed, untreated condition.
- g) Where the forest cover conditions described in (2b) above do not exist within the Fly Hills Marten RMZ:
  - (i) Prior to harvesting a cut block or construction road within the fly hills Marten RMZ, ensure a QP completed a Fly Hills Marten RMZ Habitat Suitability Assessment; and
  - (ii) Where the assessment identifies an opportunity to harvest timber while not causing there to be insufficient forest cover suitable for providing for the habitat requirements of Marten, conduct primary forest activities consistent with the recommendations of the assessment.

## 4.2.6 OSLRMP LUO Fisher Areas

|                                                                                                                                                                                                                                                                                                                                                                    |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Legal Reference:</b> OSLRMP LUO Objective 8                                                                                                                                                                                                                                                                                                                     |
| <b>Objective:</b> <i>The objective for Fisher areas as shown on Map 8 of the order is to maintain forage, cover and connectivity for Fisher.</i>                                                                                                                                                                                                                   |
| <b>Applicable FDU's:</b> Anstey, Bolean, Branchflower, Chase Harper, Chum, Coldstream, Cooke, Crazy, Currie, Eagle River, Hlina, Hunter Blurton, Ireland, Kwikoit, Lamberton, Long Ridge, Mara-Sicamous, Mt. Ida, Paxton, Ratchford, Rose-Swanson, Ross, Sicamous North, Skimikin, Smokeyhouse, TFL 33-BCTS, TFL 49, Wall Creek, White Lake, Yard Creek, Okanagan. |

### Definitions

**For the purpose of this strategy:**

“fisher areas” means the areas identified as Fisher Areas on LUO Map 8 (Appendix E)

### Results and Strategies

**The FSP Holder will:**

1. Ensure that, to the extent practicable, basic and enhanced coarse woody debris (CWD) requirements are met within the RMA of each S5 or S6 as per section 4.12.
2. On ground skidded areas and to the extent practicable, retain all cottonwoods 75 cm or greater in DBH upon the completion of harvesting. If Cottonwoods are less than 75cm then retain all cottonwoods in the next closest 5cm incremental diameter class to a minimum size of 30cm at stump height.
3. To the extent practicable, retain all stands of mature trees of at least 1 ha in area in which greater than 80% of the trees of merchantable size are cottonwood.
4. Upon the completion of harvesting and to the extent practicable, retain all deciduous trees of merchantable size (except for Paper Birch species as it seeds prolifically) in the riparian management zones of S1, S2 and S3 streams on each cutblock.
5. Where the foregoing of cottonwood and deciduous retention requirements must be supplemented in order to meet minimum wildlife tree retention requirements described elsewhere in this plan, the holder of this FSP will, to the extent practicable, focus retention on one or more of the following attributes:
  - a) decay class 2 or greater spruce, Douglas fir and cottonwood snags;
  - b) live cottonwoods; and
  - c) riparian management areas.
6. In order to retain overhead cover for fisher, the holder of this FSP will not conduct broadcast brushing or pruning activities in stream riparian management zones unless required to meet regeneration or free growing obligations.

#### 4.2.7 OSLRMP LUO Bighorn Sheep Areas

|                                                                                                                                                                                                                                                                                                                                                                                                                       |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Legal Reference:</b> OSLRMP LUO Objective 9                                                                                                                                                                                                                                                                                                                                                                        |
| <b>Objective:</b> <i>The objective for areas shown on Map 9 (of the Order), is, for the purposes of conserving the suitability of Bighorn Sheep habitat that is not in established deer winter ranges, to retain sufficient forest cover during primary forest activities, including sanitation and salvage activities, to provide for the thermal, snow interception and security requirements of Bighorn Sheep.</i> |
| <b>Applicable FDU's:</b> Chum, Naramata, Skaha, Skimikin, Stuart Terrace, TFL49, TFL 59-BCTS, White Lake, Okanagan                                                                                                                                                                                                                                                                                                    |

### Definitions

#### For the purpose of this strategy:

“**bighorn sheep areas**” means the areas identified on LUO Map 9 (Appendix E) of the OSLRMP.

“**special features**” means open grasslands, mineral licks, rutting areas, lambing areas and loafing sites identified by the ministry responsible for wildlife.

“**bighorn sheep planning cell**” means each spatially separate and distinct portion of the bighorn sheep areas identified on LUO Map 9.

“**crown closure**” means the percentage of ground area covered by the vertically projected crowns of the tree cover for each tree layer within the polygon and provides an estimate of the vertical projection of tree crowns upon the ground, as confirmed by:

- (i) VRI attribute CROWN\_CLOSURE; or
- (ii) a survey of the forested area within the bighorn sheep planning cell that is available to or completed by the FSP holder.

“**Derenzy Sheep zone 2**” means the area shown on the Derenzy Bighorn Sheep areas on Derenzy Bighorn Sheep Habitat map (Appendix E) of the OSLRMP.

### Results and Strategies

#### The FSP holder will:

1. Prior to initiation of planned activities on a road or cutblock within Bighorn Sheep areas;
  - a) refer a proposed *cutblock* to the ministry responsible for wildlife, requesting that *special features* located within or *adjacent* to the *cutblock* be identified;
  - b) Within a 50m radius of a *special feature* harvesting will be avoided.
2. Where *practicable*, maintain 33% of the Bighorn sheep polygon area which lies within FDU's containing BCTS operating area in stands greater than 16meters in height with a crown closure class of 3 or greater.
3. Where the forest cover conditions described in (2) above, do not exist within a Bighorn Sheep Planning Cell:
  - a) Prior to harvesting a cutblock or constructing a road within a Bighorn Sheep Planning Cell, ensure a QP completes a Bighorn Sheep Habitat Suitability Assessment within the Bighorn Sheep Planning Cell; and
  - b) Where the assessment identifies an opportunity to harvest timber while not causing there to be insufficient forest cover suitable for providing for the habitat requirements of Bighorn

Sheep, conduct *primary forest activities* consistent with the recommendations of the assessment.

4. Subject to the results and strategies found in section within *Derenzy sheep zone 2*:
  - a) Maintain 33% of the *Derenzy Sheep Zone 2* polygon to a height of 16 meters or greater and a crown closure class of 3 or greater.
  - b) In lodgepole pine dominated stands, utilize a clear-cut with reserves silviculture system with opening sizes of 5 to 20 hectares as per table 1 on page Wildlife Derenzy 4-6 of the OSLRMP, unless the timber harvesting to be carried out is to recover timber damaged by fire, insect, wind or other natural events.
  - c) In Douglas-fir and spruce dominated stands, restrict silviculture systems to small patch cuts or partial retention systems as per table 1 on page Wildlife Derenzy 4-6 of OSLRMP, unless the timber harvesting to be carried out is to recover timber damaged by fire, insect infestation, wind other natural events.

#### 4.2.8 OSLRMP LUO Williamson's Sapsucker

|                                                                 |
|-----------------------------------------------------------------|
| <b>Legal Reference:</b> OSLRMP LUO Objective 11                 |
| <b>Objective:</b> <i>To conserve critical breeding habitat.</i> |
| <b>Applicable FDU's:</b> Skaha, TFL 59-BCTS, Okanagan           |

### Definitions

**For the purpose of this strategy:**

**"Williamson's Sapsucker area of occupation"** means an area:

- a. identified in Figure 2, page 6 of "B.C. Ministry of Forests, Lands and Natural Resource Operations. 2014. Best management practices for timber harvesting, roads, and silviculture for Williamson's Sapsucker in British Columbia: Okanagan-Boundary Area of Occupancy. B.C. Ministry of Forests, Lands and Natural Resource Operations, Nelson, BC. 15 pp";
- b. within a 500 meter radius (slope distance) of a Williamson's Sapsucker breeding location, identified by the BC Conservation Data Centre not less than 12 months prior to cutting authority application or amendment; or
- c. proposed by the ministry responsible for Environment as a Williamson's Sapsucker wildlife habitat area, not less than 12 months prior to cutting authority application or amendment, which is located outside of an established cutblock or established road.

**"Williamson's Sapsucker primary forest activity design"** means a design of primary forest activities, developed by a QP that provides for the conservation of Williamson's Sapsucker critical breeding habitat during harvesting, road construction and maintenance, and silviculture treatments by considering:

- a) pre-harvest stand condition;
- b) forest health factors such as insect infestation, root disease, blowdown, and wildfire;
- c) site conditions that may affect worker or public safety;
- d) activity timing windows;
- e) critical breeding habitat suitability;
- f) forest stand management practices and
- g) Williamson's Sapsucker critical breeding habitat requirements, including:
  - (i) nest tree retention and recruitment;
  - (ii) live tree retention targets;
  - (iii) sap tree habitat targets; and
  - (iv) coarse woody debris retention.

### Results and Strategies

**The FSP holder will:**

1. Prior to initiation of planned activities on a road or cutblock within a *Williamson's Sapsucker area of occupation*, ensure a *Williamson's Sapsucker primary forest activity design* is completed by a QP and the design and recommendations are followed.
2. If in the opinion of the QP carrying out the *Williamson's Sapsucker primary forest activity design* that the primary forest activity is likely to have an impact on that habitat, the bird, or nest site, then only carry out primary forestry activities that are consistent with the direction provided by the "Best Management Practices for Timber Harvesting, Roads, and Silviculture for Williamson's Sapsucker in British Columbia (February 2014)".

<http://a100.gov.bc.ca/pub/eirs/lookupDocument.do?fromStatic=true&repository=BDP&documentId=11942>.

#### 4.2.9 Wildlife-OSLRMP LUO Road construction (Grizzly Bear, Moose, Mountain Goat, Mule Deer, NDT4 Areas, and Walk-in Lakes)

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Legal Reference:</b> OSLRMP LUO Objective 10b, Map 10 (Appendix E)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| <b>Objective:</b> <i>The objective is to limit the adverse impacts of Forest Road Construction on the habitat values of Grizzly Bear, Moose, Mountain Goat, Mule Deer, grasslands and low elevation forests (Ecosystem-Natural Disturbance Type 4).</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| <p><b>Applicable FDU's:</b></p> <p><b>Grizzly Bear:</b> Adelphi, Anstey, Banting-Kettle, Barton, Big White, Blais, Bolean, Branchflower, Celista, Chase Harper, Chum, Cooke, Crazy, Currie, Eagle River, Echo, Glen Lake, Graystokes, Harris, Hlina, Hudson Bay, Hunter Blurton, Ireland, Jackpine, Kal Slopes, Kwikoit, Lamberton, Long Ridge, Mara-Sicamous, Mellin Windy, Mission, Mugford, Naramata, Old Dave, Paxton, Priest creek, Ratchford, Ross, Sicamous North, Skaha, Skimikin, Smokeyhouse, Stuart Terrace, TFL33 BCTS, TFL 49, TFL59-BCTS, White Lake, Whitehead, Yard Creek, Okanagan.</p> <p><b>Moose:</b> Adelphi, Barton, Blais, Celista, Chase Harper, Crazy, Harris, Hlina, Ireland, Jackpine, Long Ridge, Mellin Windy, Mt. Ida, Mugford, Old Dave, Paxton, Ratchford, Sicamous North, Skaha, Skimikin, Smokeyhouse, Stuart Terrace, TFL 49, TFL 59-BCTS, Wall Creek, White Lake, Okanagan.</p> <p><b>Mountain Goat:</b> Crazy, Currie, Skaha, TFL49, TFL59-BCTS, Okanagan.</p> <p><b>Mule Deer:</b> Adelphi, Bolean, Branchflower, Chase Harper, Chum, Coldstream, Cook, Crazy, Currie, Eagle River, Echo, Glen Lake, Harris, Hlina, Hunter Blurton, Ireland, Kal slopes, Lamberton, Mara-Sicamous, Mission, Mt. Ida, Mugford, Naramata, Paxton, Priest Creek, Rose-Swanson, Ross, Sicamous North, Skaha, Skimikin, TFL 33-BCTS, TFL 49, TFL59-BCTS, Wall Creek, White Lake, Okanagan.</p> <p><b>NDT4-</b> Adelphi, Barton, Bolean, Branchflower, Chase Harper, Coldstream, Currie, Echo, Glen Lake, Harris, Hlina, Hunter Blurton, Ireland, Kal Slopes, Mission, Mt. Ida, Naramata, Paxton, Rose-Swanson, Skaha, Skimikin, TFL 49, TFL59-BCTS, Wall Creek, White Lake, Whitehead, Okanagan.</p> <p><b>Walk-in Lakes:</b> Chase Harper, Currie, Graystokes, Harris, Ireland, Kal Slopes, Long Ridge, Mellin Windy, Mission, Old Dave, Skaha, Skimikin, Smokeyhouse, TFL 49, Okanagan.</p> |

### Definitions

#### For the purposes of this strategy:

**“Grizzly Bear Habitat RMZ”** means the specified area shown in the map set out in Schedule A of GAR ORDER – Grizzly Bear Specified Area # 8-232.

**“critical grizzly bear habitat”** means areas within the Grizzly Bear Habitat RMZ that include:

- a) avalanche tracks;
- b) glacier lily complexes;
- c) meadow/wetland complexes;
- d) riparian site series as per “OSLRMP Table 2 Riparian Site Series”, page “Wildlife\_Grizzly 4-13”; or
- e) burn areas that no longer contribute to the THLB and are dominated by *Vaccinium* species.

**“grizzly bear suitability areas”** means those areas within the Grizzly Bear Habitat RMZ that:

- a) North of Highway 6, are identified on the map on page “Wildlife\_Grizzly 4-15” (Appendix E) of the OSLRMP as “High-Moderate” or “High” grizzly habitat suitability
- b) South of highway 6, are identified on the map on page “Wildlife\_Grizzly 4-15” of the OSLRMP as “Moderate”, “High-Moderate” or “High” grizzly habitat suitability.

**“critical moose winter habitat”** means, within those specified areas shown in the map set out in Schedule A of GAR ORDER – Ungulate Winter Range #U-8-006 – Okanagan TSA, a zone extending 200 metres (slope distance) from the outer edge of a W1 wetland, a W3 wetland in the MSdm2 or MSxk BEC, or a W5 wetland.

**“mountain goat plateau habitat”** means the specified areas shown in the map set out in Schedule A of GAR ORDER – Ungulate Winter Range #U-8-005 – Okanagan TSA, as well as a zone extending 200 metres (slope distance) from the edge those areas.

**“mule deer winter range”** means the specified areas shown in the map set out in Schedule A of GAR ORDER - Ungulate Winter Range #U-8-001 – Okanagan TSA.

**“NDT4 areas”** means ecosystems with frequent stand-maintaining fires located within the Ecosystem Management – NDT4 RMZ Map (Appendix E)

area, and identified as the following BEC's:

- a) Bunchgrass (all variants);
- b) Ponderosa Pine (all variants); and
- c) Interior Douglas-fir xh1 and xh2 variants.

**“walk-in lakes”** means the lakes listed in the OSLRMP LUO Schedule.

## Results and Strategies

### The FSP holder will:

1. Not construct new permanent road unless no other practicable option exists:

- a) critical grizzly bear habitat;
- b) grizzly bear suitability areas;
- c) critical moose winter habitat;
- d) mule deer winter range; or
- e) NDT 4 areas;

2. While constructing a new road within:

- a) critical grizzly bear habitat;
- b) grizzly bear suitability areas; or
- c) critical moose winter habitat,
- d) mule deer winter range; or
- e) NDT 4 areas;

Restrict access to the road so that it is non-passable to a four wheel drive pickup truck within one year of completing initial silviculture activities, and where the use of that road is not necessary to access future timber opportunities.

3. If constructing a new road within mountain goat plateau habitat:

- a) a. Restrict access to the road so that it is non-passable to a four wheel drive pickup truck within 6 months of harvesting completion, and where the use of that road is not necessary on an on-going basis.
- b) Should that road be reactivated on a short term basis for initial silviculture activities, restrict access within 3 months of the conclusion of the silviculture activity.

4. For walk-in lakes;

- a) within 500meters of a walk-in lake, not construct a permanent road except where no other practicable option exists.
- b) where construction of a permanent road or a temporary access structure does occur within 500meters of a walk-in lake, minimize the amount of construction to the greatest extent practicable and;
  - (i) not restrict walk-in access to the lake except during temporary closures for road maintenance or repairs.

- (ii) So long as the road is not required to provide access to future *cutblocks*, rehabilitate the temporary access structure or deactivate the permanent road as soon as practicable after the completion of *initial silviculture activities*.
- (iii) Wherever *practicable* locate the road described in (section b) above away from an established trail leading into the walk-in lake.
- (iv) Any *primary forest activities* along a portion of trail that accesses a walk-in lake will ensure that the trail is re-established and clearly marked where *practicable* within 6 months after completion of harvesting or road construction.

### 4.3 Water, Fish, Wildlife and Biodiversity within Riparian Areas

|                                                                                                                                                                                                                                                           |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Legal Reference:</b> FPPR section 8 and 12.1(6)                                                                                                                                                                                                        |
| <b>Objective:</b><br><i>“Without unduly reducing the supply of timber from British Columbia's forests, to conserve, at the landscape level, the water quality, fish habitat, wildlife habitat and biodiversity associated with those riparian areas.”</i> |
| <b>Applicable FDU's:</b> All FDU's                                                                                                                                                                                                                        |

#### For the purpose of this strategy:

“**large S6 stream**” means an S6 stream that is greater than 1.5m but less than 3.0m in width.

“**small S6 stream**” means an S6 stream that is less than 1.5m in width

“**Stub**” means mature trees that are either mechanically felled or broken off at least 3-5 m above the ground

“**Alluvial Fan**” means cone-shaped depositional landforms that occur where a stream emerges from the confines of a mountain, or “loses confinement.” Sediment is delivered to the channel from erosion within the watershed and transported to the fan by hydro-geomorphic processes (floods, debris floods, and debris flows).

“**Machine Free Zone (MFZ)**” means a defined area where tracks or wheels of ground based machinery are not permitted except for the purpose of addressing a safety hazard, at a designated stream crossing, or where it is not practicable. The width is to be determined from the edge of the stream bank along both sides of the stream. The purpose of the MFZ is to avoid as much as is practicable machine traffic in order to maintain stream side soil stability and also to minimize impact to the understory vegetation in the riparian area.

#### Results and Strategies

##### The FSP Holder will:

1. Apply retention strategies within RMZ for streams, wetlands and lakes as outlined in **Table 2** below. The retention targets may be reduced if necessary as determined by a QRP for the following situations:
  - a) Trees that have been wind thrown or have been damaged by fire, insects or disease; or,
  - b) Danger trees; or,
  - c) Trees located within 5 m of either side of a skid crossing; or, within a stream crossing right of way.

**Table 2: Riparian Classes and Basal Area % Retention**

| <b>Riparian Class</b>                 | <b>Riparian Reserve Zone (m)</b> | <b>Riparian Management Zone (m)</b> | <b>Percent Basal Area Retention (%) within the RMZ</b> |
|---------------------------------------|----------------------------------|-------------------------------------|--------------------------------------------------------|
| S1-A stream                           | 0                                | 100                                 | $\geq 20$                                              |
| S1-B stream                           | 50                               | 20                                  | $\geq 20$                                              |
| S2 stream                             | 30                               | 20                                  | $\geq 20$                                              |
| S3 stream                             | 20                               | 20                                  | $\geq 20$                                              |
| S4 stream (fish and non-fish bearing) | 0                                | 30                                  | $> 20$                                                 |
| S5 stream                             | 0                                | 30                                  | $\geq 10$                                              |
| Large S6 stream ( $\geq 1.5$ m wide)  | 0                                | 20                                  | $\geq 10$                                              |
| Small S6 stream ( $< 1.5$ m wide)*    | 0                                | 20                                  | $\geq 0$                                               |
| L1-A (L1-B)                           | 0 (10)                           | 0 (10)                              | $\geq 10$                                              |
| L2                                    | 10                               | 20                                  | $\geq 10$                                              |
| L3                                    | 0                                | 30                                  | $\geq 10$                                              |
| L4                                    | 0                                | 30                                  | $\geq 10$                                              |
| W1                                    | 10                               | 40                                  | $\geq 10$                                              |
| W2                                    | 10                               | 20                                  | $\geq 10$                                              |
| W3                                    | 0                                | 30                                  | $\geq 10$                                              |
| W4                                    | 0                                | 30                                  | $\geq 10$                                              |
| W5                                    | 10                               | 40                                  | $\geq 10$                                              |

\*The 100 m of the first reach of a small S6 streams immediately upstream of a fish bearing stream or proximate to a domestic water intake will be managed as a S4 stream with regard to streamside retention.

2. During the establishment of the RMZ, retention levels may not be uniformly distributed throughout the RMZ within the cut block, provided that the total retention of the RMZ within the cut-block area is equivalent to that which would have been established using the percent retention specified in Table 2. The intent of this flexibility is to match site specific conditions to provide for the best management of the riparian area whether that be biodiversity objectives, shading, wind-throw or topography.
3. To avoid damage to the stream banks and minimize harvesting debris introduced inadvertently into streams, wetlands or lakes, falling, skidding or yarding direction will be away from streams, wetlands and lakes, or parallel to streams, unless unsafe or not practicable to do so. Where falling and yarding away is not practicable, streambank damage will be minimized by following the General Guidelines for “Falling and Yarding” in the Riparian Management Area Guidebook. If a QP determines that excessive harvesting debris accumulations are unduly impeding stream flow and function, debris will be removed from the stream while disturbance to naturally occurring embedded woody material will be minimized.
4. Maintain stream bank and stream channel integrity on all streams (excluding NCD’s) that do not have a riparian reserve zone by establishing a 5m machine free zone along both sides of streams within harvest areas where ground-based equipment will operate, with the exception of designated stream crossings for skid trails or roads. For winter harvested blocks where a QP determines that there is sufficient compressible snowpack to mitigate damage to the stream bank and riparian area, no MFZ will be required.
5. Advanced regeneration and understory vegetation, will be retained within the MFZ. For blocks with a ground based harvest system, deciduous trees will also be retained. On blocks using a cable harvesting system where it is not practicable or safe to retain all understorey and advanced regeneration, the holder of this FSP will minimize damage to understory vegetation and advanced regeneration by following the General Guidelines for Falling and Yarding detailed in the Riparian Management Area Guidebook or through winter harvest where possible. For safety reasons, winter harvest will not occur in avalanche prone terrain.
6. Maintain the function of alluvial fans by;
  - a) constructing roads above or below an alluvial fan where practicable. Where roads must be placed on an alluvial fan a QP will be engaged with the road design, and their recommendations will be considered for implementation.
7. Comply with the practice requirements for stream, wetland, and lake riparian classes as listed in the FPPR 47 (4) to (8) and to 51, 52 (2) and 53 of the FPPR.
  - a) reservoirs: as stated in FRPA section 180 (h) and 181, the Arrow, Revelstoke, Kinbasket reservoirs are greater than 1,000 ha in size and therefore do not require Riparian Reserve Zones.

8. Selkirk Natural Resource District

The following lakes (within TOC FDU's) are less than 5 hectares in size but have been designated as L1 by the District Manager. All L1 lakes inclusive of those listed on the following table are assigned a 10m riparian reserve zone and 100m lakeshore management zone.

**Table 3** Riparian Reserve and Management Zone for Lakes <5 ha.

| Lake Name      | RRZ (m) | LMZ (m) | LMA (m) |
|----------------|---------|---------|---------|
| Echo Lake      | 10      | 100     | 110     |
| Beaver Lake    | 10      | 100     | 110     |
| Begbie Lake    | 10      | 100     | 110     |
| Cranberry Lake | 10      | 100     | 110     |
| Wetask Lake    | 10      | 100     | 110     |
| Pingston Lake  | 10      | 100     | 110     |
| Jeb Lake       | 10      | 100     | 110     |
| Moose Lake     | 10      | 100     | 110     |
| Dainard Lake   | 10      | 100     | 110     |

Unless indicated in the preceding table, all L1 lakes in the Selkirk Natural Resource District >5ha <1000ha will utilize a 10m riparian reserve zone and a 100m lakeshore management zone.

For all other classifications of lakes, the riparian zones listed in **table 2** above apply.

#### 4.4 OSLRMP LUO Enhanced Riparian Reserves

|                                                                                                                                                                                                                                                                                                                           |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Legal Reference:</b> OSLRMP LUO objective 10c, Map 10 (Appendix E)                                                                                                                                                                                                                                                     |
| <b>Objective:</b><br><i>During primary forest activities, including sanitation and salvage activities, to provide for the conservation of water, fish, wildlife, and biodiversity associated within streams by maintaining enhanced riparian reserves over a total of 10,000 hectares of timber harvesting land base.</i> |
| <b>Applicable FDU's:</b> All FDU's within the Okanagan Shuswap Natural Resource District                                                                                                                                                                                                                                  |

### Definitions

#### For the purpose of this strategy:

“enhanced riparian reserve” or “ERR”, means a minimum 0.1 hectare reserve within the THLB, identified and tracked internally by the FSP holder, and supplemental to the statutory reserves specified under FPPR, that:

- a) is within the riparian management zone of a stream; or
- b) is contiguous with a riparian management zone of a stream.

### Results and Strategies

#### The FSP holder will:

1. Not cause there to be less than a total of 1861 hectares of enhanced riparian reserve zones inside of TOC Forest Development Units which are designated BCTS operating areas located within the Okanagan Timber Supply Area, and 114 hectares of enhanced riparian reserve zones inside TOC Forest Development Units located within TFL 49.
2. Be in communication with other major license holders within the Okanagan TSA to maintain their set ERR targets when operating outside of BCTS operating areas but within the Okanagan FDU.
3. Maintain levels of the RMZ basal area retention as specified in Table 2 in Section 4.3 of this FSP

## 4.5 Water in Community Watersheds

**Legal Reference:** FPPR section 8.2, 59, 60, 61

**Objective:**

*The objective set by government for water being diverted for human consumption through a licensed waterworks in a community watershed is to prevent to the extent that it does not unduly reduce the supply of timber from British Columbia's forests the cumulative hydrological effects of primary forest activities within the community watershed from resulting in;*

- a. A material adverse impact on the quantity of water or the timing of the flow of the water from the waterworks, or*
- b. The water from the waterworks having a material adverse impact on human health that cannot be addressed by water treatment required under*
  - i. An enactment, or*
  - ii. The licence pertaining to the waterworks.*

**Applicable FDU's:** Bolean, Branchflower, Coldstream, Drimmie Creek, Glen Lake, Harris, Hunter Blurton, Jackpine, Kal Slopes, Long Ridge, Mara-Sicamous, Mellin Windy, Mission, Mt. Ida, Mt. Rev Prov. Park, Mugford, Naramata, Priest Creek, Ross, Skaha, Stuart Terrace, TFL 49, TFL 59 BCTS, Wetask Lake, Whitelake, Whitehead, Okanagan, Revelstoke.

### Definitions

**For the purpose of this strategy:**

**"community watershed"** has the meaning given to it in FPPR section 8.2(1)

**"hydrologic assessment"** means a QP assesses the existing and potential landscape level disturbances related effects on water and water related resources conducted at the site or watershed level which will include:

- a) An overview assessment including creek morphology
- b) Cumulative effects of past and proposed activities
- c) Hydrologic risks of proposed development
- d) Specific recommendations for hazard mitigation
- e) Specific recommendations to conserve the natural hydrologic conditions, natural stream bed dynamics and integrity of stream channels in the watershed.
- f) Specific recommendations to conserve the quality, quantity and timing of water flows.
- g) Specific recommendations to prevent the cumulative hydrological effects of primary forest activities in the watershed resulting in a material adverse impact.

### Results and Strategies

**The holder of this FSP will comply with sections 59, 60, 61 of the FPPR and will implement the following;**

1. For the portion of an FDU that overlaps a *Community Watershed*, where the holder of the plan intends to conduct primary forest activities, a QP will assess the risk for those activities potentially causing:
  - a) Material that is harmful to human health to be deposited in or transported from water diverted for human consumption by licensed waterworks; and/or,
  - b) An increase in sediment delivery to the intake or causing sediment that is harmful to human health to enter a stream, lake or wetland for which the water is being diverted for human consumption.

A QP under this section is considered to be a forest professional in charge of timber development with knowledge of the area being considered or access to that knowledge (peers, supervisor).

2. If the QP's assessed risk in a community watershed is low based on a review of the scope of the proposed primary forest activity, relevant and available site specific hydrologic information including terrain stability, number of creeks flowing into the stream with the "point of diversion", and the proximity to the RMA, the commitments in (3) below are not required.
3. If the risk is moderate or high, based on the same criteria used in (2) above the holder of this FSP will;
  - a) Ensure that a current *hydrologic assessment* has been or is carried out by a QP.
  - b) Ensure the primary forest activities are planned and conducted with due consideration to the recommendations of the *hydrologic assessment*.

Generally, a hydrologic assessment will be deemed current if it has been completed within 5 years of the primary forest activities being planned or implemented. An assessment older than 5 years will also be considered current if the primary forest activities being planned or implemented or equivalent were assessed in that hydrologic assessment and no known additional landscape level disturbances that could adversely impact the water resource have occurred in the watershed.

4. At the planning and design stage for timber harvesting and road construction, the holder of this FSP will provide a referral letter to the water licensee, which includes a description of the planned activities and provides a reasonable opportunity for review and comment.
5. At least 48 hours before the commencement of any road construction or deactivation in a community watershed, written notification will be provided to the water licensee.

## 4.6 Fisheries Sensitive Watersheds

**Legal Reference:** Section 14(1) and 14 (2) of the Government Actions Regulations :  
Order-Fisheries Sensitive Watersheds-Thompson Region dated March 28<sup>th</sup>, 2007  
Order-Fisheries Sensitive Watersheds-Okanagan Region dated March 28<sup>th</sup>, 2007

**Objective:**

*For each Fisheries Sensitive Watershed identified by the Orders, the objective set by government is to:*

- (i) Conserve the natural hydrologic conditions, natural stream bed dynamics and integrity of stream channels in the Fisheries Sensitive Watershed,*
- (ii) Conserve the quality, quantity and timing of water flows required by fish in the Fisheries Sensitive Watershed, and*
- (iii) Prevent the cumulative hydrological effects of primary forest activities in the Fisheries Sensitive Watershed from resulting in a material impact on the fish habitat in the watershed.*

**Applicable FDU's:** Anstey, Barton, Blais, Cascadia, Celistia, Coldstream, Crazy, Currie, Echo, Harris, Hlina, Hudson Bay, Kwikoiit, Lamberton, Long Ridge, Mara-Sicamous, Ratchford, Skaha, Smokeyhouse, Stuart Terrace, TFL 49, TFL 59-BCTS, Wetask Lake, Yard Creek, Okanagan.

### Results and Strategies

**The FSP holder will:**

1. Ensure a QP will assess the risk of those activities to ensure that:
  - a) the natural hydrological conditions, natural stream bed dynamics, and integrity of stream channels are conserved.
  - b) the quantity, quality, and timing of water flow required by fish are conserved.
  - c) The cumulative hydrological effects of primary forest activities do not result in material adverse impact on the fish habitat in the watershed.
2. If the QP determines the risk is low based on a review of the relevant and available site specific hydrologic information and criteria including terrain stability and the proximity to the RMA, the commitments in 3 are not required.
3. If a QP determines the risk is high or moderate based on the same criteria used in 2 (above), the holder of this plan will:
  - a) Ensure that a fisheries sensitive hydrologic assessment has been or is carried out by a QP.
  - b) Ensure the design of cutblocks and roads is consistent with the recommendations of the hydrologic assessment.

## 4.7 KBHLP Consumptive Use Streams

|                                                                                                                                                |
|------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Legal Reference:</b> Objective 6 of the Kootenay Boundary Higher Level Plan Order                                                           |
| <b>Objective:</b><br><i>Objective 6 of the KBHLP is to reduce the impacts of forest development on streams licensed for human consumption.</i> |
| <b>Applicable FDU's:</b> Esplanade, Mount Seven, and Golden FDU                                                                                |

### Results and Strategies

#### The FSP Holder will:

1. Comply with objective 6 of the KBHLP. For each S5 and S6 stream where the specified streamside management zone applies, the holder of this FSP will plan and implement primary forest activities only if a QP determines that implementing the plan:
  - a) will not cause material that is harmful to human health to be deposited in, or transported to, water that is diverted for human consumption by a licensed waterworks; and
  - b) will not damage a licensed waterworks.
  - c) will result in locating stream crossings greater than 100 metres (slope distance) upslope of known intakes,
  - d) will result in the revegetation of cut banks and fill slopes in the management zone where exposed soil exceeds 0.01ha in a contiguous at the earliest opportunity following completion of primary harvesting and no later than one year afterwards.
2. At the planning and design stage for timber harvesting and road construction, the TSM will provide a referral letter to the licensed domestic water users or their designated group representative, which includes a description of the planned activities and provides a reasonable opportunity for review and comment.

## 4.8 Wildlife and Biodiversity-Landscape Level

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Legal Reference:</b> FPPR Section 9                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>Objective:</b><br><i>The objective set by government for Wildlife and Biodiversity at the landscape level is, without unduly reducing the supply of timber from British Columbia's forests and to the extent practicable, to design areas on which harvesting is to be carried out that resemble, both spatially and temporally, the patterns of natural disturbance that occur within the landscape.</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Legal Reference:</b> KBHLP Order (Oct, 26, 2002)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| <b>Objective:</b><br><i>To provide for more cost-effective timber harvesting based on Section 68(4) of the Operational Planning Regulation (OPR), establish the green-up height as 2.5 metres for areas adequately stocked and 3.0 metres for areas not adequately stocked, based on the criteria in the regulations, except in:</i> <ul style="list-style-type: none"><li><i>i. community watersheds;</i></li><li><i>ii. visually sensitive areas to be defined and determined by the District Manager, Ministry of Forests (MOF), within known scenic areas as identified in objective 9;</i></li><li><i>iii. Enhanced Resource Development Zones - Timber as identified in objective 7 and</i></li><li><i>iv. the specified fire-maintained ecosystems as identified in objective 8(d) and.</i></li></ul> <i>To support intensive forest management for the purpose of increasing volumes of merchantable timber and to reduce industry costs while maintaining adequate environmental stewardship Enhanced Resource Development Zones – Timber (ERDZ-T) emphasis is assigned as outlined on map 7.1.</i> |

### Results and Strategies

#### The FSP holder will:

1. For all FDU's comply with the practice requirements of Sections 64, and 65, of the FPPR, except for Section 65(3) (a) and (b) (ii) where the holder of this FSP will comply with the following;
  - a) For all other FDUs covered by Kootenay-Boundary Higher Level Plan Order, and those portions of the above FDUs that are either not within Enhanced Resource Development Zones-Timber as per KBHLP Map 7.1, or are within connectivity corridors, a height of 2.5 metres. For those areas of Esplanade, Blackwater Ridge, Bluewater and Goodfellow FDUs within Golden RMZ Enhanced Resource Development Zones-Timber as per KBHLP Map 7.1, the KBHLP Order objective 7(2) is the result and strategy that applies;
  - b) For all FDUs covered by the Revelstoke Higher Level Plan Order, a height of 2.0 metres, as per DCO FSP Stocking Standards Version 3.
  - c) For all FDUs within the Okanagan-Shuswap Natural Resource District a height of 2.0 metres. This is consistent (for the Okanagan-Shuswap District) with the District Manager policy letter dated September 26<sup>th</sup> 2001, which states that "Under the Operational Planning Regulation, Section 68(1), and 68(8), the average height that is required to meet the green-up definition within the Salmon Arm, Vernon, and Penticton Forest Districts is 2.0 meters."
3. In the Okanagan Shuswap Natural Resource District we are managing landscape level biodiversity by managing for OGMA Section 4.10 and ERR's Section 4.4. In the Selkirk Natural Resource District, we are managing landscape level biodiversity by managing for OGMA Section 4.10.

## 4.9 Wildlife and Biodiversity-Stand Level

|                                                                                                                                                                                                                       |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Legal Reference:</b> FPPR Section 9.1                                                                                                                                                                              |
| <b>Objective:</b> <i>The objective set by government for Wildlife and Biodiversity at the Stand Level is, without unduly reducing the supply of timber from British Columbia's forests, to retain wildlife trees.</i> |
| <b>Applicable FDU's:</b> All FDU's                                                                                                                                                                                    |

### For the purpose of this strategy:

**“Render ineffective”** means, in the opinion of a QRP, as documented in a Site Plan or Support Document, damaged to a degree that the WTRA or WTP no longer has attributes consistent with a mature or old seral condition and considering the original intent of the WTRA or WTP (if known).

**“Highly susceptible”** means a susceptibility hazard class of high or very high as indicated by a field assessment or on MFLNRO susceptibility mapping and/or as defined within a MFLNRO Forest Health Strategy and where the timber is within 2 kilometres of a currently infested area.

## Results and Strategies

### Upon completion of harvest the FSP holder will:

1. For all FDUs within the Selkirk Natural Resource District comply with the practice requirements for *Wildlife Tree Retention (WTR)* listed in the FPPR section 66.
2. For all FDUs within the Okanagan Shuswap Natural Resource District comply with the WTRA requirements set out in **Table 4** (below) which is consistent with the OSLRMP and the wildlife retention targets in the letter from the Okanagan Shuswap District Manager, dated June 20<sup>th</sup>, 2005.  
**See Appendix F.**
3. For any cutblock covered by this FSP in the Okanagan Shuswap Natural Resource District, and harvested during any 12 month period beginning on April 1<sup>st</sup> of any calendar year ensure that at the end of that 12 month period, the total area covered by wildlife tree retention areas that relate to the cutblocks meets or exceeds the requirements set out in **Table 4** (below) for the total gross area of all the cutblocks.
4. For any cutblock described in #3 (above), ensure the total amount of wildlife tree retention area that relates to the cutblock is a minimum of 50% of the targets in **Table 4** (below). A wildlife tree retention area may relate to more than one cutblock if all the cutblocks that relate to the wildlife tree retention area collectively meet the applicable requirements of #3 (above).
5. As a strategy, in the Selkirk and Okanagan Shuswap Natural Resource Districts, where timber is harvested in a WTRA's or WTP and the harvest area is mappable, (greater than 0.25 hectares), and the total area that remains in WTRA's following harvest is less than originally reported size or number of trees of the WTRA or WTP or the % required in section 1 and 2 (above) or is less than

the % required by a former FSP that applied to the *WTRA* or is less than the % required in *WTP*'s as prescribed in a site plan or silviculture prescription under the FPC.

- a) then a *QP* will identify one or more replacement *WTRA*'s that provide an area, number of trees or habitat that is at least equivalent or better to the portion of the *WTRA* or *WTP* from which timber is being harvested. The *WTRA* or *WTP* replacement area or trees will be assessed for equivalency based on area or number of trees, species composition and mature or old seral attributes. The *QP* will document and map the replacement area in a site plan or support document.
  - b) A *WTRA* or *WTP* may be reduced in size or number of trees only if there was an over allocation of *WTRA* or *WTP* above the % required in section 1 and 2 (above) or the % required by a former FSP that applied to the *WTRA* or the % required in *WTP*'s as prescribed in a site plan or silviculture prescription under the FPC when reported to Results. The *WTRA* or *WTP* can only be reduced in size or number of trees if it can be shown that the *WTRA* or *WTP* was originally recorded incorrectly. The reasons for an over allocated *WTRA* might include other non-wildlife related reasons such as visuals, ECA's, etc. A rationale for reducing the *WTRA* or *WTP* size or number of trees will be included in the amended site plan or support document.
  - c) Situations when *WTRA*/ Wildlife Tree Patch (*WTP*) or portions of a *WTRA*/*WTP* will be harvested, will only include one or more of the following conditions:
    - a) to facilitate harvesting of a cutblock - for tail holds, guy line tiebacks, designated skid trails or yarding corridors;
    - b) to address safety hazards;
    - c) where timber is damaged as a result of wind, fire or forest health factors and, in the opinion of a QRP, the *WTRA* or *WTP* is rendered ineffective;
    - d) where timber is highly susceptible to insect damage; and/or
    - e) to facilitate road construction or address operational constraints to cable yarding, where there is no other practicable option, or where another option would result in greater risk to one or more FRPA Values.
6. For FDU's within the Okanagan Shuswap Natural Resource District, establish *WTRA*'s that are spatially distributed, no more than 500 meters distance from any other established *WTRA*'s or standing timber

**Table 4: Wildlife Tree Retention % by LU and BEC subzones in the Okanagan Shuswap District**

| Wildlife Tree Retention % by LU and BEC subzones in the Okanagan Shuswap District |             |             |             |             |             |                   |             |             |
|-----------------------------------------------------------------------------------|-------------|-------------|-------------|-------------|-------------|-------------------|-------------|-------------|
| LU Name                                                                           | BEC SubZone | Retention % | LU Name     | BEC SubZone | Retention % | LU Name           | BEC SubZone | Retention % |
| Anstey                                                                            | ESSFwc      | 5           | Kettle      | IDFdm       | 8           | Harris            | ESSFdc      | 7           |
| Anstey                                                                            | ICHmw       | 3           | Kettle      | MSdm        | 11          | Harris            | ESSFxc      | 6           |
| Anstey                                                                            | ICHvk       | 7           | Penask      | ESSFdc      | 10          | Harris            | ICHmk       | 9           |
| Anstey                                                                            | ICHwk       | 7           | Penask      | ESSFxc      | 9           | Harris            | IDFmw       | 7           |
| Anstey TFL                                                                        | ESSFwc      | 9           | Penask      | IDFdk       | 8           | Harris            | IDFxh       | 7           |
| Anstey TFL                                                                        | ICHmw       | 8           | Penask      | MSdm        | 9           | Harris            | MSdm        | 10          |
| Anstey TFL                                                                        | ICHwk       | 10          | Penask      | MSxk        | 7           | Mabel             | ESSFdc      | 10          |
| Crowfoot                                                                          | ESSFwc      | 10          | Trepanier   | ESSFxc      | 10          | Mabel             | ESSFwc      | 8           |
| Crowfoot                                                                          | ICHmw       | 9           | Trepanier   | IDFdk       | 5           | Mabel             | ICHmw       | 8           |
| Crowfoot                                                                          | ICHwk       | 11          | Trepanier   | IDFmw       | 7           | Mabel             | ICHwk       | 9           |
| Crowfoot                                                                          | IDFmw       | 4           | Trepanier   | IDFxh       | 4           | Mabel             | IDFmw       | 6           |
| Kingfisher                                                                        | ESSFvc      | 7           | Trepanier   | MSdm        | 6           | UpperKettle       | ESSFdc      | 8           |
| Kingfisher                                                                        | ESSFwc      | 7           | Trepanier   | MSxk        | 4           | UpperKettle       | ESSFwc      | 8           |
| Kingfisher                                                                        | ICHmk       | 4           | Trepanier   | PPxh        | 2           | UpperKettle       | ICHmk       | 10          |
| Kingfisher                                                                        | ICHmw       | 8           | Trout       | ESSFxc      | 6           | UpperKettle       | ICHmw       | 8           |
| Kingfisher                                                                        | ICHvk       | 6           | Trout       | IDFdk       | 7           | Vernon            | ESSFdc      | 0           |
| Kingfisher                                                                        | ICHwk       | 7           | Trout       | IDFxh       | 3           | Vernon            | ESSFxc      | 9           |
| Kingfisher                                                                        | IDFmw       | 4           | Trout       | MSdm        | 8           | Vernon            | ICHmk       | 8           |
| Eagle                                                                             | ESSFvc      | 4           | Trout       | MSxk        | 7           | Vernon            | ICHmw       | 7           |
| Eagle                                                                             | ESSFwc      | 9           | Trout       | PPxh        | 3           | Vernon            | IDFmw       | 6           |
| Eagle                                                                             | ICHmw       | 6           | Penticton   | BGxh        | 0           | Vernon            | IDFxh       | 2           |
| Eagle                                                                             | ICHvk       | 7           | Penticton   | ESSFdc      | 8           | Vernon            | MSdm        | 10          |
| Eagle                                                                             | ICHwk       | 7           | Penticton   | IDFdm       | 7           | Vernon            | PPxh        | 0           |
| Pukeashun                                                                         | ESSFwc      | 8           | Penticton   | IDFxh       | 4           | UpperSalmon       | ESSFdc      | 9           |
| Pukeashun                                                                         | ICHmk       | 7           | Penticton   | MSdm        | 9           | UpperSalmon       | ESSFxc      | 8           |
| Pukeashun                                                                         | ICHmw       | 7           | Penticton   | PPxh        | 3           | UpperSalmon       | ICHmk       | 6           |
| Pukeashun                                                                         | ICHwk       | 10          | Mission     | ESSFdc      | 8           | UpperSalmon       | IDFdk       | 6           |
| Pukeashun                                                                         | IDFmw       | 5           | Mission     | ESSFxc      | 4           | UpperSalmon       | IDFmw       | 4           |
| Salmon Arm                                                                        | ESSFdc      | 11          | Mission     | ICHmk       | 8           | UpperSalmon       | IDFxh       | 3           |
| Salmon Arm                                                                        | ICHmk       | 7           | Mission     | IDFmw       | 7           | UpperSalmon       | MSdm        | 7           |
| Salmon Arm                                                                        | ICHmw       | 7           | Mission     | IDFxh       | 2           | UpperSalmon       | MSxk        | 7           |
| Salmon Arm                                                                        | IDFdk       | 7           | Mission     | MSdm        | 10          | UpperShuswap      | ESSFwc      | 5           |
| Salmon Arm                                                                        | IDFmw       | 7           | Mission     | PPxh        | 4           | UpperShuswap      | ICHmw       | 7           |
| Salmon Arm                                                                        | IDFxh       | 6           | White       | ESSFwc      | 9           | UpperShuswap      | ICHvk       | 1           |
| Salmon Arm                                                                        | MSdm        | 8           | White       | ICHmw       | 7           | UpperShuswap      | ICHwk       | 4           |
| Seymour                                                                           | ESSFvc      | 4           | White       | ICHwk       | 9           | Okanagan Westside | ESSFdc      | 12          |
| Seymour                                                                           | ESSFwc      | 7           | White       | IDFmw       | 4           | Okanagan Westside | ESSFxc      | 12          |
| Seymour                                                                           | ICHmw       | 7           | Cherryville | ESSFdc      | 6           | Okanagan Westside | ICHmk       | 7           |
| Seymour                                                                           | ICHvk       | 6           | Cherryville | ESSFwc      | 5           | Okanagan Westside | IDFdk       | 6           |
| Seymour                                                                           | ICHwk       | 8           | Cherryville | ESSFxc      | 8           | Okanagan Westside | IDFmw       | 5           |
| Kettle                                                                            | ESSFdc      | 8           | Cherryville | ICHmk       | 8           | Okanagan Westside | IDFxh       | 6           |
| Kettle                                                                            | ESSFxc      | 8           | Cherryville | ICHmw       | 6           | Okanagan Westside | MSdm        | 10          |
| Kettle                                                                            | ICHmk       | 10          | Cherryville | IDFmw       | 6           | Okanagan Westside | MSxk        | 5           |

## 4.10 Old Growth Management

|                                                                                                                                                                                                                                                                                                                                                                             |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Legal Reference:</b> Forest Practice Code of BC Act. Order establishing provincial non-spatial Old Growth Objectives (June 30 <sup>th</sup> , 2004).                                                                                                                                                                                                                     |
| <b>Objective:</b> <i>The objective set by government for Wildlife and Biodiversity is to contribute to the conservation of biodiversity by maintaining old forest by biogeoclimatic (BEC) variant within each landscape unit according to the age of forest and the percent of old forest retention specified in the tables within the order.</i>                           |
| <b>Legal Reference:</b> KBHLP Order (Oct, 26, 2002)                                                                                                                                                                                                                                                                                                                         |
| <b>Objective:</b><br><i>The objective set by government for Wildlife and Biodiversity is to contribute to the conservation of biodiversity, maintain mature forests in those areas identified in objective 2 (2) and old forests to the level indicated in tables 2.1 to 2.5 to all landscapes units and associated biodiversity emphasis as defined in objective 1”.</i>   |
| <b>Legal Reference:</b> RHL P Order (March 25, 2005), RHL P Order Amendment 2 (December 16 <sup>th</sup> , 2011)                                                                                                                                                                                                                                                            |
| <b>Objective:</b> <i>The objective set by government for Wildlife and Biodiversity is to contribute to the conservation of biodiversity, maintain old seral forests to the levels indicated in tables 2.1, 2.2, and as specified in subsection (b). Requirement levels are to be met at the biogeoclimatic subzone variant level using the variants mapped on page 2.1.</i> |

### Results and Strategies

#### The FSP Holder will:

1. Adopt the spatially identified non-legal OGMA's as per the order establishing provincial non spatial Old Growth Objectives (June 30<sup>th</sup>, 2004) for all FDU's as OGMA's under this FSP.
2. For all FDU's within the Okanagan Shuswap Natural Resource District, the Establishing Provincial Non-spatial Old Growth Objectives Order objectives 1 - 3 are the results and strategies that apply prior to harvesting.
3. For all FDU's within the Golden TSA, the KBHLP Order objectives 1 and 2 are the results and strategies that apply prior to harvesting.
4. For all FDU's contained within the Revelstoke TSA, Cascadia, TFL 55 and TFL 56, the RHL P Order objectives 1 and 2 are the results and strategies that apply prior to harvesting.
5. Not construct road or harvest timber in an OGMA except where the incursion is to:
  - a) adjust for mapping areas so that the functional boundaries of the OGMA better reflects the physical features intended as the boundaries for the area such that the remaining area reflects wind firmness;
  - b) improve harvest boundary alignment in a way that contributes to the maintenance of the OGMA;
  - c) shift the location of the contiguous area of the OGMA to improve the retention of old forest attributes as identified through field assessment;
  - d) relocating the OGMA to capture old growth and/or biodiversity values (e.g. where old seral or biodiversity values outside of an OGMA are found to exceed old seral or biodiversity values inside);

- e) where there exists a compelling rationale to harvest and the incursion is minimal or an ecologically equivalent (equal or better old seral and biodiversity values) replacement opportunity exists;
  - f) address a substantiated forest health factor within an *OGMA*, where this poses a significant and substantiated forest health risk to forests outside the *OGMA* and where harvesting constitutes an appropriate and effective control action;
  - g) address a public or industrial safety concern or an environmental hazard, where no alternative exists; and,
  - h) allow for road development and maintenance where there are no other practicable options
6. For all FDUs, if the area of disturbance caused by (5) above, should exceed 10% of the *OGMA*'s area or 10 hectares, whichever is less, a *QP* will prepare a rationale prior to constructing road or harvesting timber that:
- a) describes the reason for the incursion, and
  - b) identifies and reserves from harvest an alternate area (or areas) that is
    - (i) equal or greater in total size to the area(s) being disturbed
    - (ii) equal or has greater retention of the key old forest attributes that are understood to be important for biodiversity conservation than the *OGMA* area(s) being replaced.
    - (iii) For all FDUs in the Golden TSA, also considers the factors identified in KBHLP Footnote k.
    - (iv) either within the proponent licensee's operating area, or within another licensee's operating area where agreeable to the other licensee;
7. For FDUs, if the area of disturbance caused by (5) above, should not exceed 10% of the *OGMA*'s area or 10 hectares, whichever is less:
- a) maintain a record of the area of disturbance, and
  - b) prior constructing road or harvesting timber, identify and reserve from harvest an alternate area (or areas) that is
    - (i) equal or greater in total size to the area(s) being disturbed
    - (ii) equal or greater retention of the key old forest attributes that are understood to be important for biodiversity conservation than the *OGMA* area(s) being replaced.
    - (iii) For all FDUs in the Golden TSA, also considers the factors identified in KBHLP Footnote k.
    - (iv) either within the proponent licensee's operating areas, within a protected area or within another licensee's operating area where agreeable to the other licensee.
8. For all FDUs within the Selkirk and Okanagan Shuswap Natural Resource Districts, use the following criteria set out in the Old Growth Management Area Guidance for the Thompson Okanagan (August 2007) when selecting a replacement *OGMA*: **(See Appendix G).**

- a) is equal in size, shape, age, connectivity and interior habitat should approximate or be an improvement upon the original *OGMA*;
- b) replacement *OGMA*'s should provide equivalent biogeoclimatic representation to the subzone level as the original *OGMA*;
- c) the site units of the replacement *OGMA* (e.g. moist to dry, slope, aspects and tree species) should be similar to the original *OGMA*.
- d) present and future forest health conditions should be considered when selecting replacement areas. Avoid stands that have or are likely to have forest health problems.
- e) transfers should not result in new *OGMA*'s in areas with higher levels of human disturbance;
- f) For all FDU's within the Golden TSA, also considers the factors identified in KBHLP Footnote k.

Transfers should be made within landscape unit or between adjacent landscape units. Overall targets across the planning area should be maintained. Distance between the original and replacement *OGMA* should be minimized.

- 9. Annually (by December 31<sup>st</sup>) save file(s) containing only the modified *OGMA* portions within the Okanagan TSA to the DOS FTP site. The file(s) will contain only the relevant added or deleted areas along with the appropriate attribute data.
- 10. For all *OGMA* boundary and location changes within the Selkirk Natural Resource District, maintain a digital file tracking changes and, upon request, digital information will be provided to the MFLNRORD.

KBHLP Footnote "k": Where a registered professional forester determines that a forest stand has sufficient biological value to be a mature or old considering the stand age, successional status, presence of old growth attributes, size of stand (ha), the amount of human impact, dispersion/connectivity of the stand and rarity of the stand; that stand may be used in meeting the targets as opposed to solely using age.

## 4.11 Basic Coarse Woody Debris

|                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Legal Reference:</b> Section 93.4 of the <i>Land Act</i> , OSLRMP LUO Objective 1, FPPR section 68                                                                                                                                                                                                                                                                                                                                           |
| <b>Objective:</b> <i>The objective for areas shown on Map 1 (of the Order)(Appendix E), is for the purposes of conserving soil, wildlife habitat and biodiversity at the stand level, to retain basic levels of coarse woody debris, including but not limited to: stub trees, standing trees, firmwood reject logs, and poor quality grade 4 logs across sites subject to timber harvesting.</i>                                               |
| <b>Applicable FDU's:</b> Adelphi, Banting-Kettle, Barton, Big White, Bolean, Branchflower, Celistia, Chase Harper, Chum, Coldstream, Currie, Echo, Glen Lake, Graystokes, Harris, Hudson Bay, Hunter Blurton, Ireland, Kal Slopes, Mara-Sicamous, Mellin Windy, Mission, Mugford, Naramata, Old Dave, Paxton, Priest Creek, Rose Swanson, Skaha, Stuart Terrace, TFL 33-BCTS, TFL 49, TFL 59-BCTS, White Lake, Whitehead, Yard Creek, Okanagan. |

### Definitions

For the purpose of this strategy:

“mature tree” is a lodgepole pine tree greater or equal to 12.5cm dbh, or another trees species greater or equal to 17.5cm dbh that is either dead or alive

### Results and Strategies

**The FSP Holder will at the completion of harvest:**

1. If conducting ground based harvesting on a cutblock with an average slope of less than 35% on which a broadcast burn is not carried out:
  - a) retain any combination averaging at least 2 per hectare of:
    - (i) stubs that include any species, other than spruce or fir, that are mechanically felled or broken off 3-5m above the ground.
    - (ii) any standing mature live or dead tree species
    - (iii) tree pieces consisting of portions of mature trees at least 3m long and at least 12.5cm diameter. (OSLRMP indicates 25cm DBH, yet some BCTS operating areas have timber types where the average DBH is 15cm or less)
  - b) Within IDF (Interior Douglas Fir), PP (Ponderosa Pine), and BG (Bunch grass) Biogeoclimatic zones (BEC) retain at least 10m<sup>3</sup>/ha (targeting larger diameter classes), where suitable material exists, dispersed across the block with any combination of:
    - (i) stubs that include any species, other than spruce or fir, that are mechanically felled or broken off 3-5m above the ground.
    - (ii) any standing mature live or dead tree species
    - (iii) tree pieces consisting of portions of mature trees at least 3m long and at least 12.5cm diameter.
2. Not apply this Result and Strategy in the event that a broadcast burn is prescribed for a cutblock.
3. If conducting ground or cable based harvesting on a cutblock with an average slope greater than 35%, the FSP holder will:

- a) Retain any combination (either 10m<sup>3</sup>/ha or 2 stems per ha targeting larger diameter classes) in clumps or evenly distributed across the block of the following when the equipment operators safe work procedures determine that it is safe to do so;
  - (i) stubs that include any species, other than spruce or fir, that are mechanically felled or broken off 3-5m above the ground.
  - (ii) any standing mature live or dead tree species.
  - (iii) tree pieces consisting of portions of mature live or dead trees at least 3m long and at least 12.5cm diameter.
4. When operating in the Selkirk Natural Resource District follow FPPR section 68.

#### 4.12 Basic and Enhanced Coarse Woody Debris

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Legal Reference:</b> Section 93.4 of the <i>Land Act</i> , OSLRMP LUO Objective 2                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>Objective:</b> <i>The objective for areas shown on Map 2 (of the Order)(Appendix E), is, for the purposes of conserving the suitability of Grizzly Bear, Marten and Fisher habitat at the stand level, and within landscape units of higher biodiversity emphasis, to retain basic and enhanced levels of coarse woody debris, including but not limited to, standing trees, stub trees, tree pieces across sites subject to timber harvesting.</i>                                                                                                                                                |
| <b>Applicable FDU's:</b> Adelphi, Anstey, Banting-Kettle, Barton, Blais, Bolean, Branchflower, Celista, Chase Harper, Chum, Coldstream, Cooke, Crazy, Currie, Eagle River, Glen Lake, Graystokes, Harris, Hlina, Hudson Bay, Hunter Blurton, Ireland, Jackpine, Kal Slopes, Kwikoit, Lamberton, Long Ridge, Mara-Sicamous, Mellin Windy, Mission, Mt. Ida, Mugford, Naramata, Old Dave, Paxton, Priest Creek, Ratchford, Rose Swanson, Ross, Sicamous North, Skaha, Skimikin, Smokeyhouse, Stuart Terrace, TFL 33-BCTS, TFL 49, TFL 59-BCTS, Wall Creek, White Lake, Whitehead, Yard Creek, Okanagan. |

### Definitions

For the purpose of this strategy:

“mature tree” is a lodgepole pine tree greater or equal to 12.5cm dbh, or another trees species greater or equal to 17.5cm dbh that is either dead or alive

### Results and Strategies

The FSP Holder will at the completion of harvest:

1. Conduct ground based harvesting on a cutblock with an average slope of less than 35% on which a broadcast burn is not carried out:
  - a) retain any combination averaging at least 10 (ten) per hectare dispersed throughout the block of:
    - (i) stubs that include any species, other than spruce or fir, that are mechanically felled or broken off 3-5m above the ground.
    - (ii) any standing mature live or dead tree species
    - (iii) tree pieces (targeting larger diameter classes) consisting of portions of mature trees at least 3m long and at least 12.5cm diameter (OSLRMP indicates 25cm DBH, yet some BCTS operating areas have timber types where the average DBH is 15cm or less).

- b) within IDF (Interior Douglas Fir), PP (Ponderosa Pine), and BG (Bunch grass) Biogeoclimatic zones (BEC) retain at least 10 m<sup>3</sup>/ha, where suitable material exists, dispersed across the block with any combination of:
  - (i) stubs that include any species, other than spruce or fir, that are mechanically felled or broken off 3-5m above the ground.
  - (ii) any standing mature live or dead tree species
  - (iii) tree pieces consisting of portions of mature trees at least 3m long and at least 12.5cm diameter.
- 2. Not apply this result and strategy in the event that a broadcast burn is prescribed for a cutblock.
- 3. Conduct ground or cable based harvesting on a cutblock with an average slope greater than 35%, the FSP holder will:
  - a) Retain any combination (either 10 m<sup>3</sup>/ha or 10 per ha targeting larger diameter classes) in clumps or evenly distributed clumped across the block when the equipment operators safe work procedures determine that it is safe to do so;
    - (i) stubs that include any species, other than spruce or fir, that are mechanically felled or broken off 3-5m above the ground.
    - (ii) any standing mature live or dead tree species
    - (iii) tree pieces consisting of portions of mature trees at least 3m long and at least 12.5cm diameter

## 4.13 Visual Quality-Scenic Areas and Visual Quality Objectives

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Legal Reference:</b> FRPA Section 181 and FPPR 1.1                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>Objective:</b> <i>The objective set by government for Visual Quality in scenic areas are the established Visual Quality Objectives, applied in accordance with FPPR section 1.1 (Categories of visually altered forest landscapes).</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>HLP Objective or GAR Objective:</b><br><b>The Selkirk Natural Resource District</b><br><i>The District Manager has made a declaration under the FPC to establish either visual quality objectives or visual scenic classes. These Declarations are grandfathered objectives under Section 181 of the Act as well as under GAR section 7 notice “Establishment of Scenic Areas and Visual Quality Objectives within the Columbia Forest District (January 31, 2007)” and 17 “ Visual Quality Objective Order (November 20, 2014)”.</i><br><b>Okanagan TSA</b><br><i>The Okanagan Shuswap Land and Resource Management Plan (April 11, 2001 non HLP) defines “Zone 1” areas. These areas have been declared as “scenic areas” with established VQO’s under the FPC and are grand parented as objectives by government.</i> |
| <b>Applicable FDU’s:</b> Adelphi, Anstey, Banting-Kettle, Barton, Big White, Blackwater Ridge, Bluewater, Bolean, Branchflower, Cascadia, Celista, Chase Harper, Chum, Coldstream, Cooke, Crazy, Currie, Drimmie Creek, Eagle River, Echo, Esplanade, Frisby Ridge, Glen Lake, Graystokes, Harris, Hlina, Hunter Blurton, Ireland, Jackpine, Jumping Creek, Kal Slopes, Kwikoit, Lamberton, Long Ridge, Mara-Sicamous, Mellin Windy, Mission, Mt. Ida, Mt. Rev Prov, Park, Mt. Seven, Mugford, Naramata, Old Dave, Paxton, Priest Creek, Rose-Swanson, Ross, Sicamous North, Skaha, Skimikin, Smokeyhouse, Stuart Terrace, TFL 33-BCTS, TFL 49, TFL 56, TFL 59-BCTS, Wall Creek, Wetask Lake, White Lake, Whitehead, Yard Creek, Okanagan, Revelstoke, Golden. (All FDU’s where scenic areas apply).                        |

### Results and Strategies

When constructing a road or when exercising timber harvesting rights under this FSP within established visual quality Objectives (VQO), the holder of this FSP will meet the VQO at the completion of harvesting or road building by implementing the following strategies:

1. Prior to authorization of primary forest activities, ensure a QP carries out a Visual Impact Assessment (VIA), and designs cutblocks and roads such that the visual alteration is consistent with the applicable category that corresponds to the VQO described in FPPR sec 1.1 Categories of Visually Altered Forest Landscapes, by
  - a) assessing the proposed visual alteration from one or more significant public viewpoints, located on water or land, that provides a viewing opportunity and has relevance to the landscape being assessed; and
  - b) utilizing the guidance for predicting VQOs in:
    - i. Tables 3 and 4 of the FPC Visual Impact Assessment Guidebook, Second edition, January 2001; and/or
    - ii. the Protocol for Visual Quality Effectiveness Evaluation Procedures and Standards, FREP, 2008; and

estimating the likely resulting VQO using the descriptive categories of visually altered forest landscape as defined in FPPR Section 1.1.

2. Where road construction and/or timber harvesting is planned and it is not practicable to meet the established VQO, given the circumstances or conditions of a particular area, prior to constructing a road or entering into an agreement that authorizes timber harvesting or road construction, the TSM will apply for an exemption under section 12 (7) of the FPPR.

#### 4.14 OSLRMP LUO Community Crown Interface and Scenic areas

|                                                                                                                                                                                                                                                                                                                                                                                                 |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Source of Objective:</b> Okanagan-Shuswap LRMP LUO Objective 10a, Map 10                                                                                                                                                                                                                                                                                                                     |
| <b>Objective:</b> <i>The objective for areas shown on LUO map 10 (Appendix E) is to maintain resources and values associated with Community Crown Interface areas and scenic areas when planning and implementing forest health operations.</i>                                                                                                                                                 |
| <b>Applicable FDU's:</b> Aldelphi, Bolean, Branchflower, Celistia, Chase Harper, Chum, Coldstream, Cooke, Currie, Eagle River, Echo, Harris, Hlina, Hunter Blurton, Ireland, Kal Slopes, Lamberton, Long Ridge, Mara-Sicamous, Mission, Mt. Ida, Paxton, Priest Creek, Rose-Swanson, Ross, Sicamous North, Skaha, Skimikin, TFL 33-BCTS, TFL 49, TFL 59-BCTS, Wall Creek, White Lake, Okanagan. |

#### Definitions

**For the purpose of this result or strategy:**

**“Community/Crown Interface Area”** means an area identified as Community/Crown Interface on the map titled Community/Crown Interface RMZ, on page CCI 4-9 of the OSLRMP.

**“Local government”** means a local government as that term is defined in the Local Government Act, Chapter #323 (RSBC 1996), representing a regional district within a Community/Crown Interface Area.

#### Results and Strategies

**The FSP Holder will:**

1. Within Scenic Areas, follow the strategy described in Visual Quality Section 4.13 (above);
2. Within Community/Crown Interface areas, and prior to harvesting a cutblock or constructing a road:
  - a) Provide notice of the proposed harvesting or road construction activity to the Local government within that portion of the Community/Crown Interface area, requesting the identification of concerns it may have related to the activity;
  - b) If the local government responds in writing to the notice within the timelines specified in the notice and identifies a concern, a *QP* will develop a strategy to mitigate the concern where it is practicable to do so.
  - c) Respond to the Local government, indicating how the concern has been addressed; and
3. Mitigate the concern to the extent practicable when a mitigation strategy has been developed, and conduct harvesting or road construction consistent with the strategy.

## 4.15 Cultural Heritage Resources

**Legal Reference:** FPPR section 10

**Objective:** *“To conserve, or, if necessary protect cultural heritage resources that are;  
a) The focus of a traditional use by an aboriginal people that is of continuing importance to that people and,  
Not regulated under the Heritage Conservation Act.”*

**Applicable FDU's:** All FDU's

### Definitions

**For the purpose of this strategy:**

**“cultural heritage resource”** or **“CHR”** means an object, a site or the location of a traditional societal practice that is of historical, cultural or archaeological significance to British Columbia, a community or an aboriginal people, that is the focus of a traditional use by an aboriginal people that is of continuing importance to that people, and that is not regulated under the Heritage Conservation Act.

**“Potentially affected First Nations”** means the First Nations within the asserted traditional territory defined in the Consultative Area Database or equivalent database that is maintained by the provincial government overlaps where the potential timber harvesting and road construction will take place. This could also include the known First Nation local history of an area and/or includes the advice given from the Provincial Government to include a First Nation that may be affected in which the primary forest activity takes place.

**“CHR assessment”** means a field and/or office review:

- a) Conducted by a member of a potentially affected First Nation
- b) Where the potentially affected First Nations have shared information with the FSP holder regarding the presence, relative value and abundance of a CHR;
- c) In order to:
  - (i) Assess the potential direct impact of primary forest activities on a CHR; and
  - (ii) Provide site information or recommendations for the development of strategies to mitigate the potential direct impact of primary forest activities on a CHR

### Results and Strategies

**The FSP Holder will:**

1. Conserve or if necessary protect a cultural heritage resource (CHR) by not carrying out or not authorizing a person to carry out a primary forest activity that would damage or render ineffective the cultural heritage resources unless authorized to do so by the minister or a person authorized by the minister.
2. At least 30 days before the TSM constructs a road or enters into an agreement that authorizes timber harvesting or road construction within the asserted traditional territory of a First Nation, the TSM will provide information to the First Nation and/or follow the protocol of any current government / First Nations consultation agreements. A written request to share information will provide an opportunity of at least 30 days, unless otherwise agreed to, for review and comment on proposed road construction or timber harvesting, and include: an overview map, a description of planned forest development activities, request to share information respecting CHR's within the identified areas, and offer to meet with the First Nation.
3. Evaluate the recommendations or comments that come from First Nations during the consultation process and from CHR assessments and implement those where there is a mutual agreement and where practicable. Maintain information confidential if requested by First Nation. Notify the First Nation who made the recommendation in writing prior to auction of a Timber Sale License taking

place describing how the recommendation will or will not be implemented and a map (if available) will be attached to the notification.

4. Meet with First Nations if requested, and the purpose of the meeting will be to:
  - a) Jointly review the available information from BCTS and the First Nation.
  - b) Determine areas of concern with regard to First Nation interests or activities that may result from forest management activities.
  - c) Identify if an assessment (e.g. CHR Assessment or Archaeological Impact Assessment (AIA)) is warranted;
  - d) Identify management activities and measures meeting the needs of both BCTS and the First Nation; and
  - e) Evaluate the potential for impacts to CHRs considering the factors listed under FPPR Schedule 1, Section 4.
5. Prior to harvesting or road building communicate in writing the outcome including a map (if available), of the evaluation that includes those applicable steps in strategy 4 (above) to the First Nation that provided a comment if a meeting does not take place.
6. Curtail all primary forestry activities if an unidentified cultural heritage resource is encountered while conducting a primary forestry activity to the extent necessary to protect it. Potentially affected First Nations will be notified within 5 business days of the location and nature of the cultural heritage resource encountered and the First Nation and holder of this FSP will work together to develop a work plan to address the finding.

## 4.16 Recreation Features for the Okanagan

**Legal Reference:** FRPA Sec. 56, Sec. 180 & 181 FPPR Sec.70 (1), FRR Sec. 16

*The Minister may establish an area as an interpretive forest site, a recreation site or a recreation trail and establish objectives for these. In addition, every area established or continued as an interpretive forest site, a recreation site or a recreation trail under the FPC is continued under FRPA Section 180 and 181, including the objectives established for them.*

**Applicable FDU's:** All FDU's within the Okanagan TSA

### Results and Strategies

#### The FSP Holder will:

1. Conduct industrial activities in a recreation site, in an interpretive forest, or over or beside a recreation trail only when authorization under Section 16 of the Forest Recreation Regulation has been granted by the District Recreation Officer. The conditions set forth in the District Recreation Officer's letter of authorization will be considered as strategies specific to the Recreation Site or Trail described in the holder of the FSP's authorization letter.
2. Where an agreement or tenure exists with respect to a site or trail, at the planning and design stage for timber harvesting and road construction or deactivation, the holder of this FSP will provide a notice of the proposed activity to the District Recreation Officer, requesting the identification of concerns they may have related to the activity, and to determine the existing recreational use (s) of the area
  - a) Once the District Recreation Officer identifies the recreation user groups with an interest in the area, provide notice of the proposed harvesting and road construction to the identified recreation user groups, requesting the identification of concerns the groups may have related to the harvesting and road construction.
  - b) If the District Recreation Officer or recreational group has responded in writing to the notice within the timelines specified in the notice, and identifies a concern that causes a material adverse impact, on the recreational experiences that exist immediately before the activity.
    - (i) A strategy to mitigate the concern identified in 1b will be developed in coordination with the District Recreation Officer.
    - ii) Respond to the recreational group and to the District Recreational Officer indicating how the concern has been addressed; and
  - c) Where a mitigation strategy has been developed, conduct harvesting or road construction consistent with the strategy.
  - d) Provide a 2 week notification prior to commencement of road and cutblock activities to the identified recreational users that the district recreation officer has indicated in 1b of this result and strategy.

## 4.17 Recreation Features for Golden and Revelstoke

|                                                                                                                                                                                                                                                                                                          |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Legal Reference:</b> FRPA Sec. 56, Sec, 180 & 181 FPPR Sec.70 (1), FRR Sec. 16                                                                                                                                                                                                                        |
| <b>Objective:</b> <i>Objectives set by government for recreation sites and recreation trails and interpretive sites established under the FPC with objectives grand parented under FRPA sec.181 and located within FDU's established under this Plan are listed in Appendix H, Table H1 of this FSP.</i> |
| <b>Applicable FDU's:</b> R&S 1& 2: Golden TSA: Blackwater Ridge, Goodfellow, Swan, Esplanade, Mt. Seven Revelstoke TSA: Wetask, Cascadia, Frisby Ridge, Red Rock Harbour<br>R&S 3 & 4<br>: All FDU's within the Selkirk Natural Resource District                                                        |

### Results and Strategies

#### The FSP Holder will:

1. When harvesting in or near a Recreation sites listed in **Appendix H**, (Table H1), will adhere to the site specific objectives, where applicable and receive a Section 16 of the Forest Recreation Regulation authorization letter.
2. If, as a result of harvesting timber or road construction under paragraph (1) above, damages occur to existing infrastructure within a recreation site, trail or interpretive site, the holder of the FSP will repair or mitigate the damage, to preharvest condition or to a mutually agreeable condition and timing of required work as determined by the holder of the FSP and the District Recreation Officer,
3. For Recreation sites not listed in **Appendix H** (Table H1), harvesting will only occur within a recreation site only when authorization under Section 16 of the Forest Recreation Regulation has been granted by the District Recreation Officer. The conditions set forth in the District Recreation Officer's letter of authorization will be considered as strategies specific to the Recreation site or trail described in the FSP holder's authorization letter.
4. Notify the District Recreation Officer prior to active industrial hauling through a recreation site or along a forestry road that crosses recreation trails and recreation sites. The holder of the FSP will also post signage indicating duration of and daily timing of industrial activity.
5. Where an agreement or tenure exists with respect to a site or trail, at the planning and design stage for timber harvesting and road construction or deactivation, the TSM will provide a referral to the agreement holder, describing the planned activities and allowing a reasonable opportunity for review and comment.

## 4.18 Intensive Recreation Areas

**Legal Reference:** Section 93.4 of the *Land Act*

**Objective:** *The objective for areas shown on LUO Map 3 (of the Order)(Appendix E) is that primary forest activities including sanitation and salvage activities will not have a material adverse impact on the potential for a diverse range of quality recreational experiences that exist immediately before the activity.*

**Applicable FDU's:** Shared Use All Season (Graystokes, Harris, Mission, Naramata, Okanagan, Priest Creek, Big White, Wall Creek, Mt IDA, Kal Slopes and Mugford), Shared Use Summer (Coldstream and Okanagan), Cross Country Skiing/Non-Motorized (Skaha, TFL 49, Okanagan), Snowmobile (Banting Kettle, Lamberton, Hunter Blurton, TFL 33 BCTS, Yard Creek, Mara Sicamous, Okanagan, Skimikin, Boleyn, TFL 49, Ireland), Summer Motorized (Glenn Lake and Okanagan), Summer Non-Motorized (Smokeyhouse, Blais, TFL 49, Currie, Echo and Okanagan)

### Results and Strategies

#### The FSP Holder will:

1. Prior to harvesting a cutblock or constructing a road within Intensive Recreation Areas as shown on LUO Map 3:
  - a) Provide notice of the proposed harvesting or road construction to the district recreation officer, requesting the identification of concerns he/she may have related to the activity, and to determine the existing recreational use (s) of the area
  - b) Once the district recreation officer identifies the recreation user groups with an interest in the area, provide notice of the proposed harvesting and road construction to the identified recreation user groups, requesting the identification of concerns the groups may have related to the harvesting and road construction.
  - c) If the district recreation officer or recreational group has responded in writing to the notice within the timelines specified in the notice, and identifies a concern that causes a material adverse impact, to what it has on the recreational experiences that exist immediately before the activity.
    - (i) a strategy to mitigate the concern identified in 1b will be developed in coordination with the district recreation officer.
    - (ii) Respond to the Recreational group and to the district recreational officer indicating how the concern has been addressed; and
  - d) Where a mitigation strategy has been developed, conduct harvesting or road construction consistent with the strategy.
  - e) Provide a 2 week notification prior to commencement of road and cutblock activities to the identified recreational users that the district recreation officer has indicated in 1b of this result and strategy.

## 4.19 Regionally Significant Trail Corridors

**Source of Objective** – Okanagan-Shuswap LRMP LUO Objective 4 Map 4

**Objective:** *The objective for areas shown on LUO Map 4 (of the Order)(Appendix E) is that primary forest activities including sanitation and salvage activities will not have a material adverse impact on the potential for a diverse range of quality recreational experiences that exist immediately before the activity.*

**Applicable FDUs:** Jack pine, Kal slopes, Mara-Sicamous, Mission, Priest Creek, TFL 49, Whitehead, Greystokes, Okanagan

### Definitions

**For the purpose of this strategy:**

“**Patch cuts**” means for the 10% of the trail with patches having less than 3m tall regeneration may be dispersed along the length of the trail or concentrated in one area. The minimum distance between patches should be equal to the size of the adjoining patch. Patch cuts within the trail corridors may join up with larger clearcut openings that are located outside of, but contiguous with, the corridor.

### Results and Strategies

**The FSP Holder will:**

1. Where harvesting or road construction overlaps with a clearly identified regionally significant trail in the OSLRMP (Recreation RMZ, REC 4-5, or Map REC 4-21) the holder will:
  - a) For **Category A** trails: a 100m management zone will be established on each side of the trail (200m total width).
  - b) For **Category B** trails: a 25m management zone will be established on each side of the trail (50m total width).
2. If there are no significant forest health factors, harvesting under this FSP within the trail management zone will consist of either:
  - a) Single tree/group selection harvesting(>66% basal area retention), or
  - b) *Patch cuts* (each less than 1.0 ha in area) to the extent that not more than 10% of the trail management zone consisting of patches less than 3m tall.
3. If timber is damaged by a significant forest health factor, timber harvesting within the management zone will be limited to the extent required to harvest the affected timber.
4. Unless no practicable alternative exists, no new permanent roads will be constructed across a Category A or B trail.
5. Nothing in this result or strategy precludes the use of a Category A or B trail as an industrial road if the Category A or B trail is located on an existing road.

## 4.20 Tourism Areas

|                                                                                                                                                                                                                                                                                                                                 |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Legal Reference:</b> Section 93.4 of the <i>Land Act</i>                                                                                                                                                                                                                                                                     |
| <b>Objective:</b> <i>The objective for areas shown on LUO Map 5 (of the Order)(Appendix E) is to maintain foreground visual quality from viewpoints on existing tourism areas, facilities, trails and natural features important for tourism.</i>                                                                               |
| <b>Applicable FDU's:</b> Adelphi, Anstey, Big White, Blais, Bolean, Celistia, Coldstream, Crazy, Currie, Echo, Glen Lake, Ireland, Jackpine, Kal slopes, Long Ridge, Mara-Sicamous, Mellin Windy, Mugford, Naramata, Okanagan, Paxton, Priest Creek, Ross, Sicamous-North, Skaha, TFL 33-BCTS, TFL 49, TFL 59-BCTS, Wetask Lake |

### The FSP Holder will:

1. Where harvesting or road construction overlaps an OSLRMP Zone 1 Scenic Area, follow the strategy described in Visual Quality Section 4.13.
2. Prior to harvesting a cutblock or constructing a road within Tourism Areas located outside of the Scenic Areas described in Section 4.13 as shown on LUO Map 5:
  - a) Where the harvesting or road construction is located outside a Scenic Area:
    - (i) Prior to harvesting a cutblock or constructing a road, determine if the foreground visual alteration related to the harvesting or road construction is potentially visible from viewpoints on existing tourism areas, facilities, legally designated trails and natural features important for tourism;
    - (ii) If the foreground visual alteration is potentially visible, ensure a qualified professional designs the harvesting and road construction such that the foreground visual alteration mimics natural landscape characteristics and incorporates in-block single or grouped tree retention, to provide foreground screening and increase visual variety; and
3. Conduct road construction and harvesting consistent with the professional design.

## 5.0 Measures

### 5.1 Measures to mitigate the spread of Invasive Plants

|                                                          |
|----------------------------------------------------------|
| <b>Legal Reference:</b> FRPA Section 47, FPPR section 17 |
| <b>Applicable FDU's:</b> All                             |

#### Measures

**The holder of this FSP will ensure the following measures are taken to mitigate the introduction or spread of Invasive Plants:**

1. Prior to harvesting operations the MFLNRORD Invasive Alien Plant Program (IAPP) database will be used to identify the locations of known invasive plant infestations. Where invasive plant infestations are found to be located inside or within 100m of proposed areas for timber harvesting and road building activities site-specific measures to minimize the establishment and/or spread of invasive plants will be incorporated into site plans and tenure agreements.
2. Invasive plant awareness training, developed by a QP, is conducted for new BCTS field staff within 1 year of the start of employment, and for all field staff a maximum of every five years, and is to be documented in a training record.
3. Invasive plant awareness training is mandatory for all staff and contract personnel carrying out development activities and/or performance monitoring of third parties engaged in primary forest activities.
4. Where field staff and other key personnel identify new invasive plant infestations outside of known infestation areas, those are to be entered into the MFLNRORD report-a-weed reporting system within 30 days of discovery; and
5. Contractors engaged in road building activities and agreement holders are provided with an information package regarding the identification and reporting of invasive plants. Where applicable based on measure (1) above, measures to minimize the establishment and spread of invasive plants are requirements within contracts and agreements.
6. Based on the review described in measure (1) above or if found inside or within 100m of block/road at any time, where road construction or any agreement that authorized timber harvesting occurs, the following measures will be implemented, and are a requirement that applies to each holder of an agreement under Section 12 (2) of the Forest Act and each holder of a contract to construct a road entered into by the holder of this FSP:
  - a) vehicles, mechanized equipment, culverts, bridges, and cattle-guards are to be inspected for the presence of soil or plant material, including documentation on inspection forms, prior to being transported to or from work sites, and, if present plant and soil materials are to be removed.
  - b) grass seed exposed mineral soils where exposed soil exceeds 0.01 ha in a contiguous area on cut and fill slopes of new roads and trails during the first available spring or fall and not more than 12 months following construction; and

- c) grass seed exposed soils where exposed soil exceeds 0.01ha in a contiguous area on all new landings, and rehabilitated areas during the first available spring or fall, and not more than 12 months following the time of mineral soil exposure, except if the rehabilitated areas are to be revegetated through the planting of trees; and
- d) where grass seeding is undertaken, utilize high quality seed (a mix recommended by a MFLNRORD range specialist, if available; otherwise Canada Common #1 Forage Mix or better grade) to ensure introduction of invasive plant seed is minimized. Request and check the certificate of seed analysis for each lot of each species in your mix to check for invasive plants and report any seed lots with BC Noxious weeds or species of potential concern to the Invasive Plant Program of the FLNRORD.
- e) Limit soil disturbance where known invasive plant infestations are located and avoid log decks on or near infestation areas.

## 5.2 Natural Range Barriers

|                                                                 |
|-----------------------------------------------------------------|
| <b>Legal Reference:</b> FRPA Section 48 and 51, FPPR Section 18 |
| <b>Applicable FDU's:</b> All                                    |

### Measures

**The holder of this FSP will ensure that the following measures are taken to mitigate the effect of removing or rendering ineffective natural range barriers in all FDU's that contain, or are adjacent to range tenures:**

1. During the planning and development of timber harvesting conduct primary forest activities in a manner that will minimize impacts to natural range barriers, to the extent practicable while considering impacts to other FRPA values.
2. At the planning and design stage of timber harvesting and/or road building activities provide a referral to the Natural Resource District Range Officer, and to the holder of the range tenure agreement regarding the details of the planned forest development, including the location of proposed cutblocks and roads, and provide a reasonable opportunity for review and comment.
3. If the holder of the range tenure agreement indicates in writing (within the time frame specified within the referral letter) that a proposed cutblock or road will remove or render ineffective a natural range barrier for livestock authorized to be within a range tenure area:
  - a) the person initiating the referral will consult with the holder of the range tenure on:
    - (i) the location of the natural range barrier in question and the potential impacts
    - (ii) preferred mitigation actions, and
    - (iii) the timing of post-operations follow-up, and mitigation actions.
      - a) if there is a solution on mitigation measures the holder will ensure those measures are incorporated within the requirements of any agreement entered into under section 12(2) of the Forest Act or any road construction contract, or within another time period if agreed to with the holder of the range tenure agreement; and
      - b) where mitigative measures include the installation of a range development, any ongoing maintenance of the development, if required, will be the responsibility of the holder of the range tenure agreement, as authorized by the District Manager.
4. Where the holder of this FSP becomes aware that a proposed cutblock or road will remove or render ineffective a natural range barrier for livestock authorized to be in an area, but the holder of the range agreement does not respond to the notification or the holder is unable to come to an agreement with the holder of the range tenure agreement on measures to mitigate negative effects, the holder of this FSP will consult with the District Range Officer to implement reasonable measures, and formulate a plan to assess post-implementation to verify that measures were successful or not. The holder of this FSP will notify the holder of the range tenure agreement in writing at least 30 days prior undertaking the measures.

## 6.0 Stocking standards

|                                                  |
|--------------------------------------------------|
| <b>Legal Reference:</b> FPPR section 16          |
| <b>Applicable Exemptions:</b> FPPR 44(3) (a)-(i) |
| <b>Applicable FDU's:</b> All                     |

### Information

See **Appendix I** for Stocking Standards. These stocking standards, as previously approved, will remain in effect until changes are required to implement the updated BEC and associated Land Management Handbooks. When required, an amendment will be made to adopt the stocking standards and variations, as developed by the Thompson Okanagan Stocking Standards Working Group (TOSSWG) and those developed by the Selkirk Natural Resource District. TOC intends to amend the revised stocking standards into the new FSP once they have been approved.

### Measures

#### Specifying Stocking Standards for the Forest Stewardship Plan:

For the purposes of *FPPR* 16(1), sec.44 (1) of the *FPPR* applies to all FDU's where the holder of this FSP is required to establish a free growing stand.

For the purposes of *FPPR* 16(3), the holder of this FSP has ensured that this plan specifies:

- a) the applicable stocking standards and applicable regeneration date referred to in sec. 44(1)(a) of the *FPPR*, and
- b) the applicable stocking standards and free growing height referred to in sec. 44(1)(b) of the *FPPR*.

These stocking standards are subject to the special circumstances which the holder of this FSP has identified below and as set out in Appendix I opposite the BEC zone that applies to the site.

For the purposes of *FPPR* 16(4), the holder of this FSP will, prior to commencement of timber harvesting of an area for reasons that are referred to in sec. 44(4) of the *FPPR*, specify stocking standards for the area and the situations or circumstances that determine when the stocking standards will be applied.

### Basis for Stocking Standards

Stocking standards reference tables are based on the Chief Forester Reference Guide for FDP Stocking Standards, updated May 1, 2018, for the former Kamloops Forest Region, and the FSP Stocking Standards, Columbia Forest District, Version 3.0, dated April 13, 2010. Where a BEC unit is listed twice in the Table, "Okanagan" applies to FDU's located within Okanagan TSA, TFL 59, TFL 33 and TFL 49; "Columbia" applies to FDU's located within Revelstoke TSA, Golden TSA, Cascadia TSA, TFL 55 and TFL 56.

## **Special Circumstances referred to above include, without limitation:**

### **1. *Upper Density Limit***

- a) The upper density limit is based on the Regional Executive Director, Southern Interior Forest Region, letter dated March 8, 2006, and is:
  - (i) 25,000 countable stems per hectare for lodgepole pine leading stands, defined as stands where lodgepole pine is greater than or equal to 80% of the inventory, and
  - (ii) 10,000 countable stems per hectare for all other species and for mixed pine stands of less than 80 percent lodgepole pine by inventory.
- b) For a coniferous tree to be considered as a countable conifer for determining upper density limit, it must be:
  - (iii) taller than 50 percent of the median height of the preferred and acceptable well-spaced trees selected in the plot if the median height is 2.0 metres or greater, or
  - (iv) taller than 30 percent of the median height of the preferred and acceptable well-spaced trees selected in the plot if the median height is less than 2.0 metres.
- c) The holder of the FSP will, prior to 2 years before free growing date, reduce stocking in stands that exceed the upper density limit to a post-spacing density range where: Post Spacing (sph):  $\text{Min} = \text{TSS}$ ,  $\text{Max} = \text{TSS} \times 2$

### **2. *Minimum Inter-tree Distance***

Trees must be the greater than or equal to the minimum inter-tree distance (MITD) to be considered well-spaced. The default MITD is 2.0 metres. The MITD will be reduced under the following special circumstances defined in Table 5 where, in the opinion of a professional forester employed or retained by the holder of this FSP and considering the factors relating to stocking specifications as per 6(3)(a)(ii) of Schedule 1 of the *FPPR*.

**Table 5: Minimum Inter Tree Distances**

| Minimum inter-tree distance (m) | Location/Condition                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Columbia</b>                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| 1.0                             | Planting on mechanically mounded sites                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| 1.3                             | Planting on sites with elevated microsites (natural hummocks and mounds), sites involving a species with a footnote #1 restriction, problem vegetation areas (woody brush - Douglas maple, willow, alder), very rocky sites and planting on hygric or wetter sites.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| 1.5                             | Fill plants, areas with a significant number of advanced regen, and areas with significant accumulations of untreatable slash.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| 1.7                             | Planting in ICHwk1, ICHvk1, ICHmw1, ICHmw2, ICHmw3, ESSFvc, ESSFwc1, ESSFwc2, and ESSFwc4                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| 2.0                             | All other areas                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| <b>Okanagan</b>                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| 2.0                             | Default MITD                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| 1.0                             | Planting on mechanically mounded sites; and on important berry producing site series within Grizzly Bear Specified Area 8-232 as specified in the GAR Order to maintain berry resources.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| 1.5                             | Planting on hygric or subhydryc sites <sup>1</sup> ; planting on sites with elevated microsites (natural hummocks and mounds) to address frost and/or cold soil concerns; obstacle planting for cattle damage management <sup>2,3</sup> or shade planting for survival on severe drought-prone sites <sup>3</sup> ; planting on rocky and/or thin soiled sites (less than 15 cm of mineral soil) <sup>3</sup> ; areas with significant numbers of residual trees left to meet specific management objectives and/or specific results & strategies <sup>3</sup> ; and areas with significant accumulations of untreatable slash <sup>3</sup> .<br><br>Footnotes:<br><ol style="list-style-type: none"> <li>1- As per the Reference Guide for FDP Stocking Standards, dated September 2, 2016, for the former Kamloops Forest Region</li> <li>2- As per the Okanagan Shuswap District Forage Strategy , dated March 2011.</li> <li>3- It is the intent of the holder of this FSP to apply these reduced MITD only where necessary to meet the stocking requirements on difficult to manage sites.</li> </ol> |

### 3. *Height of Trees Relative to Competing Vegetation*

In addition to meeting the minimum height, tree height must be greater than the specified percentage relative to competing vegetation within a one metre radius of the trunk as defined in table 6.

**Table 6: Tree Height Relative to Competing Vegetation.**

| % Ht Above Competing Vegetation. | Location/condition |
|----------------------------------|--------------------|
| 125                              | ESSF, IDF, MS, PP  |
| 150                              | ICH                |

For the purposes of assessing height of trees relative to competing vegetation,

- a) Mature broadleaf trees that are retained for wildlife tree retention purposes,
- b) Mature broadleaf trees that are retained for riparian management zone basal area requirement purposes, and/or
- c) Any broadleaf trees that are retained as preferred or acceptable tree species as per the specified stocking standards

shall not be considered as competing vegetation for purposes of assessing height of trees relative to competing vegetation.

**4. *Regeneration Date:***

The regeneration date applicable to an area will be 7 years where natural regeneration or uneven-aged single tree selection system is used in the whole of the standards unit.

**5. *Free Growing Date:***

The free growing date for even aged stands is the date (20 years from commencement date of harvest) specified in FPPR 44(1)(b). For uneven aged stands (12 months after the completion of harvest (and meets the Free growing stocking standards)) specified in FPPR section 44(4) and FPPR section 97 (3).

**6. *Free Growing Surveys:***

Free growing status will be evaluated using the FLNRO Silviculture Survey Procedures Manual, dated April 1, 2016 except where broadleaf tree species are to be retained as a component of stands to address the immediate and longterm forest health risks, specifically *Armillaria* and (to a lesser extent) *Phellinus* root disease, associated with the Okanagan ICHmk1, ICHmw2, ICHmw3, IDFmw1 and IDFmw2 BEC variants. Within these BEC variants, vegetation competition and free growing status will be evaluated using the revised criteria specified in part 18a of the Silviculture Survey Reference FS660.

**7. *M Value for stocking and free growing surveys:***

The maximum number of healthy, well-spaced trees that may be tallied in a single plot is calculated by dividing the target stocking standard for the BGC variant by the plot multiplier, and is rounded off to the nearest higher whole number if necessary.

**8. *Minimum Leave Tree Characteristics:***

Advanced regeneration must meet the requirements of the FLNRO Silviculture Survey Procedures Manual, dated April 1, 2016, and as updated from time to time, to be acceptable.

**9. *Dispersed Strata:***

On standards units where dispersed, non-mappable complexes of differing site series are noted, the preferred and acceptable species for the applicable dominant site series (as per appendix I) shall apply. The target and minimum stocking standards shall be based on the dominant site series.

**10. *Ungulate Winter Range within Golden TSA:***

Target and minimum stocking specified within Table 1: Forest Cover Requirements for Ungulate Winter Range of the Draft Golden UWR U-4-007 for forest practices carried out within the boundaries of ungulate winter range polygons contained within the Golden TSA will supersede those contained in Appendix I.

## 7.0 Signatures of the Preparing Forester and the person required to prepare the FSP

### 7.1 Signature of Preparing Forester

|                                                                                        |                                                                                                                                    |
|----------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------|
|       | <p><b>Preparing Forester</b></p> <p>"I Certify that I have determined that this work was performed to an acceptable standard."</p> |
| <p><b>Karri Lee, RPF</b><br/>Planning Forester<br/>Okanagan Columbia Business Area</p> | <p>Aug. 24<sup>th</sup>, 2018</p>                                                                                                  |

### 7.2 Signature of Person required to prepare the FSP

|                                                                                               |                                                             |
|-----------------------------------------------------------------------------------------------|-------------------------------------------------------------|
|            | <p>Signature of the Person Required to Prepare this FSP</p> |
| <p><b>Colin Johnston RPF</b><br/>Timber Sales Manager<br/>Okanagan Columbia Business Area</p> | <p>Aug. 24<sup>th</sup>, 2018</p>                           |

## Appendices

## **Appendix A: BCTS FDU Locations within the Okanagan-Shuswap and Selkirk Natural Resource Districts**

The following FDU maps have been submitted as accompanying documents and are a legal component of the FSP.

BCTS FDU Locations within Okanagan Shuswap and Selkirk Natural Resource Districts ([Link](#))

Okanagan Shuswap Natural Resource District Forest Development Unit Map ([Link](#))

Selkirk Natural Resource District Forest Development Unit Map ([Link](#))

## **Appendix B: FSP Review and Comment**

- Okanagan-Shuswap and Selkirk Natural Resources District review and comment tracker
- Public review and comment summary report

The above noted documents have been submitted as accompanying documents and are a legal component of the FSP.

## Appendix C: Timber Sale Licences, Forest Service Roads, and Road Permits in Effect

In accordance with FPPR section 14, the following are the TSL's, FSR's and RP's granted or entered into by the holder of this FSP.

### Timber Sale Licences

| FDU              | Licence |
|------------------|---------|
| Anstey           | A92776  |
| Banting/Kettle   | A93605  |
| Banting/Kettle   | A93847  |
| Banting/Kettle   | A94413  |
| Bigmouth         | A79361  |
| Bigmouth         | A93026  |
| Blackwater Rdige | A89950  |
| Blackwater Ridge | A88176  |
| Blackwater Ridge | A94445  |
| Blackwater Ridge | A94448  |
| BMX-Bigfish      | A84024  |
| Cascadia         | A92778  |
| Cascadia         | A93266  |
| Cascadia         | A93765  |
| Cascadia         | A93944  |
| Cascadia         | A93945  |
| Cascadia         | A94567  |
| Cascadia         | A94927  |
| Cascadia         | A95692  |
| Coldstream       | A93415  |
| Coldstream       | A94411  |

| FDU           | Licence |
|---------------|---------|
| Echo          | A94402  |
| Esplanade     | A93296  |
| Frisby Ridge  | A91998  |
| Glen Lake     | A92103  |
| Golden        | A81014  |
| Graystokes    | A93602  |
| Graystokes    | A93603  |
| Graystokes    | A93604  |
| Graystokes    | A94455  |
| Graystokes    | A94460  |
| Graystokes    | A94461  |
| Graystokes    | A94580  |
| Graystokes    | A95884  |
| Ireland       | A87954  |
| Ireland       | A89876  |
| Ireland       | A90635  |
| Ireland       | A93414  |
| Lamberton     | A89882  |
| Mara-Sicamous | A86893  |
| Mara-Sicamous | A93641  |
| Mara-Sicamous | A93642  |

| FDU              | Licence |
|------------------|---------|
| Mission          | A94458  |
| Mt. Seven        | A45873  |
| Mt. Seven        | A94446  |
| Mt. Seven        | A95909  |
| Naramata         | A83282  |
| Okanagan         | A85292  |
| Okanagan         | A87652  |
| Okanagan         | A94389  |
| Paxton           | A93599  |
| Skaha            | A89396  |
| Skaha            | A90125  |
| Skaha            | A93010  |
| Skaha            | A93880  |
| Skaha            | A94454  |
| Skaha            | A94459  |
| Skaha            | A94810  |
| Skaha            | A95238  |
| Smokeyhouse      | A91999  |
| Stitt-Normanwood | A95230  |
| Swm              | A76823  |
| TFL 56 - BCTS    | A91987  |

|         |        |
|---------|--------|
| Cooke   | A91748 |
| Crazy   | A94442 |
| Currie  | A91219 |
| Currie  | A93431 |
| Drimmie | A92777 |
| Drimmie | A92427 |

|         |        |
|---------|--------|
| Mission | A91816 |
| Mission | A93003 |
| Mission | A93005 |
| Mission | A93598 |
| Mission | A93600 |
| Mission | A93606 |

|             |        |
|-------------|--------|
| TFL 56-BCTS | A93767 |
| Wetask Lake | A90921 |
| Wetask Lake | A95116 |
| Wetask Lake | A95825 |
| White Lake  | A92440 |
| White Lake  | A93430 |
| White Lake  | A94684 |

| Forest Service Roads (FSRs) |                                    |            |                             |
|-----------------------------|------------------------------------|------------|-----------------------------|
| FDU                         | FSR                                | FDU        | FSR                         |
| Bigmouth                    | C 7764.05 (BIGMOUTH - BRANCH 20.5) | Skaha      | S 7654.145 [JILLIAN]        |
| Cascadia                    | C 9679.07 (KILLEEN)                | Skaha      | S 7654.146 [GABBY]          |
| Coldstream                  | N K0XZ.01 (SLICK)                  | Skaha      | S 7654.147 [NOAH]           |
| Echo                        | N 1109.03 (CLIER LK)               | Skaha      | S 7654.148 [COUGAR]         |
| Echo                        | N K5C4.01 (DAY)                    | Skaha      | S 7654.149 [COUGAR 100]     |
| Echo                        | N K763.01 (HAZEE)                  | Skaha      | S 7654.150 [K705.02]        |
| Graystokes                  | S 7654.136 [WEST MOORE]            | Skaha      | S 7654.151 [STAR]           |
| Graystokes                  | S 7654.153 [SWAY]                  | Skaha      | S 7654.152 [ROCK]           |
| Graystokes                  | S 7654.154 [OUTLAW]                | Skaha      | S 7654.158 [ROCK 100]       |
| Harris                      | N 1031.35 [H300]                   | Skaha      | S 7654.88 (EASY)            |
| Mission                     | S 8692.32 [RAWLINGS]               | White Lake | N 5653.20 [WHITELAKE SOUTH] |
| Mission                     | S 8692.34 [SHADY]                  | White Lake | N 5653.37 (ROSSOUW)         |
| Mt. Seven                   | C 9092.01 (HORSE CREEK)            | White Lake | N 5653.38 (LOWE)            |
| Paxton                      | S 4076.11 [SHADOW]                 | White Lake | N 5653.39 (BARVIRE)         |
| Skaha                       | S 7654.139 [MEURIG]                | White Lake | N 5653.40 (WHILO)           |
| Skaha                       | S 7654.144 [SCHOCHTER]             |            |                             |

| Road Permits (RPs) |                               |            |                            |                               |
|--------------------|-------------------------------|------------|----------------------------|-------------------------------|
| FDU                | RP                            |            | FDU                        | RP                            |
| Banting/Kettle     | S 10924.05 [K6R3-01]          |            | Kwikoit                    | N RP 88950-K5DD.01/R20548     |
| Banting/Kettle     | S 10924.06 [K6QM 01]          |            | Kwikoit                    | N RP 88950-K5DD.02            |
| Banting/Kettle     | S RP 93004-K70U.01/R21196     |            | Kwikoit                    | N RP 88950-K5DE0.1/R20548     |
| Banting/Kettle     | S RP 93605-K5QF.01/R21275     |            | Kwikoit                    | N RP 88950-K6SF.01/R20548     |
| Banting/Kettle     | S RP 91813-K6R0-ECE-01/R20575 |            | Mara-Sicamous              | N 8255.03 [CAMBIE 100]        |
| Barton             | S RP 91808-K71D.01/R20875     |            | Mara-Sicamous              | N RP 91750-K6E4.00 / R19677   |
| Bolean             | S RP 93001-K6W7-01 /R20643    |            | Mara-Sicamous              | N RP 91750-K6E4.00 / R19677   |
| Bolean             | S RP 93001-K6WB-03 /R20643    |            | Mara-Sicamous              | N RP 91750-K6E4.01 / R19677   |
| Chum               | N RP 92449-K6XY.01/R20712     |            | Mara-Sicamous              | N RP 91750-K6E4.06 / R19677   |
| Chum               | N RP 92449-K6XY.02/R20712     |            | Mara-Sicamous              | N RP 91750-K6PZ.01 / R19677   |
| Chum               | N RP 92449-K6XZ.01/R20712     |            | Mara-Sicamous              | N RP 91750-K6R2.00 / R19677   |
| Chum               | N RP 92449-K6XZ.02/R20712     |            | Mara-Sicamous              | N RP 91752-K2TX-00 /R20531    |
| Coldstream         | N RP 93415-K1YR.01/R21376     |            | Mara-Sicamous              | N RP 91752-K6TB-00 /R20531    |
| Coldstream         | N RP 93415-K24U.01/R21376     |            | Mara-Sicamous              | N RP 93641-K6UW.01/R21451     |
| Coldstream         | N RP 93415-K5BP.01/R21376     |            | Mission                    | S 8692.28 [ECOLA]             |
| Cooke              | N RP 91748- K67A.01/ R21118   |            | Mission                    | S RP 91815-K6NL-01/R20461     |
| Echo               | N RP 91749-K5C5.01 / R20495   |            | Mission                    | S RP 91815-K6SG-01/R20461     |
| Echo               | N RP 91749-K5C6-5.01 / R20495 |            | Mission                    | S RP 93881-K6US.01/R21101     |
| Echo               | N RP 91749-K5C6-5.01 / R20495 |            | Okanagan                   | N RP 91753-K6VE.01 / R20046   |
| Glen Lake          | S RP 92103-K6SY.01A/R20797    |            | Paxton                     | S RP 64447 K4LE-01/R20439     |
| Graystokes         | S 7654.137 (K6T0.ECE.01)      |            | Paxton                     | S RP 64447-K4LE-02/R20439     |
| Graystokes         | S 7654.138 (K6T0-01.01)       |            | Paxton                     | S RP 93599-K6UR-01ECE/R20961  |
| Graystokes         | S RP 92102-K5T2-01/R20583     |            | Paxton                     | S RP 93599-K6V8-03 ECE/R20961 |
| Graystokes         | S RP 92102-K6T1-02/R20583     |            | Ross                       | N RP 93643-K3BL.01/R21143     |
| Graystokes         | S RP 92102-K6T1-03/R20583     |            | Ross                       | N RP 93643-K3BL.01/R21143     |
| Graystokes         | S RP 92102-K6T2-02/R20583     |            | Ross                       | N RP 93643-K3BL.02/R21143     |
| Graystokes         | S RP 93602-K6ZN.01/R21265     |            | Ross                       | N RP 93643-K3BN.01/R21143     |
| Harris             | N RP 92442 -K5ZF.01\R20568    |            | Skaha                      | S 7654.155 [SWITCH]           |
| Harris             | N RP 92442 -K5ZF.02\R20568    |            | Skaha                      | S 7654.156 [FLY]              |
| Harris             | N RP 92442 -K5ZF.03\R20568    |            | Skaha                      | S 8717.03 (PEAT BOG RD)       |
| Harris             | N RP 92442-K5ZG-01\R20568     |            | Skaha                      | S 8717.03 (PEAT BOG RD)       |
| Harris             | N RP 92446-K5T8.01/R20706     |            | Skaha                      | S 8717.04 (K6PF)              |
| Harris             | N RP 92446-K5T8.02/R20706     |            | Skaha                      | S 8717.05 (K6SP-M2)           |
| Harris             | N RP 92446-K6VS.02/R20706     |            | Skaha                      | S 8717.05 (K6SP-M2)           |
| Harris             | N RP 93410-K5SG.01/R21069     |            | Skaha                      | S 8717.06 (K6SP-07A)          |
| Harris             | N RP 93410-K70X.01/R21069     |            | Skaha                      | S 8717.07 (K6SP-05A)          |
| Harris             | N RP 93410-K70Y.01/R21069     |            | Skaha                      | S 8717.07 (K6SP-05A)          |
| Harris             | N RP 93410-K710.01/R21069     |            | Skaha                      | S RP 90125 K6K7-01A/R20755    |
| Harris             | N RP 93410-K710.03/R21069     |            | Skaha                      | S RP 90125 K6K7-02A/R20755    |
| Harris             | N RP 93410-K710.04/R21069     | Skaha      | S RP 92100-K6V5.02/R20983  |                               |
| Harris             | N RP 93410-K710.05/R21069     | Skaha      | S RP 93006 K709.01/R20833  |                               |
| Harris             | N RP 93419-K72G.03/R21254     | Skaha      | S RP 93006 K70A.01/R20833  |                               |
| Harris             | N RP 93433-K70V.01/R20954     | Skaha      | S RP 93007 K6Z8.01/R20756  |                               |
| Hlina              | N RP 92448-K5D6.01\R20614     | Skaha      | S RP 93007 K6ZE.01/R20756  |                               |
| Ireland            | N RP 93414-K6XQ.01/R21563     | Skaha      | S RP 93007 K6ZE.02/R20756  |                               |
| Kal Slopes         | N RP 93411- K5B7.01/R21117    | Skaha      | S RP 93007 K71L.01/R20756  |                               |
| Kal Slopes         | N RP 93411- K5BE.01/R21117    | Skaha      | S RP 93007 K71L.02/R20756  |                               |
| Kal Slopes         | N RP 93411-K5XZ.01/R21117     | Skaha      | S RP 93007 K71L.03/R20756  |                               |
| Kal Slopes         | N RP 93411-K5XZ.02/R21117     | White Lake | N RP 92441-K5EU.1 / R21303 |                               |

## Appendix D: Declared Cutblocks and roads

In accordance with FPPR section 14 (4)(b) the following are the cutblocks and roads where all activities and evaluations that are necessary in relation to inclusion of cutblocks and roads in the area have been completed.


### Timber Sale Licenses

A95393 - K71N  
A94456 - K6EZ, K6HT, K6HU, K772  
A94581 - K745, K75H, K75K  
A95162 - K6Y9, K707, K708  
A95166 - K77P, K77Y, K773, K77Z  
A89044 - K6F4, K6F5  
A94687 - K6QV, K6QW, K6QX, K718, K747  
A94689 - K6QD, K6R7  
A94691 - K6JB, K6JE, K7EP  
A95384 - K7JJ  
A93601-K6ZK, K6ZM, K6ZL  
A92097-K4LF, K6UX  
A95047-K0X8, K1YX, KSCH, K78D, K78E, K7KD  
A93849-K0KM, K72X  
A95050- K4LM, K5BW, K62T, K5C1  
A93420-K71W, K71X, K71Y, K72F, K72J  
A94403-K6UZ, K6W2, K6W3  
K5C1, K71P, K762, K763  
A95228-K55R, K739  
A94920-K6F1, K6F3, K6RJ, K78U  
A95227-K1VE, K5TB  
A94443-K6MR, K6YQ, K6YZ, K72K  
A94449 - K6MK, K6ML, K668, K666, K6RG,  
K65W, K6MM,  
TA0137-K73C  
TA0236-K776  
TA0229-K73L, K73H, K73J  
A84538-K68Q  
A95227-K1VE, K5TB  
K5TR, K62Y  
  
A95167 K6KJ, K7GW, K7GX, K7GY  
A95940-K730 K73P  
A94380-K7HS


### Forest Service Roads and Road Permits

S K71N.01  
S 7654.144 [SCHOCHTER]  
S 7654.145 [JILLIAN]  
S 7654.160 [SCHOCHTER JUNCTION]  
S K6HU.01  
S 7654.88 [EASY]  
S 7654.157 [BIGFOOT]  
S K745.01  
S (Skaha BK6SJ\_1)  
S 8435.34 [ASPEN]  
S 8435.35 [POPLAR]  
S K6QX.01  
S K6QX.02  
S K6R7.01  
S K6QD.01  
S K6QD.02  
S [SYLVESTER]  
S K6JB.01  
S K6JB.02  
S K6JB.03  
S K6JE.01  
S 7654.151 [STAR]  
S 7654.152 [ROCK]  
S 7654.158 [ROCK 100]  
S (Skaha K6Y9.01)  
S K77P.01  
S K77Y.01  
  
S K77Z.01  
  
S 8787.02 (Naramata Canyon)  
S K67K.02 (strahl)  
S K6ZK.01 (Strahl)  
FLTC A95626 & A94388-RP in effect  
A94641 K7L8 RW-Argont

## Appendix E: Maps from Okanagan Shuswap Land Use Order and Plan



## Wildlife - Elk Habitat RMZ Corridor




### Base Information

- LRMP Boundary
- Private, Federal, or First Nation's (IR) Land
- Major Water Features
- Existing Protected Areas

### LRMP Information

- Elk Habitat Corridor
- Elk Habitat
- Proposed Protected Area Package




2 0 2 Kilometers

Created by the LRMP  
DATA MANAGEMENT  
TEAM - March 2001  
File name: elk\_corridor\_2.jpg

WILDLIFE\_ELK 4-6

## Wildlife - Elk Congregation Areas




### Base Information

-  LRMP Boundary
-  Private, Federal, or First Nation's (IR) Land
-  Major Water Features
-  Existing Protected Areas

### LRMP Information


-  Elk Congregation Areas
-  Proposed Protected Area Package




2 0 2 Kilometers

Created by the LMRP  
DATA MANAGEMENT  
TEAM - March 2001  
File name: elk\_con\_2.jpg

WILDLIFE\_ELK 4-7



## Wildlife - Marten Habitat (Fly Hills) RMZ



### Base Information

- ▬ LRMP Boundary
- Private, Federal, or First Nation's (IR) Land
- Major Water Features
- Existing Protected Areas

### LRMP Information




- Marten Habitat
- Proposed Protected Area Package




2 0 2 4 Kilometers

Created by the LRMP  
DATA MANAGEMENT  
TEAM - March 2001  
File name: mar\_fly\_hills\_2.jpg

WILDLIFE\_MARTEN 4-4








## Okanagan - Shuswap LRMP Approved Plan

### Wildlife - Derenzy Bighorn Sheep Habitat




#### Base Information

- LRMP Boundary
- Private, Federal, or First Nation's (IR) Land
- Major Water Features
- Existing Protected Areas


#### LRMP Information

- Zone 1 / Wildlife Management Area (WMA)
- Zone 2
- Proposed Protected Area Package



Created by the LRMP  
DATA MANAGEMENT  
TEAM - March 2001  
File name: sheep\_derenzy\_2.jpg

WILDLIFE\_DERENZY 4-7



SK

## Okanagan - Shuswap LRMP Approved Plan

### Wildlife - Grizzly Bear Habitat RMZ

#### Base Information

-  LRMP Boundary
-  Private, Federal, or First Nation's (IR) Land
-  Major Water Features
-  Existing Protected Areas

#### Population Units

-  Grizzly Habitat
- 1 Seymour
- 2 Monashee
- 3 Granby
- 4 Cathedral

Note: The four population units comprised make up the RMZ.

#### Grizzly Suitability

-  High
-  High - Moderate
-  Moderate
-  Proposed Protected Area Package



10 0 10 20 30 40 Kilometers

Created by the LMRP  
DATA MANAGEMENT  
TEAM - March 2001  
File name: grizzly\_3.jpg


WILDLIFE\_GRIZZLY 4-15

## Okanagan - Shuswap LRMP Approved Plan

### Ecosystem Management - NDT4 RMZ


#### Base Information


- ✓ LRMP Boundary
- Private, Federal, or First Nation's (IR) Land
- Major Water Features
- Existing Protected Areas




NDT4 4-14








SE





## Appendix F: The OSLRMP and the Wildlife Retention Targets Letter from District Manager



File: 10194-60

June 20, 2005

To: All Major Licensees in the Okanagan Shuswap Forest District (OSFD)  
and the Okanagan-Columbia Timber Sales Office

Dear Sir / Madame:

Re: Wildlife Tree Patches (WTP)

In 1996 and 1997 the 3 former Okanagan Shuswap Forest Districts had separate DM policy letters all targeting 9% WTP retention at the stand level. This 9% figure came from interpolating from table 20(b) of the Biodiversity guidebook (% of cut block area required as wildlife tree patches when landscape units have not been designated) and from Appendix D of the OK TSA AAC Analysis document which estimated that 70% of the productive area was available for harvest and of that 20% had been harvested. The intent was to use the 9% target until such time as Landscape Units and Objectives were established for the Okanagan Shuswap Land Resource Management Plan (OSLRMP).

The Ministry of Sustainable and Resource Management (MSRM) has been working to have landscape units declared. They have also prepared draft wildlife tree retention targets consistent with table 20(a) of the biodiversity guidebook for BEC subzones within these landscape units.

For landscape unit BEC subzones that MSRM has prepared draft wildlife tree retention targets licensees are to switch from the 9% default to the new draft retention targets. For landscape unit BEC subzones that do not as yet have draft wildlife tree retention targets licensees are to continue using 9%. As MSRM recommends new draft wildlife tree retention targets for other landscape unit BEC subzones licensees are to plan for the new targets.

The wildlife tree patches will continue to be tracked by the Licensee.

WTP placement will take direction from the latest provincial WTP policy as agreed upon in the LRMP. The current policy is dated February 2000. A new policy is in draft form and should be out soon.

Accounting guidance: (using a 9% target as an example). If the NAR in a proposed block is 10-hectares then 0.9 hectares is to be added to it as a WTP.



Page 1 of 2

Ministry of  
Forests

Okanagan Shuswap Forest District

Location:  
2501 14<sup>th</sup> Ave, Vernon

Mailing Address:  
2501 - 14<sup>th</sup> Avenue  
Vernon, BC V1T 8Z1

Tel: (250) 558-1700  
Fax: (250) 549-5485

The attached spreadsheet shows the current WTP patch targets for the 17 Landscape Units that have been signed off under the section 8 non-spatial order. The spreadsheet will be updated as other Landscape Units are signed off.

If you have any questions on the above, please contact Eric Goodman at 558-1700 or Frank Rowe from the Ministry of Sustainable and Resource Management (MSRM) at 371-6222.

Yours truly,

\_\_\_\_\_  
Ron Racine  
District Manager  
Okanagan Shuswap Forest District

\_\_\_\_\_  
Dated

Note MSRM is no longer a Ministry and be an agency of the Ministry of Agriculture and Lands.

Attachment.

## Appendix G: Old Growth Management Area Guidance Thompson Okanagan (ILMB)

### Old Growth Management Area Guidance Thompson Okanagan August 2007

#### Intent of this document

This document is intended to serve as guidance for managing areas identified as contributing to old growth and biodiversity objectives within the Kamloops, Okanagan, Merritt and Lillooet timber supply areas. Where non-legal spatially identified old growth management areas (OGMAs) are used to achieve old growth retention goals, it is appropriate to provide operational flexibility while assuring that the overall effectiveness of old forest conservation and biodiversity in the area is not diminished. This document identifies a permissible amount of disturbance that can occur within an OGMA without losing significant old growth and biodiversity values and suggests the conditions under which this can occur. This document also proposes situations when it may be appropriate to have replacement areas identified and outlines criteria for such areas.

#### Reasons why harvesting might occur in an OGMA

Notwithstanding that the overall goal is to retain original OGMAs as much as possible, there are circumstances where harvesting might be justifiable and the location of OGMAs may be amended. These include: o changing the boundary to improve OGMA and timber management or to better reflect logical, on the ground boundaries (e.g., use physical features such as roads, streams, old block boundaries or timber types); o improving harvest boundary alignment in a way that will contribute to the maintenance of the OGMA (e.g., to secure a more wind-firm boundary); o shifting the location of the contiguous area of the OGMA to improve the retention of old forest attributes as identified through a field assessment; o relocating the OGMA to capture old growth and/or biodiversity values better (e.g., where old seral or biodiversity values outside of an OGMA are found to exceed old seral or biodiversity values inside); o where there exists a compelling rationale to harvest and the incursion is minimal or an ecologically equivalent (equal or better old seral and biodiversity values ) replacement opportunity exists; and, o where the incursion is significant, but there exists a compelling rationale and activities demonstrate reasonable consistency with the desired old seral conditions and will maintain biodiversity values.

#### What to consider prior to harvesting in an OGMA

To ensure that the overall effectiveness of old forest conservation and biodiversity is not diminished, ILMB recommends that the following best practices be considered prior to harvesting: o minimize long-term site disturbance and/or detrimental impacts to site productivity; o maintain, restore, or enhance old seral forest attributes; o retain relatively old, large, live and/or dead trees, and large pieces of coarse woody debris; o avoid compromising rare ecosystems; o avoid compromising forest interior habitat conditions; o where appropriate, restock openings created with climax tree species suited to the site; and, o plan activities so the OGMA is not unnecessarily predisposed to increased risk of wind-throw or forest health problems.

#### OGMA amendment scenarios: OGMAs are retained or replaced

1. Timber harvesting is within limited incursion thresholds – OGMA is retained Within the mapped areas of an OGMA, up to 10 hectares or 10% of the area of the OGMA, whichever is less, may be disturbed by timber harvesting for one or more of the following purposes: a) to enhance or maintain an interpretive forest site, recreation site, recreation facility or recreation trail, where there are no other practicable options; b) to facilitate range development, maintenance and related activities where there are no other practicable options; c) to allow road construction and

maintenance where there are no other practicable options; d) to manage for forest health where trees within the old growth management area pose a significant forest health risk to forests outside the old growth management area and where harvesting constitutes an appropriate and effective control action; e) to address a public or industrial safety hazard where no practicable alternative exists (e.g., danger tree or fire hazard); f) where the incursion is limited to 50 metres and the purpose is to establish a logical boundary for timber harvesting operations, and where the intent is to use physical or administrative features that will not compromise the long term management of the old growth management area; or

Old Growth Management Area Guidance Thompson Okanagan August 2007 g) to improve harvest boundary alignment in a way that will contribute to the maintenance of the OGMA (e.g., to secure a more wind-firm boundary). Activities conducted under these items should demonstrate consideration of desired old seral conditions and biodiversity values. OGMA is retained; no replacement is necessary.

2. Timber harvesting exceeds limited incursion threshold and consistency with desired old seral conditions can be demonstrated – OGMA is retained Within the mapped area of an OGMA, timber harvesting that exceeds the limited incursion threshold may occur if a compelling rationale exists and activities can demonstrate consideration of desired old seral conditions and biodiversity values. OGMA is retained; no replacement is necessary. Plans to selectively harvest within an OGMA in order to reduce a fire hazard would be a reasonable scenario under this item. Removing only the dead and dying trees, keeping ground disturbance to a minimum and retaining all other tree species would demonstrate consideration of the old seral conditions and biodiversity values.

3. Timber harvesting exceeds limited incursion and consistency with desired old seral conditions cannot be demonstrated – OGMA is replaced. Within the mapped area of an OGMA, if timber harvesting exceeds a limited incursion and cannot demonstrate reasonable consistency with the desired old seral conditions and maintain biodiversity values, the forest agreement holder should identify and reserve from harvest an alternative area (or areas) as a replacement OGMA. See replacement criteria for more detail.

4. Amendment to an OGMA location where biodiversity values can be improved – OGMA is replaced Amendments to the location of an OGMA to improve the retention of old forest attributes and biodiversity values can be made if the new location can be demonstrated as being biologically better (i.e., an improvement in location, size, age, tree species and wildlife habitat value). See replacement criteria for more detail. For example, OGMA locations may be amended where biodiversity values and caribou habitat values (as per Kamloops Land and Resource Management Plan: Appendix 10) are maintained or improved and where timber supply impacts can be mitigated.

### **How to select a replacement OGMA**

Replacement OGMA's should meet the replacement criteria outlined below:

- o Size, shape, age, connectivity and interior habitat should approximate or be an improvement upon the original OGMA;
- o Replacement OGMA's should provide equivalent biogeoclimatic representation to the subzone level as the original OGMA;
- o The site units of the replacement OGMA (e.g. moist to dry, slope, aspects and tree species) should approximate the original OGMA;
- o Consider present and future forest health conditions when selecting replacement areas. Avoid stands that have or are likely to have forest health problems;
- o Transfers should not result in new OGMA's in areas with higher levels of human disturbance; and,
- o Transfers should only be made within landscape unit or between adjacent landscape units. Overall targets across the planning area should be maintained. Distance between the original and replacement OGMA should be minimized. Note: Original OGMA's with high wildlife habitat values, rare or uncommon forest types, and/or riparian habitat values, are not considered preferred candidates for removal.

## Definitions

In this document:

- o biodiversity is “the diversity of plants, animals and other living organisms in all their forms and levels of organization, and includes the diversity of genes, species and ecosystems, as well as the evolutionary and functional processes that link them” (FPC Biodiversity Guidebook, 1995).
- o desired old seral conditions are those ecological conditions that are characteristic of old seral forests – i.e. “old seral is a forest that contains live and dead trees of various sizes, species, composition, and age class structure. Old seral forests, as part of a slowly changing but dynamic ecosystem, include climax forests but not sub-climax or mid-seral forest” (FPC Biodiversity Guidebook, 1995).
- o limited incursion means up to 10 hectares or 10% of the mapped area of the OGMA, whichever is less, may be disturbed by timber harvesting over a 5 year period without the need for the identification of a replacement area. The accumulation of harvesting over a 5 year period within the same OGMA must be taken into account.
- o old growth management areas are “areas that contain or are managed to replace specific structural old-growth attributes, and that are mapped out and treated as special management areas” (FPC Biodiversity Guidebook, 1995).

Old Growth Management Area Guidance Thompson Okanagan August 2007

- o practicable includes consideration for being both practical and reasonably economically feasible.
- o proposed replacement old growth management areas are those areas proposed to replace an established old growth management area and will be set aside from harvesting.
- o recreation includes commercial and non-commercial related developments, including ski or snowmobile trails and associated infrastructure.

Or significant forest health risk in an OGMA is where the forest health problem within the OGMA poses a significant forest health risk to forests outside the old growth management area.

## Appendix H: Recreation Features and Objectives

**Table H1: Recreation Sites & Trails with Objectives within FDUs under this FSP.**

| Proj No. | Project Name     | Type  | Estab. (yr/m/d) | Dist. | Map (NTS) | Size (ha) | Length (km.) | GPS (Plot) | Lands (File) | Parks (File) | Objectives                                                                                                                                                                                                                                                                                                             | FDU              | TSA    |
|----------|------------------|-------|-----------------|-------|-----------|-----------|--------------|------------|--------------|--------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|--------|
| 2056     | Bluewater Bridge | Site  | 97/01/02        | DCO   | 82N11     | 68        | -            |            | 240305       | 1-3-3-016    | 1998/01/30. The objective is to manage the Bluewater Bridge recreation site for a moving water recreation experience. The campsite will be maintained; the river shoreline and natural vegetation will be conserved. Opportunities for camping, picnicking, and river boating will be available at the site            | Blackwater Ridge | Golden |
| 2060     | Susan Lake       | Site  | 00/09/29        | DCO   | 82N11     | 133.5     | -            |            | 320811       | 1-3-3-045    | 1998/01/30. The objective is to manage the Susan Lake recreation site for a roaded recreation experience. The campsite will be maintained; the lake shoreline and natural vegetation will be conserved. Opportunities for camping, picnicking, and boating will be available at the site.                              | Blackwater Ridge | Golden |
| 2068     | Jeb Lake         | Site  | 97/01/02        | DCO   | 82N11     | 52.6      | -            |            | 332406       |              | 1998/01/30. The objective is to manage the Jeb Lake recreation site for a roaded recreation experience. The campsite will be maintained; the lake shoreline and natural vegetation will be conserved. Opportunities for camping, picnicking, and boating will be available at the site.                                | Blackwater Ridge | Golden |
| 2081     | Blackwater Lakes | Site  | 00/04/20        | DCO   | 82N11     | 789       | -            |            | 240304       | 1-3-3-028    | 2001/03/22 The objective is to manage the Blackwater Lakes Recreation Site for a roaded recreation experience. The campsites will be maintained; the creeks and lakes shorelines and natural vegetation will be conserved. Opportunities for camping, picnicking, boating, and swimming will be available at the site. | Blackwater Ridge | Golden |
| 2082     | Esplanade Bay    | Site  | 00/04/20        | DCO   | 82N12     | 14.7      | -            |            | 295868       |              | 2001/03/22 The objective is to manage the Esplanade Bay Recreation Site for a lakeside roaded recreation experience. The campsite will be maintained; the lakeshore vegetation will be conserved. Opportunities for camping, picnicking, and boat launching will be available.                                         | Blackwater Ridge | Golden |
| 2299     | Bush Valencienes | Site  | 97/01/02        | DCO   | 82N14     | 241       | -            |            | 325050       |              | 98/01/30. The objective is to manage the Bush Valencienes recreation site for a roaded recreation experience. The campsite will be maintained; the lake shoreline and natural vegetation will be conserved. Opportunities for camping, picnicking, and boating will be available at the site.                          | Goodfellow       | Golden |
| 2398     | Swan Creek       | Trail | 97/01/02        | DCO   | 82N13     | -         | 5.4          |            |              |              | 98/01/30. The objective is to manage the Swan Creek recreation trail for a semi primitive non motorized recreation experience. The trail will be maintained and adjacent vegetation conserved. Opportunities for hiking are available, no mechanized uses permitted.                                                   | Swan             | Golden |

|      |                     |       |          |     |       |     |     |        |  |                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                        |                         |
|------|---------------------|-------|----------|-----|-------|-----|-----|--------|--|---------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------|-------------------------|
| 2462 | Mount MacPherson    | Site  | 93/02/18 | DCO | 82L16 | 355 | 25  |        |  |                     | 97/01/21. The objectives are to manage the Mount MacPherson recreation site for a roaded resource recreation experience. The all season multi-use trail system, Ole Sandbert Hut and Beaver Lake picnic site will be maintained and the shoreline vegetation at Beaver Lake will be retained. Opportunities for hiking, horseback riding, mountain bike riding, cross country skiing, viewing and nature study will be available at the site. Motorized use of the trails will not be allowed. Rough road access to the site will be maintained for two wheel drive vehicles from late April to late October. Off highway parking will be provided for winter users. Forest interpretation and educational opportunities will be provided through brochures, self guided interpretation trails and kiosks. Biodiversity and Forest Ecosystems are the primary interpretation themes. | Wetask and Shelter Bay | Revelstoke and Cascadia |
| 2474 | Pingston Lake Trail | Trail | 91/08/01 | DCO | 82L09 | 0.8 | 0.4 |        |  |                     | 98/01/30. The objective is to manage the Pingston Lake recreation trail for a semi primitive non motorized recreation experience. The trail will be maintained and adjacent vegetation conserved. Opportunities for hiking and equestrian uses are available, no mechanized uses permitted.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | Shelter Bay            | Cascadia                |
| 2475 | Mt. Begbie Trail    | Trail | 92/06/11 | DCO | 82L16 | -   | 5.8 |        |  |                     | 98/01/30. The objective is to manage the Mt. Begbie recreation trail for a semi primitive non motorized recreation experience. The trail will be maintained and adjacent vegetation conserved. Opportunities for hiking are available, no mechanized uses permitted.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | Shelter Bay            | Cascadia                |
| 5015 | Begbie Falls        | Site  | 88/12/15 | DCO | 82L16 | 0.1 | 1   | 228290 |  | 1-3-3-060 1-2-2-100 | 96/12/20. The objectives are to manage the Begbie Falls recreation site for a roaded resource recreation experience. The waterfall, creek and rock climbing bluffs will be protected. Over/understory vegetation, shoreline of the Upper Arrow Reservoir and creek bank below the falls will be retained and the trails, picnic site and viewing platform will be maintained. Opportunities will be available for viewing, picnicking, camping, rock climbing and hiking. Rough road access to the site will be maintained for two wheel drive vehicles from April to late October.                                                                                                                                                                                                                                                                                                  | Wetask                 | Revelstoke              |
| 5058 | Bluewater Creek     | Site  | 96/12/16 | DCO | 82N11 | 21  | -   |        |  |                     | 98/01/30. The objective is to manage the Blue Water Creek recreation site for a roaded recreation experience. The campsite will be maintained; the creek shoreline and natural vegetation will be conserved. Opportunities for camping, picnicking and river boating will be available at the site.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | Blackwater Ridge       | Golden                  |
| 5060 | Wisted Creek        | Map   | 96/12/16 | DCO | 82N11 | 33  | -   |        |  |                     | 98/01/30. The objective is to manage the Wisted Creek recreation site for a roaded recreation experience. The campsite will be maintained; the creek shoreline and natural vegetation will be conserved. Opportunities for camping, picnicking and boating will be available at the site                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Esplanade              | Golden                  |
| 5067 | Blackwater Creek    | Site  | 96/12/16 | DCO | 82N11 | 4   |     |        |  |                     | 98/01/30. The objective is to manage the Blackwater Creek recreation site for a roaded recreation experience. The campsite will be maintained; the creek shoreline and natural vegetation will be conserved. Opportunities for camping and picnicking will be available at the site.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | Blackwater Ridge       | Golden                  |

|      |                               |      |          |     |                |      |     |  |  |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                     |            |
|------|-------------------------------|------|----------|-----|----------------|------|-----|--|--|--|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------|------------|
| 5068 | Mt. Seven<br>7 North<br>Ridge | Map  | 00/04/20 | DCO | 82N07<br>82N02 | 1084 | -   |  |  |  | 2001/03/22 In the summer, during the snow free season, the Mt. 7, North Ridge Recreation Site will be managed for separated semi primitive non-motorized, semi primitive motorized, and roaded recreation experiences. In winter, when snow is on the ground the site will be managed for a separated semi primitive motorized and semi primitive non-motorized recreation experiences. The launch site area and day use facilities will be maintained, and the natural vegetation will be conserved. No overnight camping is permitted at the launch site. In the summer, opportunities for hang gliding, paragliding, mountain biking, scenic viewing, picnicking and hiking will be available. In the winter, opportunities for ski touring and snowmobiling will be available. | Mt Seven            | Golden     |
| 5112 | Giant<br>Cedars               | Site | 96/12/16 | DCO | 82N11          | 47   | 1.7 |  |  |  | 98/01/30. The objective is to manage the Giant Cedars recreation site for a day use, roaded recreation experience. Day use facilities will be maintained and natural vegetation will be conserved. Opportunities for picnicking will be available at the site. No overnight camping.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | Blackwater<br>Ridge | Golden     |
| 5118 | Mt. Begbie                    | Map  | 00/04/20 | DCO | 82L16          | 4994 | -   |  |  |  | 2001/03/22 In the summer, during the snow free season, the objective is to manage the Mt. Begbie Recreation Site for a semi primitive non motorized recreation experience; in the winter, when snow is on the ground, the objective is to manage the site for separated semi-primitive motorized and semi-primitive non motorized recreation experiences. The campsite and trail will be maintained, and the natural vegetation will be conserved. In summer, opportunities for dispersed camping, hiking and mountaineering will be available; in winter, opportunities for ski touring, mountaineering and snowmobiling will be available.                                                                                                                                       | Shelter Bay         | Cascadia   |
| 5120 | Frisby<br>Ridge               | Map  |          | DCO | 82M01          | 2914 | -   |  |  |  | 96/12/20. The objectives are to manage Frisby Ridge recreation site for a semi primitive motorized recreation experience in the winter months when snow is on the ground and a semi primitive non-motorized experience in the summer when the area is snow free. The wildlife, primarily mountain caribou, will be protected and the sub alpine/alpine flora and fauna will be retained. Opportunities for snowmobiling, mountain biking, hiking and viewing will be available. Access to the site is via Ministry of Forests trail.                                                                                                                                                                                                                                               | Frisby<br>Ridge     | Revelstoke |
| 5638 | Coursier<br>Lake              | Site | 92/06/11 | DCO | 82L09          | 3    | -   |  |  |  | 98/01/30. The objective is to manage the Coursier Lake recreation site for a roaded recreation experience. The campsite will be maintained; the lake shoreline and natural vegetation will be conserved. Opportunities for camping, picnicking, and boating will be available at the site.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | Shelter Bay         | Cascadia   |

|              |                     |       |          |     |       |      |     |  |  |  |                                                                                                                                                                                                                                                                                                                                                                                                                                         |                  |            |
|--------------|---------------------|-------|----------|-----|-------|------|-----|--|--|--|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|------------|
| 5943         | Begbie Falls Trails | Trail |          | DCO | 82L16 | -    | 5.3 |  |  |  | 97/01/21. The objectives are to manage the Begbie Creek Trails for a roaded resource recreation experience. The multi- use trails and parking areas will be maintained. Opportunities for hiking, viewing, horse back riding and mountain bike riding will be available on these trails. Motorized use will not be allowed. Rough road access to the trails will be maintained for two wheel drive vehicles from April to late October. | Wetask           | Revelstoke |
| 6062         | Sprague Bay         | Site  | 96/12/16 | DCO | 83D01 | 29.1 | -   |  |  |  | 98/01/30. The objective is to manage the Sprague Bay recreation site for a roaded recreation experience. The campsite will be maintained; the lake shoreline and natural vegetation will be conserved. Opportunities for camping, picnicking, and boating will be available at the site.                                                                                                                                                | Red Rock Harbour | Revelstoke |
| 6054 or 6504 | Begbie Lake         | Site  |          | DCO |       |      |     |  |  |  | 96/12/20. The objectives are to manage the Begbie Lake recreation site for a roaded resource recreation experience. The recreation site will be maintained, the shoreline and adjacent vegetation will be retained and opportunities will be available for fishing, nature study and viewing. Access to the site is via paved public road maintained by the Ministry of Transportation and Highways.                                    | Shelter Bay      | Cascadia   |

## Appendix I: Stocking Standard Reference Tables

| BGC                 |         | ID #                               | Regeneration        |                     |                  |           |          |                        | Free Growing |               |
|---------------------|---------|------------------------------------|---------------------|---------------------|------------------|-----------|----------|------------------------|--------------|---------------|
| Classification      |         |                                    | Species             |                     | Stocking(i)      |           |          |                        | Height       |               |
| Zone/SZ/Variant     | Series  | ID #                               | Conifer             |                     | Target           | MIN<br>pa | MIN<br>p | Regen<br>Date<br>(yrs) | Species      | Height<br>(m) |
|                     |         |                                    | Preferred (p)       | Acceptable (a)      | (well-spaced/ha) |           |          |                        |              |               |
| ESSFdc1<br>Okanagan | 01      | 1059596                            | PI Se               | BI                  | 1200             | 700       | 600      | 4                      | PI           | 1.6           |
|                     |         |                                    |                     |                     |                  |           |          |                        | Others       | 0.8           |
|                     | 02      | 1059597                            | PI                  | BI <sup>13</sup> Se | 1000             | 500       | 400      | 7                      | PI           | 1.2           |
|                     |         |                                    |                     |                     |                  |           |          |                        | Others       | 0.6           |
|                     | 03      | 1059598                            | PI                  | BI <sup>13</sup> Se | 1000             | 500       | 400      | 4                      | PI           | 1.2           |
|                     |         |                                    |                     |                     |                  |           |          |                        | Others       | 0.6           |
|                     | 04      | 1059599                            | PI Se               | BI                  | 1200             | 700       | 600      | 4                      | PI           | 1.6           |
|                     |         |                                    |                     |                     |                  |           |          | Others                 | 0.8          |               |
| 05                  | 1059600 | PI Se                              | BI <sup>10,13</sup> | 1000                | 500              | 400       | 4        | PI                     | 1.2          |               |
|                     |         |                                    |                     |                     |                  |           |          |                        | Others       | 0.6           |
| 06                  | 1059601 | PI <sup>1</sup> Se <sup>1,32</sup> | BI <sup>1,32</sup>  | 1000                | 500              | 400       | 4        | PI                     | 1.2          |               |
|                     |         |                                    |                     |                     |                  |           |          |                        | Others       | 0.6           |
| ESSFdc2<br>Okanagan | 01      | 1059602                            | PI Se               | BI                  | 1200             | 700       | 600      | 4                      | PI           | 1.6           |
|                     |         |                                    |                     |                     |                  |           |          |                        | Others       | 0.8           |
|                     | 02*     | -                                  | -                   | -                   | -                | -         | -        | -                      | -            | -             |
|                     | 03      | 1059603                            | PI                  | BI <sup>13</sup> Se | 1000             | 500       | 400      | 4                      | PI           | 1.2           |
|                     |         |                                    |                     |                     |                  |           |          |                        | Others       | 0.6           |
|                     | 04      | 1059604                            | PI                  | BI <sup>13</sup> Se | 1000             | 500       | 400      | 4                      | PI           | 1.2           |
|                     |         |                                    |                     |                     |                  |           |          |                        | Others       | 0.6           |
|                     | 05      | 1059753                            | PI Se               | BI <sup>10,13</sup> | 1000             | 500       | 400      | 4                      | PI           | 1.2           |
|                     |         |                                    |                     |                     |                  |           |          |                        | Others       | 0.6           |
|                     | 06      | 1059605                            | PI Se               | BI                  | 1200             | 700       | 600      | 4                      | PI           | 1.6           |
|                     |         |                                    |                     |                     |                  |           |          |                        | Others       | 0.8           |
| 07                  | 1059606 | PI Se <sup>32</sup>                | BI                  | 1200                | 700              | 600       | 4        | PI                     | 1.6          |               |
|                     |         |                                    |                     |                     |                  |           |          | Others                 | 0.8          |               |
| 08                  | 1059607 | PI <sup>1</sup> Se <sup>1,32</sup> | BI <sup>1,32</sup>  | 1000                | 500              | 400       | 4        | PI                     | 1.2          |               |
|                     |         |                                    |                     |                     |                  |           |          |                        | Others       | 0.6           |

|                     |            |         |                                          |                                          |      |     |     |   |        |     |
|---------------------|------------|---------|------------------------------------------|------------------------------------------|------|-----|-----|---|--------|-----|
| ESSFdk<br>Columbia  | 01, 03, 04 | 1059754 | PI Sx Fd <sup>14</sup> Lw <sup>14</sup>  | Bl                                       | 1200 | 700 | 600 | 4 | PI, Lw | 1.6 |
|                     | 02         | 1059755 | Fd <sup>9,14</sup> Lw <sup>9,14</sup> PI | Sx                                       | 1000 | 500 | 400 | 4 | Fd     | 1.0 |
|                     | 05, 06     | 1059756 | Bl <sup>32</sup> PI Sx <sup>32</sup>     |                                          | 1200 | 700 | 600 | 4 | Others | 0.8 |
| ESSFvc<br>Okanagan  | 01         | 1059608 | Bl Se                                    | Hm                                       | 1200 | 700 | 600 | 4 | PI, Lw | 1.2 |
|                     | 02         | 1059609 | Se                                       | Bl Hm                                    | 1000 | 500 | 400 | 4 | Fd     | 0.8 |
|                     | 03         | 1059610 | Bl Se                                    | Hm                                       | 1000 | 500 | 400 | 4 | Others | 0.6 |
|                     | 04         | 1059611 | Bl Se                                    | Hm                                       | 1200 | 700 | 600 | 4 | PI     | 1.6 |
|                     | 05         | 1059612 | Bl <sup>1,32</sup> Se <sup>1,32</sup>    | Hm <sup>1</sup>                          | 1000 | 500 | 400 | 4 | Others | 0.8 |
| ESSFvc<br>Columbia  | 01, 04     | 1059757 | Sx Bl Hm <sup>71,34</sup>                |                                          | 1200 | 700 | 600 | 4 | All    | 0.8 |
|                     | 02, 03, 05 | 1059758 | Sx Bl Hm <sup>71,34</sup>                |                                          | 1000 | 500 | 400 | 4 | All    | 0.6 |
| ESSFvv<br>Okanagan  | 01         | 1059613 | Bl <sup>32</sup> Se <sup>32</sup>        | Hm                                       | 1200 | 700 | 600 | 4 | All    | 0.8 |
|                     | 02         | 1059614 | Bl <sup>32</sup> Se <sup>32</sup>        | Hm                                       | 600  | 400 | 400 | 7 | All    | 0.6 |
|                     | 03         | 1059615 | Bl <sup>32</sup> Se <sup>32</sup>        | Hm                                       | 1000 | 500 | 400 | 7 | All    | 0.6 |
|                     | 04         | 1059616 | Bl <sup>32</sup> Se <sup>32</sup>        | Hm                                       | 600  | 400 | 400 | 4 | All    | 0.6 |
| ESSFwc1<br>Columbia | 01, 03, 04 | 1059759 | Bl Sx Pl <sup>23,34</sup>                | Cw <sup>9,32</sup> Hm Hw <sup>9,32</sup> | 1200 | 700 | 600 | 4 | PI     | 1.6 |
|                     | 02         | 1059760 | Pl <sup>34</sup> Sx Bl                   | Cw <sup>55</sup> Hm Hw                   | 1000 | 500 | 400 | 4 | Others | 0.8 |
| ESSFwc2<br>Okanagan | 01         | 1059617 | Bl Se                                    |                                          | 1200 | 700 | 600 | 4 | PI     | 1.2 |
|                     | 02         | 1059618 | Se <sup>10,13</sup>                      | Bl <sup>10,13,14</sup>                   | 1000 | 500 | 400 | 4 | Others | 0.6 |
|                     | 03         | 1059619 | Se                                       | Bl <sup>10,13,14</sup>                   | 1000 | 500 | 400 | 4 | PI     | 1.6 |
|                     | 04         | 1059620 | Bl Se                                    |                                          | 1200 | 700 | 600 | 4 | Others | 0.6 |
|                     | 05         | 1059621 | Bl Se                                    |                                          | 1200 | 700 | 600 | 4 | All    | 0.8 |
|                     | 06         | 1059622 | Bl <sup>32</sup> Se <sup>32</sup>        |                                          | 1200 | 700 | 600 | 4 | All    | 0.8 |
|                     | 07         | 1059623 | Bl <sup>32</sup> Se <sup>32</sup>        |                                          | 1200 | 700 | 600 | 4 | All    | 0.8 |
|                     | 08         | 1059624 | Bl <sup>1,32</sup> Se <sup>1,32</sup>    |                                          | 1000 | 500 | 400 | 4 | All    | 0.6 |
|                     | 09         | 1059625 | Pl <sup>1</sup> Se <sup>1,32</sup>       | Bl <sup>1,32</sup>                       | 400  | 200 | 200 | 4 | All    | 0.6 |

|                             |            |         |                                                           |                                                    |      |     |     |   |            |     |
|-----------------------------|------------|---------|-----------------------------------------------------------|----------------------------------------------------|------|-----|-----|---|------------|-----|
| <b>ESSFwc2<br/>Columbia</b> | 01, 04, 05 | 1059761 | Bl Sx                                                     | Pl <sup>23,34</sup> Hm                             | 1200 | 700 | 600 | 4 | PI         | 1.6 |
|                             |            |         |                                                           |                                                    |      |     |     |   | Others     | 0.8 |
|                             | 02         | 1059762 | Pl Sx <sup>10,13</sup>                                    | Bl <sup>10</sup> Hm                                | 1000 | 500 | 400 | 4 | PI         | 1.2 |
|                             |            |         |                                                           |                                                    |      |     |     |   | Others     | 0.6 |
|                             | 03         | 1059763 | Bl Sx Pl <sup>23,34</sup>                                 | Hm                                                 | 1000 | 500 | 400 | 4 | PI         | 1.2 |
|                             |            |         |                                                           |                                                    |      |     |     |   | Others     | 0.6 |
|                             | 06, 07     | 1059764 | Sx <sup>32</sup> Bl <sup>32</sup> Pl <sup>23,34</sup>     | Hm                                                 | 1200 | 700 | 600 | 4 | PI         | 1.8 |
|                             |            |         |                                                           |                                                    |      |     |     |   | Others     | 0.8 |
|                             | 08         | 1059765 | Bl <sup>1,32</sup> Sx <sup>1,32</sup> Pl <sup>23,34</sup> | Hm                                                 | 1000 | 500 | 400 | 4 | PI         | 1.2 |
|                             |            |         |                                                           |                                                    |      |     |     |   | Others     | 0.6 |
|                             | 09*        | 1059766 | Pl <sup>1</sup> Sx <sup>1,32</sup>                        | Bl <sup>1,32</sup> Hm                              | 400  | 200 | 200 | 4 | PI         | 1.2 |
|                             |            |         |                                                           |                                                    |      |     |     |   | Others     | 0.6 |
| <b>ESSFwc4<br/>Okanagan</b> | 01         | 1059626 | Bl Se                                                     | Pl <sup>34</sup>                                   | 1200 | 700 | 600 | 4 | PI         | 1.6 |
|                             |            |         |                                                           |                                                    |      |     |     |   | Others     | 0.8 |
|                             | 02         | 1059627 | Se Pl <sup>34</sup>                                       | Bl                                                 | 1000 | 500 | 400 | 4 | PI         | 1.2 |
|                             |            |         |                                                           |                                                    |      |     |     |   | Others     | 0.6 |
|                             | 03         | 1059628 | Se Bl                                                     | Pl <sup>34</sup>                                   | 1000 | 500 | 400 | 4 | PI         | 1.2 |
|                             |            |         |                                                           |                                                    |      |     |     |   | Others     | 0.6 |
|                             | 04         | 1059629 | Se Bl                                                     | Pl <sup>34</sup>                                   | 1200 | 700 | 600 | 4 | PI         | 1.6 |
|                             |            |         |                                                           |                                                    |      |     |     |   | Others     | 0.8 |
|                             | 05         | 1059630 | Bl Se                                                     |                                                    | 1200 | 700 | 600 | 4 | All        | 0.8 |
|                             | 06         | 1059631 | Bl <sup>1,32</sup> Se <sup>1,32</sup>                     |                                                    | 1200 | 700 | 600 | 4 | All        | 0.8 |
|                             | 07         | 1059632 | Se <sup>1</sup> Bl <sup>1</sup>                           | Pl <sup>1,34</sup>                                 | 1000 | 500 | 400 | 4 | PI         | 1.2 |
|                             |            |         |                                                           |                                                    |      |     |     |   | Others     | 0.6 |
| <b>ESSFwc4<br/>Columbia</b> | 01, 04, 05 | 1059767 | Bl Sx Pl <sup>23,34</sup>                                 | Hm                                                 | 1200 | 700 | 600 | 4 | PI         | 1.6 |
|                             |            |         |                                                           |                                                    |      |     |     |   | Others     | 0.8 |
|                             | 02, 03     | 1059768 | Sx Pl <sup>23,34</sup>                                    | Hm                                                 | 1000 | 500 | 400 | 4 | PI         | 1.2 |
|                             |            |         | Bl <sup>54</sup> (02 Only)                                |                                                    |      |     |     |   | Others     | 0.6 |
|                             | 06         | 1059769 | Sx <sup>1,32</sup> Bl <sup>1,32</sup>                     | Hm                                                 | 1200 | 700 | 600 | 4 | All        | 0.8 |
|                             | 07         | 1059770 | Sx <sup>1</sup> Bl <sup>1</sup>                           | Hm                                                 | 1000 | 500 | 400 | 4 | PI         | 1.2 |
|                             |            |         | Pl <sup>1,23,34</sup>                                     |                                                    |      |     |     |   | Others     | 0.6 |
| <b>ESSFwm<br/>Columbia</b>  | 01         | 1059771 | Bl Sx Fd <sup>14</sup> Lw <sup>14</sup>                   | Pl <sup>34</sup>                                   | 1200 | 700 | 600 | 4 | Lw, PI     | 2.0 |
|                             |            |         |                                                           |                                                    |      |     |     |   | Others     | 1.0 |
|                             | 02         | 1059772 | Sx Pl <sup>34</sup>                                       | Bl Hw <sup>14</sup>                                | 1200 | 700 | 600 | 4 | PI         | 2.0 |
|                             |            |         |                                                           |                                                    |      |     |     |   | Others     | 1.0 |
|                             | 03         | 1059773 | Fd <sup>9,32</sup> Lw <sup>9,32</sup> Sx                  | Bl Pl <sup>34</sup> Hw<br>Pw <sup>9,31,32,57</sup> | 1200 | 700 | 600 | 4 | Lw, PI, Pw | 2.0 |
|                             |            |         |                                                           |                                                    |      |     |     |   | Fd         | 1.4 |
|                             |            |         |                                                           |                                                    |      |     |     |   | Others     | 1.0 |

|                                |    |         |                                                                       |                                            |      |     |     |   |        |     |
|--------------------------------|----|---------|-----------------------------------------------------------------------|--------------------------------------------|------|-----|-----|---|--------|-----|
| ESSFwm<br>Columbia<br>(cont'd) | 04 | 1059774 | BI Sx                                                                 | PI <sup>34</sup> Hw <sup>14</sup>          | 1200 | 700 | 600 | 4 | PI     | 2.0 |
|                                |    |         |                                                                       |                                            |      |     |     |   | Others | 1.0 |
| ESSFxc<br>Okanagan             | 01 | 1059633 | PI Se <sup>32</sup>                                                   | BI <sup>10,13</sup>                        | 1200 | 700 | 600 | 4 | PI     | 1.6 |
|                                |    |         |                                                                       |                                            |      |     |     |   | Others | 0.8 |
|                                | 02 | 1059634 | PI                                                                    | BI <sup>13</sup> Se                        | 600  | 400 | 400 | 7 | PI     | 1.2 |
|                                |    |         |                                                                       |                                            |      |     |     |   | Others | 0.6 |
|                                | 05 | 1059635 | PI                                                                    | BI <sup>13</sup> Se                        | 1000 | 500 | 400 | 7 | PI     | 1.2 |
|                                |    |         |                                                                       |                                            |      |     |     |   | Others | 0.6 |
|                                | 06 | 1059636 | PI Se                                                                 | BI <sup>13</sup>                           | 1200 | 700 | 600 | 7 | PI     | 1.6 |
|                                |    |         |                                                                       |                                            |      |     |     |   | Others | 0.8 |
|                                | 07 | 1059637 | PI Se <sup>32</sup>                                                   | BI <sup>32</sup>                           | 1200 | 700 | 600 | 4 | PI     | 1.6 |
|                                |    |         |                                                                       |                                            |      |     |     |   | Others | 0.8 |
|                                | 08 | 1059638 | PI <sup>1</sup> Se <sup>1,32</sup>                                    | BI <sup>1,32</sup>                         | 1000 | 500 | 400 | 4 | PI     | 1.2 |
|                                |    |         |                                                                       |                                            |      |     |     |   | Others | 0.6 |
| ICHmk1<br>Okanagan             | 01 | 1059639 | Fd <sup>14,32</sup> Lw <sup>14,32</sup> PI<br>Sx <sup>10,13</sup>     | BI <sup>10,13</sup> Cw <sup>10,13,32</sup> | 1200 | 700 | 600 | 4 | PI, Lw | 2.0 |
|                                |    |         |                                                                       |                                            |      |     |     |   | Fd     | 1.4 |
|                                |    |         |                                                                       |                                            |      |     |     |   | Others | 1.0 |
|                                | 02 | 1059640 | Fd PI                                                                 | BI <sup>10,13</sup> Sx <sup>10,13</sup>    | 600  | 400 | 400 | 4 | PI     | 1.4 |
|                                |    |         |                                                                       |                                            |      |     |     |   | Fd     | 1.0 |
|                                |    |         |                                                                       |                                            |      |     |     |   | Others | 0.8 |
|                                | 03 | 1059641 | Fd Lw PI<br>Sx <sup>10,13</sup>                                       | BI <sup>10,13</sup> Cw <sup>10,13</sup>    | 1000 | 500 | 400 | 4 | PI, Lw | 1.4 |
|                                |    |         |                                                                       |                                            |      |     |     |   | Fd     | 1.0 |
|                                |    |         |                                                                       |                                            |      |     |     |   | Others | 0.8 |
|                                | 04 | 1059642 | Fd <sup>32</sup> Lw <sup>32</sup> PI<br>Sx <sup>10,13</sup>           | BI <sup>10,13</sup> Cw <sup>10,13,32</sup> | 1200 | 700 | 600 | 4 | PI, Lw | 2.0 |
|                                |    |         |                                                                       |                                            |      |     |     |   | Fd     | 1.4 |
|                                |    |         |                                                                       |                                            |      |     |     |   | Others | 1.0 |
|                                | 05 | 1059643 | PI Sx Fd <sup>9,14,32</sup> Lw <sup>9,14,32</sup>                     | BI Cw <sup>32</sup>                        | 1200 | 700 | 600 | 4 | PI, Lw | 2.0 |
|                                |    |         |                                                                       |                                            |      |     |     |   | Fd     | 1.4 |
|                                |    |         |                                                                       |                                            |      |     |     |   | Others | 1.0 |
|                                | 06 | 1059644 | PI Sx Fd <sup>9,14,32</sup> Lw <sup>9,14,32</sup>                     | BI Cw <sup>32</sup>                        | 1200 | 700 | 600 | 4 | PI, Lw | 2.0 |
|                                |    |         |                                                                       |                                            |      |     |     |   | Fd     | 1.4 |
|                                |    |         |                                                                       |                                            |      |     |     |   | Others | 1.0 |
|                                | 07 | 1059645 | PI <sup>1</sup> Sx <sup>1</sup> Fd <sup>1,32</sup> Lw <sup>1,32</sup> | BI <sup>1</sup> Cw <sup>32</sup>           | 1000 | 500 | 400 | 4 | PI, Lw | 1.4 |
|                                |    |         |                                                                       |                                            |      |     |     |   | Fd     | 1.0 |
|                                |    |         |                                                                       |                                            |      |     |     |   | Others | 0.8 |

|                    |        |         |                                                                                                                                |      |     |     |   |                                              |
|--------------------|--------|---------|--------------------------------------------------------------------------------------------------------------------------------|------|-----|-----|---|----------------------------------------------|
| ICHmk1<br>Columbia | 01     | 1059775 | Fd <sup>9,14,32</sup> Lw <sup>9,14,32</sup> PI <sup>10,13</sup> Sx <sup>10,13</sup> BI <sup>10,13</sup> Cw <sup>10,13,32</sup> | 1200 | 700 | 600 | 4 | PI, Lw 2.0<br>Fd 1.4<br>Others 1.0           |
|                    | 02     | 1059776 | Fd PI Sx <sup>10,13</sup> BI <sup>10,13</sup> Py <sup>9,14</sup>                                                               | 600  | 400 | 400 | 4 | PI 1.4<br>Fd 1.0<br>Others 0.8               |
|                    | 03     | 1059777 | Fd Lw PI Sx <sup>10,13</sup> Cw <sup>10,13</sup> BI <sup>10,13</sup>                                                           | 1000 | 500 | 400 | 4 | PI, Lw 1.4<br>Fd 1.0<br>Others 0.8           |
|                    | 04     | 1059778 | Fd <sup>32</sup> Lw <sup>32</sup> PI Sx <sup>10,13</sup> BI <sup>10,13</sup> Cw <sup>10,13,32</sup>                            | 1200 | 700 | 600 | 4 | PI, Lw 2.0<br>Fd 1.4<br>Others 1.0           |
|                    | 05, 06 | 1059779 | PI Sx Fd <sup>9,14,32</sup> BI Lw <sup>9,14,32</sup> Cw <sup>32</sup>                                                          | 1200 | 700 | 600 | 4 | PI, Lw 2.0<br>Fd 1.4<br>Others 1.0           |
|                    | 07     | 1059780 | PI <sup>1</sup> Sx <sup>1</sup> Fd <sup>1,32</sup> BI <sup>1</sup> Cw <sup>32</sup> Lw <sup>1,32</sup>                         | 1000 | 500 | 400 | 4 | PI, Lw 1.4<br>Fd 1.0<br>Others 0.8           |
| ICHmk2<br>Okanagan | 01     | 1059646 | Fd PI Sx Lw <sup>9,14,32</sup> BI <sup>10,13</sup> Cw                                                                          | 1200 | 700 | 600 | 4 | PI, Lw 2.0<br>Fd 1.4<br>Sx 0.8<br>Others 1.0 |
|                    | 02     | 1059647 | Fd PI BI <sup>10,13</sup>                                                                                                      | 600  | 400 | 400 | 4 | PI 2.0<br>Fd 1.4<br>Others 1.0               |
|                    | 03     | 1059648 | Fd PI Sx <sup>10,13</sup> Lw <sup>10,13</sup> BI <sup>10,13</sup> Cw <sup>10,13</sup>                                          | 1000 | 500 | 400 | 4 | PI 2.0<br>Fd 1.4<br>Others 1.0               |
|                    | 04     | 1059649 | Fd PI Lw <sup>10,13</sup> Sx <sup>10,13</sup> BI <sup>10,13</sup> Cw <sup>10,13</sup>                                          | 1200 | 700 | 600 | 4 | PI, Lw 2.0<br>Fd 1.4<br>Sx 0.8<br>Others 1.0 |
|                    | 05     | 1059650 | Fd <sup>9,14,32</sup> PI Sx BI <sup>13</sup> Cw <sup>32</sup>                                                                  | 1200 | 700 | 600 | 4 | PI 2.0<br>Fd 1.4<br>Others 1.0               |
|                    | 06     | 1059651 | PI <sup>1</sup> Sx <sup>1</sup> Fd <sup>1,32</sup> BI <sup>1</sup> Cw <sup>32</sup>                                            | 1000 | 500 | 400 | 4 | PI 1.4<br>Fd 1.0<br>Others 0.8               |
|                    |        |         |                                                                                                                                |      |     |     |   | Others                                       |

|                    |        |         |                                                                                       |                                                                                            |      |     |     |   |                                        |
|--------------------|--------|---------|---------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------|------|-----|-----|---|----------------------------------------|
| ICHmw1<br>Columbia | 01     | 1059781 | Fd Pl Cw Sx Lw <sup>23</sup><br>Hw <sup>71</sup>                                      | Bl Pw <sup>31,57</sup>                                                                     | 1200 | 700 | 600 | 4 | Pl, Lw 2.0<br>Fd, Pw 1.4<br>Others 1.0 |
|                    | 02, 04 | 1059782 | Fd Pl Lw <sup>23</sup>                                                                | Cw <sup>28</sup> Sx <sup>28</sup> Bl <sup>28</sup><br>Hw <sup>28</sup> Pw <sup>31,57</sup> | 1200 | 700 | 600 | 4 | Pl, Lw 2.0<br>Fd, Pw 1.4<br>Others 1.0 |
|                    | 03     | 1059783 | Fd Pl Hw <sup>71</sup><br>Sx <sup>10,13,28</sup> Lw <sup>23</sup><br>Cw <sup>28</sup> | Bl <sup>28</sup><br>Pw <sup>31,57</sup>                                                    | 1200 | 700 | 600 | 4 | Pl, Lw 2.0<br>Pw, Fd 1.4<br>Others 1.0 |
|                    | 05     | 1059784 | Cw <sup>32</sup> Fd <sup>1,32</sup> Hw <sup>32</sup> Sx<br>Lw <sup>9,14,23</sup>      | Bl Pl Pw <sup>1,31,57</sup>                                                                | 1200 | 700 | 600 | 4 | Pl, Lw 2.0<br>Fd, Pw 1.4<br>Others 1.0 |
|                    | 06     | 1059785 | Cw Fd <sup>9,14</sup> Bl<br>Hw Sx Lw <sup>9,14,23</sup>                               | Pl Pw <sup>31,57</sup>                                                                     | 1200 | 700 | 600 | 4 | Pl, Lw, Pw 2.0<br>Fd 1.4<br>Others 1.0 |
|                    | 07     | 1059821 | Cw Hw Sx Fd <sup>14</sup>                                                             | Bl Pl                                                                                      | 1000 | 500 | 400 | 4 | Pl 1.4<br>Fd 1.0<br>Others 0.8         |
| ICHmw2<br>Okanagan | 01     | 1059652 | Fd Lw Sx <sup>10,13</sup><br>Pw <sup>31</sup>                                         | Hw Cw<br>Pl <sup>51</sup> Py <sup>9,14,23</sup>                                            | 1200 | 700 | 600 | 4 | Pl,Pw,Lw 2.0<br>Fd 1.4<br>Others 1.0   |
|                    | 02     | 1059653 | Fd Lw Pl <sup>51</sup><br>Py <sup>9,14,23</sup>                                       | Cw Pw <sup>31</sup> Sx <sup>10,13</sup>                                                    | 1200 | 700 | 600 | 4 | Pl,Pw,Lw 2.0<br>Fd 1.4<br>Others 1.0   |
|                    | 03     | 1059653 | Fd Lw Pl <sup>51</sup><br>Py <sup>9,14,23</sup>                                       | Cw Pw <sup>31</sup><br>Sx <sup>10,13</sup>                                                 | 1200 | 700 | 600 | 4 | Pl, Pw, Lw 2.0<br>Fd 1.4<br>Others 1.0 |
|                    | 04     | 1059654 | Cw Fd <sup>14</sup> Hw Lw <sup>14</sup> Sx<br>Pw <sup>31</sup>                        | Bl Pl <sup>51</sup>                                                                        | 1200 | 700 | 600 | 4 | Pl, Pw, Lw 2.0<br>Fd 1.4<br>Others 1.0 |
|                    | 05     | 1059655 | Cw <sup>32</sup> Sx Fd <sup>1,32</sup><br>Pw <sup>31</sup> Lw <sup>1,32</sup>         | Bl Hw <sup>32</sup> Pl <sup>51</sup>                                                       | 1200 | 700 | 600 | 4 | Pl, Pw, Lw 2.0<br>Fd 1.4<br>Others 1.0 |
|                    | 06     | 1059656 | Cw <sup>1,32</sup> Sx <sup>1</sup>                                                    | Bl <sup>1</sup> Hw <sup>1,32</sup> Pw <sup>1,31</sup>                                      | 1000 | 500 | 400 | 4 | Pl, Pw 1.4<br>Others 0.8               |
|                    | 07     | 1059657 | Cw <sup>1,32</sup> Sx <sup>1</sup>                                                    | Bl <sup>1</sup> Hw <sup>1, 32</sup>                                                        | 1000 | 500 | 400 | 4 | Pl 1.4<br>Others 0.8                   |

|                    |        |         |                                                                                                |                                                                                            |      |     |     |   |                            |                   |
|--------------------|--------|---------|------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------|------|-----|-----|---|----------------------------|-------------------|
| ICHmw2<br>Columbia | 01, 04 | 1059786 | Fd Lw Pl <sup>71</sup><br>Sx Cw Hw                                                             | Pw <sup>31,57</sup> Bl <sup>10,13</sup><br>Py <sup>9,14,23</sup>                           | 1200 | 700 | 600 | 4 | Pl, Lw, Pw<br>Fd<br>Others | 2.0<br>1.4<br>1.0 |
|                    | 03     | 1059787 | Fd Lw Pl Cw                                                                                    | Pw <sup>31,57</sup> Bl <sup>10,13</sup><br>Sx <sup>10,13</sup> Hw<br>Py <sup>9,14,23</sup> | 1200 | 700 | 600 | 4 | Pl, Lw, Pw<br>Fd<br>Others | 2.0<br>1.4<br>1.0 |
|                    | 05     | 1059788 | Cw Sx Hw Pl <sup>71</sup><br>Fd <sup>9,14</sup> Lw <sup>9,14</sup>                             | Bl Pw <sup>31,57</sup><br>Py <sup>14,23</sup>                                              | 1200 | 700 | 600 | 4 | Pl, Lw, Pw<br>Fd<br>Others | 2.0<br>1.4<br>1.0 |
|                    | 06     | 1059789 | Cw <sup>32</sup> Sx Pl <sup>71</sup><br>Fd <sup>1,32</sup> Lw <sup>1,32</sup> Hw <sup>32</sup> | Bl Pw <sup>31,57</sup><br>Py <sup>14,23</sup>                                              | 1200 | 700 | 600 | 4 | Pl, Lw, Pw<br>Fd<br>Others | 2.0<br>1.4<br>1.0 |
|                    | 07, 08 | 1059790 | Cw <sup>1,32</sup> Hw <sup>1,32</sup><br>Sx <sup>1</sup> Fd <sup>23</sup>                      | Bl <sup>1</sup> Pl <sup>1</sup><br>Pw <sup>1,31,57</sup>                                   | 1000 | 500 | 400 | 4 | Pl, Pw<br>Others           | 1.4<br>0.8        |
| ICHmw3<br>Okanagan | 01     | 1059659 | Fd Lw Cw <sup>10,13</sup> Sx <sup>10,13</sup><br>Pw <sup>31</sup>                              | Hw <sup>10,13</sup>                                                                        | 1200 | 700 | 600 | 4 | Pl, Pw, Lw<br>Fd<br>Others | 2.0<br>1.4<br>1.0 |
|                    | 02     | 1059660 | Fd Lw                                                                                          | Cw <sup>10,13</sup> Pw <sup>31</sup><br>Pl <sup>51</sup>                                   | 1000 | 500 | 400 | 4 | Lw,Pl,Pw<br>Fd<br>Py       | 1.4<br>1.0<br>0.8 |
|                    | 03     | 1059661 | Fd Lw <sup>32</sup>                                                                            | Cw Bl <sup>10,13</sup> Pw <sup>31</sup><br>Pl <sup>51</sup> Sx <sup>10,13</sup>            | 1000 | 500 | 400 | 4 | Pl, Pw, Lw<br>Fd<br>Others | 1.4<br>1.0<br>0.8 |
|                    | 04     | 1059662 | Fd Sx <sup>10,13</sup> Lw<br>Pw <sup>31</sup>                                                  | Pl <sup>51</sup> Cw <sup>10,13</sup>                                                       | 1200 | 700 | 600 | 4 | Pl, Pw, Lw<br>Fd<br>Others | 2.0<br>1.4<br>1.0 |
|                    | 05     | 1059663 | Fd Cw <sup>10,13</sup> Sx <sup>10,13</sup><br>Pw <sup>31</sup>                                 |                                                                                            | 1200 | 700 | 600 | 4 | Pl, Pw, Lw<br>Fd<br>Others | 2.0<br>1.4<br>1.0 |
|                    | 06     | 1059664 | Cw Fd <sup>14</sup> Hw Sx<br>Pw <sup>31</sup>                                                  | Bl                                                                                         | 1200 | 700 | 600 | 4 | Pl, Pw, Lw<br>Fd<br>Others | 2.0<br>1.4<br>1.0 |
|                    | 07     | 1059665 | Cw <sup>32</sup> Sx Fd <sup>1,32</sup><br>Pw <sup>31</sup>                                     | Bl Hw <sup>32</sup>                                                                        | 1200 | 700 | 600 | 4 | Pl, Pw, Lw<br>Fd<br>Others | 2.0<br>1.4<br>1.0 |
|                    | 08     | 1059666 | Cw <sup>1,32</sup> Hw <sup>1,32</sup> Sx <sup>1</sup>                                          | Bl Pw <sup>31</sup><br>Pl <sup>1,51</sup>                                                  | 1000 | 500 | 400 | 4 | Pl<br>Other                | 1.4<br>0.8        |

|                    |                   |         |                                                                                                        |                                                                           |      |     |     |   |                                        |
|--------------------|-------------------|---------|--------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------|------|-----|-----|---|----------------------------------------|
| ICHmw3<br>Columbia | 01, 04,<br>05, 06 | 1059791 | Fd Pl <sup>71</sup> Lw <sup>23</sup><br>Cw <sup>10,13</sup> Sx <sup>10,13</sup><br>Hw <sup>10,13</sup> | Pw <sup>31,57</sup> Bl                                                    | 1200 | 700 | 600 | 4 | Pl, Lw 2.0<br>Fd, Pw 1.4<br>Others 1.0 |
|                    | 02                | 1059792 | Fd Pl Lw <sup>23</sup>                                                                                 | Py <sup>9,14,23</sup> Pw <sup>31,57</sup>                                 | 1000 | 500 | 400 | 4 | Pl, Lw, Pw 1.4<br>Fd 1.0<br>Py 0.8     |
|                    | 03                | 1059793 | Cw <sup>10,13</sup>                                                                                    | Pw <sup>31,57</sup><br>Sx <sup>10,13</sup> Bl <sup>10,13</sup>            | 1000 | 500 | 400 | 4 | Pl, Lw, Pw 1.4<br>Fd 1.0<br>Others 0.8 |
|                    | 06                | 1059794 | Fd <sup>14</sup> Pl <sup>71</sup> Lw <sup>23</sup><br>Cw Sx Hw                                         | Pw <sup>31,57</sup> Bl                                                    | 1200 | 700 | 600 | 4 | Pl, Lw, Pw 2.0<br>Fd 1.4<br>Others 1.0 |
|                    | 07                | 1059795 | Cw <sup>32</sup> Sx Hw <sup>32</sup><br>Fd Pl <sup>71</sup>                                            | Bl Pw <sup>31,57</sup><br>Lw <sup>1,23,32</sup>                           | 1200 | 700 | 600 | 4 | Pl, Lw, Pl 2.0<br>Fd 1.4<br>Others 1.0 |
|                    | 08                | 1059796 | Cw <sup>1,32</sup> Hw <sup>1,32</sup> Sx <sup>1</sup><br>Pl <sup>1</sup>                               | Bl <sup>1</sup> Pw <sup>57</sup>                                          | 1000 | 500 | 400 | 4 | Pl, Pw 1.4<br>Others 0.8               |
| ICHvk1<br>Okanagan | 01                | 1059667 | Cw <sup>32</sup> Sx<br>Pw <sup>31</sup>                                                                | Bl Fd <sup>1,14,32,34,70</sup><br>Hw <sup>32</sup>                        | 1200 | 700 | 600 | 4 | Pw 2.0<br>Fd 1.4<br>Others 1.0         |
|                    | 02                | 1059668 | Cw Fd <sup>9</sup> Sx<br>Pw <sup>31</sup>                                                              | Bl Hw                                                                     | 1200 | 700 | 600 | 4 | Pw 2.0<br>Fd 1.4<br>Others 1.0         |
|                    | 03                | 1059669 | Cw Fd <sup>9,14,34</sup> Hw Sx<br>Pw <sup>31</sup>                                                     | Bl <sup>10,13</sup>                                                       | 1200 | 700 | 600 | 4 | Pw 2.0<br>Fd 1.4<br>Others 1.0         |
|                    | 04                | 1059670 | Cw Fd <sup>14,34,70</sup> Hw Sx<br>Pw <sup>31</sup>                                                    | Bl <sup>13</sup>                                                          | 1200 | 700 | 600 | 4 | Pw 2.0<br>Fd 1.4<br>Others 1.0         |
|                    | 05                | 1059671 | Cw <sup>1,32</sup> Sx <sup>1</sup>                                                                     | Bl <sup>1</sup> Pw <sup>1,31</sup> Yc <sup>23</sup><br>Hw <sup>1,32</sup> | 1000 | 500 | 400 | 4 | Pw 1.4<br>Others 0.8                   |
|                    | 06                | 1059672 | Cw <sup>1,32</sup> Hw <sup>1,32</sup> Sx <sup>1</sup>                                                  | Bl <sup>1</sup> Pw <sup>1,31</sup>                                        | 1000 | 500 | 400 | 4 | Pl 1.4<br>Others 0.8                   |

|                    |            |         |                                                                                                           |                                                               |      |     |     |   |                                        |
|--------------------|------------|---------|-----------------------------------------------------------------------------------------------------------|---------------------------------------------------------------|------|-----|-----|---|----------------------------------------|
| ICHvk1<br>Columbia | 01, 04     | 1059797 | Cw <sup>32</sup> Sx Hw <sup>32</sup> Bl <sup>23</sup><br>Fd <sup>1,9,14,32,34,71</sup>                    | Pw <sup>31,57</sup> Yc <sup>23</sup>                          | 1200 | 700 | 600 | 4 | Lw, Pw 2.0<br>Fd 1.4<br>Others 1.0     |
|                    | 03         | 1059798 | Fd <sup>9</sup> Cw Sx Hw<br>Bl <sup>23</sup>                                                              | Pw <sup>31,57</sup>                                           | 1200 | 700 | 600 | 4 | Pw, Lw 2.0<br>Fd 1.4<br>Others 1.0     |
|                    | 05, 06     | 1059799 | Cw <sup>1,32</sup> Sx <sup>1</sup> Hw <sup>1,32</sup>                                                     | Bl <sup>1</sup> Pw <sup>1,31,57</sup> Yc <sup>23</sup>        | 1000 | 500 | 400 | 4 | Pl 1.4<br>Others 0.8                   |
| ICHwk1<br>Okanagan | 01         | 1059673 | Cw Fd <sup>14</sup> Hw Sx<br>Pw <sup>31</sup>                                                             | Bl <sup>10,13</sup> Yc <sup>23</sup>                          | 1200 | 700 | 600 | 4 | Pw,Lw 2.0<br>Fd 1.4<br>Others 1.0      |
|                    | 02         | 1059674 | Fd Pl <sup>51</sup> Cw <sup>10,13</sup>                                                                   | Sx <sup>10,13</sup><br>Pw <sup>31</sup>                       | 1000 | 500 | 400 | 4 | Pw,Lw 1.4<br>Fd 1.0<br>Others 0.8      |
|                    | 03         | 1059675 | Fd Cw <sup>10,13</sup><br>Pw <sup>31</sup>                                                                | Sx <sup>10,13</sup> Hw <sup>10,13</sup>                       | 1200 | 700 | 600 | 4 | Pw 2.0<br>Fd 1.4<br>Others 1.0         |
|                    | 04         | 1059676 | Sx <sup>10,13</sup> Cw Fd <sup>9,14</sup><br>Pw <sup>31</sup>                                             | Hw                                                            | 1200 | 700 | 600 | 4 | Pl, Pw 2.0<br>Fd 1.4<br>Others 1.0     |
|                    | 05         | 1059677 | Cw <sup>32</sup> Sx<br>Pw <sup>31</sup>                                                                   | Bl Fd <sup>1,14,32</sup> Hw <sup>32</sup><br>Yc <sup>23</sup> | 1200 | 700 | 600 | 4 | Pl, Pw 2.0<br>Fd 1.4<br>Others 1.0     |
|                    | 06         | 1059678 | Cw <sup>1,32</sup> Sx <sup>1</sup>                                                                        | Bl Hw <sup>1,32</sup> Pw <sup>1,31</sup>                      | 1000 | 500 | 400 | 4 | Pl, Pw 1.4<br>Others 0.8               |
|                    | 07         | 1059679 | Cw <sup>1,32</sup> Hw <sup>1,32</sup> Sx <sup>1</sup>                                                     | Bl <sup>1</sup>                                               | 1000 | 500 | 400 | 4 | Pl 1.4<br>Others 0.8                   |
| ICHwk1<br>Columbia | 01, 04     | 1059800 | Cw Fd <sup>9,14</sup> Hw<br>Lw <sup>9,14,23,32</sup> Bl <sup>23</sup><br>Sx <sup>10,13</sup>              | Pw <sup>31,57</sup> Yc <sup>23</sup> Pl <sup>23</sup>         | 1200 | 700 | 600 | 4 | Pl, Lw, Pw 2.0<br>Fd 1.4<br>Others 1.0 |
|                    | 03         | 1059801 | Fd Pl                                                                                                     | Bl Cw Hw<br>Pw <sup>57</sup> Sx                               | 1000 | 500 | 400 | 4 | Pl Pw 1.4<br>Fd 1.0<br>Others 0.8      |
|                    | 05         | 1059802 | Sx Cw <sup>32</sup> Hw <sup>32</sup> Bl <sup>23</sup><br>Fd <sup>1,9,14,32</sup> Lw <sup>1,14,32,32</sup> | Pw <sup>31,57</sup><br>Yc <sup>23</sup> Pl <sup>23</sup>      | 1200 | 700 | 600 | 4 | Pl, Lw, Pw 2.0<br>Fd 1.4<br>Others 1.0 |
|                    | 06, 07, 08 | 1059803 | Cw <sup>1,32</sup> Sx <sup>1</sup> Hw <sup>1,32</sup> Bl <sup>123</sup>                                   | Pw <sup>1,3157</sup> Pl <sup>1,23,34</sup>                    | 1000 | 500 | 400 | 4 | Pl, Pw 1.4<br>Others 0.8               |

|                    |    |         |                                                                    |      |     |     |   |                                    |
|--------------------|----|---------|--------------------------------------------------------------------|------|-----|-----|---|------------------------------------|
| IDFdk1<br>Okanagan | 01 | 1059680 | PI Fd <sup>32</sup> Sx <sup>10,13</sup><br>Py <sup>9,14</sup>      | 1000 | 500 | 400 | 7 | PI, Lw 1.0<br>Fd 0.8<br>Sx, Py 0.6 |
|                    | 02 | 1059681 | Fd <sup>27</sup> Py <sup>9,14</sup>                                | 600  | 400 | 400 | 7 | Fd 0.8<br>Py 0.6                   |
|                    | 03 | 1059682 | Fd PI Py <sup>9,14,23</sup>                                        | 600  | 400 | 400 | 7 | PI 1.0<br>Fd 0.8<br>Py 0.6         |
|                    | 04 | 1059683 | Fd PI Sx <sup>10,13</sup><br>Py <sup>9,14,23</sup>                 | 1000 | 500 | 400 | 7 | PI 1.0<br>Fd 0.8<br>Others 0.6     |
|                    | 05 | 1059684 | Fd <sup>9,14,32</sup> Sx Bl <sup>10,13</sup> PI                    | 1000 | 500 | 400 | 7 | PI, Lw 1.0<br>Fd 0.8<br>Others 0.6 |
|                    | 06 | 1059685 | PI <sup>1</sup> Sx <sup>1</sup> Fd <sup>1,32</sup> Bl <sup>1</sup> | 1000 | 500 | 400 | 4 | PI 1.0<br>Fd 0.8<br>Others 0.6     |
| IDFdk2<br>Okanagan | 01 | 1059686 | PI Fd <sup>32</sup> Sx <sup>10,13</sup><br>Py <sup>9,14</sup>      | 1000 | 500 | 400 | 4 | PI, Lw 1.0<br>Fd 0.8<br>Sx, Py 0.6 |
|                    | 02 | 1059687 | Fd <sup>27</sup> Py <sup>14</sup>                                  | 600  | 400 | 400 | 4 | Fd 0.8<br>Py 0.6                   |
|                    | 03 | 1059688 | Fd <sup>32</sup> PI Py <sup>14</sup>                               | 1000 | 500 | 400 | 4 | PI 1.0<br>Fd 0.8<br>Py 0.6         |
|                    | 04 | 1059689 | Fd <sup>32</sup> PI Sx <sup>10,13</sup> Py <sup>9,14</sup>         | 1200 | 700 | 600 | 4 | PI, Lw 1.4<br>Fd 1.0<br>Sx, Py 0.8 |
|                    | 05 | 1059690 | Fd <sup>32</sup> Sx PI Cw <sup>32</sup>                            | 1200 | 700 | 600 | 4 | PI, Lw 1.4<br>Fd 1.0<br>Others 0.8 |
|                    | 06 | 1059691 | PI <sup>1</sup> Sx <sup>1</sup> Fd <sup>1,32</sup>                 | 1000 | 500 | 400 | 4 | PI 1.0<br>Fd 0.8<br>Others 0.6     |
|                    | 07 | 1059692 | PI <sup>1</sup> Sx <sup>1</sup> Cw <sup>32</sup>                   | 1000 | 500 | 400 | 4 | PI 1.0<br>Others 0.6               |

|                            |        |         |                                             |                                        |      |     |     |   |        |     |
|----------------------------|--------|---------|---------------------------------------------|----------------------------------------|------|-----|-----|---|--------|-----|
| <b>IDFdm1<br/>Okanagan</b> | 01     | 1059693 | Fd <sup>32</sup> Lw <sup>32</sup> PI        | Py <sup>9,14</sup> Sx <sup>10,13</sup> | 1000 | 500 | 400 | 7 | PI, Lw | 1.0 |
|                            |        |         |                                             |                                        |      |     |     |   | Fd     | 0.8 |
|                            |        |         |                                             |                                        |      |     |     |   | Others | 0.6 |
|                            | 03     | 1059694 | Fd <sup>27</sup> Py <sup>9,14</sup>         | PI                                     | 600  | 400 | 400 | 7 | PI     | 1.0 |
|                            |        |         |                                             |                                        |      |     |     |   | Fd     | 0.8 |
|                            |        |         |                                             |                                        |      |     |     |   | Py     | 0.6 |
|                            | 04     | 1059695 | Fd <sup>32</sup> Lw <sup>32</sup> PI        | Sx <sup>10,13</sup>                    | 1000 | 500 | 400 | 7 | PI, Lw | 1.0 |
| <b>IDFdm2<br/>Columbia</b> |        |         | Py <sup>9,14</sup>                          |                                        |      |     |     |   | Fd     | 0.8 |
|                            |        |         |                                             |                                        |      |     |     |   | Others | 0.6 |
|                            | 05     | 1059696 | Fd <sup>32</sup> Lw <sup>32</sup> PI        | Py <sup>9,14</sup> Cw <sup>32</sup>    | 1200 | 700 | 600 | 7 | PI, Lw | 1.4 |
|                            |        |         | Sx <sup>10,13</sup>                         |                                        |      |     |     |   | Fd     | 1.0 |
|                            | 06     | 1059697 | Fd <sup>32</sup> Lw <sup>32</sup> Sx        | PI Cw <sup>32</sup>                    | 1200 | 700 | 600 | 4 | Sx     | 0.8 |
|                            |        |         |                                             |                                        |      |     |     |   | PI, Lw | 1.4 |
|                            |        |         |                                             |                                        |      |     |     |   | Fd     | 1.0 |
| <b>IDFdm1<br/>Okanagan</b> | 07     | 1059698 | PI <sup>1</sup> Sx <sup>1</sup>             | Fd <sup>1,32</sup> Lw <sup>1,32</sup>  | 1000 | 500 | 400 | 4 | Others | 0.8 |
|                            |        |         |                                             |                                        |      |     |     |   | PI, Lw | 1.0 |
|                            |        |         |                                             |                                        |      |     |     |   | Fd     | 0.8 |
|                            |        |         |                                             |                                        |      |     |     |   | Others | 0.6 |
|                            | 01     | 1059804 | Fd <sup>32</sup> Lw <sup>32</sup> Py        | PI <sup>10,13</sup>                    | 1000 | 500 | 400 | 4 | PI, Lw | 1.0 |
|                            |        |         |                                             |                                        |      |     |     |   | Fd     | 0.8 |
|                            |        |         |                                             |                                        |      |     |     |   | Py     | 0.6 |
| <b>IDFdm2<br/>Columbia</b> | 03     | 1059805 | Fd <sup>27</sup> Py Lw <sup>10,13</sup>     |                                        | 600  | 400 | 400 | 4 | Lw     | 1.0 |
|                            |        |         |                                             |                                        |      |     |     |   | Fd     | 0.8 |
|                            |        |         |                                             |                                        |      |     |     |   | Py     | 0.6 |
|                            | 04     | 1059806 | Fd <sup>32</sup> Lw <sup>32</sup> PI Sx     |                                        | 1200 | 700 | 600 | 4 | PI, Lw | 1.4 |
|                            |        |         |                                             |                                        |      |     |     |   | Fd     | 1.0 |
|                            |        |         |                                             |                                        |      |     |     |   | Others | 0.8 |
|                            | 05, 07 | 1059807 | PI Sx Fd <sup>1,32</sup> Lw <sup>1,32</sup> |                                        | 1000 | 500 | 400 | 4 | PI, Lw | 1.0 |
| <b>IDFdm2<br/>Columbia</b> |        |         |                                             |                                        |      |     |     |   | Fd     | 0.8 |
|                            |        |         |                                             |                                        |      |     |     |   | Sx     | 0.6 |
|                            |        |         |                                             |                                        |      |     |     |   |        |     |

|                    |    |         |                                                                                                                |      |     |     |   |                                    |
|--------------------|----|---------|----------------------------------------------------------------------------------------------------------------|------|-----|-----|---|------------------------------------|
| IDFmw1<br>Okanagan | 01 | 1059699 | Fd <sup>32</sup> Lw <sup>32</sup> Cw <sup>10,13</sup> Sx <sup>10,13</sup><br>PI, Py <sup>9,14</sup>            | 1200 | 700 | 600 | 4 | PI, Lw 1.6<br>Fd 1.0<br>Others 0.8 |
|                    | 02 | 1059700 | Fd <sup>27</sup> Py PI                                                                                         | 600  | 400 | 400 | 4 | PI 1.2<br>Fd 0.8<br>Py 0.6         |
|                    | 03 | 1059701 | Fd <sup>27</sup> Py <sup>9,14</sup> PI Lw <sup>10,13</sup>                                                     | 600  | 400 | 400 | 4 | PI, Lw 1.2<br>Fd 0.8<br>Py 0.6     |
|                    | 04 | 1059702 | Fd Lw PI Cw <sup>10,13</sup> Sx <sup>10,13</sup><br>Py <sup>9,14</sup>                                         | 1000 | 500 | 400 | 4 | PI, Lw 1.2<br>Fd 0.8<br>Others 0.6 |
|                    | 05 | 1059703 | Sx Fd <sup>32</sup> Lw <sup>32</sup> PI Cw                                                                     | 1200 | 700 | 600 | 4 | PI, Lw 1.6<br>Fd 1.0<br>Others 0.8 |
|                    | 06 | 1059704 | Sx Fd <sup>1,32</sup> Lw <sup>1,32</sup> Cw                                                                    | 1200 | 700 | 600 | 4 | PI, Lw 1.6<br>Fd 1.0<br>Others 0.8 |
| IDFmw2<br>Okanagan | 01 | 1059705 | Fd PI Cw <sup>10,13</sup> Lw <sup>32</sup><br>Py <sup>9,14,23</sup> Sx <sup>10,13</sup><br>Bl <sup>10,13</sup> | 1200 | 700 | 600 | 4 | PI, Lw 1.6<br>Fd 1.0<br>Others 0.8 |
|                    | 02 | 1059706 | Fd <sup>27</sup> PI Py <sup>9,14</sup>                                                                         | 600  | 400 | 400 | 4 | Fd, PI 0.8<br>Py 0.6               |
|                    | 03 | 1059707 | Fd <sup>14</sup> PI Py <sup>9,14</sup> Cw <sup>10,13</sup> Sx <sup>10,13</sup><br>Lw <sup>32</sup>             | 1000 | 500 | 400 | 4 | PI, Lw 1.6<br>Fd 1.0<br>Others 0.8 |
|                    | 04 | 1059708 | Fd <sup>32</sup> Sx PI Lw <sup>32</sup> Cw <sup>32,37</sup>                                                    | 1200 | 700 | 600 | 4 | PI, Lw 1.6<br>Fd 1.0<br>Others 0.8 |
|                    | 05 | 1059709 | PI <sup>1</sup> Sx <sup>1</sup> Cw <sup>1,32</sup>                                                             | 400  | 200 | 200 | 4 | PI 1.2<br>Others 0.6               |

|                                  |       |         |                                            |                                                |      |     |     |   |        |     |
|----------------------------------|-------|---------|--------------------------------------------|------------------------------------------------|------|-----|-----|---|--------|-----|
| <b>IDFxh1</b><br><b>Okanagan</b> | 01    | 1059711 | Fd <sup>27</sup> Py                        | Lw <sup>1,10,13,32</sup>                       | 1000 | 500 | 400 | 7 | All    | 0.6 |
|                                  | 02*   | 1059710 | Py Fd <sup>27</sup>                        |                                                | 400  | 200 | 200 | 7 | All    | 0.6 |
|                                  | 03    | 1059712 | Py Fd <sup>27</sup>                        |                                                | 600  | 400 | 400 | 7 | All    | 0.6 |
|                                  | 04    | 1059713 | Py Fd <sup>27</sup>                        |                                                | 600  | 400 | 400 | 7 | All    | 0.6 |
|                                  | 05    | 1059714 | Py Fd <sup>27</sup>                        |                                                | 600  | 400 | 400 | 7 | All    | 0.6 |
|                                  | 06    | 1059715 | Fd <sup>27</sup> Py                        | Lw <sup>1,10,13,32</sup>                       | 1000 | 500 | 400 | 7 | All    | 0.6 |
|                                  | 07    | 1059716 | Fd Py                                      | Lw <sup>1,10,13,32</sup> Cw <sup>37</sup>      | 1000 | 500 | 400 | 7 | All    | 0.6 |
|                                  | 08    | 1059717 | Fd <sup>1,32</sup> Sx Pl <sup>1</sup>      | Cw <sup>37</sup>                               | 1200 | 700 | 600 | 4 | PI     | 1.0 |
|                                  |       |         |                                            |                                                |      |     |     |   | Others | 0.8 |
| <b>IDFxh2</b><br><b>Okanagan</b> | 01    | 1059718 | Fd <sup>27</sup> Py                        |                                                | 1000 | 500 | 400 | 7 | All    | 0.6 |
|                                  | 02    | 1059719 | Py <sup>27</sup> Fd <sup>27</sup>          |                                                | 400  | 200 | 200 | 7 | All    | 0.6 |
|                                  | 03    | 1059720 | Py <sup>27</sup> Fd <sup>27</sup>          |                                                | 400  | 200 | 200 | 7 | All    | 0.6 |
|                                  | 04    | 1059721 | Py Fd <sup>27</sup>                        |                                                | 600  | 400 | 400 | 7 | All    | 0.6 |
|                                  | 05    | 1059722 | Fd <sup>27</sup> Py                        |                                                | 1000 | 500 | 400 | 7 | All    | 0.6 |
|                                  | 06    | 1059723 | Fd Py                                      |                                                | 1200 | 700 | 600 | 7 | All    | 0.6 |
|                                  | 07    | 1059724 | Fd <sup>32</sup> Sx                        | Py <sup>32</sup> Cw <sup>32</sup>              | 1200 | 700 | 600 | 4 | All    | 0.6 |
|                                  | 08    | 1059725 | Sx <sup>1</sup> Fd <sup>1,32</sup>         | Pl <sup>1,23</sup>                             | 1000 | 500 | 400 | 4 | PI     | 0.8 |
|                                  |       |         |                                            |                                                |      |     |     |   | Others | 0.6 |
| <b>MSdk</b><br><b>Columbia</b>   | 01,05 | 1059808 | Fd <sup>32</sup> Lw <sup>32</sup> Pl Sx    | Bl                                             | 1200 | 700 | 600 | 4 | PI, Lw | 1.4 |
|                                  |       |         |                                            |                                                |      |     |     |   | Others | 0.8 |
|                                  | 03    | 1059809 | Fd Lw Pl                                   | Sx Bl                                          | 1000 | 500 | 400 | 4 | PI, Lw | 1.0 |
|                                  | 04    | 1059810 | Fd Lw Pl                                   | Sx Bl                                          | 1200 | 700 | 600 | 4 | Others | 0.6 |
|                                  | 06    | 1059811 | Sx Fd <sup>1,32</sup> Lw <sup>1,32</sup>   | Pl <sup>1</sup> Bl                             | 1200 | 700 | 600 |   | PI, Lw | 1.4 |
|                                  |       |         |                                            |                                                |      |     |     |   | Others | 0.8 |
| <b>MSdm1</b><br><b>Okanagan</b>  | 01    | 1059726 | Pl Sx                                      | Bl Fd <sup>9,14,32</sup>                       | 1200 | 700 | 600 | 7 | PI, Lw | 1.4 |
|                                  |       |         | Lw <sup>9,14,32</sup>                      |                                                |      |     |     |   | Others | 0.8 |
|                                  | 02    | 1059727 | Fd Pl Lw                                   |                                                | 600  | 400 | 400 | 7 | PI, Lw | 1.0 |
|                                  |       |         |                                            |                                                |      |     |     |   | Others | 0.6 |
|                                  | 03    | 1059728 | Pl Fd <sup>32</sup> Lw <sup>32</sup>       | Sx <sup>10,13</sup>                            | 1000 | 500 | 400 | 7 | PI, Lw | 1.0 |
|                                  |       |         |                                            |                                                |      |     |     |   | Others | 0.6 |
|                                  | 04    | 1059729 | Fd <sup>14,32</sup> Lw <sup>14,32</sup> Pl | Sx <sup>10,13</sup>                            | 1200 | 700 | 600 | 7 | PI, Lw | 1.4 |
|                                  |       |         |                                            |                                                |      |     |     |   | Others | 0.8 |
|                                  | 05    | 1059730 | Pl Sx                                      | Bl <sup>10,13</sup> Fd <sup>9,14,32</sup>      | 1200 | 700 | 600 | 4 | PI, Lw | 1.4 |
|                                  |       |         |                                            |                                                |      |     |     |   | Others | 0.8 |
|                                  | 06    | 1059731 | Pl Sx                                      | Bl Fd <sup>9,14,32</sup> Lw <sup>9,14,32</sup> | 1200 | 700 | 600 | 4 | PI, Lw | 1.4 |
|                                  |       |         |                                            |                                                |      |     |     |   | Others | 0.8 |

|                           |     |         |                                              |                                         |      |     |     |   |        |     |
|---------------------------|-----|---------|----------------------------------------------|-----------------------------------------|------|-----|-----|---|--------|-----|
| <b>MSdm1<br/>(cont'd)</b> | 07  | 1059732 | PI <sup>1</sup> Sx <sup>1</sup>              | BI <sup>1</sup>                         | 1000 | 500 | 400 | 4 | PI     | 1.0 |
|                           |     |         |                                              |                                         |      |     |     |   | Others | 0.6 |
| <b>MSdm2<br/>Okanagan</b> | 01  | 1059733 | PI Sx Fd <sup>9,14,32</sup>                  | BI <sup>10,13</sup> Lw <sup>14,32</sup> | 1200 | 700 | 600 | 4 | PI, Lw | 1.4 |
|                           | 03  | 1059734 | Fd <sup>9,14</sup> PI                        | BI <sup>10,13</sup> Sx <sup>10,13</sup> | 1000 | 500 | 400 | 4 | Others | 0.8 |
|                           | 04  | 1059735 | PI Fd <sup>9,14,32</sup> Sx <sup>10,13</sup> | BI <sup>10,13</sup> Lw <sup>14,32</sup> | 1200 | 700 | 600 | 4 | PI     | 1.0 |
|                           | 05  | 1059736 | PI Sx Fd <sup>9,14,32</sup>                  | BI Cw <sup>32</sup> Lw <sup>14,32</sup> | 1200 | 700 | 600 | 4 | Others | 0.6 |
|                           | 06  | 1059737 | PI Sx Fd <sup>9,14,32</sup>                  | BI                                      | 1200 | 700 | 600 | 4 | PI, Lw | 1.4 |
|                           | 07  | 1059738 | PI Sx                                        | BI                                      | 1200 | 700 | 600 | 4 | Others | 0.8 |
|                           |     |         |                                              |                                         | 1000 | 500 | 400 | 4 | PI     | 1.4 |
| <b>MSxk<br/>Okanagan</b>  | 01  | 1059739 | PI Sx <sup>10,13</sup> Fd <sup>9,14,32</sup> | BI <sup>10,13</sup>                     | 1200 | 700 | 600 | 7 | Others | 0.8 |
|                           | 02  | 1059740 | PI Fd <sup>9,14</sup>                        | BI <sup>10,13</sup>                     | 1000 | 500 | 400 | 7 | PI     | 1.0 |
|                           | 05  | 1059741 | PI Fd <sup>9,14</sup>                        | BI <sup>10,13</sup> Sx <sup>10,13</sup> | 1000 | 500 | 400 | 7 | Others | 0.6 |
|                           | 06  | 1059742 | PI Fd <sup>9,14,32</sup> Sx <sup>10,13</sup> | BI <sup>10,13</sup>                     | 1200 | 700 | 600 | 7 | PI     | 1.0 |
|                           | 07  | 1059743 | PI Sx Fd <sup>9,14,32</sup>                  | BI <sup>10,13</sup>                     | 1200 | 700 | 600 | 4 | Others | 0.6 |
|                           | 08  | 1059744 | PI Sx Fd <sup>9,14,32</sup>                  | BI                                      | 1200 | 700 | 600 | 4 | PI, Lw | 1.4 |
|                           | 09  | 1059745 | PI <sup>1</sup> Sx <sup>1</sup>              | BI <sup>1</sup>                         | 1200 | 700 | 600 | 4 | Others | 0.8 |
|                           |     |         |                                              |                                         | 1000 | 500 | 400 | 4 | PI     | 1.4 |
|                           |     |         |                                              |                                         |      |     |     |   | Others | 0.8 |
| <b>PPxh1<br/>Okanagan</b> | 01  | 1059746 | Py <sup>27</sup> Fd <sup>27</sup>            |                                         | 400  | 200 | 200 | 7 | PI     | 1.0 |
|                           | 02* | 1059747 | Py <sup>27</sup> Fd <sup>27</sup>            |                                         | 400  | 200 | 200 | 7 | Others | 0.6 |
|                           | 04  | 1059748 | Py <sup>27</sup> Fd <sup>27</sup>            |                                         | 400  | 200 | 200 | 7 | All    | 0.6 |
|                           | 05  | 1059749 | Py <sup>27</sup> Fd <sup>27</sup>            |                                         | 400  | 200 | 200 | 7 | All    | 0.6 |
|                           | 06  | 1059750 | Fd Py <sup>27</sup>                          |                                         | 400  | 200 | 200 | 7 | All    | 0.6 |
|                           | 07  | 1059751 | Fd Py                                        |                                         | 600  | 400 | 400 | 7 | All    | 0.6 |
|                           | 08  | 1059752 | Fd <sup>1</sup> Sx <sup>1</sup>              | Py <sup>1,32</sup>                      | 1000 | 500 | 400 | 4 | All    | 0.6 |
|                           |     |         |                                              |                                         | 1000 | 500 | 400 | 4 | All    | 0.6 |

## Uneven-aged Stocking Standards\* -- Single-tree selection only<sup>1</sup> (all FDUs) and Intermediate Cutting Stocking Standards (Okanagan)

| Target from<br>Table A standards | Layer** | Stocking***      |        |       | Target from<br>Table A standards | Layer** | Stocking***      |        |       |
|----------------------------------|---------|------------------|--------|-------|----------------------------------|---------|------------------|--------|-------|
|                                  |         | Target pa        | MIN pa | MIN p |                                  |         | Target pa        | MIN pa | MIN p |
| (stems/ha)                       |         | (well-spaced/ha) |        |       | (stems/ha)                       |         | (well-spaced/ha) |        |       |
| <b>1200</b>                      | 1       | 600              | 300    | 250   | <b>800</b>                       | 1       | 300              | 150    | 150   |
|                                  | 2       | 800              | 400    | 300   |                                  | 2       | 400              | 200    | 200   |
|                                  | 3       | 1000             | 500    | 400   |                                  | 3       | 600              | 300    | 300   |
|                                  | 4       | 1200             | 700    | 600   |                                  | 4       | 800              | 400    | 400   |
| <b>1000</b>                      | 1       | 400              | 200    | 200   | <b>600</b>                       | 1       | 300              | 150    | 150   |
|                                  | 2       | 600              | 300    | 250   |                                  | 2       | 400              | 200    | 200   |
|                                  | 3       | 800              | 400    | 300   |                                  | 3       | 500              | 300    | 300   |
|                                  | 4       | 1000             | 500    | 400   |                                  | 4       | 600              | 400    | 400   |
| <b>900</b>                       | 1       | 400              | 200    | 200   | <b>400</b>                       | 1       | 200              | 100    | 100   |
|                                  | 2       | 500              | 300    | 250   |                                  | 2       | 300              | 125    | 125   |
|                                  | 3       | 700              | 400    | 300   |                                  | 3       | 300              | 150    | 150   |
|                                  | 4       | 900              | 500    | 400   |                                  | 4       | 400              | 200    | 200   |

Regeneration date is **seven years**. Regeneration date can be met immediately following harvest if the residual stand has no significant damage or pest problems and meets minimum stocking standards. For intermediate cut, regeneration date is N/A

Free growing date for uneven aged stocking standards is the default date specified in Forest Planning and Practices Regulation, section 44(4) and section 97 (3)

Preferred and acceptable species, "Target from Table A standards", and minimum height at free growing are as specified in Table A by biogeoclimatic ecosystem classification (BEC) variant and site series.

### \*\*Stand Layer Definition

|         |              |                                     |
|---------|--------------|-------------------------------------|
| Layer 1 | Mature       | trees >= 12.5 cm dbh                |
| Layer 2 | Pole         | trees 7.5 cm to 12.4 cm dbh         |
| Layer 3 | Sapling      | trees >= 1.3 m height to 7.4 cm dbh |
| Layer 4 | Regeneration | trees < 1.3 m height                |

\*\*\* MIN = minimum stocking pa - preferred and acceptable species p - preferred species

<sup>1</sup>The practice of Single Tree Selection is as defined in the Silviculture Systems Guidebook (Apr 1995) and the Silviculture Systems Handbook for British Columbia (October 2001)

## Intermediate Cut, No Regeneration Objectives-Standards (Columbia)

| Minimum Crop Tree Basal Area Retained (M <sup>2</sup> /ha)                                           | Standards ID # | Additional Criteria (all areas)                                                                                                                                                                                                                                                                                                                                      |
|------------------------------------------------------------------------------------------------------|----------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 50                                                                                                   | 1059812        | To meet the minimum BA standard - retained crop tree basal area must be comprised of merchantable trees (Pli 12.5 cm DBH, other species 17.5 cm DBH) that meet or exceed the minimum leave tree characteristics outlined below. To qualify as an IC a minimum of 40% of the stand's original BA must be retained or the minimum BA by BEC zone whichever is greater. |
| 45                                                                                                   | 1059813        |                                                                                                                                                                                                                                                                                                                                                                      |
| 40                                                                                                   | 1059814        |                                                                                                                                                                                                                                                                                                                                                                      |
| 35                                                                                                   | 1059815        |                                                                                                                                                                                                                                                                                                                                                                      |
| 30                                                                                                   | 1059816        |                                                                                                                                                                                                                                                                                                                                                                      |
| 26                                                                                                   | 1059817        |                                                                                                                                                                                                                                                                                                                                                                      |
| 24 min for all other BEC zones<br>18 min for the MSdk, IDFdm2, ICHmk1, ICHmw1, ESSFdk BEC zones only | 1059818        | "No Regen" Obligation Window is early 1 year and late 4 years.                                                                                                                                                                                                                                                                                                       |
|                                                                                                      | 1059819        |                                                                                                                                                                                                                                                                                                                                                                      |
| 15 min for beetle proofing. HDR does not apply                                                       | 1059820        | When reporting the Forest Cover Inventory for an intermediate Entry report the Total BA retained in the Inventory label and the Crop Tree BA in the Silviculture label                                                                                                                                                                                               |

*Preferred and acceptable species to be retained are as specified in Appendix A by biogeoclimatic ecosystem classification (BEC) site series.*

### **Minimum leave tree characteristics:**

#### Stands Age Class 6 and Younger:

*Crop trees must meet limits defined in the Tree Wounding and Decay guidebook (dated Feb 97)—Long Term Retention Objective to be acceptable.*

*Crop trees of all species must have a height to diameter ratio (HDR) of 1.0 or less to be acceptable – except Pli which must have a HDR of 1.2 or less.*

*All trees must meet criteria defined in Appendix 10, Establishment to Free Growing Guidebook: Nelson Region - May 2000.*

#### Stands Age Class 7 and Older:

*Crop1 trees must meet the limits defined in the Cruising Manual (effective June 1, 2008) for tree classes 1, 2, 5, and 8.*

*Crop trees of all species must have a height to diameter ratio (HDR) of 1.0 or less to be acceptable – except Pli which must have a HDR of 1.2 or less.*

*All trees must meet criteria defined in Appendix 10, Establishment to Free Growing Guidebook: Nelson Region - May 2000.*

### **Minimum Strata Size for Reforestation Obligations:**

*Any contiguous strata greater than one hectare, that as a result of harvesting have a basal area less than*

*18 m<sup>2</sup> per ha for the MSdk, IDFdm2, ICHmk1, ICHmw1 and ESSFdk BEC zones, and 24 m<sup>2</sup> for all other BEC zones shall be reforested as specified in Appendix A by BEC site series.*

|                                                                   | Footnote # | Footnote                                                                                                     | Footnote # | Footnote                                                |
|-------------------------------------------------------------------|------------|--------------------------------------------------------------------------------------------------------------|------------|---------------------------------------------------------|
| <b>Conifer Tree Species</b>                                       |            |                                                                                                              |            | <b>Broadleaf Management Constraints</b>                 |
| "Ba" means amabilis fir;                                          | 1          | elevated microsites are preferred                                                                            | #          |                                                         |
| "Bl" means subalpine fir;                                         | 9          | recommended on southerly aspects--SSW to WSW                                                                 | a          | productive, reliable, and feasible regeneration option  |
| "Cw" means western red cedar;                                     | 10         | recommended on northerly aspects--NW to ENE                                                                  | b          | limited in productivity, reliability and/or feasibility |
| "Fd" means Douglas-fir;                                           | 13         | recommended in upper elevations of biogeoclimatic unit                                                       |            |                                                         |
| "Hm" means mountain hemlock;                                      | 14         | recommended in lower elevations of biogeoclimatic unit                                                       |            |                                                         |
| "Hw" means western hemlock;                                       | 23         | restricted to max 20% of well-spaced P&A                                                                     |            |                                                         |
| "Lw" means western larch;                                         | 27         | partial canopy cover required for successful establishment                                                   |            |                                                         |
| "Pa" means whitebark pine;                                        | 28         | limited by moisture deficit                                                                                  |            |                                                         |
| "Pl" means lodgepole pine;                                        | 31         | risk of white pine blister rust                                                                              |            |                                                         |
| "Pw" means white pine;                                            | 32         | limited by growing-season frosts                                                                             |            |                                                         |
| "Py" means ponderosa pine;                                        | 34         | risk of snow damage                                                                                          |            |                                                         |
| "Se" means Engelmann spruce;                                      | 37         | risk of heart rots                                                                                           |            |                                                         |
| species is "Sw" means white spruce;                               | 51         | severe risk of needle blight, snow press and bear damage;                                                    |            |                                                         |
| "Sx" means hybrid spruce or interior spruce;                      |            | restricted to areas with proven Pl performance*                                                              |            |                                                         |
| "Sxw" means hybrid white spruce;                                  | 55         | <b>Columbia</b> - acceptable in sx-sm portions of site series                                                |            |                                                         |
| "Yc" means yellow cedar.                                          | 57         | <b>Columbia</b> - Pw rust-resistant stock may be                                                             |            |                                                         |
|                                                                   |            | preferred to a max 50% of preferred and acceptable ws stems.                                                 |            |                                                         |
|                                                                   | 70         | Restricted to a maximum of 20% of preferred and acceptable                                                   |            |                                                         |
|                                                                   |            | well-spaced stems on northerly aspects.                                                                      |            |                                                         |
| <b>Broadleaf Tree Species</b>                                     |            |                                                                                                              |            |                                                         |
| "Act" means black cottonwood;                                     | 71         | Restricted to a maximum of 50% of preferred and                                                              |            |                                                         |
| acceptable "At" means trembling aspen;                            |            | well-spaced stems.                                                                                           |            |                                                         |
| "Ep" means common paper birch;                                    | t          | only applies to those portions of the site series that are                                                   |            |                                                         |
|                                                                   |            | on the toe, depression or level ground (as per blue book)                                                    |            |                                                         |
| <b>"Biogeoclimatic unit" or "BGC classification"</b> means        |            | <b>* "Proven Pl performance"</b> means that Pl is present in natural stands within 500 m of the site and has |            |                                                         |
| been planted the zone, subzone, variant and site series described |            | in a reasonably comparable ecological area (i.e. site series and elevation) and has reached a free growing   |            |                                                         |
| status                                                            |            |                                                                                                              |            |                                                         |
| in the most recent field guide published by the Ministry          |            | with minimal losses from either needle blight, snow press and/or bear damage.                                |            |                                                         |
| of Forests for the identification and interpretation of           |            |                                                                                                              |            |                                                         |
| ecosystems, as applicable to a harvested area.                    |            |                                                                                                              |            |                                                         |
| Where a Biogeoclimatic unit is listed twice in the                |            |                                                                                                              |            |                                                         |
| Table, <b>"Okanagan"</b> applies to FDUs located                  |            |                                                                                                              |            |                                                         |
| within Okanagan TSA, TFL 59, TFL 33 and TFL 49                    |            |                                                                                                              |            |                                                         |
| <b>"Columbia"</b> applies to FDUs located within Revelstoke       |            |                                                                                                              |            |                                                         |
| TSA, Golden TSA, Cascadia TSA, TFL 55 and TFL 56                  |            |                                                                                                              |            |                                                         |
| <b>"MIN" or "Min"</b> means minimum.                              |            |                                                                                                              |            |                                                         |
| <b>"p"</b> means Preferred, <b>"a"</b> means Acceptable           |            |                                                                                                              |            |                                                         |

